Phylogenomic conflict coincides with rapid morphological innovation

DOI: 10.1073/pnas.2023058118
Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .

#	Paper	IF	Citations
20	Gene duplications and phylogenomic conflict underlie major pulses of phenotypic evolution in gymnosperms.		
19	Phylogenomic data reveal hard polytomies across the backbone of the large genus Solanum (Solanaceae).		2
18	Neo-darwinism still haunts evolutionary theory: A modern perspective on Charlesworth, Lande, and Slatkin (1982). *Evolution; International Journal of Organic Evolution*, **2021**, 75, 1244-1255	3.8	3
17	Gene duplications and phylogenomic conflict underlie major pulses of phenotypic evolution in gymnosperms. *Nature Plants*, **2021**, 7, 1015-1025	11.5	9
16	Incomplete reproductive isolation and low genetic differentiation despite floral divergence across varying geographic scales in Castilleja. *American Journal of Botany*, **2021**, 108, 1270-1288	2.7	2
15	Phylogenomic discordance suggests polytomies along the backbone of the large genus Solanum.. *American Journal of Botany*, **2022**,	2.7	2
14	Phylogenomic analyses highlight innovation and introgression in the continental radiations of Fagaceae across the Northern Hemisphere.. *Nature Communications*, **2022**, 13, 1320	17.4	1
13	Using ultraconserved elements to reconstruct the termite tree of life.		
12	Using ultraconserved elements to reconstruct the termite tree of life.. *Molecular Phylogenetics and Evolution*, **2022**, 107520	4.1	0
11	Pervasive Phylogenomic Incongruence Underlies Evolutionary Relationships in Eyebrights (Euphrasia, Orobanchaceae). *Frontiers in Plant Science*, **2022**, 13,	6.2	0
10	Genome diploidization associates with cladogenesis, trait disparity, and plastid gene evolution. *Plant Physiology*,	6.6	0
9	Convergence, Hemiplasy, and Correlated Evolution Impact Morphological Diversity Related to a Web-Less Lifestyle in the Two-Clawed Spiders. **2022**, 6,		0
8	Concordance and Discordance in the Phylogenomics of the Wrasses and Parrotfishes (Teleostei: Labridae).		1
7	Phylogenomic comparative methods: accurate evolutionary inferences in the presence of gene tree discordance.		0
6	Diversification of the shell shape and size in Baikal Candonidae ostracods in the light of molecular phylogeny.		0
5	Phylogenomics reveals patterns of ancient hybridization and differential diversification contributing to phylogenetic conflict inPopulusL. andSalixL.		0
4	Deep reticulation: the long legacy of hybridization in vascular plant evolution.		1

3	Diversification of the shell shape and size in Baikal Candonidae ostracods inferred from molecular phylogeny. **2023**, 13,	0
2	More than a prickly morphology: plastome variation in the prickly pear cacti (Opuntieae).	0
1	Sorting of persistent morphological polymorphisms links paleobiological pattern to population process.	0