Incidence of non-communicable diseases (NCDs) in HIV country: Case of Zimbabweâ€₅™Chitungwiza Central Ho (2010–2019)

PLoS ONE 16, e0252180

DOI: 10.1371/journal.pone.0252180

Citation Report

#	Article	IF	CITATIONS
1	The Risk of Hyperglycemia Associated with Use of Dolutegravir Among Adults Living with HIV in Kampala, Uganda: A Case-Control Study. SSRN Electronic Journal, 0, , .	0.4	0
2	The risk of hyperglycemia associated with use of dolutegravir among adults living with HIV in Kampala, Uganda: A case-control study. International Journal of STD and AIDS, 2022, 33, 1158-1164.	0.5	10
3	Associations between HIV status and self-reported hypertension in a high HIV prevalence sub-Saharan African population: a cross-sectional study. BMJ Open, 2023, 13, e067327.	0.8	3
4	Development of Hypertension and Diabetes Mellitus, and Associated Factors, Among Adult HIV Patients in Ethiopia. HIV/AIDS - Research and Palliative Care, 0, Volume 15, 41-51.	0.4	0
5	Prevalence and influences of diabetes and prediabetes among adults living with HIV in Africa: a systematic review and metaâ€analysis. Journal of the International AIDS Society, 2023, 26, .	1.2	2