

# Temperature Dependence of Dielectric Constants of Cu

Physical Review

129, 1593-1600

DOI: [10.1103/physrev.129.1593](https://doi.org/10.1103/physrev.129.1593)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Temperature Dependence of the Frequency Spectrum of a Paraelectric Material. Physical Review, 1964, 135, A1596-A1603.	2.7	40
2	Stark Effects on the Nuclear Quadrupole Coupling of $^{35}\text{Cl}$ in Sodium Chlorate. Journal of Chemical Physics, 1964, 40, 3479-3492.	3.0	22
3	Temperature Dependence of Dielectric Constants of Crystals with NaCl and CsCl Structure. Physical Review, 1965, 140, A292-A303.	2.7	51
4	Classical Diagram Technique for Calculating Thermostatic Properties of Solids; Application to Dielectric Susceptibility of Paraelectrics. Physical Review, 1965, 139, A1281-A1291.	2.7	4
5	Pressure Dependence of the Dielectric Constant of Strontium Titanate. Physical Review, 1965, 140, A954-A957.	2.7	47
6	Anharmonic interactions in alkali halides. I. Proceedings of the Royal Society of London Series A, Mathematical and Physical Sciences, 1965, 287, 259-280.	1.4	99
7	Pressure and Temperature Dependences of the Dielectric Properties of the Perovskites $\text{BaTiO}_3$ and $\text{SrTiO}_3$ . Physical Review, 1966, 151, 378-386.	2.7	369
8	Resonance type dielectric behavior in solids. Colloid and Polymer Science, 1966, 212, 15-20.	2.1	10
9	Search to 25 kbar for a transition in sodium chloride. Solid State Communications, 1966, 4, 283-286.	1.9	6
10	Dielectric Properties in $\text{BaTiO}_3$ - $\text{BaSnO}_3$ and $\text{BaTiO}_3$ - $\text{Ba}(\text{Fe}_{1/2}\text{Ta}_{1/2})\text{O}_3$ Systems. Japanese Journal of Applied Physics, 1966, 5, 1191-1196.	1.5	18
11	Temperature and Pressure Dependence of the Optical Absorption and Luminescence of a Defect in $\text{TlCl}$ . Physical Review, 1967, 159, 687-691.	2.7	5
12	Temperature-Dependent Polarizabilities in Paraelectric $\text{BaTiO}_3$ and $\text{SrTiO}_3$ . Physical Review, 1967, 157, 440-447.	2.7	7
13	The dielectric constant of ionic solids and its change with hydrostatic pressure. Philosophical Magazine and Journal, 1967, 16, 1085-1096.	1.7	61
14	The pressure dependence of the dielectric constants of $\text{SrTiO}_3$ and $(\text{Ba}_{0.05}\text{Sr}_{0.95})\text{TiO}_3$ at low temperatures. Cryogenics, 1967, 7, 331-335.	1.7	4
15	The temperature and pressure dependence of the elastic constants of thallium bromide $\text{ag}$ . Journal of Physics and Chemistry of Solids, 1967, 28, 939-950.	4.0	54
16	The pressure dependence of the dielectric constants of $\text{SrTiO}_3$ and $(\text{Ba}_{0.05}\text{Sr}_{0.95})\text{TiO}_3$ at low temperatures. Cryogenics, 1967, 7, 331-335.	1.7	27
17	The temperature coefficient of capacitance. Journal Physics D: Applied Physics, 1968, 1, 1109-1115.	2.8	57
18	Temperature and Pressure Dependence of the Dielectric Constants of the Thallous Halides. Physical Review, 1968, 165, 959-969.	2.7	94

#	ARTICLE	IF	CITATIONS
19	Lattice Theory of the Elastic Dielectric: Application to the Fluorite Lattice. <i>Physical Review</i> , 1968, 165, 1054-1062.	2.7	48
20	Anharmonicity and Millimeter-Wave Absorption in Alkali-Halide Crystals. <i>Physical Review</i> , 1969, 181, 1228-1236.	2.7	29
21	Temperature and Pressure Dependence of Dielectric Constant of Cadmium Fluoride. <i>Journal of Applied Physics</i> , 1969, 40, 3115-3118.	2.5	7
22	Temperature coefficients of capacitance of solids. <i>Journal of Materials Science</i> , 1969, 4, 370-374.	3.7	154
23	Dielectric properties of the composite system polyurethane " sodium chloride. <i>Rheologica Acta</i> , 1970, 9, 299-305.	2.4	0
24	Far Infrared Dispersion and the Raman Spectra of Ferroelectric Crystals. , 1970, , 247-296.		8
25	Dielectric constants of ionic crystals and their variations with temperature and pressure. <i>Proceedings of the Royal Society of London Series A, Mathematical and Physical Sciences</i> , 1970, 316, 351-375.	1.4	103
26	Ferroelectric phase transitions: A review of theory and experiment. <i>Ferroelectrics</i> , 1970, 1, 207-220.	0.6	4
27	Phase Transitions in CsPbCl <sub>3</sub> . <i>Journal of Applied Physics</i> , 1971, 42, 5267-5272.	2.5	52
28	Electrical conduction in thin metallic, dielectric and metallic-dielectric films. <i>Reports on Progress in Physics</i> , 1971, 34, 283-368.	20.1	33
29	Pressure and temperature dependence of the low frequency relative permittivity of the alkali halides. <i>Philosophical Magazine and Journal</i> , 1971, 23, 655-660.	1.7	16
30	Grüneisen parameter for the equation of state of alkali halides. <i>Physica</i> , 1971, 51, 526-540.	0.9	14
31	Raman spectrum of hexagonal zinc sulfide at high pressures. <i>Journal of Physics and Chemistry of Solids</i> , 1972, 33, 763-766.	4.0	26
32	Optical cutoff frequency of single crystals of alkali-metal halides. <i>Soviet Physics Journal (English)</i> Tj ETQq1 1 0.784314 rgBT /Overlock	0.0	0
33	Anharmonic Effects in KTaO <sub>3</sub> : Ferroelectric Mode, Thermal Expansion, and Compressibility. <i>Physical Review B</i> , 1973, 8, 1256-1264.	3.2	126
34	Stabilization of the paraelectric phase of KTaO <sub>3</sub> and SrTiO <sub>3</sub> by strong quartic anharmonicity. <i>Journal of Physics C: Solid State Physics</i> , 1973, 6, 932-944.	1.5	43
35	The Resistivity of MgO Powder at Elevated Temperatures. <i>IEEE Transactions on Electrical Insulation</i> , 1973, EI-8, 133-136.	0.8	1
36	Pressure and Temperature Dependence of the Static Dielectric Constants of KCl, NaCl, LiF, and MgO. <i>Physical Review B</i> , 1973, 7, 3885-3892.	3.2	47

#	ARTICLE	IF	CITATIONS
37	“Dirty” displacive ferroelectrics. <i>Ferroelectrics</i> , 1974, 7, 297-299.	0.6	37
38	Mean field theories of sublattice melting in ionic crystals. <i>Journal of Electronic Materials</i> , 1975, 4, 973-986.	2.2	10
39	Pressure and temperature dependences of the dielectric constant, Raman spectra and lattice constant of $\text{SnI}_4$ . <i>Journal of Physics and Chemistry of Solids</i> , 1975, 36, 1123-1128.	4.0	32
40	Temperature and pressure dependences of the dielectric properties of $\text{PbF}_2$ and the alkaline-earth fluorides. <i>Physical Review B</i> , 1976, 13, 4529-4544.	3.2	155
41	Electronic polarizabilities and sizes of ions in $\text{AN B}_{10}^{\text{N}}$ type semiconductors. <i>Journal of Physics and Chemistry of Solids</i> , 1976, 37, 443-445.	4.0	17
42	Volume dependence of the electronic dielectric constant of ionic crystals. <i>Physical Review B</i> , 1977, 15, 2363-2365.	3.2	5
43	Evaluation of the second order strain derivatives of the electronic dielectric constant of alkali halides. <i>Solid State Communications</i> , 1977, 24, 83-85.	1.9	9
44	Dielectric behaviour and ferroelectricity in alums. <i>Ferroelectrics</i> , 1978, 21, 433-435.	0.6	5
45	Theory of strain derivatives of electronic and static dielectric constants of alkali halides and alkaline-earth fluorides. <i>Physical Review B</i> , 1979, 19, 6604-6609.	3.2	21
46	Dielectric Constant of Antiferromagnet $\text{K}_2\text{CoF}_4$ near Its Néel Temperature. <i>Journal of the Physical Society of Japan</i> , 1980, 49, 1000-1004.	1.6	5
47	Phenomenological explanation of the anomalous dielectric behavior of alums with pseudo-spin-lattice coupled-mode model. <i>Physical Review B</i> , 1982, 26, 6276-6284.	3.2	8
48	Dielectric behaviour of anisotropic ionic crystals. <i>Pramana - Journal of Physics</i> , 1982, 19, 117-124.	1.8	13
49	Secondary electron emission and conductivity mechanisms of epitaxial $\text{MgO}$ films. <i>Applications of Surface Science</i> , 1982, 14, 56-72.	1.0	7
50	Dielectric and anharmonic behaviour of alkali halide crystals. <i>Physica Status Solidi (B): Basic Research</i> , 1982, 114, 659-665.	1.5	4
51	On the dielectric curie-weiss law and diffuse phase transition in ferroelectrics. <i>Materials Research Bulletin</i> , 1983, 18, 301-308.	5.2	28
52	Dielectric and anharmonic behaviour of silver halides, thallos halides, alkaline earth fluorides, and lead fluoride crystals. <i>Physica Status Solidi (B): Basic Research</i> , 1983, 115, 67-74.	1.5	15
53	Quantum - ferroelectric pressure sensor. <i>Ferroelectrics</i> , 1983, 50, 257-262.	0.6	1
54	Effect of Mn Doping on the Dielectric Properties of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ Ceramics at Microwave Frequency. <i>Japanese Journal of Applied Physics</i> , 1983, 22, 1125-1128.	1.5	79

#	ARTICLE	IF	CITATIONS
55	Ba(Mn <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> Ceramic with Ultra-Low Loss at Microwave Frequency. Japanese Journal of Applied Physics, 1984, 23, 507-508.	1.5	24
56	Pressure dependence of dielectric constants of alums. Journal of Physics and Chemistry of Solids, 1984, 45, 761-770.	4.0	8
57	Temperature dependence of dielectric constant of crystals with fluorite structure. Pramana - Journal of Physics, 1984, 22, 559-565.	1.8	4
58	Uniaxial Stress Dependence of the Static Dielectric Constant of Some Alkali Halides. Physica Status Solidi (B): Basic Research, 1985, 130, 457-466.	1.5	9
59	Volume Dependence of Dielectric Properties of Some Fluorite Structure Crystals. Physica Status Solidi (B): Basic Research, 1985, 131, 505-510.	1.5	6
60	Microwave dielectric properties of Ti <sup>4+</sup> /MgO and Ni <sup>2+</sup> /MgO. Applied Physics A: Solids and Surfaces, 1985, 36, 63-65.	1.4	1
61	Quantum ferroelectric pressure sensor for use at low temperatures. Review of Scientific Instruments, 1985, 56, 1913-1916.	1.3	6
62	The temperature dependence of permittivity in MgO and Fe-MgO single crystals. Journal of Materials Science, 1986, 21, 3091-3096.	3.7	17
63	Strain Derivatives of Dielectric Constants of MgO and Thallous Halides. Physica Status Solidi (B): Basic Research, 1986, 137, 33-38.	1.5	2
64	Microwave measurement of the temperature dependence of permittivity in molybdenum phosphate glasses. Journal of Materials Science Letters, 1986, 5, 1321-1323.	0.5	1
65	Dielectric properties of binary praseodymium phosphate glasses. Journal of Materials Science Letters, 1987, 6, 1079-1082.	0.5	3
67	High-Temperature Dielectric Properties of Polycrystalline Ceramics. Materials Research Society Symposia Proceedings, 1988, 124, 137.	0.1	27
68	Electrical conductivity and dielectric constant of samarium phosphate glasses. The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties, 1989, 59, 221-232.	0.6	58
69	Dielectric and anharmonic behaviour of mixed alkali halides. Nuovo Cimento Della Societa Italiana Di Fisica D - Condensed Matter, Atomic, Molecular and Chemical Physics, Biophysics, 1989, 11, 963-968.	0.4	1
70	Dielectric and electrical conductivity studies in $\hat{1}^2$ -PbF <sub>2</sub> . Solid State Communications, 1989, 69, 271-275.	1.9	6
71	Dielectric constants of chrysoberyl, spinel, phenacite, and forsterite and the oxide additivity rule. Physics and Chemistry of Minerals, 1989, 16, 747-751.	0.8	36
72	The effect of hydrostatic pressure on the dielectric constants, and their temperature dependences, of phosphate and tellurite glasses. Journal of Non-Crystalline Solids, 1989, 110, 213-222.	3.1	8
73	The dielectric properties of aluminium nitride substrates for microelectronics packaging. Journal of Materials Science, 1990, 25, 4965-4971.	3.7	37

#	ARTICLE	IF	CITATIONS
74	The dielectric properties of alumina substrates for microelectronic packaging. Journal of Materials Science, 1990, 25, 4143-4149.	3.7	13
75	A bibliographical review of the high pressure studies of ferroelectric phase transitions. Phase Transitions, 1991, 35, 205-242.	1.3	16
76	Dielectric constants of YVO <sub>4</sub> , Fe-, Ge-, and V-containing garnets, the polarizabilities of Fe <sub>2</sub> O <sub>3</sub> , GeO <sub>2</sub> , and V <sub>2</sub> O <sub>5</sub> , and the oxide additivity rule. Journal of Solid State Chemistry, 1991, 95, 313-318.	2.9	16
77	Dielectric Constants and Their Pressure and Temperature Derivatives for Ionic Crystals. Physica Status Solidi A, 1991, 123, 17-50.	1.7	26
78	The dielectric properties of glass-ceramic-on-metal substrates for microelectronics packaging. Journal of Materials Science, 1991, 26, 5367-5373.	3.7	3
79	Dielectric constants of tephroite, fayalite and olivine and the oxide additivity rule. Physics and Chemistry of Minerals, 1991, 18, 1.	0.8	30
80	Elevated temperature measurements of permittivity and permeability at temperatures above 1000 degrees C. , O, , .		5
81	Contribution of Dielectric Constant to Change in Temperature Coefficient of Resonant Frequency in (Ba <sub>1-x</sub> Sr <sub>x</sub> )(Mg <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> Compounds. Japanese Journal of Applied Physics, 1992, 31, 3132-3135.	1.5	19
82	Thermal and electrical properties of the novel organic nonlinear crystal L-arginine phosphate monohydrate. Journal of Applied Physics, 1992, 72, 3464-3467.	2.5	60
83	Relationships between dopants, microstructure and the microwave dielectric properties of ZrO <sub>2</sub> -TiO <sub>2</sub> -SnO <sub>2</sub> ceramics. Journal of Materials Science, 1992, 27, 6303-6310.	3.7	225
84	Dielectric constants of crystalline and amorphous spodumene, anorthite and diopside and the oxide additivity rule. Physics and Chemistry of Minerals, 1992, 19, 148.	0.8	39
85	Microwave Dielectric Properties of Lanthanide Titanate Ceramics. Japanese Journal of Applied Physics, 1993, 32, 4327-4331.	1.5	76
86	Effect of structural changes in complex perovskites on the temperature coefficient of the relative permittivity. Journal of Applied Physics, 1993, 74, 3414-3425.	2.5	397
87	A microscopic model for the temperature coefficient of the resonant frequency ( $\bar{f}$ ) in complex perovskites used for microwave filter. Ferroelectrics, 1994, 154, 35-40.	0.6	13
88	Theoretical analysis of the electrical properties of tellurite glasses. Materials Chemistry and Physics, 1994, 37, 376-381.	4.0	17
89	Microwave dielectric properties of (Zr <sub>0.8</sub> Sn <sub>0.2</sub> )TiO <sub>4</sub> ceramics with pentavalent additives. Journal of Materials Research, 1995, 10, 2085-2090.	2.6	47
90	Transport properties of polycrystalline samples of calcium and magnesium oxides. Experimental and theoretical approaches. Journal of Physics and Chemistry of Solids, 1995, 56, 989-994.	4.0	1
91	Piezoresistivity modeling of grain boundary junctions in positive temperature coefficient of resistivity BaTiO <sub>3</sub> . Journal of Applied Physics, 1995, 77, 5322-5334.	2.5	12

#	ARTICLE	IF	CITATIONS
92	Influence of structure on the microwave dielectric properties of ti substituted (ca,sr)zro3 ceramics. Ferroelectrics, 1995, 173, 233-242.	0.6	3
93	Correlation Between Structural Parameters, Polarisabilities and Dielectric Properties in Non-Ferroelectric Complex Perovskites. Materials Research Society Symposia Proceedings, 1996, 453, 437.	0.1	4
94	Crystal structure and dielectric properties of (Pb $1-x$ Ca $x$ )(Zr $1-y$ Sn $y$ )O $3$ ceramics. Journal of Materials Science, 1996, 31, 2551-2556.	3.7	4
95	Dielectric properties and polarizability of molybdenum tellurite glasses. Journal of Materials Science, 1996, 31, 6339-6343.	3.7	52
96	Prediction of the dielectric properties of non-ferroelectric complex perovskites and of the ternary system Ba/SrO-Ln $2$ O $3$ -xTiO $2$ for microwave applications. Ferroelectrics, 1996, 184, 151-160.	0.6	5
97	Microwave Dielectric Properties of Certain Simple Alkaline Earth Perovskite Compounds as a Function of Tolerance Factor. Japanese Journal of Applied Physics, 1997, 36, 194-197.	1.5	58
98	Temperature Dependence of the Complex Index of Refraction. , 1997, , 177-201.		6
99	Dielectric Properties of AB $2$ O $6$ Compounds at Microwave Frequencies (A=Ca, Mg, Mn, Co, Ni, Zn, and) Tj ETQq1 1 0.784314 rgBT /Over 1.5 227	1.5	227
100	Microwave Dielectric Properties of Ba $6-3x$ Sm $8+2x$ Ti $18$ O $54$ Solid Solutions with Sr Substituted for Ba. Japanese Journal of Applied Physics, 1997, 36, 6012-6015.	1.5	33
101	Thermo-Optic Coefficients. , 1997, , 115-261.		9
102	DIELECTRIC PROPERTIES OF MNb $2$ O $6$ COMPOUNDS (WHERE M = Ca, Mn, Co, Ni, OR Zn). Materials Research Bulletin, 1997, 32, 847-855.	5.2	232
103	Coherent tunneling of lithium defect pairs in KCl crystals. Annalen Der Physik, 1997, 509, 263-286.	2.4	3
104	Theoretical prediction of single-site enthalpies of surface protonation for oxides and silicates in water. Geochimica Et Cosmochimica Acta, 1998, 62, 3703-3716.	3.9	65
105	Crystal Structure and Microwave Dielectric Properties of (1-x)La(Zn $1/2$ Ti $1/2$ )O $3$ â€“xSrTiO $3$ System. Japanese Journal of Applied Physics, 1998, 37, 593-596.	1.5	36
106	Dielectric Behavior of (1-x)LaAlO $3$ â€“xSrTiO $3$ Solid Solution System at Microwave Frequencies. Japanese Journal of Applied Physics, 1998, 37, 5625-5629.	1.5	73
107	Changes in the Crystal Structure and Dielectric Properties of the Complex Perovskite Sr(Ca $_{0.5}$ Ta $_{0.5}$ )O $_{3}$ with A-Site Cation Substitution. Journal of the Ceramic Society of Japan, 1998, 106, 669-675.	1.3	3
108	Pulsed Laser Deposition of Ba $_x$ Sr $_{1-x}$ TiO $_3$ Films on MgO, LaAlO $_3$ and SrTiO $_3$ for Tunable Microwave Applications. Materials Research Society Symposia Proceedings, 1998, 541, 693.	0.1	6
109	Temperature Dependence of the Complex Index of Refraction. , 1998, , 177-201.		6

#	ARTICLE	IF	CITATIONS
110	The crystal structures and dielectric properties of the $(1-x)Ca(Mg_{1/2}W_{1/2})O_3-xCaTiO_3$ System. <i>Ferroelectrics</i> , 1999, 223, 329-336.	0.6	5
111	Changes in ordered structure and dielectric properties with the A-site and B-site cation ratios of complex perovskites $(Sr_{1-x}Ba_x)(Sr_{0.33+y}Ta_{0.67-y})O_3$ . <i>Journal of the European Ceramic Society</i> , 1999, 19, 1089-1093.	5.7	11
112	Title is missing!. <i>Journal of Materials Science</i> , 1999, 34, 625-628.	3.7	14
113	Title is missing!. , 1999, 3, 387-397.		5
114	Microwave dielectric properties of $(Ba, Sr)(Zn_{1/3}Ta_{2/3})O_3$ dielectric resonators. <i>Materials Chemistry and Physics</i> , 1999, 58, 276-279.	4.0	9
115	Intrinsic Reasons for Variations in Dielectric Properties of $Ba_{6-3x}R_{8+2x}Ti_{18}O_{54}$ ( $R=La, Gd$ ) Solid Solutions. <i>Japanese Journal of Applied Physics</i> , 1999, 38, 2820-2826.	1.5	81
116	The design of a temperature-stable stepped-impedance resonator using composite ceramic materials. , 1999, 9, 143-144.		15
117	Far-IR reflectance study on $(Ba_{1-x}Sr_x)(Zn_{1/3}Ta_{2/3})O_3$ dielectric resonators as a function of tolerance factor. <i>Physica B: Condensed Matter</i> , 2000, 293, 118-124.	2.7	14
118	Estimating adsorption enthalpies and affinity sequences of monovalent electrolyte ions on oxide surfaces in aqueous solution. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 3629-3641.	3.9	31
119	Dielectric Properties of Tellurite Glasses. , 2001, , .		0
120	$Ag(Nb,Ta)O_3$ -based ceramics with suppressed temperature dependence of permittivity. <i>Journal of the European Ceramic Society</i> , 2001, 21, 2647-2651.	5.7	62
121	Relationship between the Bond Valence and the Temperature Coefficient of the Resonant Frequency in the Complex Perovskite $(Pb_{1-x}Ca_x)[Fe_{0.5}(Nb_{1-y}Ta_{y})_{2/3}O_3]$ . <i>Journal of the American Ceramic Society</i> , 2001, 84, 99-103.	3.8	125
122	Contribution of Structure to Temperature Dependence of Resonant Frequency in the $(1-x)Cu_3Nb_2O_8-xZn_3Nb_2O_8$ ceramics. <i>Journal of Materials Research</i> , 2001, 16, 1465-1470.	3.8	60
123	Low fire $BiNbO_4$ microwave dielectric ceramics modified by $Sm_2O_3$ addition. <i>Materials Research Bulletin</i> , 2001, 36, 827-835.	5.2	21
124	Microwave dielectric properties of $(1-x)Cu_3Nb_2O_8-xZn_3Nb_2O_8$ ceramics. <i>Journal of Materials Research</i> , 2001, 16, 1465-1470.	2.6	46
125	Phase transitions and microwave dielectric properties in the perovskite-like $Ca_{10.5}Nb_{0.5}O_3-CaTiO_3$ system. <i>Journal of Applied Physics</i> , 2001, 90, 904-914.	2.5	99
126	Comparative dielectric response in $CaTiO_3$ and $CaAl_{1/2}Nb_{1/2}O_3$ from first principles. <i>Journal of Applied Physics</i> , 2001, 90, 1459-1468.	2.5	27
127	The Reversible Phase Transition and Dielectric Properties of $BaNb_2O_6$ Polymorphs. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 6045-6048.	1.5	25



#	ARTICLE	IF	CITATIONS
128	Nonlinear dielectric microwave losses in MgO substrates. Applied Physics Letters, 2002, 80, 1007-1009.	3.3	37
129	A bandpass filter using dielectric coaxial resonators with a temperature-stable stepped-impedance structure. Microwave and Optical Technology Letters, 2002, 35, 508-510.	1.4	1
130	Porosity dependence of microwave dielectric properties of complex perovskite (Pb <sub>0.5</sub> Ca <sub>0.5</sub> )(Fe <sub>0.5</sub> Ta <sub>0.5</sub> )O <sub>3</sub> ceramics. Materials Chemistry and Physics, 2003, 79, 213-217.	4.0	37
131	Dielectric properties of [Ca <sub>1-x</sub> (Li <sub>1/2</sub> Nd <sub>1/2</sub> ) <sub>x</sub> ] <sub>1-y</sub> ZnyTiO <sub>3</sub> ceramics at microwave frequencies. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2003, 99, 93-97.	3.5	73
132	Understanding the microwave dielectric properties of (Pb <sub>0.45</sub> Ca <sub>0.55</sub> )[Fe <sub>0.5</sub> (Nb <sub>1-x</sub> Tax) <sub>0.5</sub> ]O <sub>3</sub> ceramics via the bond valence. Journal of the European Ceramic Society, 2003, 23, 2391-2396.	5.7	44
133	Microwave dielectric properties of (1-x)CaTiO <sub>3</sub> -xLi <sub>1/2</sub> Sm <sub>1/2</sub> TiO <sub>3</sub> ceramics. Journal of the European Ceramic Society, 2003, 23, 2397-2401.	5.7	91
134	High-Pressure Synthesis and Characterization of Perovskites with Simultaneous Ordering of Both the A- and B-Site Cations, CaCu <sub>3</sub> Ga <sub>2</sub> M <sub>2</sub> O <sub>12</sub> (M = Sb, Ta). Chemistry of Materials, 2003, 15, 3798-3804.	6.7	52
135	Dielectric characterization of the (1-x)La(Mg <sub>1/2</sub> Ti <sub>1/2</sub> )O <sub>3</sub> -xBaTiO <sub>3</sub> microwave ceramics. Journal Physics D: Applied Physics, 2004, 37, 914-920.	2.8	13
136	Effects of Calcium Substitution on the Structural and Microwave Dielectric Characteristics of [(Pb <sub>1-x</sub> Ca <sub>x</sub> ) <sub>1/2</sub> La <sub>1/2</sub> ](Mg <sub>1/2</sub> Nb <sub>1/2</sub> )O <sub>3</sub> Ceramics. Journal of the American Ceramic Society, 2001, 84, 1291-1295.	3.1	10
137	Surface Plasmon Resonance Tunability in Au <sup>VO</sup> <sub>2</sub> Thermochromic Nano-composites. Gold Bulletin, 2005, 38, 100-106.	2.7	85
138	Voltage-Tunable Dielectric Properties of Pyrochlore Bi <sup>Zn</sup> -Nb <sup>Ti</sup> -O Solid-Solution Thin Films. Japanese Journal of Applied Physics, 2005, 44, 6648-6653.	1.5	20
139	Microstructural control of microwave dielectric properties in CaTiO <sub>3</sub> -La(Mg <sub>1-x</sub> 2Ti <sub>1-x</sub> 2)O <sub>3</sub> ceramics. Journal of Applied Physics, 2005, 97, 064103.	2.5	44
140	A/B Site Modified CaTiO <sub>3</sub> Dielectric Ceramics for Microwave Application. Journal of the American Ceramic Society, 2006, 89, 1153-1155.	3.8	50
141	Microwave Dielectric Properties of Rare-Earth Ortho-Niobates with Ferroelasticity. Journal of the American Ceramic Society, 2006, 89, 3861-3864.	3.8	118
142	Mixture behavior and microwave dielectric properties of (1-x)Ca <sub>2</sub> P <sub>2</sub> O <sub>7</sub> -xTiO <sub>2</sub> . Journal of the European Ceramic Society, 2006, 26, 2007-2010.	5.7	25
143	Control of 0.2CaTiO <sub>3</sub> -0.8Li <sub>0.5</sub> Nd <sub>0.5</sub> TiO <sub>3</sub> microwave dielectric ceramics by additions of Bi <sub>2</sub> Ti <sub>2</sub> O <sub>7</sub> . Journal of Electroceramics, 2006, 16, 257-261.	2.0	7
144	Lattice-polarization effects on electron-gas charge densities in ionic superlattices. Physical Review B, 2006, 73, .	3.2	76
145	Effect of Crystal Structure on Microwave Dielectric Properties of (Ni <sub>1/3</sub> B <sub>2/3</sub> ) <sub>1-x</sub> TixO <sub>2</sub> (B=Nb and Ta). Japanese Journal of Applied Physics, 2007, 46, 7101-7104.	1.5	9

#	ARTICLE	IF	CITATIONS
146	Tuning of the Ba <sub>5</sub> Nb <sub>4</sub> O <sub>15</sub> permittivity temperature coefficient. Journal of the European Ceramic Society, 2007, 27, 3987-3990.	5.7	1
147	Microwave dielectric properties and co-firing of BiNbO <sub>4</sub> ceramics with CuO substitution. Materials Chemistry and Physics, 2007, 104, 397-402.	4.0	26
148	Microstructure and microwave dielectric properties of (1-x)Ca(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> /xCa <sub>0.61</sub> Nd <sub>0.26</sub> TiO <sub>3</sub> complex perovskite ceramics. Journal of Electroceramics, 2008, 21, 482-486.	2.0	0
149	Effect of preparation methods on microstructures and microwave dielectric properties of Ba(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2008, 19, 227-232.	2.2	7
150	High-temperature infrared and dielectric properties of large sapphire crystal for seeker dome application. Crystal Research and Technology, 2008, 43, 531-536.	1.3	20
151	Structure and microwave dielectric characteristics of Ca <sub>1-x</sub> Nd <sub>2x/3</sub> TiO <sub>3</sub> ceramics. Journal of the European Ceramic Society, 2008, 28, 585-590.	5.7	53
152	Microstructure and Microwave Dielectric Properties of (1-x)Ca(Mg <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> /xCaTiO <sub>3</sub> Ceramics. Journal of the American Ceramic Society, 2008, 91, 1163-1168.	3.8	52
153	Sintering behavior and microwave dielectric properties of Bi <sub>3</sub> (Nb <sub>1-x</sub> Tax)O <sub>7</sub> solid solutions. Materials Chemistry and Physics, 2008, 110, 212-215.	4.0	15
154	Sintering of stacked pellets for controlling the temperature coefficient of dielectrics. Materials Research Bulletin, 2008, 43, 2569-2578.	5.2	3
155	PSEUDO-TUNGSTEN BRONZE-TYPE DIELECTRIC MATERIALS. , 2008, , 109-159.		1
156	MEASUREMENT OF MICROWAVE DIELECTRIC PROPERTIES AND FACTORS AFFECTING THEM. , 2008, , 11-47.		23
157	Structural Dependence of Microwave Dielectric Properties of SrAlO <sub>4</sub> (R = Sm, Nd, La) Ceramics: Crystal Structure Refinement and Infrared Reflectivity Study. Chemistry of Materials, 2008, 20, 4092-4098.	6.7	95
158	Crystal structure and dielectric properties of (1-x)Ca <sub>0.61</sub> Nd <sub>0.26</sub> TiO <sub>3</sub> +xNd(Mg <sub>1/2</sub> Ti <sub>1/2</sub> )O <sub>3</sub> complex perovskite at microwave frequencies. Journal of Applied Physics, 2008, 104, .	2.5	23
159	Structural and Dielectric Characteristics of Calcium Strontium Magnesium Niobate. Japanese Journal of Applied Physics, 2009, 48, 055501.	1.5	0
160	Low loss and frequency (1 kHz-1 MHz) independent dielectric characteristics of 3BaO-3TiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> glasses. Journal of Applied Physics, 2009, 106, .	2.5	18
161	Influence of sintering process on the microwave dielectric properties of Bi(V <sub>0.008</sub> Nb <sub>0.992</sub> )O <sub>4</sub> ceramics. Materials Chemistry and Physics, 2009, 115, 126-131.	4.0	26
162	Structure and microwave dielectric properties of Ba <sub>3</sub> Ti <sub>4-x</sub> (Fe <sub>1/2</sub> Nb <sub>1/2</sub> ) <sub>x</sub> Nb <sub>4</sub> O <sub>21</sub> solid solutions. Journal of Materials Science: Materials in Electronics, 2009, 20, 756-760.	2.2	9
163	Low temperature sintering and microwave dielectric properties of MgNb <sub>2</sub> O <sub>6</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2009, 20, 867-871.	2.2	7

#	ARTICLE	IF	CITATIONS
164	Effect of sintering aid CuO-MnO <sub>2</sub> on dielectric properties of 0.5Ba(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> -0.5Ba(Ni <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ceramics. Journal Wuhan University of Technology, Materials Science Edition, 2009, 24, 123-126.	1.0	6
165	Bi <sub>2</sub> O <sub>3</sub> –MoO <sub>3</sub> Binary System: An Alternative Ultralow Sintering Temperature Microwave Dielectric. Journal of the American Ceramic Society, 2009, 92, 2242-2246.	3.8	131
166	Microwave Dielectric Properties Trends in a Solid Solution (Bi <sub>1-x</sub> Ln <sub>x</sub> ) <sub>2</sub> Mo <sub>2</sub> O <sub>9</sub> (Ln=La, Tj, Tb, Tm, Yb) / Overl	0.0	0
167	Effect of Glass Addition on the Microwave Dielectric Properties of CaMgSi <sub>2</sub> O <sub>6</sub> Ceramics. International Journal of Applied Ceramic Technology, 2010, 7, E98.	2.1	33
168	Combustion synthesis and characterization of nanocrystalline Ba(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> powders. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2009, 158, 88-91.	3.5	8
169	Complex permittivity of FeCl <sub>3</sub> /AOT/CCl <sub>4</sub> microemulsions probed by AC impedance spectroscopy. Journal of Colloid and Interface Science, 2009, 337, 285-288.	9.4	2
170	Microwave Dielectric Properties of the Lithium Containing Compounds with Rock Salt Structure. Ferroelectrics, 2009, 387, 123-129.	0.6	128
171	Dielectric properties of rutile (Zn <sub>1/3</sub> B <sub>2/3</sub> ) <sub>x</sub> (Ti <sub>y</sub> Sn <sub>1-y</sub> ) <sub>1-x</sub> O <sub>2</sub> (B=Nb <sup>5+</sup> , Ta <sup>5+</sup> ) at microwave frequency. , 2009, , .		0
172	Effect of BiFeO <sub>3</sub> addition on Bi <sub>2</sub> O <sub>3</sub> –ZnO–Nb <sub>2</sub> O <sub>5</sub> based ceramics. Current Applied Physics, 2010, 10, 26-30.	2.4	5
173	New high Q microwave dielectric ceramics with rock salt structures: (1-x)Li <sub>2</sub> TiO <sub>3</sub> +xMgO system (0≤x≤0.5). Journal of the European Ceramic Society, 2010, 30, 325-330.	5.7	136
174	Microstructure and Microwave Dielectric Properties of (1-x)Ca(Al <sub>0.5</sub> Nb <sub>0.5</sub> )O <sub>3</sub> +xSrTiO <sub>3</sub> Solid Solutions. Journal of the American Ceramic Society, 2010, 93, 3354-3359.	3.8	11
175	Improvement of Microwave Dielectric Characteristics in SrLaAlO <sub>4</sub> Ceramics by Ca Substitution. Journal of the American Ceramic Society, 2010, 93, 4066-4070.	3.8	19
176	Dielectric properties of rutile structure (Zn <sub>1/3</sub> B <sub>2/3</sub> ) <sub>x</sub> (Ti <sub>y</sub> Sn <sub>1-y</sub> ) <sub>1-x</sub> O <sub>2</sub> (B=Nb <sup>5+</sup> , Ta <sup>5+</sup> ) at microwave frequencies. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2010, 57, 2250-2256.	3.0	0
177	Thermo-optical switches. , 2010, , 61-96.		4
178	First-principles study of the effect of pressure on the five zirconia polymorphs. II. Static dielectric properties and Raman spectra. Physical Review B, 2010, 82, .	3.2	21
179	Effect of Sr/P Ratio on the Microwave Dielectric Properties of Sr <sub>2</sub> P <sub>2</sub> O <sub>7</sub> Ceramics. Ferroelectrics, 2010, 407, 84-92.	0.6	1
180	Correlation Between Tolerance Factor and Temperature Coefficient of Dielectric Constant of (Ba,Sr)(Zn <sub>1/3</sub> Ta <sub>2/3</sub> )O <sub>3</sub> Dielectric Resonator. Japanese Journal of Applied Physics, 2011, 50, 021501.	1.5	0
181	Phase evolution, crystal structure and dielectric behavior of (1-x)Nd(Zn <sub>0.5</sub> Ti <sub>0.5</sub> )O <sub>3</sub> +xBi(Zn <sub>0.5</sub> Ti <sub>0.5</sub> )O <sub>3</sub> compound ceramics. Journal of Alloys and Compounds, 2011, 509, 2993-2999.	5.5	5

#	ARTICLE	IF	CITATIONS
182	Elucidating the dielectric properties of Mg <sub>2</sub> SnO <sub>4</sub> ceramics at microwave frequency. Journal of Alloys and Compounds, 2011, 509, 9650-9653.	5.5	52
183	Electrical relaxation and transport in 0.5Cs <sub>2</sub> O-0.5Li <sub>2</sub> O-3B <sub>2</sub> O <sub>3</sub> glasses. IEEE Transactions on Dielectrics and Electrical Insulation, 2011, 18, 155-161.	2.9	8
184	Infrared Reflectivity Spectra and Microwave Dielectric Properties of (Sr <sub>1-x</sub> Ca <sub>x</sub> )SmAlO <sub>4</sub> (0 ≤ x ≤ 1) Ceramics. International Journal of Applied Ceramic Technology, 2011, 8, 1023-1030.	2.1	11
185	Microwave Dielectric Properties of Li <sub>2</sub> WO <sub>4</sub> Ceramic with Ultra-Low Sintering Temperature. Journal of the American Ceramic Society, 2011, 94, 348-350.	3.8	206
186	Microwave Dielectric Properties of Ba <sub>2</sub> Ca <sub>1-x</sub> Sr <sub>x</sub> WO <sub>6</sub> Double Perovskites. Journal of the American Ceramic Society, 2011, 94, 2933-2938.	3.8	21
187	Synthesis, growth, optical, mechanical and electrical properties of L-lysine L-lysinium dichloride nitrate (L-LLDN) single crystal. Bulletin of Materials Science, 2011, 34, 469-475.	1.7	24
188	Microwave dielectric properties of Ba <sub>3</sub> Ti <sub>4-x</sub> (Zn <sub>1/3</sub> Nb <sub>2/3</sub> ) <sub>x</sub> Nb <sub>4</sub> O <sub>21</sub> for low temperature co-fired ceramics. Journal of the European Ceramic Society, 2011, 31, 265-272.	5.7	38
189	Rare-earth oxide superlattices on Si(1 1 1). Journal of Crystal Growth, 2011, 323, 95-98.	1.5	4
190	Advance in thermo-optical switches: principles, materials, design, and device structure. Optical Engineering, 2011, 50, 071112.	1.0	81
191	Dielectric properties and crystal structure of (Mg <sub>0.9</sub> Zn <sub>0.05</sub> Co <sub>0.05</sub> ) <sub>4</sub> (Nb <sub>1-x</sub> Ta <sub>x</sub> ) <sub>2</sub> O <sub>9</sub> ceramics. Journal of Alloys and Compounds, 2012, 541, 283-287.	5.5	4
192	Phase constitution, structure analysis and microwave dielectric properties of Zn <sub>0.5</sub> Ti <sub>1-x</sub> Zr <sub>x</sub> NbO <sub>4</sub> ceramics. Solid State Sciences, 2012, 14, 1385-1391.	3.2	11
193	Permittivity and its temperature dependence in hexagonal structure BN dominated by the local electric field. Chinese Physics B, 2012, 21, 077701.	1.4	7
194	Dielectric response of epitaxially strained CoFe <sub>2</sub> O <sub>4</sub> spinel thin films. Physical Review B, 2012, 86, .	3.2	29
195	Microwave dielectric properties of MgAl <sub>2</sub> O <sub>4</sub> -CoAl <sub>2</sub> O <sub>4</sub> spinel compounds prepared by reaction-sintering process. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2012, 177, 1133-1137.	3.5	37
196	Dielectric properties and crystal structure of Mg <sub>2</sub> TiO <sub>4</sub> ceramics substituting Mg <sup>2+</sup> with Zn <sup>2+</sup> and Co <sup>2+</sup> . Journal of Alloys and Compounds, 2012, 513, 481-486.	5.5	41
197	Structural Transitions and Microwave Dielectric Properties of (Ba, Sr) <sub>2</sub> LnSbO <sub>6</sub> (Ln= La, Pr, Nd, Sm, Gd.) Tj ETQq1 1 0,784314 ggBT /Over	0,6	
198	Influence of Ca <sub>0.8</sub> Sr <sub>0.2</sub> TiO <sub>3</sub> on the microstructures and microwave dielectric properties of Nd(Mg <sub>0.4</sub> Zn <sub>0.1</sub> Sn <sub>0.5</sub> )O <sub>3</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2012, 23, 825-831.	2.2	12
199	Microwave dielectric properties and low temperature sintering of Ba <sub>3</sub> Ti <sub>4-x</sub> (Mg <sub>1/3</sub> Nb <sub>2/3</sub> ) <sub>x</sub> Nb <sub>4</sub> O <sub>21</sub> ceramics with BaCu(B <sub>2</sub> O <sub>5</sub> ) addition. Journal of Materials Science: Materials in Electronics, 2012, 23, 1449-1454.	2.2	7

#	ARTICLE	IF	CITATIONS
200	Structural Transitions and Microwave Dielectric Properties of $\text{Ba}_{2-x}\text{Sr}_x\text{SmSbO}_{10}$ Double Perovskites. <i>Journal of the American Ceramic Society</i> , 2012, 95, 1665-1670.	3.8	10
201	Improving microwave dielectric properties of $\text{La}_{2.98/3}\text{Sr}_{0.01}(\text{Mg}_{0.5}\text{Sn}_{0.5})\text{O}_3$ ceramics with CuO additive. <i>Current Applied Physics</i> , 2012, 12, 483-488.	2.4	6
202	Microstructures and microwave dielectric properties of $\text{La}_{1-x}\text{B}_x(\text{Mg}_{0.5}\text{Sn}_{0.5})\text{O}_3$ ceramics. <i>Current Applied Physics</i> , 2012, 12, 726-731.	2.4	3
203	The structure and properties of $0.95\text{MgTiO}_3\text{-}0.05\text{CaTiO}_3$ ceramics co-doped with $\text{ZnO}\text{-}\text{ZrO}_2$ . <i>Ceramics International</i> , 2012, 38, S61-S64.	4.8	14
204	Microwave dielectric properties of $(\text{Zn}_{1/3}\text{B}_{2/3})_{0.5}(\text{Ti}_{0.8}\text{M}_{0.2})_{0.5}\text{O}_2$ (B=Nb <sup>5+</sup> , Ta <sup>5+</sup> , M=Sn <sup>4+</sup> , Ge <sup>4+</sup> ) ceramics. <i>Ceramics International</i> , 2012, 38, S163-S167.	4.8	6
205	Microstructures and microwave dielectric properties of $(1-x)\text{La}\text{-}x\text{Sm}(\text{Mg}_{0.5}\text{Sn}_{0.5})\text{O}_3\text{-}y\text{Ca}_{0.8}\text{Sm}_{0.4/3}\text{TiO}_3$ ceramics. <i>Ceramics International</i> , 2012, 38, 3097-3103.	4.8	2
206	Crystal structure and microwave dielectric properties of $\text{Zn}_{0.9}\text{Ti}_{0.8-x}\text{Sn}_x\text{Nb}_{2.2}\text{O}_8$ ceramics. <i>Ceramics International</i> , 2012, 38, 3985-3989.	4.8	9
207	Relationship Between Bond Ionicity, Lattice Energy, and Microwave Dielectric Properties of $\text{Zn}_{1-x}\text{Ta}_x\text{Nb}_{x-1}\text{O}_8$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2012, 95, 2587-2592.	3.8	4
208	Correlation Between Structural Characteristics and Microwave Dielectric Properties of Scheelite $\text{Ca}_{1-x}\text{Cd}_x\text{MoO}_4$ Solid Solution. <i>Journal of the American Ceramic Society</i> , 2012, 95, 3532-3537.	3.2	4
209	Enhancement microwave dielectric properties of $\text{La}(\text{Mg}_{0.5}\text{Sn}_{0.5})\text{O}_3$ ceramics by substituting $\text{La}^{3+}$ with $\text{Sm}^{3+}$ . <i>Journal of Physics and Chemistry of Solids</i> , 2012, 73, 296-301.	4.0	7
211	Size and Lone Pair Effects on the Multiferroic Properties of $\text{Bi}_{0.75}\text{A}_{0.25}\text{FeO}_4$ (A = Sr, Pb, and Ba) Ceramics. <i>Journal of the American Ceramic Society</i> , 2013, 96, 3141-3148.	3.8	4
212	Phase structures and microwave dielectric properties of $x\text{CaTiO}_3\text{-}(1-x)\text{Sm}_{0.9}\text{Nd}_{0.1}\text{AlO}_3$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 4662-4668.	2.2	13
213	First-principles theory and calculation of flexoelectricity. <i>Physical Review B</i> , 2013, 88, .	3.2	179
214	Low-temperature atomic layer deposition of MgO thin films on Si. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 485304.	2.8	33
215	Microwave dielectric properties of $(1-x)\text{Nd}_{1-2x/3}\text{Ba}_x(\text{Mg}_{0.5}\text{Sn}_{0.5})\text{O}_3\text{-}y\text{Ca}_{0.8}\text{Sr}_{0.2}\text{TiO}_3$ ceramic. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 819-826.	2.2	12
216	Microstructure and microwave dielectric properties of $\text{Li}_2\text{Ti}_x(\text{Zn}_{1/3}\text{Nb}_{2/3})_x\text{O}_3$ ceramics. <i>Ceramics International</i> , 2013, 39, 4887-4892.	4.8	31
217	A novel low firing microwave dielectric ceramic $\text{NaCa}_2\text{Mg}_2\text{V}_3\text{O}_{12}$ . <i>Ceramics International</i> , 2013, 39, 9779-9783.	4.8	55
218	Crystal structure refinement and microwave dielectric properties of new low dielectric loss $\text{AZrNb}_2\text{O}_8$ (A: Mn, Zn, Mg and Co) ceramics. <i>Scripta Materialia</i> , 2013, 69, 274-277.	5.2	120

#	ARTICLE	IF	CITATIONS
219	Microwave dielectric properties of Li <sub>2</sub> TiO <sub>3</sub> ceramics doped with LiF for LTCC applications. Journal of Alloys and Compounds, 2013, 552, 173-179.	5.5	83
220	Electrical transport characteristics of ZnO–Bi <sub>2</sub> O <sub>3</sub> –B <sub>2</sub> O <sub>3</sub> glasses. Ionics, 2013, 19, 99-104.	2.4	41
221	Abnormal variation of microwave dielectric properties in A/B site co-substituted (Ca <sub>1-x</sub> La <sub>0.2x</sub> )(Mg <sub>1/3</sub> Ta <sub>2/3</sub> ) <sub>1-x</sub> Ti <sub>x</sub> O <sub>3</sub> complex perovskite ceramics. Journal of the European Ceramic Society, 2013, 33, 813-823.	5.7	14
223	Frequency and Temperature-Independent Electrical Transport Properties of 2BaO–0.5Na <sub>2</sub> O–2.5Nb <sub>2</sub> O <sub>5</sub> –4.5B <sub>2</sub> O <sub>3</sub> Glasses. Journal of the American Ceramic Society, 2014, 97, 3582-3588.	3.8	11
224	Improvement in microwave dielectric properties of La(Mg <sub>0.5</sub> Sn <sub>0.5</sub> )O <sub>3</sub> ceramics by applying ZnO–B <sub>2</sub> O <sub>3</sub> –SiO <sub>2</sub> . Journal of Materials Science: Materials in Electronics, 2014, 25, 4312-4318.	2.2	8
225	Effect of Zr substitution on microwave dielectric properties of Zn <sub>2</sub> SnO <sub>4</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2014, 25, 5000-5005.	2.2	9
226	Characterization and microwave dielectric properties of TiO <sub>2</sub> -modified 0.65CaTiO <sub>3</sub> –0.35Sm <sub>0.9</sub> Nd <sub>0.1</sub> AlO <sub>3</sub> ceramics. Materials Research Bulletin, 2014, 50, 254-258.	5.2	8
227	Microstructures and microwave dielectric properties of (1-x-y)Nd <sub>1-x</sub> Yb <sub>x</sub> (Mg <sub>0.5</sub> Sn <sub>0.5</sub> )O <sub>3</sub> –yCa <sub>0.8</sub> Sr <sub>0.2</sub> TiO <sub>3</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2014, 25, 1836-1841.	2.2	1
228	Effect of sintering temperature and time on microwave dielectric properties of CaNb <sub>2</sub> O <sub>6</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2014, 25, 844-851.	2.2	11
229	Structural, lattice vibrational, optical and microwave dielectric studies on Ca <sub>1-x</sub> Sr <sub>x</sub> MoO <sub>4</sub> ceramics with scheelite structure. Materials Research Bulletin, 2014, 56, 71-79.	5.2	54
230	Structure analysis and microwave dielectric properties of Ca <sub>x</sub> Zn <sub>1-x</sub> Sn <sub>0.08</sub> Ti <sub>1.92</sub> Nb <sub>2</sub> O <sub>10</sub> ceramics. Journal of Alloys and Compounds, 2014, 584, 315-321.	5.5	17
231	Novel low-firing microwave dielectric ceramics: BaM <sub>2</sub> O <sub>7</sub> (M=Mg, Zn). Ceramics International, 2014, 40, 16835-16839.	4.8	42
232	A New Li-Containing Perovskite-Type Microwave Ceramic with High Q and Low $\tan \delta$ . Journal of the American Ceramic Society, 2014, 97, 498-500.	3.8	9
233	Structure and microwave dielectric characteristics of (Sr <sub>1-x</sub> Ca <sub>x</sub> )Nd <sub>2</sub> Al <sub>2</sub> O <sub>7</sub> ceramics. Materials Chemistry and Physics, 2014, 147, 162-167.	4.0	6
234	A high Q and temperature stable microwave dielectric ceramic Ba <sub>4</sub> LiTa <sub>2</sub> SbO <sub>12</sub> . Ceramics International, 2014, 40, 7633-7636.	4.8	9
235	Evaluation of biasing and protection circuitry components for cryogenic MMIC low-noise amplifiers. Cryogenics, 2014, 61, 43-54.	1.7	5
236	IBLC effect leading to colossal dielectric constant in layered structured Eu <sub>2</sub> CuO <sub>4</sub> ceramic. Ceramics International, 2014, 40, 4491-4498.	4.8	25
237	Structure evolution and microwave dielectric response of (Ca <sub>0.5+x</sub> Sr <sub>0.5-x</sub> )(Al <sub>0.5</sub> Nb <sub>0.5</sub> ) <sub>0.5</sub> Ti <sub>0.5</sub> O <sub>3</sub> solid solutions. Current Applied Physics, 2014, 14, 46-52.	2.4	2



#	ARTICLE	IF	CITATIONS
238	Microstructures and Microwave Dielectric Properties of $\text{Na}_{0.5}\text{Nd}_{0.2}\text{Sm}_{0.3}\text{Ti}_{1-x}\text{Sn}_x\text{O}_3$ Ceramics ( $x=0.00$ to $0.50$ ). <i>Journal of Electronic Materials</i> , 2015, 44, 4236-4242.	2.2	9
239	Structure and Microwave Dielectric Characteristics of $\text{Ca}[(\text{Ga}_{1/2}\text{Nb}_{1/2})_{1-x}\text{Ti}_x]\text{O}_3$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2015, 98, 3185-3191.	3.8	11
240	$\text{Sr}(\text{Ga}_{0.5}\text{Nb}_{0.5})_{1-x}\text{Ti}_x\text{O}_3$ Low Loss Microwave Dielectric Ceramics with Medium Dielectric Constant. <i>Journal of the American Ceramic Society</i> , 2015, 98, 2534-2540.	3.8	37
241	Effect of $\text{TiO}_2$ Doping on the Structure and Microwave Dielectric Properties of Cordierite Ceramics. <i>Journal of the American Ceramic Society</i> , 2015, 98, 1842-1847.	3.8	54
242	A Novel Low Firing and Low Loss Microwave Dielectric Ceramic $\text{Li}_2\text{Mg}_2\text{W}_2\text{O}_9$ with Corundum Structure. <i>Journal of the American Ceramic Society</i> , 2015, 98, 3863-3868.	3.8	18
243	Dielectric Behavior of Low Microwave Loss Unit Cell for All Dielectric Metamaterial. <i>International Journal of Antennas and Propagation</i> , 2015, 2015, 1-6.	1.2	5
244	Low temperature firing and microwave dielectric properties of $\text{BaCa}_2\text{VO}_7$ ceramics. <i>Ceramics International</i> , 2015, 41, 5172-5176.	4.8	24
245	Effect of sintering temperature on microstructures and microwave dielectric properties of $\text{Zn}_2\text{SnO}_4$ ceramics. <i>Materials Chemistry and Physics</i> , 2015, 154, 94-99.	4.0	17
246	Ultra-low Sintering Temperature Microwave Dielectric Ceramics Based on $\text{Na}_2\text{O}-\text{MoO}_3$ Binary System. <i>Journal of the American Ceramic Society</i> , 2015, 98, 528-533.	3.8	55
247	Crystal Structure and Infrared Reflection Spectra of $\text{SrLn}_2\text{Al}_2\text{O}_7$ ( $\text{Ln} = \text{La}, \text{Nd}, \text{Sm}$ ) Microwave Dielectric Ceramics. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, E33.	2.1	15
248	Microwave Dielectric Properties of $(\text{Li}_{0.5}\text{Ln}_{0.5})\text{MoO}_4$ ( $\text{Ln} = \text{Nd}, \text{Er}$ ). <i>Tj ETQ 0 0 0 rg BT / Overloc</i>	3.8	34
249	Microwave Dielectric Properties of a Low Firing $\text{Ba}_2\text{BiV}_3\text{O}_{11}$ Ceramic. <i>Journal of the American Ceramic Society</i> , 2015, 98, 683-686.	3.8	24
250	Effect of sintering temperature on microstructures and microwave dielectric properties of $\text{Li}_2\text{SnO}_3$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 1494-1499.	2.2	7
251	Structural, Raman spectroscopic and microwave dielectric studies on $\text{Ni}_x(\text{Zn}_{1/2}\text{Zr}_{1/2})_{1-x}\text{W}_x\text{Nb}_x\text{O}_4$ ceramic compounds with wolframite structure. <i>Dalton Transactions</i> , 2015, 44, 2311-2324.		
252	Effect of $\text{MgO}$ on microstructure and microwave dielectric properties of $0.84\text{CaTiO}_3 \cdot 0.16\text{Sm} \cdot 0.9 \text{Nd} \cdot 0.1 \text{AlO}_3$ ceramics. <i>Materials Research Bulletin</i> , 2015, 67, 226-229.	5.2	14
253	Effect of sintering temperature and time on microwave dielectric properties of $\text{Nd}_2\text{MoO}_6$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 853-859.	2.2	6
254	Microwave dielectric properties of $(1-x)\text{SiO}_2 \cdot x\text{TiO}_2$ ceramics. <i>Ceramics International</i> , 2015, 41, S582-S587.	4.8	8
255	Characterization and microwave dielectric properties of $\text{BiCa}_2\text{VO}_6$ ceramic. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 9546-9551.	2.2	6

#	ARTICLE	IF	CITATIONS
256	Microwave dielectric properties of double perovskite ceramics $\text{Ba}_{1-x}\text{Ca}_x\text{Ti}_2\text{O}_7$ . <i>Ceramics International</i> , 2015, 41, 3693-3700.	4.8	14
257	Relationships between Sn substitution for Ti and microwave dielectric properties of $\text{Mg}_2(\text{Ti}_{1-x}\text{Sn}_x)\text{O}_4$ ceramics system. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 571-577.	2.2	21
258	Microwave dielectric properties of low-loss $(\text{Zn}_{1-x}\text{Co}_x)_3\text{Nb}_2\text{O}_8$ ceramics for LTCC applications. <i>Journal of Alloys and Compounds</i> , 2015, 620, 18-23.	5.5	13
259	Effect of Ordering on the Microwave Dielectric Properties of Spinel-Structured $(\text{Zn}_{1-x}\text{Li}_{2/3}\text{Ti}_{1/3})_2\text{TiO}_4$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2016, 99, 3343-3349.	3.8	36
260	Microwave property improvement of $\text{Ca}[(\text{Li}_{1/3}\text{Nb}_{2/3})_0.95\text{Zr}_{0.15}]_3\text{O}_{12}$ perovskite by A-site substitution. <i>Modern Physics Letters B</i> , 2016, 30, 1650123.	1.9	1
261	A Novel Temperature Stable Microwave Dielectric Ceramic with Garnet Structure: $\text{Sr}_2\text{NaMg}_2\text{V}_3\text{O}_{12}$ . <i>Journal of the American Ceramic Society</i> , 2016, 99, 399-401.	3.8	32
262	Structure, Microwave Dielectric Properties, and Low-Temperature Sintering of Acceptor/Donor Codoped $\text{Li}_2\text{Ti}_2\text{O}_7(\text{Al}_{0.5}\text{Nb}_{0.5})_3\text{O}_{12}$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2016, 99, 825-832.	3.8	44
263	Dielectric properties and crystal structure of $(\text{Mg}_{0.95}\text{Ni}_{0.05})_4(\text{Nb}_{1-x}\text{Ta}_x)_2\text{O}_{12}$ ceramics. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 140-144.	3.8	44
264	EFFECTS OF $\text{B}_2\text{O}_3$ ADDITION ON SINTERING BEHAVIOR AND MICROWAVE DIELECTRIC PROPERTIES OF $\text{Mg}_4\text{Ta}_2\text{O}_9$ CERAMICS PREPARED BY THE SOL-GEL METHOD. <i>Surface Review and Letters</i> , 2016, 23, 1550090.	1.1	3
265	Effects of $\text{B}_2\text{O}_3$ addition on sintering behavior and microwave dielectric properties of ixiolite-structure $\text{ZnTiNb}_2\text{O}_8$ ceramics. <i>Journal of Alloys and Compounds</i> , 2016, 679, 26-31.	5.5	24
266	Structure and Microwave dielectric properties of a novel temperature stable low-firing $\text{Ba}_2\text{LaV}_3\text{O}_{11}$ ceramic. <i>Journal of the European Ceramic Society</i> , 2016, 36, 2143-2148.	5.7	28
267	Crystal structure and microwave dielectric characteristics of Co-substituted $\text{Zn}_{1-x}\text{Co}_x\text{ZrNb}_2\text{O}_8$ (0 ≤ x ≤ 0.1) ceramics. <i>RSC Advances</i> , 2016, 6, 86889-86903.	3.6	18
268	Properties of nano-thick $\text{BaSnO}_3/\text{Cu}/\text{BaSnO}_3$ multilayer thin films: the role of substrate temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 12604-12609.	2.2	2
269	Glass-Free $\text{CuMoO}_4$ Ceramic with Excellent Dielectric and Thermal Properties for Ultralow Temperature Cofired Ceramic Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 5632-5639.	6.7	86
270	Crystal Structure, Infrared Spectra, and Microwave Dielectric Properties of Temperature-Stable Zircon-Type $(\text{Y,Bi})\text{VO}_4$ Solid-Solution Ceramics. <i>ACS Omega</i> , 2016, 1, 963-970.	3.5	58
271	Effect of sintering temperature and time on microwave dielectric properties of $\text{Nd}_2\text{WO}_6$ ceramics. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 98-102.	1.1	7
272	Low loss dielectric material system of $(1-x)\text{TjETQqO}_0\text{O}_0\text{rgBT}$ at microwave frequency with a near-zero temperature coefficient of the resonant frequency. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 208-212.	1.1	1
273	High dielectric constant and low loss microwave dielectric ceramics of $(1-x)\text{TjETQq1.10.784314rgBT}$ for microwave applications. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 460-463.	1.1	2



#	ARTICLE	IF	CITATIONS
274	Effects of Zr-Substitution on Microwave Dielectric Properties of $\text{Na}_{0.5}\text{Nd}_{0.2}\text{Sm}_{0.3}\text{Ti}_{1-x}\text{Zr}_x\text{O}_3$ Ceramics ( $x=0.00\text{--}0.30$ ). <i>Journal of Electronic Materials</i> , 2016, 45, 5198-5205.	2.2	6
275	Low temperature sintering and microwave dielectric properties of $\text{CoZrNb}_2\text{O}_8$ ceramics with $\text{H}_3\text{BO}_3$ addition. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 6564-6569.	2.2	7
276	A low-firing $\text{Ca}_5\text{Ni}_4(\text{VO}_4)_6$ ceramic with tunable microwave dielectric properties and chemical compatibility with Ag. <i>Ceramics International</i> , 2016, 42, 15094-15098.	4.8	16
277	Ti/TiO <sub>2</sub> Nanotube Array/Ti Capacitive Device for Non-polar Aromatic Hydrocarbon Detection. <i>IEEE Transactions on Device and Materials Reliability</i> , 2016, 16, 235-242.	2.0	35
278	Effect of $\text{H}_3\text{BO}_3$ on sintering behavior and microwave dielectric properties of monoclinic structure $\text{ZnZrNb}_2\text{O}_8$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 8055-8061.	2.2	5
279	Elucidating the microstructures and microwave dielectric properties of $\text{ZnNiTiO}_4$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 8356-8362.	2.2	4
280	Low temperature sintering and microwave dielectric properties of $\text{MnZrNb}_2\text{O}_8$ ceramics with $\text{H}_3\text{BO}_3$ addition. <i>Journal of Alloys and Compounds</i> , 2016, 676, 9-14.	5.5	12
281	Dielectric properties of $\text{Ba}_2\text{Mg}_{0.95}\text{Zn}_{0.05}\text{WO}_6$ ceramics at microwave frequency. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 6979-6984.	2.2	4
282	Phase Transition and Microwave Dielectric Properties of Low-Temperature Sintered $\text{BiCu}_2\text{VO}_6$ Ceramic and its Chemical Compatibility with Silver. <i>Journal of Electronic Materials</i> , 2016, 45, 262-266.	2.2	2
283	Low-firing and microwave dielectric properties of $\text{Na}_2\text{YMg}_2\text{V}_3\text{O}_{12}$ ceramic. <i>Ceramics International</i> , 2016, 42, 3701-3705.	4.8	35
284	Relationship between tolerance factor and temperature coefficient of permittivity of temperature-stable high permittivity $\text{BaTiO}_3\text{--Bi}(\text{Me})\text{O}_3$ compounds. <i>Journal of Advanced Dielectrics</i> , 2016, 06, 1650002.	2.4	30
285	Dielectric Properties and Characterizations of Binary $\text{Cu}_{2-x}\text{Mg}_x\text{P}_2\text{O}_7$ Pyrophosphates. <i>Ferroelectrics</i> , 2016, 490, 174-183.	0.6	8
286	$\text{Li}_2\text{Zn}_2\text{W}_2\text{O}_9$ : A novel low-temperature sintering microwave dielectric ceramic with corundum structure. <i>Ceramics International</i> , 2016, 42, 5553-5557.	4.8	6
287	A novel low-firing $\text{BiZn}_2\text{VO}_6$ microwave dielectric ceramic with low loss. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 210-214.	2.2	8
288	Phase constitution, microstructures and microwave dielectric properties of $\text{Ca}_x\text{Zn}_{1-x}\text{Zr}_{0.8}\text{Sn}_{0.2}\text{Nb}_2\text{O}_8$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 1232-1238.	2.2	2
289	Physical properties of cobalt dugganites $\text{Pb}_3\text{TeCo}_3\text{P}_2\text{O}_{14}$ and $\text{Pb}_3\text{TeCo}_3\text{As}_2\text{O}_{14}$ . <i>Physics and Chemistry of Minerals</i> , 2016, 43, 51-58.	0.8	2
290	$\text{Li}_4\text{WO}_5$ : A temperature stable low-firing microwave dielectric ceramic with rock salt structure. <i>Journal of the European Ceramic Society</i> , 2016, 36, 243-246.	5.7	58
291	Sintering Behavior, Microstructure, and Microwave Dielectric Properties of $\text{Li}_4(1+x)\text{WO}_5$ ( $0\leq x\leq 0.08$ ). <i>Journal of Electronic Materials</i> , 2017, 46, 4047-4051.	2.2	3

#	ARTICLE	IF	CITATIONS
292	Significant improvement of the microwave dielectric loss of Zn <sub>1.95</sub> M <sub>0.05</sub> SiO <sub>4</sub> ceramics (M = Zn, Mg, Ni, Tj ETQq 0 0 0 rgBT /C) 2017, 28, 14258-14263.	2.2	6
293	Dielectric constant calculation based on mixture equations of binary composites at microwave frequency. <i>Ceramics International</i> , 2017, 43, S343-S350.	4.8	10
294	Temperature-Controlled Chameleonlike Cloak. <i>Physical Review X</i> , 2017, 7, .	8.9	21
295	High quality microwave dielectric ceramic sintered at extreme-low temperature below 200Å° and co-firing with base metal. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3073-3077.	5.7	31
296	Recent progress in piezo-phototronics with extended materials, application areas and understanding. <i>Semiconductor Science and Technology</i> , 2017, 32, 053002.	2.0	22
297	Two novel low-firing Na <sub>2</sub> AMg <sub>2</sub> V <sub>3</sub> O <sub>12</sub> (A=Nd, Sm) ceramics and their chemical compatibility with silver. <i>Ceramics International</i> , 2017, 43, 2892-2898.	4.8	17
298	Low temperature fired Ln <sub>2</sub> Zr <sub>3</sub> (MoO <sub>4</sub> ) <sub>9</sub> (Ln=Sm, Nd) microwave dielectric ceramics. <i>Ceramics International</i> , 2017, 43, 17229-17232.	4.8	40
299	Influence of cobalt ions non-stoichiometry on the microstructure and microwave properties of Ca <sub>5</sub> Co <sub>4</sub> (VO <sub>4</sub> ) <sub>6</sub> ceramics. <i>Ceramics International</i> , 2017, 43, 13956-13962.	4.8	5
300	Effect of cooling rate on microstructure and microwave dielectric properties of MgO doped (Sr,Ca)TiO <sub>3</sub> -(Sm,Nd)AlO <sub>3</sub> ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 6407-6412.	2.2	2
301	Effect of substituting Ti sites with (Mg Nb <sub>0.8-0.4</sub> ) <sub>4+</sub> on the microwave dielectric properties of Mg <sub>2</sub> TiO <sub>4</sub> ceramics. <i>Ceramics International</i> , 2017, 43, S321-S325.	4.8	5
302	Enhancement quality factor of ZnNiTiO <sub>4</sub> microwave ceramics by substituting Ti <sub>4+</sub> with Sn <sub>4+</sub> . <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 673-678.	2.2	3
303	Structure evolution and microwave dielectric characteristics of Ca[(Al Ga <sub>0.5</sub> -Nb <sub>0.5</sub> ) <sub>0.5</sub> Ti <sub>0.5</sub> ]O <sub>3</sub> ceramics. <i>Journal of Alloys and Compounds</i> , 2017, 693, 87-94.	5.5	4
304	Correlation of crystal structure and microwave dielectric characteristics of temperature stable Zn <sub>1-<i>x</i></sub> Mn <sub><i>x</i></sub> ZrNb <sub>2</sub> O <sub>8</sub> (0.02-0.1) ceramics. <i>Ceramics International</i> , 2017, 43, 92-98.	4.8	21
305	A novel low-firing microwave dielectric ceramic Li <sub>2</sub> ZnGe <sub>3</sub> O <sub>8</sub> with cubic spinel structure. <i>Journal of the European Ceramic Society</i> , 2017, 37, 625-629.	5.7	88
306	Structure, Microwave Dielectric Properties, and Novel Low-temperature Sintering of (La <sup>3+</sup> )LaAlO <sub>3</sub> Ceramics with LTCC Application. <i>Journal of the American Ceramic Society</i> , 2017, 100, 235-246.	3.8	43
307	Effect of Yb doping on the refractive index and thermo-optic coefficient of YVO <sub>4</sub> single crystals. <i>Applied Optics</i> , 2017, 56, 1682.	2.1	27
308	High-Q microwave ceramics of Li <sub>2</sub> TiO <sub>3</sub> co-doped with magnesium and niobium. <i>Journal of the American Ceramic Society</i> , 2018, 101, 4066-4075.	3.8	33
309	Structural, thermal and microwave dielectric properties of the novel microwave material Ba <sub>2</sub> TiGe <sub>2</sub> O <sub>8</sub> . <i>Ceramics International</i> , 2018, 44, 10824-10828.	4.8	11

#	ARTICLE	IF	CITATIONS
310	Sintering behavior and dielectric properties of SiO <sub>2</sub> -BPO <sub>4</sub> glass-fluxed ceramics. Journal of the European Ceramic Society, 2018, 38, 2747-2752.	5.7	13
311	Ultra-low sintering temperature ceramic composites of CuMoO <sub>4</sub> through Ag <sub>2</sub> O addition for microwave applications. Composites Part B: Engineering, 2018, 141, 214-220.	12.0	43
312	Cu <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> : An Ultralow-Firing Microwave Dielectric Ceramic with Good Temperature Stability and Chemical Compatibility with Aluminum. Journal of Electronic Materials, 2018, 47, 1003-1008.	2.2	12
313	Enhanced effect of vanadium ions non-stoichiometry on microwave dielectric properties of Ca <sub>5</sub> Co <sub>4</sub> V <sub>6+x</sub> O <sub>24</sub> ceramics. Materials Chemistry and Physics, 2018, 207, 282-288.	4.0	8
314	Ultralow Loss CaMgGeO <sub>4</sub> Microwave Dielectric Ceramic and Its Chemical Compatibility with Silver Electrodes for Low-Temperature Cofired Ceramic Applications. ACS Sustainable Chemistry and Engineering, 2018, 6, 6458-6466.	6.7	109
315	Low-firing and temperature stable microwave dielectric ceramics: Ba <sub>2</sub> LnV <sub>3</sub> O <sub>11</sub> (Ln = Nd, Sm). Journal of the American Ceramic Society, 2018, 101, 773-781.	3.8	36
316	A novel low-temperature firable La <sub>2</sub> Zr <sub>3</sub> (MoO <sub>4</sub> ) <sub>9</sub> microwave dielectric ceramic. Journal of the European Ceramic Society, 2018, 38, 339-342.	5.7	60
317	Effects of dopant induced defects on structural, multiferroic and optical properties of Bi <sub>1-x</sub> Pb <sub>x</sub> FeO <sub>3</sub> (0 ≤ x ≤ 0.3) ceramics. Materials Research Express, 2018, 5, 016103.	1.6	5
318	Sintering behaviour and microwave dielectric properties of BaAl <sub>2</sub> (ZnSi) Si <sub>2</sub> O <sub>8</sub> ceramics. Journal of the European Ceramic Society, 2018, 38, 1529-1534.	5.7	103
319	Low temperature sintering and microwave dielectric properties of Zn <sub>3</sub> Mo <sub>2</sub> O <sub>9</sub> ceramic. Journal of Materials Science: Materials in Electronics, 2018, 29, 1907-1913.	2.2	9
320	Dielectric properties of MgTi <sub>1-x</sub> (Zn <sub>1/3</sub> B <sub>2/3</sub> ) <sub>x</sub> O <sub>3</sub> (B = Nb <sup>5+</sup> , Ta <sup>5+</sup> ) ceramics at microwave frequencies. Journal of the Ceramic Society of Japan, 2018, 126, 914-919.	1.1	1
321	Microstructure and microwave Dielectric Properties of Sm <sub>0.5</sub> Y <sub>0.5</sub> VO <sub>4</sub> Ceramics. IOP Conference Series: Materials Science and Engineering, 0, 423, 012071.	0.6	2
322	Microwave dielectric properties and microstructure of a new kind Eu-based Eu(Mg <sub>0.5</sub> Ti <sub>0.5</sub> )O <sub>3</sub> ceramic. Rare Metals, 2018, 37, 913-918.	7.1	4
323	Effects of ZrO <sub>2</sub> substitution on crystal structure and microwave dielectric properties of Zn <sub>0.15</sub> Nb <sub>0.3</sub> (Ti <sub>1</sub> -Zr) <sub>0.55</sub> O <sub>2</sub> ceramics. Ceramics International, 2018, 44, 22710-22717.	4.8	15
324	Dielectric and luminescent properties of Sm <sup>3+</sup> doped Ba(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ceramics with perovskite structure. Materials Research Express, 2018, 5, 066301.	1.6	3
325	Structure and synergy performance of (1-x)Sr <sub>0.25</sub> Ce <sub>0.5</sub> TiO <sub>3</sub> -xLa(Mg <sub>0.5</sub> Ti <sub>0.5</sub> )O <sub>3</sub> based microwave dielectric ceramics for 5G architecture. Journal of Alloys and Compounds, 2018, 763, 990-996.	5.5	21
326	Microwave dielectric properties of Li <sub>2</sub> W <sub>2</sub> O <sub>7</sub> ceramics improved by Al <sub>2</sub> O <sub>3</sub> addition. Journal of Alloys and Compounds, 2018, 764, 840-844.	5.5	13
327	A novel solid solution (K <sub>1-x</sub> Na <sub>x</sub> ) <sub>2</sub> Mo <sub>2</sub> O <sub>7</sub> (0.0 ≤ x ≤ 0.3) ceramics with ultra-low sintering temperatures. Journal of the European Ceramic Society, 2018, 38, 4967-4971.	5.7	11

#	ARTICLE	IF	CITATIONS
328	Ultra-Low Loss Microwave Dielectric Ceramic Li <sub>2</sub> Mg <sub>2</sub> TiO <sub>5</sub> and Low-Temperature Firing Via B <sub>2</sub> O <sub>3</sub> Addition. <i>Journal of Electronic Materials</i> , 2018, 47, 6383-6389.	2.2	22
329	Microwave dielectric properties and infrared reflectivity spectra analysis of two novel low-firing AgCa <sub>2</sub> B <sub>2</sub> V <sub>3</sub> O <sub>12</sub> (B <sup>2+</sup> =Mg, Zn) ceramics with garnet structure. <i>Journal of the European Ceramic Society</i> , 2018, 38, 4670-4676.	5.7	53
330	The effects of inequivalent La <sup>3+</sup> introduction on the structure and dielectric properties of SrTiO <sub>3</sub> ceramic at microwave range. <i>Materials Chemistry and Physics</i> , 2018, 216, 339-344.	4.0	9
331	MgTiTa <sub>2</sub> O <sub>8</sub> : Novel middle-permittivity microwave dielectric ceramic with trirutile-type structure. <i>Ceramics International</i> , 2019, 45, 23853-23856.	4.8	6
332	Behavior of Electrical Conductivity and Dielectric Study of Chalcogenide Ag <sub>0.5</sub> (As <sub>40</sub> S <sub>30</sub> Se <sub>30</sub> ) <sub>99.5</sub> Glass. <i>Journal of Electronic Materials</i> , 2019, 48, 6512-6520.	2.2	3
333	High-Q Li <sub>2</sub> Mg <sub>3</sub> (Ti <sup>1-x</sup> Sn <sup>x</sup> )O <sub>6</sub> (0.02 ≤ x ≤ 0.08) dielectric ceramics with low sintering temperature for LTCC application. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 15313-15320.	2.2	0
334	Synthesis, crystal structure and microwave dielectric properties of self-temperature stable Ba <sub>1</sub> -Sr CuSi <sub>2</sub> O <sub>6</sub> ceramics for millimeter-wave communication. <i>Journal of Materiomics</i> , 2019, 5, 606-617.	5.7	28
335	Anomalous Temperature-Dependent Exciton-Phonon Coupling in Cesium Lead Bromide Perovskite Nanosheets. <i>Journal of Physical Chemistry C</i> , 2019, 123, 5128-5135.	3.1	50
336	Effects of Sr <sup>2+</sup> substitution on the crystal structure, Raman spectra, bond valence and microwave dielectric properties of Ba <sub>3-x</sub> Sr <sub>x</sub> (VO <sub>4</sub> ) <sub>2</sub> solid solutions. <i>Journal of the European Ceramic Society</i> , 2019, 39, 3738-3743.	5.7	52
337	Improved Microwave Dielectric Properties of LiNb <sub>0.6</sub> Ti <sub>0.5</sub> O <sub>3</sub> Ceramics with Zr Substitutions. <i>Journal of Electronic Materials</i> , 2019, 48, 5080-5087.	2.2	6
338	Structure, phase composition, Raman spectra, and microwave dielectric properties of novel Co <sub>0.5</sub> Zr <sub>0.5</sub> TaO <sub>4</sub> ceramics. <i>Ceramics International</i> , 2019, 45, 15445-15450.	4.8	4
339	Effect of Nd doping on the refractive index and thermo-optic coefficient of GdVO <sub>4</sub> single crystals. <i>Applied Physics B: Lasers and Optics</i> , 2019, 125, 1.	2.2	15
340	The effects of ZnO doping on microstructure and microwave dielectric properties of Li <sub>3</sub> Mg <sub>2</sub> TaO <sub>6</sub> ceramics with rock salt structure. <i>IOP Conference Series: Materials Science and Engineering</i> , 0, 479, 012030.	0.6	3
341	Effect of Isovalent Substitution on Microwave Dielectric Properties of Mg <sub>4</sub> Nb <sub>2</sub> O <sub>9</sub> Ceramics. <i>Journal of Electronic Materials</i> , 2019, 48, 2411-2417.	2.2	2
342	Cold sintering and microwave dielectric properties of dense HBO <sub>2</sub> ceramics. <i>Journal of the American Ceramic Society</i> , 2019, 102, 5934-5940.	3.8	22
343	Effects of water content during cold sintering process of NaCl ceramics. <i>Journal of Alloys and Compounds</i> , 2019, 787, 352-357.	5.5	25
344	Structure, microwave dielectric properties, and infrared reflectivity spectrum of olivine type Ca <sub>2</sub> GeO <sub>4</sub> ceramic. <i>Journal of the European Ceramic Society</i> , 2019, 39, 2354-2359.	5.7	53
345	Robust polymer-HfO <sub>2</sub> thin film laminar composites for tactile sensing applications. <i>Smart Materials and Structures</i> , 2019, 28, 025002.	3.5	6

#	ARTICLE	IF	CITATIONS
346	Suppression of dielectric loss of PPE/HIPS alloys in microwave region by utilization of MgO filler. Journal of Applied Polymer Science, 2019, 136, 47315.	2.6	8
347	Investigation on structure and microwave dielectric properties of novel high dielectric constant $\text{Ca}(1-x/2)\text{Ce}_x\text{TiO}_3$ ceramics sintered in nitrogen atmosphere. Journal of Materials Science: Materials in Electronics, 2019, 30, 1591-1599.	2.2	4
348	Crystal structure, microwave dielectric properties and low temperature sintering of $(\text{Al}_{0.5}\text{Nb}_{0.5})_{4+}$ co-substitution for $\text{Ti}^{4+}$ of $\text{LiNb}_{0.6}\text{Ti}_{0.5}\text{O}_3$ ceramics. Ceramics International, 2019, 45, 5418-5424.	4.8	21
349	$\text{Li}_5\text{Ti}_2\text{O}_6\text{F}$ : a new low-loss oxyfluoride microwave dielectric ceramic for LTCC applications. Journal of Materials Science, 2020, 55, 107-115.	3.7	31
350	Microwave dielectric properties of temperature-stable zirconate-type $(\text{Bi}, \text{Ce})\text{VO}_4$ solid solution ceramics. Journal of the American Ceramic Society, 2020, 103, 423-431.	3.8	114
351	A novel tungstate $\text{Li}_3\text{Nd}_3\text{W}_2\text{O}_{12}$ with garnet structure for low-temperature cofired ceramic technology. Journal of the European Ceramic Society, 2020, 40, 1386-1389.	5.7	19
352	Crystal structure, phase compositions, and microwave dielectric properties of malayaite-type $\text{Ca}_{1-x}\text{Sr}_x\text{SnSiO}_5$ ceramics. Journal of the American Ceramic Society, 2020, 103, 6369-6377.	3.8	29
353	Structure, Raman spectra and properties of two low- $\mu$ microwave dielectric ceramics $\text{Ca}_3\text{B}_2\text{Ge}_3\text{O}_{12}$ ( $B = \text{Tj}, \text{ET}, \text{Q}, \text{r}, \text{l}, \text{g}, \text{BT}$ )	4.8	25
354	Microwave dielectric properties and chemical compatibility with alumina electrode of two novel ultra-low temperature firing $\text{ATeMoO}_6$ ( $A = \text{Mg}, \text{Zn}$ ) ceramics. Ceramics International, 2020, 46, 25619-25625.	4.8	27
355	Sintering Behavior and Microwave Dielectric Properties of Low-Permittivity $\text{SrMgSi}_2\text{O}_6$ Ceramic. Journal of Electronic Materials, 2020, 49, 5989-5993.	2.2	11
356	Compact Titania Films by Spray Pyrolysis for Application as ETL in Perovskite Solar Cells. Journal of Electronic Materials, 2020, 49, 7159-7167.	2.2	3
357	Crystal structure and microwave dielectric properties of a novel rock-salt type $\text{Li}_3\text{MgNbO}_5$ ceramic. Journal of Materials Science, 2020, 55, 15643-15652.	3.7	15
358	Improvement of microwave dielectric properties of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ ceramics using $[\text{Zn}_{1/3}\text{Nb}_{2/3}]_{4+}$ substitution for $\text{Ti}^{4+}$ . Journal of Materials Science: Materials in Electronics, 2020, 31, 15184-15191.	2.2	3
359	Microwave dielectric properties of $\text{Mg}_4\text{Nb}_2\text{x}(\text{Zr}_{1/2}\text{W}_{1/2})_{\text{x}}\text{O}_9$ ceramics. Journal of the Korean Ceramic Society, 2020, 57, 314-320.	2.3	2
360	Switchable All-Dielectric Magnetic-Electric Mirror Based on Higher-Order Dipoles. Physical Review Applied, 2020, 13, .	3.8	4
361	Crystal structure, Raman spectra and microwave dielectric properties of novel temperature-stable $\text{LiYbSiO}_4$ ceramics. Ceramics International, 2020, 46, 19996-20003.	4.8	33
362	A facile preparation of temperature-stable borate ultra-low permittivity microwave ceramics for LTCC applications. Ceramics International, 2020, 46, 19650-19653.	4.8	22
363	Novel low-permittivity microwave dielectric ceramics in garnet-type $\text{Ca}_4\text{ZrGe}_3\text{O}_{12}$ . Materials Letters, 2020, 275, 128149.	2.6	10

#	ARTICLE	IF	CITATIONS
364	Structure, infrared spectra and microwave dielectric properties of the novel $\text{Eu}_{2-x}\text{TiO}_{5-x}$ ceramics. <i>Journal of the American Ceramic Society</i> , 2020, 103, 4333-4341.	3.8	53
365	Synthesis, lattice energy and microwave dielectric properties of $\text{BaCu}_{2-x}\text{Co}_x\text{Si}_2\text{O}_7$ ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 3035-3041.	5.7	40
366	Crystal structure and improved microwave dielectric properties of $\text{ZnZr}_{1-x}\text{Ti}_x\text{Nb}_2\text{O}_8$ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 4769-4779.	2.2	12
367	Ultralow-loss and thermally stable $\text{Li}_4\text{MgSn}_{(2-1.25x)}\text{Nb}_x\text{O}_7$ microwave dielectric ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 5567-5572.	2.2	6
368	Room temperature densified $\text{H}_3\text{BO}_3$ microwave dielectric ceramics with ultra-low permittivity and high quality factor for dielectric substrate applications. <i>Ceramics International</i> , 2020, 46, 13225-13232.	4.8	15
369	Structure, infrared reflectivity spectra and microwave dielectric properties of a low-firing microwave dielectric ceramic $\text{Pr}_2\text{Zr}_3(\text{MoO}_4)_9$ . <i>Journal of Alloys and Compounds</i> , 2020, 826, 153893.	5.5	22
370	Phase evolution, crystal structure, and microwave dielectric properties of gillespite-type ceramics. <i>Journal of the American Ceramic Society</i> , 2021, 104, 1740-1749.	3.8	15
371	Structure instability and high microwave dielectric permittivity of nonstoichiometric $(\text{Sr}_{0.4}\text{Ce}_{0.4})_{1-x}\text{Nd}_x\text{Ti}_{0.8}\text{Mg}_{0.2}\text{O}_3$ system for wireless communication. <i>Journal of Materiomics</i> , 2021, 7, 25-33.	5.7	5
372	Crystal structure and optimised microwave dielectric properties of $\text{Ce}_2(\text{Zr}_{1-x}\text{Ti}_x)_3(\text{MoO}_4)_9$ solid solutions. <i>Ceramics International</i> , 2021, 47, 5624-5630.	4.8	42
373	Crystal structure, Raman spectra, and microwave dielectric properties of high-Q $\text{Li}_2\text{ZnTi}_3\text{O}_8$ systems with $\text{Nb}_2\text{O}_5$ addition. <i>Ceramics International</i> , 2021, 47, 8601-8609.	4.8	8
374	Correlation between crystal structure and dielectric characteristics of $\text{Ti}^{4+}$ substituted $\text{CaSnSiO}_5$ ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 2568-2578.	5.7	32
375	Structure dependence of microwave dielectric properties in $\text{Zn}_2\text{-SiO}_4\text{-xCuO}$ ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 2602-2609.	5.7	25
376	Novel Method for Discontinuity Detection in Pipelines Carrying Oils and Gases. <i>Journal of Pipeline Systems Engineering and Practice</i> , 2021, 12, 04020071.	1.6	1
377	Temperature stable $\text{Sm}(\text{Nb}_{1-x}\text{V}_x)\text{O}_4$ ( $0.0 \leq x \leq 0.9$ ) microwave dielectric ceramics with ultra-low dielectric loss for dielectric resonator antenna applications. <i>Journal of Materials Chemistry C</i> , 2021, 9, 9962-9971.	5.5	60
378	Structure and infrared reflectivity spectra of novel $\text{Mg}_3\text{Ga}_2\text{GeO}_8$ microwave dielectric ceramic with high Q. <i>Ceramics International</i> , 2021, 47, 2450-2455.	4.8	11
379	Ag-doped $\text{As}_2\text{Se}_3$ chalcogenide glasses: a correlative study of structural and dielectrical properties. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 6688-6700.	2.2	5
380	Preparation and microwave dielectric properties of $\text{BPO}_4$ ceramics with ultra-low dielectric constant. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 6660-6667.	2.2	8
381	Phase composition, microstructure, and microwave dielectric properties of $\text{CaMnSi}_2\text{O}_6$ ceramics. <i>Ceramics International</i> , 2021, 47, 4083-4089.	4.8	13



#	ARTICLE	IF	CITATIONS
382	Influence of Re-ions with different ionic radius in Ba <sub>12</sub> ReNb <sub>9</sub> O <sub>36</sub> on crystal structure and microwave dielectric properties. <i>Journal of Materiomics</i> , 2022, 8, 104-112.	5.7	14
383	Ultrahigh-Q and thermally stable (Sr <sub>1-x</sub> Cax) <sub>2</sub> Ce <sub>0.665</sub> Ti <sub>0.335</sub> O <sub>4</sub> microwave dielectric ceramics with low permittivity. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 17482-17489.	2.2	0
384	Preparation, phase assemblage and microwave dielectric properties of AlPO <sub>4</sub> -BPO <sub>4</sub> -SiO <sub>2</sub> ternaries. <i>Journal of the European Ceramic Society</i> , 2021, 41, 3438-3444.	5.7	3
385	Structure, microwave dielectric properties, and infrared reflectivity spectrum of W <sup>6+</sup> substituted Ce <sub>2</sub> Zr <sub>3</sub> (MoO <sub>4</sub> ) <sub>9</sub> ceramics. <i>Ceramics International</i> , 2021, 47, 19142-19152.	4.8	12
386	A novel high-Q oxyfluoride Li <sub>4</sub> Mg <sub>2</sub> NbO <sub>6</sub> F microwave dielectric ceramic with low sintering temperature. <i>Journal of the European Ceramic Society</i> , 2021, 41, 4478-4483.	5.7	33
387	Tunability of $\epsilon'$ , in garnet-structured Y <sub>3</sub> Ga <sub>5</sub> O <sub>12</sub> microwave dielectric ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 7711-7716.	5.7	28
388	Novel low- $\epsilon'$ MGa <sub>2</sub> O <sub>4</sub> (M = Ca, Sr) microwave dielectric ceramics for 5 G antenna applications at the Sub-6 GHz band. <i>Journal of the European Ceramic Society</i> , 2021, 41, 5170-5175.	5.7	66
389	Relationship between Rattling Mg <sup>2+</sup> ions and anomalous microwave dielectric behavior in Ca <sub>3</sub> -Mg <sub>1</sub> +LiV <sub>3</sub> O <sub>12</sub> ceramics with garnet structure. <i>Journal of the European Ceramic Society</i> , 2021, 41, 7697-7702.	5.7	34
390	Germanium substituted Li <sub>2</sub> Sn <sub>1-x</sub> GexO <sub>3</sub> ceramics with improved sintering behavior, microwave dielectric properties and temperature stability. <i>Ceramics International</i> , 2021, 47, 35170-35170.	4.8	1
391	Phase transition and permittivity stability against temperature of CaSn <sub>1</sub> -Ti GeO <sub>5</sub> ceramics. <i>Journal of the European Ceramic Society</i> , 2022, 42, 147-153.	5.7	7
392	Microwave dielectric properties of a low firing and temperature stable lithium magnesium tungstate (Li <sub>4</sub> MgWO <sub>6</sub> ) ceramic with a rock-salt variant structure. <i>Journal of the European Ceramic Society</i> , 2021, 41, 171-178.	5.7	19
393	Improving the microwave dielectric properties of Ga <sub>2</sub> [LiGa <sub>3</sub> ]O <sub>8</sub> inverse spinel by enhancing B-site ordering degree. <i>Ceramics International</i> , 2022, 48, 896-902.	4.8	2
394	Thermal stability of MgO film on Si grown by atomic layer deposition using Mg(EtCp) <sub>2</sub> and H <sub>2</sub> O. <i>Ceramics International</i> , 2021, 47, 31583-31589.	4.8	2
395	Microwave dielectric high-entropy ceramic Li(Gd <sub>0.2</sub> Ho <sub>0.2</sub> Er <sub>0.2</sub> Yb <sub>0.2</sub> Lu <sub>0.2</sub> )GeO <sub>4</sub> with stable temperature coefficient for low-temperature cofired ceramic technologies. <i>Journal of Materials Science and Technology</i> , 2021, 93, 28-32.	10.7	42
396	Improvements on sintering behavior and microwave dielectric properties of Li <sub>4</sub> WO <sub>5</sub> ceramics through MgO modification. <i>Ceramics International</i> , 2021, 47, 2802-2808.	4.8	9
397	The Static Dielectric Constant of Alkali Halides at Low Temperatures. , 1965, , 1162-1164.		1
398	Dielectric and Electrical Properties. <i>Springer Series in Materials Science</i> , 2001, , 137-153.	0.6	3
399	Physikalische Eigenschaften der festen Salze. , 1972, , 40-372.		1

#	ARTICLE	IF	CITATIONS
400	Design of a High-Efficiency and -Gain Antenna Using Novel Low-Loss, Temperature-Stable $\text{Li}_2\text{TiO}_4$ (Cu <sub>1/3</sub> Nb <sub>2/3</sub> ) $\text{TiO}_4$ Microwave Dielectric Ceramics. ACS Applied Materials & Interfaces, 2021, 13, 912-923.	8.0	18
401	Various Filler Added $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ Glass Composites for LTCC Substrate Applications. Journal of the Korean Ceramic Society, 2009, 46, 323-329.	2.3	5
402	Optimized Methodology for the Calculation of Electrostriction from First Principles. Small, 2021, 17, e2103419.	10.0	7
403	Chemical bond and microwave dielectric properties of two novel low- $\mu_r$ $\text{AGa}_4\text{O}_7$ (A = Ca, Sr) ceramics. Journal of the European Ceramic Society, 2022, 42, 478-484.	5.7	12
404	Phase composition, microstructure, and microwave dielectric properties of non-stoichiometric yttrium aluminum garnet ceramics. Journal of the European Ceramic Society, 2022, 42, 472-477.	5.7	14
405	The relationship between crystal structure and modified microwave dielectric properties of $\text{Ca}_3\text{SnSi}_2\text{Ge}_x\text{O}_9$ ceramics. Journal of the American Ceramic Society, 2022, 105, 1253.	3.8	7
406	Temperature Coefficient of Dielectric Constant in $\text{CaTiO}_3\text{-A}(\text{Ba}^2)$ , $T_j$ ETQq0 0 0 rgBT /Overlock 10 Tf 50 507 Td ( $\text{Ba}^3$ )O<sub>3</sub>. Korean Ceramic Society, 2003, 40, 925-930.	2.3	0
407	Low Temperature Sintering and Dielectric Properties of $\text{CaCO}_3\text{-Al}_2\text{O}_3$ Mixture and Compound with CAS-based Glass. Journal of the Korean Institute of Electrical and Electronic Material Engineers, 2009, 22, 397-404.	0.0	0
408	Correlation Between Tolerance Factor and Temperature Coefficient of Dielectric Constant of $(\text{Ba,Sr})(\text{Zn}_{1/3}\text{Ta}_{2/3})\text{O}_3$ Dielectric Resonator. Japanese Journal of Applied Physics, 2011, 50, 021501.	1.5	0
410	Resonant frequency temperature stability of $\text{CaTiO}_3$ based microwave dielectric ceramics. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 117702.	0.5	2
411	Refractive Index of Optical Materials. Springer Handbooks, 2019, , 997-1045.	0.6	4
412	Relationship between the structure and microwave dielectric properties of garnet ceramics $\text{Ca}_3\text{B}_2\text{GeV}_2\text{O}_{12}$ (B = Mg, Mn). Ceramics International, 2022, 48, 4318-4323.	4.8	9
413	Microwave dielectric properties of $\text{LiSmTa}_4\text{O}_{12}$ ceramics with A-site deficient perovskite structure. Materials Letters, 2020, 274, 128020.	2.6	3
414	Spinel-type solid solution ceramic $\text{MgAl}_2\text{O}_4\text{-Mg}_2\text{TiO}_4$ with excellent microwave dielectric properties. Journal of Alloys and Compounds, 2022, 898, 162905.	5.5	21
415	Control of Hot Carrier Relaxation in $\text{CsPbBr}_3$ Nanocrystals Using Damping Ligands. Angewandte Chemie - International Edition, 2022, 61, .	13.8	9
416	Microwave dielectric properties of $\text{Li}_3\text{A}_3\text{Te}_2\text{O}_{12}$ (A = Y, Yb) garnets for low temperature cofired ceramic technologies. Journal of the European Ceramic Society, 2022, 42, 2248-2253.	5.7	19
417	Control of Hot Carrier Relaxation in $\text{CsPbBr}_3$ Nanocrystals Using Damping Ligands. Angewandte Chemie, 2022, 134, .	2.0	3
418	Anomalous microwave dielectric behaviour induced by the orthorhombic-tetragonal phase transition in $\text{CaLaGaO}_4$ ceramics. Journal of the European Ceramic Society, 2022, 42, 1474-1479.	5.7	12



#	ARTICLE	IF	CITATIONS
419	Thermal lensing: outside of the lasing medium. <i>Applied Physics B: Lasers and Optics</i> , 2022, 128, 1.	2.2	13
420	Crystal structure, phonon characteristics, and dielectric properties of CaMgGe <sub>2</sub> O <sub>6</sub> : A novel diopside microwave dielectric ceramic. <i>Ceramics International</i> , 2022, 48, 8783-8788.	4.8	14
421	Design of a Sub-6 GHz Dielectric Resonator Antenna with Novel Temperature-Stabilized (Sm <sub>1-x</sub> Bi <sub>x</sub> )NbO <sub>4</sub> ( $x = 0 \sim 0.15$ ) Microwave Dielectric Ceramics. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 7030-7038.	8.0	52
422	(Cu <sub>1/3</sub> Nb <sub>2/3</sub> ) <sub>4+</sub> ionic substituting effects, low-temperature sintering behaviors, and improved temperature stability of Ba <sub>3</sub> Nb <sub>4</sub> Ti <sub>4</sub> O <sub>21</sub> microwave dielectric ceramics. <i>Ceramics International</i> , 2022, 48, 12118-12125.	4.8	8
423	Microwave dielectric properties and thermal conductivities of low-temperature sintered (Na <sub>1-K</sub> )TjETQq000rgBT/Overlock10Tf5058	4.8	6
424	Improving $\epsilon''$ and thermal conductivity of Ba(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> microwave dielectric ceramics by ordered domain engineering. <i>Journal of the American Ceramic Society</i> , 2022, 105, 4219-4229.	3.8	8
425	Fabrication of Wideband Low-Profile Dielectric Patch Antennas from Temperature Stable 0.65 CaTiO <sub>3</sub> -0.35 LaAlO <sub>3</sub> Microwave Dielectric Ceramic. <i>Advanced Electronic Materials</i> , 2022, 8, .	5.1	18
426	Relaxor ferroelectricity and low microwave dielectric permittivity of Sr <sub>(1-x)</sub> Ce <sub>x</sub> Ti <sub>(1-2/3y)</sub> MgyO <sub>3</sub> ceramics. <i>Ceramics International</i> , 2022, 48, 19434-19443.	4.8	2
427	Microwave dielectric properties of Sr <sub>3</sub> Ti <sub>2</sub> O <sub>7</sub> ceramics with composite element doping of Nd & Al. <i>Materials Chemistry and Physics</i> , 2022, 282, 125961.	4.0	5
428	Sintering characteristics, crystal structure and dielectric properties of cobalt-tungsten doped molybdate-based ceramics at microwave frequency. <i>Journal of Materiomics</i> , 2022, 8, 949-957.	5.7	19
429	Correlation between structure, chromaticity, and dielectric properties of calcium copper pyrophosphates, Ca <sub>2-x</sub> CuxP <sub>2</sub> O <sub>7</sub> . <i>Scientific Reports</i> , 2022, 12, 6869.	3.3	3
430	Crystal structure and microwave dielectric properties of (Mg <sub>0.2</sub> Ni <sub>0.2</sub> Zn <sub>0.2</sub> Co <sub>0.2</sub> Mn <sub>0.2</sub> ) <sub>2</sub> SiO <sub>4</sub> - A novel high-entropy ceramic. <i>Ceramics International</i> , 2022, 48, 23307-23313.	4.8	15
431	Rattling effects on microwave dielectric properties of Ca <sub>3</sub> TiBGe <sub>3</sub> O <sub>12</sub> (B = Mg, Zn) garnets. <i>Journal of the European Ceramic Society</i> , 2022, 42, 4566-4572.	5.7	19
432	Temperature-compensated BaV <sub>2</sub> O <sub>6</sub> -Ba <sub>2</sub> V <sub>2</sub> O <sub>7</sub> ceramic composite for ULTCC applications. <i>Ceramics International</i> , 2022, 48, 22479-22485.	4.8	12
433	Influence of Ti <sup>4+</sup> substitution for Zr <sup>4+</sup> on the structure and microwave dielectric properties of Pr <sub>2</sub> Zr <sub>3</sub> (MoO <sub>4</sub> ) <sub>9</sub> ceramic. <i>Journal of Alloys and Compounds</i> , 2022, 911, 164986.	5.5	6
434	Microwave dielectric properties and vibrational spectra of (Na <sub>0.5x</sub> La <sub>1-0.5x</sub> )(Nb <sub>1-x</sub> Mox) <sub>4</sub> O <sub>12</sub> ceramics with scheelite structures. <i>Journal of the European Ceramic Society</i> , 2022, 42, 5726-5730.	5.7	13
435	Effects of Ionic Coordination Bonding on Microwave Dielectric Properties of Y <sub>2</sub> CaBGe <sub>4</sub> O <sub>12</sub> (B = Zr, Sn) Garnets. <i>ACS Applied Electronic Materials</i> , 2022, 4, 3512-3519.	4.3	9
436	Sintering behavior, microwave dielectric properties, and chemical bond features of novel low-loss monoclinic-structure Ni <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> ceramic based on NiO-P <sub>2</sub> O <sub>5</sub> binary phase diagram. <i>Ceramics International</i> , 2022, 48, 30681-30686.	4.8	6

#	ARTICLE	IF	CITATIONS
437	Sintering behavior, phase composition, microstructure and dielectric properties of SrSm <sub>2</sub> O <sub>4</sub> microwave ceramics. <i>Journal of Alloys and Compounds</i> , 2022, 924, 166475.	5.5	13
438	Na <sub>2</sub> Cat <sub>2</sub> Ge <sub>3</sub> O <sub>12</sub> : An Anti-Reductive Garnet Ceramic with High Quality Factor and Chemical Compatibility with Cu/Ag Electrodes for Low Temperature Co-Fired Application. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
439	The apparent difference in microwave dielectric properties of Ca <sub>3</sub> MZnGe <sub>3</sub> O <sub>12</sub> (M = Zr, Sn) garnets originating from compression and rattling effects. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 21101-21110.	2.2	5
440	Na <sub>2</sub> CaTi <sub>2</sub> Ge <sub>3</sub> O <sub>12</sub> : An anti-reductive garnet ceramic with high quality factor and chemical compatibility with Cu/Ag electrodes for low temperature co-fired application. <i>Journal of Alloys and Compounds</i> , 2022, 926, 166960.	5.5	4
441	Tunable anisotropic parameters realized by metal-dielectric hybrid meta-atoms. <i>Optics Letters</i> , 0, , .	3.3	0
442	Bandgap, Mobility, Dielectric Constant, and Baliga's Figure of Merit of 4H-SiC, GaN, and $\beta$ -Ga <sub>2</sub> O <sub>3</sub> from 300 to 620 K. <i>ACS Applied Electronic Materials</i> , 2022, 4, 4140-4145.	4.3	18
443	Crystal structure and microwave dielectric properties of LiNb <sub>0.6</sub> Ti <sub>0.5</sub> O <sub>3</sub> ceramics with Zn and Nb co-doped. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2022, 285, 115919.	3.5	4
444	Tuning of microwave dielectric properties of garnets Ca <sub>3</sub> Mg <sub>2</sub> CV <sub>2</sub> O <sub>12</sub> (C = Si, Ti) through compression and expansion effects. <i>Ceramics International</i> , 2023, 49, 565-570.	4.8	5
445	Relationship between bond characteristics and microwave dielectric properties of REVO <sub>4</sub> (RE = Yb, Ho) ceramics. <i>Ceramics International</i> , 2023, 49, 875-881.	4.8	12
446	Refractive index and domain structure of undoped and Nb doped (Na <sub>0.41</sub> K <sub>0.09</sub> Bi <sub>0.50</sub> )TiO <sub>3</sub> (NBT-KBT) single crystal grown at MPB composition. <i>Optical Materials</i> , 2022, 133, 113021.	3.6	1
447	Densification, microwave dielectric properties and rattling effect of LiYbO <sub>2</sub> ceramics with low $\mu$ and anomalous positive $\lambda$ . <i>Journal of the European Ceramic Society</i> , 2022, 42, 7455-7460.	5.7	4
448	Contrasting microwave dielectric properties of zircon-structured AEuV <sub>2</sub> O <sub>8</sub> (A = Bi, La) ceramics. <i>Journal of the European Ceramic Society</i> , 2022, 42, 7461-7467.	5.7	13
449	Crystal structure, electric and microwave dielectric properties of La <sub>2</sub> Mg(Mg <sub>1/3</sub> Sb <sub>2/3</sub> )O <sub>6</sub> novel double-perovskite with non-stoichiometric 1:1 cationic ordering. <i>Journal of the European Ceramic Society</i> , 2022, , .	5.7	2
450	MSO <sub>4</sub> (M = Ca, Sr, Ba) microwave dielectric ceramics with low dielectric constant. <i>Journal of the American Ceramic Society</i> , 2023, 106, 1250-1259.	3.8	10
451	Design and Fabrication of a C-Band Dielectric Resonator Antenna with Novel Temperature-Stable Ce(Nb <sub>1-x</sub> V <sub>x</sub> )NbO <sub>4</sub> (x = 0-0.4) Microwave Ceramics. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 48897-48906.	8.0	10
452	Band gap engineering and microwave dielectric properties evolution of mixed (Sr, La, Ce) TiMgO <sub>3</sub> titanate-aluminate system. <i>Ceramics International</i> , 2023, 49, 6307-6313.	4.8	3
453	Effect of crystal structure of Ca <sub>2</sub> AMg <sub>2</sub> Ge <sub>2</sub> VO <sub>12</sub> (A = Y, Eu) garnets on microwave dielectric properties. <i>Materials Today Communications</i> , 2022, 33, 104706.	1.9	0
454	Crystal structure and microwave dielectric characteristics of ixiolite ceramics with molybdenum ion modification and tri-layered structure. <i>Journal of Alloys and Compounds</i> , 2023, 931, 167489.	5.5	9

#	ARTICLE	IF	CITATIONS
455	Combined effect of rattling and compression on the microwave dielectric properties of B-site 1:3 ordered Li <sub>6</sub> A <sub>7</sub> Ti <sub>11</sub> O <sub>32</sub> (A = Zn, Mg) spinels. <i>Ceramics International</i> , 2023, 49, 8754-8761.	4.8	6
456	Crystal structure, chemical bond characteristics, infrared reflection spectrum, and microwave dielectric properties of Nd <sub>2</sub> (Zr <sub>1-x</sub> Ti <sub>x</sub> ) <sub>3</sub> (MoO <sub>4</sub> ) <sub>9</sub> ceramics. <i>Journal of Advanced Ceramics</i> , 2023, 12, 82-92.	17.4	75
457	Integrated buried heaters for efficient spectral control of air-clad microresonator frequency combs. <i>APL Photonics</i> , 2022, 7, .	5.7	8
458	Novel Sr <sub>3</sub> Y <sub>2</sub> Ge <sub>3</sub> O <sub>12</sub> microwave ceramics: Sintering behavior, phase composition, microstructure and dielectric properties. <i>Ceramics International</i> , 2023, 49, 13150-13157.	4.8	8
459	Design and Fabrication of a Satellite Communication Dielectric Resonator Antenna with Novel Low Loss and Temperature-Stabilized (Sm <sub>1-x</sub> Ca <sub>x</sub> )(Nb <sub>1-x</sub> Mo <sub>x</sub> )O <sub>4</sub> (x = 0.15-0.7) Microwave Ceramics. <i>Chemistry of Materials</i> , 2023, 35, 104-115.	6.7	24
460	Phase composition and microwave dielectric properties of NaSr <sub>5</sub> + <sub>5</sub> O <sub>9</sub> + <sub>7.5</sub> composite ceramics. <i>Journal of the European Ceramic Society</i> , 2023, 43, 1964-1971.	5.7	5
461	Crystal structure and microwave dielectric properties of Li-modified BaSi <sub>2</sub> O <sub>5</sub> ceramics. <i>Journal of Materials Research and Technology</i> , 2023, 22, 2792-2805.	5.8	10
462	Novel high-entropy microwave dielectric ceramics Sr(La <sub>0.2</sub> Nd <sub>0.2</sub> Sm <sub>0.2</sub> Eu <sub>0.2</sub> Gd <sub>0.2</sub> )AlO <sub>4</sub> with excellent temperature stability and mechanical properties. <i>Journal of the European Ceramic Society</i> , 2023, 43, 2506-2512.	5.7	15
463	Lattice evolution and microwave dielectric properties of La-doped yttrium aluminum garnet ceramics. <i>Journal of the American Ceramic Society</i> , 2023, 106, 3252-3260.	3.8	3
464	Dielectric and bipolar resistive switching properties of Ag doped As <sub>2</sub> Se chalcogenide for non-volatile memory applications. <i>Materials Chemistry and Physics</i> , 2023, 296, 127301.	4.0	6
465	Microwave dielectric properties of (KY) <sub>1/2</sub> MoO <sub>4</sub> ceramics with ultra-low sintering temperature. <i>Materials Today Communications</i> , 2023, 34, 105289.	1.9	0
466	Mechanism of ionic polarizability, bond valence, and crystal structure on the microwave dielectric properties of disordered Li <sub>10</sub> MTi <sub>13</sub> O <sub>32</sub> (M = Zn, Mg) spinels. <i>Materials Advances</i> , 2023, 4, 1345-1353.	5.4	3
467	Effects of ionic polarizability and crystal structure on microwave dielectric properties of RE <sub>2</sub> O <sub>3</sub> (RE) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 4066-4072.	5.7	6
468			

#	ARTICLE	IF	CITATIONS
473	Chemical bond characteristics, Raman spectra, and microwave dielectric properties of garnet ceramics $\text{Ca}_3\text{B}_2\text{ZnGa}_2\text{O}_{12}$ (B = Nb, Sb). <i>Ceramics International</i> , 2023, 49, 22273-22280.	4.8	2
474	Structural, microstructural, and microwave dielectric properties of $(\text{Al}_1\text{-B})_2\text{Mo}_3\text{O}_{12}$ ceramics with low dielectric constant and low dielectric loss for LTCC applications. <i>Ceramics International</i> , 2023, 49, 22690-22701.	4.8	5
475	Crystal structure, far-infrared spectroscopy, and microwave dielectric properties of two novel vanadates $\text{CaRECeV}_3\text{O}_{12}$ (RE = Nd, Sm). <i>Ceramics International</i> , 2023, 49, 23173-23179.	4.8	0
476	Crystal structure, Raman spectra, bond characteristics, and microwave dielectric properties of $\text{MnMoO}_4$ ceramics. <i>Ceramics International</i> , 2023, 49, 23627-23633.	4.8	9
477	Deeper insights into dodecahedron distortion and microwave dielectric properties of $\text{Y}_3\text{-R Al}(\text{Oct})_2\text{Al}(\text{Tet})_3\text{-Si O}_{12}$ ( $x = 0.1 \sim 0.5$ ; R = Mg, Ca) garnet-type ceramics. <i>Ceramics International</i> , 2023, 49, 23334-23339.	4.8	9
478	Microwave dielectric properties of ternary molybdate $\text{NaSrLn}(\text{MoO}_4)_3$ (Ln = Nd, Sm) ceramics for LTCC applications. <i>Ceramics International</i> , 2023, 49, 23864-23870.	4.8	3
479	Permanently Polarized Materials: An Approach for Designing Materials with Customized Electrical Properties. <i>Chemistry of Materials</i> , 2023, 35, 3765-3780.	6.7	1
480	Structure and microwave dielectric properties of novel walstromite-type $\text{M}\text{Ca}_2\text{Si}_3\text{O}_9$ (M = Ba, Sr) ceramics. <i>Ceramics International</i> , 2023, 49, 27147-27153.	4.8	6
481	Phase structure, bond traits, and intrinsic dielectric response of $\text{NiTa}_2\text{O}_6 \sim \text{TiO}_2$ microwave dielectric ceramics investigated by bond theory and vibrational spectroscopy. <i>Journal of Materials Research and Technology</i> , 2023, 25, 1364-1375.	5.8	1
482	Sintering behavior, structural evolution, and dielectric properties of $\text{Li}_2\text{+MgTiO}_4\text{F}$ microwave dielectric ceramics. <i>Journal of the European Ceramic Society</i> , 2023, 43, 6098-6106.	5.7	3
483	Investigation of the effect of Cr co-doping on the refractive index, spectroscopic parameters and lasing of $\text{Nd}:\text{GdVO}_4$ crystals. <i>Journal of Luminescence</i> , 2023, 263, 119973.	3.1	0
484	Monolayer-to-Mesoscale Modulation of the Optical Properties in 2D $\text{CrI}_3$ Mapped by Hyperspectral Microscopy. <i>Physical Review Letters</i> , 2023, 130, .	7.8	1
485	Dielectric properties of spinel ferrite nanostructures. , 2023, , 599-631.		0
486	A novel $\text{Li}_3\text{Mg}_3\text{NbO}_7$ microwave dielectric ceramic with ultra-low loss. <i>Ceramics International</i> , 2023, 49, 25495-25503.	4.8	4
487	A novel low temperature and low loss $\text{Ba}_2\text{Bi}_2/3\text{TeO}_6$ microwave dielectric ceramic with double perovskite structure for LTCC applications. <i>Ceramics International</i> , 2023, 49, 26095-26101.	4.8	2
488	Phase composition, crystal structure, and microwave dielectric properties of $\text{LiIn}_{1-x}\text{Al}_x\text{O}_{2-2x}$ ceramics. <i>International Journal of Applied Ceramic Technology</i> , 0, , .	2.1	1
489	Phase Compositions and Microwave Dielectric Properties of $\text{Na}_{1+x}\text{Sr}_5\text{O}_9+0.5x$ Ceramics. <i>Crystals</i> , 2023, 13, 1042.	2.2	0
490	The Structure and Microwave Dielectric Properties of $\text{MgTi}_{1-x}(\text{Mn}_1/3\text{Nb}_2/3)_x\text{O}_3$ Ceramics. <i>Crystals</i> , 2023, 13, 1050.	2.2	1

#	ARTICLE	IF	CITATIONS
491	Ionic modification effects on crystal structure and microwave dielectric properties of MgTiTa2O8 ceramics. Journal of Materials Science: Materials in Electronics, 2023, 34, .	2.2	0
492	Investigation on the bond characteristics and microwave dielectric properties of rock salt-structured Li2Mg0.5nTiO3+0.5n (n=1-8) ceramics based on the complex chemical bond theory. Materials Today Communications, 2023, 36, 106675.	1.9	1
494	Phase Structure, Bond Features, and Microwave Dielectric Characteristics of Ruddlesden-Popper Type Sr2TiO4 Ceramics. Materials, 2023, 16, 5195.	2.9	0
495	Novel non-equimolar SrLa(Al0.25Zn0.125Mg0.125Ga0.25Ti0.25)O4 high-entropy ceramics with excellent mechanical and microwave dielectric properties. Journal of the European Ceramic Society, 2023, 43, 6909-6915.	5.7	2
496	Dominant role of ceramic connectivity in microwave dielectric properties of porous ceramics. Acta Materialia, 2023, 258, 119207.	7.9	0
497	Sintering process, phase composition, and microwave dielectric properties of NaLn(WO4)2 (Ln=La, Nd, Tm, Yb) ceramics. Journal of Materials Science: Materials in Electronics, 2023, 34, .	2.0	1
498	Effect of lattice-induced strain on microwave dielectric polarization and properties: A case study of Ga-based garnet. Journal of Alloys and Compounds, 2023, 967, 171742.	5.5	1
499	Relationship between microstructure and microwave dielectric properties of glass-free low temperature co-fired CaLa2(MoO4)4 ceramic. Journal of Materials Science: Materials in Electronics, 2023, 34, .	2.2	1
500	Correlation between structure and microwave dielectric properties of ordered olivine CaLnGaO4 (Ln = La, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu) ceramics. Journal of Materials Science: Materials in Electronics, 2023, 34, .	2.0	1
501	Phase Composition, Raman Spectrum and Microwave Dielectric Properties of glass-free low temperature co-fired ACaPr(MoO4)3 (A = Na, K) Ceramics. Ceramics International, 2023, 49, 36962-36969.	4.8	1
502	Crystal structure, vibration spectra and microwave dielectric properties for scheelite structure NaSrLa(WO4)3 ceramics and adjustment of its Q <sub>u</sub> value. Journal of Materials Science: Materials in Electronics, 2023, 34, .	2.2	0
503	Effect of heterovalent ion doping on the polarization ability and dielectric loss of fluorite Ce1-yO1/2 ceramics in the microwave frequency band. Ceramics International, 2023, 49, 37712-37719.	4.8	3
504	Microwave dielectric properties and chemical bond characteristics of low temperature firing Li3VO4 ceramic with low permittivity. Ceramics International, 2023, 49, 36299-36307.	4.8	3
505	Improvement of Microwave Dielectric Properties of MgTiO3 Ceramics by Ti-Site Complex Substitution. Electronic Materials Letters, 0, , .	2.2	0
506	Phase evolution and microwave dielectric properties of high-entropy spinel-type (Mg0.2Co0.2Ni0.2Li0.4Zn0.2)Al2O4 ceramics. Journal of the European Ceramic Society, 2024, 44, 284-292.	5.7	1
507	Effects of Li+ enrichment on the structure and microwave dielectric properties of LiMgPO4 ceramics. Ceramics International, 2023, 49, 37245-37252.	4.8	1
508	Structure evolution and adjustment of Q <sub>u</sub> in (Ba, Sr)HfO3 and (Sr, Ba)HfO3 ceramics. Journal of Materials Science: Materials in Electronics, 2023, 34, .	3.8	0
509	A novel Na <sup>+</sup> K <sup>+</sup> TaO <sub>3</sub> perovskite microwave dielectric ceramic with high permittivity and high positive temperature coefficient. Journal of Advanced Ceramics, 2023, 12, 2053-2061.	17.4	1

#	ARTICLE	IF	CITATIONS
510	Composition-dependent crystal structure, dielectric properties and temperature stability of the (1-x)CaZrO <sub>3</sub> -xSrTiO <sub>3</sub> paraelectric thin films. <i>Journal of the European Ceramic Society</i> , 2024, 44, 914-923.	5.7	1
511	Dielectric and electrical characterization of hematite (̂±-Fe <sub>2</sub> O <sub>3</sub> ) nanomaterials synthesized by thermal decomposition of iron(III)citrate. <i>Applied Physics A: Materials Science and Processing</i> , 2023, 129, .	2.3	1
512	Low-temperature sintering and microwave dielectric properties of glass-free SrWO <sub>4</sub> -Li <sub>2</sub> MoO <sub>4</sub> ceramics. <i>Ceramics International</i> , 2023, , .	4.8	0
513	Crystal structure and ultra-high quality factor of MgTi <sub>1</sub> -(Co <sub>1/3</sub> Nb <sub>2/3</sub> ) O <sub>3</sub> solid-solution microwave ceramics. <i>Ceramics International</i> , 2023, , .	4.8	0
514	A novel NaMg(1-)Zn (PO <sub>3</sub> ) <sub>3</sub> microwave dielectric ceramic with an ultra-low dielectric constant for LTCC application. <i>Ceramics International</i> , 2023, , .	4.8	0
515	Mg/Ti coâ€substituted CaSmAlO<sub>4</sub>â€based microwave dielectric ceramics with temperature stability in a wide temperature range. <i>Journal of the American Ceramic Society</i> , 2024, 107, 1070-1080.	3.8	0
516	Optimized crystal structure and microwave dielectric properties of BaZnSi<sub>3</sub>O<sub>8</sub>â€based ceramics. <i>Journal of the American Ceramic Society</i> , 2024, 107, 1090-1104.	3.8	0
517	Structure, composition, microwave dielectric properties and improved ultra-low temperature sintering characteristics of Lyonsite structural Li <sub>2</sub> Mg <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> ceramic. <i>Ceramics International</i> , 2023, , .	4.8	0
518	Tunable Microwave Dielectric Properties in Rare-Earth Niobates via a High-Entropy Configuration Strategy To Induce Ferroelastic Phase Transition. <i>ACS Applied Materials &amp; Interfaces</i> , 0, , .	8.0	0
519	Effects of ion polarizability and oxygen vacancy on microwave dielectric properties of fluoriteâ€structured Ce<sub>1âˆŒ</sub><sub>x</sub></i><sub>x</sub></i>Ca<sub>x</sub><sub>x</sub></i>O<sub>2âˆŒ</sub><sub>x</sub></i>. <i>Journal of the American Ceramic Society</i> . 2024, 107, 1148-1158.	3.8	2
520	Rattling and compressed cations resulting in distinct microwave dielectric characteristics of SrPrBO <sub>4</sub> (B = Ga, Al) with K <sub>2</sub> NiF <sub>4</sub> structure. <i>Ceramics International</i> , 2024, 50, 3566-3573.	4.8	0
521	Effects of ion occupancy and polarizability on the crystal structure and microwave dielectric properties of CaEuCO <sub>4</sub> (CGa, Al) ceramics. <i>Ceramics International</i> , 2024, 50, 3912-3920.	4.8	0
522	Sintering characteristics, Raman spectra and the microstructure of novel low loss SrCeO <sub>3</sub> ceramics. <i>Journal of Solid State Chemistry</i> , 2024, 330, 124448.	2.9	2
523	Improvement of <i>f</i> in HfTiO<sub>4</sub> microwave dielectric ceramics with Zrâ€and Snâ€substitution. <i>Journal of the American Ceramic Society</i> , 2024, 107, 2337-2347.	3.8	0
524	ZrO<sub>2</sub>-doped Zn<sub>0.5</sub>Ti<sub>0.5</sub>TaO<sub>4</sub> microwave dielectric ceramics with low dielectric loss and excellent temperature stability. <i>Journal of Physics: Conference Series</i> , 2023, 2639, 012041.	0.4	0
526	Constructing the cationic rattling effect to realize the adjustability of the temperature coefficient in Nd <sub>2</sub> -Sm O <sub>3</sub> microwave dielectric ceramics. <i>Journal of the European Ceramic Society</i> , 2023, , .	5.7	1
527	Chemical bond characteristics and microwave dielectric properties of high-Qâ€Li <sub>3</sub> +xMgNbO <sub>5</sub> F <sub>x</sub> (0â€xâ€1.25) ceramics for LTCC applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2023, 34, .	0.2	0
528	Crystal structure, lattice energy and microwave dielectric properties of melilite-type Ba <sub>1</sub> -Sr Cu <sub>2</sub> Ge <sub>2</sub> O <sub>7</sub> ceramics. <i>Journal of the European Ceramic Society</i> , 2023, , .	5.7	0



#	ARTICLE	IF	CITATIONS
529	Ca <sub>3</sub> ZnAl <sub>4</sub> O <sub>10</sub> : A novel Al-rich microwave dielectric ceramic with low- $\hat{\mu}$ . <i>Ceramics International</i> , 2024, 50, 7767-7774.	4.8	0
530	Structure characteristics and microwave/terahertz dielectric response of low-permittivity (La <sub>0.2</sub> Nd <sub>0.2</sub> Sm <sub>0.2</sub> Eu <sub>0.2</sub> Gd <sub>0.2</sub> ) <sub>2</sub> Zr <sub>3</sub> (MoO <sub>4</sub> ) <sub>9</sub> high-entropy ceramics. <i>Ceramics International</i> , 2023, , .	4.8	0
531	Crystal structure and microwave dielectric properties of A- and B-site co-substituted NdNbO <sub>4</sub> ceramics. <i>Ceramics International</i> , 2024, 50, 5636-5642.	4.8	0
532	Re <sub>2</sub> TiO <sub>5</sub> : Special dielectric titanates exhibiting abnormally low permittivity and a positive coefficient of resonance frequency. <i>Journal of the American Ceramic Society</i> , 0, , .	3.8	0
533	Dielectric Property, AC Conductivity, and Electric Modulus Studies of Pristine and Green-synthesized ZnO Nanoparticles. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2024, 221, .	1.8	0
534	Mn-Si synergistically co-doping adjusting microstructures and microwave-millimeter-wave dielectric properties of Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> garnet ceramics: Lattice occupancy and ligand distortion perspective. <i>Ceramics International</i> , 2024, 50, 11298-11303.	4.8	0
535	Enhanced microwave dielectric performances of niobate structured Zn(Nb <sub>1-2x</sub> ZrxWx) <sub>2</sub> O <sub>6</sub> ceramics. <i>Ceramics International</i> , 2024, 50, 12081-12087.	4.8	0
536	Effects of Zr <sup>4+</sup> and Hf <sup>4+</sup> substitution on the structure and dielectric response of Ba <sub>4</sub> Sm <sub>9.33</sub> Ti <sub>18</sub> O <sub>54</sub> ceramics. <i>Ceramics International</i> , 2024, 50, 12443-12449.	4.8	0
537	Dodecahedron lattice of rattling phenomenon, and microwave dielectric properties of yttrium aluminum garnet ceramics and its application verification for Wifi6E/7 patch and 6G resonant antennas. <i>Journal of the European Ceramic Society</i> , 2024, 44, 3895-3902.	5.7	0
538	A novel Ba <sub>3</sub> (Zn <sub>5</sub> O <sub>10</sub> )PO <sub>4</sub> microwave dielectric ceramic with near-zero $\hat{\epsilon}$ , value for LTCC applications. <i>Journal of the European Ceramic Society</i> , 2024, 44, 3833-3839.	5.7	0
539	Mechanisms for optimizing the dielectric properties of spinel Li <sub>10</sub> ZnTi <sub>13</sub> O <sub>32</sub> ceramics by Na <sup>+</sup> doping. <i>Ceramics International</i> , 2024, 50, 12549-12556.	4.8	0
540	Tailoring the crystal distortion and dielectric properties of 0.7CaTiO <sub>3</sub> -0.3NdAlO <sub>3</sub> microwave ceramics by La, Sm and Eu doping into A-site Nd. <i>Ceramics International</i> , 2024, 50, 13286-13297.	4.8	0
541	Sintering behaviors and microwave dielectric properties of Ba <sub>3</sub> P <sub>4</sub> O <sub>13</sub> ceramics. <i>Materials Research Bulletin</i> , 2024, 174, 112704.	5.2	0
542	Crystal structure evolution, bond characteristics and tunable microwave dielectric properties of (Ce <sub>1-x</sub> Ca <sub>x</sub> )(Nb <sub>1-x</sub> W <sub>x</sub> )O <sub>4</sub> ceramics. <i>Journal of the European Ceramic Society</i> , 2024, 44, 4657-4665.	5.7	0
543	Bond theory, vibrational spectroscopy, and dielectric responses of trirutile ATa <sub>2</sub> O <sub>6</sub> (A = Mg, Ni) microwave ceramics. <i>Ceramics International</i> , 2024, 50, 19171-19181.	4.8	0
544	Effect of raw material pretreatment and ionic radius on the preparation and microwave dielectric properties of Re <sub>2</sub> TiO <sub>5</sub> ceramics. <i>Ceramics International</i> , 2024, 50, 19194-19201.	4.8	0
545	Crystal structure and microwave dielectric properties of Li <sub>2</sub> (Mg <sup>1+</sup> <sub>x</sub> <sup>2+</sup> <sub>1-x</sub> ) <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> ceramics sintered at ultra-low temperature. <i>Journal of the American Ceramic Society</i> , 2024, 107, 4878-4890.	3.8	0
546	Structure evolution and $\hat{\epsilon}$ ,f influence mechanism of Bi <sup>1+</sup> -Ho VO <sub>4</sub> microwave dielectric ceramics for LTCC applications. <i>Journal of Materials Science and Technology</i> , 2024, 197, 1-8.	10.7	0

#	ARTICLE	IF	CITATIONS
547	Sintering characteristics, phase structure and microwave dielectric properties of novel BaCeO <sub>3</sub> ceramics. Materials Research Bulletin, 2024, 175, 112790.	5.2	0