

Preparation of Isolated Sheets of Human Stratum Corneum

Archives of Dermatology

88, 702

DOI: [10.1001/archderm.1963.01590240026005](https://doi.org/10.1001/archderm.1963.01590240026005)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Percutaneous Absorption. Current Problems in Dermatology, 1973, 5, 1-36.	0.8	13
2	The Biology of the Stratum Corneum. , 1964, , 387-433.		151
3	Visualization of the Cell Layers of the Stratum Corneum. Journal of Investigative Dermatology, 1964, 42, 407-409.	0.3	110
4	Skin lipids. I. Sampling problems of the skin and its appendages. JAOCS, Journal of the American Oil Chemists' Society, 1965, 42, 685-690.	0.8	27
5	Sweat Pore Patterns**From the Department of Dermatology, University of Pennsylvania School of Medicine, Philadelphia, Pennsylvania.. Journal of Investigative Dermatology, 1966, 46, 193-197.	0.3	9
6	Epidermal-Dermal Separation with Proteolytic Enzymes*. Journal of Investigative Dermatology, 1966, 46, 492-504.	0.3	39
7	The SLS Provocative Patch Test in Allergic Contact Sensitization**From the Department of Dermatology, University of Pennsylvania School of Medicine, Philadelphia, Pennsylvania.. Journal of Investigative Dermatology, 1966, 46, 573-583.	0.3	57
8	Measurement of Transepidermal Water Loss by Electrical Hygrometry. Archives of Dermatology, 1967, 96, 441.	1.7	77
9	Desquamation of the Human Horny Layer. Archives of Dermatology, 1967, 95, 583.	1.7	12
10	Die Wirkung von Cantharidin auf den epidermalen Einbau von 35S-markiertem Sulfat. Archives of Dermatological Research, 1967, 228, 65-71.	1.1	4
11	Horny Layer Lipids. Journal of Investigative Dermatology, 1967, 49, 198-205.	0.3	19
12	Gas-chromatographische Untersuchungen zur Frage der "Vehikel"-Funktion des Dimethylsulfoxids. Lipid - Fett, 1968, 70, 663-667.	0.6	3
13	MORPHOLOGY AND THICKNESS OF THE HUMAN STRATUM CORNEUM. British Journal of Dermatology, 1968, 80, 430-436.	1.4	65
14	THE MECHANISM OF WATER BINDING IN STRATUM CORNEUM. British Journal of Dermatology, 1968, 80, 437-450.	1.4	123
15	KERATIN AND WATER. British Journal of Dermatology, 1968, 80, 469-471.	1.4	2
16	PERCUTANEOUS ABSORPTION OF SODIUM FUSIDATE AND FUSIDIC ACID*. British Journal of Dermatology, 1969, 81, 902-908.	1.4	35
17	THE PERMEABILITY OF RAT TRANSITIONAL EPITHELIUM: THE RELATIONSHIP BETWEEN STRUCTURE AND FUNCTION. British Journal of Dermatology, 1969, 81, 23-30.	1.4	37
18	THE INFLUENCE OF DIMETHYL SULPHOXIDE ON THE PERCUTANEOUS MIGRATION OF POTASSIUM DODECYL [45S] SULPHATE. British Journal of Dermatology, 1969, 81, 63-68.	1.4	10

#	ARTICLE	IF	CITATIONS
19	THE PERCUTANEOUS ABSORPTION OF ANTIBACTERIAL SUBSTANCES. British Journal of Dermatology, 1969, 81, 88-91.	1.4	13
20	The Occurrence of Antibodies to Stratum corneum in Man. International Archives of Allergy and Immunology, 1970, 37, 649-659.	0.9	31
21	Fatty acid composition of the living layer and stratum corneum lipids of human sole skin epidermis. Lipids, 1970, 5, 838-845.	0.7	59
22	EMISSIVE STEREOSCAN AND TRANSMISSION ELECTRON MICROSCOPE PROFILES OF THE STRATUM CORNEUM. British Journal of Dermatology, 1970, 82, 377-384.	1.4	5
23	CAPILLARY MICROSCOPY AND THE SKIN. British Journal of Dermatology, 1970, 82, 74-76.	1.4	5
24	An Electron Microscopic Study of the Effects of Subtilisin and Detergents on Human Stratum Corneum**From The Procter and Gamble Company Research Division. Miami Valley Laboratories, Cincinnati. Ohio 45239. Journal of Investigative Dermatology, 1970, 55, 101-114.	0.3	30
25	Die Wanderungskinetik postmitotischer Epidermiszellen. Autoradiographische Untersuchungen. Archives of Dermatological Research, 1970, 236, 161-172.	1.1	17
26	Hautrelief und Capillararchitektur. Archives of Dermatological Research, 1971, 242, 78-86.	1.1	11
27	Stratum Corneum Biomechanical Properties I. Influence of Relative Humidity on Normal and Extracted Human Stratum Corneum. Journal of Investigative Dermatology, 1971, 56, 72-78.	0.3	188
28	The Isolation of Dimethyl Sulfoxide Soluble Components from Human Epidermal Preparations: A Possible Mechanism of Action of Dimethyl Sulfoxide in Effecting Percutaneous Migration Phenomena. Journal of Investigative Dermatology, 1971, 57, 308-311.	0.3	33
29	The correlation between transepidermal water loss and the thickness of epidermal components. Comparative Biochemistry and Physiology A, Comparative Physiology, 1972, 43, 719-722.	0.7	7
31	Biomechanical properties and microscopic morphology of human stratum corneum incubated on a wet pad in vitro. Archives of Dermatological Research, 1973, 246, 271-283.	1.1	21
32	Mechanism of Percutaneous Absorption. IV. Penetration of Nonelectrolytes (Alcohols) from Aqueous Solutions and from Pure Liquids. Journal of Investigative Dermatology, 1973, 60, 286-296.	0.3	246
33	The Epidermis. , 1974, , 18-74.		13
34	Permeability of solutes through biological membranes measured by a desorption technique. Nature, 1975, 257, 225-227.	13.7	31
35	Nickel-epidermal interactions: Diffusion and binding. Environmental Research, 1976, 11, 34-39.	3.7	34
36	Pain Sensations Associated with Electrocutaneous Stimulation. IEEE Transactions on Biomedical Engineering, 1976, BME-23, 405-409.	2.5	46
38	Novel techniques for the estimation of intracorneal cohesion in vivo*. British Journal of Dermatology, 1977, 96, 595-602.	1.4	37

#	ARTICLE	IF	CITATIONS
39	THERMOANALYTICAL PROBES FOR THE ANALYSIS OF PHYSICAL PROPERTIES OF STRATUM CORNEUM. Journal of Investigative Dermatology, 1977, 69, 287-289.	0.3	7
40	MEASUREMENT OF INTRACORNEAL COHESION IN MAN USING IN VIVO TECHNIQUES. Journal of Investigative Dermatology, 1977, 69, 299-302.	0.3	27
41	Protein conformational changes induced in human stratum corneum by organic sulfoxides: An infrared spectroscopic investigation. Biopolymers, 1977, 16, 2329-2345.	1.2	69
42	Water vapor sorption and desorption behavior of some keratins. Colloid and Polymer Science, 1978, 256, 105-114.	1.0	14
44	Drug Permeation through Human Skin: I. Effects of Storage Conditions of Skin. Journal of Investigative Dermatology, 1982, 78, 63-66.	0.3	105
45	Observations on the Mechanism of the Protective Action of Sunscreens. Journal of Investigative Dermatology, 1982, 78, 381-385.	0.3	18
46	In vivo removal of the horny layer with formic acid. British Journal of Dermatology, 1983, 109, 313-320.	1.4	13
47	Penetration Enhancers for Human Skin: Mode of Action of 2-Pyrrolidone and Dimethylformamide on Partition and Diffusion of Model Compounds Water, n-Alcohols, and Caffeine. Journal of Investigative Dermatology, 1983, 80, 507-514.	0.3	95
48	A Biological Brief on Percutaneous Absorption. Drug Development and Industrial Pharmacy, 1983, 9, 521-560.	0.9	50
49	The Diffusion of Water Across the Stratum Corneum As a Function of Its Water Content. Journal of Investigative Dermatology, 1984, 82, 188-194.	0.3	255
50	Variations in permeability of human skin within and between specimens. International Journal of Pharmaceutics, 1984, 18, 299-309.	2.6	166
51	Topical glutaraldehyde-percutaneous penetration and skin irritation. Archives of Dermatological Research, 1985, 277, 242-244.	1.1	15
52	The In Vitro Hydrolysis of Diisopropyl Fluorophosphate During Penetration Through Human Full-Thickness Skin and Isolated Epidermis. Journal of Investigative Dermatology, 1985, 85, 335-339.	0.3	23
53	Penetration of Benzene Through Human Skin. Journal of Investigative Dermatology, 1985, 85, 522-526.	0.3	103
54	The evolution of human skin(?). Journal of Human Evolution, 1985, 14, 3-22.	1.3	46
55	Percutaneous Absorption of Minoxidil in Man. Archives of Dermatology, 1985, 121, 203.	1.7	56
56	The partitioning of some 21-alkyl steroid esters between human stratum corneum and water. International Journal of Pharmaceutics, 1985, 27, 287-298.	2.6	15
57	Topical absorption of methotrexate: role of dermal transport. International Journal of Pharmaceutics, 1985, 27, 193-203.	2.6	29

#	ARTICLE	IF	CITATIONS
58	A method of predicting percutaneous absorption rates from vehicle to vehicle: an experimental assessment. <i>International Journal of Pharmaceutics</i> , 1986, 28, 219-227.	2.6	33
59	A microbalance technique for measuring water vapour uptake and release by stratum corneum in vitro. <i>International Journal of Pharmaceutics</i> , 1986, 31, 247-259.	2.6	4
60	A new technique for the evaluation of cosmetics effect on mechanical properties of stratum corneum and epidermis in vitro. <i>International Journal of Cosmetic Science</i> , 1986, 8, 27-36.	1.2	9
61	Anatomical location of human skin furrows*. <i>Clinical and Experimental Dermatology</i> , 1986, 11, 445-449.	0.6	7
62	An examination of excised skin tissues used for in vitro membrane permeation studies. <i>Pharmaceutical Research</i> , 1986, 03, 356-359.	1.7	19
63	Effect of protein cationicity on inhibition of in vitro epidermis curling by alkylbenzene sulfonate. <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 1986, 63, 574-579.	0.8	9
64	Leukocyte chemotactic properties of soluble horny contents in epidermal cysts. <i>Archives of Dermatological Research</i> , 1987, 279, 449-453.	1.1	7
65	The spectral stability of several sunscreens agents on stratum corneum sheets. <i>International Journal of Cosmetic Science</i> , 1987, 9, 125-136.	1.2	21
66	Heterogeneity effects on permeability-partition coefficient relationships in human stratum corneum. <i>Pharmaceutical Research</i> , 1988, 05, 566-573.	1.7	143
67	The relationship of pKa and acute skin irritation in man. <i>Pharmaceutical Research</i> , 1988, 05, 660-663.	1.7	32
68	Lipid-Related Barriers and Gradients in the Epidermis. <i>Annals of the New York Academy of Sciences</i> , 1988, 548, 4-13.	1.8	45
69	Macroscopic Investigations of the Human Stratum Corneum Evaluating a Method for Heat Separation of the Epidermis from the Dermis. <i>Annals of the New York Academy of Sciences</i> , 1988, 529, 118-121.	1.8	2
70	Iontophoretically Induced Transdermal Delivery of Salbutamol. <i>Drug Development and Industrial Pharmacy</i> , 1988, 14, 2151-2166.	0.9	19
71	Relationship of PKA and Acute Skin Irritation in Humans. <i>Cutaneous and Ocular Toxicology</i> , 1989, 8, 481-492.	0.3	4
72	Analysis of drug penetration through the skin by the two-layer skin model. <i>Pharmaceutical Research</i> , 1989, 06, 931-937.	1.7	41
73	Ethanol: Water Mutually Enhanced Transdermal Therapeutic System II: Skin Permeation of Ethanol and Nitroglycerin. <i>Journal of Pharmaceutical Sciences</i> , 1989, 78, 402-407.	1.6	163
74	DNA Methylation and Differentiation of Human Keratinocytes. <i>Journal of Investigative Dermatology</i> , 1989, 93, 687-690.	0.3	10
75	Electrical Determination of Water Content and Concentration Profile in a Simulation Model of In Vivo Stratum Corneum. <i>Journal of Investigative Dermatology</i> , 1989, 92, 854-859.	0.3	47

#	ARTICLE	IF	CITATIONS
76	Urea analogues in propylene glycol as penetration enhancers in human skin. International Journal of Pharmaceutics, 1989, 56, 43-50.	2.6	50
77	Essential oils as novel human skin penetration enhancers. International Journal of Pharmaceutics, 1989, 57, R7-R9.	2.6	80
78	An electron spin resonance study of skin penetration enhancers. International Journal of Pharmaceutics, 1989, 49, 39-45.	2.6	43
79	Enhanced percutaneous absorption of a novel topical cyclosporin A formulation and assessment of its immunosuppressive activity. British Journal of Dermatology, 1990, 123, 631-640.	1.4	35
80	Enhanced transport in a therapeutic transdermal system. Biomaterials, 1990, 11, 729-733.	5.7	7
81	The relationship between pKa and skin irritation for a series of basic penetrants in man. Fundamental and Applied Toxicology, 1990, 15, 760-766.	1.9	26
82	Electrochemical and iontophoretic studies of human skin. Journal of Controlled Release, 1990, 11, 105-112.	4.8	77
83	Mechanical and failure behaviour of the stratum corneum. Journal of Biomechanics, 1990, 23, 281-287.	0.9	62
84	The enhancement index concept applied to terpene penetration enhancers for human skin and model lipophilic (oestradiol) and hydrophilic (5-fluorouracil) drugs. International Journal of Pharmaceutics, 1991, 74, 157-168.	2.6	139
85	1-Alkylazacycloalkan-2-one esters as prodrugs of indomethacin for improved delivery through human skin. International Journal of Pharmaceutics, 1991, 77, 21-29.	2.6	44
86	Measurement of drug diffusivity in stratum corneum membranes and a polyacrylate matrix. International Journal of Pharmaceutics, 1991, 71, 245-253.	2.6	17
87	Effects of UVA (320-400 nm) on the Barrier Characteristics of the Skin. Journal of Investigative Dermatology, 1991, 96, 758-762.	0.3	34
88	1,2-dihydro-3,1-benzoxazin-4-one and 4-hydroxy-1,2-dihydro-pyrido[2,3-a][1,3]oxazin-4-one derivative potential prodrugs: Part III: Permeability through excised human skin <i>in vitro</i> . Archiv Der Pharmazie, 1991, 324, 891-894.	2.1	4
89	In vitro comparison of water-holding capacity of the superficial and deeper layers of the stratum corneum. Archives of Dermatological Research, 1991, 283, 342-346.	1.1	25
90	In Vitro Percutaneous Absorption Experiments: A Guide to the Technique for Use in Toxicology Assessments. , 1992, 2, 113-123.		17
91	Enhanced transdermal delivery of testosterone: a new physiological approach for androgen replacement in hypogonadal men. Journal of Controlled Release, 1992, 19, 347-361.	4.8	42
92	A transdermal nicotine system: feasibility studies. Journal of Controlled Release, 1992, 20, 13-19.	4.8	14
93	The transdermal delivery of zwitterionic drugs II: the flux of zwitterion salts. Journal of Controlled Release, 1992, 20, 163-170.	4.8	24

#	ARTICLE	IF	CITATIONS
94	Iontophoretic delivery of propranolol hydrochloride through human epidermis. <i>Journal of Controlled Release</i> , 1992, 18, 165-170.	4.8	7
95	Atopic Dermatitis: Studies of Skin Permeability and Effectiveness of Topical PUVA Treatment. <i>Pediatric Dermatology</i> , 1992, 9, 383-385.	0.5	36
96	Three phase emulsions for controlled delivery in the cosmetic field. <i>International Journal of Cosmetic Science</i> , 1992, 14, 65-74.	1.2	8
97	Fourier transform Raman spectroscopy a novel application for examining human stratum corneum. <i>International Journal of Pharmaceutics</i> , 1992, 81, R11-R14.	2.6	48
98	On the non-Gaussian distribution of human skin permeabilities. <i>International Journal of Pharmaceutics</i> , 1992, 86, 69-77.	2.6	99
99	Penetration enhancer effects on in vitro percutaneous absorption of heparin sodium salt. <i>International Journal of Pharmaceutics</i> , 1992, 82, 171-177.	2.6	23
100	Surfactant effects in percutaneous absorption II. Effects on protein and lipid structure of the stratum corneum. <i>International Journal of Pharmaceutics</i> , 1992, 87, 265-269.	2.6	20
101	Relating the concentration-dependent action of Azone and dodecyl-L-pyroglytamate on the structure of excised human stratum corneum to changes in drug diffusivity, partition coefficient and flux. <i>International Journal of Pharmaceutics</i> , 1992, 80, 81-89.	2.6	22
102	Fourier transform Raman and infrared vibrational study of human skin: Assignment of spectral bands. <i>Journal of Raman Spectroscopy</i> , 1992, 23, 641-645.	1.2	217
103	Iontophoretic Transdermal Delivery of Salicylic Acid and Lidocaine to Local Subcutaneous Structures. <i>Journal of Pharmaceutical Sciences</i> , 1993, 82, 127-131.	1.6	57
104	Percutaneous Absorption: A Single-Layer Model. <i>Journal of Pharmaceutical Sciences</i> , 1993, 82, 450-456.	1.6	15
105	Blood Flow Measurements in Skin and Underlying Tissues by Microsphere Method: Application to Dermal Pharmacokinetics of Polar Nonelectrolytes. <i>Journal of Pharmaceutical Sciences</i> , 1993, 82, 873-879.	1.6	36
106	In Vitro Percutaneous Permeation of Betamethasone and Betamethasone 17-Valerate. <i>Journal of Pharmaceutical Sciences</i> , 1993, 82, 1039-1045.	1.6	7
107	The routes of penetration of ions and 5-fluorouracil across human skin and the mechanisms of action of terpene skin penetration enhancers. <i>International Journal of Pharmaceutics</i> , 1993, 94, 189-194.	2.6	80
108	In vitro percutaneous absorption evaluation of phenobarbital through hairless mouse, adult and premature human skin. <i>International Journal of Pharmaceutics</i> , 1993, 98, 93-99.	2.6	15
109	Vehicle effects on in vitro skin permeation of and stratum corneum affinity for model drugs caffeine and testosterone. <i>International Journal of Pharmaceutics</i> , 1993, 100, 41-47.	2.6	40
110	In vitro pulsatile and continuous transdermal delivery of buserelin by iontophoresis. <i>Journal of Controlled Release</i> , 1993, 26, 203-212.	4.8	31
111	Flow-through system effects on in vitro analysis of transdermal systems. <i>Pharmaceutical Research</i> , 1993, 10, 1521-1526.	1.7	26

#	ARTICLE	IF	CITATIONS
112	A critical comparison of some Raman spectroscopic techniques for studies of human stratum corneum. <i>Pharmaceutical Research</i> , 1993, 10, 1642-1647.	1.7	55
113	Dermal and underlying tissue pharmacokinetics of salicylic acid after topical application. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 1993, 21, 337-373.	0.6	62
114	Study of the penetration-enhancing effect of two nonionic surfactants (Cetiol® HE and eumulgin®) Tj ETQq0 0 0 rgBT /Overlock 10 T <i>Pharmaceutical Sciences</i> , 1993, 1, 89-93.	1.9	9
115	Skin barrier defect in atopic dermatitis: increased permeability of the stratum corneum using dimethyl sulfoxide and theophylline. <i>Journal of Dermatological Science</i> , 1993, 5, 92-96.	1.0	77
116	A speculative view of atopic dermatitis: barrier dysfunction in pathogenesis. <i>Journal of Dermatological Science</i> , 1993, 5, 197-204.	1.0	97
117	Effect of Penetration Enhancers on the in Vitro Transport of Ephedrine Through Rat Skin and Human Epidermis from Matrix Based Transdermal Formulations. <i>Drug Development and Industrial Pharmacy</i> , 1993, 19, 1623-1628.	0.9	30
118	Dermal and Underlying Tissue Pharmacokinetics of Lidocaine after topical application. <i>Journal of Pharmaceutical Sciences</i> , 1994, 83, 774-782.	1.6	47
119	Raman spectra of human keratotic biopolymers: Skin, callus, hair and nail. <i>Journal of Raman Spectroscopy</i> , 1994, 25, 95-98.	1.2	109
120	Temporally controlled transdermal system: biphasic transdermal delivery of nitroglycerin. <i>Journal of Membrane Science</i> , 1994, 89, 245-255.	4.1	4
121	A comparison of the effects of electrical current and penetration enhancers on the properties of human skin using spectroscopic (FTIR) and calorimetric (DSC) methods. <i>International Journal of Pharmaceutics</i> , 1994, 105, 47-56.	2.6	46
122	Partitioning and differential scanning calorimetry studies of N-alkyllactame ester dermal prodrugs of indomethacin. <i>International Journal of Pharmaceutics</i> , 1994, 106, 115-123.	2.6	11
123	In vitro evaluation of a series of sodium carboxylates as dermal penetration enhancers. <i>International Journal of Pharmaceutics</i> , 1994, 108, 141-148.	2.6	13
124	Iontophoretic enhancement of peptides: behaviour of leuprolide versus model permeants. <i>Journal of Controlled Release</i> , 1994, 31, 41-47.	4.8	67
125	Transport of beta-estradiol in freshly excised human skin in vitro: diffusion and metabolism in each skin layer. <i>Pharmaceutical Research</i> , 1994, 11, 1777-1784.	1.7	35
126	The selection and use of natural and synthetic membranes for in vitro diffusion experiments. <i>European Journal of Pharmaceutical Sciences</i> , 1994, 2, 311-330.	1.9	76
127	Enhanced permeation of polar compounds through human epidermis. I. Permeability and membrane structural changes in the presence of short chain alcohols. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1994, 1195, 169-179.	1.4	89
128	Comparison of Fourier transform Raman spectra of mammalian and reptilian skin. <i>Analyst, The</i> , 1994, 119, 563.	1.7	43
129	Effect of Various Enhancers on Transdermal Penetration of Indomethacin and Urea, and Relationship between Penetration Parameters and Enhancement Factors. <i>Journal of Pharmaceutical Sciences</i> , 1995, 84, 482-488.	1.6	108

#	ARTICLE	IF	CITATIONS
130	Importance of Dermal Blood Supply and Epidermis on the Transdermal Iontophoretic Delivery of Monovalent Cations. <i>Journal of Pharmaceutical Sciences</i> , 1995, 84, 584-592.	1.6	28
131	Measurement of shrinkage ability of the stratum corneum under dehydration conditions. <i>Skin Research and Technology</i> , 1995, 1, 128-136.	0.8	0
132	Separation of epidermis from dermis in the Rhesus monkey. <i>Experimental Dermatology</i> , 1995, 4, 89-92.	1.4	4
133	Potential applications of FT-Raman spectroscopy for dermatological diagnostics. <i>Journal of Molecular Structure</i> , 1995, 347, 379-387.	1.8	73
134	Differences in enhancing effect of 1-menthol, ethanol and their combination between hairless rat and human skin. <i>International Journal of Pharmaceutics</i> , 1995, 113, 189-197.	2.6	23
135	Enhanced transdermal delivery of estradiol in vitro using binary vehicles of isopropyl myristate and short-chain alkanols. <i>International Journal of Pharmaceutics</i> , 1995, 114, 237-245.	2.6	61
136	Effects of terpenes and oleic acid as skin penetration enhancers towards 5-fluorouracil as assessed with time; permeation, partitioning and differential scanning calorimetry. <i>International Journal of Pharmaceutics</i> , 1995, 116, 237-251.	2.6	138
137	Oestradiol permeation across human skin, silastic and snake skin membranes: The effects of ethanol/water co-solvent systems. <i>International Journal of Pharmaceutics</i> , 1995, 116, 101-112.	2.6	146
138	Effects of penetration enhancer treatment on the statistical distribution of human skin permeabilities. <i>International Journal of Pharmaceutics</i> , 1995, 117, 101-112.	2.6	38
139	A protocol for the assessment of receiver solution additive-induced skin permeability changes. An example with β -cyclodextrin. <i>International Journal of Pharmaceutics</i> , 1995, 124, 213-217.	2.6	11
140	Development and in vitro evaluation of nitrendipine transdermal formulations using experimental design techniques. <i>International Journal of Pharmaceutics</i> , 1995, 125, 7-15.	2.6	13
141	Fourier transform raman spectroscopy of interactions between the penetration enhancer dimethyl sulfoxide and human stratum corneum. <i>International Journal of Pharmaceutics</i> , 1995, 125, 265-282.	2.6	157
142	The "IceMan"™: molecular structure of 5200-year-old skin characterised by raman spectroscopy and electron microscopy. <i>BBA - Proteins and Proteomics</i> , 1995, 1246, 98-105.	2.1	83
143	In vitro characterization of a solvent-controlled nitroglycerin transdermal system. <i>Journal of Controlled Release</i> , 1995, 34, 193-201.	4.8	4
144	In vitro and in vivo evaluation of polyoxyethylene indomethacin esters as dermal prodrugs. <i>Journal of Controlled Release</i> , 1995, 34, 223-232.	4.8	38
145	Oestradiol permeation through human skin and silastic membrane: effects of propylene glycol and supersaturation. <i>Journal of Controlled Release</i> , 1995, 36, 277-294.	4.8	174
146	In vitro percutaneous absorption of arildone, a highly lipophilic drug, and the apparent no-effect of the penetration enhancer Azone in excised human skin. <i>Pharmaceutical Research</i> , 1995, 12, 993-997.	1.7	17
147	Phase transitions of rat stratum corneum lipids by an electron paramagnetic resonance study and relationship of phase states to drug penetration. <i>Lipids and Lipid Metabolism</i> , 1996, 1301, 97-104.	2.6	19

#	ARTICLE	IF	CITATIONS
148	Characterization of complex coacervates of some tricyclic antidepressants and evaluation of their potential for enhancing transdermal flux. <i>Journal of Controlled Release</i> , 1996, 41, 215-227.	4.8	27
149	Topical 5-aminolevulinic acid for photodynamic therapy of basal cell carcinoma. Evaluation of stratum corneum permeability in vitro. <i>Journal of Controlled Release</i> , 1996, 42, 203-208.	4.8	27
150	Effect of Azone on the iontophoretic transdermal delivery of metoprolol tartrate through human epidermis in vitro. <i>Journal of Controlled Release</i> , 1996, 42, 57-64.	4.8	34
151	Modes of action of terpene penetration enhancers in human skin; Differential scanning calorimetry, small-angle X-ray diffraction and enhancer uptake studies. <i>International Journal of Pharmaceutics</i> , 1996, 127, 9-26.	2.6	198
152	In vitro retinoic acid release and skin permeation from different liposome formulations. <i>International Journal of Pharmaceutics</i> , 1996, 133, 89-96.	2.6	55
153	Iontophoresis of nafarelin across human skin in vitro. <i>Pharmaceutical Research</i> , 1996, 13, 798-800.	1.7	20
154	Investigating the Red Shift between in vitro and in vivo Urocanic Acid Photoisomerization Action Spectra. <i>Photochemistry and Photobiology</i> , 1996, 63, 302-305.	1.3	21
155	Mechanism for Enhancement Effect of Lipid Disperse System on Percutaneous Absorption. <i>Journal of Pharmaceutical Sciences</i> , 1996, 85, 57-64.	1.6	85
156	Functional Analyses of the Stratum Corneum in Scars. <i>Archives of Dermatology</i> , 1996, 132, 1453.	1.7	74
157	The Effect of Water on a New Binary Transdermal Flux Enhancer (Peg ₃ -Me/IPP): An In Vitro Evaluation Using Estradiol. <i>Drug Development and Industrial Pharmacy</i> , 1997, 23, 9-14.	0.9	5
158	Psoralens percutaneous permeation across the human whole skin and the epidermis in respect to their polarity (in vitro study). <i>Journal of Dermatological Science</i> , 1997, 14, 136-144.	1.0	19
159	Testosterone Skin Permeation Enhancement by Menthol through Formation of Eutectic with Drug and Interaction with Skin Lipids. <i>Journal of Pharmaceutical Sciences</i> , 1997, 86, 1394-1399.	1.6	109
160	Interaction of a lecithin microemulsion gel with human stratum corneum and its effect on transdermal transport. <i>Journal of Controlled Release</i> , 1997, 45, 131-140.	4.8	182
161	Determination and correlation of in vitro viability for hairless mouse and human neonatal whole skin and stratum corneum/epidermis. <i>Archives of Dermatological Research</i> , 1997, 289, 170-173.	1.1	4
162	Stratum corneum swelling. Biophysical and computer assisted quantitative assessments. <i>Archives of Dermatological Research</i> , 1997, 289, 506-513.	1.1	80
163	Mechanism of transdermal transport of 5-fluorouracil by terpenes: carvone, 1,8-cineole and thymol. <i>International Journal of Pharmaceutics</i> , 1997, 154, 67-77.	2.6	48
164	Drug delivery from a liquid crystalline base across Visking and human stratum corneum. <i>International Journal of Pharmaceutics</i> , 1997, 157, 35-42.	2.6	46
165	Terpenes and ethanol enhance the transdermal permeation of the tripeptide thyrotropin releasing hormone in human epidermis. <i>International Journal of Pharmaceutics</i> , 1997, 157, 113-121.	2.6	37

#	ARTICLE	IF	CITATIONS
166	Mechanism for enhancement effect of lipid disperse system on percutaneous absorption. International Journal of Pharmaceutics, 1997, 152, 135-144.	2.6	18
167	Mechanism of transport enhancement of LHRH through porcine epidermis by terpenes and iontophoresis: permeability and lipid extraction studies. , 1998, 15, 1857-1862.		54
168	In vitro human epidermal and polyethylene membrane penetration and retention of the sunscreen benzophenone-3 from a range of solvents. Pharmaceutical Research, 1998, 15, 1863-1868.	1.7	27
169	Epidermal iontophoresis: II. Application of the ionic mobility-pore model to the transport of local anesthetics. , 1998, 15, 1579-1588.		29
170	Influence of the Permeation Enhancers 1-Alkyl-2-pyrrolidones on Permeant Partitioning into the Stratum Corneum. Journal of Pharmaceutical Sciences, 1998, 87, 209-214.	1.6	25
171	Synergistic Effect of Iontophoresis and a Series of Fatty Acids on LHRH Permeability through Porcine Skin. Journal of Pharmaceutical Sciences, 1998, 87, 462-469.	1.6	33
172	In vitro evaluation of acyloxyalkyl esters as dermal prodrugs of ketoprofen and naproxen. Journal of Pharmaceutical Sciences, 1998, 87, 1622-1628.	1.6	38
173	Transdermal delivery from eutectic systems: enhanced permeation of a model drug, ibuprofen. Journal of Controlled Release, 1998, 50, 297-308.	4.8	291
174	In vitro percutaneous absorption enhancement of a lipophilic drug tamoxifen by terpenes. Journal of Controlled Release, 1998, 51, 193-199.	4.8	140
175	Methods for quantitative determination of drug localized in the skin. Journal of Controlled Release, 1998, 56, 7-21.	4.8	141
176	In vitro study of the failure of skin surface after influence of hydration and preconditioning. Archives of Dermatological Research, 1998, 290, 638-640.	1.1	18
177	Investigation of Water Sorption on Porcine Stratum Corneum by Very Small Angle Neutron Scattering. Journal of Investigative Dermatology, 1998, 110, 988-990.	0.3	19
178	Effect of current density on the iontophoretic permeability of benzyl alcohol and surface characteristics of human epidermis. International Journal of Pharmaceutics, 1998, 166, 157-166.	2.6	14
179	The release of nicotine from a hydrogel containing ion exchange resins. International Journal of Pharmaceutics, 1998, 170, 215-224.	2.6	29
180	Effect of temperature on percutaneous absorption of terodiline, and relationship between penetration and fluidity of the stratum corneum lipids. International Journal of Pharmaceutics, 1998, 176, 63-72.	2.6	44
181	Transformation of a liposomal dispersion containing ibuprofen lysinate and phospholipids into mixed micelles " physico-chemical characterization and influence on drug permeation through excised human stratum corneum. European Journal of Pharmaceutics and Biopharmaceutics, 1998, 46, 191-200.	2.0	30
182	Development and In Vitro Evaluation of Nimodipine Transdermal Formulations Using Factorial Design. Pharmaceutical Development and Technology, 1998, 3, 517-525.	1.1	12
183	Transdermal Permeation Modulation by Cyclodextrins: A Mechanistic Study. Pharmaceutical Development and Technology, 1998, 3, 283-296.	1.1	29

#	ARTICLE	IF	CITATIONS
184	Dry condition affects desquamation of stratum corneum in vivo. <i>Journal of Dermatological Science</i> , 1998, 18, 163-169.	1.0	54
185	Colorimetric Method for Quantifying Human Stratum Corneum Removed by Adhesive-Tape-Stripping. <i>Acta Dermato-Venereologica</i> , 1998, 78, 186-189.	0.6	132
186	Effect of penetration enhancers on the permeation of the thyrotropin releasing hormone analogue pGlu-3-methyl-His-Pro amide through human epidermis. <i>International Journal of Pharmaceutics</i> , 1999, 178, 149-159.	2.6	36
187	Effect of linolenic acid/ethanol or limonene/ethanol and iontophoresis on the in vitro percutaneous absorption of LHRH and ultrastructure of human epidermis. <i>International Journal of Pharmaceutics</i> , 1999, 180, 235-250.	2.6	47
188	Effect of ethanol/propylene glycol on the in vitro percutaneous absorption of aspirin, biophysical changes and macroscopic barrier properties of the skin. <i>International Journal of Pharmaceutics</i> , 1999, 181, 255-263.	2.6	108
189	Absorption of sunscreens across human skin: an evaluation of commercial products for children and adults. <i>British Journal of Clinical Pharmacology</i> , 1999, 48, 635-637.	1.1	142
190	Palpation of the skin with a robot finger: an attempt to measure skin stiffness with a probe loaded with a newly developed tactile vibration sensor and displacement sensor. <i>Skin Research and Technology</i> , 1999, 5, 237-246.	0.8	21
191	Lateral iontophoretic solute transport in skin. <i>Pharmaceutical Research</i> , 1999, 16, 46-54.	1.7	5
192	Modified water containing hydrophilic ointment with suspended hydrocortisone-21-acetate " the influence of the microstructure of the cream on the in vitro drug release and in vitro percutaneous penetration. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 1999, 47, 139-143.	2.0	11
193	Human skin absorption of bis-2-(chloroethyl)sulphide (sulphur mustard) in vitro. <i>Journal of Applied Toxicology</i> , 2000, 20, 349-355.	1.4	78
194	The Effect of Occlusion on Epidermal Penetration of Parabens from a Commercial Allergy Test Ointment, Acetone and Ethanol Vehicles. <i>Journal of Investigative Dermatology</i> , 2000, 115, 914-918.	0.3	63
195	Differential scanning calorimetry studies on the mechanism of skin-softening effect of sodium acetylhyaluronate. <i>Polymer</i> , 2000, 41, 6055-6059.	1.8	4
196	Investigation of lipid organization on stratum corneum by water absorption in conjunction with neutron scattering. <i>Physica B: Condensed Matter</i> , 2000, 276-278, 530-531.	1.3	4
197	Skin delivery of oestradiol from lipid vesicles: importance of liposome structure. <i>International Journal of Pharmaceutics</i> , 2000, 204, 159-169.	2.6	120
198	In vitro percutaneous penetration of topically applied capsaicin in relation to in vivo sensation responses. <i>International Journal of Pharmaceutics</i> , 2000, 195, 55-62.	2.6	34
199	Oestradiol skin delivery from ultradeformable liposomes: refinement of surfactant concentration. <i>International Journal of Pharmaceutics</i> , 2000, 196, 63-74.	2.6	236
200	Ionisation and the effect of absorption enhancers on transport of salicylic acid through silastic rubber and human skin. <i>International Journal of Pharmaceutics</i> , 2000, 210, 69-82.	2.6	48
201	Histopathologic Effects of Cutaneous Tape Stripping in Pigs. <i>Academic Emergency Medicine</i> , 2000, 7, 1349-1353.	0.8	10

#	ARTICLE	IF	CITATIONS
202	The electrostability and electrically assisted delivery of an organophosphate pretreatment (physostigmine) across human skin in vitro. <i>Journal of Controlled Release</i> , 2000, 68, 157-166.	4.8	6
203	Dermal toxicity: effect of jet propellant-8 fuel exposure on the biophysical, macroscopic and microscopic properties of porcine skin. <i>Environmental Toxicology and Pharmacology</i> , 2001, 10, 123-131.	2.0	7
204	Effect of Cetrimide and Ascorbic Acid on in Vitro Human Skin Permeation of Haloperidol.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 1395-1400.	0.6	12
205	Lipid extraction and iontophoretic transport of leuprolide acetate through porcine epidermis. <i>International Journal of Pharmaceutics</i> , 2001, 215, 241-249.	2.6	13
206	Evaluation of in vitro percutaneous absorption of lorazepam and clonazepam from hydro-alcoholic gel formulations. <i>International Journal of Pharmaceutics</i> , 2001, 228, 79-87.	2.6	48
207	Effect of melting point of chiral terpenes on human stratum corneum uptake. <i>International Journal of Pharmaceutics</i> , 2001, 228, 89-97.	2.6	21
208	Interaction of liposome formulations with human skin in vitro. <i>International Journal of Pharmaceutics</i> , 2001, 229, 117-129.	2.6	55
209	Heparin penetration into and permeation through human skin from aqueous and liposomal formulations in vitro. <i>International Journal of Pharmaceutics</i> , 2001, 228, 147-159.	2.6	53
210	Can Increasing the Viscosity of Formulations be used to Reduce the Human Skin Penetration of the Sunscreen Oxybenzone?. <i>Journal of Investigative Dermatology</i> , 2001, 117, 147-150.	0.3	60
211	Investigation of interactions between silicones and stratum corneum lipids. <i>International Journal of Cosmetic Science</i> , 2001, 23, 25-34.	1.2	10
212	Environmental Effects on the Functions of the Stratum Corneum. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2001, 6, 87-94.	0.8	48
213	Pharmacokinetics of the R- and S-enantiomers of oxybutynin and N-desethyloxybutynin following oral and transdermal administration of the racemate in healthy volunteers. <i>Pharmaceutical Research</i> , 2001, 18, 1029-1034.	1.7	77
214	Penetration enhancement of ibuprofen from supersaturated solutions through human skin. <i>International Journal of Pharmaceutics</i> , 2001, 212, 131-141.	2.6	107
215	In vitro studies on penetration of terpenes from matrix-type transdermal systems through human skin. <i>International Journal of Pharmaceutics</i> , 2001, 224, 81-88.	2.6	55
216	Penetration of compounds through human stratum corneum as studied by Fourier transform infrared photoacoustic spectroscopy. <i>Journal of Controlled Release</i> , 2001, 70, 393-398.	4.8	40
217	Interrelation of permeation and penetration parameters obtained from in vitro experiments with human skin and skin equivalents. <i>Journal of Controlled Release</i> , 2001, 75, 283-295.	4.8	81
218	In vitro and in vivo evaluation of polyoxyethylene esters as dermal prodrugs of ketoprofen, naproxen and diclofenac. <i>European Journal of Pharmaceutical Sciences</i> , 2001, 14, 123-134.	1.9	119
219	Mid-FTIR-Microspectroscopy of stratum corneum single cells and stratum corneum tissue. <i>Physical Chemistry Chemical Physics</i> , 2002, 4, 5671-5677.	1.3	56

#	ARTICLE	IF	CITATIONS
220	IN VITRO PERMEABILITY AND BINDING OF HYDROCARBONS IN PIG EAR AND HUMAN ABDOMINAL SKIN. <i>Drug and Chemical Toxicology</i> , 2002, 25, 83-92.	1.2	44
221	Self-adhesive thin films for topical delivery of 5-aminolevulinic acid. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2002, 53, 99-106.	2.0	63
222	Comparative permeation studies for Î-aminolevulinic acid and its n-butyl ester through stratum corneum and artificial skin constructs. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2002, 53, 281-287.	2.0	36
223	The influence of dilution of topical semisolid preparations on hydrocortisone permeation through excised human stratum corneum. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2002, 54, 143-150.	2.0	27
224	Terpenes in ethanol: haloperidol permeation and partition through human skin and stratum corneum changes. <i>Journal of Controlled Release</i> , 2002, 81, 121-133.	4.8	108
225	Terpenes in propylene glycol as skinâ€penetration enhancers: Permeation and partition of haloperidol, fourier transform infrared spectroscopy, and differential scanning calorimetry. <i>Journal of Pharmaceutical Sciences</i> , 2002, 91, 1639-1651.	1.6	139
226	Correlation between Stratum Corneum/Waterâ€Partition Coefficient and Amounts of Flufenamic Acid Penetrated into the Stratum Corneum. <i>Journal of Pharmaceutical Sciences</i> , 2002, 91, 1915-1921.	1.6	16
227	New Oligoethylene Ester Derivatives of 5â€iodoâ€2â€deoxyuridine as Dermal Prodrugs: Synthesis, Physicochemical Properties, and Skin Permeation Studies. <i>Journal of Pharmaceutical Sciences</i> , 2002, 91, 171-179.	1.6	11
228	Transepidermal Water Loss Does Not Correlate with Skin Barrier Function In Vitro. <i>Journal of Investigative Dermatology</i> , 2002, 118, 871-875.	0.3	91
229	The effect of ethanol on the simultaneous transport and metabolism of methyl p-hydroxybenzoate in excised skin of Yucatan micropig. <i>International Journal of Pharmaceutics</i> , 2002, 236, 35-42.	2.6	23
230	In vitro evaluation of nimodipine permeation through human epidermis using response surface methodology. <i>International Journal of Pharmaceutics</i> , 2002, 241, 27-34.	2.6	14
231	Iontophoretic estradiol skin delivery and tritium exchange in ultradeformable liposomes. <i>International Journal of Pharmaceutics</i> , 2002, 240, 55-66.	2.6	53
232	Lecithin microemulsions for the topical administration of ketoprofen: percutaneous adsorption through human skin and in vivo human skin tolerability. <i>International Journal of Pharmaceutics</i> , 2002, 244, 21-31.	2.6	173
233	Transepidermal transport enhancement of insulin by lipid extraction and iontophoresis. <i>Pharmaceutical Research</i> , 2002, 19, 427-433.	1.7	18
234	Transdermal delivery of a tetrapeptide: Evaluation of passive diffusion. <i>International Journal of Peptide Research and Therapeutics</i> , 2003, 10, 615-620.	0.1	4
235	Permeation, metabolism and site of action concentration of nicotinic acid derivatives in human skin. <i>European Journal of Pharmaceutical Sciences</i> , 2003, 20, 181-195.	1.9	38
236	Electroporation and ultradeformable liposomes; human skin barrier repair by phospholipid. <i>Journal of Controlled Release</i> , 2003, 92, 163-172.	4.8	47
237	In Vitroâ€In Vivo Correlation in Man of a Topically Applied Local Anesthetic Agent Using Numerical Convolution and Deconvolution. <i>Journal of Pharmaceutical Sciences</i> , 2003, 92, 398-406.	1.6	5

#	ARTICLE	IF	CITATIONS
238	Mechanistic Study of Alkyl Azacycloheptanones as Skin Permeation Enhancers by Permeation and Partition Experiments with Hairless Mouse Skin. <i>Journal of Pharmaceutical Sciences</i> , 2003, 92, 297-310.	1.6	28
239	Comparison of effects of different ointment bases on the penetration of ketoprofen through heat-separated human epidermis and artificial lipid barriers. <i>Journal of Pharmaceutical Sciences</i> , 2003, 92, 1396-1406.	1.6	16
240	Characterization of the permselective properties of rabbit skin during transdermal iontophoresis. <i>Journal of Pharmaceutical Sciences</i> , 2003, 92, 1482-1488.	1.6	30
241	Equilibrium Water Sorption in Human Stratum Corneum. <i>Journal of Pharmaceutical Sciences</i> , 2003, 92, 1624-1631.	1.6	67
242	Water diffusion in fully hydrated porcine stratum corneum. <i>Chemical Physics</i> , 2003, 292, 465-476.	0.9	35
243	Comparison of skin permeation enhancement by 3-l-menthoxypropane-1,2-diol and l-menthol: the permeation of indomethacin and antipyrine through Yucatan micropig skin and changes in infrared spectra and X-ray diffraction patterns of stratum corneum. <i>International Journal of Pharmaceutics</i> , 2003, 258, 217-223.	2.6	29
244	Determination of the Effect of Lipophilicity on the in vitro Permeability and Tissue Reservoir Characteristics of Topically Applied Solutes in Human Skin Layers. <i>Journal of Investigative Dermatology</i> , 2003, 120, 759-764.	0.3	87
245	pH-induced alterations in stratum corneum properties. <i>International Journal of Cosmetic Science</i> , 2003, 25, 103-112.	1.2	55
246	Ketoprofen 1-Alkylazacycloalkan-2-one Esters as Dermal Prodrugs: In Vivo and In Vitro Evaluations. <i>Drug Development and Industrial Pharmacy</i> , 2003, 29, 181-190.	0.9	15
247	Transdermal Delivery of a Tetrapeptide: Evaluation of Passive Diffusion. <i>International Journal of Peptide Research and Therapeutics</i> , 2003, 10, 615-620.	0.9	1
248	Percutaneous absorption, biophysical, and macroscopic barrier properties of porcine skin exposed to major components of JP-8 jet fuel. <i>Environmental Toxicology and Pharmacology</i> , 2003, 14, 77-85.	2.0	6
249	Stray field magnetic resonance imaging: a preliminary study of skin hydration. <i>Journal Physics D: Applied Physics</i> , 2003, 36, 364-368.	1.3	27
250	Oxide Terpenes as Human Skin Penetration Enhancers of Haloperidol from Ethanol and Propylene Glycol and Their Modes of Action on Stratum Corneum.. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 220-228.	0.6	24
251	Use of an 8132Asymmetrical Factorial Design for the In Vitro Evaluation of Ondansetron Permeation Through Human Epidermis. <i>Pharmaceutical Development and Technology</i> , 2004, 9, 39-48.	1.1	11
252	Penetrationâ€Enhancing Effect of Ethanolâ€Water Solvent System and Ethanolic Solution of Carvone on Transdermal Permeability of Nimodipine from HPMC Gel Across Rat Abdominal Skin. <i>Pharmaceutical Development and Technology</i> , 2004, 9, 63-74.	1.1	24
254	Microfabricated silicon microneedles for nonviral cutaneous gene delivery. <i>British Journal of Dermatology</i> , 2004, 150, 869-877.	1.4	138
255	Electrically assisted skin delivery of liposomal estradiol; phospholipid as damage retardant. <i>Journal of Controlled Release</i> , 2004, 95, 535-546.	4.8	48
256	A duplex â€Geminiâ€prodrug of naltrexone for transdermal delivery. <i>Journal of Controlled Release</i> , 2004, 97, 283-290.	4.8	35

#	ARTICLE	IF	CITATIONS
257	Transdermal self-permeation enhancement of ibuprofen. <i>Journal of Controlled Release</i> , 2004, 100, 199-209.	4.8	42
258	Effect of heat on the percutaneous absorption and skin retention of three model penetrants. <i>European Journal of Pharmaceutical Sciences</i> , 2004, 21, 337-345.	1.9	117
259	Ceramide analogue 14S24 ((S)-2-tetracosanoylamino-3-hydroxypropionic acid tetradecyl ester) is effective in skin barrier repair in vitro. <i>European Journal of Pharmaceutical Sciences</i> , 2004, 21, 581-587.	1.9	23
260	Physicochemical Evaluation, in Vitro Human Skin Diffusion, and Concurrent Biotransformation of 3-O-Alkyl Carbonate Prodrugs of Naltrexone. <i>Pharmaceutical Research</i> , 2004, 21, 1146-1152.	1.7	33
261	Mechanistic Studies of Branched-Chain Alkanols as Skin Permeation Enhancers. <i>Journal of Pharmaceutical Sciences</i> , 2004, 93, 762-779.	1.6	45
262	Mechanistic study of chemical skin permeation enhancers with different polar and lipophilic functional groups. <i>Journal of Pharmaceutical Sciences</i> , 2004, 93, 1415-1430.	1.6	30
263	GARField magnetic resonance profiling of the ingress of model skin-care product ingredients into human skin in vitro. <i>Journal of Pharmaceutical Sciences</i> , 2004, 93, 2274-2283.	1.6	29
264	Topical delivery of retinyl ascorbate co-drug. <i>International Journal of Pharmaceutics</i> , 2004, 280, 113-124.	2.6	44
265	Development and in vitro evaluation of furosemide transdermal formulations using experimental design techniques. <i>International Journal of Pharmaceutics</i> , 2004, 281, 35-43.	2.6	42
266	Formulation of an HPMC Gel Drug Reservoir System with Ethanol-Water as a Solvent System and Limonene as a Penetration Enhancer for Enhancing in vitro Transdermal Delivery of Nicorandil. <i>Skin Pharmacology and Physiology</i> , 2004, 17, 310-320.	1.1	22
267	Effect of N-methyl-2-pyrrolidone on skin permeation of estradiol. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2004, 57, 473-478.	2.0	47
268	Monitoring the Penetration and Distribution of Topically Applied Formulations through the Skin in Relation to the Skin Protein/Lipid Morphological Characteristics. <i>Exogenous Dermatology</i> , 2004, 3, 131-143.	0.5	1
269	Cutaneous bioassay of salicylic acid as a keratolytic. <i>International Journal of Pharmaceutics</i> , 2005, 292, 187-194.	2.6	59
270	Effects of ionization and penetration enhancers on the transdermal delivery of 5-fluorouracil through excised human stratum corneum. <i>International Journal of Pharmaceutics</i> , 2005, 298, 98-107.	2.6	76
271	In vitro percutaneous absorption studies and in vivo evaluation of anti-inflammatory activity of essential fatty acids (EFA) from fish oil extracts. <i>International Journal of Pharmaceutics</i> , 2005, 299, 41-48.	2.6	35
272	Treatment of psoriasis with topical sirolimus: preclinical development and a randomized, double-blind trial. <i>British Journal of Dermatology</i> , 2005, 152, 758-764.	1.4	92
273	Quantification of stratum corneum removal by adhesive tape stripping by total protein assay in 96-well microplates. <i>Skin Research and Technology</i> , 2005, 11, 97-101.	0.8	80
274	Effect of lipophilic counter-ions on membrane diffusion of benzydamine. <i>European Journal of Pharmaceutical Sciences</i> , 2005, 26, 39-46.	1.9	26

#	ARTICLE	IF	CITATIONS
275	Ethosomes for skin delivery of ammonium glycyrrhizinate: In vitro percutaneous permeation through human skin and in vivo anti-inflammatory activity on human volunteers. <i>Journal of Controlled Release</i> , 2005, 106, 99-110.	4.8	281
276	SMGA gels for the skin permeation of haloperidol. <i>Journal of Controlled Release</i> , 2005, 106, 88-98.	4.8	67
277	Evaluation of Indomethacin Percutaneous Absorption from Nanostructured Lipid Carriers (NLC): In Vitro and In Vivo Studies. <i>Journal of Pharmaceutical Sciences</i> , 2005, 94, 1149-1159.	1.6	102
278	Human Skin Permeation of Branched-Chain 3-O-Alkyl Ester and Carbonate Prodrugs of Naltrexone. <i>Pharmaceutical Research</i> , 2005, 22, 758-765.	1.7	29
279	Investigation of Iminosulfuranes as Novel Transdermal Penetration Enhancers: Enhancement Activity and Cytotoxicity. <i>Pharmaceutical Research</i> , 2005, 22, 1918-1925.	1.7	43
280	Sunscreen Penetration of Human Skin and Related Keratinocyte Toxicity after Topical Application. <i>Skin Pharmacology and Physiology</i> , 2005, 18, 170-174.	1.1	110
281	Solvent Content and Macroviscosity Effects on the in vitro Transcutaneous Delivery and Skin Distribution of Ketoprofen from Simple Gel Formulations. <i>Skin Pharmacology and Physiology</i> , 2005, 18, 186-194.	1.1	10
282	Design principles of chemical penetration enhancers for transdermal drug delivery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4688-4693.	3.3	321
283	The influence of topical formulations on the permeation of 5-aminolevulinic acid and its -butyl ester through excised human stratum corneum. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005, 60, 427-437.	2.0	28
284	TEWL measurements as a routine method for evaluating the integrity of epidermis sheets in static Franz type diffusion cells in vitro. Limitations shown by transport data testing. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2006, 63, 44-50.	2.0	69
285	In vitro studies on release and human skin permeation of Australian tea tree oil (TTO) from topical formulations. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2006, 64, 222-228.	2.0	71
286	Regional Difference of Water Content in Human Skin Studied by Diffuse-Reflectance Near-Infrared Spectroscopy: Consideration of Measurement Depth. <i>Applied Spectroscopy</i> , 2006, 60, 24-28.	1.2	42
287	Reconstructed Human Epidermis for Skin Absorption Testing: Results of the German Prevalidation Study. <i>ATLA Alternatives To Laboratory Animals</i> , 2006, 34, 283-294.	0.7	108
288	Temperature dependence of water content of stratum corneum. <i>British Journal of Dermatology</i> , 1975, 93, 159-164.	1.4	54
289	The Azerbaijani scrub: a simple method to harvest large amounts of stratum corneum. <i>International Journal of Dermatology</i> , 2006, 45, 357-360.	0.5	3
290	Synthesis and transdermal properties of acetylsalicylic acid and selected esters. <i>International Journal of Pharmaceutics</i> , 2006, 310, 31-36.	2.6	20
291	Cutaneous gene expression of plasmid DNA in excised human skin following delivery via microchannels created by radio frequency ablation. <i>International Journal of Pharmaceutics</i> , 2006, 312, 15-23.	2.6	50
292	Influence of modified cyclodextrins on solubility and percutaneous absorption of celecoxib through human skin. <i>International Journal of Pharmaceutics</i> , 2006, 314, 37-45.	2.6	60

#	ARTICLE	IF	CITATIONS
293	Use of a molecular form technique for the penetration of supersaturated solutions of salicylic acid across silicone membranes and human skin in vitro. <i>International Journal of Pharmaceutics</i> , 2006, 318, 49-54.	2.6	37
294	An optimized reverse-phase high performance liquid chromatographic method for evaluating percutaneous absorption of glucosamine hydrochloride. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006, 41, 385-392.	1.4	20
295	Evaluation of alternative strategies to optimize ketorolac transdermal delivery. <i>AAPS PharmSciTech</i> , 2006, 7, E61-E69.	1.5	76
296	Epidermal Penetration of a Therapeutic Peptide by Lipid Conjugation; Stereo-Selective Peptide Availability of a Topical Diastereomeric Lipopeptide. <i>International Journal of Peptide Research and Therapeutics</i> , 2006, 12, 327-333.	0.9	12
297	An Extended Model Based on the Modified Nernst-Planck Equation for Describing Transdermal Iontophoresis of Weak Electrolytes. <i>Journal of Pharmaceutical Sciences</i> , 2006, 95, 1434-1447.	1.6	17
298	Percutaneous Absorption of Steroids: Determination of in vitro Permeability and Tissue Reservoir Characteristics in Human Skin Layers. <i>Skin Pharmacology and Physiology</i> , 2006, 19, 336-342.	1.1	47
299	â€Keratolyticâ€™ Properties of Benzoyl Peroxide and Retinoic Acid Resemble Salicylic Acid in Man. <i>Skin Pharmacology and Physiology</i> , 2006, 19, 283-289.	1.1	55
300	Release characteristics of diclofenac diethylamine from emulgels containing Pluronic F127. <i>Journal of Drug Delivery Science and Technology</i> , 2006, 16, 381-387.	1.4	3
303	Improvement of Epidermal Barrier Properties in Cultured Skin Substitutes after Grafting onto Athymic Mice. <i>Skin Pharmacology and Physiology</i> , 2007, 20, 21-28.	1.1	18
304	Permeability of the reconstructed human epidermis model Episkin® in comparison to various human skin preparations†. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007, 66, 127-134.	2.0	89
305	Reversible effects of permeation enhancers on human skin. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007, 67, 149-155.	2.0	31
306	Human stratum corneum lipid organization as observed by atomic force microscopy on Langmuir-Blodgett films. <i>Journal of Structural Biology</i> , 2007, 158, 386-400.	1.3	36
307	Human Skin Penetration of Sunscreen Nanoparticles: In-vitro Assessment of a Novel Micronized Zinc Oxide Formulation. <i>Skin Pharmacology and Physiology</i> , 2007, 20, 148-154.	1.1	403
308	Variability in Human Skin Permeability In Vitro: Comparing Penetrants with Different Physicochemical Properties. <i>Journal of Pharmaceutical Sciences</i> , 2007, 96, 824-834.	1.6	71
309	Thermodynamics of Water Interaction with Human Stratum Corneum I: Measurement by Isothermal Calorimetry. <i>Journal of Pharmaceutical Sciences</i> , 2007, 96, 1585-1597.	1.6	17
310	Comparison of the Effects of Chemical Permeation Enhancers on the Lipoidal Pathways of Human Epidermal Membrane and Hairless Mouse Skin and The Mechanism of Enhancer Action. <i>Journal of Pharmaceutical Sciences</i> , 2007, 96, 2310-2326.	1.6	30
311	In vitro evaluation of quercetin-3-O-acyl esters as topical prodrugs. <i>International Journal of Pharmaceutics</i> , 2007, 336, 257-262.	2.6	61
312	Influence of membrane-solvent-solute interactions on solute permeation in skin. <i>International Journal of Pharmaceutics</i> , 2007, 340, 65-70.	2.6	50

#	ARTICLE	IF	CITATIONS
313	Combined effects of iontophoretic and chemical enhancement on drug delivery. <i>International Journal of Pharmaceutics</i> , 2007, 341, 114-124.	2.6	18
314	Liquid chromatography assay for 5-aminolevulinic acid: Application to in vitro assessment of skin penetration via Dermaportation. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 852, 49-55.	1.2	33
315	The influence of drug partition coefficient on follicular penetration: In vitro human skin studies. <i>European Journal of Pharmaceutical Sciences</i> , 2007, 30, 280-287.	1.9	57
316	Synergistic effects of chemical enhancers on skin permeability: A case study of sodium lauroylsarcosinate and sorbitan monolaurate. <i>European Journal of Pharmaceutical Sciences</i> , 2007, 31, 1-7.	1.9	37
317	Delivery of ethinylestradiol from film forming polymeric solutions across human epidermis in vitro and in vivo in pigs. <i>Journal of Controlled Release</i> , 2007, 118, 196-203.	4.8	47
318	Formulation development of transdermal dosage forms: Quantitative structure-activity relationship model for predicting activities of terpenes that enhance drug penetration through human skin. <i>Journal of Controlled Release</i> , 2007, 120, 211-219.	4.8	74
319	In vitro and in vivo evaluation of Bola-surfactant containing niosomes for transdermal delivery. <i>Biomedical Microdevices</i> , 2007, 9, 421-433.	1.4	81
320	Dissolving microneedles for transdermal drug delivery. <i>Biomaterials</i> , 2008, 29, 2113-2124.	5.7	715
321	An Integrated Pharmacokinetic and Imaging Evaluation of Vehicle Effects on Solute Human Epidermal Flux and, Retention Characteristics. <i>Pharmaceutical Research</i> , 2008, 25, 158-166.	1.7	11
322	Physicochemical Characterisation of a Novel Thermogelling Formulation for Percutaneous Penetration of 5-Aminolevulinic Acid. <i>Journal of Pharmaceutical Sciences</i> , 2008, 97, 2311-2323.	1.6	23
323	Enhanced transdermal delivery of a dipeptide by dermaportation. <i>Biopolymers</i> , 2008, 90, 655-662.	1.2	20
324	Probing the permeation enhancement of mefenamic acid by ethanol across full-thickness skin, heat-separated epidermal membrane and heat-separated dermal membrane. <i>International Journal of Pharmaceutics</i> , 2008, 349, 323-325.	2.6	20
325	Influence of DMPS on the water retention capacity of electroporated stratum corneum: ATR-FTIR study. <i>International Journal of Pharmaceutics</i> , 2008, 350, 138-144.	2.6	1
326	Transdermal penetration of zalcitabine, lamivudine and synthesised N-acyl lamivudine esters. <i>International Journal of Pharmaceutics</i> , 2008, 351, 186-193.	2.6	25
327	Innovative bola-surfactant niosomes as topical delivery systems of 5-fluorouracil for the treatment of skin cancer. <i>International Journal of Pharmaceutics</i> , 2008, 353, 233-242.	2.6	167
328	Lipid nanoparticles for prolonged topical delivery: An in vitro and in vivo investigation. <i>International Journal of Pharmaceutics</i> , 2008, 357, 295-304.	2.6	229
329	Factors influencing hydrocortisone permeation into human hair follicles: Use of the skin sandwich system. <i>International Journal of Pharmaceutics</i> , 2008, 358, 144-150.	2.6	17
330	Effect of poly(amidoamine) (PAMAM) dendrimer on skin permeation of 5-fluorouracil. <i>International Journal of Pharmaceutics</i> , 2008, 361, 230-238.	2.6	112

#	ARTICLE	IF	CITATIONS
331	Biochemical enhancement of transdermal delivery with magainin peptide: Modification of electrostatic interactions by changing pH. <i>International Journal of Pharmaceutics</i> , 2008, 362, 20-28.	2.6	34
332	Effect of Corneodesmosome Degradation on the Intercellular Delamination of Human Stratum Corneum. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2345-2347.	0.3	25
333	In vitro skin permeation of sunscreen agents from O/W emulsions. <i>International Journal of Cosmetic Science</i> , 2008, 30, 57-65.	1.2	25
334	Change in optical properties of stratum corneum induced by protein carbonylation <i>in vitro</i> . <i>International Journal of Cosmetic Science</i> , 2008, 30, 41-46.	1.2	22
335	Microneedle-mediated intradermal delivery of 5-aminolevulinic acid: Potential for enhanced topical photodynamic therapy. <i>Journal of Controlled Release</i> , 2008, 129, 154-162.	4.8	151
336	Models for Skin Absorption and Skin Toxicity Testing. , 2008, , 3-33.		19
337	Transdermal Delivery of Carvedilol Containing Glycyrrhizin and Chitosan as Permeation Enhancers: Biochemical, Biophysical, Microscopic and Pharmacodynamic Evaluation. <i>Drug Delivery</i> , 2008, 15, 443-454.	2.5	31
339	In-silico model of skin penetration based on experimentally determined input parameters. Part I: Experimental determination of partition and diffusion coefficients. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 68, 352-367.	2.0	94
340	Effect of abrasion induced by a rotating brush on the skin permeation of solutes with varying physicochemical properties. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 68, 724-734.	2.0	29
341	Transdermal and dermal delivery of adefovir: Effects of pH and permeation enhancers. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 69, 597-604.	2.0	34
342	Hydrophilic silica aerogels as dermal drug delivery systems – Dithranol as a model drug. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 69, 935-942.	2.0	77
343	Permeation enhancer dodecyl 6-(dimethylamino)hexanoate increases transdermal and topical delivery of adefovir: Influence of pH, ion-pairing and skin species. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 70, 901-907.	2.0	21
344	Effect of Polyunsaturated Fatty Acids and Some Conventional Penetration Enhancers on Transdermal Delivery of Atenolol. <i>Drug Delivery</i> , 2008, 15, 107-112.	2.5	21
345	Influence of Human Skin Specimens Consisting of Different Skin Layers on the Result of in vitro Permeation Experiments. <i>Skin Pharmacology and Physiology</i> , 2008, 21, 81-88.	1.1	24
346	Protein Carbonyls Damage the Water-Holding Capacity of the Stratum Corneum. <i>Skin Pharmacology and Physiology</i> , 2008, 21, 269-273.	1.1	32
347	The Effect of Penetration Enhancers on Permeation Kinetics of Nitrendipine in Two Different Skin Models. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 1766-1772.	0.6	34
348	Penetration mechanism of dimethyl sulfoxide in human and pig ear skin: An ATR-FTIR and near-FT Raman spectroscopic <i>in vivo</i> and <i>in vitro</i> study. <i>Spectroscopy</i> , 2008, 22, 405-417.	0.8	16
349	Comparative Permeation Studies of Nondiluted and Diluted Betamethasone-17-Valerate Semisolid Formulations through Isolated Human Stratum Corneum and Artificial Skin Construct. <i>Skin Pharmacology and Physiology</i> , 2009, 22, 142-150.	1.1	17

#	ARTICLE	IF	CITATIONS
350	In Vitro and In Vivo Assessment of Matrix Type Transdermal Therapeutic System of Labetalol Hydrochloride. <i>Current Drug Delivery</i> , 2009, 6, 511-519.	0.8	9
351	Cooperative Interaction of Monoterpenes and Phenylpropanoids on the <i>in vitro</i> Human Skin Permeation of Complex Composed Essential Oils. <i>Planta Medica</i> , 2009, 75, 1381-1385.	0.7	42
352	In situ permeation study of drug through the stratum corneum using attenuated total reflection Fourier transform infrared spectroscopic imaging. <i>Journal of Biomedical Optics</i> , 2009, 14, 034011.	1.4	16
353	Skin penetration enhancement by a microneedle device (DermaRoller®) <i>in vitro</i> : Dependency on needle size and applied formulation. <i>European Journal of Pharmaceutical Sciences</i> , 2009, 36, 511-523.	1.9	220
354	Effects of Isopropanol and Isopropyl Myristate Binary Enhancers on In Vitro Transport of Estradiol in Human Epidermis: A Mechanistic Evaluation. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 565-572.	1.6	20
355	Diffusion Modelling of Percutaneous Absorption Kinetics: 4. Effects of a Slow Equilibration Process Within Stratum Corneum on Absorption and Desorption Kinetics. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 772-781.	1.6	61
356	Human Skin Permeation of 3-O-Alkyl Carbamate Prodrugs of Naltrexone. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 2611-2625.	1.6	13
357	Poly(amidoamine) dendrimers as skin penetration enhancers: Influence of charge, generation, and concentration. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 2345-2356.	1.6	127
358	Effects of Oxygen-Containing Terpenes as Skin Permeation Enhancers on the Lipoidal Pathways of Human Epidermal Membrane. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 3617-3632.	1.6	23
359	The Role of Corneocytes in Skin Transport Revisited: A Combined Computational and Experimental Approach. <i>Pharmaceutical Research</i> , 2009, 26, 1379-1397.	1.7	36
360	Skin Solubility Determines Maximum Transepidermal Flux for Similar Size Molecules. <i>Pharmaceutical Research</i> , 2009, 26, 1974-1985.	1.7	76
361	Microprocessor in controlled transdermal drug delivery of anti-cancer drugs. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 189-194.	1.7	3
362	Microneedle Arrays Permit Enhanced Intradermal Delivery of a Preformed Photosensitizer. <i>Photochemistry and Photobiology</i> , 2009, 85, 195-204.	1.3	79
363	Microneedle mediated delivery of nanoparticles into human skin. <i>International Journal of Pharmaceutics</i> , 2009, 366, 190-200.	2.6	137
364	Short-term iontophoretic and post-iontophoretic transport of model penetrants across excised human epidermis. <i>International Journal of Pharmaceutics</i> , 2009, 367, 162-168.	2.6	4
365	Development and evaluation of penciclovir-loaded solid lipid nanoparticles for topical delivery. <i>International Journal of Pharmaceutics</i> , 2009, 372, 191-198.	2.6	178
366	The influence of alcohol, propylene glycol and 1,2-pentanediol on the permeability of hydrophilic model drug through excised pig skin. <i>International Journal of Pharmaceutics</i> , 2009, 374, 39-45.	2.6	35
367	Nortriptyline for smoking cessation: Release and human skin diffusion from patches. <i>International Journal of Pharmaceutics</i> , 2009, 378, 101-107.	2.6	16

#	ARTICLE	IF	CITATIONS
368	Thermodynamics of water interactions with human stratum corneum. II.. Chemical Engineering Science, 2009, 64, 1480-1487.	1.9	7
369	Flexible polymerosomes—An alternative vehicle for topical delivery. Colloids and Surfaces B: Biointerfaces, 2009, 72, 161-166.	2.5	54
370	Effect of Asparagus racemosus Extract on Transdermal Delivery of Carvedilol: A Mechanistic Study. AAPS PharmSciTech, 2009, 10, 199-210.	1.5	18
371	Potential pitfalls in skin permeation experiments: Influence of experimental factors and subsequent data evaluation. European Journal of Pharmaceutics and Biopharmaceutics, 2009, 72, 324-331.	2.0	34
372	Characterisation of epidermal lipid composition and skin morphology of animal skin ex vivo. European Journal of Pharmaceutics and Biopharmaceutics, 2009, 72, 310-316.	2.0	37
373	The in-vitro percutaneous migration of chemical elements from a thermal mud for healing use. Applied Clay Science, 2009, 44, 83-94.	2.6	76
374	High-Throughput Spectroscopic Imaging Applied to Permeation through the Skin. Applied Spectroscopy, 2009, 63, 512-517.	1.2	21
375	Transdermal delivery of carvedilol in rats: probing the percutaneous permeation enhancement mechanism of soybean extract—chitosan mixture. Drug Development and Industrial Pharmacy, 2009, 35, 1230-1241.	0.9	11
376	Influence of Ethanol on the Solubility, Ionization and Permeation Characteristics of Ibuprofen in Silicone and Human Skin. Skin Pharmacology and Physiology, 2009, 22, 15-21.	1.1	82
377	Design, development, physicochemical, in vitro and in vivo evaluation of monolithic matrix type transdermal patches containing nitrendipine. Pharmaceutical Development and Technology, 2009, 14, 422-434.	1.1	14
378	Optimisation of Cosolvent Concentration for Topical Drug Delivery — II: Influence of Propylene Glycol on Ibuprofen Permeation. Skin Pharmacology and Physiology, 2009, 22, 225-230.	1.1	55
379	The influence of porosity changes in human epidermal membrane during iontophoresis on the permeability enhancement of a model peptide. Drug Development and Industrial Pharmacy, 2009, 35, 1201-1209.	0.9	4
380	Transdermal Delivery of Haloperidol by Proniosomal Formulations with Non-ionic Surfactants. Biological and Pharmaceutical Bulletin, 2009, 32, 1453-1458.	0.6	23
381	Study on penetration of titanium dioxide (TiO ₂) nanoparticles into intact and damaged skin in vitro. Journal of Toxicological Sciences, 2010, 35, 107-113.	0.7	142
382	Effects of Application Method on Skin Penetration of Carboxyfluorescein Incorporated in Liposomes. Chemical and Pharmaceutical Bulletin, 2010, 58, 429-431.	0.6	5
383	Novel Vitamin and Gold-Loaded Nanofiber Facial Mask for Topical Delivery. AAPS PharmSciTech, 2010, 11, 1164-1170.	1.5	102
384	Ion-pair Formation as a Strategy to Enhance Topical Delivery of Salicylic Acid. Journal of Pharmacy and Pharmacology, 2010, 52, 919-928.	1.2	51
385	Skin delivery of 5-fluorouracil from ultradeformable and standard liposomes in-vitro. Journal of Pharmacy and Pharmacology, 2010, 53, 1069-1077.	1.2	173

#	ARTICLE	IF	CITATIONS
386	Skin hydration and possible shunt route penetration in controlled estradiol delivery from ultradeformable and standard liposomes. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 53, 1311-1322.	1.2	91
387	Human skin sandwich for assessing shunt route penetration during passive and iontophoretic drug and liposome delivery. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 54, 1481-1490.	1.2	74
388	Skin Delivery of Oestradiol from Deformable and Traditional Liposomes: Mechanistic Studies. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 51, 1123-1134.	1.2	176
389	In-vitro and in-vivo studies on a topical formulation of sitamaquine dihydrochloride for cutaneous leishmaniasis. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 1043-1054.	1.2	29
390	Permeation of bioactive constituents from Arnica montana preparations through human skin in-vitro. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 1167-1176.	1.2	9
391	Topical buparvaquone formulations for the treatment of cutaneous leishmaniasis. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 41-49.	1.2	25
392	In-vitro permeation of drugs into porcine hair follicles: is it quantitatively equivalent to permeation into human hair follicles?. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 60, 145-151.	1.2	16
393	Evaluation of percutaneous absorption of the repellent diethyltoluamide and the sunscreen ethylhexyl p-methoxycinnamate-loaded solid lipid nanoparticles: an in-vitro study. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 61, 1013-1019.	1.2	5
394	Influence of penetration enhancers on topical delivery of 5-aminolevulinic acid from bioadhesive patches. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 62, 685-695.	1.2	22
395	Enhanced skin permeation and hydration by magnetic field array: preliminary in-vitro and in-vivo assessment. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 62, 696-701.	1.2	21
396	Relationship Between the Enhancement Effects of Chemical Permeation Enhancers on the Lipoidal Transport Pathway Across Human Skin Under the Symmetric and Asymmetric Conditions In Vitro. <i>Pharmaceutical Research</i> , 2010, 27, 1825-1836.	1.7	10
397	Enhanced Skin Permeation of Naltrexone by Pulsed Electromagnetic Fields in Human Skin In Vitro. <i>Journal of Pharmaceutical Sciences</i> , 2010, 99, 2724-2731.	1.6	32
398	Evaluation of Percutaneous Absorption of Naproxen from Different Liposomal Formulations. <i>Journal of Pharmaceutical Sciences</i> , 2010, 99, 2819-2829.	1.6	31
399	Improved Method for Determining Partition and Diffusion Coefficients in Human Dermis. <i>Journal of Pharmaceutical Sciences</i> , 2010, 99, 4928-4939.	1.6	22
400	Oxybutynin permeation in skin: The influence of drug and solvent activity. <i>International Journal of Pharmaceutics</i> , 2010, 384, 67-72.	2.6	52
401	Determination of partition and binding properties of solutes to stratum corneum. <i>International Journal of Pharmaceutics</i> , 2010, 398, 114-122.	2.6	43
402	Emollient molecule effects on the drying stresses in human stratum corneum. <i>British Journal of Dermatology</i> , 2010, 163, 695-703.	1.4	36
403	Valrubicin in a Topical Formulation Treats Psoriasis in a Xenograft Transplantation Model. <i>Journal of Investigative Dermatology</i> , 2010, 130, 455-463.	0.3	12

#	ARTICLE	IF	CITATIONS
404	Smart Polymeric Nanofibers for Topical Delivery of Levothyroxine. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2010, 13, 400.	0.9	44
405	Infrared Densitometry: A Fast and Non-Destructive Method for Exact Stratum Corneum Depth Calculation for in vitro Tape-Stripping. <i>Skin Pharmacology and Physiology</i> , 2010, 23, 183-192.	1.1	47
406	Development of an in vitro Modified Skin Absorption Test for the Investigation of the Follicular Penetration Pathway of Caffeine. <i>Skin Pharmacology and Physiology</i> , 2010, 23, 320-327.	1.1	38
407	Variation of in vitro Human Skin Permeation of Rose Oil between Different Application Sites. <i>Research in Complementary Medicine</i> , 2010, 17, 2-2.	2.2	9
408	Electroporation of polymeric nanoparticles: an alternative technique for transdermal delivery of insulin. <i>Drug Development and Industrial Pharmacy</i> , 2010, 36, 1303-1311.	0.9	44
409	Investigation on the synergistic effect of a combination of chemical enhancers and modulated iontophoresis for transdermal delivery of insulin. <i>Drug Development and Industrial Pharmacy</i> , 2010, 36, 993-1004.	0.9	26
410	Nanoemulsions as vehicles for topical administration of glycyrrhetic acid: Characterization and in vitro and in vivo evaluation. <i>Drug Delivery</i> , 2010, 17, 123-129.	2.5	48
411	Effect of Ion Pairing with Alkylamines on the In-vitro Dermal Penetration and Local Tissue Disposition of Salicylates. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 52, 929-940.	1.2	47
412	In-vitro transdermal penetration of cytarabine and its N4-alkylamide derivatives. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 62, 756-761.	1.2	10
413	Elastic Liposomes for Topical and Transdermal Drug Delivery. <i>Methods in Molecular Biology</i> , 2010, 605, 77-86.	0.4	29
414	Synthesis and transdermal permeation of novel N4-methoxypoly(ethylene glycol) carbamates of cytarabine. <i>Drug Development and Industrial Pharmacy</i> , 2010, 36, 1477-1485.	0.9	4
415	Permeability of human epidermis to phenolic compounds. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 29, 677-683.	1.2	197
416	Sesquiterpene Components of Volatile Oils as Skin Penetration Enhancers for the Hydrophilic Permeant 5-Fluorouracil. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 46, 261-269.	1.2	160
417	Mechanism and determinants of nanoparticle penetration through human skin. <i>Nanoscale</i> , 2011, 3, 4989.	2.8	127
418	Vapour and liquid diffusion of model penetrants through human skin; correlation with thermodynamic activity. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 37, 226-236.	1.2	58
419	Confocal Raman Microspectroscopy for Evaluating the Stratum Corneum Removal by 3 Standard Methods. <i>Skin Pharmacology and Physiology</i> , 2011, 24, 103-112.	1.1	33
420	Improved photostability and reduced skin permeation of tretinoin: Development of a semisolid nanomedicine. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2011, 79, 95-101.	2.0	109
421	Effect of (E)-2-isopropyl-5-methylcyclohexyl octadec-9-enoate on transdermal delivery of <i>Aconitum</i> alkaloids. <i>Drug Development and Industrial Pharmacy</i> , 2011, 37, 290-299.	0.9	8

#	ARTICLE	IF	CITATIONS
422	An In-vitro Study of the Effect of Hydrocolloid Patch Occlusion on the Penetration of Triamcinolone Acetonide through Skin in Man. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 48, 806-811.	1.2	7
423	Permeation Characteristics of 8-Methoxypsoralen Through Human Skin; Relevance to Clinical Treatment. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 48, 357-366.	1.2	36
424	In-vitro Permeability of the Human Nail and of a Keratin Membrane from Bovine Hooves: Influence of the Partition Coefficient Octanol/Water and the Water Solubility of Drugs on their Permeability and Maximum Flux. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 49, 30-34.	1.2	90
425	Formulation and in vitro evaluation of the topical antiageing preparation of the fruit of <i>Benincasa hispida</i> . <i>Journal of Ayurveda and Integrative Medicine</i> , 2011, 2, 124.	0.9	43
426	Iontophoretic transport of weak electrolytes through the excised human stratum corneum. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 41, 430-432.	1.2	21
427	Differential Scanning Calorimetry Does Not Predict the Activity of Terpene Penetration Enhancers in Human Skin. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 42, 156P-156P.	1.2	9
428	The effect of iontophoresis and vehicle pH on the in-vitro permeation of lignocaine through human stratum corneum. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 37, 732-735.	1.2	80
429	Wide-angle X-ray Diffraction of Human Stratum Corneum: Effects of Hydration and Terpene Enhancer Treatment. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 46, 938-950.	1.2	96
430	Measuring the Diffusional Pathlength and Area Within Membranes of Excised Human Stratum Corneum. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 47, 26-29.	1.2	12
431	Measuring the Uptake of Azone into Excised Human Stratum Corneum from Thin Polymer Films. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 45, 162-165.	1.2	5
432	The Accelerant Activity of 2-Pyrrolidone in Human Stratum Corneum, Steady State Diffusion of Model Penetrants, Methanol and N-Octanol. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 33, 1P-1P.	1.2	1
433	Ammonium carbamates as highly active transdermal permeation enhancers with a dual mechanism of action. <i>Journal of Controlled Release</i> , 2011, 150, 164-170.	4.8	29
434	Maximum transepidermal flux for similar size phenolic compounds is enhanced by solvent uptake into the skin. <i>Journal of Controlled Release</i> , 2011, 154, 50-57.	4.8	40
435	Experimental design for optimizing drug release from silicone elastomer matrix and investigation of transdermal drug delivery. <i>European Journal of Pharmaceutical Sciences</i> , 2011, 42, 559-567.	1.9	26
436	Influence of chemical permeation enhancers on transdermal permeation of alfuzosin: an investigation using response surface modeling. <i>Drug Development and Industrial Pharmacy</i> , 2011, 37, 465-474.	0.9	18
437	Preparation, Characterization, and In Vitro Permeation Study of Terbinafine HCl in Poloxamer 407-Based Thermogelling Formulation for Topical Application. <i>AAPS PharmSciTech</i> , 2011, 12, 496-506.	1.5	19
438	Enhanced Topical and Transdermal Delivery of Antineoplastic and Antiviral Acyclic Nucleoside Phosphonate cPr-PMEDAP. <i>Pharmaceutical Research</i> , 2011, 28, 3105-3115.	1.7	10
439	Effect of Surfactant Mixtures on Skin Structure and Barrier Properties. <i>Annals of Biomedical Engineering</i> , 2011, 39, 1215-1223.	1.3	33

#	ARTICLE	IF	CITATIONS
440	The percutaneous permeation of a combination of 0.1% octenidine dihydrochloride and 2% 2-phenoxyethanol (octenisept®) through skin of different species in vitro. BMC Veterinary Research, 2011, 7, 44.	0.7	20
441	Monitoring the Viscoelastic Properties of Skin in Liquid Environments Using Quartz Crystal Microbalance. Journal of Pharmaceutical Sciences, 2011, 100, 530-535.	1.6	1
442	Percutaneous Permeation of Betamethasone 17-Valerate Incorporated in Lipid Nanoparticles. Journal of Pharmaceutical Sciences, 2011, 100, 896-903.	1.6	55
443	An Extended Database of Keratin Binding. Journal of Pharmaceutical Sciences, 2011, 100, 1712-1726.	1.6	37
444	Development, Characterization, and In Vitro and In Vivo Evaluation of Benzocaine- and Lidocaine-Loaded Nanostructured Lipid Carriers. Journal of Pharmaceutical Sciences, 2011, 100, 1892-1899.	1.6	67
445	Enhanced transdermal delivery of 5-aminolevulinic acid and a dipeptide by iontophoresis. Biopolymers, 2011, 96, 166-171.	1.2	19
446	Development and characterization of skin permeation retardants and enhancers: A comparative study of levothyroxine-loaded PNIPAM, PLA, PLGA and EC microparticles. Biopharmaceutics and Drug Disposition, 2011, 32, 380-388.	1.1	19
447	Vehicle effects on in vitro release and skin permeation of octylmethoxycinnamate from microemulsions. International Journal of Pharmaceutics, 2011, 405, 162-168.	2.6	32
449	An Attempt to Clarify the Mechanism of the Penetration Enhancing Effects of Lipophilic Vehicles with Differential Scanning Calorimetry (DSC). Journal of Pharmacy and Pharmacology, 2011, 47, 276-281.	1.2	69
450	Terpene Penetration Enhancers in Propylene Glycol/water Co-solvent Systems: Effectiveness and Mechanism of Action. Journal of Pharmacy and Pharmacology, 2011, 47, 978-989.	1.2	159
452	Distribution of Polyphenols and a Surfactant Component in Skin during Aerosol OT Microemulsion-Enhanced Intradermal Delivery. Chemical and Pharmaceutical Bulletin, 2012, 60, 989-994.	0.6	29
453	The role of vehicle interactions on permeation of an active through model membranes and human skin. International Journal of Cosmetic Science, 2012, 34, 536-545.	1.2	32
454	Rheological characterization and permeation behavior of poloxamer 407-based systems containing 5-aminolevulinic acid for potential application in photodynamic therapy. International Journal of Pharmaceutics, 2012, 437, 120-129.	2.6	13
455	Oil-in-water emulsion lotion providing controlled release using 2-methacryloyloxyethyl phosphorylcholine n-butyl methacrylate copolymer as emulsifier. Results in Pharma Sciences, 2012, 2, 16-22.	4.2	8
456	Toxicological implications of the delivery of fentanyl from gel extracted from a commercial transdermal reservoir patch. Toxicology in Vitro, 2012, 26, 645-648.	1.1	14
457	Bacterial cellulose membranes applied in topical and transdermal delivery of lidocaine hydrochloride and ibuprofen: In vitro diffusion studies. International Journal of Pharmaceutics, 2012, 435, 83-87.	2.6	172
458	Fluorescence recovery after photo-bleaching as a method to determine local diffusion coefficient in the stratum corneum. International Journal of Pharmaceutics, 2012, 435, 93-97.	2.6	16
459	Partitioning and diffusion of parathion in human dermis. International Journal of Pharmaceutics, 2012, 435, 33-37.	2.6	6

#	ARTICLE	IF	CITATIONS
460	The influence of volatile solvents on transport across model membranes and human skin. <i>International Journal of Pharmaceutics</i> , 2012, 435, 38-49.	2.6	58
461	Characterization of lipid model membranes designed for studying impact of ceramide species on drug diffusion and penetration. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 81, 113-120.	2.0	23
462	Paclitaxel-loaded ethosomes [®] : Potential treatment of squamous cell carcinoma, a malignant transformation of actinic keratoses. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 81, 102-112.	2.0	100
463	Understanding heat facilitated drug transport across human epidermis. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 81, 642-649.	2.0	32
464	Predicting skin penetration of actives from complex cosmetic formulations: an evaluation of inter formulation and inter active effects during formulation optimization for transdermal delivery. <i>International Journal of Cosmetic Science</i> , 2012, 34, 525-535.	1.2	20
465	Anti-inflammatory activity of novel ammonium glycyrrhizinate/niosomes delivery system: Human and murine models. <i>Journal of Controlled Release</i> , 2012, 164, 17-25.	4.8	107
466	Heterogeneous Drying Stresses in Stratum Corneum. <i>Biophysical Journal</i> , 2012, 102, 2424-2432.	0.2	22
467	SC lipid model membranes designed for studying impact of ceramide species on drug diffusion and permeation – Part II: Diffusion and permeation of model drugs. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 82, 360-366.	2.0	13
468	Identification of a Novel Skin Penetration Enhancement Peptide by Phage Display Peptide Library Screening. <i>Molecular Pharmaceutics</i> , 2012, 9, 1320-1330.	2.3	31
469	Fluorescencia de los Tejidos Queratinosos. <i>International Journal of Morphology</i> , 2012, 30, 956-963.	0.1	0
470	Spectrofluorescence of skin and hair. <i>International Journal of Cosmetic Science</i> , 2012, 34, 246-256.	1.2	13
471	A possible regulation mechanism of water content in human stratum corneum via intercellular lipid matrix. <i>Chemistry and Physics of Lipids</i> , 2012, 165, 238-243.	1.5	50
472	Use of the skin sandwich technique to probe the role of the hair follicles in sonophoresis. <i>International Journal of Pharmaceutics</i> , 2012, 423, 179-183.	2.6	8
473	On the assessment of photostability of sunscreens exposed to UVA irradiation: From glass plates to pig/human skin, which is best?. <i>International Journal of Pharmaceutics</i> , 2012, 427, 217-223.	2.6	28
474	An evaluation of the potential of linear and nonlinear skin permeation models for the prediction of experimentally measured percutaneous drug absorption. <i>Journal of Pharmacy and Pharmacology</i> , 2012, 64, 566-577.	1.2	20
475	Lipid Nanoparticles as Carrier for Octyl-Methoxycinnamate: In Vitro Percutaneous Absorption and Photostability Studies. <i>Journal of Pharmaceutical Sciences</i> , 2012, 101, 301-311.	1.6	49
476	Polyamide Nanocapsules and Nano-emulsions Containing Parsol [®] MCX and Parsol [®] 1789: In Vitro Release, Ex Vivo Skin Penetration and Photo-Stability Studies. <i>Pharmaceutical Research</i> , 2012, 29, 559-573.	1.7	34
477	Advantages of cross-linked versus linear hyaluronic acid for semisolid skin delivery systems. <i>European Polymer Journal</i> , 2013, 49, 2511-2517.	2.6	33

#	ARTICLE	IF	CITATIONS
478	Evaluation of Skin Permeation of β -Blockers for Topical Drug Delivery. <i>Pharmaceutical Research</i> , 2013, 30, 866-877.	1.7	32
479	Topical corticosteroid delivery into human skin using hydrofluoroalkane metered dose aerosol sprays. <i>International Journal of Pharmaceutics</i> , 2013, 452, 157-165.	2.6	20
480	Curcumin containing monoolein aqueous dispersions: A preformulative study. <i>Materials Science and Engineering C</i> , 2013, 33, 4923-4934.	3.8	42
481	Enhanced in vitro transdermal delivery of caffeine using a temperature- and pH-sensitive nanogel, poly(NIPAM-co-AAc). <i>International Journal of Pharmaceutics</i> , 2013, 453, 630-640.	2.6	54
482	Effect of Vehicles on the Maximum Transepidermal Flux of Similar Size Phenolic Compounds. <i>Pharmaceutical Research</i> , 2013, 30, 32-40.	1.7	25
483	Transdermal drug delivery of fluvastatin sodium: Effect of permeation enhancers and pressure sensitive adhesive. <i>Journal of Pharmacy Research</i> , 2013, 6, 573-578.	0.4	5
484	Iontophoresis of micellar composition of Lovastatin: Study of affecting factors and in-vitro permeation. <i>Journal of Pharmacy Research</i> , 2013, 7, 327-330.	0.4	2
485	Evaluation of Monooleine Aqueous Dispersions as Tools for Topical Administration of Curcumin: Characterization, In Vitro and Ex-Vivo Studies. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 2349-2361.	1.6	42
486	The relationship between the Young's modulus of the stratum corneum and age: a pilot study. <i>Skin Research and Technology</i> , 2013, 19, 339-345.	0.8	45
487	Nanocolloidal Carriers of Isotretinoin: Antimicrobial Activity against <i>Propionibacterium acnes</i> and Dermatokinetic Modeling. <i>Molecular Pharmaceutics</i> , 2013, 10, 1958-1963.	2.3	74
488	Amino acid derivatives as transdermal permeation enhancers. <i>Journal of Controlled Release</i> , 2013, 165, 91-100.	4.8	37
489	Towards drug quantification in human skin with confocal Raman microscopy. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2013, 84, 437-444.	2.0	58
490	Ascorbic Acid for the Safe Use of a Sunscreen Agent: Accumulation of Nano Zinc Oxide and Titanium Dioxide on the Skin. <i>Scientia Pharmaceutica</i> , 2013, 81, 1141-1150.	0.7	13
491	Comparison of three different sampling methods for canine skin lipids. <i>Veterinary Dermatology</i> , 2013, 24, 233.	0.4	6
492	Effects of solvent on percutaneous absorption of nonvolatile lipophilic solute. <i>International Journal of Pharmaceutics</i> , 2014, 476, 266-276.	2.6	20
493	Filaggrin Deficiency Leads to Impaired Lipid Profile and Altered Acidification Pathways in a 3D Skin Construct. <i>Journal of Investigative Dermatology</i> , 2014, 134, 746-753.	0.3	106
494	Electrical measurement of the hydration state of the skin surface <i>in vivo</i> . <i>British Journal of Dermatology</i> , 2014, 171, 29-33.	1.4	39
495	Assessing Raman spectral variability in human stratum corneum for quantitative in vitro depth profiling. <i>Journal of Raman Spectroscopy</i> , 2014, 45, 82-88.	1.2	16

#	ARTICLE	IF	CITATIONS
496	<i>In-vitro</i> and <i>in-vivo</i> assessment of dextran-appended cellulose acetate phthalate nanoparticles for transdermal delivery of 5-fluorouracil. <i>Drug Delivery</i> , 2016, 23, 1-11.	2.5	14
497	Targeting of eugenol-loaded solid lipid nanoparticles to the epidermal layer of human skin. <i>Nanomedicine</i> , 2014, 9, 1223-1238.	1.7	37
498	Concentration Dependency in Nicotine Skin Penetration Flux from Aqueous Solutions Reflects Vehicle Induced Changes in Nicotine Stratum Corneum Retention. <i>Pharmaceutical Research</i> , 2014, 31, 1501-1511.	1.7	14
499	Iontophoretic skin permeation of peptides: an investigation into the influence of molecular properties, iontophoretic conditions and formulation parameters. <i>Drug Delivery and Translational Research</i> , 2014, 4, 222-232.	3.0	22
500	Evaluation of nanostructured lipid carriers (NLC) and nanoemulsions as carriers for UV-filters: Characterization, <i>in vitro</i> penetration and photostability studies. <i>European Journal of Pharmaceutical Sciences</i> , 2014, 51, 211-217.	1.9	82
501	Conductive polymer nanotube patch for fast and controlled <i>ex vivo</i> transdermal drug delivery. <i>Nanomedicine</i> , 2014, 9, 2263-2272.	1.7	8
502	Effect of mixed surfactants on stratum corneum: a drying stress and Raman spectroscopy study. <i>International Journal of Cosmetic Science</i> , 2014, 36, 379-385.	1.2	15
503	Comparison of rheological properties, follicular penetration, drug release, and permeation behavior of a novel topical drug delivery system and a conventional cream. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2014, 88, 614-624.	2.0	37
504	Hydroxypropyl- β -cyclodextrin grafted polyethyleneimine used as transdermal penetration enhancer of diclofenac sodium. <i>International Journal of Pharmaceutics</i> , 2014, 474, 182-192.	2.6	23
505	Topical caffeine delivery using biocellulose membranes: a potential innovative system for cellulite treatment. <i>Cellulose</i> , 2014, 21, 665-674.	2.4	59
506	Bacterial cellulose membranes as transdermal delivery systems for diclofenac: <i>In vitro</i> dissolution and permeation studies. <i>Carbohydrate Polymers</i> , 2014, 106, 264-269.	5.1	126
507	Maximized Mucoadhesion and Skin Permeation of Anti-AIDS-Loaded Niosomal Gels. <i>Journal of Pharmaceutical Sciences</i> , 2014, 103, 952-964.	1.6	17
508	Imaging of Distribution of Topically Applied Drug Molecules in Mouse Skin by Combination of Time-of-Flight Secondary Ion Mass Spectrometry and Scanning Electron Microscopy. <i>Analytical Chemistry</i> , 2014, 86, 3443-3452.	3.2	48
509	Effects of sphingomyelin/ceramide ratio on the permeability and microstructure of model stratum corneum lipid membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014, 1838, 2115-2126.	1.4	46
510	Topical delivery of hyaluronic acid into skin using SPACE-peptide carriers. <i>Journal of Controlled Release</i> , 2014, 173, 67-74.	4.8	100
511	Lipid nanocapsules for transdermal delivery of ropivacaine: <i>in vitro</i> and <i>in vivo</i> evaluation. <i>International Journal of Pharmaceutics</i> , 2014, 471, 103-111.	2.6	45
512	Evaluation of β -blocker Gel and Effect of Dosing Volume for Topical Delivery. <i>Journal of Pharmaceutical Sciences</i> , 2015, 104, 1721-1731.	1.6	13
513	Penetration of Ufenamate into Intact, Stripped, or Delipidized Skin Using Different Vehicles. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 1645-1648.	0.6	1

#	ARTICLE	IF	CITATIONS
514	Effects of Mixing Procedure Itself on the Structure, Viscosity, and Spreadability of White Petrolatum and Salicylic Acid Ointment and the Skin Permeation of Salicylic Acid. <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 43-48.	0.6	12
515	Effect of new curcumin-containing nanostructured lipid dispersions on human keratinocytes proliferative responses. <i>Experimental Dermatology</i> , 2015, 24, 449-454.	1.4	21
516	Increment of subcutaneous adipose tissue is associated with decrease of elastic fibres in the dermal layer. <i>Experimental Dermatology</i> , 2015, 24, 924-929.	1.4	51
517	Phosphatidylcholine liposomes as carriers to improve topical ascorbic acid treatment of skin disorders. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2015, 8, 591.	0.8	27
518	Ex vivo skin permeation and retention studies on chitosan-ibuprofen-gellan ternary nanogel prepared by in situ ionic gelation technique—a tool for controlled transdermal delivery of ibuprofen. <i>International Journal of Pharmaceutics</i> , 2015, 490, 112-130.	2.6	88
519	Porcine Ear Skin as a Biological Substrate for in vitro Testing of Sunscreen Performance. <i>Skin Pharmacology and Physiology</i> , 2015, 28, 31-41.	1.1	14
520	Investigation of pH Influence on Skin Permeation Behavior of Weak Acids Using Nonsteroidal Anti-Inflammatory Drugs. <i>Journal of Pharmaceutical Sciences</i> , 2015, 104, 3459-3470.	1.6	20
521	Fourier Transform Infrared Spectroscopic Characterization of Mineralizing Type I Collagen Enzymatic Trivalent Cross-Links. <i>Calcified Tissue International</i> , 2015, 96, 18-29.	1.5	57
522	Skin penetration behavior of lipid-core nanocapsules for simultaneous delivery of resveratrol and curcumin. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 78, 204-213.	1.9	85
523	Production and characterization of nanoparticles containing methanol extracts of Portuguese Lavenders. <i>Measurement: Journal of the International Measurement Confederation</i> , 2015, 74, 170-177.	2.5	18
524	Quantitative detection of caffeine in human skin by confocal Raman spectroscopy – A systematic in vitro validation study. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015, 95, 110-116.	2.0	37
525	Ultradeformable liposomes as multidrug carrier of resveratrol and 5-fluorouracil for their topical delivery. <i>International Journal of Pharmaceutics</i> , 2015, 489, 1-10.	2.6	125
526	Permeability test for transdermal and local therapeutic patches using Skin PAMPA method. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 76, 165-172.	1.9	24
527	In vitro permeation and penetration of ciclopirox olamine from poloxamer 407-based formulations – comparison of isolated human stratum corneum, bovine hoof plates and keratin films. <i>International Journal of Pharmaceutics</i> , 2015, 489, 73-82.	2.6	28
528	In vitro model of infected stratum corneum for the efficacy evaluation of poloxamer 407-based formulations of ciclopirox olamine against <i>Trichophyton rubrum</i> as well as differential scanning calorimetry and stability studies. <i>International Journal of Pharmaceutics</i> , 2015, 494, 304-311.	2.6	9
529	Iontophoretic delivery of lipophilic and hydrophilic drugs from lipid nanoparticles across human skin. <i>International Journal of Pharmaceutics</i> , 2015, 495, 318-328.	2.6	32
530	Development of a ropivacaine-loaded nanostructured lipid carrier formulation for transdermal delivery. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 465, 130-136.	2.3	26
531	In vivo evaluation of lateral lipid chain packing in human stratum corneum. <i>Skin Research and Technology</i> , 2015, 21, 76-83.	0.8	20

#	ARTICLE	IF	CITATIONS
532	Design of solid lipid nanoparticles for caffeine topical administration. <i>Drug Delivery</i> , 2016, 23, 36-40.	2.5	50
533	Tissue-based in vitro and ex vivo models for dermal permeability studies. , 2016, , 325-342.		1
534	Acyl lipidation of a peptide: effects on activity and epidermal permeability in vitro. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 2203-2209.	2.0	9
535	Skin models for the testing of transdermal drugs. <i>Clinical Pharmacology: Advances and Applications</i> , 2016, Volume 8, 163-176.	0.8	189
536	Development of ibuprofen-loaded nanostructured lipid carrier-based gels: characterization and investigation of in vitro and in vivo penetration through the skin. <i>International Journal of Nanomedicine</i> , 2016, 11, 1201.	3.3	39
537	Development and Validation of an Artificial Mechanical Skin Model for the Study of Interactions between Skin and Microneedles. <i>Macromolecular Materials and Engineering</i> , 2016, 301, 306-314.	1.7	25
538	Synergistic Skin Penetration Enhancer and Nanoemulsion Formulations Promote the Human Epidermal Permeation of Caffeine and Naproxen. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 212-220.	1.6	62
539	ATR-FTIR and Raman spectroscopic investigation of the electroporation-mediated transdermal delivery of a nanocarrier system containing an antitumour drug. <i>Biomedical Optics Express</i> , 2016, 7, 67.	1.5	27
540	Human skin penetration and local effects of topical nano zinc oxide after occlusion and barrier impairment. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016, 104, 140-147.	2.0	48
541	Carbonylated proteins exposed to UVA and to blue light generate reactive oxygen species through a type I photosensitizing reaction. <i>Journal of Dermatological Science</i> , 2016, 84, 314-321.	1.0	26
542	The global mechanical properties and multi-scale failure mechanics of heterogeneous human stratum corneum. <i>Acta Biomaterialia</i> , 2016, 43, 78-87.	4.1	43
543	Prominent efficiency in skin delivery of resveratrol by novel sucrose oleate microemulsion. <i>Journal of Pharmacy and Pharmacology</i> , 2016, 68, 46-55.	1.2	14
544	Examination of the effect of Stratum Corneum isolation process on the integrity of the barrier function: a confocal Raman spectroscopy study. <i>Skin Research and Technology</i> , 2016, 22, 75-80.	0.8	12
545	Investigating the ability of nanoparticle-loaded hydroxypropyl methylcellulose and xanthan gum gels to enhance drug penetration into the skin. <i>International Journal of Pharmaceutics</i> , 2016, 513, 302-308.	2.6	19
546	Lamellar body mimetic system: An up-to-down repairing strategy of the stratum corneum lipid structure. <i>International Journal of Pharmaceutics</i> , 2016, 510, 135-143.	2.6	7
547	A micromechanical comparison of human and porcine skin before and after preservation by freezing for medical device development. <i>Scientific Reports</i> , 2016, 6, 32074.	1.6	113
548	Estimating Maximal In Vitro Skin Permeation Flux from Studies Using Non-sink Receptor Phase Conditions. <i>Pharmaceutical Research</i> , 2016, 33, 2180-2194.	1.7	18
549	Investigation of the Efficacy of Transdermal Penetration Enhancers Through the Use of Human Skin and a Skin Mimic Artificial Membrane. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 1134-1140.	1.6	28

#	ARTICLE	IF	CITATIONS
550	New insights into eutectic cream skin penetration enhancement. <i>International Journal of Pharmaceutics</i> , 2016, 499, 403-411.	2.6	1
551	Aceclofenac ¹² -cyclodextrin-vesicles: a dual carrier approach for skin with enhanced stability, efficacy and dermatokinetic profile. <i>RSC Advances</i> , 2016, 6, 20713-20727.	1.7	25
552	Characterization of cornified oral mucosa for iontophoretically enhanced delivery of chlorhexidine. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016, 99, 35-44.	2.0	11
553	Investigating the influence of drug aggregation on the percutaneous penetration rate of tetracaine when applying low doses of the agent topically to the skin. <i>International Journal of Pharmaceutics</i> , 2016, 502, 10-17.	2.6	5
554	Assessing the Potential for Drug ¹² Nanoparticle Surface Interactions To Improve Drug Penetration into the Skin. <i>Molecular Pharmaceutics</i> , 2016, 13, 1375-1384.	2.3	8
555	Relative Penetration of Zinc Oxide and Zinc Ions into Human Skin after Application of Different Zinc Oxide Formulations. <i>ACS Nano</i> , 2016, 10, 1810-1819.	7.3	87
556	Localized Epidermal Drug Delivery Induced by Supramolecular Solvent Structuring. <i>Molecular Pharmaceutics</i> , 2016, 13, 65-72.	2.3	6
557	Nanostructured Lipid Carriers (NLC) as Vehicles for Topical Administration of Sesamol: In Vitro Percutaneous Absorption Study and Evaluation of Antioxidant Activity. <i>Planta Medica</i> , 2017, 83, 398-404.	0.7	24
558	Dodecyl Amino Glucoside Enhances Transdermal and Topical Drug Delivery via Reversible Interaction with Skin Barrier Lipids. <i>Pharmaceutical Research</i> , 2017, 34, 640-653.	1.7	22
559	Influence of Hydroalcoholic Vehicle on In Vitro Transport of 4-Hydroxy Tamoxifen Through the Mammary Papilla (Nipple). <i>AAPS PharmSciTech</i> , 2017, 18, 1366-1373.	1.5	9
560	Control of human skin wettability using the pH of anionic surfactant solution treatments. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 157, 366-372.	2.5	12
561	Topical delivery of anthramycin I. Influence of neat solvents. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 104, 188-195.	1.9	28
562	Supramolecular nano-engineered lipidic carriers based on diflunisal-phospholipid complex for transdermal delivery: QbD based optimization, characterization and preclinical investigations for management of rheumatoid arthritis. <i>International Journal of Pharmaceutics</i> , 2017, 533, 206-224.	2.6	35
563	Investigation of cis-trans isomer dependent dermatotoxicokinetics of UV filter ethylhexyl methoxycinnamate through stratum corneum in vivo. <i>Environmental Science and Pollution Research</i> , 2017, 24, 25061-25070.	2.7	9
564	Non-ionising UV light increases the optical density of hygroscopic self assembled DNA crystal films. <i>Scientific Reports</i> , 2017, 7, 6631.	1.6	20
565	Permeability Barrier and Microstructure of Skin Lipid Membrane Models of Impaired Glucosylceramide Processing. <i>Scientific Reports</i> , 2017, 7, 6470.	1.6	21
566	Uptake and desorption of hydrophilic compounds from human stratum corneum. <i>Journal of Controlled Release</i> , 2017, 261, 307-317.	4.8	17
567	Combination of MALDI-MSI and cassette dosing for evaluation of drug distribution in human skin explant. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 4993-5005.	1.9	31

#	ARTICLE	IF	CITATIONS
568	Galactosyl Pentadecene Reversibly Enhances Transdermal and Topical Drug Delivery. <i>Pharmaceutical Research</i> , 2017, 34, 2097-2108.	1.7	17
569	The application of ATR-FTIR spectroscopy and multivariate data analysis to study drug crystallisation in the stratum corneum. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017, 111, 16-25.	2.0	28
570	Elastic Liposomes for Topical and Transdermal Drug Delivery. <i>Methods in Molecular Biology</i> , 2017, 1522, 107-117.	0.4	19
571	Polymeric nanospheres for topical delivery of vitamin D3. <i>International Journal of Pharmaceutics</i> , 2017, 516, 196-203.	2.6	60
572	In vitro permeation and biological activity of punicalagin and zinc (II) across skin and mucous membranes prone to Herpes simplex virus infection. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 96, 99-106.	1.9	29
573	Dynamics of glycerine and water transport across human skin from binary mixtures. <i>International Journal of Cosmetic Science</i> , 2017, 39, 165-178.	1.2	9
574	Penetration of lycopsamine from a comfrey ointment through human epidermis. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 83, 1-4.	1.3	11
575	Mechanistic Evaluation of Hydration Effects on the Human Epidermal Permeation of Salicylate Esters. <i>AAPS Journal</i> , 2017, 19, 180-190.	2.2	20
576	Influence of Characteristics of Oily Vehicle on Skin Penetration of Ufenamate. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 220-226.	0.6	4
577	ZnO Nano-Rod Devices for Intradermal Delivery and Immunization. <i>Nanomaterials</i> , 2017, 7, 147.	1.9	4
578	The effect of mangiferin on skin: Penetration, permeation and inhibition of ECM enzymes. <i>PLoS ONE</i> , 2017, 12, e0181542.	1.1	39
579	Imaging the penetration and distribution of zinc and zinc species after topical application of zinc pyrithione to human skin. <i>Toxicology and Applied Pharmacology</i> , 2018, 343, 40-47.	1.3	20
580	Heterogeneous ceramide distributions alter spatially resolved growth of <i>Staphylococcus aureus</i> on human stratum corneum. <i>Journal of the Royal Society Interface</i> , 2018, 15, 20170848.	1.5	12
581	Confocal Raman microspectroscopy as an alternative method to investigate the extraction of lipids from stratum corneum by emulsifiers and formulations. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2018, 127, 61-71.	2.0	27
582	Permeabilization of human stratum corneum and full-thickness skin samples by a direct dielectric barrier discharge. <i>Clinical Plasma Medicine</i> , 2018, 9, 34-40.	3.2	31
583	MALDI imaging facilitates new topical drug development process by determining quantitative skin distribution profiles. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 2815-2828.	1.9	51
584	Lanolin-based organogel of salicylic acid: evidences of better dermatokinetic profile in imiquimod-induced keratolytic therapy in BALB/c mice model. <i>Drug Delivery and Translational Research</i> , 2018, 8, 398-413.	3.0	26
585	Enhanced transdermal delivery with less irritation by magainin pore-forming peptide with a N-lauroylsarcosine and sorbitan monolaurate mixture. <i>Drug Delivery and Translational Research</i> , 2018, 8, 54-63.	3.0	10

#	ARTICLE	IF	CITATIONS
586	Effects of solvents on skin absorption of nonvolatile lipophilic and polar solutes under finite dose conditions. <i>International Journal of Pharmaceutics</i> , 2018, 536, 405-413.	2.6	16
587	Confocal Raman microspectroscopy as an alternative to differential scanning calorimetry to detect the impact of emulsifiers and formulations on stratum corneum lipid conformation. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 121, 1-8.	1.9	18
588	Minoxidil Skin Delivery from Nanoemulsion Formulations Containing Eucalyptol or Oleic Acid: Enhanced Diffusivity and Follicular Targeting. <i>Pharmaceutics</i> , 2018, 10, 19.	2.0	52
589	In Vitro Evaluation of Sunscreen Safety: Effects of the Vehicle and Repeated Applications on Skin Permeation from Topical Formulations. <i>Pharmaceutics</i> , 2018, 10, 27.	2.0	22
590	Topical delivery of anthramycin II. Influence of binary and ternary solvent systems. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 121, 59-64.	1.9	13
591	Stratum corneum lipid liposomes for investigating skin penetration enhancer effects. <i>RSC Advances</i> , 2018, 8, 27464-27469.	1.7	5
592	In vitro skin penetration of petrolatum and soybean oil and effects of glyceryl monooleate. <i>International Journal of Cosmetic Science</i> , 2018, 40, 367-376.	1.2	10
593	Characterization and topical delivery of phenylethyl resorcinol. <i>International Journal of Cosmetic Science</i> , 2019, 41, 479-488.	1.2	9
594	Influence of pulse characteristics and power density on stratum corneum permeabilization by dielectric barrier discharge. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019, 1863, 1513-1523.	1.1	12
595	Esters of terpene alcohols as highly potent, reversible, and low toxic skin penetration enhancers. <i>Scientific Reports</i> , 2019, 9, 14617.	1.6	45
596	Ultraviolet light degrades the mechanical and structural properties of human stratum corneum. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 100, 103391.	1.5	32
597	Predicting Skin Permeability by Means of Computational Approaches: Reliability and Caveats in Pharmaceutical Studies. <i>Journal of Chemical Information and Modeling</i> , 2019, 59, 1759-1771.	2.5	35
598	Evaporation and Permeation of Fragrance Applied to the Skin. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 9644-9650.	1.8	12
599	Nanostructuring lipid carriers using <i>Ridolfia segetum</i> (L.) Moris essential oil. <i>Materials Science and Engineering C</i> , 2019, 103, 109804.	3.8	24
600	Permeation Mechanism of Caffeine and Naproxen through in vitro Human Epidermis: Effect of Vehicles and Penetration Enhancers. <i>Skin Pharmacology and Physiology</i> , 2019, 32, 132-141.	1.1	14
601	Dermal Peptide Delivery Using Enhancer Molecules and Colloidal Carrier Systems – Part IV: Search for an Alternative Model Membrane for Future ATR Permeation Studies Using PKEK as the Model Substance. <i>Skin Pharmacology and Physiology</i> , 2019, 32, 151-161.	1.1	2
602	Investigation of Silicone-Containing Semisolid in Situ Film-Forming Systems Using QbD Tools. <i>Pharmaceutics</i> , 2019, 11, 660.	2.0	10
603	Development and In Vivo Evaluation of Multidrug Ultradeformable Vesicles for the Treatment of Skin Inflammation. <i>Pharmaceutics</i> , 2019, 11, 644.	2.0	17

#	ARTICLE	IF	CITATIONS
604	Mechanistic Evaluation of Enhanced Curcumin Delivery through Human Skin In Vitro from Optimised Nanoemulsion Formulations Fabricated with Different Penetration Enhancers. <i>Pharmaceutics</i> , 2019, 11, 639.	2.0	36
605	A comparison of the in vitro permeation of niacinamide in mammalian skin and in the Parallel Artificial Membrane Permeation Assay (PAMPA) model. <i>International Journal of Pharmaceutics</i> , 2019, 556, 142-149.	2.6	35
606	Fluorescent Penetration Enhancers Reveal Complex Interactions among the Enhancer, Drug, Solvent, and Skin. <i>Molecular Pharmaceutics</i> , 2019, 16, 886-897.	2.3	12
607	Translating chemometric analysis into physiological insights from in vivo confocal Raman spectroscopy of the human stratum corneum. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019, 1861, 403-409.	1.4	9
608	The consequences of overcoming the human skin barrier by siloxanes (silicones) Part 1. Penetration and permeation depth study of cyclic methyl siloxanes. <i>Chemosphere</i> , 2019, 231, 607-623.	4.2	12
609	Permeability and microstructure of cholesterol-depleted skin lipid membranes and human stratum corneum. <i>Journal of Colloid and Interface Science</i> , 2019, 535, 227-238.	5.0	24
610	Ultraflexible lipid vesicles allow topical absorption of cyclosporin A. <i>Drug Delivery and Translational Research</i> , 2020, 10, 486-497.	3.0	26
611	Lipid Loss Increases Stratum Corneum Stress and Drying Rates. <i>Skin Pharmacology and Physiology</i> , 2020, 33, 180-188.	1.1	10
612	In vitro and in vivo trans-epidermal water loss evaluation following topical drug delivery systems application for pharmaceutical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 186, 113295.	1.4	25
613	QbD-Based Investigation of Dermal Semisolid in situ Film-Forming Systems for Local Anaesthesia. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 5059-5076.	2.0	6
614	Targeting of the Pilosebaceous Follicle by Liquid Crystal Nanocarriers: In Vitro and In Vivo Effects of the Entrapped Minoxidil. <i>Pharmaceutics</i> , 2020, 12, 1127.	2.0	22
615	Emollient structure and chemical functionality effects on the biomechanical function of human stratum corneum. <i>International Journal of Cosmetic Science</i> , 2020, 42, 605-614.	1.2	8
616	Mechanical, compositional, and microstructural changes caused by human skin maceration. <i>Extreme Mechanics Letters</i> , 2020, 41, 101017.	2.0	8
617	Effect of emulsifiers on drying stress and intercellular cohesion in human stratum corneum. <i>International Journal of Cosmetic Science</i> , 2020, 42, 581-589.	1.2	5
618	Systematic Investigation of the Effect of Non-Ionic Emulsifiers on Skin by Confocal Raman Spectroscopy – A Comprehensive Lipid Analysis. <i>Pharmaceutics</i> , 2020, 12, 223.	2.0	25
619	Assessment of the Potential Skin Application of <i>Plectranthus ecklonii</i> Benth.. <i>Pharmaceutics</i> , 2020, 13, 120.	1.7	12
620	Human skin models: From healthy to disease-mimetic systems; characteristics and applications. <i>British Journal of Pharmacology</i> , 2020, 177, 4314-4329.	2.7	39
621	New zwitterionic HP- β -CD-PEI-MPC polymer used as a transdermal penetration enhancer. <i>Reactive and Functional Polymers</i> , 2020, 154, 104677.	2.0	2

#	ARTICLE	IF	CITATIONS
622	Lipid depletion enables permeation of <i>Staphylococcus aureus</i> bacteria through human stratum corneum. <i>Tissue Barriers</i> , 2020, 8, 1754706.	1.6	12
623	A comparison of the <i>in vitro</i> permeation of α -ethylascorbic acid in human skin and in a living skin equivalent (LabSkin [®] , [®]). <i>International Journal of Cosmetic Science</i> , 2021, 43, 107-112.	1.2	7
624	Development of carvedilol-loaded lipid nanoparticles with compatible lipids and enhanced skin permeation in different skin models. <i>Journal of Microencapsulation</i> , 2021, 38, 124-133.	1.2	3
625	Permeability coefficients and vapour pressure determination for fragrance materials. <i>International Journal of Cosmetic Science</i> , 2021, 43, 225-234.	1.2	2
626	Improvement of Ferulic Acid Antioxidant Activity by Multiple Emulsions: In Vitro and In Vivo Evaluation. <i>Nanomaterials</i> , 2021, 11, 425.	1.9	17
627	Optimal configuration of confocal Raman spectroscopy for precisely determining stratum corneum thickness: Evaluation of the effects of polyoxyethylene stearyl ethers on skin. <i>International Journal of Pharmaceutics</i> , 2021, 597, 120308.	2.6	7
628	Effect of pH on Iontophoretic Transport of Pramipexole Dihydrochloride across Human Epidermal Membrane. <i>Pharmaceutical Research</i> , 2021, 38, 657-668.	1.7	4
629	Topical Unsaturated Fatty Acid Vesicles Improve Antioxidant Activity of Ammonium Glycyrrhizinate. <i>Pharmaceutics</i> , 2021, 13, 548.	2.0	18
630	The precision of macroscale mechanical measurements is limited by the inherent structural heterogeneity of human stratum corneum. <i>Acta Biomaterialia</i> , 2021, 130, 308-316.	4.1	5
631	Acidic pH Is Required for the Multilamellar Assembly of Skin Barrier Lipids In Vitro. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1915-1921.e4.	0.3	11
632	Impact of Alkanediols on Stratum Corneum Lipids and Triamcinolone Acetonide Skin Penetration. <i>Pharmaceutics</i> , 2021, 13, 1451.	2.0	5
633	Topical drug delivery: History, percutaneous absorption, and product development. <i>Advanced Drug Delivery Reviews</i> , 2021, 177, 113929.	6.6	84
634	Ectoine disperses keratin and alters hydration kinetics in stratum corneum. <i>Biochemistry and Biophysics Reports</i> , 2021, 28, 101134.	0.7	3
635	Arbeitsphysiologie der Hornschicht in Grundzügen. , 1979, , 153-261.		4
636	Skin Permeability. , 1981, , 541-845.		2
637	The Properties of Skin as a Diffusion Barrier and Route for Absorption. <i>Handbook of Experimental Pharmacology</i> , 1989, , 93-114.	0.9	3
638	Skin Absorption in Man In Vivo. , 2004, , 525-548.		1
639	Application of quality by design principles in the development and evaluation of semisolid drug carrier systems for the transdermal delivery of lidocaine. <i>Journal of Drug Delivery Science and Technology</i> , 2018, 44, 136-145.	1.4	26

#	ARTICLE	IF	CITATIONS
640	Evaluation of porcine skin layers separation methods, freezing storage and anatomical site in in vitro percutaneous absorption studies using penciclovir formulations. Journal of Drug Delivery Science and Technology, 2020, 60, 101926.	1.4	3
641	Penetration of Zinc into Human Skin after Topical Application of Nano Zinc Oxide Used in Commercial Sunscreen Formulations. ACS Applied Bio Materials, 2020, 3, 3640-3647.	2.3	23
642	<i>In vivo</i> percutaneous permeation of gold nanomaterials in consumer cosmetics: implication in dermal safety assessment of consumer nanoproducts. Nanotoxicology, 2021, 15, 131-144.	1.6	20
643	Cutaneous infection in normal and immunocompromised mice. Infection and Immunity, 1986, 52, 707-713.	1.0	28
644	Human skin and skin equivalents to study dermal penetration and permeation. , 2002, , 289-309.		2
645	Skin Transport. Drugs and the Pharmaceutical Sciences, 2002, , 88-194.	0.1	29
646	Mechanistic Studies of Permeation Enhancers. , 2005, , 271-292.		1
648	Evaluation of percutaneous absorption of the repellent diethyltoluamide and the sunscreen ethylhexyl <i>p</i>-methoxycinnamate-loaded solid lipid nanoparticles: an in-vitro study. Journal of Pharmacy and Pharmacology, 2009, 61, 1013-1019.	1.2	14
649	Kinetic Analysis of Water Transfer through Stratum Corneum by a Ventilated Chamber Measurement System.. Journal of Chemical Engineering of Japan, 2003, 36, 138-146.	0.3	1
651	Measurement of Hansen Solubility Parameters of Human Stratum Corneum. Iranian Journal of Pharmaceutical Research, 2020, 19, 572-578.	0.3	5
654	Comparative Permeation Studies between Scale Region of Shed Snake Skin and Human Skin In vitro. American Journal of Agricultural and Biological Science, 2008, 3, 444-450.	0.9	4
655	Lipid Vesicles for the Skin Delivery of Diclofenac: Cerosomes vs. Other Lipid Suspensions. Advanced Pharmaceutical Bulletin, 2015, 5, 25-33.	0.6	17
656	Effect of triethanolamine as counter ion on the transdermal permeation of candesartan. Journal of Drug Delivery Science and Technology, 2022, 67, 102869.	1.4	0
658	Isotretinoin-Deltonix polymeric nanoparticles: Potentials for skin follicular targeting in acne treatment. International Journal of Pharmaceutics, 2021, 610, 121217.	2.6	9
659	The Azerbaijani scrub: a simple method to harvest large amounts of stratum corneum. International Journal of Dermatology, 2006, .	0.5	0
660	Efficacy, Absorption and Safety of Essential Oils. , 2007, , 401-418.		1
661	Adhesive tape stripping reveals differences in stratum corneum cohesion between Caucasians, Blacks, and Hispanics as a function of age. , 2012, , 262-267.		0
662	Transdermal Delivery of Verapamil HCl: Effect of Penetration Agent on In Vitro Penetration through Rat Skin. Journal of Applied Pharmaceutical Science, 0, , .	0.7	0

#	ARTICLE	IF	CITATIONS
663	A REVIEW ON DERIVATIZATION OF GUAR AND STUDY OF PHARMACEUTICAL APPLICATIONS OF GUAR DERIVATIVES. Indian Drugs, 2014, 51, 5-17.	0.1	0
665	The Use of Human Scalp and Abdominal Skin as In Vitro Models for Percutaneous Absorption. , 1986, , 245-256.		2
666	The rate-limiting effect of the stratum corneum of transcutaneous Pco2 measurement.. Nishinihon Journal of Dermatology, 1987, 49, 68-73.	0.0	0
667	Interaction of stratum corneum with water vapour. , 1988, , 101-112.		0
668	HERBAL PENETRATION ENHANCERS AND TERPENES: AN OVERVIEW. Indian Drugs, 2015, 52, 5-12.	0.1	0
669	Near-Infrared Densitometry for Improved Standardization of Tape Stripping and In Situ Determination of the Total Stratum Corneum Thickness. , 2017, , 273-279.		0
670	Human Native and Reconstructed Skin Preparations for In Vitro Penetration and Permeation Studies. , 2017, , 185-203.		0
671	Mechanistic Studies of Permeation Enhancers. , 2017, , 119-136.		0
672	In vivo Skin Absorption and Skin Pharmacology. , 2017, , 1091-1113.		0
674	Drug in Adhesive Transdermal Formulation of Valsartan and Nifedipine: Pharmacokinetics and Pharmacodynamics in Rats. Current Drug Therapy, 2019, 14, 153-167.	0.2	1
675	Mangiferin and Hesperidin Transdermal Distribution and Permeability through the Skin from Solutions and Honeybush Extracts (Cyclopia sp.)â€™A Comparison Ex Vivo Study. Molecules, 2021, 26, 6547.	1.7	8
676	Pharmakologische Effekte an der Hornschicht. Fortschritte Der Praktischen Dermatologie Und Venerologie, 1973, , 88-92.	0.0	2
677	Deep eutectic liquid as transdermal delivery vehicle of Risperidone. Journal of Molecular Liquids, 2022, 345, 117347.	2.3	18
679	Protocol for the Isolation of Stratum Corneum from Pig Ear Skin: Evaluation of the Trypsin Digestion Conditions. Methods and Protocols, 2021, 4, 80.	0.9	1
680	Influence of anatomical site and topical formulation on skin penetration of sunscreens. Therapeutics and Clinical Risk Management, 2005, 1, 209-18.	0.9	29
681	Percutaneous absorption. Cmaj, 1974, 110, 1182-5.	0.1	3
682	Angelica archangelica extract induced perturbation of rat skin and tight junctional protein (ZO-1) of HaCaT cells. DARU, Journal of Pharmaceutical Sciences, 2011, 19, 1-11.	0.9	20
686	Stratum corneum ceramide profiles in vitro, ex vivo, and in vivo: characterization of the Î±-hydroxy double esterified ceramides. Analytical and Bioanalytical Chemistry, 2022, 414, 3675-3685.	1.9	4

#	ARTICLE	IF	CITATIONS
687	Comparison of Synthetic Membranes to Heat-Separated Human Epidermis in Skin Permeation Studies In Vitro. <i>Pharmaceutics</i> , 2021, 13, 2106.	2.0	9
688	Assembly of Human Stratum Corneum Lipids In Vitro: Fluidity Matters. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2036-2039.e3.	0.3	5
689	Deep Eutectic Solvent Formulations and Alginate-Based Hydrogels as a New Partnership for the Transdermal Administration of Anti-Inflammatory Drugs. <i>Pharmaceutics</i> , 2022, 14, 827.	2.0	13
690	Application of Confocal Raman Microscopy for the Characterization of Topical Semisolid Formulations and their Penetration into Human Skin Ex Vivo. <i>Pharmaceutical Research</i> , 2022, 39, 935-948.	1.7	14
691	Phospholipid-Based Microemulsions for Cutaneous Imiquimod Delivery. <i>Pharmaceutics</i> , 2022, 15, 515.	1.7	4
692	Mechanisms and Implications of Bacterial Invasion across the Human Skin Barrier. <i>Microbiology Spectrum</i> , 2022, 10, e0274421.	1.2	1
693	Aging-Related Alteration in Cell Size Distribution in the Stratum Corneum and Its Relationship with Facial Appearance. <i>Journal of Society of Cosmetic Chemists of Japan</i> , 2022, 56, 121-129.	0.0	0
694	The effect of dilution of fusidic acid cream and betamethasone dipropionate cream in complex extemporaneous mixes on formulation performance. <i>International Journal of Pharmaceutics</i> , 2022, 624, 121988.	2.6	1
695	Human epidermal in vitro permeation test (IVPT) analyses of alcohols and steroids. <i>International Journal of Pharmaceutics</i> , 2022, 627, 122114.	2.6	4
696	Oleic acid-based vesicular nanocarriers for topical delivery of the natural drug thymoquinone: Improvement of anti-inflammatory activity. <i>Journal of Controlled Release</i> , 2022, 352, 74-86.	4.8	4
697	Proline, hydroxyproline, and pyrrolidone carboxylic acid derivatives as highly efficient but reversible transdermal permeation enhancers. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
698	Thermodynamic and kinetic analysis of human epidermal penetration of phenolic compounds: I. Stratum corneum solubility and partitioning. <i>International Journal of Pharmaceutics</i> , 2023, 630, 122424.	2.6	2
699	A thermodynamic and kinetic analysis of human epidermal penetration of phenolic compounds: II. Maximum flux and solute diffusion through stratum corneum lipids. <i>International Journal of Pharmaceutics</i> , 2023, 631, 122522.	2.6	0
700	Near-Infrared Densitometry for Improved Standardization of Tape Stripping and In Situ Determination of the Total Stratum Corneum Thickness. , 2015, , 1-7.		0
701	Skin Absorption in Man In Vivo. , 2015, , 1-24.		0
702	Skin permeation and penetration of mometasone furoate in the presence of emollients: An ex vivo evaluation of clinical application protocols. <i>Skin Health and Disease</i> , 2023, 3, .	0.7	1
703	Skin drug delivery using lipid vesicles: A starting guideline for their development. <i>Journal of Controlled Release</i> , 2023, 355, 624-654.	4.8	21
712	Tissue-based in Vitro and ex Vivo models for dermal permeability studies. , 2024, , 479-500.		0