

Clinical classification of cases of toxic epidermal necrolysis and erythema multiforme

Archives of Dermatology

129, 92-96

DOI: [10.1001/archderm.129.1.92](https://doi.org/10.1001/archderm.129.1.92)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Vesicubullous drug eruptions in children. Clinics in Dermatology, 1993, 11, 551-555. | 0.8 | 5 |
| 2 | Discovering vesicubullous drug eruptions through dermatopathologic techniques. Clinics in Dermatology, 1993, 11, 557-565. | 0.8 | 2 |
| 3 | Drug-induced toxic epidermal necrolysis. II. Current aspects. Clinics in Dermatology, 1993, 11, 493-500. | 0.8 | 27 |
| 4 | Epidemiologic Approaches to the Study of Toxic Epidermal Necrolysis.. Journal of Investigative Dermatology, 1994, 102, 31S-33S. | 0.3 | 21 |
| 5 | Sudden death in Stevens-Johnson syndrome: a case report. Forensic Science International, 1994, 67, 197-203. | 1.3 | 3 |
| 6 | Stevens-Johnson syndrome after terbinafine therapy. Journal of the American Academy of Dermatology, 1994, 30, 509. | 0.6 | 47 |
| 7 | HLA and classic Kaposi's sarcoma in Sardinia. Journal of the American Academy of Dermatology, 1994, 30, 508-509. | 0.6 | 1 |
| 8 | Severe Adverse Cutaneous Reactions to Drugs. New England Journal of Medicine, 1994, 331, 1272-1285. | 13.9 | 1,509 |
| 9 | What is Going on in Erythema multiforme?. Dermatology, 1994, 188, 249-250. | 0.9 | 20 |
| 10 | An Autopsy Case of Malignant Lymphoma with Lyell's Syndrome. Journal of Dermatology, 1995, 22, 594-599. | 0.6 | 8 |
| 11 | Immunopathology of Stevens-Johnson Syndrome. Allergy and Asthma Proceedings, 1995, 16, 163-164. | 1.0 | 7 |
| 12 | Toxic epidermal necrolysis associated with Mycoplasma pneumoniae infection. European Journal of Clinical Microbiology and Infectious Diseases, 1995, 14, 558-559. | 1.3 | 74 |
| 13 | Stevens-Johnson syndrome (SJS) and toxic epidermal necrolysis (TEN): Evaluation for drug risk based on sale numbers in defined daily doses (DDD). Example of the H2-antagonists. Pharmacoepidemiology and Drug Safety, 1995, 4, 207-212. | 0.9 | 1 |
| 14 | Oral terbinafine and erythema multiforme. Clinical and Experimental Dermatology, 1995, 20, 247-248. | 0.6 | 66 |
| 15 | Low N-acetyllating capacity in patients with Stevens-Johnson syndrome and toxic epidermal necrolysis*. Experimental Dermatology, 1995, 4, 313-316. | 1.4 | 60 |
| 16 | Erythema Multiforme With Mucous Membrane Involvement and Stevens-Johnson Syndrome Are Clinically Different Disorders With Distinct Causes. Archives of Dermatology, 1995, 131, 539. | 1.7 | 235 |
| 17 | Clinicopathologic Correlation in Erythema Multiforme and Stevens-Johnson Syndrome. Archives of Dermatology, 1995, 131, 1268. | 1.7 | 78 |
| 18 | Characteristics of Toxic Epidermal Necrolysis in Patients Undergoing Long-term Glucocorticoid Therapy. Archives of Dermatology, 1995, 131, 669. | 1.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 20 | Metabolic Predisposition to Cutaneous Adverse Drug Reactions. Archives of Dermatology, 1995, 131, 544. | 1.7 | 114 |
| 22 | An international collaborative case-control study of severe cutaneous adverse reactions (SCAR). Design and methods. Journal of Clinical Epidemiology, 1995, 48, 1099-1108. | 2.4 | 70 |
| 24 | Medication Use and the Risk of Stevens-Johnson Syndrome or Toxic Epidermal Necrolysis. New England Journal of Medicine, 1995, 333, 1600-1608. | 13.9 | 1,320 |
| 25 | Toxic epidermal necrolysis in a burns centre: A 6-year review. Burns, 1996, 22, 275-278. | 1.1 | 83 |
| 26 | Epidemiology of erythema exsudativum multiforme majus, Stevens-Johnson syndrome, and toxic epidermal necrolysis in Germany (1990-1992): Structure and results of a population-based registry. Journal of Clinical Epidemiology, 1996, 49, 769-773. | 2.4 | 327 |
| 27 | Ërythème polymorphe et syndrome de Stevens-Johnson sont deux maladies différentes. Revue De Medecine Interne, 1996, 17, 383s. | 0.6 | 0 |
| 29 | TOXIC EPIDERMAL NECROLYSIS. International Journal of Dermatology, 1996, 35, 523-527. | 0.5 | 27 |
| 30 | Toxic epidermal necrolysis. Australasian Journal of Dermatology, 1996, 37, 167-177. | 0.4 | 7 |
| 31 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis Are Severity Variants of the Same Disease which Differs from Erythema Multiforme. Journal of Dermatology, 1997, 24, 726-729. | 0.6 | 154 |
| 32 | Corticosteroid treatment of erythema multiforme major (Stevens-Johnson syndrome) in children. European Journal of Pediatrics, 1997, 156, 90-93. | 1.3 | 96 |
| 33 | Pulmonary complications in toxic epidermal necrolysis: a prospective clinical study. Intensive Care Medicine, 1997, 23, 1237-44. | 3.9 | 163 |
| 34 | European network for the case-population surveillance of rare diseases (Euronet). A prospective feasibility study. European Journal of Clinical Pharmacology, 1998, 53, 299-302. | 0.8 | 17 |
| 35 | HLA genotype and increased risk of skin cancer. British Journal of Dermatology, 1998, 139, 1111-1111. | 1.4 | 3 |
| 36 | Chronic actinic dermatitis occurring in young patients with atopic dermatitis. British Journal of Dermatology, 1998, 139, 1112-1113. | 1.4 | 27 |
| 37 | Papuloerythroderma associated with hepatocellular carcinoma. British Journal of Dermatology, 1998, 139, 1115-1116. | 1.4 | 23 |
| 38 | Familial naevus sebaceous of Jadassohn. British Journal of Dermatology, 1998, 139, 1119-1120. | 1.4 | 15 |
| 39 | Leg ulcer associated with hydroxyurea treatment in a patient with chronic myelogenous leukaemia: successful treatment with prostaglandin E1 and pentoxifylline. British Journal of Dermatology, 1998, 139, 1124-1126. | 1.4 | 23 |
| 40 | Severe, refractory epidermolysis bullosa acquisita complicated by an oesophageal stricture responding to intravenous immune globulin. British Journal of Dermatology, 1998, 139, 1126-1127. | 1.4 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 41 | Severe bullous drug reactions treated successfully with cyclophosphamide. <i>British Journal of Dermatology</i> , 1998, 139, 1127-1128. | 1.4 | 21 |
| 42 | Bullous fixed drug eruption due to paracetamol with an unusual immunofluorescence pattern. <i>British Journal of Dermatology</i> , 1998, 139, 1129-1131. | 1.4 | 16 |
| 43 | Pseudoporphyria induced by mefenamic acid. <i>British Journal of Dermatology</i> , 1998, 139, 1131-1132. | 1.4 | 20 |
| 44 | Terbinafine-induced subacute cutaneous lupus erythematosus. <i>British Journal of Dermatology</i> , 1998, 139, 1132-1133. | 1.4 | 48 |
| 45 | Exacerbation of systemic lupus erythematosus induced by terbinafine. <i>British Journal of Dermatology</i> , 1998, 139, 1133-1133. | 1.4 | 32 |
| 46 | Onychomycosis caused by infection with <i>Paecilomyces lilacinus</i> . <i>British Journal of Dermatology</i> , 1998, 139, 1133-1135. | 1.4 | 17 |
| 47 | A solitary collagenoma presenting in the labium majus. <i>British Journal of Dermatology</i> , 1998, 139, 1135-1136. | 1.4 | 21 |
| 48 | Gelatinases in drug-induced toxic epidermal necrolysis. <i>European Journal of Clinical Investigation</i> , 1998, 28, 528-532. | 1.7 | 24 |
| 49 | Randomised comparison of thalidomide versus placebo in toxic epidermal necrolysis. <i>Lancet</i> , The, 1998, 352, 1586-1589. | 6.3 | 414 |
| 50 | The histopathology of drug rashes. <i>Current Diagnostic Pathology</i> , 1998, 5, 138-149. | 0.4 | 5 |
| 51 | Drug-Induced Toxic Epidermal Necrolysis. <i>Clinics in Dermatology</i> , 1998, 16, 399-408. | 0.8 | 56 |
| 52 | Soluble fractions of tumor necrosis factor-alpha, interleukin-6 and of their receptors in toxic epidermal necrolysis: a comparison with second-degree burns.. <i>International Journal of Molecular Medicine</i> , 1998, 1, 459-62. | 1.8 | 24 |
| 53 | Toxic Epidermal Necrolysis Syndrome: Mortality Rate Reduced with Early Referral to Regional Burn Center. <i>Plastic and Reconstructive Surgery</i> , 1998, 102, 1018-1022. | 0.7 | 128 |
| 54 | Stevensjohnson Syndrome Caused by a Health Drink (Eberu®) Containing <i>Ophiopogonis Tuber</i> . <i>Journal of Dermatology</i> , 1998, 25, 662-665. | 0.6 | 25 |
| 56 | Clinical and Immunological Characteristics of Oculomucocutaneous Disorders. , 1999, 30, 62-83. | | 1 |
| 57 | Stevens-Johnson Syndrome in Patients on Phenytoin and Cranial Radiotherapy. <i>Acta OncolÃ³gica</i> , 1999, 38, 111-116. | 0.8 | 47 |
| 58 | Photodynamic Therapy of Recalcitrant Warts with 5-Aminolevulinic Acid: A Retrospective Analysis. <i>Acta Dermato-Venereologica</i> , 1999, 79, 400-401. | 0.6 | 18 |
| 59 | Stevens-Johnson Syndrome after Sertraline. <i>Acta Dermato-Venereologica</i> , 1999, 79, 401-401. | 0.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 60 | Erythema Multiforme Secondary to Amoxicillin/Clavulanic Acid Exposure. <i>Annals of Pharmacotherapy</i> , 1999, 33, 109-110. | 0.9 | 3 |
| 61 | Cutaneous reactions to drugs. An analysis of spontaneous reports in four Italian regions. <i>British Journal of Clinical Pharmacology</i> , 1999, 48, 839-846. | 1.1 | 140 |
| 62 | Evidence for a single genetic locus in Clouston's hidrotic ectodermal dysplasia. <i>British Journal of Dermatology</i> , 1999, 140, 963-964. | 1.4 | 23 |
| 63 | Linear IgA disease with circulating IgA antibodies against the NC16A domain of BP180. <i>British Journal of Dermatology</i> , 1999, 140, 964-966. | 1.4 | 20 |
| 64 | Circulating activation markers of severe atopic dermatitis following ultraviolet A1 cold light phototherapy: eosinophil cationic protein, soluble interleukin-2 receptor and soluble interleukin-4 receptor. <i>British Journal of Dermatology</i> , 1999, 140, 966-968. | 1.4 | 18 |
| 65 | Maffucci's syndrome with oral and intestinal haemangioma. <i>British Journal of Dermatology</i> , 1999, 140, 968-969. | 1.4 | 24 |
| 66 | An oculocutaneous presentation of essential progressive telangiectasia. <i>British Journal of Dermatology</i> , 1999, 140, 969-971. | 1.4 | 7 |
| 67 | Urticaria pigmentosa occurring with juvenile xanthogranuloma. <i>British Journal of Dermatology</i> , 1999, 140, 990-991. | 1.4 | 14 |
| 68 | Primary cutaneous CD30 (Ki-1)-positive anaplastic large cell lymphoma associated with renal cell carcinoma. <i>British Journal of Dermatology</i> , 1999, 140, 971-972. | 1.4 | 6 |
| 69 | Dramatic postcoital vulval laceration and bruising in Ehlers-Danlos syndrome. <i>British Journal of Dermatology</i> , 1999, 140, 974-974. | 1.4 | 2 |
| 70 | Pitted keratolysis of the palm arising after herpes zoster. <i>British Journal of Dermatology</i> , 1999, 140, 974-975. | 1.4 | 7 |
| 71 | Tufted folliculitis in a 10-year-old child. <i>British Journal of Dermatology</i> , 1999, 140, 975-976. | 1.4 | 1 |
| 72 | Do mucin-phagocytosing histiocytes in localized lipoatrophy have any primary pathogenetic importance?. <i>British Journal of Dermatology</i> , 1999, 140, 976-978. | 1.4 | 6 |
| 73 | The seborrhoeic pattern of dermatomyositis. <i>British Journal of Dermatology</i> , 1999, 140, 978-979. | 1.4 | 9 |
| 74 | Cetirizine-induced urticarial reaction. <i>British Journal of Dermatology</i> , 1999, 140, 979-980. | 1.4 | 31 |
| 75 | Nevirapine-induced overlap Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 1999, 140, 980-982. | 1.4 | 24 |
| 76 | Psoriasiform drug eruption induced by fluorescein sodium used for fluorescein angiography. <i>British Journal of Dermatology</i> , 1999, 140, 982-984. | 1.4 | 7 |
| 77 | The response of rosacea to eradication of <i>Helicobacter pylori</i> . <i>British Journal of Dermatology</i> , 1999, 140, 984-985. | 1.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 78 | Minocycline for the treatment of cutaneous silicone granulomas. <i>British Journal of Dermatology</i> , 1999, 140, 985-987. | 1.4 | 77 |
| 79 | Bowen's disease of the leg treated with weekly pulses of 5% fluorouracil cream. <i>British Journal of Dermatology</i> , 1999, 140, 987-988. | 1.4 | 25 |
| 80 | The time course of phototoxicity of topical PUVA: 8-methoxypsoralen cream-PUVA vs. 8-methoxypsoralen gel-PUVA. <i>British Journal of Dermatology</i> , 1999, 140, 988-990. | 1.4 | 24 |
| 81 | Cutaneous T-cell lymphoma occurring with intestinal B-cell lymphoma. <i>British Journal of Dermatology</i> , 1999, 140, 972-973. | 1.4 | 6 |
| 83 | The diagnostic role of the in vitro drug-induced interferon-gamma release test in Stevens-Johnson syndrome. <i>International Journal of Dermatology</i> , 1999, 38, 835-840. | 0.5 | 20 |
| 84 | Toxic epidermal necrolysis in acquired immunodeficiency syndrome treated with intravenous gammaglobulin. <i>Australasian Journal of Dermatology</i> , 1999, 40, 153-157. | 0.4 | 52 |
| 85 | Lamotrigine. <i>Epilepsia</i> , 1999, 40, s30-s36. | 2.6 | 65 |
| 86 | Epidermal calprotectin in drug-induced toxic epidermal necrolysis. <i>Journal of Cutaneous Pathology</i> , 1999, 26, 301-305. | 0.7 | 20 |
| 89 | Allergic emergencies encountered by the dermatologist. <i>Clinical Reviews in Allergy and Immunology</i> , 1999, 17, 497-511. | 2.9 | 5 |
| 90 | Increased Risk of Erythema Multiforme Major with Combination Anticonvulsant and Radiation Therapies. <i>Pharmacotherapy</i> , 1999, 19, 223-227. | 1.2 | 61 |
| 91 | Anticonvulsant-Induced Cutaneous Reactions. <i>CNS Drugs</i> , 1999, 12, 215-236. | 2.7 | 19 |
| 92 | Treatment of Severe Drug Eruptions. <i>Journal of Dermatology</i> , 1999, 26, 718-722. | 0.6 | 75 |
| 93 | Stevens-Johnson Syndrome in India – Risk Factors, Ocular Manifestations and Management. <i>Ophthalmologica</i> , 2000, 214, 285-288. | 1.0 | 23 |
| 94 | Cocaine-Related Stevens-Johnson Syndrome. <i>Dermatology</i> , 2000, 201, 258-260. | 0.9 | 30 |
| 95 | Management of Drug-Induced Toxic Epidermal Necrolysis. <i>Journal of Cutaneous Medicine and Surgery</i> , 2000, 4, 96-102. | 0.6 | 12 |
| 96 | A Case of Toxic Epidermal Necrolysis – Type Drug Eruption Induced by Oral Lysozyme Chloride. <i>Journal of Dermatology</i> , 2000, 27, 401-404. | 0.6 | 6 |
| 97 | Immunoregulatory Effector Cells in Drug-Induced Toxic Epidermal Necrolysis. <i>American Journal of Dermatopathology</i> , 2000, 22, 413-417. | 0.3 | 78 |
| 98 | An Unusual Form of Stevens-Johnson Syndrome with Subcorneal Pustules Associated with <i>Mycoplasma pneumoniae</i> Infection. <i>Pediatric Dermatology</i> , 2000, 17, 202-204. | 0.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 99 | Toxic epidermal necrolysis in Western Australia. <i>Australasian Journal of Dermatology</i> , 2000, 41, 31-33. | 0.4 | 24 |
| 100 | Diagnosis, classification, and management of erythema multiforme and Stevens-Johnson syndrome. <i>Archives of Disease in Childhood</i> , 2000, 83, 347-352. | 1.0 | 203 |
| 101 | Parvovirus Infection of Keratinocytes as a Cause of Canine Erythema Multiforme. <i>Veterinary Pathology</i> , 2000, 37, 647-649. | 0.8 | 39 |
| 102 | Corticosteroid Therapy in an Additional 13 Cases of Stevens-Johnson Syndrome: A Total Series of 67 Cases. <i>Allergy and Asthma Proceedings</i> , 2000, 21, 101-105. | 1.0 | 87 |
| 103 | Toxic Epidermal Necrolysis and Stevens-Johnson Syndrome. <i>Archives of Dermatology</i> , 2000, 136, 323-7. | 1.7 | 399 |
| 104 | Prospects for Control of Herpes Simplex Virus Disease through Immunization. <i>Clinical Infectious Diseases</i> , 2000, 30, 549-566. | 2.9 | 176 |
| 105 | Improving the Outcome of Patients With Toxic Epidermal Necrolysis and Stevens-Johnson Syndrome. <i>Archives of Dermatology</i> , 2000, 136, 410-1. | 1.7 | 34 |
| 106 | Drug eruptions. <i>Current Problems in Dermatology</i> , 2000, 12, 58-62. | 0.1 | 4 |
| 107 | Idiosyncratic drug reactions: the reactive metabolite syndromes. <i>Lancet, The</i> , 2000, 356, 1587-1591. | 6.3 | 316 |
| 108 | Drug-Induced Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>American Journal of Clinical Dermatology</i> , 2000, 1, 349-360. | 3.3 | 140 |
| 109 | TOXIC EPIDERMAL NECROLYSIS. <i>Dermatologic Clinics</i> , 2000, 18, 485-495. | 1.0 | 53 |
| 110 | NEW ADVANCES IN SEVERE ADVERSE DRUG REACTIONS. <i>Dermatologic Clinics</i> , 2001, 19, 697-709. | 1.0 | 25 |
| 111 | Quand la peau suscite lâ€™urgence. <i>Revue Francaise D'allergologie Et D'immunologie Clinique</i> , 2001, 41, 331-335. | 0.1 | 1 |
| 112 | SÃ©ndrome de Stevens-Johnson/necrÃ³lisis epidÃ©rmica tÃ³xica. <i>Piel</i> , 2001, 16, 444-457. | 0.0 | 10 |
| 113 | Nevirapine and the risk of Stevens-Johnson syndrome or toxic epidermal necrolysis. <i>Aids</i> , 2001, 15, 1843-1848. | 1.0 | 178 |
| 114 | Intravenous Immunoglobulin Therapy for Stevens-Johnson Syndrome. <i>Southern Medical Journal</i> , 2001, 94, 342-343. | 0.3 | 8 |
| 115 | Erythema multiforme Associated with Cytomegalovirus Infection in Nonimmunosuppressed Patients. <i>Dermatology</i> , 2001, 203, 299-302. | 0.9 | 28 |
| 116 | Stevens-Johnson Syndrome in a Patient Receiving Anticonvulsant Therapy During Cranial Irradiation. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2001, 24, 347-350. | 0.6 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 117 | Drug eruptions in children. <i>Current Problems in Pediatrics</i> , 2001, 31, 207-234. | 1.1 | 43 |
| 118 | Toxic Epidermal Necrolysis Induced by Nevirapine Therapy: Description of Two Cases and Review of the Literature. <i>Journal of Infection</i> , 2001, 43, 246-249. | 1.7 | 20 |
| 119 | Life-threatening adverse events of antiepileptic drugs. <i>Epilepsy Research</i> , 2001, 47, 155-174. | 0.8 | 68 |
| 120 | Acetylsalicylic acid and other salicylates in relation to Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>British Journal of Clinical Pharmacology</i> , 2001, 51, 174-176. | 1.1 | 8 |
| 121 | Trimethoprim/Sulfamethoxazole-Induced Toxic Epidermal Necrolysis. <i>Annals of Pharmacotherapy</i> , 2001, 35, 694-697. | 0.9 | 24 |
| 122 | Toxic Epidermal Necrolysis Treated with Intravenous High-Dose Immunoglobulins: Our Experience. <i>Dermatology</i> , 2001, 203, 45-49. | 0.9 | 105 |
| 124 | Soluble Interleukin 2 Receptor and Interleukin 1 β in Toxic Epidermal Necrolysis. <i>Archives of Dermatology</i> , 2002, 138, 29-32. | 1.7 | 41 |
| 125 | Correlations Between Clinical Patterns and Causes of Erythema Multiforme Majus, Stevens-Johnson Syndrome, and Toxic Epidermal Necrolysis. <i>Archives of Dermatology</i> , 2002, 138, 1019-24. | 1.7 | 510 |
| 127 | Outcome of Patients with Toxic Epidermal Necrolysis Syndrome Revisited. <i>Plastic and Reconstructive Surgery</i> , 2002, 110, 768-773. | 0.7 | 70 |
| 128 | Toxic Epidermal Necrolysis After Phenytoin Usage in a Brain Trauma Patient. <i>Journal of Neurosurgical Anesthesiology</i> , 2002, 14, 229-233. | 0.6 | 1 |
| 129 | Erythema Multiforme, Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Children. <i>Drug Safety</i> , 2002, 25, 965-972. | 1.4 | 170 |
| 130 | Drug eruptions in children. <i>Current Problems in Dermatology</i> , 2002, 14, 153-182. | 0.1 | 3 |
| 131 | Increased interleukin 10, tumor necrosis factor β , and interleukin 6 levels in blister fluid of toxic epidermal necrolysis. <i>Journal of the American Academy of Dermatology</i> , 2002, 47, 58-62. | 0.6 | 78 |
| 132 | Drug Eruptions and Other Adverse Drug Effects in Aged Skin. <i>Clinics in Geriatric Medicine</i> , 2002, 18, 21-42. | 1.0 | 30 |
| 133 | Alteraci3n pulmonar y renal en sAndromede Stevens-Johnsonde evoluci3n fatal. Estudio anatomopatol3gico. <i>Anales De Pediatr3a</i> , 2002, 57, 71-73. | 0.3 | 3 |
| 134 | Dermatological ADRs. , 0, , 423-433. | | 0 |
| 135 | A Case Report and a Proposed Algorithm for the Transfer of Patients with Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis to a Burn Center. <i>Military Medicine</i> , 2002, 167, 701-704. | 0.4 | 14 |
| 136 | Erythema multiforme due to Rofecoxib. <i>Dermatology</i> , 2002, 204, 304-305. | 0.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 138 | Treatment of erythema multiforme, Stevens-Johnson Syndrome, and toxic epidermal necrolysis. <i>Dermatologic Therapy</i> , 2002, 15, 397-408. | 0.8 | 9 |
| 139 | Toxic epidermal necrolysis in a pregnant, HIV-infected woman. <i>International Journal of Dermatology</i> , 2002, 41, 600-601. | 0.5 | 13 |
| 140 | Treatment of Toxic Epidermal Necrolysis With Moisture-Retentive Ointment: A Case Report and Review of the Literature. <i>Dermatologic Surgery</i> , 2003, 29, 185-188. | 0.4 | 23 |
| 141 | Tolerability and Pharmacokinetics of Oral Loading with Lamotrigine in Epilepsy Monitoring Units. <i>Epilepsia</i> , 2003, 44, 536-539. | 2.6 | 18 |
| 142 | Oral manifestations of erythema multiforme. <i>Dermatologic Clinics</i> , 2003, 21, 195-205. | 1.0 | 154 |
| 143 | Dos casos de necrólisis epidérmica tóxica localizada asociada a radioterapia. <i>Actas Dermo-sifiliográficas</i> , 2003, 94, 475-478. | 0.2 | 5 |
| 144 | Photo-Induced Stevens-Johnson Syndrome Due to Sulfasalazine Therapy. <i>Annals of Pharmacotherapy</i> , 2003, 37, 1241-1243. | 0.9 | 15 |
| 145 | Toxic Epidermal Necrolysis and Stevens-Johnson Syndrome Are Induced by Soluble Fas Ligand. <i>American Journal of Pathology</i> , 2003, 162, 1515-1520. | 1.9 | 560 |
| 146 | Drug allergy in a general hospital: results of a novel prospective inpatient reporting system. <i>Annals of Allergy, Asthma and Immunology</i> , 2003, 90, 342-347. | 0.5 | 98 |
| 147 | Progress in the Understanding of the Pathology and Pathogenesis of Cutaneous Drug Eruptions. <i>American Journal of Clinical Dermatology</i> , 2003, 4, 407-428. | 3.3 | 67 |
| 148 | Stevens-Johnson Syndrome Associated with Malarone Antimalarial Prophylaxis. <i>Clinical Infectious Diseases</i> , 2003, 37, e5-e7. | 2.9 | 24 |
| 149 | Treatment of Toxic Epidermal Necrolysis With High-Dose Intravenous Immunoglobulins. <i>Archives of Dermatology</i> , 2003, 139, 26. | 1.7 | 625 |
| 150 | Possible Cefotaxime-Induced Stevens-Johnson Syndrome. <i>Annals of Pharmacotherapy</i> , 2003, 37, 812-814. | 0.9 | 16 |
| 151 | Case 23-2003. <i>New England Journal of Medicine</i> , 2003, 349, 382-391. | 13.9 | 41 |
| 152 | Unusual Spindle Cell Squamous Carcinoma in a Renal Transplant Patient. <i>Acta Dermato-Venereologica</i> , 2003, 84, 61-64. | 0.6 | 9 |
| 153 | Erythema multiforme-Like Drug Eruption with Oral Involvement after Intake of Leflunomide. <i>Dermatology</i> , 2003, 207, 386-389. | 0.9 | 35 |
| 154 | Dermatological and Ophthalmological Sequels in Toxic Epidermal Necrolysis. <i>Dermatology</i> , 2003, 207, 33-36. | 0.9 | 81 |
| 155 | Pediatric exanthems. <i>Clinics in Family Practice</i> , 2003, 5, 557-588. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 156 | Treatment of Toxic Epidermal Necrolysis With Moisture-Retentive Ointment. <i>Dermatologic Surgery</i> , 2003, 29, 185-188. | 0.4 | 12 |
| 157 | Outbreak of Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis Associated With Mebendazole and Metronidazole Use Among Filipino Laborers in Taiwan. <i>American Journal of Public Health</i> , 2003, 93, 489-492. | 1.5 | 45 |
| 158 | Effect of High-Dose Intravenous Immunoglobulin Therapy in Stevens-Johnson Syndrome: A Retrospective, Multicenter Study. <i>Dermatology</i> , 2003, 207, 96-99. | 0.9 | 82 |
| 159 | Stevens-Johnson syndrome: case presentation. <i>Journal of Clinical Pediatric Dentistry</i> , 2003, 27, 71-76. | 0.5 | 4 |
| 160 | Toxic Epidermal Necrolysis Due to Administration of Celecoxib (Celebrex). <i>Southern Medical Journal</i> , 2003, 96, 320-321. | 0.3 | 6 |
| 161 | Severe Cutaneous Reactions Associated with the Use of Human Immunodeficiency Virus Medications. <i>Acta Dermato-Venereologica</i> , 2003, 83, 1-9. | 0.6 | 89 |
| 162 | Early Cyclosporine Treatment of Incipient Toxic Epidermal Necrolysis Induced by Concomitant Use of Lamotrigine and Sodium Valproate. <i>Acta Dermato-Venereologica</i> , 2003, 84, 90-91. | 0.6 | 22 |
| 163 | Spectrum of Anticonvulsant Hypersensitivity Syndrome: Controversy of Treatment. <i>Journal of Child Neurology</i> , 2004, 19, 619-623. | 0.7 | 6 |
| 164 | Toxic Epidermal Necrolysis after Cranial Radiotherapy and Phenytoin Treatment. <i>Oncology Research and Treatment</i> , 2004, 27, 389-392. | 0.8 | 11 |
| 165 | Erythema multiforme associated with phenytoin and cranial radiation therapy: A report of three patients and review of the literature. <i>International Journal of Dermatology</i> , 2004, 43, 67-73. | 0.5 | 71 |
| 166 | Acetaminophen-Induced Toxic Epidermal Necrolysis in a Child. <i>Pediatric Dermatology</i> , 2004, 21, 236-238. | 0.5 | 19 |
| 167 | Toxic Epidermal Necrolysis in Patients Receiving Anticonvulsants and Cranial Irradiation: A Risk to Consider. <i>Journal of Neuro-Oncology</i> , 2004, 66, 345-350. | 1.4 | 70 |
| 168 | Possible involvement of gelatinase A (MMP2) and gelatinase B (MMP9) in toxic epidermal necrolysis or Stevens-Johnson syndrome. <i>Archives of Dermatological Research</i> , 2004, 296, 220-225. | 1.1 | 23 |
| 169 | Assessment and management of cutaneous reactions with amifostine administration: Findings of the ethyl (amifostine) cutaneous treatment advisory panel (ECTAP). <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 60, 302-309. | 0.4 | 28 |
| 170 | Toxicodermias inmunológicas en pacientes inmunocompetentes. <i>EMC - Dermatología</i> , 2004, 38, 1-8. | 0.1 | 0 |
| 171 | Stevens-Johnson Syndrome After Immunization With Smallpox, Anthrax, and Tetanus Vaccines. <i>Mayo Clinic Proceedings</i> , 2004, 79, 1193-1196. | 1.4 | 13 |
| 173 | ADVERSE REACTIONS OF NITROFURANTOIN, TRIMETHOPRIM AND SULFAMETHOXAZOLE IN CHILDREN. <i>Journal of Urology</i> , 2004, 172, 448-453. | 0.2 | 103 |
| 174 | Esophageal stricture as a late sequel of Stevens-Johnson syndrome in adults: incidental detection because of foreign body impaction. <i>Gastrointestinal Endoscopy</i> , 2004, 59, 437-440. | 0.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 175 | Diabetic ketoacidosis in a patient with chronic calcific pancreatitis after minor papilla stent insertion. <i>Gastrointestinal Endoscopy</i> , 2004, 59, 440-443. | 0.5 | 1 |
| 176 | Stevens-Johnson Syndrome After Immunization With Smallpox, Anthrax, and Tetanus Vaccines. <i>Mayo Clinic Proceedings</i> , 2004, 79, 1193-1196. | 1.4 | 23 |
| 177 | Intravenous Immunoglobulin for Treatment of Toxic Epidermal Necrolysis. <i>American Journal of the Medical Sciences</i> , 2005, 329, 95-98. | 0.4 | 12 |
| 178 | Review of common cutaneous adverse drug reactions. <i>South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care</i> , 2005, 47, 27-29. | 0.2 | 0 |
| 179 | Targeting the "Target Lesions". <i>Skinmed</i> , 2005, 4, 311-312. | 0.0 | 4 |
| 180 | High-Dose Intravenous Immunoglobulins in the Treatment of Toxic Epidermal Necrolysis: An Asian Series. <i>Journal of Dermatology</i> , 2005, 32, 1-6. | 0.6 | 52 |
| 181 | Heterotopic Ossification Related to Toxic Epidermal Necrolysis in a Patient with Behçet's Disease. <i>Journal of Dermatology</i> , 2005, 32, 469-473. | 0.6 | 7 |
| 182 | Number IV Erythema multiforme. <i>Oral Diseases</i> , 2005, 11, 261-267. | 1.5 | 103 |
| 183 | Lyell syndrome revisited: analysis of 18 cases of severe bullous skin disease in a burns unit. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2005, 58, 73-80. | 1.1 | 16 |
| 184 | Intravenous immunoglobulins and plasmapheresis combined treatment in patients with severe toxic epidermal necrolysis: preliminary report. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2005, 58, 504-510. | 1.1 | 67 |
| 186 | Clinical heterogeneity of drug hypersensitivity. <i>Toxicology</i> , 2005, 209, 123-129. | 2.0 | 379 |
| 187 | Naproxen sodium-induced toxic epidermal necrolysis: a case report and review of the literature. <i>European Surgery - Acta Chirurgica Austriaca</i> , 2005, 37, 343-347. | 0.3 | 3 |
| 188 | Analytical quantification of the inflammatory cell infiltrate and CD95R expression during treatment of drug-induced toxic epidermal necrolysis. <i>Archives of Dermatological Research</i> , 2005, 297, 266-273. | 1.1 | 24 |
| 189 | Uncovering Histologic Criteria With Prognostic Significance in Toxic Epidermal Necrolysis. <i>Archives of Dermatology</i> , 2005, 141, 683-7. | 1.7 | 75 |
| 190 | Risk of Stevens-Johnson syndrome and toxic epidermal necrolysis in new users of antiepileptics. <i>Neurology</i> , 2005, 64, 1134-1138. | 1.5 | 293 |
| 191 | Cell-Mediated Immunologic Mechanism and Severity of TEN. <i>Archives of Dermatology</i> , 2005, 141, 775-6. | 1.7 | 14 |
| 192 | Toxic epidermal necrolysis (TEN) Lyell's syndrome. <i>Journal of Dermatological Treatment</i> , 2005, 16, 278-286. | 1.1 | 26 |
| 193 | Delayed-Type Hypersensitivity. , 2005, , 192-194. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 194 | MRI of segmental zoster paresis. <i>Neurology</i> , 2005, 64, 1138-1138. | 1.5 | 12 |
| 195 | www.archdermatol.com Communicates With the International Dermatology Community. <i>Archives of Dermatology</i> , 2005, 141, 505-6. | 1.7 | 2 |
| 198 | Case 34-2005. <i>New England Journal of Medicine</i> , 2005, 353, 2057-2066. | 13.9 | 7 |
| 199 | <i>Mycoplasma pneumoniae</i> –induced Stevens-Johnson syndrome without skin lesions: Fact or fiction?. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, 312-315. | 0.6 | 73 |
| 200 | Erythema multiforme: a review and contrast from Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>Dental Clinics of North America</i> , 2005, 49, 67-76. | 0.8 | 56 |
| 201 | Life-threatening acute adverse cutaneous drug reactions. <i>Clinics in Dermatology</i> , 2005, 23, 171-181. | 0.8 | 152 |
| 202 | Serious Drug Rashes in Children. <i>Advances in Pediatrics</i> , 2005, 52, 207-222. | 0.5 | 0 |
| 203 | Stevens-Johnson syndrome and toxic epidermal necrolysis: a review of the literature. <i>Annals of Allergy, Asthma and Immunology</i> , 2005, 94, 419-436. | 0.5 | 271 |
| 204 | Intravenous Immunoglobulin Use in Patients with Toxic Epidermal Necrolysis and Stevens-Johnson Syndrome. <i>American Journal of Clinical Dermatology</i> , 2006, 7, 359-368. | 3.3 | 50 |
| 206 | Penicillins. , 2006, , 2756-2772. | | 0 |
| 207 | Adverse Cutaneous Drug Eruptions and HIV: a Clinician's Global Perspective. <i>Dermatologic Clinics</i> , 2006, 24, 459-472. | 1.0 | 35 |
| 208 | 36-Year-Old Man With Productive Cough and Diffuse Rash. <i>Mayo Clinic Proceedings</i> , 2006, 81, 945-948. | 1.4 | 4 |
| 210 | Rash and fever. <i>Journal of Emergency Medicine</i> , 2006, 31, 293-297. | 0.3 | 6 |
| 211 | Use of intravenous immunoglobulin in toxic epidermal necrolysis and Stevens-Johnson syndrome: Our current understanding. <i>International Immunopharmacology</i> , 2006, 6, 543-549. | 1.7 | 110 |
| 212 | Toxic Epidermal Necrolysis and Intravenous Immunoglobulin: A Review. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2006, 25, 91-93. | 1.6 | 39 |
| 214 | Síndrome de Stevens-Johnson e necrólise epidérmica tóxica em medicina intensiva. <i>Revista Brasileira De Terapia Intensiva</i> , 2006, 18, 292-297. | 0.1 | 7 |
| 216 | Human Herpesvirus 6 Reactivation in Trichloroethylene–exposed Workers Suffering from Generalized Skin Disorders Accompanied by Hepatic Dysfunction. <i>Journal of Occupational Health</i> , 2006, 48, 417-423. | 1.0 | 52 |
| 218 | Skin immunoglobulin deposition following intravenous immunoglobulin therapy in toxic epidermal necrolysis. <i>Experimental Dermatology</i> , 2006, 15, 381-386. | 1.4 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 219 | Erythema Multiforme due to Mycoplasma pneumoniae Infection in Two Children. <i>Pediatric Dermatology</i> , 2006, 23, 546-555. | 0.5 | 82 |
| 220 | The CD40/CD40 ligand system is expressed in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. <i>British Journal of Dermatology</i> , 2006, 154, 319-324. | 1.4 | 50 |
| 221 | Multiple hereditary infundibulocystic basal cell carcinomas: a distinctive genodermatosis. <i>British Journal of Dermatology</i> , 2006, 154, 1007-1010. | 1.4 | 13 |
| 222 | Elevated circulating CD40 ligand in patients with erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. <i>British Journal of Dermatology</i> , 2006, 154, 1006-1007. | 1.4 | 20 |
| 223 | Sera from patients with toxic epidermal necrolysis contain autoantibodies to periplakin. <i>British Journal of Dermatology</i> , 2006, 155, 337-343. | 1.4 | 16 |
| 224 | Expression of cytokines and chemokine receptors in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 2006, 155, 722-728. | 1.4 | 104 |
| 225 | Chronic pulmonary complications associated with toxic epidermal necrolysis: Report of a severe case with anti-Ro/SS-A and a review of the published work. <i>Journal of Dermatology</i> , 2006, 33, 616-622. | 0.6 | 51 |
| 226 | Intravenous immunoglobulin in toxic epidermal necrolysis. <i>International Journal of Dermatology</i> , 2006, 45, 1117-1118. | 0.5 | 8 |
| 227 | Erythema multiforme-like drug eruption caused by sennoside. <i>International Journal of Dermatology</i> , 2006, 45, 1123-1123. | 0.5 | 7 |
| 228 | Performance of the SCORTEN During the First Five Days of Hospitalization to Predict the Prognosis of Epidermal Necrolysis. <i>Journal of Investigative Dermatology</i> , 2006, 126, 272-276. | 0.3 | 179 |
| 231 | Treatment of Severe Adverse Cutaneous Drug Reactions With Human Intravenous Immunoglobulin in Two Dogs. <i>Journal of the American Animal Hospital Association</i> , 2006, 42, 312-320. | 0.5 | 28 |
| 232 | Drug Rash with Eosinophilia and Systemic Symptoms versus Stevens-Johnson Syndrome "a Case that Indicates a Stumbling Block in the Current Classification. <i>International Archives of Allergy and Immunology</i> , 2006, 141, 308-310. | 0.9 | 23 |
| 233 | Canadian Consensus Statement on the Use of Intravenous Immunoglobulin Therapy in Dermatology. <i>Journal of Cutaneous Medicine and Surgery</i> , 2006, 10, 205-221. | 0.6 | 30 |
| 234 | Dexamethasone Pulse Therapy for Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>Acta Dermato-Venereologica</i> , 2007, 87, 144-148. | 0.6 | 181 |
| 235 | "Atypical" Stevens-Johnson Syndrome?. <i>Pediatrics</i> , 2007, 120, 451-452. | 1.0 | 9 |
| 236 | Breastfeeding, Hospitalizations, and the Role of Ethnicity. <i>Pediatrics</i> , 2007, 120, 452-453. | 1.0 | 1 |
| 237 | Stevens-Johnson Syndrome, Drug-Induced Hypersensitivity Syndrome and Toxic Epidermal Necrolysis Caused by Allopurinol in Patients with a Common HLA Allele: What Causes the Diversity?. <i>Dermatology</i> , 2007, 215, 86-88. | 0.9 | 57 |
| 238 | Glutathione-S-Transferase Pi Expression in Toxic Epidermal Necrolysis: A Marker of Putative Oxidative Stress in Keratinocytes. <i>Skin Pharmacology and Physiology</i> , 2007, 20, 66-70. | 1.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 239 | Serum Levels of the Th1 Promoter IL-12 and the Th2 Chemokine TARC Are Elevated in Erythema Multiforme and Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis and Correlate with Soluble Fas Ligand Expression. <i>Dermatology</i> , 2007, 214, 296-304. | 0.9 | 31 |
| 240 | Cutaneous Adverse Reactions to Valdecoxib Distinct From Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Archives of Dermatology</i> , 2007, 143, 711-6. | 1.7 | 33 |
| 241 | “Atypical” Stevens-Johnson Syndrome?: In Reply. <i>Pediatrics</i> , 2007, 120, 452-452. | 1.0 | 2 |
| 242 | Investigation into the multidimensional genetic basis of drug-induced Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>Pharmacogenomics</i> , 2007, 8, 1661-1691. | 0.6 | 33 |
| 243 | Epidemiology and Causes of Severe Cutaneous Adverse Reactions to Drugs. , 2007, , 18-31. | | 16 |
| 244 | A Randomized, Double-blind, Placebo-Controlled Trial of Pentoxifylline for the Treatment of Recurrent Aphthous Stomatitis. <i>Archives of Dermatology</i> , 2007, 143, 463-70. | 1.7 | 58 |
| 245 | Management of Scalp Toxic Epidermal Necrolysis and Cranial Osteomyelitis With Serratus Anterior Myocutaneous Pedicle Flap: A Case Report. <i>Journal of Burn Care and Research</i> , 2007, 28, 524-529. | 0.2 | 6 |
| 247 | Erythema multiforme and related disorders. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 103, 642-654. | 1.6 | 78 |
| 248 | Approach to the Acute, Generalized, Blistering Patient. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2007, 26, 139-146. | 1.6 | 12 |
| 249 | New Grading System for the Evaluation of Chronic Ocular Manifestations in Patients with Stevens-Johnson Syndrome. <i>Ophthalmology</i> , 2007, 114, 1294-1302. | 2.5 | 241 |
| 250 | In the pursuit of classifying severe cutaneous adverse reactions. <i>Clinics in Dermatology</i> , 2007, 25, 348-349. | 0.8 | 24 |
| 251 | Toxic epidermal necrolysis. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, 181-200. | 0.6 | 295 |
| 252 | Case Report 2. Severe erythema multiforme induced by two consecutive anti-angiogenic drugs. <i>European Journal of Cancer, Supplement</i> , 2007, 5, 30-31. | 2.2 | 2 |
| 254 | Head and Neck Manifestations of Systemic Disease. , 0, , . | | 3 |
| 255 | Cutaneous Reactions to Drugs in Children. <i>Pediatrics</i> , 2007, 120, e1082-e1096. | 1.0 | 94 |
| 256 | Recognition and Management of Severe Cutaneous Drug Reactions. <i>Dermatologic Clinics</i> , 2007, 25, 245-253. | 1.0 | 64 |
| 258 | Apoptosis in ibuprofen-induced Stevens-Johnson syndrome. <i>Translational Research</i> , 2007, 149, 254-259. | 2.2 | 27 |
| 260 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. , 2007, , 1016-1019. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 261 | Soluble FAS Ligand: A Discriminating Feature between Drug-Induced Skin Eruptions and Viral Exanthemas. <i>Journal of Investigative Dermatology</i> , 2007, 127, 802-807. | 0.3 | 61 |
| 262 | Ocular manifestations and complications of Stevens-Johnson syndrome and toxic epidermal necrolysis: an Asian series. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 527-531. | 2.7 | 142 |
| 263 | Utility of the lymphocyte transformation test in the diagnosis of drug sensitivity: dependence on its timing and the type of drug eruption. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 1439-1444. | 2.7 | 235 |
| 264 | Two case reports of oral ulcers with lamotrigine several weeks after oxcarbazepine withdrawal. <i>Bipolar Disorders</i> , 2007, 9, 310-313. | 1.1 | 14 |
| 265 | Toxic epidermal necrolysis in a child successfully treated with cyclosporin A and methylprednisolone. <i>Pediatrics International</i> , 2007, 49, 659-662. | 0.2 | 24 |
| 266 | TOXIC EPIDERMAL NECROLYSIS/STEVENS-JOHNSON SYNDROME: CURRENT TRENDS IN MANAGEMENT. <i>ANZ Journal of Surgery</i> , 2007, 77, 671-676. | 0.3 | 28 |
| 267 | Serum interleukin-13 levels are increased in patients with Stevens-Johnson syndrome/ toxic epidermal necrolysis but not in those with erythema multiforme. <i>British Journal of Dermatology</i> , 2007, 158, 071018053044005-??? | 1.4 | 6 |
| 268 | Epidermal interleukin-8 and its receptor CXCR2 in drug-induced toxic epidermal necrolysis. <i>Clinical and Experimental Dermatology</i> , 2007, 32, 728-732. | 0.6 | 15 |
| 269 | Conjunctival Pigmentation in Stevens-Johnson Syndrome. <i>Annals of Ophthalmology</i> , 2007, 39, 152-157. | 0.0 | 2 |
| 270 | Stevens-Johnson syndrome in children receiving phenobarbital therapy and cranial radiotherapy. <i>Journal of Neuro-Oncology</i> , 2007, 85, 213-215. | 1.4 | 11 |
| 271 | Management of Dysphagia in Toxic Epidermal Necrolysis (TEN) and Stevens-Johnson Syndrome (SJS). <i>Dysphagia</i> , 2007, 22, 187-192. | 1.0 | 20 |
| 272 | Intravenous immunoglobulins for the management of Stevens-Johnson syndrome with minimal skin manifestations. <i>European Journal of Pediatrics</i> , 2007, 166, 585-588. | 1.3 | 22 |
| 273 | Conjunctival Pigmentation in Stevens-Johnson Syndrome. <i>Comprehensive Therapy</i> , 2007, 33, 99-103. | 0.2 | 1 |
| 274 | Erythema multiforme and Stevens-Johnson syndrome following radiotherapy. <i>Radiation Medicine</i> , 2007, 25, 27-30. | 0.8 | 16 |
| 275 | Erythema multiforme after radiotherapy with aromatase inhibitor administration in breast-conservation treatment for breast cancer. <i>Breast Cancer</i> , 2008, 15, 321-323. | 1.3 | 9 |
| 276 | Lack of evidence for erythema multiforme in skin reaction to adalimumab: Comment on the article by Beuthien et al. <i>Arthritis and Rheumatism</i> , 2008, 58, 1205-1206. | 6.7 | 1 |
| 278 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: Assessment of Medication Risks with Emphasis on Recently Marketed Drugs. The EuroSCAR-Study. <i>Journal of Investigative Dermatology</i> , 2008, 128, 35-44. | 0.3 | 807 |
| 279 | Nevirapine-Induced Stevens-Johnson Syndrome in a Pediatric Patient. <i>Pediatric Dermatology</i> , 2008, 25, 128-129. | 0.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 280 | Stevensâ€™Johnson syndrome and toxic epidermal necrolysis. <i>Autoimmunity Reviews</i> , 2008, 7, 598-605. | 2.5 | 176 |
| 281 | Carbamazepine, <i>HLA-B*1502</i> and risk of Stevensâ€™Johnson syndrome and toxic epidermal necrolysis: US FDA recommendations. <i>Pharmacogenomics</i> , 2008, 9, 1543-1546. | 0.6 | 421 |
| 282 | Increased soluble Fas ligand levels in patients with Stevens-Johnson syndrome and toxic epidermal necrolysis preceding skin detachment. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 992-1000. | 1.5 | 99 |
| 283 | Energy Requirements of Pediatric Patients With Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Nutrition in Clinical Practice</i> , 2008, 23, 547-550. | 1.1 | 40 |
| 284 | Allopurinol is the most common cause of Stevens-Johnson syndrome and toxic epidermal necrolysis in Europe and Israel. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 25-32. | 0.6 | 393 |
| 285 | Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis: A retrospective study on patients included in the prospective EuroSCAR Study. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 33-40. | 0.6 | 423 |
| 286 | Toxic epidermal necrolysis with a rare long-term oral complication requiring surgical intervention. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2008, 105, e29-e33. | 1.6 | 23 |
| 287 | Toxic epidermal necrolysis: Use of BiobraneÂ® for skin coverage reduces pain, improves mobilisation and decreases infection in elderly patients. <i>Burns</i> , 2008, 34, 487-492. | 1.1 | 64 |
| 289 | Stevensâ€™Johnson syndrome and toxic epidermal necrolysis induced by amifostine during head and neck radiotherapy. <i>Radiotherapy and Oncology</i> , 2008, 87, 300-303. | 0.3 | 30 |
| 290 | Adverse cutaneous reactions associated with the newest antiretroviral drugs in patients with human immunodeficiency virus infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 879-888. | 1.3 | 88 |
| 291 | Acute Skin Eruptions That Are Positive for Herpes Simplex Virus DNA Polymerase in Patients With Stem Cell Transplantation. <i>Archives of Dermatology</i> , 2008, 144, 902-7. | 1.7 | 23 |
| 292 | HLA-B locus in Japanese patients with anti-epileptics and allopurinol-related Stevensâ€™Johnson syndrome and toxic epidermal necrolysis. <i>Pharmacogenomics</i> , 2008, 9, 1617-1622. | 0.6 | 368 |
| 293 | Management of toxic epidermal necrolysis and related syndromes. <i>Postgraduate Medical Journal</i> , 2008, 84, 60-65. | 0.9 | 31 |
| 294 | Fluconazole-induced Stevens-Johnson Syndrome in a HIV-negative Patient. <i>Acta Dermato-Venereologica</i> , 2008, 88, 521-522. | 0.6 | 8 |
| 295 | Stevensâ€™Johnson syndrome: Pathogenesis, diagnosis, and management. <i>Annals of Medicine</i> , 2008, 40, 129-138. | 1.5 | 84 |
| 297 | Nitazoxanide for Severe Cryptosporidial Diarrhea in Human Immunodeficiency Virus Infected Children. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 1040-1041. | 1.1 | 4 |
| 298 | Human Immunodeficiency Virus-Infected Boy With Stevens-Johnson Syndrome Caused by Nevirapine. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 1041-1042. | 1.1 | 3 |
| 299 | Toxic Epidermal Necrolysis Induced by Sulfonamide Eyedrops. <i>Cornea</i> , 2008, 27, 1068-1069. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 300 | Trimethoprim-Sulfamethoxazole for Osteoarthritis Caused by Staphylococcus aureus or Kingella kingae. Pediatric Infectious Disease Journal, 2008, 27, 1042-1043. | 1.1 | 6 |
| 301 | Toxic Epidermal Necrolysis Clinical Guidelines. Journal of Burn Care and Research, 2008, 29, 706-712. | 0.2 | 71 |
| 302 | Nitazoxanide Treatment of Cryptosporidium parvum in Human Immunodeficiency Virus-Infected Children. Pediatric Infectious Disease Journal, 2008, 27, 1041. | 1.1 | 4 |
| 303 | Erupciones inflamatorias y purpúricas. , 2009, , 311-342. | | 0 |
| 304 | Uso de inmunoglobulina humana endovenosa en pacientes con necrosis epidérmica tóxica y síndrome de sobreposición Stevens Johnson necrosis tóxica epidérmica. Revista Medica De Chile, 2009, 137, . | 0.1 | 9 |
| 305 | Fluconazole induced toxic epidermal necrolysis: a case report. Cases Journal, 2009, 2, 9071. | 0.4 | 11 |
| 306 | Acute Renal Failure and Its Risk Factors in Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. American Journal of Nephrology, 2009, 29, 633-638. | 1.4 | 44 |
| 307 | Defective Regulatory T Cells In Patients with Severe Drug Eruptions: Timing of the Dysfunction Is Associated with the Pathological Phenotype and Outcome. Journal of Immunology, 2009, 182, 8071-8079. | 0.4 | 238 |
| 308 | Neopterin and C-Reactive Protein in the Course of Stevens-Johnson Syndrome: Report of a Case. Acta Dermato-Venereologica, 2009, 89, 285-287. | 0.6 | 1 |
| 309 | Association of HLA-BFNx011502 allele and carbamazepine-induced Stevens-Johnson syndrome among Indians. Indian Journal of Dermatology, Venereology and Leprology, 2009, 75, 579. | 0.2 | 272 |
| 310 | Risk Factors for the Development of Ocular Complications of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. Archives of Dermatology, 2009, 145, 157-62. | 1.7 | 135 |
| 311 | Fatal Toxic Epidermal Necrolysis Associated with Minoxidil. Pharmacotherapy, 2009, 29, 460-467. | 1.2 | 14 |
| 312 | Two cases of Stevens-Johnson syndrome following intake of klavox with review of literature. European Archives of Oto-Rhino-Laryngology, 2009, 266, 1327-1330. | 0.8 | 7 |
| 314 | Combination therapy of intravenous immunoglobulin and corticosteroid in the treatment of toxic epidermal necrolysis and Stevens-Johnson syndrome: a retrospective comparative study in China. International Journal of Dermatology, 2009, 48, 1122-1128. | 0.5 | 75 |
| 315 | BSACI guidelines for the management of drug allergy. Clinical and Experimental Allergy, 2009, 39, 43-61. | 1.4 | 205 |
| 316 | Severe drug-induced skin reactions: clinical pattern, diagnostics and therapy. JDDG - Journal of the German Society of Dermatology, 2009, 7, 142-162. | 0.4 | 66 |
| 317 | The International Society for Bipolar Disorders (ISBD) consensus guidelines for the safety monitoring of bipolar disorder treatments. Bipolar Disorders, 2009, 11, 559-595. | 1.1 | 159 |
| 318 | Clinical risk management of Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. Dermatologic Therapy, 2009, 22, 441-451. | 0.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 319 | Medications as Risk Factors of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Children: A Pooled Analysis. <i>Pediatrics</i> , 2009, 123, e297-e304. | 1.0 | 226 |
| 320 | Diagnosis and Treatment of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis with Ocular Complications. <i>Ophthalmology</i> , 2009, 116, 685-690. | 2.5 | 144 |
| 321 | Seasonal variation of Stevens-Johnson syndrome and toxic epidermal necrolysis associated with trimethoprim-sulfamethoxazole. <i>Journal of the American Academy of Dermatology</i> , 2009, 60, 589-594. | 0.6 | 36 |
| 322 | Successful Treatment of Stevens-Johnson Syndrome with Steroid Pulse Therapy at Disease Onset. <i>American Journal of Ophthalmology</i> , 2009, 147, 1004-1011.e1. | 1.7 | 133 |
| 323 | Acute Management of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis to Minimize Ocular Sequelae. <i>American Journal of Ophthalmology</i> , 2009, 147, 949-951. | 1.7 | 16 |
| 324 | Vision-Related Function After Scleral Lens Fitting in Ocular Complications of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>American Journal of Ophthalmology</i> , 2009, 148, 852-859.e2. | 1.7 | 79 |
| 326 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis Overlap due to Oral Temozolomide and Cranial Radiotherapy. <i>American Journal of Clinical Dermatology</i> , 2009, 10, 264-267. | 3.3 | 25 |
| 327 | An update on Stevens-Johnson syndrome and toxic epidermal necrolysis in children. <i>Current Opinion in Pediatrics</i> , 2009, 21, 505-510. | 1.0 | 61 |
| 330 | High-Level Human Herpesvirus-6 Viremia Associated With Onset of Stevens-Johnson Syndrome: Report of Two Cases. <i>Journal of Burn Care and Research</i> , 2010, 31, 365-368. | 0.2 | 20 |
| 331 | Toxic Epidermal Necrolysis in Pregnancy: Case Report and Review of the Literature. <i>Journal of Burn Care and Research</i> , 2010, 31, 816-821. | 0.2 | 23 |
| 332 | Paraneoplastic Pemphigus in a Burn Intensive Care Unit: Case Report and Review of the Literature. <i>Journal of Burn Care and Research</i> , 2010, 31, 826-829. | 0.2 | 11 |
| 333 | Stevens-Johnson syndrome: a case report. <i>Journal of Oral Science</i> , 2010, 52, 343-346. | 0.7 | 10 |
| 334 | Severe cutaneous adverse reactions: emergency approach to non-burn epidermolytic syndromes. <i>Intensive Care Medicine</i> , 2010, 36, 22-32. | 3.9 | 51 |
| 335 | Eritema multiforme. <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2010, 17, 436-437. | 0.0 | 0 |
| 336 | <i>HLA-B*1511</i> is a risk factor for carbamazepine-induced Stevens-Johnson syndrome and toxic epidermal necrolysis in Japanese patients. <i>Epilepsia</i> , 2010, 51, 2461-2465. | 2.6 | 217 |
| 337 | Erythema multiforme, Stevens-Johnson syndrome and toxic epidermal necrolysis: Frozen section diagnosis. <i>Journal of Dermatology</i> , 2010, 37, 407-412. | 0.6 | 30 |
| 338 | Differences in immunological alterations and underlying viral infections in two well-defined severe drug eruptions. <i>Clinical and Experimental Dermatology</i> , 2010, 35, 863-868. | 0.6 | 35 |
| 339 | ALDEN, an Algorithm for Assessment of Drug Causality in Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: Comparison With Case-Control Analysis. <i>Clinical Pharmacology and Therapeutics</i> , 2010, 88, 60-68. | 2.3 | 529 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 340 | Stevens Johnson syndrome after carbamazepine and SJS/TEN overlap syndrome after amoxicillin: s and a review. Archives of Medical Science, 2010, 1, 130-134. | 0.4 | 4 |
| 341 | Update on the Management of Antibiotic Allergy. Allergy, Asthma and Immunology Research, 2010, 2, 77. | 1.1 | 46 |
| 342 | The lichenoid reaction pattern (â€˜interface dermatitisâ€™). , 2010, , 35-70.e41. | | 14 |
| 343 | A Clinical Study of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: Efficacy of Treatment in Burn Intensive Care Unit. [Chapchi] Journal Taehan Oekwa Hakhoe, 2010, 78, 133. | 1.1 | 4 |
| 344 | Systemic inflammatory response syndrome in diseases of the skin. Postgraduate Medical Journal, 2010, 86, 83-88. | 0.9 | 8 |
| 345 | Caspofungin-Induced Severe Toxic Epidermal Necrolysis. Annals of Pharmacotherapy, 2010, 44, 1116-1118. | 0.9 | 10 |
| 346 | Beriplex â€˜ the new generation haemorrhage stopper. Journal of Obstetrics and Gynaecology, 2010, 30, 872-873. | 0.4 | 0 |
| 347 | Severe Pneumonia Caused by Combined Infection with Pneumocystis jiroveci, Parainfluenza Virus Type 3, Cytomegalovirus, and Aspergillus fumigatus in a Patient with Stevens-Johnson Syndrome/toxic Epidermal Necrolysis. Acta Dermato-Venereologica, 2010, 90, 625-629. | 0.6 | 10 |
| 348 | Concurrence of Stevens-Johnson Syndrome and Bilateral Parotitis after Minocycline Therapy. Case Reports in Dermatology, 2010, 2, 88-94. | 0.3 | 9 |
| 349 | Functionally Active Macrophage-Derived Myeloperoxidase in the Skin of Drug-Induced Toxic Epidermal Necrolysis. Dermatology, 2010, 220, 201-207. | 0.9 | 15 |
| 355 | Severe adverse skin reactions to nonsteroidal antiinflammatory drugs: A review of the literature. American Journal of Health-System Pharmacy, 2010, 67, 206-213. | 0.5 | 67 |
| 356 | CD94/NKG2C is a killer effector molecule in patients with Stevens-Johnson syndrome and toxic epidermal necrolysis. Journal of Allergy and Clinical Immunology, 2010, 125, 703-710.e8. | 1.5 | 58 |
| 357 | Association between prostaglandin E receptor 3 polymorphisms and Stevens-Johnson syndrome identified by means of a genome-wide association study. Journal of Allergy and Clinical Immunology, 2010, 126, 1218-1225.e10. | 1.5 | 59 |
| 358 | Pharmacogenetics of toxic epidermal necrolysis. Expert Opinion on Pharmacotherapy, 2010, 11, 2153-2162. | 0.9 | 17 |
| 359 | Toxic epidermal necrolysis and Stevens-Johnson syndrome. Orphanet Journal of Rare Diseases, 2010, 5, 39. | 1.2 | 434 |
| 360 | New Insights in Toxic Epidermal Necrolysis (Lyellâ€™s Syndrome). Drug Safety, 2010, 33, 189-212. | 1.4 | 42 |
| 361 | AquacelÂ® Ag with Vaseline gauze in the management of toxic epidermal necrolysis (TEN). Burns, 2010, 36, 121-126. | 1.1 | 24 |
| 362 | Severe cutaneous adverse drug reactions: who should treat, where and how?: Facts and controversies. Clinics in Dermatology, 2010, 28, 344-348. | 0.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 363 | Ophthalmic Manifestations of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis and Relation to SCORTEN. American Journal of Ophthalmology, 2010, 150, 505-510.e1. | 1.7 | 74 |
| 364 | Severe Cutaneous Adverse Reactions: Acute Generalized Exanthematous Pustulosis, Toxic Epidermal Necrolysis and Stevens-Johnson Syndrome. Medical Clinics of North America, 2010, 94, 727-742. | 1.1 | 40 |
| 365 | Drug Allergy: An Updated Practice Parameter. Annals of Allergy, Asthma and Immunology, 2010, 105, 259-273.e78. | 0.5 | 817 |
| 366 | The Ophthalmologist's Role in the Management of Acute Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. Ocular Surface, 2010, 8, 193-203. | 2.2 | 24 |
| 367 | Pharmacogenetic considerations in the treatment of psychiatric disorders. Expert Opinion on Pharmacotherapy, 2010, 11, 423-439. | 0.9 | 36 |
| 368 | Early gynaecological assessment following Stevens-Johnson syndrome/toxic epidermal necrolysis. Journal of Obstetrics and Gynaecology, 2010, 30, 871-872. | 0.4 | 3 |
| 369 | A World Allergy Organization International Survey on Diagnostic Procedures and Therapies in Drug Allergy/Hypersensitivity. World Allergy Organization Journal, 2011, 4, 257-270. | 1.6 | 46 |
| 372 | Patient Experiences of Serious Adverse Drug Reactions and Their Attitudes to Medicines. Drug Safety, 2011, 34, 319-328. | 1.4 | 52 |
| 374 | The MASCC Textbook of Cancer Supportive Care and Survivorship. , 2011, , . | | 11 |
| 375 | Shape and configuration of skin lesions: Targetoid lesions. Clinics in Dermatology, 2011, 29, 504-508. | 0.8 | 16 |
| 376 | Erythema marginatum hemorrhagicum: A unique cutaneous side effect of sorafenib. Journal of the American Academy of Dermatology, 2011, 64, 1194-1196. | 0.6 | 7 |
| 377 | Seasonal variation of Stevens-Johnson syndrome and toxic epidermal necrolysis associated with trimethoprim-sulfamethoxazole. Journal of the American Academy of Dermatology, 2011, 64, 1193-1194. | 0.6 | 4 |
| 379 | SEVERE, ACUTE ADVERSE CUTANEOUS DRUG REACTIONS I: STEVENS-JOHNSON SYNDROME AND TOXIC EPIDERMAL NECROLYSIS. , 0, , 154-161. | | 1 |
| 380 | Severe Drug-Induced Skin Reactions: Clinical Pattern, Diagnostics and Therapy. , 2011, , . | | 10 |
| 381 | Stevens-Johnson Syndrome Induced by Vandetanib. Annals of Dermatology, 2011, 23, S343. | 0.3 | 22 |
| 382 | Management of treatment-related dermatologic adverse effects. , 2011, , 115-120. | | 0 |
| 383 | Toxic Epidermal Necrolysis Associated with Sorafenib and Tosufloxacin in a Patient with Hepatocellular Carcinoma. Annals of Dermatology, 2011, 23, S404. | 0.3 | 8 |
| 384 | Evaluation of SCORTEN on a Cohort of Patients With Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis Included in the RegiSCAR Study. Journal of Burn Care and Research, 2011, 32, 237-245. | 0.2 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 385 | In a Patient With Toxic Epidermal Necrolysis, Does Intravenous Immunoglobulin Improve Survival Compared With Supportive Care?. <i>Archives of Dermatology</i> , 2011, 147, 1437. | 1.7 | 12 |
| 386 | Severe Obliterative Bronchitis Associated with Stevens-Johnson Syndrome. <i>Internal Medicine</i> , 2011, 50, 2823-2827. | 0.3 | 19 |
| 387 | NKp46 ⁺ cells express granulysin in multiple cutaneous adverse drug reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1469-1476. | 2.7 | 45 |
| 388 | Hematological abnormalities and the use of granulocyte colony-stimulating factor in patients with Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>International Journal of Dermatology</i> , 2011, 50, 1570-1578. | 0.5 | 16 |
| 389 | Evaluation of serum cytokine levels in toxic epidermal necrolysis and Stevens-Johnson syndrome compared with other delayed-type adverse drug reactions. <i>Journal of Dermatology</i> , 2011, 38, 1076-1079. | 0.6 | 11 |
| 390 | Pharmacogenetics of cutaneous adverse drug reactions. <i>Journal of Dermatology</i> , 2011, 38, 246-254. | 0.6 | 91 |
| 392 | Approach to the hospitalized patient with targetoid lesions. <i>Dermatologic Therapy</i> , 2011, 24, 196-206. | 0.8 | 28 |
| 393 | Stevens-Johnson syndrome and toxic epidermal necrolysis in children: a review of the experience with paediatric patients in a University Hospital. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 1153-1159. | 1.3 | 51 |
| 394 | Phenotype Standardization for Immune-Mediated Drug-Induced Skin Injury. <i>Clinical Pharmacology and Therapeutics</i> , 2011, 89, 896-901. | 2.3 | 99 |
| 395 | Association of HLA-B*5801 allele and allopurinol-induced Stevens-Johnson syndrome and toxic epidermal necrolysis: a systematic review and meta-analysis. <i>BMC Medical Genetics</i> , 2011, 12, 118. | 2.1 | 170 |
| 396 | EMPACT syndrome. <i>Cutaneous and Ocular Toxicology</i> , 2011, 30, 328-330. | 0.5 | 7 |
| 397 | Statistical Analysis of Stevens-Johnson Syndrome Caused by Mycoplasma pneumonia Infection in Japan. <i>Allergology International</i> , 2011, 60, 525-532. | 1.4 | 53 |
| 399 | Adverse Events After the Use of Benznidazole in Infants and Children With Chagas Disease. <i>Pediatrics</i> , 2011, 127, e212-e218. | 1.0 | 137 |
| 400 | Toxic Epidermal Necrolysis Associated with TS-1 in a Patient with Gastric Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 666-668. | 0.6 | 10 |
| 401 | Recurrence and Outcomes of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Children. <i>Pediatrics</i> , 2011, 128, 723-728. | 1.0 | 139 |
| 402 | Use of Intravenous Immunoglobulin in Toxic Epidermal Necrolysis. <i>Archives of Dermatology</i> , 2011, 147, 1440. | 1.7 | 10 |
| 403 | Severe cutaneous adverse reactions to antiepileptic drugs in Asians. <i>Neurology</i> , 2011, 77, 2025-2033. | 1.5 | 97 |
| 404 | Toxic epidermal necrolysis and Stevens-Johnson syndrome: A review*. <i>Critical Care Medicine</i> , 2011, 39, 1521-1532. | 0.4 | 160 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 405 | Investigation of Mannose-binding Lectin gene Polymorphism in Patients with Erythema Multiforme, Stevens Johnson Syndrome and Stevens Johnson Syndrome/Toxic Epidermal Necrolysis Overlap Syndrome. <i>Balkan Medical Journal</i> , 2012, 29, 310-3. | 0.3 | 0 |
| 406 | Herpes Zoster in Patients with Drug-induced Hypersensitivity Syndrome/DRESS. <i>Acta Dermato-Venereologica</i> , 2012, 92, 206-207. | 0.6 | 13 |
| 407 | Profile and Pattern of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in a General Hospital in Singapore: Treatment Outcomes. <i>Acta Dermato-Venereologica</i> , 2012, 92, 62-66. | 0.6 | 41 |
| 408 | Can Vitamin B-Complex Aggravate the Carbamazepine Induced Toxic Epidermal Necrolysis?. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2012, 6, 1571-3. | 0.8 | 2 |
| 409 | How Epidemiology Has Contributed to a Better Understanding of Skin Disease. <i>Journal of Investigative Dermatology</i> , 2012, 132, 994-1002. | 0.3 | 14 |
| 411 | Genome-wide association study of serious blistering skin rash caused by drugs. <i>Pharmacogenomics Journal</i> , 2012, 12, 96-104. | 0.9 | 31 |
| 412 | <i>HLA-B*58:01</i> allele is associated with augmented risk for both mild and severe cutaneous adverse reactions induced by allopurinol in Han Chinese. <i>Pharmacogenomics</i> , 2012, 13, 1193-1201. | 0.6 | 92 |
| 413 | Epidemiology of Cutaneous Adverse Drug Reactions. <i>Chemical Immunology and Allergy</i> , 2012, 97, 1-17. | 1.7 | 71 |
| 414 | Toxic epidermal necrolysis caused by fluconazole in a patient with human immunodeficiency virus infection. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2012, 3, 276-278. | 0.2 | 11 |
| 415 | Toxic Epidermal Necrolysis. <i>Journal of Burn Care and Research</i> , 2012, 33, e295-e308. | 0.2 | 52 |
| 416 | The last word on the so-called "Rowell's syndrome"? <i>Lupus</i> , 2012, 21, 577-585. | 0.8 | 47 |
| 417 | Toxic epidermal necrolysis and Stevens-Johnson syndrome in South Africa: a 3-year prospective study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2012, 105, 839-846. | 0.2 | 31 |
| 418 | Proteomic Kinetic Analysis of Blister Fluid and Serum in a Patient with Drug-Induced Toxic Epidermal Necrolysis. A Comparison with Skin Immunohistochemistry. <i>Current Drug Safety</i> , 2012, 7, 339-351. | 0.3 | 7 |
| 419 | Toxic Epidermal Necrolysis in an Irradiated Patient Treated with a Nanocrystalline Silver Dressing. <i>Case Reports in Dermatology</i> , 2012, 4, 72-75. | 0.3 | 3 |
| 420 | Indications and Outcomes of Amniotic Membrane Transplantation in the Management of Acute Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Cornea</i> , 2012, 31, 1394-1402. | 0.9 | 79 |
| 421 | <i>Mycoplasma pneumoniae</i> und Mukositis - Entität innerhalb des Spektrums des Stevens-Johnson-Syndroms. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012, 10, 740-746. | 0.4 | 6 |
| 422 | The role of prior corticosteroid use on the clinical course of Stevens-Johnson syndrome and toxic epidermal necrolysis: a case-control analysis of patients selected from the multinational EuroSCAR and RegiSCAR studies. <i>British Journal of Dermatology</i> , 2012, 167, 555-562. | 1.4 | 64 |
| 423 | Internet Accounts of Serious Adverse Drug Reactions. <i>Drug Safety</i> , 2012, 35, 1159-1170. | 1.4 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 424 | Incidence of Toxic Epidermal Necrolysis and Stevens-Johnson Syndrome in an HIV Cohort. <i>American Journal of Clinical Dermatology</i> , 2012, 13, 49-54. | 3.3 | 95 |
| 425 | Acute skin failure. <i>BMJ, The</i> , 2012, 345, e5028-e5028. | 3.0 | 1 |
| 426 | Safety and Tolerability of Antiepileptic Drug Treatment in Children with Epilepsy. <i>Drug Safety</i> , 2012, 35, 519-533. | 1.4 | 41 |
| 427 | Toxic epidermal necrolysis in a 15-month-old girl successfully treated with amniotic membrane transplantation. <i>Journal of AAPOS</i> , 2012, 16, 478-480. | 0.2 | 10 |
| 428 | Skin Signs of Severe Systemic Medication Reactions. <i>Current Problems in Pediatric and Adolescent Health Care</i> , 2012, 42, 193-197. | 0.8 | 0 |
| 429 | SÃndrome de Stevens-Johnson. <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2012, 19, 622-623. | 0.0 | 0 |
| 430 | Atlas of Dermatology in Internal Medicine. , 2012, , . | | 4 |
| 431 | Acute compartment syndrome of the forearm as a rare complication of toxic epidermal necrolysis: a case report. <i>Journal of Medical Case Reports</i> , 2012, 6, 84. | 0.4 | 3 |
| 432 | A sÃndrome de Stevens-Johnson em pacientes neurocirÃrgicos. <i>Brazilian Neurosurgery</i> , 2012, 31, 231-236. | 0.0 | 0 |
| 433 | Pharmacogenetics in psychiatry. , 0, , 53-68. | | 2 |
| 434 | Causes and Treatment Outcomes of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in 82 Adult Patients. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 203. | 0.7 | 50 |
| 435 | Spontaneous adverse event reports of Stevensâ€Johnson syndrome/toxic epidermal necrolysis: detecting associations with medications. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 289-296. | 0.9 | 29 |
| 436 | Drugâ€induced Stevensâ€Johnson syndrome: case series from tertiary care centre in Gujarat. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 384-395. | 0.9 | 11 |
| 437 | Validation of a claimsâ€based diagnostic code for Stevensâ€Johnson syndrome in a commercially insured population. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 760-764. | 0.9 | 8 |
| 438 | Lenalidomide cutaneous adverse event: a case of Stevensâ€Johnson syndrome (SJS) in a primary plasma cell leukaemia patient treated with lenalidomide and dexamethasone. <i>Supportive Care in Cancer</i> , 2012, 20, 1585-1587. | 1.0 | 6 |
| 439 | Stevens-Johnson syndrome and toxic epidermal necrolysis in patients with lupus erythematosus: a descriptive study of 17 cases from a national registry and review of the literature. <i>British Journal of Dermatology</i> , 2012, 166, 575-600. | 1.4 | 69 |
| 440 | A comprehensive 4-year survey of adverse drug reactions using a network-based hospital system. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2012, 37, 647-651. | 0.7 | 16 |
| 441 | <i>Mycoplasma pneumoniae</i> and mucositis â€ part of the Stevensâ€Johnson syndrome spectrum. <i>JDDG - Journal of the German Society of Dermatology</i> , 2012, 10, 740-745. | 0.4 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 442 | Distinguishing between erythema multiforme major and Stevens-Johnson syndrome/toxic epidermal necrolysis immunopathologically. <i>Journal of Dermatology</i> , 2012, 39, 781-786. | 0.6 | 26 |
| 443 | Association between HLA-B*58:01 allele and severe cutaneous adverse reactions with allopurinol in Han Chinese in Hong Kong. <i>British Journal of Dermatology</i> , 2012, 167, 44-49. | 1.4 | 84 |
| 444 | Clinical features, diagnosis, and treatment of erythema multiforme: a review for the practicing dermatologist. <i>International Journal of Dermatology</i> , 2012, 51, 889-902. | 0.5 | 244 |
| 445 | Stevens-Johnson syndrome and toxic epidermal necrolysis overlap in a patient receiving cetuximab and radiotherapy for head and neck cancer. <i>International Journal of Dermatology</i> , 2012, 51, 864-867. | 0.5 | 21 |
| 447 | Toxic epidermal necrolysis. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 173.e1-173.e13. | 0.6 | 396 |
| 448 | Genetic association of IFN- γ +874T/A polymorphism in Mexican patients with drug-induced Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>Archives of Dermatological Research</i> , 2013, 305, 353-357. | 1.1 | 1 |
| 449 | Stevens-Johnson syndrome complicating adalimumab therapy in rheumatoid arthritis disease. <i>Rheumatology International</i> , 2013, 33, 1351-1353. | 1.5 | 17 |
| 450 | Eritema multiforme fotodistribuido. <i>Actas Dermo-sifiligráficas</i> , 2013, 104, 645-653. | 0.2 | 14 |
| 452 | A case of toxic epidermal necrolysis-like skin lesions with systemic lupus erythematosus and review of the literature. <i>Lupus</i> , 2013, 22, 839-846. | 0.8 | 29 |
| 453 | Characteristics of liver injury in drug-induced systemic hypersensitivity reactions. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 407-415. | 0.6 | 68 |
| 454 | Erythema multiforme major following treatment with infliximab. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 115, e36-e40. | 0.2 | 21 |
| 456 | Epidermal necrolysis (Stevens-Johnson syndrome and toxic epidermal necrolysis): Historical considerations. <i>Dermatologica Sinica</i> , 2013, 31, 169-174. | 0.2 | 10 |
| 457 | Immunoglobulin injection for the treatment of multiple oral ulcers in Stevens-Johnson syndrome. <i>European Archives of Paediatric Dentistry: Official Journal of the European Academy of Paediatric Dentistry</i> , 2013, 14, 355-358. | 0.7 | 3 |
| 458 | Bronchiolitis obliterans associated with Stevens-Johnson Syndrome: histopathological bronchial reconstruction of the whole lung and immunohistochemical study. <i>Diagnostic Pathology</i> , 2013, 8, 134. | 0.9 | 23 |
| 459 | The role of intravenous immunoglobulin in toxic epidermal necrolysis: a retrospective analysis of 64 patients managed in a specialized centre. <i>British Journal of Dermatology</i> , 2013, 169, 1304-1309. | 1.4 | 95 |
| 460 | Prognostic value of histologic features of toxic epidermal necrolysis. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, e29-e35. | 0.6 | 34 |
| 461 | Photodistributed Erythema Multiforme. <i>Actas Dermo-sifiligráficas</i> , 2013, 104, 645-653. | 0.2 | 5 |
| 462 | A Dire Reaction: Rash after Amiodarone Administration. <i>American Journal of Medicine</i> , 2013, 126, 301-303. | 0.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 463 | Stevens-Johnson syndrome and toxic epidermal necrolysis in sub-Saharan Africa: a multicentric study in four countries. <i>International Journal of Dermatology</i> , 2013, 52, 575-579. | 0.5 | 38 |
| 464 | A review of causes of Stevens-Johnson syndrome and toxic epidermal necrolysis in children. <i>Archives of Disease in Childhood</i> , 2013, 98, 998-1003. | 1.0 | 109 |
| 465 | Question 2: Would systemic steroids be useful in the management of Stevens-Johnson syndrome?. <i>Archives of Disease in Childhood</i> , 2013, 98, 828-830. | 1.0 | 10 |
| 466 | <i>In vitro</i> drug causality assessment in Stevens-Johnson syndrome alternatives for lymphocyte transformation test. <i>Clinical and Experimental Allergy</i> , 2013, 43, 1027-1037. | 1.4 | 110 |
| 467 | Stevens-Johnson syndrome/toxic epidermal necrolysis mouse model generated by using PBMCs and the skin of patients. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 434-441.e9. | 1.5 | 25 |
| 468 | Methylprednisolone pulse therapy for Stevens-Johnson syndrome/toxic epidermal necrolysis: Clinical evaluation and analysis of biomarkers. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 496-498. | 0.6 | 55 |
| 469 | Clinical Stevens-Johnson syndrome and rufinamide: A clinical case. <i>Allergologia Et Immunopathologia</i> , 2013, 41, 68-69. | 1.0 | 8 |
| 470 | Urticaria Multiforme in an 18-Year-Old Girl. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2013, 1, 520-521. | 2.0 | 4 |
| 471 | Acute blistering diseases on the burn ward: Beyond Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Burns</i> , 2013, 39, 1290-1296. | 1.1 | 6 |
| 472 | SCORTEN and impaired renal function related to mortality of toxic epidermal necrolysis syndrome patients in the Asian population. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 628-633. | 1.3 | 23 |
| 473 | Prognosis of generalized bullous fixed drug eruption: comparison with Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 2013, 168, 726-732. | 1.4 | 100 |
| 474 | Erythema Multiforme, Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. , 2013, , 231-241. | | 1 |
| 475 | Elevation of Conjunctival Epithelial CD45 ^{INT} CD11b ⁺ CD16 ⁺ CD14 ⁺ Neutrophils in Ocular Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. , 2013, 54, 4578. | | 22 |
| 476 | The risk of cutaneous adverse reactions among patients with the HLA-A* 31:01 allele who are given carbamazepine, oxcarbazepine or eslicarbazepine: a perspective review. <i>Therapeutic Advances in Drug Safety</i> , 2013, 4, 246-253. | 1.0 | 26 |
| 477 | French referral center management of Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>Dermatologica Sinica</i> , 2013, 31, 191-195. | 0.2 | 18 |
| 478 | Specific HLA types are associated with antiepileptic drug-induced Stevens-Johnson syndrome and toxic epidermal necrolysis in Japanese subjects. <i>Pharmacogenomics</i> , 2013, 14, 1821-1831. | 0.6 | 60 |
| 479 | <i>In vitro</i> diagnostic assays are effective during the acute phase of delayed-type drug hypersensitivity reactions. <i>British Journal of Dermatology</i> , 2013, 168, 539-549. | 1.4 | 63 |
| 480 | Drug reaction with eosinophilia and systemic symptoms (DRESS): an original multisystem adverse drug reaction. Results from the prospective RegiSCAR study. <i>British Journal of Dermatology</i> , 2013, 169, 1071-1080. | 1.4 | 652 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 481 | Lack of a Specific Humoral Autoreactivity in Sera from Patients with Early Erythema Exsudativum Multiforme Majus. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2799-2802. | 0.3 | 3 |
| 482 | A whole-genome association study of major determinants for allopurinol-related Stevens-Johnson syndrome and toxic epidermal necrolysis in Japanese patients. <i>Pharmacogenomics Journal</i> , 2013, 13, 60-69. | 0.9 | 160 |
| 483 | Comprehensive Survival Analysis of a Cohort of Patients with Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1197-1204. | 0.3 | 312 |
| 484 | Toxic epidermal necrolysis. Report of two cases. Severe skin rash caused by common drugs. <i>Nasza Dermatologia Online</i> , 2013, 4, 517-521. | 0.0 | 0 |
| 485 | Retrospective analysis of Steven Johnson syndrome and toxic epidermal necrolysis over a period of 5 years from northern Karnataka, India. <i>Indian Journal of Pharmacology</i> , 2013, 45, 80. | 0.4 | 17 |
| 486 | Low dose intravenous immunoglobulins and steroids in toxic epidermal necrolysis: A prospective comparative open-labelled study of 36 cases. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013, 79, 506. | 0.2 | 42 |
| 487 | Aceclofenac induced Stevens-Johnson/toxic epidermal necrolysis overlap syndrome. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2013, 4, 69. | 0.2 | 5 |
| 488 | A systematic review of the drug-induced Stevens-Johnson syndrome and toxic epidermal necrolysis in Indian population. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013, 79, 389. | 0.2 | 87 |
| 489 | A Case of Microstomia Subsequent to Toxic Epidermal Necrolysis Surgically Treated by Simple Technique. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2013, 1, e21. | 0.3 | 2 |
| 490 | Stevens-Johnson Syndrome and HIV in Children in Swaziland. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 1354-1358. | 1.1 | 11 |
| 491 | Serum antibody response to group II chaperonin from <i>Methanobrevibacter oralis</i> and human chaperonin CCT. <i>Pathogens and Disease</i> , 2013, 68, 12-19. | 0.8 | 20 |
| 493 | Pediatric Toxic Epidermal Necrolysis. <i>Journal of Burn Care and Research</i> , 2013, 34, e351-e358. | 0.2 | 14 |
| 495 | Toxic epidermal necrolysis induced by lansoprazole*. <i>Anais Brasileiros De Dermatologia</i> , 2013, 88, 117-120. | 0.5 | 12 |
| 496 | A 13-Year-Old Boy with Pharyngitis, Oral Ulcers, and Dehydration. <i>Pediatric Annals</i> , 2013, 42, 148-150. | 0.3 | 7 |
| 497 | Stevens-Johnson syndrome / toxic epidermal necrolysis: an Asia-Pacific perspective. <i>Asia Pacific Allergy</i> , 2013, 3, 215-223. | 0.6 | 37 |
| 498 | Effect of Age and Early Intervention with a Systemic Steroid, Intravenous Immunoglobulin or Amniotic Membrane Transplantation on the Ocular Outcomes of Patients with Stevens-Johnson Syndrome. <i>Korean Journal of Ophthalmology: KJO</i> , 2013, 27, 331. | 0.5 | 38 |
| 499 | Severe Cutaneous Adverse Reactions. , 0, , . | | 0 |
| 500 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: Medical and Societal Impact. <i>Current Immunology Reviews</i> , 2014, 10, 4-6. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 501 | Effector Cells and Downstream Mediators in Severe Cutaneous Adverse Reactions. <i>Current Immunology Reviews</i> , 2014, 10, 24-32. | 1.2 | 2 |
| 502 | Toxic epidermal necrolysis: a retrospective analysis of 17 cases from Central Tunisia. <i>Pan African Medical Journal</i> , 2014, 19, 269. | 0.3 | 3 |
| 504 | <i>Mycoplasma pneumoniae</i> Associated Mucocutaneous Disease in Children: Dilemmas in Classification. <i>Pediatric Dermatology</i> , 2014, 31, 670-675. | 0.5 | 16 |
| 505 | Retrospective Analysis of Corticosteroid Treatment in Stevens-Johnson Syndrome and/or Toxic Epidermal Necrolysis over a Period of 10 Years in Vajira Hospital, Navamindradhiraj University, Bangkok. <i>Dermatology Research and Practice</i> , 2014, 2014, 1-5. | 0.3 | 21 |
| 506 | Cutaneous drug reactions in childhood. <i>Journal of Clinical and Experimental Investigations</i> , 2014, 5, . | 0.1 | 0 |
| 507 | The dynamics of herpesvirus reactivations during and after severe drug eruptions: their relation to the clinical phenotype and therapeutic outcome. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 798-805. | 2.7 | 88 |
| 509 | Diclofenac-Serratiopeptidase Combination Induced Stevens Johnson Syndrome - A Rare Case Report with Review of Literature. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, YD08-11. | 0.8 | 2 |
| 510 | Life-threatening dermatologic adverse events in oncology. <i>Anti-Cancer Drugs</i> , 2014, 25, 225-234. | 0.7 | 61 |
| 511 | Erythema Multiforme, Stevens Johnson Syndrome, and Toxic Epidermal Necrolysis Syndrome in Patients Undergoing Radiation Therapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2014, 37, 506-513. | 0.6 | 27 |
| 512 | Acute Respiratory Failure in Patients With Toxic Epidermal Necrolysis. <i>Critical Care Medicine</i> , 2014, 42, 118-128. | 0.4 | 72 |
| 513 | Stevens-John syndrome and toxic epidermal necrolysis: clinical patterns, diagnostic considerations, etiology, and therapeutic management. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2014, 33, 10-16. | 1.6 | 87 |
| 515 | Stevens–Johnson Syndrome and toxic epidermalnecrolysis: a multi-aspect comparative 7-year study from the People’s Republic of China. <i>Drug Design, Development and Therapy</i> , 2014, 8, 2539. | 2.0 | 14 |
| 516 | HLA Associations and Clinical Implications in T-Cell Mediated Drug Hypersensitivity Reactions: An Updated Review. <i>Journal of Immunology Research</i> , 2014, 2014, 1-8. | 0.9 | 58 |
| 517 | A successful pregnancy outcome after Stevens’Johnson Syndrome. <i>Journal of Obstetrics and Gynaecology</i> , 2014, 34, 445-446. | 0.4 | 8 |
| 518 | Phenylbutazone-induced generalized bullous fixed drug eruption masquerading Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>International Journal of Nutrition, Pharmacology, Neurological Diseases</i> , 2014, 4, 39. | 0.6 | 0 |
| 520 | HIV infection predisposes skin to toxic epidermal necrolysis via depletion of skin-directed CD4+ T cells. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 1096-1102. | 0.6 | 39 |
| 521 | Severe Cutaneous Adverse Reactions Related to Systemic Antibiotics. <i>Clinical Infectious Diseases</i> , 2014, 58, 1377-1385. | 2.9 | 88 |
| 522 | Evidence of Neuropsychological Dysfunction in Stevens’Johnson Syndrome and Toxic Epidermal Necrolysis: Case Report. <i>Clinical Neuropsychologist</i> , 2014, 28, 841-850. | 1.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 523 | Clinical Application of Pharmacogenomics: The Example of HLA-Based Drug-Induced Toxicity. <i>Public Health Genomics</i> , 2014, 17, 248-255. | 0.6 | 18 |
| 524 | Erythema multiforme, Stevens-Johnson syndrome and toxic epidermal necrolysis: a comparative review. <i>Veterinary Dermatology</i> , 2014, 25, 406. | 0.4 | 55 |
| 526 | HLA-A*31:01 and different types of carbamazepine-induced severe cutaneous adverse reactions: an international study and meta-analysis. <i>Pharmacogenomics Journal</i> , 2014, 14, 281-288. | 0.9 | 199 |
| 527 | Paracetamol induced Stevens-Johnson syndrome and toxic epidermal necrolysis overlap syndrome. <i>International Journal of Dermatology</i> , 2014, 53, 1042-1044. | 0.5 | 22 |
| 528 | Tear Exchangeable Limbal Rigid Contact Lens for Ocular Sequelae Resulting From Stevens-Johnson Syndrome or Toxic Epidermal Necrolysis. <i>American Journal of Ophthalmology</i> , 2014, 158, 983-993.e1. | 1.7 | 32 |
| 530 | Management of Nonimmediate Hypersensitivity Reactions to Drugs. <i>Immunology and Allergy Clinics of North America</i> , 2014, 34, 473-487. | 0.7 | 20 |
| 531 | Antiviral Drug Allergy. <i>Immunology and Allergy Clinics of North America</i> , 2014, 34, 645-662. | 0.7 | 10 |
| 532 | Retrospective review of Stevens-Johnson syndrome/toxic epidermal necrolysis treatment comparing intravenous immunoglobulin with cyclosporine. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 941-947. | 0.6 | 144 |
| 533 | A Topical Matter: Toxic Epidermal Necrolysis. <i>American Journal of Medicine</i> , 2014, 127, 931-932. | 0.6 | 3 |
| 534 | Stevens-Johnson syndrome induced by the cross-reactivity between teicoplanin and vancomycin. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014, 39, 442-445. | 0.7 | 15 |
| 535 | Severe flucloxacillin-induced acute generalized exanthematous pustulosis (AGEP), with toxic epidermal necrolysis (TEN)-like features: does overlap between AGEP and TEN exist? Clinical report and review of the literature. <i>British Journal of Dermatology</i> , 2014, 171, 1539-1545. | 1.4 | 29 |
| 536 | Effect of N-acetylcysteine combined with infliximab on toxic epidermal necrolysis. A proof-of-concept study. <i>Burns</i> , 2014, 40, 1707-1712. | 1.1 | 23 |
| 537 | TNF- α as a useful predictor of human herpesvirus-6 reactivation and indicator of the disease process in drug-induced hypersensitivity syndrome (DIHS)/drug reaction with eosinophilia and systemic symptoms (DRESS). <i>Journal of Dermatological Science</i> , 2014, 74, 177-179. | 1.0 | 14 |
| 538 | An update on pediatric cutaneous drug eruptions. <i>Clinics in Dermatology</i> , 2014, 32, 516-523. | 0.8 | 19 |
| 539 | Toxic epidermal necrolysis (TEN): The Chelsea and Westminster Hospital wound management algorithm. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2014, 67, 1026-1032. | 0.5 | 29 |
| 540 | Hospital management and clinical factors associated with ophthalmic involvement in Toxic Epidermal Necrolysis. <i>Burns</i> , 2014, 40, 903-908. | 1.1 | 3 |
| 541 | Hypersensitivity to Antiepileptic Drugs. <i>Immunology and Allergy Clinics of North America</i> , 2014, 34, 633-643. | 0.7 | 17 |
| 542 | Exudado uretral y afectación mucocutánea. <i>Revista Clinica Espanola</i> , 2014, 214, e91-e92. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 543 | Drug Induced Erythema Multiforme: Two Case Series with Review of Literature. Journal of Clinical and Diagnostic Research JCDR, 2014, 8, ZH01-4. | 0.8 | 12 |
| 545 | Drug-mediated rash: erythema multiforme versus Stevens-Johnson syndrome. BMJ Case Reports, 2014, 2014, bcr2014205543-bcr2014205543. | 0.2 | 3 |
| 546 | SJS/TEN Overlap Associated with Lomefloxacin: Case Report and Molecular Typing Studies. Dermatology, 2014, 229, 319-323. | 0.9 | 3 |
| 547 | Fatal case of cephalexin-induced toxic epidermal necrolysis. SAGE Open Medical Case Reports, 2014, 2, 2050313X1453225. | 0.2 | 2 |
| 548 | A Suspected Case of Efavirenz-Induced Stevens-Johnson Syndrome. Drug Safety - Case Reports, 2015, 2, 15. | 0.9 | 6 |
| 549 | Severe drug-induced skin reactions: clinical features, diagnosis, etiology, and therapy. JDDG - Journal of the German Society of Dermatology, 2015, 13, 625-643. | 0.4 | 62 |
| 550 | Efficacy of additional i.v. immunoglobulin to steroid therapy in Stevens-Johnson syndrome and toxic epidermal necrolysis. Journal of Dermatology, 2015, 42, 768-777. | 0.6 | 50 |
| 551 | Topical clobetasol for the treatment of toxic epidermal necrolysis: study protocol for a randomized controlled trial. Trials, 2015, 16, 374. | 0.7 | 4 |
| 552 | Drugs causing severe ocular surface involvements in Japanese patients with Stevens-Johnson syndrome/toxic epidermal necrolysis. Allergology International, 2015, 64, 379-381. | 1.4 | 15 |
| 553 | Stevens-Johnson syndrome and toxic epidermal necrolysis in patients with malignancies. British Journal of Dermatology, 2015, 173, 1224-1231. | 1.4 | 26 |
| 554 | Occupational toxic epidermal necrolysis associated with dalbergia cochinchinensis: a retrospective comparative study of eight cases in China. International Journal of Dermatology, 2015, 54, 1435-1441. | 0.5 | 7 |
| 555 | Human herpes virus reactivations and dynamic cytokine profiles in patients with cutaneous adverse drug reactions: a prospective comparative study. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 568-575. | 2.7 | 49 |
| 556 | Epidermal necrolysis: 60 years of errors and advances. British Journal of Dermatology, 2015, 173, 1250-1254. | 1.4 | 53 |
| 557 | A clinicotherapeutic analysis of Stevens-Johnson syndrome and toxic epidermal necrolysis with an emphasis on the predictive value and accuracy of SCORe of Toxic Epidermal Necrolysis. International Journal of Dermatology, 2015, 54, e18-26. | 0.5 | 19 |
| 558 | Ofloxacin Induced Cutaneous Reactions in Children. Journal of Clinical and Diagnostic Research JCDR, 2015, 9, FD01-2. | 0.8 | 5 |
| 559 | Predictive Factors Associated With Acute Ocular Involvement in Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. American Journal of Ophthalmology, 2015, 160, 228-237.e2. | 1.7 | 104 |
| 560 | Lamotrigine-induced severe cutaneous adverse reaction: Update data from 1999-2014. Journal of Clinical Neuroscience, 2015, 22, 1005-1011. | 0.8 | 32 |
| 561 | Recent advances of pharmacogenomics in severe cutaneous adverse reactions: immune and nonimmune mechanisms. Asia Pacific Allergy, 2015, 5, 59-67. | 0.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 562 | Schwere arzneimittelinduzierte Hautreaktionen: Klinik, Diagnostik, Ätiologie und Therapie. JDDG - Journal of the German Society of Dermatology, 2015, 13, 625-645. | 0.4 | 39 |
| 563 | rs9263726 is a specific genetic marker for allopurinol-induced severe cutaneous adverse reactions in Chinese patients. Personalized Medicine, 2015, 12, 585-592. | 0.8 | 6 |
| 564 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. JAMA Dermatology, 2015, 151, 302. | 2.0 | 31 |
| 565 | The Role of Systemic Immunomodulatory Treatment and Prognostic Factors on Chronic Ocular Complications in Stevens-Johnson Syndrome. Ophthalmology, 2015, 122, 254-264. | 2.5 | 48 |
| 566 | IKZF1, a new susceptibility gene for cold medicine-related Stevens-Johnson syndrome/toxic epidermal necrolysis with severe mucosal involvement. Journal of Allergy and Clinical Immunology, 2015, 135, 1538-1545.e17. | 1.5 | 55 |
| 567 | Stevens-Johnson syndrome and toxic epidermal necrolysis: a 20-year single-center experience. International Journal of Dermatology, 2015, 54, 978-984. | 0.5 | 30 |
| 568 | Mycoplasma pneumoniae-induced rash and mucositis as a syndrome distinct from Stevens-Johnson syndrome and erythema multiforme: A systematic review. Journal of the American Academy of Dermatology, 2015, 72, 239-245.e4. | 0.6 | 247 |
| 569 | Mixed Signals: Toxic Epidermal Necrolysis. American Journal of Medicine, 2015, 128, 254-256. | 0.6 | 2 |
| 570 | Lack of cross-toxicity between isoniazid and ethionamide in severe cutaneous adverse drug reactions: a series of 25 consecutive confirmed cases. Journal of Antimicrobial Chemotherapy, 2015, 70, 2648-2651. | 1.3 | 19 |
| 571 | Toxic epidermal necrolysis secondary to Mycoplasma pneumoniae and herpes simplex virus infection. Formosan Journal of Surgery, 2015, 48, 37-43. | 0.1 | 1 |
| 573 | Clinical and Microscopic Characteristics of Canine Toxic Epidermal Necrolysis. Veterinary Pathology, 2015, 52, 321-330. | 0.8 | 17 |
| 574 | Risk of toxic epidermal necrolysis and Stevens-Johnson syndrome associated with benzodiazepines: a population-based cohort study. European Journal of Clinical Pharmacology, 2015, 71, 759-766. | 0.8 | 15 |
| 575 | A 15-Year Review of Pediatric Toxic Epidermal Necrolysis. Journal of Burn Care and Research, 2015, 36, 130-136. | 0.2 | 41 |
| 576 | Independent strong association of HLA-A*02:06 and HLA-B*44:03 with cold medicine-related Stevens-Johnson syndrome with severe mucosal involvement. Scientific Reports, 2014, 4, 4862. | 1.6 | 83 |
| 577 | Development of a simple genotyping method for the HLA-A*31:01-tagging SNP in Japanese. Pharmacogenomics, 2015, 16, 1689-1699. | 0.6 | 9 |
| 578 | Nonbullous Erythema Multiforme in Hospitalized Children: A 10-Year Survey. Pediatric Dermatology, 2015, 32, 701-703. | 0.5 | 8 |
| 579 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: An Update. American Journal of Clinical Dermatology, 2015, 16, 475-493. | 3.3 | 151 |
| 580 | Outbreak of Mycoplasma pneumoniae-Associated Stevens-Johnson Syndrome. Pediatrics, 2015, 136, e386-e394. | 1.0 | 72 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 581 | Stevens-Johnson syndrome and toxic epidermal necrolysis: follow-up of pulmonary function after remission. <i>British Journal of Dermatology</i> , 2015, 172, 400-405. | 1.4 | 26 |
| 582 | Successful Treatment of Refractory Majocchi's Granuloma with Voriconazole and Review of Published Literature. <i>Mycopathologia</i> , 2015, 180, 237-243. | 1.3 | 14 |
| 583 | Stevens-Johnson syndrome and toxic epidermal necrolysis: an update on pharmacogenetics studies in drug-induced severe skin reaction. <i>Pharmacogenomics</i> , 2015, 16, 1989-2002. | 0.6 | 10 |
| 584 | Diclofenac sodium induced Stevens-Johnson syndrome in a hospitalized patient during treatment of splenic injury and mandibular fracture. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2015, 27, 29-32. | 0.2 | 1 |
| 585 | Insights into the poor prognosis of allopurinol-induced severe cutaneous adverse reactions: the impact of renal insufficiency, high plasma levels of oxypurinol and granulysin. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2157-2164. | 0.5 | 160 |
| 586 | Clinical features of and genetic predisposition to drug-induced Stevens-Johnson syndrome and toxic epidermal necrolysis in a single Korean tertiary institution patients: investigating the relation between the HLA-B*4403 allele and lamotrigine. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 35-41. | 0.8 | 25 |
| 587 | Immunological response in Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>Journal of Dermatology</i> , 2015, 42, 42-48. | 0.6 | 35 |
| 588 | Intravenous immunoglobulin in the treatment of Stevens-Johnson syndrome and toxic epidermal necrolysis: a meta-analysis with meta-regression of observational studies. <i>International Journal of Dermatology</i> , 2015, 54, 108-115. | 0.5 | 80 |
| 589 | Ocular Manifestations of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Hanyang Medical Reviews</i> , 2016, 36, 174. | 0.4 | 6 |
| 590 | Ibuprofen induced Stevens-Johnson syndrome - toxic epidermal necrolysis in Nepal. <i>Asia Pacific Allergy</i> , 2016, 6, 70-73. | 0.6 | 25 |
| 591 | Stunted root development: A rare dental complication of Stevens-Johnson syndrome. <i>Journal of Clinical and Experimental Dentistry</i> , 2016, 8, 0-0. | 0.5 | 3 |
| 592 | Incomum caso de eritema multiforme. <i>Revista Da Faculdade De Odontologia (Universidade De Passo Tj ETQq1 1 0,784314 rgBT /Overlock 10 Tf 50 267 T</i> | 0,2 | 0 |
| 593 | Toxic epidermal necrolysis and concurrent granulomatosis with polyangiitis (Wegener's) 2, 205951311664212. | 0.6 | 0 |
| 594 | Long-term Sequelae of Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>Acta Dermato-Venereologica</i> , 2016, 96, 525-529. | 0.6 | 81 |
| 596 | HLA Allele Frequencies in 5802 Koreans: Varied Allele Types Associated with SJS/TEN According to Culprit Drugs. <i>Yonsei Medical Journal</i> , 2016, 57, 118. | 0.9 | 51 |
| 597 | Incidence of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: A Nationwide Population-Based Study Using National Health Insurance Database in Korea. <i>PLoS ONE</i> , 2016, 11, e0165933. | 1.1 | 89 |
| 598 | Evaluation of the patients diagnosed with Stevens Johnson syndrome and toxic epidermal necrolysis: a single center experience. <i>Turk Pediatri Arsivi</i> , 2016, 51, 152-158. | 0.9 | 6 |
| 599 | U.K. guidelines for the management of Stevens-Johnson syndrome/toxic epidermal necrolysis in adults 2016. <i>British Journal of Dermatology</i> , 2016, 174, 1194-1227. | 1.4 | 199 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 600 | Drug-induced liver injury associated with Stevens-Johnson syndrome/toxic epidermal necrolysis: Patient characteristics, causes, and outcome in 36 cases. <i>Hepatology</i> , 2016, 63, 993-999. | 3.6 | 55 |
| 601 | Diagnostic patch testing following tuberculosis-associated cutaneous adverse drug reactions induces systemic reactions in HIV-infected persons. <i>British Journal of Dermatology</i> , 2016, 175, 150-156. | 1.4 | 43 |
| 602 | Stevens-Johnson syndrome/toxic epidermal necrolysis caused by cefadroxil in a cat. <i>Journal of Feline Medicine and Surgery Open Reports</i> , 2016, 2, 205511691665361. | 0.1 | 0 |
| 603 | Ocular manifestations of Stevens-Johnson syndrome and their management. <i>Current Opinion in Ophthalmology</i> , 2016, 27, 522-529. | 1.3 | 55 |
| 604 | Administrative and Survey Data: Potential and Pitfalls. <i>Journal of Investigative Dermatology</i> , 2016, 136, 2122-2124. | 0.3 | 7 |
| 605 | Impact of the HLA-B58:01 Allele and Renal Impairment on Allopurinol-Induced Cutaneous Adverse Reactions. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1373-1381. | 0.3 | 75 |
| 606 | Ocular Manifestations of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Children. <i>American Journal of Ophthalmology</i> , 2016, 166, 68-75. | 1.7 | 57 |
| 607 | A case of Stevens-Johnson syndrome with gross hematuria. <i>International Journal of Women's Dermatology</i> , 2016, 2, 65-66. | 1.1 | 1 |
| 608 | In reply: Oral erythema multiforme: trends and clinical findings of a large retrospective: European case series. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2016, 121, 681-682. | 0.2 | 0 |
| 610 | Burn Care for General Surgeons and General Practitioners. , 2016, , . | | 5 |
| 611 | Morbidity and Mortality of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in United States Adults. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1387-1397. | 0.3 | 218 |
| 612 | Exantema mucocutáneo inducido por <i>Mycoplasma pneumoniae</i> : ¿un nuevo síndrome separado del eritema multiforme? Un nuevo caso y revisión de la literatura. <i>Actas Dermo-sifilográficas</i> , 2016, 107, e47-e51. | 0.2 | 17 |
| 613 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: An Analysis of Triggers and Implications for Improving Prevention. <i>American Journal of Medicine</i> , 2016, 129, 1221-1225. | 0.6 | 56 |
| 614 | Increased risk of strontium ranelate-related SJS/TEN is associated with HLA. <i>Osteoporosis International</i> , 2016, 27, 2577-2583. | 1.3 | 16 |
| 615 | Presumed phenobarbital-induced Stevens-Johnson syndrome in a 4-year-old female Great Dane. <i>Veterinary Quarterly</i> , 2016, 36, 242-246. | 3.0 | 2 |
| 616 | Evaluation of Lymphocyte Transformation Test Results in Patients with Delayed Hypersensitivity Reactions following the Use of Anticonvulsant Drugs. <i>International Archives of Allergy and Immunology</i> , 2016, 170, 158-162. | 0.9 | 29 |
| 617 | A retrospective analysis of Stevens-Johnson syndrome/toxic epidermal necrolysis treated with corticosteroids. <i>International Journal of Dermatology</i> , 2016, 55, 1408-1413. | 0.5 | 26 |
| 619 | Toxic epidermal necrolysis caused by acetaminophen featuring almost 100% skin detachment: Acetaminophen is associated with a risk of severe cutaneous adverse reactions. <i>Journal of Dermatology</i> , 2016, 43, 321-324. | 0.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 620 | Re-evaluation of "drug-induced" erythema multiforme in the medical literature. <i>British Journal of Dermatology</i> , 2016, 175, 650-651. | 1.4 | 12 |
| 621 | Drug induced exfoliative dermatitis: state of the art. <i>Clinical and Molecular Allergy</i> , 2016, 14, 9. | 0.8 | 14 |
| 622 | HLA and Delayed Drug-Induced Hypersensitivity. <i>International Archives of Allergy and Immunology</i> , 2016, 170, 163-179. | 0.9 | 35 |
| 623 | The use of porcine xenografts in patients with toxic epidermal necrolysis. <i>Burns</i> , 2016, 42, 1728-1733. | 1.1 | 9 |
| 624 | Das Dokumentationszentrum schwerer Hautreaktionen. , 2016, , 403-416. | | 1 |
| 625 | <i>Mycoplasma pneumoniae</i> -Induced Mucocutaneous Rash: A New Syndrome Distinct from Erythema Multiforme? Report of a New Case and Review of the Literature. <i>Actas Dermo-sifiligráficas</i> , 2016, 107, e47-e51. | 0.2 | 10 |
| 627 | Deadly Dermatologic Diseases. , 2016, , . | | 2 |
| 628 | Stevens Johnson syndrome/toxic epidermal necrolysis-overlap, induced by lacosamide. <i>European Journal of Dermatology</i> , 2016, 26, 185-186. | 0.3 | 5 |
| 629 | Successful Combination Therapy Including Plasma Exchange for Severe Toxic Epidermal Necrolysis. <i>Journal of General and Family Medicine</i> , 2016, 17, 232-237. | 0.3 | 1 |
| 630 | Two cases of overlap severe cutaneous adverse reactions to benznidazole treatment for asymptomatic Chagas disease in a nonendemic country. <i>British Journal of Dermatology</i> , 2016, 175, 604-607. | 1.4 | 18 |
| 631 | Longitudinal analysis of antibody profiles against plakins in severe drug eruptions: emphasis on correlation with tissue damage in drug-induced hypersensitivity syndrome and drug reaction with eosinophilia and systemic symptoms. <i>British Journal of Dermatology</i> , 2016, 175, 944-952. | 1.4 | 16 |
| 632 | UK guidelines for the management of Stevens"Johnson syndrome/toxic epidermal necrolysis in adults 2016. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, e119-e153. | 0.5 | 67 |
| 633 | Predicting Mechanical Ventilation and Mortality. <i>Journal of Burn Care and Research</i> , 2016, 37, e47-e55. | 0.2 | 7 |
| 634 | Analysis of Ocular Manifestation and Genetic Association of Allopurinol-Induced Stevens"Johnson Syndrome and Toxic Epidermal Necrolysis in South Korea. <i>Cornea</i> , 2016, 35, 199-204. | 0.9 | 17 |
| 635 | Severe cutaneous adverse drug reactions. <i>Journal of Dermatology</i> , 2016, 43, 758-766. | 0.6 | 169 |
| 636 | Burn unit care of Stevens Johnson syndrome/toxic epidermal necrolysis: A survey. <i>Burns</i> , 2016, 42, 830-835. | 1.1 | 28 |
| 637 | Toxicodermias graves: ¿existen las formas combinadas?. <i>Actas Dermo-sifiligráficas</i> , 2016, 107, 23-33. | 0.2 | 12 |
| 638 | Adverse cutaneous drug eruptions: current understanding. <i>Seminars in Immunopathology</i> , 2016, 38, 75-86. | 2.8 | 112 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 639 | Erythema Multiforme in Children and <i>Mycoplasma pneumoniae</i> Aetiology. <i>Journal of Cutaneous Medicine and Surgery</i> , 2016, 20, 453-457. | 0.6 | 24 |
| 640 | Erythema multiforme caused by triple therapy with amoxicillin, clarithromycin and vonoprazan for <i>Helicobacter pylori</i> . <i>Journal of Dermatology</i> , 2016, 43, 340-341. | 0.6 | 11 |
| 641 | Oral erythema multiforme: trends and clinical findings of a large retrospective: European case series. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2016, 121, 681. | 0.2 | 2 |
| 642 | Indications for intubation and early tracheostomy in patients with Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>American Journal of Surgery</i> , 2016, 211, 684-688.e1. | 0.9 | 18 |
| 643 | Severe adverse drug reactions. <i>Clinical Medicine</i> , 2016, 16, 79-83. | 0.8 | 16 |
| 644 | Severe Cutaneous Drug Reactions: Do Overlapping Forms Exist?. <i>Actas Dermo-sifiliográficas</i> , 2016, 107, 23-33. | 0.2 | 2 |
| 645 | A decade of burn unit experience with Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis: Clinical pathological diagnosis and risk factor awareness. <i>Burns</i> , 2016, 42, 836-843. | 1.1 | 30 |
| 646 | Stevens-Johnson syndrome: The role of an ophthalmologist. <i>Survey of Ophthalmology</i> , 2016, 61, 369-399. | 1.7 | 65 |
| 647 | Oral ulcers and an unusual skin rash in a teenager. <i>JAAPA: Official Journal of the American Academy of Physician Assistants</i> , 2016, 29, 54-56. | 0.1 | 1 |
| 648 | Penicillins. , 2016, , 591-611. | | 1 |
| 649 | Mucosal erosions as the presenting symptom in erythema multiforme: a case report. <i>British Journal of General Practice</i> , 2016, 66, e222-e224. | 0.7 | 3 |
| 650 | Rapid and reliable genotyping of <i>HLA-B*58:01</i> in four Chinese populations using a single-tube duplex real-time PCR assay. <i>Pharmacogenomics</i> , 2016, 17, 47-57. | 0.6 | 7 |
| 651 | Retrospective analysis of Stevens-Johnson syndrome and toxic epidermal necrolysis in 87 Japanese patients - Treatment and outcome. <i>Allergology International</i> , 2016, 65, 74-81. | 1.4 | 81 |
| 652 | Adverse drug reactions and organ damage: The skin. <i>European Journal of Internal Medicine</i> , 2016, 28, 17-24. | 1.0 | 57 |
| 653 | Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis and Erythema Exsudativum Multiforme. , 2016, , 183-193. | | 1 |
| 654 | Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis - A Comprehensive Review and Guide to Therapy. I. Systemic Disease. <i>Ocular Surface</i> , 2016, 14, 2-19. | 2.2 | 112 |
| 655 | Stevens-Johnson syndrome after treatment with azithromycin: an uncommon culprit. <i>American Journal of Emergency Medicine</i> , 2016, 34, 676.e1-676.e3. | 0.7 | 17 |
| 656 | Complications of Stevens-Johnson syndrome beyond the eye and skin. <i>Burns</i> , 2016, 42, 20-27. | 1.1 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 657 | HLA-B*59:01: a marker for Stevensâ€“Johnson syndrome/toxic epidermal necrolysis caused by methazolamide in Han Chinese. <i>Pharmacogenomics Journal</i> , 2016, 16, 83-87. | 0.9 | 50 |
| 658 | HIV-Associated Toxic Epidermal Necrolysis at San Francisco General Hospital. <i>Journal of the International Association of Providers of AIDS Care</i> , 2017, 16, 37-41. | 0.6 | 9 |
| 659 | Pediatric Erythema Multiforme in the Emergency Department. <i>Pediatric Emergency Care</i> , 2017, 33, 320-324. | 0.5 | 5 |
| 660 | Toxic epidermal necrolysis: 13 years of experience in the management at a Department of Dermatology in China. <i>Cutaneous and Ocular Toxicology</i> , 2017, 36, 19-24. | 0.5 | 10 |
| 661 | Comparison of severe drug eruptions in Japan between 2005â€“2009 and 2010â€“2014 based on data from the relief system of the Pharmaceuticals and Medical Devices Agency. <i>Journal of Dermatology</i> , 2017, 44, e5-e6. | 0.6 | 3 |
| 662 | SÃndrome de Stevens-Johnson en la infancia. <i>Archivos De La Sociedad Espanola De Oftalmologia</i> , 2017, 92, 241-244. | 0.1 | 2 |
| 663 | Adverse drug reactions. <i>Disease-a-Month</i> , 2017, 63, 49-53. | 0.4 | 2 |
| 664 | Microbiological findings and antibacterial therapy in Stevensâ€“Johnson syndrome/toxic epidermal necrolysis patients from a Swedish Burn Center. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 420-432. | 0.7 | 13 |
| 665 | Genetics and Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>JAMA Ophthalmology</i> , 2017, 135, 361. | 1.4 | 1 |
| 666 | Treatment of recurrent erythema multiforme with adalimumab as monotherapy. <i>JAAD Case Reports</i> , 2017, 3, 95-97. | 0.4 | 12 |
| 667 | Characterization of Stevensâ€“Johnson Syndrome and Toxic Epidermal Necrolysis Among Patients Admitted to Kenyatta National Hospital: A Retrospective Cross-Sectional Study. <i>Drugs - Real World Outcomes</i> , 2017, 4, 79-85. | 0.7 | 15 |
| 668 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: Associations, Outcomes, and Pathobiologyâ€“Thirty Years of Progress but Still Much to Be Done. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1004-1008. | 0.3 | 66 |
| 669 | Methotrexate-induced epidermal necrosis: A case series of 24 patients. <i>Journal of the American Academy of Dermatology</i> , 2017, 77, 247-255.e2. | 0.6 | 35 |
| 670 | Severe Delayed Cutaneous and Systemic Reactions to Drugs: A Global Perspective on the Science and Art of Current Practice. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017, 5, 547-563. | 2.0 | 106 |
| 671 | Rash Decisions: An Approach to Dangerous Rashes Based on Morphology. <i>Journal of Emergency Medicine</i> , 2017, 52, 457-471. | 0.3 | 9 |
| 672 | Risk and association of <i>HLA</i> with oxcarbazepine-induced cutaneous adverse reactions in Asians. <i>Neurology</i> , 2017, 88, 78-86. | 1.5 | 117 |
| 673 | The use of Biobrane Â® for wound coverage in Stevensâ€“Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Burns</i> , 2017, 43, 1464-1472. | 1.1 | 10 |
| 674 | Cyclosporine Use in Epidermal Necrolysis IsÂAssociated with an Important MortalityÂReduction: Evidence from ThreeÂDifferentÂApproaches. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2092-2100. | 0.3 | 112 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 675 | Gout: An old disease in new perspective – A review. <i>Journal of Advanced Research</i> , 2017, 8, 495-511. | 4.4 | 329 |
| 676 | Score of Toxic Epidermal Necrosis Predicts the Outcomes of Pediatric Epidermal Necrolysis. <i>Pediatric Dermatology</i> , 2017, 34, 433-437. | 0.5 | 23 |
| 677 | Pustular erythema multiforme major associated with atypical pneumonia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e502-e503. | 1.3 | 1 |
| 678 | Mucositis Secondary to <i>Chlamydia pneumoniae</i> Infection: Expanding the <i>Mycoplasma pneumoniae</i> -Induced Rash and Mucositis Concept. <i>Pediatric Dermatology</i> , 2017, 34, 465-472. | 0.5 | 31 |
| 679 | Approach to Severe Cutaneous Adverse Drug Reactions. <i>Current Treatment Options in Allergy</i> , 2017, 4, 201-221. | 0.9 | 2 |
| 680 | Characterization of Children With Recurrent Episodes of Stevens Johnson Syndrome. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2017, 6, e140-e143. | 0.6 | 22 |
| 681 | Severe Cutaneous Adverse Drug Reactions in Pediatric Patients: A Multicenter Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017, 5, 757-763. | 2.0 | 64 |
| 682 | Pediatric Stevens-Johnson syndrome and toxic epidermal necrolysis in the United States. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 811-817.e4. | 0.6 | 83 |
| 683 | Genitourinary involvement and management in children with Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>Journal of Pediatric Urology</i> , 2017, 13, 490.e1-490.e7. | 0.6 | 21 |
| 684 | Interleukin-15 Is Associated with Severity and Mortality in Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1065-1073. | 0.3 | 109 |
| 685 | Dapsone-induced severe cutaneous adverse drug reactions are strongly linked with HLA-B*13. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 429-437. | 0.7 | 87 |
| 686 | Severe Delayed Drug Reactions. <i>Immunology and Allergy Clinics of North America</i> , 2017, 37, 785-815. | 0.7 | 27 |
| 687 | Serum IL-17 in patients with erythema multiforme or Stevens-Johnson syndrome/toxic epidermal necrolysis drug reaction, and correlation with disease severity. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 868-873. | 0.6 | 9 |
| 690 | Oral health impacts of medications used to treat mental illness. <i>Journal of Affective Disorders</i> , 2017, 223, 184-193. | 2.0 | 60 |
| 692 | A clinicoetiological analysis of patients with Stevens-Johnson syndrome and toxic epidermal necrolysis treated at Sohag University Hospital, Egypt. <i>Journal of the Egyptian Women's Dermatologic Society</i> , 2017, 14, 37-44. | 0.2 | 3 |
| 693 | Cutaneous adverse drug reactions: Kids are not just little people. <i>Clinics in Dermatology</i> , 2017, 35, 566-582. | 0.8 | 11 |
| 694 | Delayed-type hypersensitivity to oral and parenteral drugs. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 1111-1132. | 0.4 | 10 |
| 695 | Burn Center Care of Patients with Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Clinics in Plastic Surgery</i> , 2017, 44, 583-595. | 0.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 696 | Comparison of the acute ocular manifestations of Stevens-Johnson syndrome and toxic epidermal necrolysis in Chinese eyes: a 15-year retrospective study. <i>BMC Ophthalmology</i> , 2017, 17, 65. | 0.6 | 12 |
| 697 | Bibliometric analysis of literature on toxic epidermal necrolysis and Stevens-Johnson syndrome: 1940-2015. <i>Orphanet Journal of Rare Diseases</i> , 2017, 12, 14. | 1.2 | 28 |
| 698 | Patch testing – a valuable tool for investigating non-immediate cutaneous adverse drug reactions to antibiotics. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 280-287. | 1.3 | 61 |
| 699 | Apoptosis as a Mechanism for Keratinocyte Death in Canine Toxic Epidermal Necrolysis. <i>Veterinary Pathology</i> , 2017, 54, 249-253. | 0.8 | 7 |
| 700 | Serum TARC levels are strongly correlated with blood eosinophil count in patients with drug eruptions. <i>Allergology International</i> , 2017, 66, 116-122. | 1.4 | 27 |
| 701 | Cyclosporine treatment for Stevens-Johnson syndrome/toxic epidermal necrolysis: Retrospective analysis of a cohort treated in a specialized referral center. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 106-113. | 0.6 | 64 |
| 702 | A review of toxic epidermal necrolysis management in Japan. <i>Allergology International</i> , 2017, 66, 36-41. | 1.4 | 32 |
| 703 | Significant HLA class I type associations with aromatic antiepileptic drug (AED)-induced SJS/TEN are different from those found for the same AED-induced DRESS in the Spanish population. <i>Pharmacological Research</i> , 2017, 115, 168-178. | 3.1 | 61 |
| 704 | Recurrence of Stevens-Johnson syndrome and toxic epidermal necrolysis in adults. <i>International Journal of Dermatology</i> , 2017, 56, e78-e79. | 0.5 | 1 |
| 705 | Oxcarbazepine-induced Stevens-Johnson syndrome: a pediatric case report. <i>Oxford Medical Case Reports</i> , 2017, 2017, omx028. | 0.2 | 4 |
| 706 | Retrospective review of paediatric case reports of Stevens-Johnson syndrome and toxic epidermal necrolysis with lamotrigine from an international pharmacovigilance database. <i>BMJ Paediatrics Open</i> , 2017, 1, e000039. | 0.6 | 13 |
| 707 | Spättypreaktionen auf oral und parenteral verabreichte Arzneimittel. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 1111-1134. | 0.4 | 4 |
| 708 | TOXIC EPIDERMAL NECROLYSIS INDUCED BY CARBAMAZEPINE: A CASE STUDY. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2017, 10, 78. | 0.3 | 3 |
| 709 | Incidence, causative drugs, and economic consequences of drug-induced SJS, TEN, and SJS–TEN overlap and potential drug–drug interactions during treatment: a retrospective analysis at an Indonesian referral hospital. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 919-925. | 0.9 | 12 |
| 710 | Paediatric Erythema Multiforme: Epidemiological, Clinical and Laboratory Characteristics. <i>Acta Dermato-Venereologica</i> , 2017, 97, 489-492. | 0.6 | 38 |
| 711 | Factors Contributing to Long-Term Severe Visual Impairment in Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Journal of Ophthalmology</i> , 2017, 2017, 1-7. | 0.6 | 15 |
| 712 | Treatments for Severe Cutaneous Adverse Reactions. <i>Journal of Immunology Research</i> , 2017, 2017, 1-9. | 0.9 | 40 |
| 714 | A Comparative Insight into the Incidence of Steven Johnson Syndrome/ Toxic Epidermal Necrolysis among the Immunocompromized Patient Populace of Eastern India with a Distinctive Emphasis on the Possible Association of Human Cytomegalovirus. <i>Journal of AIDS & Clinical Research</i> , 2017, 08, . | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 715 | Phenytoin-induced Stevens-Johnson syndrome with myocarditis: a rare case report. <i>International Medical Case Reports Journal</i> , 2017, Volume 10, 229-231. | 0.3 | 5 |
| 716 | Retrospective Analysis of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in 88 Chinese Patients. <i>Chinese Medical Journal</i> , 2017, 130, 1062-1068. | 0.9 | 22 |
| 717 | Stevens-Johnson syndrome and abuse of anabolic steroids. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , 2017, 43, 57. | 0.3 | 5 |
| 718 | Farmacogenética de reacciones adversas a fármacos antiepilépticos. <i>Neurología</i> , 2018, 33, 165-176. | 0.3 | 27 |
| 719 | Risks associated with lamotrigine prescription: a review and personal observations. <i>Australasian Psychiatry</i> , 2018, 26, 640-642. | 0.4 | 11 |
| 720 | Pediatric Lip Adhesion Following Bullous Erythema Multiforme and Review of Similar Oral Complications. <i>Journal of Cutaneous Medicine and Surgery</i> , 2018, 22, 427-430. | 0.6 | 3 |
| 721 | The measurement of drug-induced interferon γ -releasing cells and lymphocyte proliferation in severe cutaneous adverse reactions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 992-998. | 1.3 | 30 |
| 722 | Nursing care of a boy seriously infected with Steven's-Johnson syndrome after treatment with azithromycin. <i>Medicine (United States)</i> , 2018, 97, e9112. | 0.4 | 14 |
| 723 | How Does SCORTEN Score?. <i>Journal of Burn Care and Research</i> , 2018, 39, 555-561. | 0.2 | 17 |
| 724 | Histopathology of Cutaneous Inflammatory Disorders in Children. <i>Pediatric and Developmental Pathology</i> , 2018, 21, 115-149. | 0.5 | 2 |
| 725 | From HSV infection to erythema multiforme through autoimmune crossreactivity. <i>Autoimmunity Reviews</i> , 2018, 17, 576-581. | 2.5 | 18 |
| 726 | Ethosuximide-induced Stevens-Johnson syndrome: Beneficial effect of early intervention with high-dose corticosteroid therapy. <i>Journal of Dermatology</i> , 2018, 45, 592-595. | 0.6 | 7 |
| 728 | Current Perspectives on Erythema Multiforme. <i>Clinical Reviews in Allergy and Immunology</i> , 2018, 54, 177-184. | 2.9 | 85 |
| 729 | Management of severe drug reactions: a retrospective monocentric analysis. <i>Allergo Journal International</i> , 2018, 27, 49-55. | 0.9 | 0 |
| 730 | Pharmacogenetics of adverse reactions to antiepileptic drugs. <i>Neurología (English Edition)</i> , 2018, 33, 165-176. | 0.2 | 5 |
| 731 | Specific association of the rs6500265 and rs9933632 single-nucleotide polymorphisms in Japanese patients with antipyretic analgesic-related Stevens-Johnson syndrome and toxic epidermal necrolysis with severe ocular involvements. <i>Pharmacogenetics and Genomics</i> , 2018, 28, 95-98. | 0.7 | 1 |
| 734 | The Function of HLA-B*13:01 Involved in the Pathomechanism of Dapsone-Induced Severe Cutaneous Adverse Reactions. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1546-1554. | 0.3 | 54 |
| 735 | The Frequency and Clinical Features of Hypersensitivity Reactions to Antiepileptic Drugs in Children: A Prospective Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 2043-2050. | 2.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 737 | Delayed type hypersensitivity reactions induced by proton pump inhibitors: A clinical and in vitro T cell reactivity study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 221-229. | 2.7 | 41 |
| 738 | Severe sequelae of erythema multiforme: three cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e34-e36. | 1.3 | 9 |
| 739 | Chronic ocular complications of Stevens-Johnson syndrome associated with causative medications in Korea. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 700-702.e2. | 2.0 | 10 |
| 740 | Improving mortality outcomes of Stevens Johnson syndrome/toxic epidermal necrolysis: A regional burns centre experience. <i>Burns</i> , 2018, 44, 603-611. | 1.1 | 30 |
| 741 | <i>Drug Allergy</i> , 2018, , 19-26. | | 6 |
| 742 | Current Perspectives on Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Clinical Reviews in Allergy and Immunology</i> , 2018, 54, 147-176. | 2.9 | 218 |
| 744 | Stevens - Johnson Syndrome and Toxic Epidermal Necrolysis; Extensive Review of Reports of Drug-Induced Etiologies, and Possible Therapeutic Modalities. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2018, 6, 730-738. | 0.1 | 29 |
| 745 | <i>Drug Allergy and Adverse Drug Reactions</i> , 2018, , 1-14. | | 0 |
| 747 | ACECLOFENAC-INDUCED STEVENS-JOHNSON SYNDROME AFTER ONE SINGLE DOSE: A MAIDEN CASE REPORT. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2018, 11, 1. | 0.3 | 5 |
| 749 | An Updated Review of the Molecular Mechanisms in Drug Hypersensitivity. <i>Journal of Immunology Research</i> , 2018, 2018, 1-22. | 0.9 | 111 |
| 750 | Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis: A Multicenter Retrospective Study of 377 Adult Patients from the United States. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2315-2321. | 0.3 | 94 |
| 751 | Care in patients with epidermal necrolysis in burn units. A nursing perspective. <i>Burns</i> , 2018, 44, 1962-1972. | 1.1 | 10 |
| 752 | Severe cutaneous adverse reactions induced by targeted anticancer therapies and immunotherapies. <i>Cancer Management and Research</i> , 2018, Volume 10, 1259-1273. | 0.9 | 109 |
| 753 | Active surveillance of severe cutaneous adverse reactions: A case population approach using a registry and a health care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1042-1050. | 0.9 | 12 |
| 754 | Management and outcome of Stevens-Johnson syndrome and toxic epidermal necrolysis in patients admitted to Kenyatta National Hospital. <i>Drugs and Therapy Perspectives</i> , 2018, 34, 444-450. | 0.3 | 0 |
| 756 | A meta-analysis of cyclosporine treatment for Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>Journal of Inflammation Research</i> , 2018, Volume 11, 135-142. | 1.6 | 58 |
| 757 | Monocytes are involved in the balance between regulatory T cells and Th17 cells in severe drug eruptions. <i>Clinical and Experimental Allergy</i> , 2018, 48, 1453-1463. | 1.4 | 30 |
| 758 | Chronic pulmonary complications associated with toxic epidermal necrolysis: A case report and literature review. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 2027-2031. | 0.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 759 | Procalcitonin as a diagnostic indicator for systemic bacterial infections in patients with Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>Journal of Dermatology</i> , 2018, 45, 989-993. | 0.6 | 10 |
| 760 | Clinical features of Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>Pediatrics International</i> , 2018, 60, 697-702. | 0.2 | 25 |
| 761 | Analysis of HLA-B Allelic Variation and IFN- γ ELISpot Responses in Patients with Severe Cutaneous Adverse Reactions Associated with Drugs. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 219-227.e4. | 2.0 | 36 |
| 762 | Rashes and other hypersensitivity reactions associated with antiepileptic drugs: A review of current literature. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 71, 270-278. | 0.9 | 24 |
| 763 | Drug-induced severe cutaneous adverse reactions. <i>Annals of Allergy, Asthma and Immunology</i> , 2019, 123, 483-487. | 0.5 | 30 |
| 764 | Distinguishing Stevens-Johnson syndrome/toxic epidermal necrolysis from clinical mimickers during inpatient dermatologic consultation—A retrospective chart review. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 749-757. | 0.6 | 24 |
| 765 | Galectin-7 as a potential biomarker of Stevens-Johnson syndrome/toxic epidermal necrolysis: identification by targeted proteomics using causative drug-exposed peripheral blood cells. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2894-2897.e7. | 2.0 | 13 |
| 766 | Carbonic anhydrase inhibitor-induced Stevens-Johnson syndrome/toxic epidermal necrolysis leads to extensive cutaneous involvement. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2851-2853.e2. | 2.0 | 6 |
| 767 | Outcomes of Stevens-Johnson syndrome and toxic epidermal necrolysis in HIV-infected patients when using systemic steroids and/or intravenous immunoglobulins in Pietermaritzburg, South Africa. <i>Southern African Journal of HIV Medicine</i> , 2019, 20, 944. | 0.3 | 8 |
| 768 | Risk factors and diagnostic markers of bacteremia in Stevens-Johnson syndrome and toxic epidermal necrolysis: A cohort study of 176 patients. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 686-693. | 0.6 | 24 |
| 769 | Long-Term Effect of a Treatment Protocol for Acute Ocular Involvement in Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis. <i>American Journal of Ophthalmology</i> , 2019, 208, 331-341. | 1.7 | 38 |
| 770 | Stevens-Johnson syndrome associated with radiation recall dermatitis in a patient treated with immune checkpoint inhibitor. <i>Journal of Dermatology</i> , 2019, 46, e434-e436. | 0.6 | 8 |
| 771 | Ocular manifestations in patients with Stevens-Johnson syndrome in Malawi—review of the literature illustrated by clinical cases. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2019, 257, 2343-2348. | 1.0 | 6 |
| 772 | Unique Clinical Characteristics and Prognosis of Allopurinol-Induced Severe Cutaneous Adverse Reactions. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2739-2749.e3. | 2.0 | 17 |
| 773 | Unusual oral findings of the toxic epidermal necrolysis in an HIV-infected patient: a case report. <i>Brazilian Journal of Infectious Diseases</i> , 2019, 23, 363-367. | 0.3 | 3 |
| 774 | Severe skin reactions: clinical picture, epidemiology, etiology, pathogenesis, and treatment. <i>Allergo Journal International</i> , 2019, 28, 311-326. | 0.9 | 15 |
| 775 | Life-Threatening Extrarenal Manifestations in an Infant with Atypical Hemolytic Uremic Syndrome Caused by a Complement 3-Gene Mutation. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1300-1305. | 0.9 | 1 |
| 776 | Allopurinol-Induced Toxic Epidermal Necrolysis. <i>Drug Safety - Case Reports</i> , 2019, 6, 8. | 0.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 777 | Interventions for erythema multiforme: a systematic review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 842-849. | 1.3 | 20 |
| 778 | Hypersensitivity and Cardiovascular Risks Related to Allopurinol and Febuxostat Therapy in Asians: A Population-Based Cohort Study and Meta-Analysis. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 391-401. | 2.3 | 34 |
| 779 | Drug Allergy and Adverse Drug Reactions. , 2019, , 491-504. | | 0 |
| 780 | Association of Stevens-Johnson syndrome and toxic epidermal necrolysis with antiepileptic drugs in pediatric patients: Subgroup analysis based on a Japanese spontaneous database. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 775-779. | 0.7 | 16 |
| 781 | Stevens-Johnson syndrome and toxic epidermal necrolysis: a retrospective descriptive study. <i>International Journal of Dermatology</i> , 2019, 58, 1293-1299. | 0.5 | 16 |
| 782 | Mechanisms of Severe Cutaneous Adverse Reactions: Recent Advances. <i>Drug Safety</i> , 2019, 42, 973-992. | 1.4 | 66 |
| 783 | Association of Early Systemic Corticosteroid Therapy with Mortality in Patients with Stevens-Johnson Syndrome or Toxic Epidermal Necrolysis: A Retrospective Cohort Study Using a Nationwide Claims Database. <i>American Journal of Clinical Dermatology</i> , 2019, 20, 579-592. | 3.3 | 19 |
| 784 | Development and Validation of a Risk Prediction Model for In-Hospital Mortality Among Patients With Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis-ABCD-10. <i>JAMA Dermatology</i> , 2019, 155, 448. | 2.0 | 69 |
| 786 | Oral Signs of Vesiculobullous and Autoimmune Disease. , 2019, , 113-144. | | 0 |
| 787 | A 10-year retrospective cohort study of the management of toxic epidermal necrolysis and Stevens-Johnson syndrome in a New South Wales state referral hospital from 2006 to 2016. <i>International Journal of Dermatology</i> , 2019, 58, 1141-1147. | 0.5 | 12 |
| 788 | Ocular and Mucocutaneous Sequelae among Survivors of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Togo. <i>Dermatology Research and Practice</i> , 2019, 2019, 1-6. | 0.3 | 6 |
| 789 | White and Red Lesions of the Oral Mucosa. , 2019, , 1207-1248. | | 5 |
| 790 | Pediatric Oral Medicine. , 2019, , 1641-1718. | | 2 |
| 791 | Epidermal necrolysis: SCORTEN performance in AIDS and non-AIDS patients. <i>Anais Brasileiros De Dermatologia</i> , 2019, 94, 17-23. | 0.5 | 8 |
| 792 | Phenotypes and Natural Evolution of Drug Hypersensitivity. <i>Current Treatment Options in Allergy</i> , 2019, 6, 27-41. | 0.9 | 2 |
| 793 | Multistep Grading System for Evaluation of Chronic Ocular Sequelae in Patients With Stevens-Johnson Syndrome. <i>American Journal of Ophthalmology</i> , 2019, 203, 69-77. | 1.7 | 12 |
| 794 | Un lupus érythémateux systémique se présentant sous la forme d'un syndrome de Stevens-Johnson. <i>Revue Française D'allergologie</i> , 2019, 59, 418-420. | 0.1 | 0 |
| 795 | A Review of the Management of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Advanced Emergency Nursing Journal</i> , 2019, 41, 56-64. | 0.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 796 | Toxic Epidermal Necrolysis Induced by Leflunomide in a Patient With Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2019, Publish Ahead of Print, . | 0.5 | 3 |
| 798 | An atypical presentation of toxic epidermal necrolysis without mucosal involvement. <i>Medical Journal Armed Forces India</i> , 2019, 78, 106-108. | 0.3 | 2 |
| 799 | Characteristics of meibomian gland dysfunction in patients with Stevens-Johnson syndrome. <i>Medicine (United States)</i> , 2019, 98, e16155. | 0.4 | 12 |
| 800 | Making a diagnosis in severe cutaneous drug hypersensitivity reactions. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2019, 19, 283-293. | 1.1 | 38 |
| 801 | Management of Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis: a Review and Update. <i>Current Dermatology Reports</i> , 2019, 8, 219-233. | 1.1 | 7 |
| 803 | Deep Inferior Epigastric Artery Perforator Flap Breast Reconstruction in a Patient with a History of Toxic Epidermal Necrosis. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2190. | 0.3 | 0 |
| 804 | A Case Study of Toxic Epidermal Necrolysis. <i>Journal of Pediatric Surgical Nursing</i> , 2019, 8, 74-78. | 0.1 | 0 |
| 805 | Meropenem-induced Stevens-Johnson syndrome/toxic epidermal necrolysis in a patient with known type IV penicillin hypersensitivity. <i>BMJ Case Reports</i> , 2019, 12, e230144. | 0.2 | 6 |
| 806 | Ocular, Aural, and Oral Manifestations of Lupus. , 2019, , 556-565. | | 3 |
| 807 | Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS). , 2019, , 87-104. | | 1 |
| 808 | Advances in Diagnosis and Management of Cutaneous Adverse Drug Reactions. , 2019, , . | | 6 |
| 809 | Serum and blister fluid elevation and decreased epidermal content of high-mobility group box 1 protein in drug-induced Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 2019, 181, 166-174. | 1.4 | 15 |
| 811 | Dermatologic Conditions of the Early Post-Transplant Period in Hematopoietic Stem Cell Transplant Recipients. <i>American Journal of Clinical Dermatology</i> , 2019, 20, 55-73. | 3.3 | 5 |
| 812 | The rash that presents as target lesions. <i>Clinics in Dermatology</i> , 2019, 37, 148-158. | 0.8 | 4 |
| 813 | Drug-induced liver injury with skin reactions: Drugs and host risk factors, clinical phenotypes and prognosis. <i>Liver International</i> , 2019, 39, 802-811. | 1.9 | 23 |
| 814 | Incidence of Stevens-Johnson syndrome/toxic epidermal necrolysis among new users of different individual drugs in a European population: a case-population study. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 237-246. | 0.8 | 16 |
| 815 | HLA Alleles and CYP2C9*3 as Predictors of Phenytoin Hypersensitivity in East Asians. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 105, 476-485. | 2.3 | 53 |
| 816 | The Medication Risk of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Asians: The Major Drug Causality and Comparison With the US FDA Label. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 105, 112-120. | 2.3 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 817 | Biologic TNF-alpha inhibitors in the treatment of Stevens-Johnson syndrome and toxic epidermal necrolysis: a systemic review. <i>Journal of Dermatological Treatment</i> , 2020, 31, 66-73. | 1.1 | 38 |
| 818 | Treatment for oral lesions in pediatric patients with Stevens-Johnson's syndrome: A case report and literature review. <i>International Journal of Paediatric Dentistry</i> , 2020, 30, 489-496. | 1.0 | 6 |
| 819 | Characteristics of cutaneous adverse drug reactions caused by triple combination drug therapy used for <i>Helicobacter pylori</i> eradication. <i>Journal of Dermatology</i> , 2020, 47, 277-282. | 0.6 | 4 |
| 820 | Erythema multiforme, Stevens Johnson syndrome, and toxic epidermal necrolysis reported after vaccination, 1999-2017. <i>Vaccine</i> , 2020, 38, 1746-1752. | 1.7 | 29 |
| 821 | Adverse Reactions Associated with Penicillins, Carbapenems, Monobactams, and Clindamycin: A Retrospective Population-based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1302-1313.e2. | 2.0 | 31 |
| 822 | Quick Guide to Anaphylaxis. , 2020, , . | | 0 |
| 823 | Accuracy of SCORTEN to predict the prognosis of Stevens-Johnson syndrome/toxic epidermal necrolysis: a systematic review and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2066-2077. | 1.3 | 26 |
| 824 | Confusion in determination of two types of cutaneous adverse reactions to drugs, maculopapular eruption and erythema multiforme, among the experts: A proposal of standardized terminology. <i>Journal of Dermatology</i> , 2020, 47, 169-173. | 0.6 | 3 |
| 825 | Pembrolizumab-Induced Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis in a Patient With Metastatic Cervical Squamous Cell Carcinoma: A Case Report. <i>American Journal of Dermatopathology</i> , 2020, 42, 292-296. | 0.3 | 21 |
| 826 | <i>Mycoplasma pneumoniae</i> -Induced Rash and Mucositis in a Previously Healthy Man: A Case Report and Brief Review of the Literature. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa437. | 0.4 | 3 |
| 827 | Assessment and Comparison of Performance of ABCD-10 and SCORTEN in Prognostication of Epidermal Necrolysis. <i>JAMA Dermatology</i> , 2020, 156, 1294. | 2.0 | 25 |
| 828 | Recurrent Stevens-Johnson syndrome in a patient with systemic lupus erythematosus: a case report. <i>Journal of International Medical Research</i> , 2020, 48, 030006052096434. | 0.4 | 0 |
| 829 | Ocular manifestations of mycoplasma-induced rash and mucositis. <i>Journal of AAPOS</i> , 2020, 24, 249-251. | 0.2 | 6 |
| 830 | HLA genotypes and cold medicine-induced Stevens-Johnson syndrome/toxic epidermal necrolysis with severe ocular complications: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2020, 10, 10589. | 1.6 | 12 |
| 831 | The use of biostatic human amnion and platelet-rich plasma in topical treatment of toxic epidermal necrolysis: A case report. <i>Journal of Cosmetic Dermatology</i> , 2020, 20, 2887-2893. | 0.8 | 2 |
| 832 | Antiepileptic combination therapy with Stevens-Johnson syndrome and toxic epidermal necrolysis: Analysis of a Japanese pharmacovigilance database. <i>Epilepsia</i> , 2020, 61, 1979-1989. | 2.6 | 18 |
| 833 | Analysis of severity and preventability in patients of Toxic epidermal necrolysis: A case series. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 2452-2456. | 0.2 | 1 |
| 834 | HLA-B*58:01 association in allopurinol-induced severe cutaneous adverse reactions: the implication of ethnicity and clinical phenotypes in multiethnic Malaysia. <i>Pharmacogenetics and Genomics</i> , 2020, 30, 153-160. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 835 | Accuracy of SCORTEN and ABCDâ€”10 to predict mortality and the influence of renal function in Stevensâ€”Johnson syndrome/toxic epidermal necrolysis. <i>Journal of Dermatology</i> , 2020, 47, 1182-1186. | 0.6 | 16 |
| 836 | Drug induced liver injury: an update. <i>Archives of Toxicology</i> , 2020, 94, 3381-3407. | 1.9 | 125 |
| 837 | Approaching Target and Targetoid Eruptions in Inpatient Dermatology. <i>Current Dermatology Reports</i> , 2020, 9, 210-219. | 1.1 | 0 |
| 838 | Toxic epidermal necrolysis syndrome induced by tigecycline: a case report. <i>Journal of International Medical Research</i> , 2020, 48, 030006052092241. | 0.4 | 2 |
| 839 | Cancer immunotherapy and toxic epidermal necrolysis. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 314-315. | 0.8 | 2 |
| 840 | Ventilatory support in Stevens-Johnson syndrome and toxic epidermal necrolysis: a systematic review and meta-analysis. <i>Journal of Dermatological Treatment</i> , 2020, , 1-6. | 1.1 | 1 |
| 841 | Erythema multiforme, Stevensâ€”Johnson syndrome/toxic epidermal necrolysis â€” diagnosis and treatment. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 547-553. | 0.4 | 23 |
| 842 | A CASE REPORT ON LAMOTRIGINE AND SODIUM VALPROATE INDUCED STEVENS-JOHNSON SYNDROME. <i>International Research Journal of Pharmacy</i> , 2020, 11, 1-4. | 0.0 | 1 |
| 843 | Clinical trial to evaluate the therapeutic benefits of limbal-supported contact lens wear for ocular sequelae due to Stevens-Johnson syndrome/toxic epidermal necrolysis. <i>Contact Lens and Anterior Eye</i> , 2020, 43, 535-542. | 0.8 | 9 |
| 845 | Multidisciplinary care in Stevens-Johnson syndrome. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062231989446. | 1.1 | 34 |
| 846 | General characteristics, economic burden, causative drugs and medical errors associated with medical damage litigation involving severe cutaneous adverse drug reactions in China. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020, 45, 1087-1097. | 0.7 | 3 |
| 847 | Stevens-Johnson syndrome and toxic epidermal necrolysis: risk factors, causality assessment and potential prevention strategies. <i>Expert Review of Clinical Immunology</i> , 2020, 16, 373-387. | 1.3 | 20 |
| 848 | Clinical and pathogenic aspects of the severe cutaneous adverse reaction epidermal necrolysis (EN). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1957-1971. | 1.3 | 25 |
| 849 | Stevens-Johnson Syndromeâ€”Like Reaction After Exposure to Pembrolizumab and Recombinant Zoster Vaccine in a Patient With Metastatic Lung Cancer. <i>Journal of Investigative Medicine High Impact Case Reports</i> , 2020, 8, 232470962091479. | 0.3 | 13 |
| 850 | Severe cutaneous adverse drug reactions manifesting as Stevens-Johnson syndrome and toxic epidermal necrolysis reported to the national pharmacovigilance center in Nigeria: a database review from 2004 to 2017. <i>Therapeutic Advances in Drug Safety</i> , 2020, 11, 204209862090599. | 1.0 | 13 |
| 851 | Severe Cutaneous Adverse Reactions to Drugs in Latin America: The RACGRAD Study. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2021, 31, 322-331. | 0.6 | 6 |
| 852 | Erythema Multiforme Major in a Dog Treated with Intravenous Human Immunoglobulin and Immunosuppressive Therapy. <i>Journal of the American Animal Hospital Association</i> , 2020, 56, 133-138. | 0.5 | 5 |
| 853 | Adverse cutaneous reactions to chemotherapeutic drugs. <i>Clinics in Dermatology</i> , 2020, 38, 712-728. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 854 | Clinical Utility of <i>HLA-B*58:01</i> Genotyping to Prevent Allopurinol-Induced SJS/TEN. Hospital Pharmacy, 2021, 56, 660-663. | 0.4 | 4 |
| 855 | Association of <i>HLA-A*11:01</i> with Sulfonamide-Related Severe Cutaneous Adverse Reactions in Japanese Patients. Journal of Investigative Dermatology, 2020, 140, 1659-1662.e6. | 0.3 | 18 |
| 856 | DRESS syndrome after lamotrigine and valproic acid use in a bipolar patient: a case report. European Journal of Psychiatry, 2020, 34, 160-163. | 0.7 | 1 |
| 857 | Long-term outcomes of amniotic membrane treatment in acute Stevens-Johnson syndrome/toxic epidermal necrolysis. Ocular Surface, 2020, 18, 517-522. | 2.2 | 42 |
| 858 | Acute pancreatic injuries: A complication of Stevens-Johnson syndrome/toxic epidermal necrolysis associated with cytotoxic immunocell activation. Journal of the American Academy of Dermatology, 2021, 84, 644-653. | 0.6 | 5 |
| 859 | Management of oral medicine emergencies during COVID-19: A study to develop practise guidelines. Journal of Dental Sciences, 2021, 16, 493-500. | 1.2 | 16 |
| 860 | Intensive care needs and long-term outcome of pediatric toxic epidermal necrolysis – A 10-year experience. International Journal of Dermatology, 2021, 60, 44-52. | 0.5 | 4 |
| 861 | Whole genome sequencing identifies genetic variants associated with co-trimoxazole hypersensitivity in Asians. Journal of Allergy and Clinical Immunology, 2021, 147, 1402-1412. | 1.5 | 46 |
| 862 | A Nationwide Study of Severe Cutaneous Adverse Reactions Based on the Multicenter Registry in Korea. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 929-936.e7. | 2.0 | 18 |
| 863 | The risk of anti-osteoporotic agent-induced severe cutaneous adverse drug reactions and their association with HLA. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 712-720. | 1.3 | 8 |
| 864 | Differences between Stevens-Johnson syndrome versus toxic epidermal necrolysis. International Journal of Dermatology, 2021, 60, 53-59. | 0.5 | 6 |
| 865 | Investigating the association of Lamotrigine and Phenytoin-induced Stevens-Johnson syndrome/Toxic Epidermal Necrolysis with <i>HLA-B*1502</i> in Iranian population. Experimental Dermatology, 2021, 30, 284-287. | 1.4 | 10 |
| 866 | Mortality and risk factors on admission in toxic epidermal necrolysis: A cohort study of 59 patients. Allergology International, 2021, 70, 229-234. | 1.4 | 16 |
| 867 | Sifting through the history of the nosology of erythema multiforme, Stevens-Johnson syndrome, and toxic epidermal necrolysis and its clinicopathological relevance. International Journal of Dermatology, 2021, 60, 110-112. | 0.5 | 1 |
| 868 | When is a rash not “just” a rash? A guide to recognition and treatment of paediatric dermatological emergencies. Paediatrics and Child Health (United Kingdom), 2021, 31, 46-54. | 0.2 | 1 |
| 869 | Treating toxic epidermal necrolysis with systemic immunomodulating therapies: A systematic review and network meta-analysis. Journal of the American Academy of Dermatology, 2021, 84, 390-397. | 0.6 | 56 |
| 870 | Levamisole induced toxic epidermal necrolysis: A case report. British Journal of Clinical Pharmacology, 2021, 87, 1574-1577. | 1.1 | 3 |
| 871 | Macules or papules? No small matter!. International Journal of Dermatology, 2021, 60, . | 0.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 872 | The Roles of Immunoregulatory Networks in Severe Drug Hypersensitivity. <i>Frontiers in Immunology</i> , 2021, 12, 597761. | 2.2 | 15 |
| 873 | Case Report: Enfortumab Vedotin for Metastatic Urothelial Carcinoma: A Case Series on the Clinical and Histopathologic Spectrum of Adverse Cutaneous Reactions From Fatal Stevens-Johnson Syndrome/Toxic Epidermal Necrolysis to Dermal Hypersensitivity Reaction. <i>Frontiers in Oncology</i> , 2021, 11, 621591. | 1.3 | 29 |
| 874 | HLA-B*13 :01 Is a Predictive Marker of Dapsone-Induced Severe Cutaneous Adverse Reactions in Thai Patients. <i>Frontiers in Immunology</i> , 2021, 12, 661135. | 2.2 | 29 |
| 875 | Erythema Multiforme Major Associated With Community-Acquired Pneumonia: Lessons From a Case Report. <i>Frontiers in Pediatrics</i> , 2021, 9, 698261. | 0.9 | 6 |
| 876 | Recent Dermatological Treatments for Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Japan. <i>Frontiers in Medicine</i> , 2021, 8, 636924. | 1.2 | 9 |
| 877 | TRIMETHOPRIM-SULFAMETHOXAZOLE AND SODIUM VALPROATE-INDUCED TOXIC EPIDERMAL NECROLYSIS: A CASE SERIES. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 0, , 3-5. | 0.3 | 1 |
| 878 | Case Report: Positive Outcome of a Suspected Drug-Associated (Immune Mediated) Reaction in a 4-Year-Old Male French Bulldog. <i>Frontiers in Veterinary Science</i> , 2021, 8, 728901. | 0.9 | 1 |
| 879 | Sequential Blood Purification for Pediatric Fatal Toxic Epidermal Necrolysis: A Case Series. <i>Blood Purification</i> , 2021, , 1-8. | 0.9 | 2 |
| 880 | Drug-related Stevensâ€“Johnson Syndrome and Toxic Epidermal Necrolysis: A Review. <i>Indian Journal of Critical Care Medicine</i> , 2021, 25, 575-579. | 0.3 | 8 |
| 882 | Schwere Arzneimittel-induzierte Hautreaktionen. , 2005, , 447-454. | | 1 |
| 883 | Severe Cutaneous Adverse Reactions. , 2009, , 473-484. | | 23 |
| 884 | The management of adverse drug reactions. <i>Clinical Reviews in Allergy and Immunology</i> , 1995, 13, 281-290. | 2.9 | 1 |
| 885 | Erythema Multiforme and Toxic Epidermal Necrolysis: A Comparative Study. <i>American Journal of Dermatopathology</i> , 1997, 19, 127-132. | 0.3 | 94 |
| 886 | The Spectrum of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: A Clinical Classification.. <i>Journal of Investigative Dermatology</i> , 1994, 102, 28S-30S. | 0.3 | 301 |
| 887 | Histopathological and epidemiological characteristics of patients with erythema exudativum multiforme major, Stevensâ€“Johnson syndrome and toxic epidermal necrolysis. <i>British Journal of Dermatology</i> , 1996, 135, 6-11. | 1.4 | 128 |
| 888 | Use of Intravenous Immunoglobulin in Children With Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis: Seven Cases and Review of the Literature. <i>Pediatrics</i> , 2003, 112, 1430-1436. | 1.0 | 122 |
| 889 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. <i>Pediatric Annals</i> , 2010, 39, 667-674. | 0.3 | 4 |
| 890 | Drug Allergy in Pediatric Patients. <i>Pediatric Annals</i> , 2011, 40, 200-204. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 891 | Retrospective analysis of Stevens-Johnson syndrome and toxic epidermal necrolysis over a period of 10 years. Indian Journal of Dermatology, 2011, 56, 25. | 0.1 | 33 |
| 892 | Herpes Simplex Associated Erythema Multiforme: A Case Report and Review of the Literature. Acta Medica Bulgarica, 2021, 48, 46-48. | 0.0 | 0 |
| 893 | A Child Case of Severe Drug Eruption-It is Difficult to Judge the Causative Drug.. Nishinohon Journal of Dermatology, 2000, 62, 636-638. | 0.0 | 0 |
| 894 | Vesiculo-bulleuze dermatosen. , 2004, , 138-144. | | 0 |
| 895 | Diagnosis and Treatment of Drug Eruption-Symptoms and Causative Agents of Severe Cutaneous Adverse Reaction-. Nihon Ika Daigaku Igakkai Zasshi, 2006, 2, 103-107. | 0.0 | 0 |
| 896 | A Case of Toxic Epidermal Necrolysis Initially Affecting the Skin Site of Radiation Therapy for an Intra-cranial Post-transplantation Lymphoma. Nishinohon Journal of Dermatology, 2006, 68, 46-50. | 0.0 | 0 |
| 897 | Kutane Arzneimittelreaktionen: Spektrum und Diagnostik. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2009, , 160-162. | 0.0 | 0 |
| 898 | Stevensâ€“Johnson Syndrome and Toxic Epidermal Necrolysis. , 2009, , 87-95. | | 0 |
| 899 | Fever and Rash in Critical Care. Infectious Disease and Therapy, 2009, , 19-48. | 0.0 | 0 |
| 900 | Fever and Rash in Critical Care. Infectious Disease and Therapy, 2009, , 19-48. | 0.0 | 0 |
| 902 | Alan Lyell et le syndrome de Lyell. , 2011, , 123-129. | | 0 |
| 903 | Allergic, Toxic, and Drug-Induced Eruptions of the Oral Mucosa. , 1999, , 161-174. | | 0 |
| 904 | Erythema Multiforme: A Recent Update. Biomedical and Pharmacology Journal, 2018, 11, 167-170. | 0.2 | 8 |
| 905 | TEN case due to allopurinol in chronic kidney disease. OrtadoÄŸu TÄ±p Dergisi, 2018, 10, 213-215. | 0.1 | 0 |
| 906 | Treatment of a Severe Pediatric Lyell Syndrome with Amniotic Membrane: Case Report and Histological Findings. Journal of Tissue Repair and Regeneration, 2018, 1, 12-21. | 2.0 | 1 |
| 907 | Diagnosis of main rashes in children. Alergologia, 2019, 4, 160. | 0.1 | 0 |
| 909 | Evaluation of the Effectiveness of Therapy for Stevensâ€“Johnson Syndrome and Toxic Epidermal Necrolysis: A Review. Vestnik Rossiiskoi Akademii Meditsinskikh Nauk, 2019, 74, 157-166. | 0.2 | 1 |
| 911 | Lyell syndrome â€“ considerations upon a clinical case. Pediatriu Ro, 2020, 3, 36. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 915 | Systemic Corticosteroid Therapy for Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Vietnam: Clinical Evaluation and Analysis of Serum Cytokines. Open Access Macedonian Journal of Medical Sciences, 2022, 10, 303-308. | 0.1 | 0 |
| 916 | Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. , 0, , . | | 0 |
| 918 | Drug-Induced Severe Cutaneous Adverse Reactions: Insights Into Clinical Presentation, Immunopathogenesis, Diagnostic Methods, Treatment, and Pharmacogenomics. Frontiers in Pharmacology, 2022, 13, 832048. | 1.6 | 17 |
| 919 | Dermatoses. , 2008, , 343-362. | | 0 |
| 920 | A Retrospective Study into Causes and Treatments of Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis in Iranian Patients. Journal of Clinical Care and Skills, 2022, 3, 19-26. | 0.0 | 0 |
| 921 | Managing the ADR of Stevens-Johnson syndrome/toxic epidermal necrolysis. Expert Opinion on Drug Safety, 2022, 21, 1039-1046. | 1.0 | 1 |
| 922 | Stevens-Johnson syndrome and toxic epidermal necrolysis: A systematic review of PubMed/MEDLINE case reports from 1980 to 2020. Frontiers in Medicine, 0, 9, . | 1.2 | 10 |
| 923 | Retrospective analysis of cases with Stevens-Johnson syndrome/toxic epidermal necrolysis: A case series of 20 patients. Turk Dermatoloji Dergisi, 2022, 16, 80. | 0.3 | 0 |
| 924 | Disease severity and status in Stevensâ€™Johnson syndrome and toxic epidermal necrolysis: Key knowledge gaps and research needs. Frontiers in Medicine, 0, 9, . | 1.2 | 0 |
| 925 | Management of Secondary Leyll Syndrome Due to Anti-Covid Vaccine in a Case, at the Renaissance University Teaching Hospital, Ndjamena (CHAD). Journal of Biosciences and Medicines, 2022, 10, 47-54. | 0.1 | 0 |
| 926 | STEVENS-JONSON SYNDROME IN CHILDREN - A LOOK AT THE PROBLEM. TavriÄeskij Mediko-biologiÄeskij Vestnik, 2022, 23, 78-85. | 0.1 | 0 |
| 927 | Ð”Ðž ÐŸÐ”ÐŸÐŸÐŸÐŸ ÐŸ;ÐŸÐŸÐŸÐŸ;ÐŸÐŸÐŸ Ð” ÐŸ†ÐŸÐŸ“ÐŸÐŸ;ÐŸÐŸÐŸÐŸ ÐŸÐŸÐŸÐŸ ÐŸÐŸÐŸÐŸ ÐŸ†ÐŸ™ÐŸÐŸÐŸ ÐŸ ÐŸ†ÐŸÐŸ“ÐŸÐŸ;ÐŸÐŸÐŸÐŸ ÐŸ | | |
| 928 | Drug-Induced Severe Cutaneous Adverse Reactions, Diagnostics and Management. , 0, , . | | 1 |
| 929 | Associations of HLA-A and HLA-B with vancomycin-induced drug reaction with eosinophilia and systemic symptoms in the Han-Chinese population. Frontiers in Pharmacology, 0, 13, . | 1.6 | 4 |
| 930 | High Serum Level of TNF-Î± in Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis. Open Access Macedonian Journal of Medical Sciences, 2022, 10, 2290-2295. | 0.1 | 0 |
| 934 | Case report: Generalized bullous fixed drug eruption mimicking epidermal necrolysis. Frontiers in Medicine, 0, 10, . | 1.2 | 1 |