

# CITATION REPORT

List of articles citing

The effect of acute renal failure on mortality. A cohort analysis

DOI: 10.1001/jama.275.19.1489

JAMA - Journal of the American Medical Association,  
1996, 275, 1489-1494.

**Source:** <https://exaly.com/paper-pdf/82999268/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1312	To dialyze or not to dialyze: an ethical and evidence-based approach to the patient with acute renal failure in the intensive care unit. <b>1997</b> , 4, 288-96		11
1311	Impact of renal dysfunction on weaning from prolonged mechanical ventilation. <b>1997</b> , 1, 101-104		33
1310	Acute renal failure after coronary intervention: incidence, risk factors, and relationship to mortality. <b>1997</b> , 103, 368-75		1333
1309	Acute renal failure in the ICU in the 1990s--"anything goes"?. <b>1997</b> , 23, 1193-6		10
1308	Apoptosis and Renal Disease. <b>1998</b> , 2, 31-37		4
1307	Contrast-medium-induced acute renal failure. <b>1998</b> , 53, 230-42		161
1306	Perioperative renal preservation: Dopexamine and fenoldopam—New agents to augment renal performance. <b>1998</b> , 17, 308-318		12
1305	[Kidney damage caused by iodized roentgen contrast media]. <b>1998</b> , 37, 530-1		1
1304	Risk factors for acute renal failure in trauma patients. <b>1998</b> , 24, 808-14		116
1303	Treatment of acute renal failure. <b>1998</b> , 54, 1817-31		582
1302	Prescribed versus delivered dialysis in acute renal failure patients. <b>1998</b> , 32, 731-8		101
1301	Prospective study of atrial natriuretic peptide for the prevention of radiocontrast-induced nephropathy. <b>1998</b> , 31, 674-80		201
1300	Independent association between acute renal failure and mortality following cardiac surgery. <b>1998</b> , 104, 343-8		1071
1299	Carbon dioxide as a contrast agent to guide vascular interventional procedures. <b>1998</b> , 171, 1265-70		26
1298	A primer in radiocontrast-induced nephropathy. <b>1999</b> , 14, 2830-4		26
1297	Outcome of critically ill patients treated with intermittent high-volume haemofiltration: a prospective cohort analysis. <b>1999</b> , 25, 814-21		125
1296	Renal interstitial concentration of adenosine during endotoxin shock. <b>1999</b> , 385, 209-16		27

1295	Postoperative acute renal failure secondary to rhabdomyolysis from exaggerated lithotomy position. <b>1999</b> , 11, 257-63	15
1294	[Prostaglandin E1 for prevention of contrast medium-induced kidney dysfunction]. <b>1999</b> , 170, 557-63	1
1293	Clinical findings and outcomes of intra-hemodialysis cardiopulmonary resuscitation. <b>1999</b> , 19, 468-73	24
1292	Dialysis techniques in the critically-ill patient. <b>2000</b> , 55, 237-43	
1291	Nonsteroidal antiinflammatory drugs and acute renal failure in elderly persons. <b>2000</b> , 151, 488-96	202
1290	Exacerbation of radiocontrast nephrotoxicity by endothelin receptor antagonism. <b>2000</b> , 57, 1675-80	164
1289	Drugs and intravenous contrast media. <b>2000</b> , 85, 219-21	2
1288	Correlates and impact on outcomes of worsening renal function in patients > or =65 years of age with heart failure. <b>2000</b> , 85, 1110-3	338
1287	Severity of illness scores and the outcome of acute tubular necrosis. <b>2000</b> , 32, 185-91	9
1286	Acute renal failure in the ICU: risk factors and outcome evaluated by the SOFA score. <b>2000</b> , 26, 915-21	1084
1285	Acute renal failure following cardiopulmonary bypass: a changing picture. <b>2000</b> , 26, 565-71	143
1284	[Current aspects of extracorporeal renal replacement therapy]. <b>2000</b> , 41, 1062-70	3
1283	Prediction of mortality in patients with bacteremia: the importance of pre-existing renal insufficiency. <b>2000</b> , 22, 99-108	28
1282	Prostaglandin E1: a new agent for the prevention of renal dysfunction in high risk patients caused by radiocontrast media? PGE1 Study Group. <b>2000</b> , 15, 43-9	87
1281	Vena cavography with CO(2) versus with iodinated contrast material for inferior vena cava filter placement: a prospective evaluation. <b>2000</b> , 216, 752-7	28
1280	Epidemiology of de novo acute renal failure in hospitalized African Americans: comparing community-acquired vs hospital-acquired disease. <b>2000</b> , 160, 1309-13	62
1279	Are screening serum creatinine levels necessary prior to outpatient CT examinations?. <b>2000</b> , 216, 481-4	72
1278	Nephrotoxicity related to contrast media. <b>2000</b> , 34, 317-22	81

1277	ICU nursing workload is not related to hospital survival. <b>2001</b> , 5, P253	78
1276	Postoperative renal insufficiency. <b>2001</b> , 85, 1241-54	3
1275	Anaesthesia, Pain, Intensive Care and Emergency Medicine âA.P.I.C.E.. <b>2001</b> ,	
1274	Optimizing medical management of patients with pre-end-stage renal disease. <b>2001</b> , 111, 559-68	11
1273	Preventing contrast-induced nephropathy with fenoldopam. <b>2001</b> , 4, 53-6	15
1272	A new adjunctive system to obtain higher PaO <sub>2</sub> with nasal cannula or catheter: double trunk mask. <b>2001</b> , 5, P001	3
1271	Model-based neuro-fuzzy control of FiO <sub>2</sub> for intensive care mechanical ventilation. <b>2001</b> , 5, P002	1
1270	Comparison of closed with open tracheal aspiration system. <b>2001</b> , 5, P003	1
1269	A laboratory assessment of the learning and retention of skills required to use the Combitube and Laryngeal Mask Airway by non-anaesthetists. <b>2001</b> , 5, P004	1
1268	Pediatric airway exchange catheter can be a life-saving device for adult patients who have risk factors for difficult tracheal reintubation. <b>2001</b> , 5, P005	78
1267	Cricothyroidotomy for elective airway management in critically ill trauma patients. <b>2001</b> , 5, P006	78
1266	Percutaneous tracheostomy in patients with ARDS on HFOV. <b>2001</b> , 5, P008	78
1265	The dilatational tracheotomy âminimally-invasive, bed-side, inexpensive âbut safe?. <b>2001</b> , 5, P009	78
1264	Combination stenting for central airway stenosis. <b>2001</b> , 5, P010	78
1263	Ulcerative laryngitis in children admitted to intensive care. <b>2001</b> , 5, P011	1
1262	Bronchial asthma in intensive care department: the factors influencing on exacerbation severity. <b>2001</b> , 5, P012	78
1261	Severe BOOP. <b>2001</b> , 5, P013	1
1260	Facial continuous positive airway pressure therapy for cardiogenic pulmonary oedema: a study to assess its efficacy in an emergency department setting within the UK. <b>2001</b> , 5, P014	78

1259	Prospective evaluation of noninvasive positive pressure ventilation (NPPV) in acute hypoxemic respiratory failure (AHRF) following lung resection. <b>2001, 5, P015</b>	78
1258	Noninvasive positive pressure ventilation in patients with blunt chest trauma and acute respiratory failure. <b>2001, 5, P016</b>	78
1257	Helium-oxygen (He-O <sub>2</sub> ) enhances oxygenation and increases carbon dioxide clearance in mechanically ventilated patients. <b>2001, 5, P017</b>	78
1256	Optimal method of flow and volume monitoring in patients mechanically ventilated with helium-oxygen (He-O <sub>2</sub> ) mixtures. <b>2001, 5, P018</b>	1
1255	Lessons learned from airway pressure release ventilation. <b>2001, 5, P019</b>	0
1254	Patient controlled pressure support ventilation. <b>2001, 5, P020</b>	78
1253	Impact of weaning failure in the evolution of patients under mechanical ventilation. <b>2001, 5, P021</b>	78
1252	Rapid reduction of oxygenation index by employment of a recruitment technique in patients with severe ARDS. <b>2001, 5, P023</b>	78
1251	Comparison of the P/V curve obtained by the supersyringe and the optoelectronic plethysmography. <b>2001, 5, P025</b>	78
1250	Assessment of static compliance and estimated lung recruitment as a tool for PEEP setting in ARDS patients. <b>2001, 5, P026</b>	78
1249	Positive end-expiratory pressure does not increase intraocular pressure in patients with intracranial pathology. <b>2001, 5, P027</b>	1
1248	Effects of lung recruitment and PEEP after CPB on pressure-absolute volume curves. <b>2001, 5, P028</b>	78
1247	The histopathological changes comparison in healthy rabbit lung ventilated with ZEEP, Sigh and PEEP. <b>2001, 5, P029</b>	78
1246	The pattern of breathing and chest wall movements at different levels of pressure support and PEEP. <b>2001, 5, P030</b>	78
1245	Effect of prone position on pulmonary vascular permeability in acute respiratory distress syndrome. <b>2001, 5, P031</b>	1
1244	Prospective study to evaluate the kind of prone position concerning nursing, pulmonary outcome and material and personnel resources. <b>2001, 5, P032</b>	78
1243	Effect of prone position on hepato-splanchnic hemodynamics in acute lung injury. <b>2001, 5, P033</b>	78
1242	Alterations in bronchoalveolar lavage fluid after experimental fulminant hepatic failure. <b>2001, 5, P034</b>	78

1241	Selective phosphodiesterase type 5 inhibition improves responsiveness to inhaled nitric oxide in endotoxin-challenged rats. <b>2001</b> , 5, P035	78
1240	Partial liquid ventilation (PLV) vs conventional mechanical ventilation (CMV) with high PEEP and moderate tidal volume (Vt) in acute lung injury in piglets. <b>2001</b> , 5, P036	78
1239	Acute versus subacute haemorrhagic shock evaluated in an isolated perfused rat lung model. <b>2001</b> , 5, P037	78
1238	The influence of enteral feeding on ventilator associated pneumonia (VAP) in trauma mechanically ventilated patients in ICU. <b>2001</b> , 5, P038	78
1237	The effect of lactulose in prevention of ventilator associated pneumonia (VAP). <b>2001</b> , 5, P039	2
1236	Fiberoptic bronchoscopy and bronchoalveolar lavage in patients with a haematological malignancy with bilateral pulmonary infiltrates. <b>2001</b> , 5, P040	1
1235	Hospital-acquired respiratory infection in patients admitted in ICU. <b>2001</b> , 5, P041	78
1234	Risk factors for early-onset respiratory infection in a general intensive care unit (ICU). <b>2001</b> , 5, P042	78
1233	Failure of bacterial filters to reduce respiratory infection incidence. <b>2001</b> , 5, P043	78
1232	Risk factors for broncho-pulmonary nosocomial infection in medical intensive care unit. <b>2001</b> , 5, P044	78
1231	Surveillance tracheal aspirate in ventilator associated pneumonia (VAP). <b>2001</b> , 5, P045	78
1230	Comparison between quantitative and qualitative culture of tracheal aspirates in the diagnosis of ventilator associated pneumonia. <b>2001</b> , 5, P046	0
1229	Specific multigenotypic diagnosis of nosocomial pneumonia in ICU. <b>2001</b> , 5, P047	78
1228	ICU-acquired nosocomial infection: impact of delay in adequate antibiotic treatment. <b>2001</b> , 5, P048	78
1227	Systemic inflammatory response during ventilator-associated pneumonia. <b>2001</b> , 5, P049	78
1226	Procalcitonin (PCT) versus IL-6 levels in bronchoalveolar lavage (BAL) fluids of trauma victims with severe lung contusion. <b>2001</b> , 5, P050	78
1225	Procalcitonin, a marker of systemic inflammation response to peritonitis which contribute to therapies strategy. <b>2001</b> , 5, P051	78
1224	Procalcitonin in autoimmune disease with sepsis. <b>2001</b> , 5, P052	1

1223	A new approach of endotoxic testing by using a monoclonal antibody against endotoxin (WN1-222/5) and flow cytometry. <b>2001</b> , 5, P053	78
1222	Increased concentrations of procollagen type III peptide in the evolution of septic phenomenon. An indicator of organ damage and fibrinogenesis? (Preliminary data results). <b>2001</b> , 5, P054	78
1221	Endotoxemia induced MCP-1 expression in the intestinal muscularis causes leucocyte infiltration that mediates smooth muscle dysfunction. <b>2001</b> , 5, P055	78
1220	Neutrophil apoptosis, phagocytosis and oxidative metabolism in septic patients. <b>2001</b> , 5, P056	78
1219	Immunological monitoring in ICU patients: immunomodulation for compromised host. <b>2001</b> , 5, P057	78
1218	Differential diagnosis of Th1/Th2-response by T-cell and monocyte function between sepsis and non-infectious SIRS via flowcytometry. <b>2001</b> , 5, P058	78
1217	T-cell-subpopulations in septic patients. <b>2001</b> , 5, P059	2
1216	Mechanical ventilation affects local and systemic TNF-alpha and IL-10 in normal swine lung. <b>2001</b> , 5, P060	78
1215	Heparin nebulization attenuates acute lung injury with sepsis after smoke inhalation in sheep. <b>2001</b> , 5, P062	78
1214	Reduced release of superoxide from isolated human neutrophils in response to high extracellular glucose. <b>2001</b> , 5, P063	78
1213	Mobilization of leukocytes in patients with severe sepsis and septic shock is associated with increased apoptosis, as detected by Annexin V binding. <b>2001</b> , 5, P064	78
1212	C5a receptor expression on leukocytes from patients with severe sepsis or septic shock. <b>2001</b> , 5, P065	1
1211	Terminal complement complex in porcine septic shock with substantial capillary leak syndrome. <b>2001</b> , 5, P066	78
1210	Peaks in G-CSF serum concentrations are accompanied by an increase in phagocytotic activity in most patients with severe sepsis or septic shock. <b>2001</b> , 5, P067	78
1209	Influence of GM-CSF supplementation on PaO <sub>2</sub> /FiO <sub>2</sub> index in septic patients. <b>2001</b> , 5, P068	78
1208	Superoxide output and expression of NADPH oxidase 1 in human colonic epithelial cells. <b>2001</b> , 5, P069	78
1207	Heat shock paradox: subsequent heat shock increases lethality of polymicrobial sepsis in vivo. <b>2001</b> , 5, P070	78
1206	The influence of endotoxin on the expression of the ORL-1 receptor. <b>2001</b> , 5, P071	78

1205	Influence of endotoxin adsorption to immunity. <b>2001</b> , 5, P072	78
1204	Influence of mast cells on leukocyte-independent plasma extravasation during endotoxemia. <b>2001</b> , 5, P073	78
1203	Reactive haemophagocytic lymphohistiocytosis: a frequent finding in immunosuppressed patients with multiple organ failure. <b>2001</b> , 5, P074	78
1202	Dexamethasone effect on sFas/sFas ligand following cardiopulmonary bypass. <b>2001</b> , 5, P075	78
1201	Moderate hypothermia during cardiac surgery provides hepatic protection by modifying the balance between gene expression of TNF- $\alpha$ and IL10. <b>2001</b> , 5, P076	1
1200	Influence of cardiac surgery on immune competence in children. <b>2001</b> , 5, P077	78
1199	Earlier extubation using axillary temperature as the endpoint for rewarming following hypothermic cardiopulmonary bypass. <b>2001</b> , 5, P078	78
1198	An effective aspiration method of purulent abdominal fluid for preventing abdominal sepsis. <b>2001</b> , 5, P079	78
1197	Catheter-related infections (CRI) after guidewire exchange of subclavian catheters compared to CRI after direct placement of the catheter. <b>2001</b> , 5, P080	78
1196	Low dose pentoxifylline (PTX) reduces mortality in an animal model of acute hepatic and multi-organ failure. <b>2001</b> , 5, P081	1
1195	Differences in iNOS inhibition in an animal model of acute hepatic and multi-organ failure. <b>2001</b> , 5, P082	78
1194	Effects of a dual inhibitor of TNF- $\alpha$ and IL-1 on lipopolysaccharide-induced lung injury in rats. <b>2001</b> , 5, P083	1
1193	Agreement between Multiple Organ Dysfunction (MOD) and interleukin (IL)-6 levels at baseline in septic patients: a post hoc analysis from the MONARCS trial. <b>2001</b> , 5, P084	78
1192	Baseline characteristics of patients with and without hypercoagulable sepsis and the effect of afelimomab on mortality: a post hoc analysis from the MONARCS trial. <b>2001</b> , 5, P085	78
1191	Effect of PMX-DHP according to differences in infection site. <b>2001</b> , 5, P086	78
1190	Early respiratory infection in patients admitted in ICU: microbiological profile and effectiveness of initial therapy. <b>2001</b> , 5, P087	78
1189	Cost/benefit analysis of initial cultures in the management of acute burns. <b>2001</b> , 5, P088	0
1188	The utility of routine wound surveillance cultures in the management of burn injury. <b>2001</b> , 5, P089	78



1187	Attributable mortality in critically ill patients with bacteremia involving methicillin susceptible (MSSA) and methicillin resistant Staphylococcus aureus (MRSA). <b>2001, 5, P090</b>	1
1186	Prescription of antibiotics in a neonatal intensive care unit. <b>2001, 5, P091</b>	78
1185	ICU-acquired infections on a patient-to-patient antibiotic rotation policy in ICU. <b>2001, 5, P092</b>	78
1184	Cefepime in critically ill patients: continuous infusion versus intermittent regimen. <b>2001, 5, P093</b>	78
1183	Leptospirosis and acute respiratory failure: report of 34 cases. <b>2001, 5, P094</b>	78
1182	Comparison of two cohort of patients with severe tetanus in ICU. <b>2001, 5, P095</b>	78
1181	Multiorgan failure in malaria: what we have learned over the past 10 years. <b>2001, 5, P096</b>	78
1180	Malaria and the HIV virus: is there any interaction?. <b>2001, 5, P097</b>	78
1179	Undiagnosed tuberculosis as the reason of failure in treatment of critical care patients. <b>2001, 5, P098</b>	78
1178	Risk factors for Candida colonization/infection in non-neutropenic medical critically ill patients. <b>2001, 5, P099</b>	78
1177	Therapeutic variability in the treatment of Candida colonization/infection in non-neutropenic critically ill patients. <b>2001, 5, P100</b>	78
1176	Lipopolysaccharides-induced interleukin-8 production is inhibited by antithrombin. <b>2001, 5, P101</b>	78
1175	Distinct antithrombin III preparations deactivate IL-8-induced neutrophil chemotaxis with different potency. <b>2001, 5, P102</b>	78
1174	Specific deactivation of monocyte and lymphocyte migration by antithrombin III. <b>2001, 5, P103</b>	78
1173	Control of DIC after administration of ATIII in ICU septic patients. <b>2001, 5, P104</b>	78
1172	Incidence and implications of coagulopathy in medical intensive care patients. <b>2001, 5, P105</b>	3
1171	Efficacy of substitution therapy with PPSB concentrate in intensive care patients. <b>2001, 5, P106</b>	78
1170	Assessment of rVIIa as a universal haemostatic agent in a model of haemodilution. <b>2001, 5, P107</b>	78

1169	Measurement of serum transferrin receptor (sTfR) in critically ill patients. <b>2001</b> , 5, P108	78
1168	How we reduce allogenic blood transfusions in the patients undergoing surgery of ascending aorta. <b>2001</b> , 5, P109	78
1167	Hyperdynamic circulation following cardiopulmonary bypass predisposes to postoperative bleeding. <b>2001</b> , 5, P110	2
1166	Regional release of tissue-type plasminogen activator in sepsis: effects of volume resuscitation. <b>2001</b> , 5, P111	78
1165	The effect of the combined administration of colloids and Ringer's Lactate on the coagulation system - an in vitro study using thrombelastography (roTEG®). <b>2001</b> , 5, P112	78
1164	Large volume resuscitation with hydroxyethyl starch (HES) in lactated Ringer's (LR) solution restores perfusion, minimally induces hyperchloremia or impairs coagulation. <b>2001</b> , 5, P113	1
1163	Advantages of 6% hydroxyethyl starch 130/0.4 (Voluven®) at repetitive high dose levels in patients with severe cranio-cerebral trauma. <b>2001</b> , 5, P114	78
1162	Effects on general safety and coagulation after long-term, high-dose volume therapy with 6% hydroxyethyl starch 130/0.4 in patients with acute ischemic stroke. Results of a randomized, placebo-controlled, double-blind study. <b>2001</b> , 5, P115	3
1161	No evidence of excess mortality in patients receiving human albumin: a meta-analysis of randomized controlled trials. <b>2001</b> , 5, P116	78
1160	Evaluation of early and late histamine release by three standard volume substitutes. <b>2001</b> , 5, P117	78
1159	Pharmacokinetics and tolerability of intravenous infusion of the new hydroxyethyl starch 130/0.4 (6%) in 19 subjects with mild to severe renal impairment: terminal half life and peak concentration (Cmax) remain unaffected. <b>2001</b> , 5, P118	78
1158	Comparison of ultrasound muscle thickness measurements in ICU patients in muscle groups known to undergo atrophy vs muscle groups that do not undergo atrophy. <b>2001</b> , 5, P119	78
1157	Some metabolic and hormonal aspects of enteral nutrition. <b>2001</b> , 5, P120	78
1156	Endoscopically placed naso-jejunal feeding tubes in ICU patients: a retrospective review. <b>2001</b> , 5, P121	1
1155	A novel technique for nasoduodenal feeding tube placement in critically ill patients. <b>2001</b> , 5, P122	78
1154	Enteral glutamine feeding and some aspects of immune function in intensive care patients. <b>2001</b> , 5, P123	78
1153	A glutamine containing dipeptide in high concentration may be given safely via the peripheral route in ICU-patients. <b>2001</b> , 5, P124	78
1152	Serum amylin correlates with delayed gastric emptying in critically ill children. <b>2001</b> , 5, P125	78

1151	The effect of lactulose on tolerance of gastric feeding in long term ICU patients. <b>2001</b> , 5, P126	1
1150	Investigation of insulin clearance in septic patients with glucose intolerance: analysis under strict blood glucose control by means of artificial pancreas. <b>2001</b> , 5, P127	2
1149	Comparative analysis of two different total parenteral nutrition delivery systems. <b>2001</b> , 5, P128	78
1148	Influence of an intravenous fish oil emulsion on monocyte-endothelial interactions. <b>2001</b> , 5, P129	78
1147	Sepsis progression is associated with a gradual depletion of both insulin-like growth factor I (IGF-I) and insulin-like growth factor binding protein-3 (IGFBP3) and a progressive elevation of growth hormone (GH) serum levels. <b>2001</b> , 5, P130	78
1146	The effect of enteral and perenteral nutrition on blood and respiratory tract immunoglobulins in intensive care unit patients. <b>2001</b> , 5, P131	78
1145	Noninvasive monitoring capnometry for continuous monitoring of metabolic status in pediatric diabetic ketoacidosis (DKA). <b>2001</b> , 5, P132	78
1144	Serial measurements of energy expenditure in critically ill children: optimizing nutritional therapy?. <b>2001</b> , 5, P133	78
1143	Oxygen consumption in critically ill patients: the relation between calculation by Fick's principle and measurement by gas-mixing chamber indirect calorimetry. <b>2001</b> , 5, P134	1
1142	Calculation of unmeasured anions fails to assist outcome prediction in patients in an adult intensive care unit. <b>2001</b> , 5, P135	78
1141	Elevated blood lactate concentration in psychogenic hyperventilation. <b>2001</b> , 5, P136	78
1140	Need for cardiac output monitoring in elderly trauma patients determined by base deficit. <b>2001</b> , 5, P137	1
1139	Pulmonary lactate production in septic patients with and without ARDS. <b>2001</b> , 5, P138	78
1138	Relationship among sigmoid pHi, blood lactate and outcome in surgical patients of abdominal aortic aneurysm. <b>2001</b> , 5, P139	78
1137	Correlation of stress ulceration in the critically ill patients to APACHE score and role of Helicobacter pylori. <b>2001</b> , 5, P140	78
1136	Peptic ulcer bleeding in intensive care unit (ICU): a prospective, controlled, randomized study. <b>2001</b> , 5, P141	1
1135	Molecular proinflammatory mechanism in the intestinal muscularis following intestinal manipulation. <b>2001</b> , 5, P142	78
1134	Continuous multi-parameter tissue monitoring during shock and resuscitation. <b>2001</b> , 5, P143	78

1133	Relationship between superior (PSVC), inferior (PIVC) vena cava and bladder (PCYST) pressure. <b>2001, 5, P144</b>	78
1132	Effects of epinephrine, norepinephrine and phenylephrine on regional and microcirculatory blood flow during sepsis. <b>2001, 5, P145</b>	78
1131	Dose-response of arginine-vasopressin (AVP) on blood pressure (MAP), renal macro and micro cortical and medullary flows in anesthetized rabbits. <b>2001, 5, P146</b>	78
1130	Corticosteroids reduce inotrope requirements in hypotensive liver failure. <b>2001, 5, P147</b>	78
1129	Do beta-adrenergic drugs increase microcirculatory blood flow in the gut in sepsis?. <b>2001, 5, P148</b>	1
1128	Clinical evaluation of a noninvasive method to measure cardiac output. <b>2001, 5, P149</b>	78
1127	Pulmonary embolism detected by transesophageal echocardiography during cemented total hip surgery: the effects on hemodynamic, hemogasanalytic, and pulmonary shunt values. <b>2001, 5, P150</b>	78
1126	Continuous right ventricular monitoring under lysis with rt-PA in acute pulmonary embolia. <b>2001, 5, P151</b>	78
1125	Pulse oximeter waveform analysis as a measure of circulatory status. <b>2001, 5, P152</b>	5
1124	Positive correlation between daily changes of initial distribution volume of glucose and cardiac output following subtotal esophagectomy. <b>2001, 5, P153</b>	78
1123	Hemodynamics changes induced by volume expansion measured by PiCCO <sup>®</sup> system: the post-expansion effect. <b>2001, 5, P154</b>	78
1122	Usefulness of an expert software for hemodynamic evaluation: results of the HEMODYN- Survey. <b>2001, 5, P155</b>	78
1121	Measured and calculated SvO <sub>2</sub> : do they alter clinical decisions?. <b>2001, 5, P156</b>	78
1120	Comparison of two thermodilution devices for postoperative care in patients with aneurysmal subarachnoid hemorrhage. <b>2001, 5, P157</b>	78
1119	Correlation of the monitorization with continuous esophageal echo-Doppler in critically ill patients. <b>2001, 5, P158</b>	78
1118	Accuracy of blood volume measurement using an integrated fiberoptic monitoring system in septic shock. <b>2001, 5, P159</b>	78
1117	Patterns and kinetics of cardiac troponin I and T after coronary artery bypass grafting. <b>2001, 5, P160</b>	78
1116	Apoptosis and oxygen free radicals after interventional reperfusion in acute myocardial infarction: diagnostic value and prognostic implications. <b>2001, 5, P161</b>	78

1115	Effects of glycoprotein IIb/IIIa receptor blocker (tirofiban) in acute coronary syndromes angiographic, scintigraphic and molecular biology studies. <b>2001</b> , 5, P162	78
1114	Early stenting vs conservative treatment after thrombolysis in acute myocardial infarction: results of a randomized trial. <b>2001</b> , 5, P163	78
1113	Myocardial infarction on elder 80 years old patients: women handicap. <b>2001</b> , 5, P164	78
1112	Epidemiology of gender-related differences of arrhythmias in the ICU. <b>2001</b> , 5, P165	78
1111	A circadian pattern of occurrence of ventricular tachycardia and atrial fibrillation is present during periods of analgosedation. <b>2001</b> , 5, P166	78
1110	Intra-hospital response to cardiac arrest in Rome area. <b>2001</b> , 5, P167	78
1109	Sudden death resuscitation announcing acute myocardial infarction: early outcome and mortality factors. <b>2001</b> , 5, P168	78
1108	Quality of life after cardiac arrest - evaluation with EQ-5D. <b>2001</b> , 5, P169	78
1107	Epidemiological study of burns in Kurdistan province, Iran. <b>2001</b> , 5, P170	78
1106	Pre-hospital emergency care in the remote areas in Jordan. <b>2001</b> , 5, P171	78
1105	A report on emergency service by ambulance with doctor on board of the Emergency Department of Prato, Italy. <b>2001</b> , 5, P172	78
1104	Impact of interhospital intensive care unit transfers. <b>2001</b> , 5, P173	78
1103	Hypothermia is a marker for adequacy of resuscitation in severe truncal injury. <b>2001</b> , 5, P174	78
1102	Survival and recovery after pediatric hypothermic immersion injury achieved through coordinated multidisciplinary approach. <b>2001</b> , 5, P175	78
1101	Diagnosis: heart contusion?. <b>2001</b> , 5, P176	78
1100	Long-term follow up of traumatic multiple rib fractures. <b>2001</b> , 5, P177	78
1099	Decompressive craniectomy as an ultimate therapy for post-traumatic brain swelling. <b>2001</b> , 5, P178	78
1098	Cerebral blood flow and oxidative metabolism during human endotoxaemia. <b>2001</b> , 5, P179	1

1097	The role of the adrenergic system in septic encephalopathy. <b>2001</b> , 5, P180	4
1096	Prognostic features and outcome of surgically treated aneurysmal subarachnoid haemorrhage. <b>2001</b> , 5, P181	78
1095	Intracranial pressure monitoring in patients with subarachnoid haemorrhage. <b>2001</b> , 5, P182	78
1094	A novel signaling pathway to facilitate synaptic transmission in the cerebral cortex. <b>2001</b> , 5, P183	78
1093	Feasibility and advantages of normothermia in patients with acute cerebral damage: preliminary results of a prospective randomised study. <b>2001</b> , 5, P184	1
1092	Plasma sodium and sodium balance following sub-arachnoid haemorrhage (SAH). <b>2001</b> , 5, P185	78
1091	Secretion pattern of melatonin after head injury. <b>2001</b> , 5, P186	78
1090	Influences of different bypass modalities and body core temperatures during extracorporeal circulation (ECC) on pathomorphological and immunohistochemical changes in the pig brain. <b>2001</b> , 5, P187	1
1089	Clinical utility and reliability of transcranial Doppler ultrasonography for the confirmation of brain death. <b>2001</b> , 5, P188	78
1088	A prospective multicenter study of ICU acquired paralysis. <b>2001</b> , 5, P189	78
1087	The clinical course of acute quadriplegia of the critically ill. <b>2001</b> , 5, P190	78
1086	Clinical assessment of level of sedation in the intensive care unit: a correlation study. <b>2001</b> , 5, P191	78
1085	Assessment of sedation level and EEG recovery after major operation by spectral entropy. <b>2001</b> , 5, P193	78
1084	One center's experience with the phase IIIb randomized multi center study comparing the safety and efficacy of dexmedetomidine to propofol for ICU sedation following coronary artery bypass graft surgery. <b>2001</b> , 5, P194	1
1083	A comparison between dexmedetomidine and propofol for sedation in the intensive care unit. <b>2001</b> , 5, P195	1
1082	Pharmacokinetics of dexmedetomidine infusions for patients in the intensive care unit. <b>2001</b> , 5, P196	78
1081	Short-term propofol sedation increases serum levels of parathyroid hormone independent of calcium levels in normal subjects. <b>2001</b> , 5, P197	78
1080	The effect of morphine on the immune system of ventilated ICU patients. <b>2001</b> , 5, P198	78

1079	An investigation of the efficacy and safety of remifentanyl for the provision of optimal sedation in adult ICU patients requiring short-term mechanical ventilation: preliminary results. <b>2001</b> , 5, P199	78
1078	An investigation of the offset of pharmacodynamic effects of remifentanyl following prolonged infusion in ICU patients with varying degrees of renal dysfunction: preliminary results. <b>2001</b> , 5, P200	78
1077	Phenobarbital: a good choice for long-term sedation. <b>2001</b> , 5, P201	3
1076	Repetition of self-poisoning and self-injury: a retrospective 4-year study. <b>2001</b> , 5, P202	78
1075	Combined verapamil and atenolol poisoning: resolution of cardiogenic shock with enoximone. <b>2001</b> , 5, P203	78
1074	Organophosphate poisoning: 10 years experience in a paediatric intensive care unit. <b>2001</b> , 5, P204	78
1073	End-tidal CO <sub>2</sub> (EtCO <sub>2</sub> ) and QTc period: can it help us in the prognosis of patients with organophosphate poisoning?. <b>2001</b> , 5, P205	0
1072	Cardiac troponin I as a marker of myocardial injury in paracetamol induced acute liver failure. <b>2001</b> , 5, P206	78
1071	Magnesium in the intensive care unit. <b>2001</b> , 5, P207	78
1070	Critical illness is associated with elevated parathyroid hormone. <b>2001</b> , 5, P208	1
1069	Hypocalcemia in children with septic shock. <b>2001</b> , 5, P209	1
1068	Bone resorption and acute renal failure in the hypercalcaemic critically ill. <b>2001</b> , 5, P210	78
1067	Shock, acute renal failure and MODS as mortality indicator in acute pancreatitis. <b>2001</b> , 5, P211	78
1066	Acute renal failure due to crush injury and prolonged positional compression on a muscle group. <b>2001</b> , 5, P212	78
1065	Experience with continuous venovenous hemofiltration (CVVH) in the ICU: a report from a single center. <b>2001</b> , 5, P213	1
1064	Does biocompatibility of dialysis membranes affect survival in patients with acute renal failure?. <b>2001</b> , 5, P214	78
1063	Effects of bicarbonate- and lactate-buffered replacement fluids on cardiovascular outcome in CVVH patients. <b>2001</b> , 5, P215	78
1062	Dosing patterns for continuous renal replacement therapy in the United States. <b>2001</b> , 5, P216	78

1061	A preliminary investigation of the nephroprotective effects of the adenosine antagonist aminophylline in patients undergoing abdominal aortic aneurysm repair. <b>2001, 5, P217</b>	1
1060	The renal function tests: a key to understanding of osmolal disorders in cerebral injury?. <b>2001, 5, P218</b>	78
1059	The relationship between renal function and renal urodilatin excretion immediately after cardiac surgery. <b>2001, 5, P219</b>	78
1058	Trends in post-operative mortality in patients requiring renal replacement therapy following cardiothoracic transplantation. <b>2001, 5, P220</b>	78
1057	Outcome of renal transplant recipients and graft survival in the ICU. <b>2001, 5, P221</b>	3
1056	ICU acquired acute renal failure carries a higher mortality than acute renal failure on admission to ICU. <b>2001, 5, P222</b>	78
1055	Simplified therapeutic intervention scoring system (TISS 28) to assess intensive care unit (ICU) costs and the efficiency of the admission process to a medical ICU. <b>2001, 5, P223</b>	2
1054	Usefulness of the Logistic Organ Dysfunction (LOD) system to predict outcomes in a population of patients at a critical care unit in Argentina. <b>2001, 5, P224</b>	78
1053	Value of SOFA (Sequential Organ Failure Assessment) score and total maximum SOFA score in 812 patients with acute cardiovascular disorders. <b>2001, 5, P225</b>	10
1052	Short-term prognosis in critically ill patients with liver cirrhosis: use of the SOFA score. <b>2001, 5, P226</b>	78
1051	Severity stratification of septic shock according to noradrenaline requirement. <b>2001, 5, P227</b>	78
1050	Is there any difference between SOFA and LODS scores to discriminate outcome in septic patients?. <b>2001, 5, P228</b>	78
1049	Outcome prediction in ICU admitted end-stage renal disease patients. <b>2001, 5, P229</b>	78
1048	Comparison of prediction of hospital mortality by ICU medical staff and referring parent team doctors. <b>2001, 5, P230</b>	78
1047	Inclusion criteria in sepsis trials should include severity of organ dysfunction. <b>2001, 5, P231</b>	78
1046	Hormones and not gender influences outcome in severe infection. <b>2001, 5, P232</b>	78
1045	Incidence and risk factors for mortality in acute respiratory distress syndrome. Do we have the same predictors?. <b>2001, 5, P233</b>	78
1044	Acute lung injury in paediatric intensive care: course and outcome. <b>2001, 5, P234</b>	78



1043	The impact of demographics, chronic health status and severity of disease on outcome from mechanical ventilation: a prospective cohort study. <b>2001</b> , 5, P237	78
1042	Management of hematological patients in ICU: a retrospective study of 110 patients. <b>2001</b> , 5, P238	78
1041	Leukopenia predicts outcome in haemato-oncological patients requiring intensive care. <b>2001</b> , 5, P239	78
1040	Haematological malignancy on the ICU - can we identify survivors?. <b>2001</b> , 5, P240	78
1039	Outcome of neonates operated on for congenital diaphragmatic hernia. <b>2001</b> , 5, P241	78
1038	The intensive care unit in paediatric oncology: 10 years experience. <b>2001</b> , 5, P242	78
1037	Epidemiology and early predictive factors of outcome in children with severe head injury. <b>2001</b> , 5, P243	78
1036	Prediction of neurological outcome after cardiac arrest. <b>2001</b> , 5, P244	1
1035	The outcome of neuro-trauma. A 1 year retrospective study in an intensive care unit. <b>2001</b> , 5, P245	1
1034	Factors influencing the functional outcome in a neurointensive care unit. <b>2001</b> , 5, P246	78
1033	Prolonged intensive care unit stay: predictors and impact on resource utilization. <b>2001</b> , 5, P247	78
1032	Comparing Gray's and Cox models in sepsis survival. <b>2001</b> , 5, P248	78
1031	The outcome of the geriatric patients in the ICU. <b>2001</b> , 5, P249	78
1030	Incidence and course of early cardiac failure in long term ICU patients. <b>2001</b> , 5, P250	78
1029	Premature discharge of patients from ICU increases mortality. <b>2001</b> , 5, P251	78
1028	Early postoperative intensive care in cadaveric liver transplantation: factors affecting the length of intensive care unit stay. <b>2001</b> , 5, P252	1
1027	Terminal weaning from mechanical ventilation in critically ill patients with or without severe brain damage. <b>2001</b> , 5, P254	78
1026	Limitation of life-support therapy in critically ill patients: family response and attitudes. <b>2001</b> , 5, P255	78

1025	Withholding and withdrawing therapy at the intensive care units of the University Hospital of Innsbruck, Austria. <b>2001</b> , 5, P256	78
1024	Current practice of Do-Not-Resuscitate (DNR) orders in a Saudi Arabian tertiary care center. <b>2001</b> , 5, P257	1
1023	Cost of care associated with early sepsis (first 24-hours of ICU admission) in a United States medical center. <b>2001</b> , 5, P258	1
1022	The cost in different subgroups of critically ill patients: a multicentric study in Czech Republic. <b>2001</b> , 5, P259	2
1021	Quality assessment in German ICUs: first results of a cross sectional survey of the DIMI interdisciplinary working group for quality assessment on ICUs. <b>2001</b> , 5, P260	78
1020	Accidental withdrawal of tubes, sounds and catheters. <b>2001</b> , 5, P262	78
1019	Evaluation of daily fluid balance during continuous hemodialysis and filtration (CHDF). <b>2001</b> , 5, P263	78
1018	Effects of acute systemic dehydration promoted by intravenous furosemide on respiratory mucus in dogs. <b>2001</b> , 5, P264	78
1017	Effects of molecular and functional intestinal adaptation to chronic LPS administration. <b>2001</b> , 5, P265	78
1016	Selective jejunal manipulation initiates a proinflammatory molecular response within the gastric and colonic muscularis. <b>2001</b> , 5, P266	78
1015	Reactive oxygen species (ROS) generated in vitro decreases human small intestinal muscle contractions and inhibitory neuromuscular transmission. <b>2001</b> , 5, P267	78
1014	Comparison of two percutaneous tracheostomy techniques. <b>2001</b> , 5, P007	78
1013	Abstract withdrawn. <b>2001</b> , 5, P022	78
1012	The effects of recruitment maneuver on oxygenation in primary and secondary adult respiratory distress syndrome. <b>2001</b> , 5, P024	78
1011	The effect of intratracheal and intravenous lidocaine in hydrochloric acid-induced acute lung injury in rabbits. <b>2001</b> , 5, P061	78
1010	Acute lung injury: a 1 year study at an intensive care unit of a university hospital. <b>2001</b> , 5, P235	78
1009	ICU characteristics of patients with chronic respiratory failure during acute exacerbations. <b>2001</b> , 5, P236	78
1008	Diagnostic accuracy in the medical intensive care unit. <b>2001</b> , 5, P261	78

1007	Multiple organ failure in septic patients. <b>2001</b> , 5, 103-10	15
1006	Risk factors for acute renal failure in the intensive care unit. <b>2001</b> , 132, 22-5	1
1005	Severity scores and outcomes with acute renal failure in the ICU setting. <b>2001</b> , 132, 181-95	13
1004	The role of dialyzer biocompatibility in acute renal failure. <b>2001</b> , 19, 70-2	3
1003	Plasminogen activator inhibitor type 1 and outcome after successful cardiopulmonary resuscitation. <b>2001</b> , 29, 1670-7	20
1002	Perioperative acute renal failure. <b>2001</b> , 39, 95-109	12
1001	Review of studies establishing the aging male spontaneously hypertensive rat as a detector and quantifier of the kidney toxicity of radiocontrast media and other chemicals. <b>2001</b> , 36, 56-63	10
1000	Prevention of contrast media-induced renal dysfunction with prostaglandin E1: a randomized, double-blind, placebo-controlled study. <b>2001</b> , 8, 155-62	57
999	Problems in the development, validation and adaptation of prognostic models for acute renal failure. <b>2001</b> , 16, 1098-101	9
998	Non-specialist management of acute renal failure. <b>2001</b> , 94, 533-40	83
997	Psychosocial and behavioral selection criteria for solid organ transplantation. <b>2001</b> , 11, 121-30; quiz 131-2	38
996	Indications for dialysis in the ICU: renal replacement vs. renal support. <b>2001</b> , 19, 227-32	63
995	Flüssigkeitstherapie beim akuten Lungenversagen. <b>2001</b> , 38, 690-698	2
994	Update "Akutes Nierenversagen in der Intensivmedizin. <b>2001</b> , 38, 179-186	6
993	Customized bicarbonate buffered dialysate and replacement solutions for continuous renal replacement therapies: effect of crystallization on the measured levels of electrolytes and buffer. <b>2001</b> , 25, 870-5	8
992	Low risk of contrast-medium-induced nephropathy with modern angiographic technique. <b>2001</b> , 250, 429-34	25
991	Acute renal failure requiring dialysis after percutaneous coronary interventions. <b>2001</b> , 52, 409-16	175
990	Use of fenoldopam to prevent radiocontrast nephropathy in high-risk patients. <b>2001</b> , 53, 341-5	77

989	Use of fenoldopam for prevention of radiocontrast nephropathy in the cardiac catheterization laboratory: a case series. <b>2001</b> , 14, 179-85		9
988	Prevention of contrast nephropathy after cardiac catheterisation. <b>2001</b> , 85, 361-2		31
987	Guided medication dosing for inpatients with renal insufficiency. <i>JAMA - Journal of the American Medical Association</i> , <b>2001</b> , 286, 2839-44	27.4	299
986	Intravascular ultrasound-guided renal artery stenting. <b>2001</b> , 8, 238-47		26
985	Role of N-acetylcysteine in the prevention of radiocontrast-induced nephropathy. <b>2002</b> , 36, 1466-70		11
984	Daily hemodialysis and the outcome of acute renal failure. <b>2002</b> , 346, 305-10		672
983	Clinical and economic outcomes of conventional amphotericin B-associated nephrotoxicity. <b>2002</b> , 35, e120-7		58
982	Loop diuretics for patients with acute renal failure: helpful or harmful?. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 288, 2599-601	27.4	32
981	Diuretics, mortality, and nonrecovery of renal function in acute renal failure. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 288, 2547-53	27.4	452
980	Prevention of contrast media-associated nephropathy: randomized comparison of 2 hydration regimens in 1620 patients undergoing coronary angioplasty. <b>2002</b> , 162, 329-36		557
979	Acute renal failure in hospitalized patients: part II. <b>2002</b> , 36, 1430-42		12
978	Gadolinium chelates in angiography and interventional radiology: a useful alternative to iodinated contrast media for angiography. <b>2002</b> , 223, 319-25; discussion 326-7		96
977	Effect of theophylline on contrast material-nephropathy in patients with chronic renal insufficiency: controlled, randomized, double-blinded study. <b>2002</b> , 223, 772-9		104
976	Prevention of acute renal failure in the critically ill. <b>2002</b> , 165, 320-4		51
975	[Diagnosis of acute renal failure]. <b>2002</b> , 127, 33-7		3
974	The inflammatory cascade in acute ischemic renal failure. <b>2002</b> , 90, 133-8		165
973	Acute renal failure in hospitalized patients: part I. <b>2002</b> , 36, 1261-7		38
972	Low-dose prostacyclin preserves renal function in high-risk patients after coronary bypass surgery. <b>2002</b> , 30, 107-12		23

971	Daily haemodialysis for acute renal failure. <b>2002</b> , 11, 589-92	10
970	Effect of acute renal failure requiring renal replacement therapy on outcome in critically ill patients. <b>2002</b> , 30, 2051-8	1861
969	Contrast-associated nephropathy. <b>2002</b> , 4, 372-9	13
968	Renal responses to desflurane and isoflurane in patients with renal insufficiency. <b>2002</b> , 97, 1133-6	30
967	Prognosis of patients who develop acute renal failure during the first 24 hours of cardiogenic shock after myocardial infarction. <b>2002</b> , 112, 115-9	88
966	Acetylcysteine protects against acute renal damage in patients with abnormal renal function undergoing a coronary procedure. <b>2002</b> , 40, 1383-8	235
965	Acute renal failure in the PACU. <b>2002</b> , 17, 377-83	0
964	Fenoldopam mesylate blocks reductions in renal plasma flow after radiocontrast dye infusion: a pilot trial in the prevention of contrast nephropathy. <b>2002</b> , 143, 894-903	176
963	Gadolinium-based contrast agents in angiography and interventional radiology. <b>2002</b> , 40, 693-710	18
962	Fenoldopam: Prevention of Contrast Media Nephrotoxicity. <b>2002</b> , 37, 287-294	3
961	Nephropathy requiring dialysis after percutaneous coronary intervention and the critical role of an adjusted contrast dose. <b>2002</b> , 90, 1068-73	255
960	A protocol for prevention of radiographic contrast nephropathy during percutaneous coronary intervention: effect of selective dopamine receptor agonist fenoldopam. <b>2002</b> , 55, 169-73	59
959	Prospective randomized study of N-acetylcysteine, fenoldopam, and saline for prevention of radiocontrast-induced nephropathy. <b>2002</b> , 57, 279-83	202
958	The third strike. <b>2002</b> , 57, 284-5	3
957	Urine Dipstick as a Screening Test for Serum Creatinine Elevation in Emergency Department Patients with Severe Hypertension. <b>2002</b> , 9, 27-34	2
956	Hyperreninemic hypoaldosteronism: a possible etiological factor of septic shock-induced acute renal failure. <b>2003</b> , 29, 1703-9	57
955	Urinary measurement of Na <sup>+</sup> /H <sup>+</sup> exchanger isoform 3 (NHE3) protein as new marker of tubule injury in critically ill patients with ARF. <b>2003</b> , 42, 497-506	132
954	Fenoldopam and N-acetylcysteine for the prevention of radiographic contrast material-induced nephropathy: a review. <b>2003</b> , 23, 1617-26	15

953	Meta-analysis of randomized clinical trials on the usefulness of acetylcysteine for prevention of contrast nephropathy. <b>2003</b> , 92, 1454-8	114
952	Prevention of radiocontrast-induced nephropathy. <b>2003</b> , 58, 532-8	7
951	Perioperative care of the patient with renal failure. <b>2003</b> , 87, 193-210	12
950	Outcomes research in acute renal failure. <b>2003</b> , 23, 283-94	49
949	Special issues in the patient with renal failure. <b>2003</b> , 19, 233-51	12
948	A randomized prospective trial to assess the role of saline hydration on the development of contrast nephrotoxicity. <b>2003</b> , 93, C29-34	285
947	Worsening renal function: what is a clinically meaningful change in creatinine during hospitalization with heart failure?. <b>2003</b> , 9, 13-25	279
946	Patient care before and after percutaneous coronary artery interventions. <b>2003</b> , 115, 642-51	6
945	Acetylcysteine for prevention of contrast nephropathy: meta-analysis. <b>2003</b> , 362, 598-603	385
944	A drug to prevent renal failure?. <b>2003</b> , 362, 589-90	14
943	A case series of low-dose fenoldopam in seventy cardiac surgical patients at increased risk of renal dysfunction. <b>2003</b> , 17, 17-21	33
942	Clinical Nephrotoxins. <b>2003</b> ,	6
941	Acute renal failure definitions and classification: time for change?. <b>2003</b> , 14, 2178-87	403
940	Prevention of acute renal failure in the critically ill. <b>2003</b> , 93, C13-20	28
939	Prevention and treatment of acute renal failure in sepsis. <b>2003</b> , 14, 792-805	100
938	Guidelines for contrast media from the European Society of Urogenital Radiology. <b>2003</b> , 181, 1463-71	128
937	Acetylcysteine for prevention of acute deterioration of renal function following elective coronary angiography and intervention: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2003</b> , 289, 553-8	27.4 300
936	Nephrotoxic effects in high-risk patients undergoing angiography. <b>2003</b> , 348, 491-9	857

935	Fenoldopam mesylate for the prevention of contrast-induced nephropathy: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2003</b> , 290, 2284-91	27.4	317
934	Measurement of tubular enzymuria facilitates early detection of acute renal impairment in the intensive care unit. <b>2003</b> , 18, 543-51		250
933	The prevention of radiocontrast-agent-induced nephropathy by hemofiltration. <b>2003</b> , 349, 1333-40		382
932	[Acute renal failure--an review]. <b>2003</b> , 128, 1231-6		16
931	Editorial overview: current opinion in critical care-renal problems. <b>2003</b> , 9, 465-7		
930	Radiocontrast-induced nephropathy. <b>2003</b> , 10, 137-47		40
929	Acetylcysteine and Nephropathy. <b>2003</b> , 103, 64AA		1
928	Renal dysfunction after cardiac surgery with normothermic cardiopulmonary bypass: incidence, risk factors, and effect on clinical outcome. <b>2003</b> , 96, 1258-1264		98
927	Septic shock, multiple organ failure, and acute respiratory distress syndrome. <b>2003</b> , 9, 199-209		43
926	Acute renal failure in children: outcome and prognostic factors. <b>2003</b> , 43, 205		
925	Epidemiology and outcome in renal failure. <b>2004</b> , 27, 1013-8		13
924	Addendum. <b>2004</b> , 27, 1061-1062		
923	Acute renal failure after coronary artery bypass surgery with extracorporeal circulation -- incidence, risk factors, and mortality. <b>2004</b> , 83, 150-4; 145-9		14
922	Contrast nephropathy, pathophysiology and prevention. <b>2004</b> , 27, 1054-65		7
921	Frequently asked questions: iodinated contrast agents. <b>2004</b> , 24 Suppl 1, S3-10		66
920	Acute renal failure in the intensive care unit. Risk factors. <b>2004</b> , 144, 12-8		
919	Glucose control in the critically ill. <b>2004</b> , 144, 119-31		3
918	Renal insufficiency after cardiac surgery. <b>2004</b> , 8, 227-41		25

917	Contrast-induced nephropathy. <b>2004</b> , 183, 1673-89		306
916	Thromboxane receptor mediates renal vasoconstriction and contributes to acute renal failure in endotoxemic mice. <b>2004</b> , 15, 2358-65		58
915	Renal artery stenting using gadodiamide arteriography in patients with baseline renal insufficiency. <b>2004</b> , 11, 553-9		11
914	Oral N-Acetylcysteine (NAC) to Prevent Contrast-Induced Nephrotoxicity: Is NAC the Answer?. <b>2004</b> , 137, 31-36		1
913	Acute renal failure in the critically ill: impact on morbidity and mortality. <b>2004</b> , 144, 1-11		39
912	Prevention of radiocontrast nephropathy: back to basics. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 291, 2376-7	27.4	18
911	Oxidative stress is increased in critically ill patients with acute renal failure. <b>2004</b> , 15, 2449-56		177
910	Renal function and long term mortality after unstable angina/non-ST segment elevation myocardial infarction treated very early and predominantly with percutaneous coronary intervention. <b>2004</b> , 90, 902-7		21
909	Provider use of preventive strategies for radiocontrast nephropathy in high-risk patients. <b>2004</b> , 96, c56-62		13
908	Pathophysiology of acute renal failure in sepsis. <b>2004</b> , 59, 199-208		2
907	Continuous renal replacement therapy after cardiac surgery. Review of 85 cases. <b>2004</b> , 22, 249-55		9
906	Polymorphism of immunomodulatory cytokine genes: implications in acute renal failure. <b>2004</b> , 22, 101-11		19
905	Gadolinium-based contrast media compared with iodinated media for digital subtraction angiography in azotaemic patients. <b>2004</b> , 19, 2526-31		79
904	Minimal changes of serum creatinine predict prognosis in patients after cardiothoracic surgery: a prospective cohort study. <b>2004</b> , 15, 1597-605		1108
903	Acute renal failure after nonmyeloablative hematopoietic cell transplantation. <b>2004</b> , 15, 1868-76		67
902	Nephrotoxic effects of X-ray contrast media. <b>2004</b> , 42, 325-32		21
901	The value of N-acetylcysteine in the prevention of radiocontrast agent-induced nephropathy seems questionable. <b>2004</b> , 15, 407-10		261
900	Free floating thrombus in left atrium. <b>2004</b> , 90, 907		1



899	Plasma cytokine levels predict mortality in patients with acute renal failure. <b>2004</b> , 65, 1357-65	313
898	Early detection of acute renal failure by serum cystatin C. <b>2004</b> , 66, 1115-22	598
897	Dose of dialysis in acute renal failure. <b>2004</b> , 17, 30-6	11
896	Factors associated with urea reduction ratio in acute renal failure. <b>2004</b> , 28, 1076-81	11
895	A randomized controlled trial comparing intermittent with continuous dialysis in patients with ARF. <b>2004</b> , 44, 1000-7	304
894	Acetylcysteine for prevention of contrast-induced nephropathy after intravascular angiography: a systematic review and meta-analysis. <b>2004</b> , 2, 38	75
893	Evaluation of kidney function in patients with acute renal failure using high-performance liquid chromatography: a case report. <b>2004</b> , 24, 145-9	
892	Impact of nephropathy after percutaneous coronary intervention and a method for risk stratification. <b>2004</b> , 93, 1515-9	360
891	Renal protection strategies in the perioperative period. <b>2004</b> , 18, 645-60	30
890	Acute renal failure is not a "cute" renal failure!. <b>2004</b> , 30, 1886-90	53
889	Continuous venovenous hemodiafiltration versus hemodialysis as renal replacement therapy in patients with acute renal failure in the intensive care unit. <b>2004</b> , 38, 417-21	26
888	Strategies for the treatment of acute renal failure in intensive care units: the aspect of dosing. <b>2004</b> , 26, 209-13	2
887	[Value of N-acetylcysteine to prevent nephrotoxicity from iodinated contrast agents]. <b>2004</b> , 85, 725-7	3
886	Prevention of contrast-induced nephropathy in vascular patients undergoing angiography: a randomized controlled trial of intravenous N-acetylcysteine. <b>2004</b> , 40, 1136-41	75
885	Analysis of renal function after aneurysm repair with a device using suprarenal fixation (Zenith AAA Endovascular Graft) in contrast to open surgical repair. <b>2004</b> , 39, 1219-28	138
884	Insuffisances rñales aiguñs mñdicamenteuses. <b>2004</b> , 1, 137-142	1
883	The mannose-binding lectin-pathway is involved in complement activation in the course of renal ischemia-reperfusion injury. <b>2004</b> , 165, 1677-88	163
882	Is acetylcysteine effective in preventing contrast-related nephropathy? A meta-analysis. <b>2004</b> , 117, 938-47	148

881	Bilirubin-adsorption in 23 critically ill patients with liver failure. <b>2004</b> , 27, 717-22	14
880	Preventing renal failure in patients with rhabdomyolysis: do bicarbonate and mannitol make a difference?. <b>2004</b> , 56, 1191-6	236
879	Prophylaxis of iodinated contrast media-induced nephropathy: a pharmacological point of view. <b>2004</b> , 39, 155-70	34
878	Complicated acute myocardial infarction requiring mechanical ventilation in the intensive care unit: prognostic factors of clinical outcome in a series of 157 patients. <b>2004</b> , 32, 100-5	47
877	Fluid overload before continuous hemofiltration and survival in critically ill children: a retrospective analysis. <b>2004</b> , 32, 1771-6	400
876	Fenoldopam Mesylate for the Prevention of Contrast Induced Nephropathy. <b>2004</b> , 16, 331-333	
875	Low-dose dexamethasone ameliorates circulatory failure and renal dysfunction in conscious rats with endotoxemia. <b>2004</b> , 21, 484-91	29
874	Reducing radiocontrast use in the cardiac catheterization laboratory--a behavioral modification approach. <b>2004</b> , 13, 188-92	4
873	Gadopentetate dimeglumine as a potential alternative contrast medium during percutaneous coronary intervention: a case report. <b>2004</b> , 68, 972-3	9
872	Prevention of radiocontrast nephropathy. <b>2005</b> , 4, 274-279	
871	Acute renal failure on the intensive care unit. <b>2005</b> , 5, 435-40	3
870	Current trials of interventions to prevent radiocontrast-induced nephropathy. <b>2005</b> , 12, 127-32	15
869	Renal failure secondary to acute tubular necrosis: epidemiology, diagnosis, and management. <b>2005</b> , 128, 2847-63	195
868	Effect of Fenoldopam Mesylate in Critically Ill Patients at Risk for Acute Renal Failure is Dose Dependent. <b>2005</b> , 27, 101-105	8
867	Acute Renal Failure Associated with the Use of Traditional Folk Remedies in South Africa. <b>2005</b> , 27, 35-43	25
866	Prevention of radiocontrast nephropathy. <b>2005</b> , 14, 105-10	32
865	Preventing Renal Complications from the Use of Contrast Agents. <b>2005</b> , 105, 72AA-72EE	1
864	Attenuation of renal ischemia-reperfusion injury by proanthocyanidin-rich extract from grape seeds. <b>2005</b> , 51, 283-6	17

863	Clinical acute renal failure: diagnosis and management. <b>2005</b> , 31, 262-9	3
862	N-acetylcysteine for the prevention of contrast-induced nephropathy. A systematic review and meta-analysis. <b>2005</b> , 20, 193-200	86
861	Polymorphism of host response genes: implications in the pathogenesis and treatment of acute renal failure. <b>2005</b> , 67, 14-33	35
860	Influence of renal dysfunction on mortality after cardiac surgery: modifying effect of preoperative renal function. <b>2005</b> , 67, 1112-9	208
859	Acute renal failure independently predicts mortality after myeloablative allogeneic hematopoietic cell transplant. <b>2005</b> , 67, 1999-2005	61
858	Dendrimer-enhanced MRI as a diagnostic and prognostic biomarker of sepsis-induced acute renal failure in aged mice. <b>2005</b> , 67, 2159-67	48
857	Pathophysiology of contrast medium-induced nephropathy. <b>2005</b> , 68, 14-22	367
856	The role of osmolality in the incidence of contrast-induced nephropathy: a systematic review of angiographic contrast media in high risk patients. <b>2005</b> , 68, 2256-63	150
855	The diagnosis of acute renal failure in intensive care: mongrel or pedigree?. <b>2005</b> , 60, 903-14	20
854	Contrast material-induced renal failure: an overview. <b>2005</b> , 18, 417-23	36
853	Association of genetic polymorphisms with risk of renal injury after coronary bypass graft surgery. <b>2005</b> , 45, 519-30	93
852	Uncomplicated acute renal failure and hospital resource utilization: a retrospective multicenter analysis. <b>2005</b> , 46, 1049-57	55
851	Strategies for renal preservation and resuscitation: The responsibility of critical care medicine is the preservation of renal function. <b>2005</b> , 24, 17-26	
850	N-acetylcysteine for prevention of radiographic contrast material-induced nephropathy: is the intravenous route best?. <b>2005</b> , 25, 1095-103	19
849	Renal failure after percutaneous coronary intervention is associated with high mortality. <b>2005</b> , 64, 442-8	122
848	N-acetylcysteine prophylaxis significantly reduces the risk of radiocontrast-induced nephropathy: comprehensive meta-analysis. <b>2005</b> , 64, 471-9	80
847	Registrying knowledge: it isn't always enough. <b>2005</b> , 64, 449-50	
846	Effect of nonionic radiocontrast agents on the occurrence of contrast-induced nephropathy in patients with mild-moderate chronic renal insufficiency: pooled analysis of the randomized trials. <b>2005</b> , 65, 386-93	62

845	The clinical epidemiology of contrast-induced nephropathy. <b>2005</b> , 28 Suppl 2, S3-11	77
844	Reducing the risks for contrast-induced nephropathy. <b>2005</b> , 28 Suppl 2, S12-8	10
843	Impact of anemia on outcome in critically ill patients with severe acute renal failure. <b>2005</b> , 31, 1529-36	43
842	Continuous renal replacement therapy improves renal recovery from acute renal failure. <b>2005</b> , 52, 327-32	81
841	Potential mechanisms behind contrast medium-induced nephropathy. <b>2005</b> , 9, 17	
840	Late Adverse Events Following Administration of Iodinated Contrast Media: An Update. <b>2005</b> , 121-131	
839	Nutrition in acute renal failure. <b>2005</b> , 123, 143-7	2
838	Acute renal failure and cardiac surgery: marching in place or moving ahead?. <b>2005</b> , 16, 12-4	30
837	Endotoxemic acute renal failure is attenuated in caspase-1-deficient mice. <b>2005</b> , 288, F997-1004	78
836	Acute Renal Failure Associated with the Use of Traditional Folk Remedies in South Africa. <b>2005</b> , 27, 35-43	11
835	Radiocontrast Nephropathy: Progress not Prevention. <b>2005</b> , 1, 109-115	
834	The Effects of Continuous Renal Replacement on Anti-infective Therapy in the Critically Ill. <b>2005</b> , 18, 109-117	7
833	Acute renal failure in cancer patients. <b>2005</b> , 37, 13-25	75
832	Radiocontrast-induced acute renal failure. <b>2005</b> , 20, 63-75	71
831	Kidney dysfunction in the postoperative period. <b>2005</b> , 95, 20-32	186
830	Complications of Percutaneous Coronary Interventions. <b>2005</b> ,	1
829	Innate autoimmunity. <b>2005</b> , 86, 137-57	74
828	The ACIST power injection system reduces the amount of contrast media delivered to the patient, as well as fluoroscopy time, during diagnostic and interventional cardiac procedures. <b>2005</b> , 7, 183-7	19

827	Caspases as drug targets in ischemic organ injury. <b>2005</b> , 5, 269-87	80
826	Maintenance of renal vascular reactivity contributes to acute renal failure during endotoxemic shock. <b>2005</b> , 16, 117-24	47
825	Retrospective analysis on Chinese patients diagnosed with acute renal failure hospitalized during the last decade (1994-2003). <b>2005</b> , 25, 514-9	17
824	Theophylline for prevention of contrast-induced nephropathy: a systematic review and meta-analysis. <b>2005</b> , 165, 1087-93	96
823	Prognosis of acute renal failure: an evaluation of proposed consensus criteria. <b>2005</b> , 31, 250-6	27
822	Acute kidney injury, mortality, length of stay, and costs in hospitalized patients. <b>2005</b> , 16, 3365-70	2350
821	The pathophysiology of acute renal failure. <b>2005</b> , 21, 197-210	62
820	Prévention de la néphrotoxicité des produits de contraste iodés. <b>2005</b> , 45, 13-16	
819	Renal replacement II: dialysis dose. <b>2005</b> , 21, 357-66	11
818	Contrast-induced nephropathy. <b>2005</b> , 21, 261-80	139
817	La dose de dialyse en réanimation. <b>2005</b> , 14, 499-507	1
816	Bench-to-bedside review: preventive measures for contrast-induced nephropathy in critically ill patients. <b>2005</b> , 9, 361-70	12
815	Contrast-induced nephropathy: a review. <b>2005</b> , 6, 82-8	31
814	Diagnostic clinique et biologique de l'insuffisance rénale aiguë. <b>2005</b> , 2, 31-45	
813	[Acute renal failure: epidemiology, incidence and prognostic criteria]. <b>2005</b> , 24, 134-9	4
812	[Can the strategies of management of acute renal failure modify its prognostic and evolution?]. <b>2005</b> , 24, 222-6	1
811	Epidemiology and natural history of acute renal failure in the ICU. <b>2005</b> , 21, 239-49	84
810	Néphropathie et produits de contraste iodés. <b>2005</b> , 45, 5	

809	Nephrotoxicity of medications. <b>2005</b> , 14, 436-441	2
808	Nephropathy induced by contrast media: pathogenesis, risk factors and preventive strategies. <b>2005</b> , 172, 1461-71	243
807	Iodinated contrast induced renal vasoconstriction is due in part to the downregulation of renal cortical and medullary nitric oxide synthesis. <b>2006</b> , 44, 383-91	25
806	Erythropoietin and acute renal failure. <b>2006</b> , 26, 325-31	27
805	Renal safety of iodixanol. <b>2006</b> , 4, 655-61	9
804	Early prognostic factors in patients with acute renal failure requiring dialysis. <b>2006</b> , 28, 43-9	8
803	Risk factors and therapy strategies for contrast-induced nephropathy. <b>2006</b> , 28, 365-81	13
802	Spectrum of acute renal failure and factors predicting its outcome in an intensive care unit in India. <b>2006</b> , 28, 119-24	20
801	Prevention and treatment of contrast-induced nephropathy. <b>2006</b> , 9, 42-9	20
800	Concomitant unilateral internal iliac artery embolization and endovascular infrarenal aortic aneurysm repair. <b>2006</b> , 43, 903-7	46
799	A meta-analysis of the renal safety of isosmolar iodixanol compared with low-osmolar contrast media. <b>2006</b> , 48, 692-9	254
798	Patients with ischaemic, mixed and nephrotoxic acute tubular necrosis in the intensive care unit--a homogeneous population?. <b>2006</b> , 10, R68	55
797	Epidemiologic trend changes in acute renal failure--a tertiary center experience from South India. <b>2006</b> , 28, 405-10	58
796	Acute renal failure after cardiac surgery: evaluation of the RIFLE classification. <b>2006</b> , 81, 542-6	340
795	Therapeutic use of stem and endothelial progenitor cells in acute renal injury: a meta-analysis. <b>2006</b> , 6, 176-83	57
794	Hypertension is an independent risk factor for contrast nephropathy after percutaneous coronary intervention. <b>2006</b> , 110, 237-41	16
793	Acute renal failure: determinants and characteristics of the injury-induced hyperinflammatory response. <b>2006</b> , 291, F546-56	62
792	Diagnosis, Management, and Prevention of Atheroembolization and Contrast Media-induced Renal Insufficiency During Endovascular Repair of Abdominal Aortic Aneurysms. 64-77	

791	Continuous renal replacement therapy in patients following traumatic injury. <b>2006</b> , 29, 166-86	12
790	Toxicité r̄hale des m̄dicaments. <b>2006</b> , 1, 1-13	1
789	Toxicité r̄hale des produits de contraste iod̄s. <b>2006</b> , 1, 1-6	
788	Strategies to reduce the risk of contrast nephropathy: an evidence-based approach. <b>2006</b> , 15, 285-90	12
787	Cost-effectiveness of hemofiltration to prevent contrast nephropathy in patients with chronic kidney disease. <b>2006</b> , 34, 1044-51	25
786	A comparison between fenoldopam and low-dose dopamine in early renal dysfunction of critically ill patients. <b>2006</b> , 34, 707-14	111
785	Medical Issues in Patients With Cardiothoracic Surgery. <b>2006</b> , 13, 178-187	1
784	Acute kidney injury: epidemiology and diagnostic criteria. <b>2006</b> , 12, 531-7	131
783	N-acetylcysteine for the prevention of kidney injury in abdominal aortic surgery: a randomized, double-blind, placebo-controlled trial. <b>2006</b> , 102, 1638-45	53
782	Current status of dosing and quantification of acute renal replacement therapy. Part 1: mechanisms and consequences of therapy under-delivery. <b>2006</b> , 11, 171-80	13
781	Effectiveness and nephrotoxicity of colistin monotherapy vs. colistin-meropenem combination therapy for multidrug-resistant Gram-negative bacterial infections. <b>2006</b> , 12, 1227-30	85
780	Dialysis modality and dosing strategy in acute renal failure. <b>2006</b> , 19, 165-70	35
779	Renal replacement therapy in the treatment of acute renal failure-intermittent and continuous. <b>2006</b> , 19, 455-64	12
778	Survival to discharge among patients treated with continuous renal replacement therapy. <b>2006</b> , 10, 82-7	30
777	Acute nephrotoxic and obstructive injury primes the kidney to endotoxin-driven cytokine/chemokine production. <b>2006</b> , 69, 1181-8	47
776	Safety of low-dose radiocontrast for interventional AV fistula salvage in stage 4 chronic kidney disease patients. <b>2006</b> , 69, 1444-9	40
775	Simvastatin improves sepsis-induced mortality and acute kidney injury via renal vascular effects. <b>2006</b> , 69, 1535-42	153
774	Follow-up of patients with contrast-induced nephropathy. <b>2006</b> , S46-50	45

773	Mortality after acute renal failure: models for prognostic stratification and risk adjustment. <b>2006</b> , 70, 1120-6	196
772	Renal failure in 57 925 patients undergoing coronary procedures using iso-osmolar or low-osmolar contrast media. <b>2006</b> , 70, 1811-7	114
771	Sepsis und Akutes Nierenversagen. <b>2006</b> , 92-105	
770	Renal complications associated with contrast media. <b>2006</b> , 16, D11-D16	1
769	Sepsis und Akutes Nierenversagen. <b>2006</b> , 43, 175-188	4
768	[Renal replacement therapy in the intensive care unit]. <b>2006</b> , 55, 901-13; quiz 914	9
767	Stellenwert des Nephrologen in der Intensivmedizin. <b>2006</b> , 1, 80-87	
766	Prüvention der kontrastmittelinduzierten Nephropathie. <b>2006</b> , 1, 133-138	
765	[Epidemiology of acute kidney failure in Spanish ICU. Multicenter prospective study FRAMI]. <b>2006</b> , 30, 260-7	44
764	Preventing renal ischemia-reperfusion injury using small interfering RNA by targeting complement 3 gene. <b>2006</b> , 6, 2099-108	73
763	Epidemiology and prognostic implications of contrast-induced nephropathy. <b>2006</b> , 98, 5K-13K	286
762	Risk factors for acute renal insufficiency induced by diuretics in patients with congestive heart failure. <b>2006</b> , 47, 798-808	11
761	Comparison of 2 acute renal failure severity scores to general scoring systems in the critically ill. <b>2006</b> , 48, 262-8	65
760	Outcomes of contrast-induced nephropathy: experience in patients undergoing cardiovascular intervention. <b>2006</b> , 67, 335-43	75
759	Prophylaxis of contrast material-induced nephropathy in patients in intensive care: acetylcysteine, theophylline, or both? A randomized study. <b>2006</b> , 239, 793-804	73
758	Acute renal failure in the intensive care unit. <b>2006</b> , 27, 262-73	37
757	The clinical and renal consequences of contrast-induced nephropathy. <b>2006</b> , 21, i2-10	115
756	Acute renal failure induced by contrast medium: steps towards prevention. <b>2006</b> , 333, 539-40	17



755	Associations of increases in serum creatinine with mortality and length of hospital stay after coronary angiography. <b>2006</b> , 17, 2871-7		194
754	Dose of dialysis in acute renal failure. <b>2006</b> , 1, 380-8		23
753	Radiocontrast-Induced Acute Renal Failure—Impact beyond the Acute Phase. <b>2006</b> , 17, 595-599		2
752	Epidemiology of acute renal failure: the tip of the iceberg. <b>2006</b> , 1, 6-7		34
751	Is mycophenolate mofetil a new treatment option in acute interstitial nephritis?. <b>2006</b> , 1, 609-10		2
750	Studying the prevention of acute kidney injury: lessons from an 18th-century mathematician. <b>2006</b> , 1, 1124-7		23
749	Prophylaxis strategies for contrast-induced nephropathy. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 295, 2765-79	27.4	283
748	Risk factors for contrast-induced nephropathy. <b>2006</b> , 29, 84-93		42
747	Management of acute renal failure. <b>2006</b> , 82, 106-16		43
746	Applied Physiology in Intensive Care Medicine. <b>2006</b> ,		8
745	Incidence and mortality of acute renal failure in Medicare beneficiaries, 1992 to 2001. <b>2006</b> , 17, 1135-42		545
744	Epidemiology and outcomes of acute renal failure in hospitalized patients: a national survey. <b>2006</b> , 1, 43-51		376
743	Regulation of renal glucose transporters during severe inflammation. <b>2007</b> , 292, F804-11		53
742	Role of alpha/beta and gamma/delta T cells in renal ischemia-reperfusion injury. <b>2007</b> , 293, F741-7		43
741	N-acetylcysteine and sodium bicarbonate versus N-acetylcysteine and standard hydration for the prevention of radiocontrast-induced nephropathy following coronary angiography. <b>2007</b> , 41, 46-50		30
740	Acute renal failure after bilateral nephrectomy is associated with cytokine-mediated pulmonary injury. <b>2007</b> , 18, 155-64		224
739	Ischemic acute kidney injury induces a distant organ functional and genomic response distinguishable from bilateral nephrectomy. <b>2007</b> , 293, F30-40		157
738	Cytokine-mediated regulation of urea transporters during experimental endotoxemia. <b>2007</b> , 292, F1479-89		37

737	Why do patients die of acute kidney injury?. <b>2007</b> , 62 Suppl 2, 326-31	41
736	RIFLE classification of acute kidney failure in intensive care. <b>2007</b> , 68, 304-6	1
735	The kidney in the critically ill. <b>2007</b> , 62, 195-207	
734	Diagnose, Pr̄vention und Therapie des akuten Nierenversagens. <b>2007</b> , 3, 173-188	
733	HOpe for contrast-induced acute kidney injury. <b>2007</b> , 72, 907-9	18
732	p21 and mTERT are novel markers for determining different ischemic time periods in renal ischemia-reperfusion injury. <b>2007</b> , 292, F762-8	28
731	Improved estimation of glomerular filtration rate by serum cystatin C in preventing contrast induced nephropathy by N-acetylcysteine or zinc--preliminary results. <b>2008</b> , 23, 1241-5	31
730	Critical care nephrology: a multidisciplinary approach. <b>2007</b> , 156, 24-31	9
729	Predictive capacity of severity scoring systems in the ICU. <b>2007</b> , 156, 92-100	7
728	Acute renal failure in patients with severe sepsis and septic shock--a significant independent risk factor for mortality: results from the German Prevalence Study. <b>2008</b> , 23, 904-9	194
727	Urinary N-acetyl-beta-(D)-glucosaminidase activity and kidney injury molecule-1 level are associated with adverse outcomes in acute renal failure. <b>2007</b> , 18, 904-12	392
726	Salt in the vein, good for the brain. <b>2007</b> , 35, 659-60	
725	Timing of renal replacement therapy in critically ill patients with acute kidney injury. <b>2007</b> , 13, 656-61	11
724	Treatment of acute kidney injury: an update on the management of renal replacement therapy. <b>2007</b> , 16, 64-70	27
723	Inhaled nitric oxide therapy for sepsis: more than just lung. <b>2007</b> , 35, 290-2	58
722	Including families in quality measurement in critical care. <b>2007</b> , 35, 324-5	7
721	Goals for fluid resuscitation: a real challenge. <b>2007</b> , 35, 295-6	29
720	To be or not to be (in the intensive care unit)--is that a question?. <b>2007</b> , 35, 647-8	

719	Proinflammatory cytokines cause down-regulation of renal chloride entry pathways during sepsis. <b>2007, 35, 2110-9</b>	54
718	Renal dysfunction in trauma: even a little costs a lot. <b>2007, 62, 1362-4</b>	39
717	Oxidative need and oxidative capacity following traumatic brain injury. <b>2007, 35, 663-4</b>	5
716	Implications of staffing ratios and workload limitations on healthcare-associated infections and the quality of patient care. <b>2007, 35, 296-8</b>	7
715	Delirium as destiny: clinical precision and genetic risk. <b>2007, 35, 304-5</b>	5
714	Are we ready for MEDS in the ED?. <b>2007, 35, 318-9</b>	1
713	Nurse-physician collaboration in intensive care units. <b>2007, 35, 641-2</b>	14
712	Antibiotic therapy for ventilator-associated pneumonia: de-escalation in the real world. <b>2007, 35, 632-3</b>	12
711	Nonuse of statins--a new risk factor for infectious death in cardiovascular patients?. <b>2007, 35, 631-2</b>	4
710	Nitric oxide-based therapies in sickle cell disease: the evidence continues to mount. <b>2007, 35, 654-5</b>	2
709	Prevention of ventilator-associated pneumonia: do not forget to disinfect the mouth. <b>2007, 35, 668-9</b>	1
708	Sic transit acetylcysteine?. <b>2007, 35, 644-5</b>	
707	Improving the reliability of healthcare systems' responsiveness to the needs of acutely ill patients. <b>2007, 35, 637-9</b>	2
706	Nitrogen challenge: are we any closer to achieving a balance?. <b>2007, 35, 307-9</b>	2
705	Prevalence, predictors and prognostic value of acute impairment in renal function during intensive unloading therapy in a community population hospitalized for decompensated heart failure. <b>2007, 8, 419-27</b>	21
704	The incidence and prognostic significance of acute kidney injury. <b>2007, 16, 227-36</b>	90
703	Prevention of contrast-induced nephropathy: a critical review. <b>2007, 16, 336-47</b>	32
702	Resistance in the intensive care unit: whose problem is it and how can intensivists help?. <b>2007, 35, 299-301</b>	4

701	One small step for man. <b>2007</b> , 35, 311-2	4
700	Why does cholecystokinin increase in critically ill patients?. <b>2007</b> , 35, 298-9	1
699	Glucose-6-phosphate dehydrogenase and sepsis: the jury is still out. <b>2007</b> , 35, 655-6	1
698	About protocols and guidelines: it's time to work in harmony!. <b>2007</b> , 35, 292-3	2
697	Critically appraise before you believe: the quality of meta-analyses in critical care medicine. <b>2007</b> , 35, 666-7	
696	Noninvasive ventilation for acute respiratory distress syndrome: breaking down the final frontier?. <b>2007</b> , 35, 288-90	4
695	Selenium in intensive care: probably not a magic bullet but an important adjuvant therapy. <b>2007</b> , 35, 306-7	15
694	Viral pneumonia and respiratory sepsis: association, causation, or it depends?. <b>2007</b> , 35, 639-40	2
693	Alveolar hemostasis in patients with species-specific bacterial-mediated ventilator-associated pneumonia. <b>2007</b> , 35, 652-3	20
692	Alcohol and the intensive care unit: it's not just an antiseptic. <b>2007</b> , 35, 627-8	5
691	Is inter-alpha inhibitor important in sepsis?. <b>2007</b> , 35, 634-5	1
690	Comfort without coma: changing sedation practices. <b>2007</b> , 35, 635-7	23
689	Low-dose perfluorocarbon: a revival for partial liquid ventilation?. <b>2007</b> , 35, 662-3	5
688	The peritonitis dilemma: better safe than sorry or wait for the cat to jump?. <b>2007</b> , 35, 648-9	
687	Silent myocardial ischemia in the noncoronary intensive care unit: a new frontier?. <b>2007</b> , 35, 629-30	
686	Prognostic information provided during family meetings in the intensive care unit. <b>2007</b> , 35, 646-7	1
685	"Search and destroy" for methicillin-resistant <i>Staphylococcus aureus</i> in the intensive care unit: should this now be the standard of care?. <b>2007</b> , 35, 642-4	2
684	Tools that we use: if you can't measure it, you can't manage it. <b>2007</b> , 35, 312-3	10

683	Reducing blood loss in burn care. <b>2007</b> , 35, 665	5
682	Genetic risk factors for acute respiratory distress syndrome: what's the right direction to take?. <b>2007</b> , 35, 293-5	1
681	Genetics of individualizing patient care. <b>2007</b> , 35, 287-0	3
680	B-type natriuretic peptide-guided therapy and prognosis in acutely ill patients with pulmonary disease. <b>2007</b> , 35, 301-3	2
679	An intensivist all day, keeps the bad outcomes away. <b>2007</b> , 35, 286-7	0
678	Chlamydia and myocarditis: an old bug bugging seriously. <b>2007</b> , 35, 670-2	
677	Renal replacement strategies in the ICU. <b>2007</b> , 132, 1379-88	51
676	Tracheostomy: may the truth be out there?. <b>2007</b> , 35, 309-10	11
675	Effect of thoracic epidural anesthesia on right ventricular function and homeometric autoregulation. <b>2007</b> , 35, 321-2	1
674	Is the canary still singing?. <b>2007</b> , 35, 320-1	2
673	How do we get from here to there? A pathway for trial design in complex systems analysis. <b>2007</b> , 35, 656-8	4
672	Family care in the intensive care unit: the Golden Rule, evidence, and resources. <b>2007</b> , 35, 669-70	6
671	The pressure is rising. <b>2007</b> , 35, 323-4	8
670	How should we use prokinetic drugs in patients who are intolerant to enteral feeding?. <b>2007</b> , 35, 650-1	1
669	ARDS--shake, rattle, and roll!. <b>2007</b> , 35, 303-4	
668	Relation between acute kidney injury and multiple-organ failure: the chicken and the egg question. <b>2007</b> , 35, 316-7	16
667	To cool or not to cool, that is the question. <b>2007</b> , 35, 660-2	3
666	Sodium bicarbonate, N-acetylcysteine, and saline for prevention of radiocontrast-induced nephropathy. A comparison of 3 regimens for protecting contrast-induced nephropathy in patients undergoing coronary procedures. A single-center prospective controlled trial. <b>2007</b> , 154, 539-44	149

665	Discordance between serum creatinine and creatinine clearance for identification of ED patients with abdominal pain at risk for contrast-induced nephropathy. <b>2007</b> , 25, 268-72	24
664	Prerenal success in chronic kidney disease. <b>2007</b> , 120, 754-9	10
663	Physiological effects of contrast media for use in multidetector row computed tomography. <b>2007</b> , 62, 14-25	6
662	Pretreatment of curcumin attenuates coagulopathy and renal injury in LPS-induced endotoxemia. <b>2007</b> , 13, 15-23	33
661	Incidence, classification, and outcomes of acute kidney injury. <b>2007</b> , 156, 32-8	52
660	In severe acute kidney injury, a higher serum creatinine is paradoxically associated with better patient survival. <b>2007</b> , 22, 2781-4	45
659	Clinical review: timing and dose of continuous renal replacement therapy in acute kidney injury. <b>2007</b> , 11, 232	23
658	Ureteric colic: new trends in diagnosis and treatment. <b>2007</b> , 83, 469-72	29
657	Volume-to-creatinine clearance ratio: a pharmacokinetically based risk factor for prediction of early creatinine increase after percutaneous coronary intervention. <b>2007</b> , 50, 584-90	275
656	Acute kidney injury: changing lexicography, definitions, and epidemiology. <b>2007</b> , 71, 971-6	93
655	Predictors of postoperative acute renal failure after noncardiac surgery in patients with previously normal renal function. <b>2007</b> , 107, 892-902	377
654	Acute renal failure and the critically ill surgical patient. <b>2007</b> , 89, 22-9	13
653	The Impact of Mild Renal Dysfunction on Postoperative Mortality in the Surgical Intensive Care Unit. <b>2007</b> , 73, 743-747	1
652	Evidence-based emergency medicine review. Prevention of contrast-induced nephropathy in the emergency department. <b>2007</b> , 50, 335-45, 345.e1-2	20
651	Prognosis and serum creatinine levels in acute renal failure at the time of nephrology consultation: an observational cohort study. <b>2007</b> , 8, 14	28
650	Can continuous venovenous hemofiltration prevent contrast-induced nephropathy: is the dye already cast?. <b>2007</b> , 20, 93-5	2
649	Use of dopamine in acute renal failure. <b>2007</b> , 17, 117-126	16
648	Contrast-induced nephropathy remains a serious complication of PCI. <b>2007</b> , 20, 236-40	26

647	A meta-analysis of N-acetylcysteine in contrast-induced nephrotoxicity: unsupervised clustering to resolve heterogeneity. <b>2007</b> , 5, 32	108
646	Triggers of inflammation after renal ischemia/reperfusion. <b>2007</b> , 123, 7-13	205
645	Complications, effects on dialysis dose, and survival of tunneled femoral dialysis catheters in acute renal failure. <b>2007</b> , 49, 99-108	46
644	[Acute renal failure. Extracorporeal therapy]. <b>2007</b> , 48, 786-94	
643	[Iodinated contrast agent-induced nephropathy]. <b>2007</b> , 47, 761-7	6
642	Conservative outpatient renoprotective protocol in patients with low GFR undergoing contrast angiography: a case series. <b>2007</b> , 11, 209-213	14
641	Conventional or Gadolinium containing contrast media: the choice between acute renal failure or Nephrogenic Systemic Fibrosis?. <b>2007</b> , 119, 271-5	9
640	A randomized controlled trial comparing hydration therapy to additional hemodialysis or N-acetylcysteine for the prevention of contrast medium-induced nephropathy: the Dialysis-versus-Diuresis (DVD) Trial. <b>2007</b> , 96, 130-9	67
639	Kidney-specific proteins: markers for detection of renal dysfunction after cardiac surgery?. <b>2007</b> , 2, S103-S107	8
638	Silymarin attenuates the renal ischemia/reperfusion injury-induced morphological changes in the rat kidney. <b>2008</b> , 26, 401-7	37
637	Renal failure, comorbidity and mortality in preterm infants. <b>2008</b> , 120, 153-7	24
636	Contrast-induced nephropathy. <b>2008</b> , 71, 62-72	78
635	The incidence of clinically significant contrast-induced nephropathy following non-emergent coronary angiography. <b>2008</b> , 71, 879-85	13
634	Transient and persistent renal dysfunction are predictors of survival after percutaneous coronary intervention: insights from the Dartmouth Dynamic Registry. <b>2008</b> , 72, 347-354	83
633	B-Natriuretic Peptide for the Prevention of Radiocontrast-Induced Nephropathy. <b>2008</b> , 37, 168-173	1
632	The role of nuclear factor-kappaB in rats of radiocontrast-media-induced nephropathy. <b>2008</b> , 22, 416-21	8
631	Análisis comparativo de la función renal tras el tratamiento de aneurismas de aorta abdominal infrarrenal con dispositivo de fijación suprarrenal frente a la cirugía abierta. <b>2008</b> , 22, 559-565	
630	Contrast-Induced Nephropathy: A Review Focusing on X-ray and CT Applications and the Iso-Osmolar Controversy. <b>2008</b> , 11, 1-7	

629	Gadolinium-induced nephrotoxicity. <b>2008</b> , 62, 1113-8	32
628	Contemporary analysis of the influence of acute kidney injury after reduced intensity conditioning haematopoietic cell transplantation on long-term survival. <b>2008</b> , 42, 619-26	31
627	Intravascular iodinated contrast media and the anaesthetist. <b>2008</b> , 63, 626-34	21
626	A comparison of contemporary definitions of contrast nephropathy in patients undergoing percutaneous coronary intervention and a proposal for a novel nephropathy grading system. <b>2008</b> , 101, 812-9	140
625	Incidence, predictors, and outcomes of post-percutaneous coronary intervention nephropathy in patients with diabetes mellitus and normal baseline serum creatinine levels. <b>2008</b> , 101, 1544-9	23
624	Interaction of gender and age on post cardiac catheterization contrast-induced acute kidney injury. <b>2008</b> , 102, 1482-6	40
623	Interleukin-6 mediates lung injury following ischemic acute kidney injury or bilateral nephrectomy. <b>2008</b> , 74, 901-9	188
622	Contrast-induced acute kidney injury. <b>2008</b> , 51, 1419-28	703
621	Renal Failure and Replacement Therapies. <b>2008</b> ,	
620	Clinical outcomes of contrast-induced nephropathy in patients undergoing percutaneous coronary intervention: a prospective, multicenter, randomized study to analyze the effect of hydration and acetylcysteine. <b>2008</b> , 126, 407-13	72
619	Serious renal dysfunction after percutaneous coronary interventions can be predicted. <b>2008</b> , 155, 260-6	105
618	Nephrogenic system fibrosis: a radiologist's practical perspective. <b>2008</b> , 66, 220-4	24
617	Impact of acute kidney injury on long-term mortality after nonmyeloablative hematopoietic cell transplantation. <b>2008</b> , 14, 309-15	40
616	Radiologists' knowledge and perceptions of the impact of contrast-induced nephropathy and its risk factors when performing computed tomography examinations: a survey of European radiologists. <b>2008</b> , 66, 235-45	17
615	The patient with acute kidney injury. <b>2008</b> , 35, 239-64, vi	12
614	Long-term outcomes of acute kidney injury. <b>2008</b> , 15, 297-307	86
613	Analyse comparative de la fonction rénale après traitement des anévrismes de l'aorte abdominale sous-rénale par endoprothèse à fixation suprarénale ou par chirurgie conventionnelle. <b>2008</b> , 22, 555-561	
612	Comparative analysis of renal function after treatment of infrarenal abdominal aortic aneurysms with a suprarenal fixation device as opposed to open surgery. <b>2008</b> , 22, 513-9	3



611	Pulmonary complications after acute kidney injury. <b>2008</b> , 15, 284-96		67
610	Acute kidney injury in burns: a story of volume and inflammation. <b>2008</b> , 12, 192		22
609	Sodium bicarbonate vs sodium chloride for the prevention of contrast medium-induced nephropathy in patients undergoing coronary angiography: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2008</b> , 300, 1038-46	27.4	271
608	Sodium bicarbonate is associated with an increased incidence of contrast nephropathy: a retrospective cohort study of 7977 patients at mayo clinic. <b>2008</b> , 3, 10-8		94
607	Incidence of contrast-induced nephropathy with volume supplementation--insights from a large cohort. <b>2008</b> , 17, 409-14		5
606	The local and systemic inflammatory transcriptome after acute kidney injury. <b>2008</b> , 19, 547-58		259
605	The Appearance of Brief Communications in JASN. <b>2008</b> , 19, 840-840		
604	Contrast-induced nephropathy: what are the true clinical consequences?. <b>2008</b> , 3, 263-72		94
603	Long-term functional evolution after an acute kidney injury: a 10-year study. <b>2008</b> , 23, 3859-66		89
602	Protective effect of erythropoietin against radiocontrast-induced renal tubular epithelial cell injury. <b>2008</b> , 28, 203-9		21
601	Diagnosis, epidemiology and outcomes of acute kidney injury. <b>2008</b> , 3, 844-61		345
600	Radiocontrast-induced acute kidney injury. <b>2008</b> , 109, p61-72		65
599	Uremic lung: new insights into a forgotten condition. <b>2008</b> , 74, 849-51		60
598	Contrast-induced acute kidney injury: is there a risk after intravenous contrast?. <b>2008</b> , 3, 1242-3		48
597	Tight blood glucose control is renoprotective in critically ill patients. <b>2008</b> , 19, 571-8		103
596	alpha2-Adrenergic agonists protect against radiocontrast-induced nephropathy in mice. <b>2008</b> , 295, F741-8		74
595	Contrast-induced nephropathy: the wheel has turned 360 degrees. <b>2008</b> , 49, 646-57		89
594	What are radiologists doing to prevent contrast-induced nephropathy (CIN) compared with measures supported by current evidence? A survey of European radiologists on CIN associated with computed tomography. <b>2008</b> , 49, 310-20		15

593	Renal safety of CT angiography and perfusion imaging in the emergency evaluation of acute stroke. <b>2008</b> , 29, 1826-30	99
592	Intermittent hemodialysis versus continuous renal replacement therapy for acute renal failure in the intensive care unit: an observational outcomes analysis. <b>2008</b> , 23, 195-203	38
591	Toward the promise of renal replacement therapy. <b>2008</b> , 19, 839-40	10
590	High-molecular weight iron dextran: a wolf in sheep's clothing?. <b>2008</b> , 19, 833-4	47
589	AP214, an analogue of alpha-melanocyte-stimulating hormone, ameliorates sepsis-induced acute kidney injury and mortality. <b>2008</b> , 73, 1266-74	88
588	Iso-osmolality versus low-osmolality iodinated contrast medium at intravenous contrast-enhanced CT: effect on kidney function. <b>2008</b> , 248, 97-105	94
587	Which study when? Iodinated contrast-enhanced CT versus gadolinium-enhanced MR imaging. <b>2008</b> , 249, 9-15	34
586	Renal impairment and amphotericin B formulations in patients with invasive fungal infections. <b>2008</b> , 46, 97-112	72
585	Renal Stem Cells. <b>2008</b> , 419-443	1
584	Preservation of peritubular capillary endothelial integrity and increasing pericytes may be critical to recovery from postischemic acute kidney injury. <b>2008</b> , 295, F351-9	68
583	Dose and efficiency of renal replacement therapy: continuous renal replacement therapy versus intermittent hemodialysis versus slow extended daily dialysis. <b>2008</b> , 36, S229-37	55
582	Role of sedation and analgesia in mechanical ventilation. <b>2008</b> , 36, 1366-7	2
581	Impact of minimal increases in serum creatinine on outcome in patients after cardiothoracic surgery: do we have to revise current definitions of acute renal failure?. <b>2008</b> , 36, 1129-37	239
580	End-of-life organ donation for transplantation: stretching the ethical and legal boundaries of medical practice in society. <b>2008</b> , 36, 1364-6	
579	Right data, wrong conclusions. <b>2008</b> , 36, 1383-4	7
578	New biomarkers of acute kidney injury. <b>2008</b> , 36, S159-65	218
577	Clinical practice guidelines: culture eats strategy for breakfast, lunch, and dinner. <b>2008</b> , 36, 1360-1	10
576	Bull's eye missed by the magic bullet: preclinical investigations, publication bias, and promising new interventions. <b>2008</b> , 36, 1361-3	4

575	Monkey see, monkey do: adhering to scientific principles. <b>2008</b> , 36, 1374-5	1
574	The latest in resting energy expenditure prediction: New! Improved! Better?. <b>2008</b> , 36, 1375-6	
573	Indications and timing of renal replacement therapy in acute kidney injury. <b>2008</b> , 36, S224-8	50
572	"The truth, if it exists, is in the details". <b>2008</b> , 36, 1368-9	5
571	Serum neutrophil gelatinase-associated lipocalin (NGAL) as a marker of acute kidney injury in critically ill children with septic shock. <b>2008</b> , 36, 1297-303	260
570	Where do we go from here? Cardiac output determination in pediatrics. <b>2008</b> , 36, 1377-8	3
569	Validating predictive models of mortality: more than meets the eye. <b>2008</b> , 36, 1357-8	2
568	Epidemiology of acute kidney injury: how big is the problem?. <b>2008</b> , 36, S146-51	312
567	Acute kidney injury with iodinated contrast. <b>2008</b> , 36, S204-11	59
566	Donation after cardiac death: should we fear the reaper?. <b>2008</b> , 36, 1363-4	2
565	Critical care workforce crisis: time to look in the mirror. <b>2008</b> , 36, 1385-6	8
564	Lung-protective higher frequency oscillatory ventilation. <b>2008</b> , 36, 1358-60	3
563	Critical illness myopathy: a direct role for endotoxin. <b>2008</b> , 36, 1381-2	
562	Since when did sedatives start to save lives?. <b>2008</b> , 36, 1378-9	1
561	Electrical impedance tomography--a new toy for boys or the future for mechanically ventilated patients?. <b>2008</b> , 36, 1380-1	20
560	The search for a good death--are there quality insights accessible from medical records?. <b>2008</b> , 36, 1372-3	2
559	The generic septic response. <b>2008</b> , 36, 1369-70	9
558	Redefine acute renal failure? Not yet, thanks. <b>2008</b> , 36, 1370-2	

557	Angiotensin converting enzyme insertion/deletion genetic polymorphism: its impact on renal function in critically ill patients. <b>2008</b> , 36, 3178-83	40
556	Impact of acute renal failure following percutaneous coronary intervention on long-term mortality. <b>2008</b> , 9, 375-81	38
555	Investigating the role of bacterial zinc-containing metalloproteases in the pathogenesis of complicated pneumococcal pneumonia. <b>2008</b> , 36, 1382-3	1
554	Clinical Considerations on the use of Contrast Agents for CT and MRI. 17-30	
553	Nefropatia induzida por contraste: avaliaçã da proteçã pela n-acetilcisteína e alopurinol em ratos uninefrectomizados. <b>2008</b> , 41, 177-181	3
552	Continuous Renal Replacement Therapy. <b>2008</b> , 301-326	
551	What if the ATN trial...?. <b>2008</b> , 31, 379-81	3
550	Vascular Imaging and Radiation Safety. <b>2009</b> , 73-116	2
549	Incidence of contrast-induced nephropathy in intensive care patients undergoing computerised tomography and prevalence of risk factors. <b>2009</b> , 37, 968-75	39
548	Nephrotoxicity of iso-osmolar iodixanol compared with nonionic low-osmolar contrast media: meta-analysis of randomized controlled trials. <b>2009</b> , 250, 68-86	225
547	Kidney ischemia-reperfusion injury induces caspase-dependent pulmonary apoptosis. <b>2009</b> , 297, F125-37	103
546	Safety and performance of targeted renal therapy: the Be-RITe! Registry. <b>2009</b> , 16, 1-12	40
545	Dexamethasone ameliorates renal ischemia-reperfusion injury. <b>2009</b> , 20, 2412-25	94
544	Occurrence of adverse, often preventable, events in community hospitals involving nephrotoxic drugs or those excreted by the kidney. <b>2009</b> , 76, 1192-8	67
543	Rapid and segmental specific dysregulation of AQP2, S256-pAQP2 and renal sodium transporters in rats with LPS-induced endotoxaemia. <b>2009</b> , 24, 2338-49	39
542	Renal dysfunction as an independent predictor of outcome after aneurysmal subarachnoid hemorrhage: a single-center cohort study. <b>2009</b> , 40, 2375-81	63
541	COX-2 inhibition attenuates endotoxin-induced downregulation of organic anion transporters in the rat renal cortex. <b>2009</b> , 75, 373-80	30
540	Hospital-acquired acute kidney injury. <b>2009</b> , 37, 98-106	1

539	Prevention of contrast-induced nephropathy: A randomized controlled trial of sodium bicarbonate and N-acetylcysteine. <b>2009</b> , 18, 193-7	12
538	Akutes Nierenversagen âaktuelle Diagnostik und Therapie. <b>2009</b> , 5, 157-178	
537	The current state of endovascular therapy in the evaluation and management of renovascular disease. <b>2009</b> , 26, 333-44	
536	Iodixanol induces apoptotic and antiproliferative effects but no necrotic cell death in renal proximal tubular cells in vitro. <b>2009</b> , 181, 349-54	7
535	Reversible acute kidney injury following contrast exposure and the risk of long-term mortality. <b>2009</b> , 29, 136-44	74
534	Assessment of glomerular filtration rate by serum cystatin C in patients undergoing coronary artery bypass grafting. <b>2009</b> , 46, 495-500	20
533	Dialysis-requiring acute renal failure increases the risk of progressive chronic kidney disease. <b>2009</b> , 76, 893-9	394
532	Diminished NO generation by injured endothelium and loss of macula densa nNOS may contribute to sustained acute kidney injury after ischemia-reperfusion. <b>2009</b> , 296, F25-33	64
531	Defining contrast-induced nephropathy. <b>2009</b> , 4, 1151-3	9
530	Oat5 and NaDC1 protein abundance in kidney and urine after renal ischemic reperfusion injury. <b>2009</b> , 57, 17-27	24
529	Prevalence and risk factors for aminoglycoside nephrotoxicity in intensive care units. <b>2009</b> , 53, 2887-91	99
528	[Intermittent versus continuous renal replacement techniques: pro intermittent]. <b>2009</b> , 33, 93-6	0
527	[Transradial approach and kidney disease]. <b>2009</b> , 58, 348-54	1
526	The use of radiographic contrast media during PCI: a focused review: a position statement of the Society of Cardiovascular Angiography and Interventions. <b>2009</b> , 74, 728-46	35
525	Nephrogenic systemic fibrosis versus contrast-induced nephropathy: risks and benefits of contrast-enhanced MR and CT in renally impaired patients. <b>2009</b> , 30, 1350-6	35
524	Evidence-based approach for prevention of radiocontrast-induced nephropathy. <b>2009</b> , 4, 500-6	10
523	Determinants for the prognosis of acute renal disorders that developed during or after treatment with edaravone. <b>2009</b> , 13, 118-122	15
522	Adult community-acquired bacterial meningitis requiring ICU admission: epidemiological data, prognosis factors and adherence to IDSA guidelines. <b>2009</b> , 28, 1317-25	11

521 Dialyse auf der Intensivstation. **2009**, 46, 228-234

520 Sodium bicarbonate for the prevention of contrast-induced nephropathy: a meta-analysis of 17 randomized trials. **2009**, 41, 617-27 56

519 New guidelines on the use of iodinated contrast media: a report on an implementation project. **2009**, 114, 496-508 1

518 [Acute perioperative disturbances of renal function. Strategies for prevention and therapy]. **2009**, 58, 829-47; quiz 848-9 1

517 N-acetylcysteine does not prevent contrast-induced nephropathy after cardiac catheterization in patients with diabetes mellitus and chronic kidney disease: a randomized clinical trial. **2009**, 10, 45 39

516 Uremic toxins in acute kidney injury. **2009**, 22, 445-8 25

515 Sodium bicarbonate plus N-acetylcysteine prophylaxis: a meta-analysis. **2009**, 2, 1116-24 83

514 The critically ill kidney. **2009**, 15, 21-26

513 Nephrogenic systemic fibrosis and management of high-risk patients. **2009**, 16, 897-905 33

512 Pediatric Nephrology in the ICU. **2009**, 4

511 Acute kidney injury and lung dysfunction: a paradigm for remote organ effects of kidney disease?. **2009**, 77, 8-12 55

510 Nephrotoxicity of iodixanol versus iopamidol in patients with chronic kidney disease and diabetes mellitus undergoing coronary angiographic procedures. **2009**, 158, 822-828.e3 62

509 High-dose N-acetylcysteine for the prevention of contrast-induced nephropathy. **2009**, 122, 874.e9-15 71

508 N-acetylcysteine in cardiovascular-surgery-associated renal failure: a meta-analysis. **2009**, 87, 139-47 57

507 Renal protective effects and the prevention of contrast-induced nephropathy by atrial natriuretic peptide. **2009**, 53, 1040-6 81

506 Atrial natriuretic peptide for the prevention of contrast-induced nephropathy: what's old is new but at the right dose and duration of therapy!. **2009**, 53, 1047-9 9

505 Comparison of iodixanol and ioversol for the prevention of contrast-induced nephropathy in diabetic patients after coronary angiography or angioplasty. **2009**, 62, 1373-80 9

504 Applied Physiology in Intensive Care Medicine. **2009**, 0

503	Role of oxidants/inflammation in declining renal function in chronic kidney disease and normal aging. <b>2009</b> , S3-11	106
502	Organ dysfunction during sepsis. <b>2009</b> , 417-428	
501	Comparaci3n de iodixanol frente a ioversol en la prevenci3n de la nefropat3a por contraste tras coronariograf3a o angioplastia en pacientes diab3ticos. <b>2009</b> , 62, 1373-1380	14
500	Contrast-induced nephropathy after intravenous administration: fact or fiction?. <b>2009</b> , 47, 789-800, v	72
499	Acute kidney injury in the elderly: problems and prospects. <b>2009</b> , 29, 658-64	29
498	Contrast-induced acute kidney injury (CIAKI). <b>2009</b> , 47, 783-8, v	25
497	Prevention of contrast-induced nephropathy: an overview. <b>2009</b> , 47, 801-11, v	44
496	Acute kidney injury in the elderly. <b>2009</b> , 25, 331-58	98
495	Better sooner than later?. <b>2009</b> , 37, 2672-3	
494	How should we deal with muscle weakness in critically ill patients?. <b>2009</b> , 37, 2648-9	2
493	Another look at the opening and collapse story. <b>2009</b> , 37, 2667-8	8
492	Bending gender rules for septic patients: are host responses positioned equally for all critically ill patients?. <b>2009</b> , 37, 2649-50	3
491	Resident work-hours or "duty hours": evidence versus emotion. <b>2009</b> , 37, 2661-2	
490	Protecting children in clinical research-Need for a rethink?. <b>2009</b> , 37, 2673-4	
489	Diagnosing hypovolemia in the critically ill. <b>2009</b> , 37, 2674-5	8
488	Hypoglycemia and intensive insulin therapy: strict vigilance and prompt correction. <b>2009</b> , 37, 2656-7	
487	Fluid accumulation and acute kidney injury: consequence or cause. <b>2009</b> , 15, 509-13	27
486	Respiratory failure and abdominal sepsis: time to focus on diaphragm is back. <b>2009</b> , 37, 2669-70	

485	Early-onset candidemia: an increasing problem?. <b>2009</b> , 37, 2652-3	2
484	Preload responsiveness or right ventricular dysfunction?. <b>2009</b> , 37, 2662-3	11
483	Ventilator-associated pneumonia prevalence: to benchmark or not to benchmark. <b>2009</b> , 37, 2657-9	2
482	Living on the lighter side of sedation in the intensive care unit: is there a psychological cost?. <b>2009</b> , 37, 2654-5	1
481	Adenosine for diagnosis of wide QRS tachycardia: rapid infusion for an easier conclusion. <b>2009</b> , 37, 2651-2	2
480	Nutritional assessment and support in acute kidney injury. <b>2009</b> , 15, 474-80	20
479	Incidence and outcomes of acute kidney injury in intensive care units: a Veterans Administration study. <b>2009</b> , 37, 2552-8	309
478	Maintenance of normoglycemia, insulin therapy, or feeding: why not all three?. <b>2009</b> , 37, 2665-7	1
477	Discontinuation of continuous renal replacement therapy: when is enough enough?. <b>2009</b> , 37, 2664-5	1
476	More data on epidemiology and outcome of acute kidney injury with AKIN criteria: benefits of standardized definitions, AKIN and RIFLE classifications. <b>2009</b> , 37, 2659-61	19
475	RIFLE criteria accurately identifies renal dysfunction and renal failure in elderly patients with upper gastrointestinal hemorrhage: a pilot study. <b>2009</b> , 102, 580-4	4
474	Immune mechanisms and novel pharmacological therapies of acute kidney injury. <b>2009</b> , 10, 1196-204	63
473	Redefining renal dysfunction in trauma: implementation of the Acute Kidney Injury Network staging system. <b>2009</b> , 67, 283-7; discussion 287-8	19
472	Miles to go before we sleep. <b>2009</b> , 37, 2670-2	1
471	Creatinine increases after intravenous contrast administration: incidence and impact. <b>2010</b> , 45, 471-6	12
470	Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality and length of stay for children in the pediatric intensive care unit. <b>2010</b> , 38, 933-9	236
469	Contrast-induced acute kidney injury in patients with renal dysfunction undergoing a coronary procedure and receiving non-ionic low-osmolar versus iso-osmolar contrast media. <b>2010</b> , 339, 25-30	21
468	Biomarkers of Acute Kidney Injury. <b>2010</b> , 237-279	7



467	Prognostic value of different laboratory measures of renal function for long-term mortality after contrast media-associated renal impairment. <b>2010</b> , 33, E51-9	11
466	[Acute renal failure and sepsis : Just an organ dysfunction due to septic multiorgan failure?]. <b>2010</b> , 59, 682-99	4
465	Organic anion transporter 5 renal expression and urinary excretion in rats exposed to mercuric chloride: a potential biomarker of mercury-induced nephropathy. <b>2010</b> , 84, 741-9	17
464	Prevention of acute kidney injury and protection of renal function in the intensive care unit. Expert opinion of the Working Group for Nephrology, ESICM. <b>2010</b> , 36, 392-411	151
463	Akutes Nierenversagen. <b>2010</b> , 47, 417-421	
462	Diagnose und Klassifikation des akuten Nierenversagens. <b>2010</b> , 47, 411-416	
461	Illoprostâdifferent indications and different national experiences in treating pulmonary hypertension. <b>2010</b> , 5, 19-23	
460	Efficacy of N-acetylcysteine and aminophylline in preventing contrast-induced nephropathy. <b>2010</b> , 55, 174-9	19
459	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 expert consensus document on coronary computed tomographic angiography: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. <b>2010</b> , 76, E1-42	37
458	Long-term risk of mortality after acute kidney injury in patients with sepsis: a contemporary analysis. <b>2010</b> , 11, 9	55
457	Incidence and clinical outcomes of acute kidney injury requiring renal replacement therapy in Japan. <b>2010</b> , 14, 541-6	17
456	Real world, long-term outcomes comparison between paclitaxel-eluting and sirolimus-eluting stent platforms. <b>2010</b> , 23, 167-75	3
455	Statins for prevention of contrast-induced nephropathy in patients undergoing non-emergent percutaneous coronary intervention. <b>2010</b> , 15, 165-70	32
454	. <b>2010</b> ,	15
453	Low Incidence of Contrast Induced Nephropathy after Coronary Angiography in Patients with Advanced Chronic Kidney Disease Treated with Prophylactic Continuous Veno-venous Hemofiltration. <b>2010</b> , 2,	
452	Albuminuria and estimated glomerular filtration rate independently associate with acute kidney injury. <b>2010</b> , 21, 1757-64	119
451	Acute kidney injury in a Chinese hospitalized population. <b>2010</b> , 30, 120-6	89
450	Safety of performing CT angiography in stroke patients treated with intravenous thrombolysis. <b>2010</b> , 81, 783-7	33

449	Meropenem dosing in critically ill patients with sepsis receiving high-volume continuous venovenous hemofiltration. <b>2010</b> , 54, 2974-8	56
448	Contrast-induced nephropathy in patients undergoing percutaneous coronary intervention. <b>2010</b> , 2010,	12
447	Cystatin C and creatinine as markers for radiocontrast-induced nephropathy in patients treated with N-acetylcysteine. <b>2010</b> , 32, 85-90	3
446	Acute kidney injury: current perspectives. <b>2010</b> , 122, 29-40	15
445	Impact of female gender on frequency of contrast medium-induced nephropathy: post hoc analysis of dialysis versus diuresis trial. <b>2010</b> , 19, 1363-8	11
444	Simultaneous monitoring of multiple urinary cytokines may predict renal and patient outcome in ischemic AKI. <b>2010</b> , 32, 699-708	30
443	Bone morphogenic protein-7: a new prognostic marker for acute kidney injury?. <b>2010</b> , 3, 106-7	1
442	Using population pharmacokinetics to determine gentamicin dosing during extended daily diafiltration in critically ill patients with acute kidney injury. <b>2010</b> , 54, 3635-40	53
441	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 expert consensus document on coronary computed tomographic angiography: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. <b>2010</b> , 121, 2509-43	139
440	Acute kidney injury after trauma: Prevalence, clinical characteristics and RIFLE classification. <b>2010</b> , 14, 121-8	39
439	Impact of renin-angiotensin-aldosterone blockade by angiotensin-converting enzyme inhibitors or AT-1 blockers on frequency of contrast medium-induced nephropathy: a post-hoc analysis from the Dialysis-versus-Diuresis (DVD) trial. <b>2010</b> , 25, 759-64	49
438	Acute kidney injury following coronary angiography is associated with a long-term decline in kidney function. <b>2010</b> , 78, 803-9	157
437	Toll-like receptor 2 mediates inhibition of HCO <sub>3</sub> <sup>(-)</sup> absorption by bacterial lipoprotein in medullary thick ascending limb. <b>2010</b> , 299, F536-44	20
436	Prevention of Contrast-Induced Nephropathy (CIN) in Interventional Radiology Practice. <b>2010</b> , 27, 348-59	37
435	Inhibition of NF-kappaB ameliorates sepsis-induced downregulation of aquaporin-2/V2 receptor expression and acute renal failure in vivo. <b>2010</b> , 298, F196-204	63
434	Predictors of in-hospital mortality among hospitalized nursing home residents: an analysis of the National Hospital Discharge Surveys 2005-2006. <b>2010</b> , 11, 52-8	21
433	Contrast-induced Nephropathy: Acute Kidney Injury. <b>2010</b> , 5, 101-110	
432	Tubular proteinuria in acute kidney injury: a critical evaluation of current status and future promise. <b>2010</b> , 47, 301-12	91

431	Hydration with sodium bicarbonate for the prevention of contrast-induced nephropathy: a meta-analysis of randomized controlled trials. <b>2010</b> , 74, 288-96	34
430	Diagnosis and Treatment of Complications of Coronary and Valvular Interventions. <b>2010</b> , 255-269	
429	Pre-procedural glucose levels and the risk for contrast-induced acute kidney injury in patients undergoing coronary angiography. <b>2010</b> , 55, 1433-40	71
428	Pre-procedural blood glucose levels: a new risk marker for contrast-induced acute kidney injury in patients without diabetes with acute myocardial infarction. <b>2010</b> , 55, 1441-3	6
427	ACCF/ACR/AHA/NASCI/SAIP/SCAI/SCCT 2010 expert consensus document on coronary computed tomographic angiography: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents. <b>2010</b> , 55, 2663-99	219
426	Contrast-induced nephropathy after a second contrast exposure. <b>2010</b> , 32, 796-801	39
425	Sodium bicarbonate for prevention of contrast-induced acute kidney injury: a systematic review and meta-analysis. <b>2010</b> , 25, 747-58	86
424	Il paziente a rischio di nefropatia da mezzi di contrasto iodati. <b>2010</b> , 4, 223-229	
423	Attenuation of renal ischemia and reperfusion injury by human adrenomedullin and its binding protein. <b>2010</b> , 163, 110-7	21
422	Brain natriuretic peptide is not reno-protective during renal ischemia-reperfusion injury in the rat. <b>2010</b> , 164, e13-9	7
421	[Contrast-induced nephropathy]. <b>2010</b> , 39, 807-14	1
420	Early creatinine shifts predict contrast-induced nephropathy and persistent renal damage after angiography. <b>2010</b> , 123, 755-63	51
419	Oral hydration and alkalinization is noninferior to intravenous therapy for prevention of contrast-induced nephropathy in patients with chronic kidney disease. <b>2010</b> , 23, 460-6	27
418	[Drugs renal toxicity]. <b>2010</b> , 6, 58-74	13
417	Quantifying radiation safety and quality in medical imaging, part 4: the medical imaging agent scorecard. <b>2010</b> , 7, 120-4	9
416	Handbook of Evidence-Based Critical Care. <b>2010</b> ,	10
415	Bench-to-bedside review: contrast enhanced ultrasonography--a promising technique to assess renal perfusion in the ICU. <b>2011</b> , 15, 157	57
414	In critically ill patients requiring CRRT, AKI is associated with increased respiratory failure and death versus ESRD. <b>2011</b> , 33, 935-42	22

413	How to reduce the incidence of contrast induced acute kidney injury after cardiac invasive procedures, a review and practical recommendations. <b>2011</b> , 27, 1347-57	5
412	Impact of acute kidney injury on chronic kidney disease and its progression. <b>2011</b> , 171, 213-217	18
411	Contrast-induced acute kidney injury. <b>2011</b> , 17, 193-195	2
410	Risk factors for mortality in acute kidney injury. <b>2011</b> , 57, 158-63	16
409	L'Utilisation du Gadolinium pour les interventions artérielles. <b>2011</b> , 25, 393-403	
408	Contrast-induced acute kidney injury: short- and long-term implications. <b>2011</b> , 31, 300-9	48
407	Standardized endpoint definitions for Transcatheter Aortic Valve Implantation clinical trials: a consensus report from the Valve Academic Research Consortium. <b>2011</b> , 57, 253-69	662
406	Short-term, high-dose statins in the prevention of contrast-induced nephropathy: a systematic review and meta-analysis. <b>2011</b> , 76, 475-83	19
405	Enzyme biomarkers of renal tubular injury in arterial surgery patients. <b>2011</b> , 33, 6-10	
404	The use of gadolinium for arterial interventions. <b>2011</b> , 25, 366-76	8
403	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <b>2011</b> , 80, 1222-30	127
402	Biomarkers in Acute Kidney Injury. <b>2011</b> , 177-232	4
401	Clinical consequences of acute kidney injury. <b>2011</b> , 174, 56-64	28
400	Sepsis and acute kidney injury are bidirectional. <b>2011</b> , 174, 78-88	31
399	Risk factors for mortality in acute kidney injury. <b>2011</b> , 57, 156-161	1
398	Risk stratification nomogram for nephropathy after abdominal contrast-enhanced computed tomography. <b>2011</b> , 29, 412-7	18
397	Importance of oral fluid intake after coronary computed tomography angiography: an observational study. <b>2011</b> , 77, 118-22	22
396	Sodium bicarbonate for the prevention of contrast induced nephropathy: a meta-analysis of published clinical trials. <b>2011</b> , 79, 48-55	36

395	Mechanisms of nephroprotective effect of mitochondria-targeted antioxidants under rhabdomyolysis and ischemia/reperfusion. <b>2011</b> , 1812, 77-86	90
394	Cepharanthine improves renal ischemia-reperfusion injury in rats. <b>2011</b> , 171, 212-7	10
393	Fenoldopam in critically ill patients with early renal dysfunction. A crossover study. <b>2011</b> , 29, 280-4	9
392	[Acute kidney injury: from concept to practice]. <b>2011</b> , 7, 172-7	6
391	Role of adipose tissue-derived stem cells in the progression of renal disease. <b>2011</b> , 9, 36-45	3
390	Defining Incidence and Outcome of Contrast-Induced Nephropathy Among Trauma: Is It Overhyped?. <b>2011</b> , 77, 686-689	11
389	Imaging patients with kidney disease: how do we approach contrast-related toxicity?. <b>2011</b> , 341, 215-21	18
388	Cystatin C: a possible sensitive marker for detecting potential kidney injury after computed tomography coronary angiography. <b>2011</b> , 35, 240-5	10
387	Posttraumatic contrast-induced acute kidney injury: minimal consequences or significant threat?. <b>2011</b> , 70, 415-9; discussion 419-20	26
386	Contrast-enhanced magnetic resonance angiography for preoperative imaging of deep inferior epigastric artery perforator flaps: advantages and disadvantages compared with computed tomography angiography: a United Kingdom perspective. <b>2011</b> , 67, 671-4	23
385	Effects of chronic kidney disease and post-angiographic acute kidney injury on long-term prognosis after coronary artery angiography. <b>2011</b> , 26, 1838-46	11
384	Preprocedural evaluation and endovascular treatment of iliofemoral artery disease without contrast media for patients with pre-existing renal insufficiency. <b>2011</b> , 75, 179-84	9
383	Recent issues in contrast-induced nephropathy. <b>2011</b> , 18, 686-90	12
382	Nutritional assessment and delivery in renal replacement therapy patients. <b>2011</b> , 24, 169-75	35
381	Assessment and initial management of acute kidney injury. <b>2011</b> , 39, 390-397	2
380	Renal injury study in critical ill patients in accordance with the new definition given by the Acute Kidney Injury Network. <b>2011</b> , 26, 206-12	25
379	Chapter II: Diagnostic methods. <b>2011</b> , 42 Suppl 2, S13-32	67
378	Systemic hypothermia to prevent radiocontrast nephropathy (from the COOL-RCN Randomized Trial). <b>2011</b> , 108, 741-6	7

377	Hypoxic hepatitis in critically ill patients: incidence, etiology and risk factors for mortality. <b>2011</b> , 25, 50-6	56
376	Acute kidney injury during aortic arch surgery under deep hypothermic circulatory arrest. <b>2011</b> , 25, 799-804	31
375	Kontrastmittel induzierte Nephropathie: Inzidenz, Bedeutung und Behandlung. <b>2011</b> , 16, 454-461	3
374	Sepsis as a cause and consequence of acute kidney injury: Program to Improve Care in Acute Renal Disease. <b>2011</b> , 37, 241-8	170
373	Sepsis and AKI: more complex than just a simple question of chicken and egg. <b>2011</b> , 37, 186-9	11
372	Epidemiology of contrast-associated acute kidney injury in ICU patients: a retrospective cohort analysis. <b>2011</b> , 37, 1921-31	57
371	Prävention der Kontrastmittelneuropathie. <b>2011</b> , 6, 128-134	1
370	Use and efficacy of saline hydration and N-acetyl cysteine to prevent contrast-induced nephropathy in low-risk populations undergoing coronary artery angiography. <b>2011</b> , 6, 503-7	11
369	Retracted Fenoldopam in critically ill patients with early renal dysfunction: A crossover study. <b>2011</b> , 40, 164-167	
368	Amino acid removal in high-flow and conventional continuous hemodiafiltration. <b>2011</b> , 40, 110-117	
367	Incidence of contrast-induced nephropathy in patients with multiple myeloma undergoing contrast-enhanced CT. <b>2011</b> , 196, 1094-101	40
366	Urinary EGST and EGST for prediction of dialysis requirement or in-hospital death in established acute kidney injury. <b>2011</b> , 16, 709-17	10
365	Standardized endpoint definitions for transcatheter aortic valve implantation clinical trials: a consensus report from the Valve Academic Research Consortium. <b>2011</b> , 32, 205-17	510
364	Chimeric maternal cells in offspring do not respond to renal injury, inflammatory or repair signals. <b>2011</b> , 2, 42-9	3
363	Oral prostaglandin e1 in combination with sodium bicarbonate and normal saline in the prevention of contrast-induced nephropathy: a pilot study. <b>2011</b> , 20, 229-34	6
362	Peripheral arterial disease: the evolving role of non-invasive imaging. <b>2011</b> , 87, 189-98	27
361	Prolonged carotid sinus reflex is a risk factor for contrast-induced nephropathy following carotid artery stenting. <b>2011</b> , 32, 441-5	11
360	Acute kidney injury: not just acute renal failure anymore?. <b>2011</b> , 31, 37-49; quiz 50	22

359	Associations between acute kidney injury and cardiovascular and renal outcomes after coronary angiography. <b>2011</b> , 123, 409-16	250
358	Effects of N-acetylcysteine on renal hemodynamics in contrast media-induced nephropathy. <b>2011</b> , 34, 125-34	4
357	Renal Association Clinical Practice Guidelines on acute kidney injury. <b>2011</b> , 118 Suppl 1, c349-90	50
356	Hospital-acquired acute kidney injury: an analysis of nadir-to-peak serum creatinine increments stratified by baseline estimated GFR. <b>2011</b> , 6, 1556-65	23
355	C-reactive protein and the risk of contrast-induced acute kidney injury in patients undergoing percutaneous coronary intervention. <b>2011</b> , 34, 203-10	53
354	The antioxidant EPC-K1 attenuates renal ischemia-reperfusion injury in a rat model. <b>2011</b> , 33, 485-90	22
353	Population pharmacokinetics of fluconazole in critically ill patients receiving continuous venovenous hemodiafiltration: using Monte Carlo simulations to predict doses for specified pharmacodynamic targets. <b>2011</b> , 55, 5868-73	38
352	Contrast-induced nephropathy in primary percutaneous coronary intervention. <b>2011</b> , 97, 1723-5	10
351	Bardoxolone methyl (BARD) ameliorates ischemic AKI and increases expression of protective genes Nrf2, PPAR $\gamma$ and HO-1. <b>2011</b> , 300, F1180-92	135
350	Challenges, controversies, and hot topics in pulmonary embolism imaging. <b>2011</b> , 196, 497-515	57
349	Acute kidney injury: controversies revisited. <b>2011</b> , 2011, 762634	13
348	Basolateral LPS inhibits NHE3 and HCO <sub>3</sub> <sup>-</sup> absorption through TLR4/MyD88-dependent ERK activation in medullary thick ascending limb. <b>2011</b> , 301, C1296-306	23
347	Acute kidney injury and the critically ill patient. <b>2012</b> , 31, 135-52	3
346	Contrast-induced nephropathy risk due to emergency contrast-enhanced computed tomography. <b>2012</b> , 19, 20-3	2
345	Ongoing clinical trials in AKI. <b>2012</b> , 7, 861-73	66
344	Persistent renal damage after contrast-induced acute kidney injury: incidence, evolution, risk factors, and prognosis. <b>2012</b> , 125, 3099-107	162
343	References. <b>2012</b> , 2, 124-138	33
342	Toll-like receptor 2 is required for LPS-induced Toll-like receptor 4 signaling and inhibition of ion transport in renal thick ascending limb. <b>2012</b> , 287, 20208-20	51

341	Lung T lymphocyte trafficking and activation during ischemic acute kidney injury. <b>2012</b> , 189, 2843-51	27
340	Comparison of serum creatinine and cystatin C for early diagnosis of contrast-induced nephropathy after coronary angiography and interventions. <b>2012</b> , 58, 458-64	41
339	Inflammatory Mechanisms of Organ Crosstalk during Ischemic Acute Kidney Injury. <b>2012</b> , 2012, 505197	59
338	Impact of peripheral arterial occlusive disease on the development of contrast medium-induced acute kidney injury. <b>2012</b> , 122, 38-43	9
337	Association of AKI with adverse outcomes in burned military casualties. <b>2012</b> , 7, 199-206	35
336	Macrophages mediate lung inflammation in a mouse model of ischemic acute kidney injury. <b>2012</b> , 302, F421-32	33
335	Insuffisance rénale aiguë de la personne âgée hospitalisée en réanimation. <b>2012</b> , 181-193	
334	Effects of carperitide on contrast-induced acute kidney injury with a minimum volume of contrast in chronic kidney disease patients. <b>2012</b> , 2, 303-10	10
333	Cytokine production increases and cytokine clearance decreases in mice with bilateral nephrectomy. <b>2012</b> , 27, 4339-47	59
332	Intermittent high-volume predilution on-line haemofiltration versus standard intermittent haemodialysis in critically ill patients with acute kidney injury: a prospective randomized study. <b>2012</b> , 27, 4348-56	8
331	Adipose tissue-derived stem cell treatment prevents renal disease progression. <b>2012</b> , 21, 1727-41	66
330	Poster Presentations From the World Congress of Cardiology Scientific Sessions 2012. <b>2012</b> , 125,	1
329	Risk assessment and prevention of contrast-induced nephropathy in patients undergoing coronary angiography. <b>2012</b> , 51, 519-21	2
328	Induced pluripotent stem cells without c-Myc attenuate acute kidney injury via downregulating the signaling of oxidative stress and inflammation in ischemia-reperfusion rats. <b>2012</b> , 21, 2569-85	73
327	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <b>2012</b> , 2012, 221-223	
326	Acute kidney injury: the beginning of the end of the dark ages. <b>2012</b> , 344, 318-25	15
325	Contrast-induced nephropathy: doubts and certainties. <b>2012</b> , 19, 1294-6	6
324	Acute kidney injury: definition controversies and epidemiology. <b>2012</b> , 1, 1-5	1



323	Contrast-induced acute kidney injury. <b>2012</b> , 1, 34-41	2
322	Risk of contrast induced nephropathy in the critically ill: a prospective, case matched study. <b>2012</b> , 16, R67	33
321	Sustained low efficiency dialysis using a single-pass batch system in acute kidney injury - a randomized interventional trial: the REnal Replacement Therapy Study in Intensive Care Unit PatiEnts. <b>2012</b> , 16, R140	96
320	Cardio-renal syndrome type 5: epidemiology, pathophysiology, and treatment. <b>2012</b> , 32, 49-56	21
319	Contrast-induced kidney injury: mechanisms, risk factors, and prevention. <b>2012</b> , 33, 2007-15	303
318	How do centres begin the process to prevent contrast-induced acute kidney injury: a report from a new regional collaborative. <b>2012</b> , 21, 54-62	25
317	Contrast-induced nephropathy. <b>2012</b> , 7 Suppl 3, S181-3	12
316	Impact of mannose-binding lectin deficiency on radiocontrast-induced renal dysfunction: a post-hoc analysis of a multicenter randomized controlled trial. <b>2012</b> , 13, 99	4
315	Does the current definition of contrast-induced acute kidney injury reflect a true clinical entity?. <b>2012</b> , 19, 1261-7	33
314	Radiographic assessment of splenic injury without contrast: is contrast truly needed?. <b>2012</b> , 152, 676-82; discussion 682-4	8
313	Clinical pharmacology, uses, and adverse reactions of iodinated contrast agents: a primer for the non-radiologist. <b>2012</b> , 87, 390-402	111
312	The distant organ effects of acute kidney injury. <b>2012</b> , 81, 942-948	180
311	Encyclopedia of Intensive Care Medicine. <b>2012</b> , 513-513	
310	The economics of renal failure and kidney disease in critically ill patients. <b>2012</b> , 28, 99-111, vii	26
309	Pathophysiology of acute kidney injury. <b>2012</b> , 2, 1303-53	555
308	Encyclopedia of Intensive Care Medicine. <b>2012</b> , 5-5	
307	Cardiological Society of India practice guidelines for angiography in patients with renal dysfunction. <b>2012</b> , 64 Suppl 2, S18-43	2
306	Encyclopedia of Intensive Care Medicine. <b>2012</b> , 16-25	

- 305 Encyclopedia of Intensive Care Medicine. **2012**, 48-48
- 304 Encyclopedia of Intensive Care Medicine. **2012**, 505-505
- 303 Determination of lower limb microvasculature by intrafemoral arterial injection using computed tomography-assisted angiography. **2012**, 36, 1376-81 2
- 302 Personnes âgées et réanimation. **2012**,
- 301 Effect of diuretic use on 30-day postdialysis mortality in critically ill patients receiving acute dialysis. **2012**, 7, e30836 22
- 300 Soluble epoxide hydrolase activity determines the severity of ischemia-reperfusion injury in kidney. **2012**, 7, e37075 36
- 299 Acute kidney injury and extrarenal organ dysfunction: new concepts and experimental evidence. **2012**, 116, 1139-48 129
- 298 Diagnostic yield and renal complications after computed tomography pulmonary angiograms performed in a community-based academic hospital. **2012**, 2, 7
- 297 Hydration with sodium bicarbonate does not prevent contrast nephropathy: a multicenter clinical trial. **2012**, 99, 1129-34 19
- 296 Does nebivolol prevent contrast-induced nephropathy in humans?. **2012**, 35, 250-4 28
- 295 Néphropathie induite par les produits de contraste iodés en réanimation. **2012**, 21, 463-473 2
- 294 Acute kidney injury and CKD: chicken or egg?. **2012**, 59, 485-91 46
- 293 Effectiveness of theophylline in preventing contrast-induced nephropathy after coronary angiographic procedures. **2012**, 25, 404-10 21
- 292 Contrast-induced nephropathy: protective role of fenoldopam. **2012**, 39, 497-505 5
- 291 Tumour lysis syndrome and acute kidney injury in high-risk haematology patients in the rasburicase era. A prospective multicentre study from the Groupe de Recherche en Réanimation Respiratoire et Onco-Hématologique. **2013**, 162, 489-97 63
- 290 N-acetylcysteine does not prevent contrast nephropathy in patients with renal impairment undergoing emergency CT: a randomized study. **2013**, 14, 119 9
- 289 Incidence and outcome of contrast-associated acute kidney injury in a mixed medical-surgical ICU population: a retrospective study. **2013**, 14, 31 22
- 288 Practical considerations for the dosing and adjustment of continuous renal replacement therapy in the intensive care unit. **2013**, 28, 1019-26 6

287	Niereninsuffizienz und Lungenfunktionsstörung im Wechselspiel. <b>2013</b> , 8, 317-322	
286	Treatment of acute multiorgan dysfunction occurring in congenital adrenal hyperplasia. <b>2013</b> , 43, 462-3	1
285	Kidney-lung cross-talk and acute kidney injury. <b>2013</b> , 28, 2239-48	59
284	An in vitro method for the prediction of renal proximal tubular toxicity in humans. <b>2013</b> , 2, 352	47
283	Hematologic manifestations of kidney disease. <b>2013</b> , 50, 207-15	8
282	Impact of lipopolysaccharide-induced inflammation on the disposition of the aminocephalosporin cefadroxil. <b>2013</b> , 57, 6171-8	10
281	Relation of the severity of contrast induced nephropathy to SYNTAX score and long term prognosis in patients treated with primary percutaneous coronary intervention. <b>2013</b> , 168, 3480-5	21
280	How acute kidney injury is investigated and managed in UK intensive care units--a survey of current practice. <b>2013</b> , 28, 1186-90	34
279	The RIFLE and AKIN classifications for acute kidney injury: a critical and comprehensive review. <b>2013</b> , 6, 8-14	277
278	Acute kidney injury: outcomes and quality of care. <b>2013</b> , 106, 323-32	79
277	Association of ethnicity and acute kidney injury after cardiac surgery in a South East Asian population. <b>2013</b> , 110, 397-401	20
276	Development of an easily applicable risk score model for contrast-induced nephropathy prediction after percutaneous coronary intervention: a novel approach tailored to current practice. <b>2013</b> , 163, 46-55	52
275	Higher serum chloride concentrations are associated with acute kidney injury in unselected critically ill patients. <b>2013</b> , 14, 235	58
274	The role of N-acetylcysteine in the prevention of contrast-induced nephropathy in patients undergoing peripheral angiography: a structured review and meta-analysis. <b>2013</b> , 64, 576-82	30
273	Contrast-induced acute kidney injury: how much contrast is safe?. <b>2013</b> , 28, 1376-83	45
272	Microparticles and acute renal dysfunction in septic patients. <b>2013</b> , 28, 141-7	33
271	Progress in management of malperfusion syndrome from type B dissections. <b>2013</b> , 57, 1283-90; discussion 1290	30
270	KDOQI US commentary on the 2012 KDIGO clinical practice guideline for acute kidney injury. <b>2013</b> , 61, 649-72	409

269	Prevention of contrast-induced nephropathy by N-acetylcysteine in critically ill patients: different definitions, different results. <b>2013</b> , 28, 701-9	17
268	Prevention of contrast-induced nephropathy in STEMI patients undergoing primary percutaneous coronary intervention: a systematic review. <b>2013</b> , 26, 97-105	12
267	Specific Etiologies. <b>2013</b> , 199-236	
266	Measurement of kidney perfusion in critically ill Patients. <b>2013</b> , 17, 220	10
265	Epidemiology of heart failure. <b>2013</b> , 113, 646-59	1027
264	Patient Information. <b>2013</b> , 64-85	
263	A two-hit mechanism for sepsis-induced impairment of renal tubule function. <b>2013</b> , 304, F863-74	19
262	Sichere Anwendung von Kontrastmittel in der elektiven CT-Diagnostik. <b>2013</b> , 36, 163-168	
261	Organic anion transporter 5 renal expression and urinary excretion in rats with vascular calcification. <b>2013</b> , 2013, 283429	12
260	Role of the transient receptor potential vanilloid type 1 channel in renal inflammation induced by lipopolysaccharide in mice. <b>2013</b> , 304, R1-9	8
259	Preventive Effects of a Natural Anti-Inflammatory Agent, Astragaloside IV, on Ischemic Acute Kidney Injury in Rats. <b>2013</b> , 2013, 284025	23
258	Risk factors for hemodialysis and mortality in patients with contrast-induced nephropathy. <b>2013</b> , 20, 607-12	5
257	Acute renal dysfunction: time from coronary angiography to cardiac surgery. <b>2013</b> , 21, 649-54	5
256	Contrast-induced acute kidney injury and risk of adverse clinical outcomes after coronary angiography: a systematic review and meta-analysis. <b>2013</b> , 6, 37-43	180
255	Mechanisms of acute kidney injury. <b>2013</b> , 207, 430-1	7
254	Acute kidney injury reduces phagocytic and microbicidal capacities of alveolar macrophages. <b>2013</b> , 31, 179-88	11
253	Dosing of iodinated contrast volume: a new simple algorithm to stratify the risk of contrast-induced nephropathy in patients with acute coronary syndrome. <b>2013</b> , 82, 888-97	12
252	Risk of developing severe sepsis after acute kidney injury: a population-based cohort study. <b>2013</b> , 17, R231	59

251	Severity of acute kidney injury and two-year outcomes in critically ill patients. <b>2013</b> , 144, 866-875	26
250	Exendin-4 and sitagliptin protect kidney from ischemia-reperfusion injury through suppressing oxidative stress and inflammatory reaction. <b>2013</b> , 11, 270	76
249	PKD1 mutation type affects outcome in ADPKD. <b>2013</b> , 9, 186-186	
248	Influence of different doses of Iopromide on renal function of elderly patients. <b>2013</b> , 7, 606-609	
247	Radiographic contrast-media-induced acute kidney injury: pathophysiology and prophylactic strategies. <b>2013</b> , 2013, 496438	23
246	Intratracheal IL-6 protects against lung inflammation in direct, but not indirect, causes of acute lung injury in mice. <b>2013</b> , 8, e61405	56
245	Incidence and outcome of early acute kidney injury in critically-ill trauma patients. <b>2013</b> , 8, e77376	47
244	Contrast-Induced Nephropathy: Risk Factors, Clinical Implication, Diagnostics Approach, Prevention. <b>2013</b> ,	
243	Patients at risk for contrast-induced acute kidney injury. <b>2013</b> , 223-229	
242	Relationship of 1,25 dihydroxy Vitamin D Levels to Clinical Outcomes in Critically Ill Patients with Acute Kidney Injury. <b>2015</b> , 5,	5
241	Follow up for emergency department patients after intravenous contrast and risk of nephropathy. <b>2014</b> , 15, 276-81	8
240	Asymmetric dimethylarginine accumulates in the kidney during ischemia/reperfusion injury. <b>2014</b> , 85, 570-8	28
239	Derivation of candidates for the combat casualty critical care (C4) database. <b>2014</b> , 179, 370-4	9
238	Risk of AKI with gentamicin as surgical prophylaxis. <b>2014</b> , 25, 2625-32	80
237	Reading between the (guide)lines--the KDIGO practice guideline on acute kidney injury in the individual patient. <b>2014</b> , 85, 39-48	75
236	CDK4/6 inhibition induces epithelial cell cycle arrest and ameliorates acute kidney injury. <b>2014</b> , 306, F379-88	72
235	Intravenous contrast material exposure is not an independent risk factor for dialysis or mortality. <b>2014</b> , 273, 714-25	163
234	Mouse Genetics. <b>2014</b> ,	2

233	Reducing iodinated contrast volume by manipulating injection pressure during coronary angiography. <b>2014</b> , 83, 741-5	9
232	RANdomized Comparison of raDIal vs. femorAL Access for Routine Catheterization of Heart Transplant Patients (RADIAL-heart transplant study). <b>2014</b> , 46, 3262-7	5
231	Systemic consequences of acute kidney injury. <b>2014</b> , 20, 613-9	35
230	The attributable mortality of acute kidney injury: a sequentially matched analysis*. <b>2014</b> , 42, 878-85	49
229	Effect of statins in preventing contrast-induced nephropathy: an updated meta-analysis. <b>2014</b> , 25, 565-74	8
228	Contrast-induced acute kidney injury: definition, epidemiology, and outcome. <b>2014</b> , 2014, 859328	34
227	Renal disease presenting as acute kidney injury: the diagnostic conundrum on the intensive care unit. <b>2014</b> , 20, 606-12	2
226	Acute Kidney Injury in Cancer Patients. <b>2014</b> , 3-20	1
225	Protection of NAD(P)H:quinone oxidoreductase 1 against renal ischemia/reperfusion injury in mice. <b>2014</b> , 67, 139-49	30
224	Biology of sepsis: its relevance to pediatric nephrology. <b>2014</b> , 29, 2273-87	18
223	Lower blood vitamin D levels are associated with an increased incidence of contrast-induced nephropathy in patients undergoing coronary angiography. <b>2014</b> , 30, 428-33	11
222	Usefulness of the SYNTAX score to predict acute kidney injury after percutaneous coronary intervention (from the Acute Catheterization and Urgent Intervention Triage Strategy Trial). <b>2014</b> , 113, 1331-7	17
221	Canadian Association of Radiologists consensus guidelines for the prevention of contrast-induced nephropathy: update 2012. <b>2014</b> , 65, 96-105	105
220	Reducing contrast-induced acute kidney injury using a regional multicenter quality improvement intervention. <b>2014</b> , 7, 693-700	44
219	Neuroimaging in intracerebral hemorrhage. <b>2014</b> , 45, 903-8	75
218	Heart-kidney crosstalk and role of humoral signaling in critical illness. <b>2014</b> , 18, 201	67
217	Long-term risk of sepsis among survivors of acute kidney injury. <b>2014</b> , 18, 103	7
216	A Practical Approach to Preventing Renal Complications in the Catheterization Laboratory. <b>2014</b> , 3, 429-439	

215	The role of inflammation in contrast-induced nephropathy. <b>2014</b> , 87, 20130738	38
214	Does intravenous contrast-enhanced computed tomography cause acute kidney injury? Protocol of a systematic review of the evidence. <b>2014</b> , 3, 94	5
213	Protective effect of indomethacin in renal ischemia-reperfusion injury in mice. <b>2014</b> , 15, 735-42	11
212	The economic impact of acute kidney injury in England. <b>2014</b> , 29, 1362-8	160
211	Shifting Paradigms in Acute Kidney Injury. <b>2014</b> , 541-552	1
210	Annual Update in Intensive Care and Emergency Medicine 2014. <b>2014</b> ,	3
209	Remote ischemic preconditioning to reduce contrast-induced nephropathy: study protocol for a randomized controlled trial. <b>2014</b> , 15, 119	8
208	Early reversible acute kidney injury is associated with improved survival in septic shock. <b>2014</b> , 29, 711-7	49
207	CT pulmonary angiography using a reduced volume of high-concentration iodinated contrast medium and multiphasic injection to achieve dose reduction. <b>2014</b> , 69, 36-40	14
206	Contrast-induced nephropathy: the sin of primary percutaneous coronary intervention?. <b>2014</b> , 35, 1504-6	16
205	Failure-to-rescue rate as a measure of quality of care in a cardiac surgery recovery unit: a five-year study. <b>2014</b> , 97, 147-52	52
204	Elevation of urinary liver-type fatty acid-binding protein as predicting factor for occurrence of contrast-induced acute kidney injury and its reduction by hemodiafiltration with blood suction from right atrium. <b>2014</b> , 29, 191-7	12
203	Contrast-induced acute kidney injury prevention in a renal unit. <b>2014</b> , 6, 230-233	
202	Supervised prediction of drug-induced nephrotoxicity based on interleukin-6 and -8 expression levels. <b>2014</b> , 15 Suppl 16, S16	30
201	Acute Kidney Injury in Intensive Care. <b>2014</b> , 647-686	
200	Contrast agents. <b>2015</b> , 1425-1442	
199	Long-term remote organ consequences following acute kidney injury. <b>2015</b> , 19, 438	51
198	Neutrophil gelatinase-associated lipocalin attenuates injury in the rat cecal ligation and puncture model of sepsis via apoptosis inhibition. <b>2015</b> , 20, 646-53	5

197	Analysis of biomarkers for risk of acute kidney injury after primary angioplasty for acute ST-segment elevation myocardial infarction: results of the HORIZONS-AMI trial. <b>2015</b> , 85, 335-42	16
196	Factors impacting the likelihood of death in patients with small TBSA burns. <b>2015</b> , 36, 203-12	7
195	Advances in the pathogenesis of cardiorenal syndrome type 3. <b>2015</b> , 2015, 148082	22
194	Role of Elevated Aminotransferases in ICU Patients with Rhabdomyolysis. <b>2015</b> , 81, 1209-1215	5
193	Ultrasonography in the ICU. <b>2015</b> ,	
192	The EUROpean and Chinese cardiac and renal Remote Ischemic Preconditioning Study (EURO-CRIPS): study design and methods. <b>2015</b> , 16, 246-52	8
191	Remote Ischemic Preconditioning To Reduce Contrast-Induced Nephropathy: A Randomized Controlled Trial. <b>2015</b> , 50, 527-32	42
190	Multi-modal CT in acute stroke: wait for a serum creatinine before giving intravenous contrast? No!. <b>2015</b> , 10, 1014-7	22
189	Long-Term Follow-Up of Patients at High Risk for Nephropathy After Contrast Exposure. <b>2015</b> , 66, 514-8	31
188	The epidemiology and prognostic factors of mortality in critically ill children with acute kidney injury in Taiwan. <b>2015</b> , 87, 632-9	38
187	Improving Acute Kidney Injury (AKI) outcomes through the use of automated electronic alerts. <b>2015</b> , 26, 73	1
186	Tnf- $\alpha$ inhibition by infliximab as a new target for the prevention of glycerol-contrast-induced nephropathy. <b>2015</b> , 39, 577-88	19
185	Pathophysiology of ischaemic acute kidney injury. <b>2015</b> , 52, 193-205	40
184	The growth of acute kidney injury: a rising tide or just closer attention to detail?. <b>2015</b> , 87, 46-61	159
183	Fenofibrate pre-treatment suppressed inflammation by activating phosphoinositide 3 kinase/protein kinase B (PI3K/Akt) signaling in renal ischemia-reperfusion injury. <b>2015</b> , 35, 58-63	14
182	Continuous intravenous infusion of nicorandil for 4 hours before and 24 hours after percutaneous coronary intervention protects against contrast-induced nephropathy in patients with poor renal function. <b>2015</b> , 195, 228-34	25
181	Reducing prescribing errors through creatinine clearance alert redesign. <b>2015</b> , 128, 1117-25	16
180	Assessment and initial management of acute kidney injury. <b>2015</b> , 43, 440-445	2



179	Basic Abdominal Ultrasound in the ICU. <b>2015</b> , 95-108	
178	Sitagliptin protects rat kidneys from acute ischemia-reperfusion injury via upregulation of GLP-1 and GLP-1 receptors. <b>2015</b> , 36, 119-30	40
177	Why do they die? Comparison of selected aspects of organ injury and dysfunction in mice surviving and dying in acute abdominal sepsis. <b>2015</b> , 3, 48	26
176	Oral salt and water versus intravenous saline for the prevention of acute kidney injury following contrast-enhanced computed tomography: study protocol for a pilot randomized trial. <b>2015</b> , 2, 12	1
175	Vancomycin continuous infusion versus intermittent infusion during continuous venovenous hemofiltration: slow and steady may win the race. <b>2015</b> , 5, 10	7
174	Patient safety in vascular access patients on hemodialysis: contrast agents and renal function. <b>2015</b> , 184, 51-8	
173	Safety of MRI and CT. <b>2015</b> , 63-72	
172	Contrast nephropathy in children. <b>2014</b> , 3, 45-52	1
171	Contrast-associated Acute Kidney Injury. <b>2015</b> , 31, 725-35	3
170	Impact of Contrast-Induced Acute Kidney Injury After Percutaneous Coronary Intervention on Short- and Long-Term Outcomes: Pooled Analysis From the HORIZONS-AMI and ACUITY Trials. <b>2015</b> , 8, e002475	97
169	Peri-operative intensive care. <b>2015</b> , 24, 254-9	2
168	Comparison of combination therapy of high-dose oral N-acetylcysteine and intravenous sodium bicarbonate hydration with individual therapies in the reduction of Contrast-induced Nephropathy during Cardiac Catheterisation and Percutaneous Coronary Intervention (CONTRAST): A multicentre randomised controlled trial. <b>2015</b> , 201, 227-40	29
167	Significance of Cystatin C for Early Diagnosis of Contrast-Induced Nephropathy in Patients Undergoing Coronary Angiography. <b>2016</b> , 22, 2956-61	15
166	Contrast Induced Nephropathy with Intravenous Iodinated Contrast Media in Routine Diagnostic Imaging: An Initial Experience in a Tertiary Care Hospital. <b>2016</b> , 2016, 8792984	6
165	Downregulation of Glutathione Biosynthesis Contributes to Oxidative Stress and Liver Dysfunction in Acute Kidney Injury. <b>2016</b> , 2016, 9707292	30
164	Inhibition of Toll-Like Receptor 4 Signaling Mitigates Microvascular Loss but Not Fibrosis in a Model of Ischemic Acute Kidney Injury. <b>2016</b> , 17,	8
163	Impact of acute kidney injury on patient outcome in out-of-hospital cardiac arrest: a prospective observational study. <b>2016</b> , 60, 1170-81	23
162	Milrinone Dosing Issues in Critically Ill Children With Kidney Injury: A Review. <b>2016</b> , 67, 175-81	12

161	Sodium Bicarbonate Prevents Contrast-Induced Nephropathy in Addition to Theophylline: A Randomized Controlled Trial. <b>2016</b> , 95, e3720	10
160	Practical considerations to drug dosing in children with acute kidney injury. <b>2016</b> , 56, 399-407	2
159	Acute Renal Failure in Aneurysmal Subarachnoid Hemorrhage: Nationwide Analysis of Hospitalizations in the United States. <b>2016</b> , 91, 542-547.e6	6
158	Does elective parathyroidectomy for primary hyperparathyroidism affect renal function? A prospective cohort study. <b>2016</b> , 27, 138-141	10
157	Efficacy of Short-Term Statin Treatment for the Prevention of Contrast-Induced Acute Kidney Injury in Patients Undergoing Coronary Angiography/Percutaneous Coronary Intervention: A Meta-Analysis of 21 Randomized Controlled Trials. <b>2016</b> , 16, 201-19	32
156	Akutes Nierenversagen –regulierter Zelltod und Inflammation. <b>2016</b> , 11, 222-224	
155	Effects of combination therapy of statin and N-acetylcysteine for the prevention of contrast-induced nephropathy in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <b>2016</b> , 212, 100-6	15
154	Design of Clinical Trials in Acute Kidney Injury: Lessons from the Past and Future Directions. <b>2016</b> , 36, 42-52	14
153	Quantifying Glomerular Filtration Rates in Acute Kidney Injury: A Requirement for Translational Success. <b>2016</b> , 36, 31-41	40
152	Immediate Consequences of Acute Kidney Injury: The Impact of Traditional and Nontraditional Complications on Mortality in Acute Kidney Injury. <b>2016</b> , 23, 179-85	36
151	Contrast-induced nephropathy. <b>2016</b> , 480-482	
150	Acute kidney injury in children: Enhancing diagnosis with novel biomarkers. <b>2016</b> , 5, 267-270	1
149	Outcomes, risk factors and health burden of contrast-induced acute kidney injury: an observational study of one million hospitalizations with image-guided cardiovascular procedures. <b>2016</b> , 17, 167	34
148	Averaging Gone Wrong. <b>2016</b> ,	12
147	Brazilin exerts protective effects against renal ischemia-reperfusion injury by inhibiting the NF- $\kappa$ B signaling pathway. <b>2016</b> , 38, 210-6	19
146	Reduction in post-operative acute kidney injury following a change in antibiotic prophylaxis policy for orthopaedic surgery: an observational study. <b>2016</b> , 71, 2598-605	13
145	Vancomycin Therapeutic Targets and Nephrotoxicity in Critically Ill Children With Cancer. <b>2016</b> , 38, e56-62	23
144	Predictors of Acute Kidney Injury in Cardiac Transplantation. <b>2016</b> , 48, 167-72	19

143	Effect of rhBNP on renal function in STEMI-HF patients with mild renal insufficiency undergoing primary PCI. <b>2016</b> , 31, 490-8	16
142	Incidence and associations of acute kidney injury after major abdominal surgery. <b>2016</b> , 42, 521-530	119
141	Improving outcomes in patients with Acute Kidney Injury: the impact of hospital based automated AKI alerts. <b>2016</b> , 92, 9-13	27
140	Remote effects of acute kidney injury in a porcine model. <b>2016</b> , 310, F259-71	17
139	N-octanoyl dopamine treatment exerts renoprotective properties in acute kidney injury but not in renal allograft recipients. <b>2016</b> , 31, 564-73	9
138	Contrast-induced nephropathy following angiography and cardiac interventions. <b>2016</b> , 102, 638-48	108
137	Introduction: Acute Kidney Injury and Continuous Renal Replacement Therapy. <b>2016</b> , 1-34	
136	Percutaneous Intervention for Coronary Chronic Total Occlusion. <b>2016</b> ,	1
135	The Effect of Autophagy on Inflammation Cytokines in Renal Ischemia/Reperfusion Injury. <b>2016</b> , 39, 347-356	49
134	Therapeutic Targets of Human AKI: Harmonizing Human and Animal AKI. <b>2016</b> , 27, 44-8	51
133	Mechanisms and mediators of lung injury after acute kidney injury. <b>2016</b> , 12, 48-60	97
132	Association Between Acute Kidney Disease and Intravenous Dye Administration in Patients With Acute Stroke: A Population-Based Study. <b>2017</b> , 48, 835-839	19
131	A risk prediction score for acute kidney injury in the intensive care unit. <b>2017</b> , 32, 814-822	90
130	Comparison of the nephrotoxic effects of iodixanol versus iohexol in patients with chronic heart failure undergoing coronary angiography or angioplasty. <b>2017</b> , 30, 281-285	5
129	Delayed Nephrology Consultation and High Mortality on Acute Kidney Injury: A Meta-Analysis. <b>2017</b> , 43, 57-67	33
128	DNA repair in ischemic acute kidney injury. <b>2017</b> , 312, F551-F555	11
127	Impact of Gender on 30-Day Complications After Primary Total Joint Arthroplasty. <b>2017</b> , 32, 2370-2374	30
126	Acute lung injury complicating acute kidney injury: A model of endogenous $\kappa$ lotho deficiency and distant organ dysfunction. <b>2017</b> , 100, 100-109	20

125	Nephroprotective effects of remote ischemic preconditioning in coronary angiography. <b>2017</b> , 65, 299-307	9
124	Biomarkers of Extra-Renal Complications of AKI. <b>2017</b> , 317-334	
123	Acute Kidney Injury. <b>2017</b> , 1-10	
122	A Role of Remote Organs Effect in Acute Kidney Injury Outcome. <b>2017</b> , 137, 273-276	19
121	ADMA predicts major adverse renal events in patients with mild renal impairment and/or diabetes mellitus undergoing coronary angiography. <b>2017</b> , 96, e6065	11
120	Niclosamide attenuates inflammatory cytokines via the autophagy pathway leading to improved outcomes in renal ischemia/reperfusion injury. <b>2017</b> , 16, 1810-1816	16
119	Cardiogenic shock in pregnancy: Analysis from the National Inpatient Sample. <b>2017</b> , 36, 117-123	16
118	Acute Kidney Injury as a Risk Factor for Delirium and Coma during Critical Illness. <b>2017</b> , 195, 1597-1607	49
117	Irreversible deterioration of estimated glomerular filtration rate in patients with acute myocardial infarction after primary percutaneous coronary intervention. <b>2017</b> , 32, 318-324	
116	Best practice for perioperative management of patients with cytoreductive surgery and HIPEC. <b>2017</b> , 43, 1013-1027	66
115	Colistin versus polymyxin B for the treatment of patients with multidrug-resistant Gram-negative infections: a systematic review and meta-analysis. <b>2017</b> , 49, 233-238	60
114	Effects of apigenin on the expression levels of B-cell lymphoma-2, Fas and Fas ligand in renal ischemia-reperfusion injury in rats. <b>2017</b> , 14, 5345-5354	5
113	Endovascular Correction in Acute Bleeding after Femoropopliteal Bypass: A Single-Centre Experience. <b>2017</b> , 02,	
112	The Impact of Hemodynamic Transesophageal Echocardiography on the Use of Continuous Renal Replacement Therapy in Trauma. <b>2017</b> , 83, 855-859	2
111	Could Vitamin E Prevent Contrast-Induced Acute Kidney Injury? A Systematic Review and Meta-Analysis. <b>2017</b> , 32, 1468-1473	6
110	Contrast-Induced Nephropathy in Renal Transplant Recipients: A Single Center Experience. <b>2017</b> , 4, 64	7
109	Incidence and Risk Factors for Early Acute Kidney Injury in Nonsurgical Patients: A Cohort Study. <b>2017</b> , 2017, 5241482	2
108	CKD-EPI versus Cockcroft-Gault formula for predicting contrast-induced nephropathy following percutaneous coronary intervention in patients without significant renal impairment. <b>2018</b> , 37, 25-33	

107	CKD-EPI versus Cockcroft-Gault formula for predicting contrast-induced nephropathy following percutaneous coronary intervention in patients without significant renal impairment. <b>2018</b> , 37, 25-33	5
106	The Incidence, Risk Factors, and Outcomes of Contrast-Induced Nephropathy In Patients With Critical Limb Ischemia Following Lower Limb Angiography. <b>2018</b> , 69, 700-708	9
105	In-Hospital Acute Kidney Injury After TKA Revision With Placement of an Antibiotic Cement Spacer. <b>2018</b> , 33, S209-S212	10
104	Nephrogenic acute respiratory distress syndrome: A narrative review on pathophysiology and treatment. <b>2018</b> , 21, 4-10	9
103	Acute kidney injury is associated with subsequent infection in neonates after the Norwood procedure: a retrospective chart review. <b>2018</b> , 33, 1235-1242	22
102	Short- and long-term outcomes after non-severe acute kidney injury. <b>2018</b> , 22, 61-67	18
101	Impact of Electronic Acute Kidney Injury (AKI) Alerts With Automated Nephrologist Consultation on Detection and Severity of AKI: A Quality Improvement Study. <b>2018</b> , 71, 9-19	64
100	An evaluation of the relationship between traumatic injuries and the development of contrast-associated acute kidney injury. <b>2018</b> , 20, 100-107	1
99	Outcomes after Angiography with Sodium Bicarbonate and Acetylcysteine. <b>2018</b> , 378, 603-614	258
98	Postdischarge Major Adverse Cardiovascular Events of ICU Survivors Who Received Acute Renal Replacement Therapy. <b>2018</b> , 46, e1047-e1054	4
97	Fluid balance concepts in medicine: Principles and practice. <b>2018</b> , 7, 1-28	46
96	Prevention of postcontrast acute kidney injury after percutaneous transluminal angioplasty by inducing RenalGuard controlled furosemide forced diuresis with matched hydration: study protocol for a randomised controlled trial. <b>2018</b> , 8, e021842	4
95	Bi-plane and single plane angiography: a study to compare contrast usage and radiation doses for adult cardiac patients in diagnostic studies. <b>2019</b> , 92, 20180367	5
94	Contrast-Associated Acute Kidney Injury. <b>2018</b> , 95-112	
93	Incidence and impact on outcomes of acute kidney injury after a stroke: a systematic review and meta-analysis. <b>2018</b> , 19, 283	22
92	Renal Function and Outcome of Out-of-Hospital Cardiac Arrest - Multicenter Prospective Study (SOS-KANTO 2012 Study). <b>2018</b> , 83, 139-146	3
91	Contrast volume to estimated glomerular filtration rate ratio for prediction of contrast-induced acute kidney injury after cardiac catheterization in adults with congenital heart disease. <b>2018</b> , 92, 1301-1308	2
90	Complications of Coronary Artery Interventions: Overview. <b>2018</b> , 951-974	

89	Evidence-Based Emergency Neuroimaging in Children and Adults with Sickle Cell Disease and Symptoms of Stroke. <b>2018</b> , 519-543	
88	Acute Kidney Injury. <b>2018</b> , 98-127	
87	Prognostic model to predict postoperative acute kidney injury in patients undergoing major gastrointestinal surgery based on a national prospective observational cohort study. <b>2018</b> , 2, 400-410	14
86	Acute kidney injury in major abdominal surgery: incidence, risk factors, pathogenesis and outcomes. <b>2018</b> , 8, 22	58
85	Risk of de novo infection following acute kidney injury: A retrospective cohort study. <b>2018</b> , 48, 9-14	5
84	Left ventricular end diastolic pressure and contrast-induced acute kidney injury in patients with acute coronary syndrome undergoing percutaneous coronary intervention. <b>2018</b> , 19, 16-20	5
83	Remote organ failure in acute kidney injury. <b>2019</b> , 118, 859-866	15
82	Essentials of Nephrology. <b>2019</b> , 655-668.e2	
81	RenalGuard system to prevent contrast-induced acute kidney injury in Japanese patients with renal dysfunction; RESPECT KIDNEY study. <b>2019</b> , 34, 105-112	3
80	Predicting contrast induced nephropathy in patients undergoing percutaneous coronary intervention. <b>2019</b> , 11, 2672-2674	1
79	A Nephrology Consult in the Neurocritical Care Unit. <b>2019</b> , 359-369	
78	Indoxyl sulfate is associated with mortality after AKI - more evidence needed!. <b>2019</b> , 20, 280	2
77	Contrast induced acute kidney injury and the role of beta-blockers in its prevention. <b>2019</b> , 11, 2689-2694	1
76	Continuous Renal Replacement Therapy Dosing in Critically Ill Patients: A Quality Improvement Initiative. <b>2019</b> , 74, 727-735	10
75	Incident infection following acute kidney injury with recovery to baseline creatinine: A propensity score matched analysis. <b>2019</b> , 14, e0217935	9
74	Contrast-Associated Acute Kidney Injury. <b>2019</b> , 380, 2146-2155	191
73	Efficacy of post-procedural oral hydration volume on risk of contrast-induced acute kidney injury following primary percutaneous coronary intervention: study protocol for a randomized controlled trial. <b>2019</b> , 20, 290	1
72	EGFR drives the progression of AKI to CKD through HIPK2 overexpression. <b>2019</b> , 9, 2712-2726	30

71	Risk Prediction for Contrast-Induced Nephropathy in Cancer Patients Undergoing Computed Tomography under Preventive Measures. <b>2019</b> , 2019, 8736163	6
70	Middle molecule clearance with high cut-off dialyzer versus high-flux dialyzer using continuous veno-venous hemodialysis with regional citrate anticoagulation: A prospective randomized controlled trial. <b>2019</b> , 14, e0215823	11
69	Nephrotoxicity of iodinated contrast media: From pathophysiology to prevention strategies. <b>2019</b> , 116, 231-241	51
68	Serum indoxyl sulfate is associated with mortality in hospital-acquired acute kidney injury: a prospective cohort study. <b>2019</b> , 20, 57	16
67	Time-dependent p53 inhibition determines senescence attenuation and long-term outcome after renal ischemia-reperfusion. <b>2019</b> , 316, F1124-F1132	6
66	Management of Patients with Diabetes in the Intensive Care Unit. <b>2019</b> , 1293-1296.e2	2
65	Approach to Acute Kidney Injuries in the Emergency Department. <b>2019</b> , 37, 661-677	6
64	Acute kidney injury in non-critical care setting: elaboration and validation of an in-hospital death prognosis score. <b>2019</b> , 20, 419	3
63	Acute kidney injury - A frequent and serious complication after primary percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction. <b>2019</b> , 14, e0226625	7
62	Impact of pretreatment with carnitine and tadalafil on contrast-induced nephropathy in CKD patients. <b>2019</b> , 41, 976-986	6
61	Early postoperative change in serum creatinine predicts acute kidney injury after cardiothoracic surgery: a retrospective cohort study. <b>2019</b> , 23, 325-334	1
60	Pharmacological Interventions in Acute Kidney Injury. <b>2019</b> , 725-738.e13	
59	Pulmonary Consequences of Acute Kidney Injury. <b>2019</b> , 39, 3-16	15
58	Kidney-Immune System Crosstalk in AKI. <b>2019</b> , 39, 96-106	55
57	National Postoperative Bariatric Surgery Outcomes in Patients with Chronic Kidney Disease and End-Stage Kidney Disease. <b>2019</b> , 29, 975-982	24
56	Safety and efficacy of colistin alone or in combination in adults with Acinetobacter baumannii infection: A systematic review and meta-analysis. <b>2019</b> , 53, 383-400	14
55	Timeout for Contrast: Using Physician Behavior Modification to Reduce Contrast in the Catheterization Laboratory. <b>2019</b> , 2019, 9238124	2
54	Evaluation of neutrophil gelatinase-associated lipocalin and cystatin C as biomarkers of acute kidney injury after ST-segment elevation myocardial infarction treated by percutaneous coronary intervention. <b>2019</b> , 112, 180-186	5

53	Cardiovascular Problems in Acute Kidney Injury. <b>2019</b> , 641-645.e1	
52	The Controversy of Contrast-Induced Nephropathy With Intravenous Contrast: What Is the Risk?. <b>2020</b> , 75, 105-113	43
51	Incremental Cost of Acute Kidney Injury after Percutaneous Coronary Intervention in the United States. <b>2020</b> , 125, 29-33	13
50	Ligustrazine suppresses renal NMDAR1 and caspase-3 expressions in a mouse model of sepsis-associated acute kidney injury. <b>2020</b> , 464, 73-81	10
49	Acute Kidney Injury is Associated with Poor Lung Outcomes in Infants Born $\leq$ 2 Weeks of Gestational Age. <b>2020</b> , 37, 231-240	13
48	Acute Kidney Injury and Bronchopulmonary Dysplasia in Premature Neonates Born Less than 32 Weeks' Gestation. <b>2020</b> , 37, 341-348	22
47	Myoglobin clearance with continuous veno-venous hemodialysis using high cutoff dialyzer versus continuous veno-venous hemodiafiltration using high-flux dialyzer: a prospective randomized controlled trial. <b>2020</b> , 24, 644	12
46	Kidney Disease in the Cardiac Catheterization Laboratory. <b>2020</b> ,	
45	Prevalence and outcome of contrast-induced nephropathy in major trauma patients. <b>2020</b> , 1	2
44	Acute Renal Failure/Acute Kidney Injury (AKI) Associated with Endovascular Procedures. <b>2020</b> , 10,	3
43	Contrast-Associated Acute Kidney Injury and Serious Adverse Outcomes Following Angiography. <b>2020</b> , 75, 1311-1320	22
42	A narrative review of pharmacologic de-resuscitation in the critically ill. <b>2020</b> , 59, 156-162	1
41	Contrast-induced acute kidney injury. <b>2020</b> , 35, 209-217	24
40	Renoprotective and Immunomodulatory Effects of GDF15 following AKI Invoked by Ischemia-Reperfusion Injury. <b>2020</b> , 31, 701-715	22
39	The significance of acute kidney injury in Clostridioides difficile infection. <b>2021</b> , 75, e13785	3
38	Performance of a pre-procedural Mehran score to predict acute kidney injury after percutaneous coronary intervention. <b>2021</b> , 26, 23-29	2
37	Toxic Nephropathy Due to Drugs and Poisons. <b>2010</b> , 317-328	1
36	Epidemiology of Acute Kidney Injury. <b>2010</b> , 63-73	1



35	Nephrotoxicity. <b>1999</b> , 103-116	11
34	Analysis of the effect of conversion from open to closed surgical intensive care unit. <b>1999</b> , 229, 163-71	130
33	Intravascular Ultrasound-Guided Renal Artery Stenting. <b>2001</b> , 8, 238-247	20
32	Renal replacement therapy in the intensive care unit. <b>2005</b> , 1, 141-50	43
31	Renal replacement therapy in the intensive care unit. <b>2008</b> , 12, 174-80	3
30	Early versus Late Complications. <b>2005</b> , 92-112	
29	Continuous renal replacement modalities for acute kidney failure in critically ill patients.	
28	Contrast medium-induced nephropathy. Aspects on incidence, consequences, risk factors and prevention. <b>2007</b> , 2, 118-24	2
27	Medical Management of Acute Renal Failure. <b>2008</b> , 26-32	
26	Drug-Induced Renal Injury. <b>2008</b> , 14-18	
25	Renal Replacement Therapy. <b>2008</b> , 597-611	
24	Six Truths about Acute Kidney Injury that the Intensivist Should Be Aware Of. <b>2008</b> , 551-558	
23	Acute Kidney Injury and Extracorporeal Blood Purification in Sepsis. <b>2009</b> , 97-116	
22	Management of Multiorgan Failure After Artificial Organ Implantation. <b>2009</b> , 1-19	
21	Quantifying the Dose of Acute Kidney Replacement Therapy. <b>2010</b> , 547-557	
20	Long-Term Outcome of Acute Kidney Injury. <b>2010</b> , 261-267	
19	Kidney Failure Following Cardiovascular Surgery. <b>2010</b> , 413-428	1
18	Contrast-induced nephropathy. <b>2009</b> , 51, 69-72	3

- 17 Acute Kidney Injury in Cancer Patients. **2011**, 637-650
- 16 Akutes Nierenversagen (ANV), extrakorporale Eliminationsverfahren und Plasmaseparation. **2011**, 763-778 1
- 15 Continuous renal replacement modalities for acute kidney failure in critically ill patients.
- 14 Use of trimetazidine in preventing contrast-induced nephropathy: a nephrologist's perspective. **2011**, 53, 264-266
- 13 Niereninsuffizienz bei Sepsis. **1999**, 105-115
- 12 Acute renal failure. **2007**, 109-128
- 11 Organ dysfunction during sepsis. **2006**, 345-356 0
- 10 Nierenersatztherapie. **2006**, 129-149
- 9 Six Truths about Acute Kidney Injury that the Intensivist Should Be Aware Of. **2008**, 551-558
- 8 Intensivmedizinische Therapie des akuten Nierenversagens. **2007**, 273-283
- 7 Nierenersatztherapie auf der Intensivstation. 109-121
- 6 Akute Niereninsuffizienz und Nierenersatzverfahren. **2008**, 229-239
- 5 Acute Kidney Injury After Trauma: Risk Factors and Clinical Outcomes. *Journal of Acute Care Surgery*, **2020**, 10, 90-95 0.1 0
- 4 I. Epidemiology of Acute Kidney Injury. *The Journal of the Japanese Society of Internal Medicine*, **2021**, 110, 894-904 0
- 3 III. Acute Kidney Injury and Multiple/Distant Organ Failure. *The Journal of the Japanese Society of Internal Medicine*, **2021**, 110, 912-921 0
- 2 Chronic kidney disease: CT or MRI?. 19-24
- 1 Cuidados postintervención cardiovascular percutánea. COMECITE. **2022**, 33, 140-150 0