

CITATION REPORT

List of articles citing

Influences of cardiorespiratory fitness and other precursors on cardiovascular disease and all-cause mortality in men and women

DOI: 10.1001/jama.276.3.205

JAMA - Journal of the American Medical Association, 1996, 276, 205-210.

Source: <https://exaly.com/paper-pdf/82999681/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1064	An Olympic Medical Legacy. <i>JAMA - Journal of the American Medical Association</i> , 1996 , 276, 248	27.4	2
1063	Leisure time physical activity and the 16-year risks of mortality from coronary heart disease and all-causes in the Multiple Risk Factor Intervention Trial (MRFIT). 1997 , 18 Suppl 3, S208-15		78
1062	Physical activity efficacy and effectiveness among older adults and minorities. 1997 , 20, 1176-82		63
1061	Self-rated health status as a health measure: the predictive value of self-reported health status on the use of physician services and on mortality in the working-age population. 1997 , 50, 517-28		794
1060	Age-related declines in maximal aerobic capacity in regularly exercising vs. sedentary women: a meta-analysis. 1997 , 83, 160-5		204
1059	Maximal aerobic capacity in African-American and Caucasian prepubertal children. 1997 , 273, E809-14		26
1058	Physically active women demonstrate less adverse age-related changes in plasma lipids and lipoproteins. 1997 , 80, 1360-4		10
1057	Smoking cessation improves insulin sensitivity in healthy middle-aged men. 1997 , 27, 450-6		117
1056	Developing more effective health-behavior programs: Analyzing the epidemiological and biological bases for activity and exercise programs. 1998 , 7, 209-224		14
1055	Changes in physical fitness and changes in mortality. 1998 , 352, 759-62		364
1054	Health-related fitness test battery for adults: associations with perceived health, mobility, and back function and symptoms. 1998 , 79, 559-69		56
1053	Outcome after normal exercise echocardiography and predictors of subsequent cardiac events: follow-up of 1,325 patients. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 144-9	15.1	163
1052	[Habitual physical activity in a population residing in the city of Barcelona]. 1998 , 12, 110-7		5
1051	Aerobic fitness trend in the white collar Czech adult population within last 20 years. 1998 , 8, 209-225		
1050	Prevention of coronary heart disease in clinical practice: recommendations of the Second Joint Task Force of European and other Societies on Coronary Prevention. 1998 , 140, 199-270		422
1049	Optimising Outcomes in the Treatment of Obesity. 1998 , 3, 51-59		
1048	Relationship of leisure-time physical activity and mortality: the Finnish twin cohort. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 440-4	27.4	367

1047	Die physische Beanspruchung durch zügiges Spazierengehen am Strand. <i>Physikalische Medizin Rehabilitationsmedizin Kurortmedizin</i> , 1998 , 08, 167-173	0.5	
1046	Physical activity and women in the United States: an overview of health benefits, prevalence, and intervention opportunities. 1997 , 26, 27-49		48
1045	Exercise and hypertension: facts and uncertainties. 1998 , 32, 6-10		6
1044	Prognostic value of treadmill exercise testing: a population-based study in Olmsted County, Minnesota. 1998 , 98, 2836-41		128
1043	Weight loss management: a path lit darkly. 1998 , 25, 371-82		14
1042	Prevention of coronary heart disease in clinical practice. Recommendations of the Second Joint Task Force of European and other Societies on coronary prevention. 1998 , 19, 1434-503		757
1041	Physical activity patterns associated with cardiorespiratory fitness and reduced mortality: the Aerobics Center Longitudinal Study. 1998 , 88, 1807-13		116
1040	The association between physical fitness and diagnosed chronic disease in health maintenance organization members. 1998 , 12, 300-6		8
1039	Leisure-time physical activity and ischemic stroke risk: the Northern Manhattan Stroke Study. 1998 , 29, 380-7		298
1038	Teste de sentar-levantar: apresenta� de um procedimento para avalia� em Medicina do Exerc�io e do Esporte. 1999 , 5, 179-182		15
1037	Exercise for Older Patients With Chronic Disease. 1999 , 27, 79-104		3
1036	Exercise and cardiovascular events: a double-edged sword?. 1999 , 17, 437-42		3
1035	Relationship between low cardiorespiratory fitness and mortality in normal-weight, overweight, and obese men. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 282, 1547-53	27.4	715
1034	Accumulation of physical activity for health gains: what is the evidence?. 1999 , 33, 87-92		14
1033	Long-term exercise and atherogenic activity of blood mononuclear cells in persons at risk of developing ischemic heart disease. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1722-7	27.4	296
1032	Prevention of a first stroke: a review of guidelines and a multidisciplinary consensus statement from the National Stroke Association. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1112-20	27.4	308
1031	Familial predisposition and susceptibility to the effect of other risk factors for myocardial infarction. 1999 , 53, 269-76		18
1030	Population based study of social and productive activities as predictors of survival among elderly Americans. 1999 , 319, 478-83		565

1029	The role of stress in anaesthetists' health and well-being. 1999 , 43, 583-602	80
1028	Associations between physical activity, nutritional practices and health-related anthropometry in Flemish males: a 5-year follow-up study. 1999 , 23, 1233-41	6
1027	Identifying Psychological, Physiological, and Environmental Barriers and Facilitators to Exercise Among Older Low Income Adults. 1999 , 5, 51-62	50
1026	A study on how a 6-month aerobic exercise program can modify coronary risk factors depending on their severity in middle-aged sedentary women. <i>Environmental Health and Preventive Medicine</i> , 1999 , 4, 117-21	4.2 2
1025	Screening for cardiovascular disease. Concepts, conflicts, and consensus. 1999 , 83, 1339-73	3
1024	Exercise counseling by primary care physicians in the era of managed care. 1999 , 16, 307-13	140
1023	Evolution of the vertebrate cardio-pulmonary system. 1999 , 61, 573-92	62
1022	Significance of skeletal muscle properties on fitness, long-term physical training and serum lipids. 1999 , 142, 367-78	23
1021	Exercise as cardiovascular therapy. 1999 , 99, 963-72	348
1020	Racial differences in metabolic predictors of obesity among postmenopausal women. 1999 , 7, 463-8	36
1019	Physician contact with older community patients: is there an association with physical fitness?. 1999 , 29, 571-6	3
1018	Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men. 1999 , 69, 373-80	759
1017	Clustering of biological risk factors for cardiovascular disease and the longitudinal relationship with lifestyle of an adolescent population: the Northern Ireland Young Hearts Project. 1999 , 6, 355-62	29
1016	Another perspective for disease prevention interventions. 1999 , 89, 1593-4	
1015	Hypertensive men who exercise regularly have lower rate of cardiovascular mortality. 1999 , 17, 737-42	42
1014	Prognostic significance of exercise versus resting blood pressure in patients with chronic heart failure. 1999 , 17, 1977-81	11
1013	Exercise-induced silent myocardial ischemia and future cardiac events in healthy, sedentary, middle-aged and older men. 1999 , 47, 923-9	16
1012	Kuppermann et al. Respond. 1999 , 89, 1592-1593	

1011	The association between cardiorespiratory fitness and impaired fasting glucose and type 2 diabetes mellitus in men. 1999 , 130, 89-96		318
1010	Prognostic value of treadmill exercise testing in elderly persons. 2000 , 132, 862-70		151
1009	Low cardiorespiratory fitness and physical inactivity as predictors of mortality in men with type 2 diabetes. 2000 , 132, 605-11		457
1008	Combating sloth as well as gluttony: the role of physical fitness in mortality among men with type 2 diabetes. 2000 , 132, 669-70		3
1007	Behavioral control of exercise in adults: Studies 7 and 8. 2000 , 15, 571-581		9
1006	Peak aerobic performance and left ventricular morphological characteristics in university students. 2000 , 10, 286-90		4
1005	Physical activity maintenance in elders with cardiac problems. 2000 , 21, 200-203		9
1004	Overview. 2000 , 11, 97-98		
1003	Exercise and obesity. 2000 , 11, 111-6		34
1002	Associations of light, moderate, and vigorous intensity physical activity with longevity. The Harvard Alumni Health Study. <i>American Journal of Epidemiology</i> , 2000 , 151, 293-9	3.8	437
1001	Physical fitness, body fatness, and physical activity: The Amsterdam Growth and Health Study. 2000 , 12, 593-599		46
1000	The effects of 18 months of intermittent vs. continuous exercise on aerobic capacity, body weight and composition, and metabolic fitness in previously sedentary, moderately obese females. 2000 , 24, 566-72		116
999	Total body fat does not influence maximal aerobic capacity. 2000 , 24, 841-8		213
998	Body mass index, physical inactivity and low level of physical fitness as determinants of all-cause and cardiovascular disease mortality--16 y follow-up of middle-aged and elderly men and women. 2000 , 24, 1465-74		100
997	Evaluation of the influence of cardiorespiratory fitness on diverse health risk factors, independent of waist circumference, in 40-year-old Flemish males. 2000 , 8, 553-8		3
996	Physical activity maintenance in elders with cardiac problems. 2000 , 21, 200-3		9
995	An overview of essential hypertension in Americans as a multifactorial phenomenon: interaction of biologic and environmental factors. 2000 , 15, 43-9		5
994	Prognostic value of exercise testing in women after acute coronary syndromes (The Stockholm Female Coronary Risk Study). 2000 , 86, 211-3		15

993	Lifestyle-related risk factors for total and cancer mortality in men and women. <i>Environmental Health and Preventive Medicine</i> , 2000 , 5, 90-6	4.2	3
992	Lifestyle factors and stroke risk: exercise, alcohol, diet, obesity, smoking, drug use, and stress. 2000 , 2, 160-6		70
991	The relationship between physical fitness and coronary risk factor profiles in Japanese women. <i>Environmental Health and Preventive Medicine</i> , 2000 , 5, 6-12	4.2	2
990	The effect of hormone replacement therapy and exercise on cardiovascular disease risk factors in postmenopausal women. 2000 , 29, 39-49		25
989	Cardiovascular load of competitive golf in cardiac patients and healthy controls. 2000 , 32, 1674-8		19
988	Long-term effects of different physical activity levels on coronary heart disease risk factors in middle-aged men. 2000 , 21, 235-41		42
987	Low fasting plasma glucose level as a predictor of cardiovascular disease and all-cause mortality. 2000 , 101, 2047-52		121
986	Relief of cardiorespiratory symptoms and increased physical activity after surgically induced weight loss: results from the Swedish Obese Subjects study. 2000 , 160, 1797-802		118
985	Cardiorespiratory fitness and coronary heart disease risk factors: the LDS Hospital Fitness Institute cohort. 2000 , 102, 1623-8		53
984	Triggering of sudden death from cardiac causes by vigorous exertion. 2000 , 343, 1355-61		701
983	The behavioral determinants of exercise: implications for physical activity interventions. 2000 , 20, 21-44		374
982	Birthweight and aerobic fitness in adolescents. 2001 , 115, 373-379		1
981	Fatmax : A new concept to optimize fat oxidation during exercise?. 2001 , 1, 1-5		34
980	Analysis of lipoproteins and body mass index in professional football players. 2001 , 4, 103-108		10
979	Active school playgrounds-myth or reality? Results of the "move it groove it" project. 2001 , 33, 402-8		116
978	Clustering of risk factors for coronary heart disease. the longitudinal relationship with lifestyle. 2001 , 11, 157-65		42
977	Assessment of Anaerobic Threshold as a Software Application Vilmed 2.0 in MS EXCEL. 2001 , 10, 151-164		0
976	Messages from the future: Significance of sport and exercise in the third millennium. 2001 , 1, 1-17		6

975	Metabolic precursors and effects of obesity in children: a decade of progress, 1990-1999. 2001 , 73, 158-71	161
974	Tracking of physical fitness during adolescence: a panel study in boys. 2001 , 33, 765-71	22
973	Is physical activity or physical fitness more important in defining health benefits?. 2001 , 33, S379-99; discussion S419-20	626
972	Age-related physical fitness and the predictive values of fitness tests for work ability in home care work. 2001 , 43, 723-30	56
971	Nutrient intake of physically fit and unfit men and women. 2001 , 33, 459-67	51
970	Fitness, fatness, and estimated coronary heart disease risk: the HERITAGE Family Study. 2001 , 33, 585-90	38
969	Birthweight and aerobic fitness in adolescents: the Northern Ireland Young Hearts Project. 2001 , 115, 368-372	44
968	Long-term pharmacotherapy of obesity 2000: a review of efficacy and safety. 2001 , 161, 1814-24	117
967	Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. 2001 , 32, 280-99	341
966	[Lactate in cardiac rehabilitation]. 2001 , 26, 447-53	9
965	[Physical inactivity: a modifiable risk factor in primary prevention?]. 2001 , 96, 661-9	6
964	A 15-year physical activity pattern is positively related to aerobic fitness in young males and females (13-27 years). 2001 , 84, 395-402	53
963	Functional limitations linked to high body mass index, age and current pain in obese women. 2001 , 25, 893-9	67
962	Relationships between body weight change and cardiovascular disease risk factors in male former athletes. 2001 , 25, 1057-62	21
961	Perceived disability and observed functional limitations in obese women. 2001 , 25, 1705-12	44
960	Predictors of physical activity in community-dwelling elderly white women. 2001 , 16, 721-7	76
959	Usefulness of cardiorespiratory fitness as a predictor of all-cause and cardiovascular disease mortality in men with systemic hypertension. 2001 , 88, 651-6	93
958	Physical activity counseling in primary care: the challenge of effecting behavioral change. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 717-9	27.4 15

957	Differences in cardiovascular disease mortality and major risk factors between districts in Oslo. An ecological analysis. 2001 , 30 Suppl 1, S59-65		16
956	Fitness, fatness, and coronary heart disease risk in adolescents: the Northern Ireland Young Hearts Project. 2001 , 33, 270-4		72
955	Exercise and atherogenesis. 2001 , 29, 49-53		19
954	Cardiovascular fitness as a predictor of mortality in men. 2001 , 161, 825-31		183
953	Health effects resulting from exercise versus those from body fat loss. 2001 , 33, S611-21; discussion S640-1		22
952	Issues of fractionization of exercise (short vs long bouts). 2001 , 33, S421-7; discussion S452-3		38
951	Recent advances: Sports medicine. 2001 , 323, 328-31		13
950	Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. 2001 , 103, 163-82		289
949	Effects of physical activity counseling in primary care: the Activity Counseling Trial: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 677-87	27.4	293
948	Längeres Leben mit Lebensqualität. 2001 , 26, 183-190		
947	Exercise in the healthy older adult. 2001 , 10, 269-73		18
946	Promotion of physical activity in a developing country: the Agita São Paulo experience. 2002 , 5, 253-61		96
945	Effects of an energy-restrictive diet with or without exercise on abdominal fat, intermuscular fat, and metabolic risk factors in obese women. 2002 , 25, 431-8		237
944	Cardiorespiratory fitness and smoking-related and total cancer mortality in men. 2002 , 34, 735-9		41
943	Heart rate reserve as a predictor of cardiovascular and all-cause mortality in men. 2002 , 34, 1873-8		42
942	Aerobic exercise conditioning: a nonpharmacological antiarrhythmic intervention. 2002 , 92, 446-54		148
941	Survival of the fittest--more evidence. 2002 , 346, 852-4		38
940	Vergleich der physischen Beanspruchungen durch Gehen am Strand und auf einem windgeschützten, befestigten Weg. <i>Physikalische Medizin Rehabilitationsmedizin Kurortmedizin</i> , 2002 , 12, 95-101	0.5	3

939	Associations between physical fitness and activity patterns during adolescence and cardiovascular risk factors in young adulthood: the Northern Ireland Young Hearts Project. 2002 , 23 Suppl 1, S22-6	85
938	Associations between cardiorespiratory fitness and C-reactive protein in men. 2002 , 22, 1869-76	272
937	Physical activity and all cause mortality in women: a review of the evidence. 2002 , 36, 162-72	131
936	Physical training improves insulin resistance syndrome markers in obese adolescents. 2002 , 34, 1920-7	136
935	Sex, Ethnic and Socio-Economic Differences in Children's Physical Activity. 2002 , 14, 277-285	22
934	Major gene effects on exercise ventilatory threshold: the HERITAGE Family Study. 2002 , 93, 1000-6	15
933	The Public Health Problem of Increasing Prevalence Rates of Obesity and What Should Be Done About It. 2002 , 77, 109-113	24
932	Fitness and fatness as predictors of mortality from all causes and from cardiovascular disease in men and women in the lipid research clinics study. <i>American Journal of Epidemiology</i> , 2002 , 156, 832-41 ^{3.8}	224
931	Speed and exercise intensity of recreational walkers. 2002 , 35, 397-400	83
930	Factors affecting levels of physical activity in adults. 2002 , 32, 143-68	237
929	Late-life engagement in social and leisure activities is associated with a decreased risk of dementia: a longitudinal study from the Kungsholmen project. <i>American Journal of Epidemiology</i> , 2002 , 155, 1081-7 ^{3.8}	601
928	A health-related fitness and functional performance test battery for middle-aged and older adults: feasibility and health-related content validity. 2002 , 83, 666-77	37
927	Assessment of clinically silent atherosclerotic disease and established and novel risk factors for predicting myocardial infarction and cardiac death in healthy middle-aged subjects: rationale and design of the Heinz Nixdorf RECALL Study. Risk Factors, Evaluation of Coronary Calcium and Lifestyle. 2002 , 144, 212-8	424
926	The relationship of physical activity and body weight with all-cause mortality: results from the Puerto Rico Heart Health Program. 2002 , 12, 543-52	88
925	The physical activity scale for individuals with physical disabilities: development and evaluation. 2002 , 83, 193-200	301
924	Cardiovascular disease. 2002 , 29, 323-38, vi	8
923	The public health problem of increasing prevalence rates of obesity and what should be done about it. 2002 , 77, 109-13	37
922	Special issues and concerns for the high school- and college-aged athletes. 2002 , 49, 533-52	9

921	Physical activity, metabolic issues, and assessment. 2002 , 13, 925-47	36
920	Physical exercise and coronary artery disease. 2002 , 57, 91-100	9
919	Physical activity according to ethnic origin in Finnmark county, Norway. The Finnmark Study. 2002 , 61, 189-200	16
918	ACE gene and physical activity, blood pressure, and hypertension: a population study in Finland. 2002 , 92, 2508-12	28
917	Establishing an effective framework for physical activity counseling in primary care settings. 2002 , 5, 95-102	7
916	Cardiorespiratory fitness and physical activity as risk predictors of future atherosclerotic cardiovascular diseases. 2002 , 4, 468-76	45
915	Relative associations of fitness and fatness to fibrinogen, white blood cell count, uric acid and metabolic syndrome. 2002 , 26, 805-13	64
914	The relation of body mass index, cardiorespiratory fitness, and all-cause mortality in women. 2002 , 10, 417-23	148
913	Comparison of coronary artery calcium detected by electron beam tomography in patients with to those without symptomatic coronary heart disease. 2003 , 92, 498-503	40
912	Major public health benefits of physical activity. 2003 , 49, 122-8	106
911	Variation in diabetes care by age: opportunities for customization of care. 2003 , 4, 16	23
910	Ejercicio y rehabilitaci3n. 2003 , 37, 303-306	
909	European guidelines on cardiovascular disease prevention in clinical practice: Third Joint Task Force of European and other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of eight societies and by invited experts). 2003 , 10, S1-S78	44
908	Effects of physical activity on exercise tests and respiratory function. 2003 , 37, 521-8	95
907	Can we skill and activate children through primary school physical education lessons? "Move it Groove it"--a collaborative health promotion intervention. 2003 , 36, 493-501	141
906	Weight control and the management of obesity after menopause: the role of physical activity. 2003 , 44, 89-101	55
905	Using social cognitive theory to explain discretionary, "leisure-time" physical exercise among high school students. 2003 , 32, 436-42	52
904	Exercise capacity and the risk of death in women: the St James Women Take Heart Project. 2003 , 108, 1554-9	527

903	Feasibility of power-type strength training for middle aged men and women: self perception, musculoskeletal symptoms, and injury rates. 2003 , 37, 131-6		11
902	Cardiorespiratory fitness in young adulthood and the development of cardiovascular disease risk factors. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 3092-100	27.4	421
901	Behavioral practices and mortality in women former college athletes and nonathletes. 2003 , 24, 808-21		3
900	Prehospital cardiac arrest and the adverse effect of male gender, but not age, on outcome. 2003 , 12, 667-73		27
899	Using self-efficacy and a transtheoretical model to develop a physical activity intervention for obese women. 2003 , 17, 373-81		76
898	The Influence of Body Size and Composition on FITNESSGRAM(r) Test Performance and the Adjustment of FITNESSGRAM(r) Test Scores for Skinfold Thickness in Youth. 2003 , 7, 205-226		27
897	Leisure time, occupational and household physical activity, and risk factors for cardiovascular disease in working men and women: the WOLF study. 2003 , 31, 324-33		44
896	Ability of exercise testing to predict cardiovascular and all-cause death in asymptomatic women: a 20-year follow-up of the lipid research clinics prevalence study. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 1600-7	27.4	361
895	Cardiorespiratory fitness and risk of disability pension: a prospective population based study in Finnish men. 2003 , 60, 765-9		13
894	Treatment of arteriosclerosis. 2003 , 128, 41-7		3
893	A longitudinal study on smoking in relationship to fitness and heart rate response. 2003 , 35, 793-800		38
892	Sedentary lifestyle, poor cardiorespiratory fitness, and the metabolic syndrome. 2003 , 35, 1279-86		277
891	Longitudinal changes in .VO2max: associations with carotid IMT and arterial stiffness. 2003 , 35, 1670-8		55
890	Validation of a new self-report instrument for measuring physical activity. 2003 , 35, 1196-202		346
889	Pharmacist involvement in healthy people 2010. 2003 , 43, 56-60		45
888	Leisure time physical activity as a determinant of self-perceived health and fitness in middle-aged male employees. 2003 , 45, 286-92		40
887	Cardiorespiratory fitness and the risk for stroke in men. 2003 , 163, 1682-8		94
886	Is Physical Activity Important for Aerobic Power in Young Males and Females?. 2003 , 47, 153-166		6

885	Fitness and Fatness in Adolescence and Adulthood as Determinants of Large Artery Properties at Age 36. 2003 , 47, 78-100		
884	Influência de programas não-formais de exercícios (doméstico e comunitário) sobre a aptidão física, pressão arterial e variáveis bioquímicas em pacientes hipertensos. 2003 , 9, 267-274		4
883	Exercício físico e síndrome metabólica. 2004 , 10, 319-324		48
882	The predictive value of cardiorespiratory fitness for cardiovascular events in men with various risk profiles: a prospective population-based cohort study. 2004 , 25, 1428-37		158
881	Comparison of maximal oxygen consumption between black and white prepubertal and pubertal children. 2004 , 56, 706-13		17
880	Exercise training reduces neointimal growth and stabilizes vascular lesions developing after injury in apolipoprotein e-deficient mice. 2004 , 109, 386-92		50
879	Evaluation of a cardiovascular health program for participants with mental retardation and normal learners. 2004 , 31, 77-87		59
878	The "weekend warrior" and risk of mortality. <i>American Journal of Epidemiology</i> , 2004 , 160, 636-41	3.8	118
877	Usefulness of exercise testing in the prediction of coronary disease risk among asymptomatic persons as a function of the Framingham risk score. 2004 , 110, 1920-5		141
876	Five months of physical exercise in hemodialysis patients: effects on aerobic capacity, physical function and self-rated health. 2004 , 96, c76-81		52
875	How physically active are South Asians in the United Kingdom? A literature review. 2004 , 26, 250-8		170
874	Moderators of the relationship between exercise and mood changes: gender, exertion level, and workout duration. 2004 , 19, 491-506		44
873	Ready to be physically active? The effects of a course preparing low-income multiethnic women to be more physically active. 2004 , 31, 47-64		41
872	Longitudinal study of determinants of dependence in an elderly population. 2004 , 52, 1632-8		101
871	Secular trends in physical fitness and obesity in Danish 9-year-old girls and boys: Odense School Child Study and Danish substudy of the European Youth Heart Study. 2004 , 14, 150-5		95
870	Influence of weight loss on pain, perceived disability and observed functional limitations in obese women. 2004 , 28, 269-77		50
869	Fitness alters the associations of BMI and waist circumference with total and abdominal fat. 2004 , 12, 525-37		85
868	Prevalence of the metabolic syndrome across cardiorespiratory fitness levels in women. 2004 , 12, 824-30		73

867	Self-reported dieting experiences of women with body mass indexes of 30 or more. 2004 , 104, 972-4	22
866	Body image of chronic dieters: lowered appearance evaluation and body satisfaction. 2004 , 104, 1589-92	26
865	A cardioprotective "polypill"? Independent and additive benefits of lifestyle modification. 2004 , 94, 162-6	34
864	Walking velocity measured over 5 m as a basis of exercise prescription for the elderly: preliminary data from the Nakanojo Study. 2004 , 93, 217-23	22
863	[Sports as therapy]. 2004 , 29, 381-90	6
862	Stability of variables associated with the metabolic syndrome from adolescence to adulthood: the Aerobics Center Longitudinal Study. 2004 , 16, 690-6	105
861	Adherence to a power-type strength training programme in sedentary, middle-aged men and women. 2004 , 6, 99-109	6
860	Exercise capacity and body composition as predictors of mortality among men with diabetes. 2004 , 27, 83-8	357
859	Is smokeless tobacco a risk factor for coronary heart disease? A systematic review of epidemiological studies. 2004 , 11, 101-12	43
858	Physical exercise results in the improved subjective well-being of a few or is effective rehabilitation for all cancer patients?. 2004 , 40, 951-62	123
857	Physical activity decreases cardiovascular disease risk in women: review and meta-analysis. 2004 , 26, 407-18	211
856	The evolution of physical activity recommendations: how much is enough?. 2004 , 79, 913S-920S	278
855	Exercise capacity in adult African-Americans referred for exercise stress testing: is fitness affected by race?. 2004 , 126, 1962-8	35
854	Dose Response to Exercise in Women aged 45-75 yr (DREW): design and rationale. 2004 , 36, 336-44	81
853	Physical activity and mortality across cardiovascular disease risk groups. 2004 , 36, 1923-9	63
852	Does Participation in Light to Moderate Strength and Endurance Exercise Result in Measurable Physical Benefits for Older Adults?. 2004 , 27, 53-58	1
851	Cardiorespiratory fitness attenuates the effects of the metabolic syndrome on all-cause and cardiovascular disease mortality in men. 2004 , 164, 1092-7	287
850	Cardiorespiratory fitness and the risk of stroke in men. 2004 , 14, 190-1	

849	Risks of injury during intercollegiate basketball. 2004 , 14, 191-2	1
848	Efficacy and safety of ephedra and ephedrine for weight loss and athletic performance. 2004 , 14, 188-9	5
847	Leisure-time physical activity and progression of carotid atherosclerosis. 2004 , 14, 189-90	
846	Exercise in Older Individuals With Cancer. 2004 , 20, 81-97	1
845	Cardiovascular prevention in type 2 diabetic patients: review of efficacious treatments. 2004 , 59, 329-39	3
844	Associations of Self-rated Fitness and Different Types of Leisure Time Physical Activity With Predicted Aerobic Fitness in 5979 Finnish Adults. 2004 , 1, 142-153	12
843	Muscular Fitness and All-Cause Mortality: Prospective Observations. 2004 , 1, 7-18	80
842	Effects of aerobic physical exercise on inflammation and atherosclerosis in men: the DNASCO Study: a six-year randomized, controlled trial. 2004 , 140, 1007-14	99
841	Current Perspectives on Health and Physical Activity in Hong Kong: A Review. 2004 , 1, 56-70	5
840	Exercise tolerance testing to screen for coronary heart disease: a systematic review for the technical support for the U.S. Preventive Services Task Force. 2004 , 140, W9-24	70
839	Le Score d'activité physique de Dijon : reproductibilité et corrélations avec l'aptitude physique de sujets sains âgés. 2004 , 47, 546-554	14
838	Incremental improvement in submaximal effort capacity during the third month of cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005 , 25, 210-4	0
837	Cardiovascular events associated with exercise. The risk-protection paradox. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005 , 25, 189-95; quiz 196-7	28
836	Physical Activity and Physical Fitness: Weighing the Relative Importance of Each. 2005 , 2, 143-158	5
835	Relationship Between Physical Activity, Fitness, and CHD Risk Factors in Middle-Age Chinese. 2005 , 2, 307-323	4
834	Comments on U.S. Dietary Guidelines. 2005 , 2, 137-142	1
833	Effects of Tai Chi and resistance training on cardiovascular risk factors in elderly Chinese subjects: a 12-month longitudinal, randomized, controlled intervention study. 2005 , 63, 663-9	77
832	Relationship of physical fitness to prevalence and incidence of overweight among schoolchildren. 2005 , 13, 1246-54	92

831	Effort-related calf pain in the obese and long-term changes after surgical obesity treatment. 2005 , 13, 137-45	10
830	Eligibility for obesity treatment and risk of mortality in men. 2005 , 13, 1803-9	6
829	Is physical fitness decreased in survivors of childhood leukemia? A systematic review. 2005 , 19, 13-7	114
828	Physical activity and stroke risk. 2005 , 59, 922-30	33
827	Aerobic fitness in young Norwegian men: a comparison between 1980 and 2002. 2005 , 15, 298-303	41
826	Physical activity, physical fitness, and general health perception among individuals with rheumatoid arthritis. 2005 , 53, 48-55	92
825	Value of exercise capacity and physical activity in the prevention of cardiovascular diseasesâBrief review of the current literature. 2005 , 13, 313-317	3
824	Evoking trust in the nutrition counselor: why should we be trusted?. 2005 , 18, 57-74	17
823	Testosterone and endurance exercise: development of the "exercise-hypogonadal male condition". 2005 , 92, 121-37	54
822	C-reactive protein and cardiorespiratory fitness in young adults. 2005 , 12, 216-20	15
821	Accelerated decline of aerobic fitness with healthy aging: what is the good news?. 2005 , 112, 624-6	21
820	Lung function, smoking and mortality in a 26-year follow-up of healthy middle-aged males. 2005 , 25, 618-25	94
819	Revised Adult Treatment Panel III guidelines and cardiovascular disease mortality in men attending a preventive medical clinic. 2005 , 112, 1478-85	19
818	Pedometers as a means to increase ambulatory activity for patients seen at a family medicine clinic. 2005 , 18, 335-43	54
817	Can adoption of regular exercise later in life prevent metabolic risk for cardiovascular disease?. 2005 , 28, 694-701	54
816	Our passive lifestyle, our toxic diet, and the atherogenic/diabetogenic metabolic syndrome: can we afford to be sedentary and unfit?. 2005 , 112, 453-5	101
815	How much and what type of physical activity is enough? What physicians should tell their patients. 2005 , 165, 2324-5	13
814	Physical and cognitive activity and exercise for older adults: a review. 2005 , 60, 95-126	80

813	Enhanced risk assessment in asymptomatic individuals with exercise testing and Framingham risk scores. 2005 , 112, 1566-72	79
812	The aerobic fitness (VO ₂ peak) and alpha-fibrinogen genetic polymorphism in obese and non-obese Chinese boys. 2005 , 26, 253-7	5
811	Where does fitness fit in?. 2005 , 353, 517-9	14
810	Rosiglitazone improves exercise capacity in individuals with type 2 diabetes. 2005 , 28, 2877-83	70
809	Role of exercise stress test in master athletes. 2005 , 39, 527-31	26
808	Training effects of short bouts of stair climbing on cardiorespiratory fitness, blood lipids, and homocysteine in sedentary young women. 2005 , 39, 590-3	107
807	Physical training decreases total plasma homocysteine and cysteine in middle-aged subjects. 2005 , 49, 125-31	20
806	Cardiovascular health and fitness after stroke. 2005 , 12, 1-16	136
805	Managing obesity after menopause: the role of physical activity. 2005 , 95, 29-34	2
804	Exercise capacity and cardiovascular adaptations to aerobic training early after stroke. 2005 , 12, 31-44	47
803	The feasibility and usefulness of contrast exercise echocardiography for the assessment of left ventricular function in master athletes. 2005 , 6, 24-30	5
802	Endurance training increases the number of endothelial progenitor cells in patients with cardiovascular risk and coronary artery disease. 2005 , 181, 305-10	195
801	[Multivariate analysis]. 2005 , 22, 687-90	3
800	Effects of exercise and diet on chronic disease. 2005 , 98, 3-30	351
799	Cardiorespiratory fitness is inversely associated with the incidence of metabolic syndrome: a prospective study of men and women. 2005 , 112, 505-12	361
798	Lifestyle-only intervention attenuates the inflammatory state associated with obesity: a randomized controlled study in adolescents. 2005 , 146, 342-8	163
797	Determinants of participation in a health education and exercise program on television. 2005 , 41, 232-9	13
796	Dietary and serum vitamins and minerals as predictors of myocardial infarction and stroke in elderly subjects. 2005 , 15, 188-97	151

795	Relationship between adolescent fitness and fatness and cardiovascular disease risk factors in adulthood: the Aerobics Center Longitudinal Study (ACLS). 2005 , 149, 46-53	153
794	Correlation of exercise capacity with high-sensitive C-reactive protein in patients with stable coronary artery disease. 2005 , 150, 1282-9	29
793	The Cooper Clinic Mortality Risk Index: clinical score sheet for men. 2005 , 29, 194-203	32
792	Assessing cardiorespiratory fitness without performing exercise testing. 2005 , 29, 185-93	216
791	[Assessment of physical activity in cardiovascular diseases]. 2005 , 48, 404-10	12
790	Atherosclerosis: Diet and Drugs. 2005 ,	2
789	How to assess physical activity? How to assess physical fitness?. 2005 , 12, 102-14	200
788	Impact of moderate physical exercise--in comparison with dietary restrictions--on age-associated decline in cell-mediated immunity of Sprague-Dawley rats. 2006 , 18, 179-86	4
787	Endurance training reduces circulating inflammatory markers in persons at risk of coronary events: impact on plaque stabilization?. 2006 , 186, 160-5	62
786	Coronary artery calcium, exercise tolerance, and CHD events in asymptomatic men. 2006 , 189, 157-62	30
785	Health benefits of physical activity: the evidence. 2006 , 174, 801-9	4086
784	Effects of aerobic exercise on C-reactive protein, body composition, and maximum oxygen consumption in adults: a meta-analysis of randomized controlled trials. 2006 , 55, 1500-7	91
783	Influence of maternal stress on successful participation in a physical activity intervention: the IMPACT Project. 2005 , 42, 63-82	23
782	Very short intermittent vs continuous bouts of activity in sedentary adults. 2006 , 43, 332-6	51
781	The influence of exercise on the daily rhythm of serum homocysteine in horses. 2006 , 56, 455-8	9
780	Cardiovascular Fitness and Adaptations to Aerobic Training after Stroke. 2006 , 58, 103-113	10
779	Motivation, Psychological Distress and Exercise Adherence Following Myocardial Infarction. 2006 , 12, 21-32	4
778	Improvements in walking speed experienced by elders participating in a cardiovascular exercise program. 2006 , 29, 87-91	4

777	Exercise as an augmentation strategy for treatment of major depression. 2006 , 12, 205-13	120
776	Early intervention and prevention of myocardial infarction. 2006 , 24, S25-30	11
775	Combined effect of blood pressure and physical activity on cardiovascular mortality. 2006 , 24, 1939-46	23
774	Inverse association between physical inactivity and mental health in men and women. 2006 , 38, 173-8	247
773	Influence of physical activity on mortality in elderly with coronary artery disease. 2006 , 38, 418-7	56
772	Gender-specific prediction of cardiac disease: importance of risk factors and exercise variables. 2006 , 14, 281-5	14
771	IS CARDIORESPIRATORY FITNESS RELATED TO QUALITY OF LIFE IN SURVIVORS OF BREAST CANCER?. 2006 , 20, 535-540	2
770	The future of health promotion/disease prevention programs: the incentives and barriers faced by stakeholders. 2006 , 48, 541-8	23
769	Treatment and prevention of obesity: what is the role of exercise?. 2006 , 64, S57-61	69
768	Receipt of exercise counseling by older women. 2006 , 54, 619-26	15
767	Truncus endurance, hip and ankle mobility and aerobic fitness in 15-year-old Norwegian adolescents in 1968 and 1997. 2007 , 17, 488-96	3
766	Breathlessness, phlegm and mortality: 26 years of follow-up in healthy middle-aged Norwegian men. 2006 , 260, 332-42	22
765	Cardiorespiratory fitness in youth: relationship to insulin sensitivity and beta-cell function. 2006 , 14, 1579-85	31
764	Obesity, fitness and health in Taiwanese children and adolescents. 2006 , 60, 1367-75	87
763	Effects of exercise training on 5 inflammatory markers associated with cardiovascular risk. 2006 , 151, 367.e7-367.e16	52
762	Coronary atherosclerosis and cardiovascular risk in masters male marathon runners. Rationale and design of the "marathon study". 2006 , 31, 575-85	21
761	Association of increased cardiorespiratory fitness with low risk for clustering of metabolic syndrome components in asymptomatic men. 2006 , 37, 522-8	19
760	Association of physical activity and renal function in subjects with and without metabolic syndrome: a review of the Third National Health and Nutrition Examination Survey (NHANES III). 2006 , 48, 372-82	60

759	Physical fitness profiles in young Finnish men during the years 1975-2004. 2006 , 38, 1990-4		77
758	Stress and the neuroendocrine system: the role of exercise as a stressor and modifier of stress. 2006 , 1, 783-792		135
757	Daily activity energy expenditure and mortality among older adults. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 171-9	27.4	395
756	Preventive Cardiology. 2006 ,		
755	Does the C34T mutation in AMPD1 alter exercise capacity in the elderly?. 2006 , 27, 429-35		3
754	Combined aerobic and resistance training in breast cancer survivors: A randomized, controlled pilot trial. 2006 , 27, 573-80		121
753	Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: cosponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes		869
752	Cardiorespiratory fitness is an independent predictor of hypertension incidence among initially of normotensive healthy women. <i>American Journal of Epidemiology</i> , 2006 , 163, 142-50	3.8	150
751	Polymorphisms in the HBB gene relate to individual cardiorespiratory adaptation in response to endurance training. 2006 , 40, 998-1002		14
750	Orthostatic hypotension predicts mortality in middle-aged adults: the Atherosclerosis Risk In Communities (ARIC) Study. 2006 , 114, 630-6		218
749	Women and lung cancer: gender equality at a crossroad?. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 218-9	27.4	16
748	Objectively measured physical activity and mortality in older adults. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 216-8	27.4	48
747	Walking faster: distilling a complex prescription for type 2 diabetes management through pedometry. 2006 , 29, 1654-5		25
746	TREAD: Treatment with Exercise Augmentation for Depression: study rationale and design. 2006 , 3, 291-305		60
745	A Portrait of State-of-the-Art Research at the Technical University of Lisbon. 2007 ,		2
744	[Aging and physical activity data on which to base recommendations for exercise in older adults]. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32 Suppl 2F, S75-S171	3	26
743	Fitness, Antioxidants, and Moderate Drinking: All to Lower Cardiovascular Risk. <i>American Journal of Lifestyle Medicine</i> , 2007 , 1, 110-112	1.9	
742	IL-6 increases muscle insulin sensitivity only at superphysiological levels. 2007 , 292, E1842-6		30

741	[Evidence-based guidelines for physical activity of adult Canadians]. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32 Suppl 2F, S17-74	3	17
740	[Physical activity in children of preschool age - amount and method?]. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32 Suppl 2F, S136-49	3	4
739	CARRISMA: a new tool to improve risk stratification and guidance of patients in cardiovascular risk management in primary prevention. 2007 , 14, 141-8		20
738	Physical Activity, Clinical Medicine, and Public Health. 2007 , 6, 71-72		
737	Visceral adipose tissue accumulation, cardiorespiratory fitness, and features of the metabolic syndrome. 2007 , 167, 1518-25		91
736	Chapter 1: Introduction. 2007 , 14, S2-S113		
735	Long-term endurance exercise decreases antiangiogenic endostatin signalling in overweight men aged 50-60 years. 2008 , 42, 126-9; discussion 129		31
734	Development and validation of a very brief questionnaire measure of physical activity in adults with coronary heart disease. 2007 , 14, 615-23		17
733	Effects of different doses of physical activity on cardiorespiratory fitness among sedentary, overweight or obese postmenopausal women with elevated blood pressure: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 297, 2081-91	27.4	479
732	Cardiorespiratory fitness as a predictor of nonfatal cardiovascular events in asymptomatic women and men. <i>American Journal of Epidemiology</i> , 2007 , 165, 1413-23	3.8	126
731	Cardiorespiratory fitness and adiposity as mortality predictors in older adults. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2507-16	27.4	392
730	Are There "Healthy" and "Unhealthy" Reasons for Exercise? Examining Individual Differences in Exercise Motivations Using the Function of Exercise Scale. 2007 , 1, 93-120		28
729	Physical fitness and performance. Training for old age: production functions for the aerobic exercise inputs. 2007 , 39, 2226-33		3
728	Exercise intervention to modify physiologic risk factors in cancer survivors. 2007 , 23, 275-84		29
727	Fitness: the ultimate marker for risk stratification and health outcomes?. 2007 , 10, 42-5; quiz 46		14
726	Physical activity, clinical medicine, and public health. 2007 , 6, 71-2		4
725	Ageing and physical activity: evidence to develop exercise recommendations for older adults This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by Applied Physiology, Nutrition, and Metabolism and the Canadian	3	96
724	Physical activity and reduced risk of cardiovascular events: potential mediating mechanisms. 2007 , 116, 2110-8; quiz 98(Suppl.. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32, S69-S108		676

723	Clinical applicability of two tests of aerobic fitness in patients with rheumatoid arthritis. 2007 , 9, 97-104		4
722	[Guidelines for physical activity in children and young people]. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32 Suppl 2F, S122-35	3	106
721	Starving for life: what animal studies can and cannot tell us about the use of caloric restriction to prolong human lifespan. 2007 , 137, 1078-86		89
720	Cardiorespiratory fitness and body mass index of 9-11-year-old English children: a serial cross-sectional study from 1998 to 2004. 2007 , 31, 1172-8		64
719	Physical inactivity: a major public health problem. 2007 , 32, 113-117		4
718	Physical activity and exercise performance predict long-term prognosis in middle-aged women surviving acute coronary syndrome. 2007 , 261, 178-87		25
717	The predictive value of cardiorespiratory fitness combined with coronary risk evaluation and the risk of cardiovascular and all-cause death. 2007 , 262, 263-72		56
716	The effect of baseline physical activity on cardiovascular outcomes and new-onset diabetes in patients treated for hypertension and left ventricular hypertrophy: the LIFE study. 2007 , 262, 439-48		32
715	Estimated functional capacity predicts mortality in older adults. 2007 , 55, 1940-7		58
714	About the Authors. 2007 , 22, 618-622		46
713	Get moving! Physical activity counseling in primary care. 2007 , 19, 349-57		46
712	Aerobic exercise in adolescents with obesity: preliminary evaluation of a modular training program and the modified shuttle test. 2007 , 7, 19		28
711	Are variations in rates of attending cultural activities associated with population health in the United States?. <i>BMC Public Health</i> , 2007 , 7, 226	4.1	40
710	A pragmatic randomised controlled trial of hydrotherapy and land exercises on overall well being and quality of life in rheumatoid arthritis. 2007 , 8, 23		55
709	Exercise on prescription: trial protocol and evaluation of outcomes. 2007 , 7, 36		18
708	Color 3D bodies and judgements of human female attractiveness. 2007 , 28, 48-54		74
707	Evidence-informed physical activity guidelines for Canadian adults This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by Applied Physiology, Nutrition, and Metabolism and the Canadian Journal of Public Health. 2007 , 30, 234-83	3	104
706	Submaximal effort tolerance as a predictor of all-cause mortality in patients undergoing cardiac rehabilitation. 2007 , 30, 234-83, <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32, S16-S68		20

705	Motorische Defizite – wie schwer wiegen sie?. 2007 , 155, 631-637	17
704	Reliability and validity of self-reported physical activity in the Nord-Trøndelag Health Study (HUNT 2). 2007 , 22, 379-87	130
703	A prospective examination of patterns and correlates of exercise maintenance in coronary artery disease patients. 2007 , 30, 411-21	26
702	Deutsche Leitlinie zur Rehabilitation von Patienten mit Herz-Kreislauferkrankungen (DLL-KardReha). 2007 , 2, 1-54	24
701	Physical activity and reducing the risk of cardiovascular morbidity and mortality in older men and women: Lessons learned in 2006. 2007 , 1, 265-269	
700	Associations of birth size and duration of breast feeding with cardiorespiratory fitness in childhood: findings from the Avon Longitudinal Study of Parents and Children (ALSPAC). 2008 , 23, 411-22	55
699	Energetics and longevity in birds. 2008 , 30, 75-87	46
698	Soziale Produktivität und Wohlbefinden im höheren Lebensalter. 2008 , 51-74	9
697	Fat in the Fire? Science, the News Media, and the "Obesity Epidemic". 2008 , 23, 53-83	163
696	.VO2max: what do we know, and what do we still need to know?. 2008 , 586, 25-34	223
695	Long-term follow-up after cancer rehabilitation using high-intensity resistance training: persistent improvement of physical performance and quality of life. 2008 , 99, 30-6	57
694	Health status, symptoms and health counselling among middle-aged men: comparison of men at low and high risk. 2008 , 22, 529-35	5
693	Ankle blood pressure as a predictor of total and cardiovascular mortality. 2008 , 8, 3	15
692	Required muscle mass for preventing lifestyle-related diseases in Japanese women. <i>BMC Public Health</i> , 2008 , 8, 291	4.1 11
691	Exercise on Prescription. Effect of attendance on participants' psychological factors in a Danish version of Exercise on Prescription: a study protocol. 2008 , 8, 139	8
690	Systemic adaptation to oxidative challenge induced by regular exercise. 2008 , 44, 153-9	384
689	Changes in motor skill and fitness measures among children with high and low motor competence: a five-year longitudinal study. 2008 , 11, 155-62	136
688	Association of cardiorespiratory fitness with insulin sensitivity in overweight and obese postmenopausal women: a Montreal Ottawa New Emerging Team study. 2008 , 57, 1293-8	36

687	Exercise as the Cornerstone of Cardiovascular Prevention. 2008 , 61, 514-528		1
686	Insulin-sensitizing effects of exercise on adiponectin and retinol-binding protein-4 concentrations in young and middle-aged women. 2008 , 93, 2263-8		93
685	Long term favorable prognostic value of negative treadmill echocardiogram in the setting of abnormal treadmill electrocardiogram: a 95 month median duration follow-up study. 2008 , 21, 1018-22		9
684	[Cardiovascular manifestations in patients with COPD]. 2008 , 25, 663-73		8
683	Association of physical activity with all-cause and cardiovascular mortality: a systematic review and meta-analysis. 2008 , 15, 239-46		596
682	Association of neighborhood socioeconomic status with physical fitness in healthy young adults: the Coronary Artery Risk Development in Young Adults (CARDIA) study. 2008 , 155, 699-705		39
681	Exercise and urologic cancers. 2008 , 26, 205-12		4
680	Preventing Heart disease: who needs to be concerned and what to do. 2008 , 35, 589-607		1
679	Initiating and maintaining resistance training in older adults: a social cognitive theory-based approach. 2009 , 43, 114-9		56
678	Rheumatoid arthritis, cardiovascular disease and physical exercise: a systematic review. 2008 , 47, 239-48		152
677	Walking: a matter of quantity and quality physical activity for type 2 diabetes management. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008 , 33, 797-801	3	13
676	Exercise: How to Begin. 2008 , 4, 14-16		
675	Changes in vascular and cardiac function after prolonged strenuous exercise in humans. 2008 , 105, 1562-8		94
674	Comparative analysis of oxygen uptake in elderly subjects performing two walk tests: the six-minute walk test and the 200-m fast walk test. 2008 , 22, 162-8		26
673	Effects of endurance exercise on the reproductive system of men: the "exercise-hypogonadal male condition". 2008 , 31, 932-8		94
672	Maximum oxygen uptake and body composition of healthy Hong Kong Chinese adult men and women aged 20 - 64 years. 2008 , 26, 295-302		13
671	Exercise capacity and mortality in black and white men. 2008 , 117, 614-22		296
670	Cardiorespiratory fitness as a predictor of fatal and nonfatal stroke in asymptomatic women and men. 2008 , 39, 2950-7		75

669	Motivation to Exercise: Translating Our Best Intentions into Action. 2008 , 4, 329-332	0
668	Endurance sport practice as a risk factor for atrial fibrillation and atrial flutter. 2009 , 11, 11-7	160
667	Association between muscular strength and mortality in men: prospective cohort study. 2008 , 337, a439	482
666	Functional capacity of children with leukemia. 2008 , 29, 163-7	71
665	Changes in functional walking distance and health-related quality of life after gastric bypass surgery. 2008 , 88, 928-35	49
664	Exercise workload, coronary risk evaluation and the risk of cardiovascular and all-cause death in middle-aged men. 2008 , 15, 285-92	8
663	Psychosocial mediators of a walking intervention among African American women. 2008 , 19, 40-6	34
662	Physical activity and cardiovascular disease prevention: current recommendations. 2008 , 59, 26S-9S	35
661	Maximal exercise electrocardiography responses and coronary heart disease mortality among men with diabetes mellitus. 2008 , 117, 2734-42	34
660	Associations between aerobic and muscular fitness and cardiovascular disease risk: the northern Ireland young hearts study. 2008 , 5, 815-29	18
659	Peak oxygen uptake in children: evaluation of an older prediction method and development of a new one. 2008 , 20, 62-73	15
658	New insights in preventive cardiology and cardiac rehabilitation. 2008 , 23, 477-86	6
657	[Anthropometry and cardiorespiratory fitness of military men in active duty, Brazil]. 2008 , 42, 217-23	2
656	Physical exercise and quality of life in breast cancer survivors. 2008 , 5, 24-8	64
655	Limiar de variabilidade da frequência cardíaca em adolescentes obesos e não-obesos. 2008 , 14, 145-149	4
654	Cardiac disease and dysfunction. 2008 , 51-96	
653	[Cross-cultural equivalence of three scales used to estimate cardiorespiratory fitness in the elderly]. 2008 , 24, 2499-510	11
652	Atividade física para prevenção e tratamento das doenças crônicas não transmissíveis e da incapacidade funcional. 2009 , 22, 937-946	16

651 Using Exercise as Medicine for Older Adults. 67-78

650 The joint impact of smoking and exercise capacity on clinical outcomes among women with suspected myocardial ischemia: the WISE study. **2009**, 18, 443-50 3

649 Fat or fit: what is more important?. **2009**, 32 Suppl 2, S392-7 61

648 Exercise capacity and mortality in hypertensive men with and without additional risk factors. **2009**, 53, 494-9 87

647 Position statement: Testing physical condition in a population – how good are the methods?. **2009**, 9, 257-267 33

646 Socioeconomic position and inflammatory and immune biomarkers of cardiovascular disease: applications to the Panel Study of Income Dynamics. **2009**, 55, 178-205 34

645 Pathophysiology of Coronary Heart Disease and Biological Mechanisms for the Cardioprotective Effects of Regular Aerobic Exercise. *American Journal of Lifestyle Medicine*, **2009**, 3, 379-385 1.9 9

644 Habitual physical activity and physical fitness in older Japanese adults: the Nakanojo Study. **2009**, 55, 523-31 83

643 Exercise capacity: a crystal ball in forecasting future health outcomes?. **2009**, 37, 154-6 2

642 The association of cardiorespiratory fitness and physical activity with incidence of hypertension in men. **2009**, 22, 417-24 87

641 Importance of treadmill exercise time as an initial prognostic screening tool in patients with systolic left ventricular dysfunction. **2009**, 119, 3189-97 41

640 Internet-delivered lifestyle physical activity intervention: limited inflammation and antioxidant capacity efficacy in overweight adults. **2009**, 106, 49-56 17

639 Role of lifestyle and aging on the longitudinal change in cardiorespiratory fitness. **2009**, 169, 1781-7 160

638 American College of Sports Medicine position stand. Exercise and physical activity for older adults. **2009**, 41, 1510-30 2266

637 Submaximal treadmill test predicts VO₂max in overweight children. **2009**, 154, 677-81 30

636 Body composition, cardiorespiratory fitness, and low-grade inflammation in middle-aged men and women. **2009**, 104, 240-6 45

635 The role of physical activity and fitness on the metabolic syndrome in adolescents: effect of different scores. The AFINOS Study. **2009**, 65, 277-89 23

634 Physical activity in cardiovascular disease prevention in patients with HIV/AIDS. **2009**, 3, 288-295 2

633	Leitlinie körperliche Aktivität zur Sekundärprävention und Therapie kardiovaskulärer Erkrankungen. 2009 , 4, 1-44		26
632	Cardiovascular prevention in clinical practice (ESC and German guidelines 2007). 2009 , 34, 4-14		6
631	Adaptation of the rat cardiac proteome in response to intensity-controlled endurance exercise. 2009 , 9, 106-15		41
630	Diabetic dyslipidemia and exercise alter the plasma low-density lipoproteome in Yucatan pigs. 2009 , 9, 2468-83		12
629	Randomized controlled trial of the efficacy of aerobic exercise in reducing metabolic risk in healthy older people: The Hertfordshire Physical Activity Trial. <i>BMC Endocrine Disorders</i> , 2009 , 9, 15	3-3	8
628	Maximal and submaximal endurance performance in adults with severe haemophilia. 2009 , 15, 114-21		28
627	Exercise workload, cardiovascular risk factor evaluation and the risk of stroke in middle-aged men. 2009 , 265, 229-37		6
626	Fitness and abdominal obesity are independently associated with cardiovascular risk. 2009 , 266, 547-57		14
625	Mechanotransduction in vascular physiology and atherogenesis. 2009 , 10, 53-62		790
624	Prevalence of injuries among young adults in sport centers: relation to the type and pattern of activity. 2009 , 19, 828-33		5
623	Muscular strength and adiposity as predictors of adulthood cancer mortality in men. 2009 , 18, 1468-76		97
622	Metabolic syndrome and risk of cancer mortality in men. 2009 , 45, 1831-8		80
621	Dysfonction endothéliale et risque cardiovasculaire. L'exercice protège la fonction endothéliale et prévient la maladie cardiovasculaire. 2009 , 24, 63-73		3
620	Functional electrical stimulation cycling improves body composition, metabolic and neural factors in persons with spinal cord injury. 2009 , 19, 614-22		156
619	Reducing psychosocial stress: a novel mechanism of improving survival from exercise training. 2009 , 122, 931-8		86
618	Healthy hearts--and the universal benefits of being physically active: physical activity and health. 2009 , 19, 253-6		280
617	Insulin Resistance. 2009 ,		
616	Swimming exercise: impact of aquatic exercise on cardiovascular health. 2009 , 39, 377-87		53

615	Relationships between measures of fitness, physical activity, body composition and vascular function in children. 2009 , 204, 244-9		71
614	Effect of exercise training on cardiometabolic risk markers among sedentary, but metabolically healthy overweight or obese post-menopausal women with elevated blood pressure. 2009 , 207, 530-3		89
613	Influence of a walking program on the metabolic risk profile of obese postmenopausal women. 2009 , 16, 566-75		28
612	Cardiovascular and metabolic responses to water aerobics exercise in middle-age and older adults. 2009 , 6, 333-8		10
611	Volume of exercise and fitness nonresponse in sedentary, postmenopausal women. 2009 , 41, 539-45		106
610	Exercise and fitness are related to peripheral nervous system function in overweight adults. 2010 , 42, 1241-5		3
609	Cardiorespiratory fitness, adiposity, and all-cause mortality in women. 2010 , 42, 2006-12		49
608	Evidence for sex differences in cardiovascular aging and adaptive responses to physical activity. 2010 , 110, 235-46		59
607	Activit ^é physique et mortalit ^é cardiovasculaire chez le senior. 2010 , 2, 59-66		
606	Exercise as a treatment for the risk of cardiovascular disease. 2010 , 12, 329-41		2
605	Putting the 2008 Physical Activity Guidelines Into Practice to Prevent Cardiovascular Disease. 2010 , 4, 277-283		
604	Physical activity and fitness in adolescent and young adult long-term survivors of childhood acute lymphoblastic leukaemia. 2010 , 4, 339-45		64
603	Metabolic syndrome and risk of death from cancers of the digestive system. 2010 , 59, 1231-9		34
602	Construct validation of a non-exercise measure of cardiorespiratory fitness in older adults. <i>BMC Public Health</i> , 2010 , 10, 59	4.1	57
601	Physical activity and nutrition program for seniors (PANS): protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2010 , 10, 751	4.1	22
600	Effects of recommended levels of physical activity on pregnancy outcomes. 2010 , 202, 266.e1-6		66
599	Determinants and prognostic implications of cardiac troponin T measured by a sensitive assay in type 2 diabetes mellitus. 2010 , 9, 52		29
598	Fat distribution, aerobic fitness, blood lipids, and insulin sensitivity in African-American and European-American women. 2010 , 18, 274-81		43

597	Muscular strength is inversely related to prevalence and incidence of obesity in adult men. 2010 , 18, 1988-95	63
596	Comparison of Physiological and Psychological Well-Being in Physical Active and Sedentary Women in Iran. 2010 , 2,	1
595	Cardiorespiratory fitness and quality of life at different exercise intensities after myocardial infarction. 2010 , 95, 399-404	15
594	Sedentary behaviors increase risk of cardiovascular disease mortality in men. 2010 , 42, 879-85	329
593	The future of aerobic exercise testing in clinical practice: is it the ultimate vital sign?. 2010 , 6, 325-42	54
592	Secular trends in muscular fitness among Finnish adolescents. 2010 , 38, 739-47	28
591	Physical activity and cardiovascular health: lessons learned from epidemiological studies across age, gender, and race/ethnicity. 2010 , 122, 743-52	353
590	Cardiac risks associated with marathon running. 2010 , 2, 301-6	23
589	Risk of mortality increases with increasing number of abnormal non-ST parameters recorded during exercise testing. 2010 , 17, 462-8	13
588	Dietary patterns and the risk of mortality: impact of cardiorespiratory fitness. 2010 , 39, 197-209	44
587	Cardiorespiratory fitness and quality-of-life analysis posttreatment in breast cancer survivors. 2010 , 28, 381-98	7
586	A sub-maximal occupational aerobic fitness test alternative, when the use of heart rate is not appropriate. 2010 , 36, 333-7	4
585	Using molecular classification to predict gains in maximal aerobic capacity following endurance exercise training in humans. 2010 , 108, 1487-96	252
584	Joint associations of physical activity and aerobic fitness on the development of incident hypertension: coronary artery risk development in young adults. 2010 , 56, 49-55	95
583	Cardiorespiratory fitness levels among US adults 20-49 years of age: findings from the 1999-2004 National Health and Nutrition Examination Survey. <i>American Journal of Epidemiology</i> , 2010 , 171, 426-35 ^{3.8}	157
582	Exercise and physical activity: clinical outcomes and applications. 2010 , 122, 1637-48	261
581	Physical activity, cardiorespiratory fitness and the incidence of type 2 diabetes in a prospective study of men. 2010 , 44, 238-44	76
580	Exercise capacity and mortality in older men: a 20-year follow-up study. 2010 , 122, 790-7	230

579	Long-term trends in cardiorespiratory fitness and the incidence of type 2 diabetes. 2010 , 33, 1353-7		55
578	Relationships between components of physical activity, cardiorespiratory fitness, cardiac autonomic health, and brain-derived neurotrophic factor. 2010 , 28, 843-9		6
577	Ankle and exercise blood pressures as predictors of coronary morbidity and mortality in a prospective follow-up study. 2010 , 24, 577-84		21
576	Risk of arterial cardiovascular diseases in patients with multiple sclerosis: a population-based cohort study. 2010 , 35, 267-74		102
575	[Metabolic and cardiovascular effects of physical activity, exercise and fitness in patients with type 2 diabetes]. 2010 , 135, 930-4		8
574	Long-term effects of a worksite health promotion program for firefighters. 2010 , 34, 695-706		54
573	Thrombin and exercise similarly influence expression of cell cycle genes in cultured putative endothelial progenitor cells. 2010 , 108, 1682-90		15
572	Cardiorespiratory fitness is related to the risk of sudden cardiac death: a population-based follow-up study. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1476-83	15.1	116
571	Cardiorespiratory fitness, adiposity, and incident asthma in adults. 2010 , 125, 271-3.e1-5		6
570	Fetal origin of atopic dermatitis. 2010 , 125, 273-5.e1-4		28
569	A systematic review of the evidence for Canada's Physical Activity Guidelines for Adults. 2010 , 7, 39		529
568	Exercise as a calorie restriction mimetic: implications for improving healthy aging and longevity. 2010 , 37, 157-74		19
567	Cardiorespiratory fitness, fatness, and cardiovascular disease risk factors in children and adolescents from Porto. 2010 , 10, 121-127		9
566	Cardiorespiratory fitness and clustered cardiovascular disease risk in U.S. adolescents. 2010 , 47, 352-9		50
565	Association between cardiorespiratory fitness and arterial stiffness in men with the metabolic syndrome. 2010 , 90, 326-32		32
564	Falls among adults: the association of cardiorespiratory fitness and physical activity with walking-related falls. 2010 , 39, 15-24		53
563	Walking pace, leisure time physical activity, and resting heart rate in relation to disease-specific mortality in London: 40 years follow-up of the original Whitehall study. An update of our work with professor Jerry N. Morris (1910-2009). 2010 , 20, 661-9		38
562	Cardiorespiratory fitness and insulin sensitivity in overweight or obese subjects may be linked through intrahepatic lipid content. 2010 , 59, 1640-7		42

561	Physical fitness profiles of young men: associations between physical fitness, obesity and health. 2010 , 40, 907-20	25
560	Secular trends in aerobic fitness performance in 13-18-year-old adolescents from 1976 to 2001. 2010 , 44, 968-72	35
559	Obesity paradoxes. 2011 , 29, 773-82	120
558	Genomic predictors of the maximal O ₂ uptake response to standardized exercise training programs. 2011 , 110, 1160-70	275
557	Variability in training-induced skeletal muscle adaptation. 2011 , 110, 846-53	139
556	The influence of physical activity performed at 20-40 years of age on cardiovascular outcomes in medical patients aged 65-75. 2011 , 5, 114-119	2
555	Low cardiorespiratory fitness and physical functional capacity in obese patients with schizophrenia. 2011 , 126, 103-9	74
554	Proteomic responses of skeletal and cardiac muscle to exercise. 2011 , 8, 361-77	55
553	Repeatability and validity of a standardised maximal step-up test for leg function--a diagnostic accuracy study. 2011 , 12, 191	10
552	Comprehensive Cardiovascular Medicine in the Primary Care Setting. 2011 ,	
551	Guidelines for the primary prevention of stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. 2011 , 42, 517-84	1148
550	Aerobic fitness is associated with lower proportions of senescent blood T-cells in man. 2011 , 25, 1521-9	98
549	Cardiorespiratory fitness and its association with body composition and physical activity in Hong Kong Chinese women aged from 55 to 94 years. 2011 , 69, 348-53	15
548	Le point sur les recommandations de sant� publique en mati�re d'activit� physique. 2011 , 26, 183-183	5
547	The lesser of two evils. 2011 , 34, 1621-2	0
546	Correlation between diastolic function and maximal exercise capacity on exercise test. 2011 , 96, 107-13	7
545	Cardiometabolic results from an armband-based weight loss trial. 2011 , 4, 187-94	6
544	The role of the work context in multiple wellness outcomes for hospital patient care workers. 2011 , 53, 899-910	55

543	Relationship between dynapenia and cardiorespiratory functions in healthy postmenopausal women: novel clinical criteria. 2011 , 18, 400-5	33
542	Cardiovascular fitness levels among American workers. 2011 , 53, 1115-21	6
541	Effects of body composition and menopause characteristics on maximal oxygen uptake of postmenopausal women. 2011 , 18, 1191-7	5
540	Role of endothelial progenitor cells in the beneficial effects of physical exercise on atherosclerosis and coronary artery disease. 2011 , 111, 321-8	40
539	Exercise Capacity and Mortality in Older Men: A 20-Year Follow-up Study. 2011 , 2011, 389-391	
538	The effects of a supplemental, theory-based physical activity counseling intervention for adults with type 2 diabetes. 2011 , 8, 944-54	24
537	Screening asymptomatic adults with resting or exercise electrocardiography: a review of the evidence for the U.S. Preventive Services Task Force. 2011 , 155, 375-85	87
536	Productivity of transcriptionists using a treadmill desk. 2011 , 40, 473-7	41
535	Habitually exercising older men do not demonstrate age-associated vascular endothelial oxidative stress. 2011 , 10, 1032-7	82
534	Physical activity and the prevention of cardiovascular disease: from evolution to epidemiology. 2011 , 53, 387-96	117
533	Exercise and cardiovascular diseases--a matter of life or death. 2011 , 53, 385-6	2
532	The effect on cardiorespiratory fitness after an 8-week period of commuter cycling--a randomized controlled study in adults. 2011 , 53, 172-7	40
531	Reduced peak oxygen uptake and implications for cardiovascular health and quality of life in patients with schizophrenia. 2011 , 11, 188	18
530	Usefulness of serum bilirubin and cardiorespiratory fitness as predictors of mortality in men. 2011 , 108, 1438-42	30
529	Relation of physical activity to cardiovascular disease mortality and the influence of cardiometabolic risk factors. 2011 , 108, 1426-31	52
528	Effects of obesity and gender on exercise capacity in urban children. 2011 , 8, 224-30	5
527	Körperliche Aktivität als kardiovaskuläre Therapie Wie viel ist gut und sicher?. 2011 , 41, 10-14	1
526	Mitochondrial biogenesis related endurance genotype score and sports performance in athletes. 2011 , 11, 64-9	40

525	Bedeutung von körperlicher Aktivität beim Typ-1-Diabetes. 2011 , 7, 27-30		
524	Cardiorespiratory fitness is independently associated with 25-hydroxyvitamin D in chronic kidney disease. 2011 , 6, 512-8		14
523	Independent and joint associations of physical activity and fitness on stroke in men. 2011 , 39, 119-26		11
522	Cardiovascular disease risk factors in homeless people. 2011 , 116, 200-7		4
521	Adolescent physical fitness and activity as predictors of adulthood activity. 2011 , 29, 1135-41		43
520	The Utrecht approach to exercise in chronic childhood conditions: the decade in review. 2011 , 23, 2-14		71
519	Accuracy and validity of a combined heart rate and motion sensor for the measurement of free-living physical activity energy expenditure in adults in Cameroon. 2011 , 40, 112-20		95
518	Self-rated health status and cardiorespiratory fitness as predictors of mortality in men. 2011 , 45, 1095-100		19
517	Hypertension in special populations: athletes. 2011 , 7, 571-84		4
516	Dilatation and dysfunction of the right ventricle immediately after ultraendurance exercise: exploratory insights from conventional two-dimensional and speckle tracking echocardiography. 2011 , 4, 253-63		115
515	In fitness and health? A prospective study of changes in marital status and fitness in men and women. <i>American Journal of Epidemiology</i> , 2011 , 173, 337-44	3.8	28
514	Intrinsic aerobic capacity sets a divide for aging and longevity. 2011 , 109, 1162-72		110
513	Coronary artery disease risk factors in urban areas of Yazd City, Iran. 2011 , 23, 534-43		2
512	Excessive sedentary time and low cardiorespiratory fitness in European adolescents: the HELENA study. 2011 , 96, 240-6		54
511	Exercise attenuates the premature cardiovascular aging effects of type 2 diabetes mellitus. 2011 , 16, 378-90		17
510	Assessment of lifestyle in relation to health. 2012 , 32, 72-96		14
509	Effects of exercise on endothelium and endothelium/smooth muscle cross talk: role of exercise-induced hemodynamics. 2011 , 111, 311-20		90
508	Poor physical function, pain and limited exercise: risk factors for premature mortality in the range of smoking or hypertension, identified on a simple patient self-report questionnaire for usual care. 2011 , 1, e000070		16

507	Desired features of smartphone applications promoting physical activity. 2011 , 17, 801-3	116
506	Physical activity recommendations and cardiovascular disease risk factors in young Hispanic women. 2011 , 29, 37-45	10
505	Validity and reliability of shuttle-run test in Korean adults. 2011 , 32, 580-5	5
504	Health implications of low cardiorespiratory fitness, too little exercise, and too much sitting time: changing paradigms and perceptions. 2011 , 25, exi-v	10
503	Physical inactivity and mortality risk. 2011 , 2011, 924945	46
502	Secular change in cardiorespiratory fitness of men: Cooper Center Longitudinal Study. 2011 , 43, 2134-9	44
501	Estimates of the number of people in England who attain or exceed vigorous intensity exercise by walking at 3 mph. 2011 , 29, 1629-34	10
500	Exercise dose response in muscle. 2012 , 33, 218-23	12
499	Health promotion in older Chinese: a 12-month cluster randomized controlled trial of pedometry and "peer support". 2012 , 44, 1157-66	31
498	Body mass index, exercise capacity, and mortality risk in male veterans with hypertension. 2012 , 25, 444-50	31
497	Clustered metabolic risk and leisure-time physical activity in adolescents: effect of dose?. 2012 , 46, 131-7	23
496	Cardiorespiratory fitness as a predictor of dementia mortality in men and women. 2012 , 44, 253-9	58
495	Association of cardiorespiratory fitness with total, cardiovascular, and noncardiovascular mortality across 3 decades of follow-up in men and women. 2012 , 5, 358-64	25
494	'23 and 1/2 h' goes viral: top 10 learnings about making a health message that people give to one another. 2012 , 46, 461-2	4
493	Risk factors for ischaemic heart disease mortality among men with different occupational physical demands. A 30-year prospective cohort study. 2012 , 2, e000279	17
492	Exclusive breastfeeding duration and cardiorespiratory fitness in children and adolescents. 2012 , 95, 498-505	21
491	Physical activity, health benefits, and mortality risk. 2012 , 2012, 718789	131
490	Occupational and leisure time physical activity: risk of all-cause mortality and myocardial infarction in the Copenhagen City Heart Study. A prospective cohort study. 2012 , 2, e000556	79

489	Good aerobic or muscular fitness protects overweight men from elevated oxidized LDL. 2012 , 44, 563-8	17
488	Determination of maximal oxygen uptake using the bruce or a novel athlete-led protocol in a mixed population. 2012 , 31, 97-104	23
487	Longitudinal cardiorespiratory fitness algorithms for clinical settings. 2012 , 43, 512-9	58
486	Oxidative stress in older adults: effects of physical fitness. 2012 , 34, 969-82	43
485	Exercise and the aging immune system. 2012 , 11, 404-20	154
484	A community-based approach to trials of aerobic exercise in aging and Alzheimer's disease. 2012 , 33, 1105-16	31
483	Nutrition and physical activity in health promotion and disease prevention: potential role for the dental profession. 2012 , 56, 791-808	7
482	Eurofit test battery in patients with schizophrenia or schizoaffective disorder: reliability and clinical correlates. 2012 , 27, 416-21	24
481	Skeletal Muscle and Exercise. 2012 , 303-346	
480	Is trait anxiety associated with improving fitness?. 2012 , 47, 125-130	1
479	Physiological cardiac remodelling in response to endurance exercise training: cellular and molecular mechanisms. 2012 , 98, 5-10	175
478	Extremely low volume, whole-body aerobic-resistance training improves aerobic fitness and muscular endurance in females. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 1124-31	3 79
477	Midlife fitness and the development of chronic conditions in later life. 2012 , 172, 1333-40	66
476	Cardiorespiratory fitness, alcohol, and mortality in men: the Cooper Center longitudinal study. 2012 , 42, 460-7	13
475	Impact of cerebral palsy on health-related physical fitness in adults: systematic review. 2012 , 93, 871-81	30
474	PWC 75%/kg, a fitness index not linked to resting heart rate: testing procedure and reference values. 2012 , 93, 1196-200	12
473	Cardiorespiratory fitness and proximity to commercial physical activity facilities among 12th grade girls. 2012 , 50, 497-502	4
472	Walks4work: rationale and study design to investigate walking at lunchtime in the workplace setting. <i>BMC Public Health</i> , 2012 , 12, 550	4.1 16

471	Supervised walking groups to increase physical activity in elderly women with and without hypertension: effect on pulse wave velocity. 2012 , 35, 988-93	22
470	Can exercise teach us how to treat heart disease?. 2012 , 126, 2625-35	71
469	Active transportation and cardiovascular disease risk factors in U.S. adults. 2012 , 43, 621-8	71
468	Stress Proof the Heart. 2012 ,	4
467	PersonA: Persuasive social network for physical Activity. 2012 , 2012, 2153-7	11
466	Why exercise is an important component of risk reduction in obesity management. 2012 , 196, 165-6	4
465	Morphology and contractility in cardiomyocytes of rats with low exercise performance. 2012 , 98, 431-6	1
464	Distance from home to exercise site did not influence the adherence of 796 participants. 2012 , 98, 553-8	1
463	Effects of Tai Chi exercise on physical and psychological health of older people. 2012 , 5, 19-27	36
462	Effects of a home-based exercise program on metabolic risk factors and fitness in long-term survivors of childhood acute lymphoblastic leukemia. 2012 , 59, 155-60	56
461	Resistance exercise and aerobic exercise when paired with dietary energy restriction both reduce the clinical components of metabolic syndrome in previously physically inactive males. 2012 , 112, 2035-44	19
460	Fine mapping of a QTL on chromosome 13 for submaximal exercise capacity training response: the HERITAGE Family Study. 2012 , 112, 2969-78	12
459	Both poor cardiorespiratory and weak muscle fitness are related to a high concentration of oxidized low-density lipoprotein lipids. 2012 , 22, 746-55	5
458	Cardiorespiratory fitness and metabolic risk. 2012 , 109, 988-93	51
457	[Cardiovascular disease prevention and life style modifications]. 2012 , 61, 93-8	3
456	An update on exercise stress testing. 2012 , 37, 177-202	28
455	Fatness, fitness, and cardiometabolic risk factors in middle-aged white men. 2012 , 61, 213-20	17
454	How to evaluate physical fitness without a stress test?. 2012 , 28, 199-209	

453	Evidence for an exercise induced increase of TNF- α and IL-6 in marathon runners. 2013 , 23, 207-14		66
452	Hypertension/Hyperlipidemia/Hyperhomocysteinemia and Nutrition Approaches. 2013 , 81-94		
451	Resistance to aerobic exercise training causes metabolic dysfunction and reveals novel exercise-regulated signaling networks. 2013 , 62, 2717-27		56
450	A home-based exercise intervention to increase physical activity among people living with HIV: study design of a randomized clinical trial. <i>BMC Public Health</i> , 2013 , 13, 502	4.1	16
449	A case-control study of physical activity patterns and risk of non-fatal myocardial infarction. <i>BMC Public Health</i> , 2013 , 13, 122	4.1	1
448	Cardiorespiratory fitness in breast cancer survivors. 2013 , 2, 68		19
447	The coronary calcium treadmill test: a new approach to the initial workup of patients with suspected coronary artery disease. 2013 , 20, 719-30		8
446	Epidemiology of Cerebrovascular Disease. 2013 , 349-360		1
445	A systematic review of pre-surgical exercise intervention studies with cancer patients. 2013 , 22, 92-104		133
444	Physical activity and musculoskeletal injuries in women: the Women's Injury Study. 2013 , 22, 1038-42		2
443	The effect of walking on cardiorespiratory fitness in adults with knee osteoarthritis. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 886-91	3	8
442	Impaired aerobic exercise capacity and cardiac autonomic control in primary antiphospholipid syndrome. 2013 , 22, 928-31		6
441	Regular treadmill exercise restores cardioprotective signaling pathways in obese mice independently from improvement in associated co-morbidities. 2013 , 54, 82-9		39
440	Long-term leisure-time physical activity and serum metabolome. 2013 , 127, 340-8		136
439	Association between health behaviors and cardiorespiratory fitness in adolescents: results from the cross-sectional MoMo-study. 2013 , 53, 272-9		7
438	Cardiovascular fitness and mortality after contemporary cardiac rehabilitation. 2013 , 88, 455-63		121
437	Blunted heart rate recovery is improved following exercise training in overweight adults with obstructive sleep apnea. 2013 , 167, 1610-5		20
436	Association Between Functional Measures and Mortality in Older Persons. 2013 , 7, 17-21		8

435	The upper limit of the cardiorespiratory training zone (40-84%HRR) is overestimated for postmenopausal women. 2013 , 16, 571-6	4
434	Physical activity intensity and subclinical atherosclerosis in Danish adolescents: the European Youth Heart Study. 2013 , 23, e168-77	24
433	Oxygen consumption and usage during physical exercise: the balance between oxidative stress and ROS-dependent adaptive signaling. 2013 , 18, 1208-46	359
432	Susceptibility to intracerebral hemorrhage-induced brain injury segregates with low aerobic capacity in rats. 2013 , 49, 22-8	10
431	Four-year change in cardiorespiratory fitness and influence on glycemic control in adults with type 2 diabetes in a randomized trial: the Look AHEAD Trial. 2013 , 36, 1297-303	49
430	Body mass index, fitness and physical activity from childhood through adolescence. 2013 , 47, 71-7	36
429	Regular physical activity and risk of atrial fibrillation: a systematic review and meta-analysis. 2013 , 6, 252-6	72
428	Individualised aerobic and resistance exercise training improves cardiorespiratory fitness and reduces cardiovascular risk in patients with rheumatoid arthritis. 2013 , 72, 1819-25	155
427	Exploring adaptations to the modified shuttle walking test. 2013 , 3,	9
426	Impact of reduced daily physical activity on conduit artery flow-mediated dilation and circulating endothelial microparticles. 2013 , 115, 1519-25	85
425	Prospective study of alcohol consumption and the incidence of the metabolic syndrome in US men. 2013 , 110, 901-10	24
424	Construction of two novel reciprocal conplastic rat strains and characterization of cardiac mitochondria. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013 , 304, H22-32	5.2 22
423	Comparison between direct and predicted maximal oxygen uptake measurement during cycling. 2013 , 178, 234-8	17
422	Leisure time physical activity and mortality. 2013 , 24, 717-25	26
421	Injury or activity-related pain sustained by a population of at-risk women during a 6-month exercise program. 2013 , 41, 7-14	8
420	Cardiovascular Disease. 2013 , 35, 2-10	17
419	The impact of race and higher socioeconomic status on cardiorespiratory fitness. 2013 , 45, 2286-91	9
418	The importance of cardiorespiratory fitness in the United States: the need for a national registry: a policy statement from the American Heart Association. 2013 , 127, 652-62	244

417	Maximal step-up height as a simple and relevant health indicator: a study of leg muscle strength and the associations to age, anthropometric variables, aerobic fitness and physical function. 2013 , 47, 992-7		9
416	Percentage of deaths attributable to poor cardiovascular health lifestyle factors: Findings from the Aerobics Center Longitudinal Study. 2013 , 2013,		12
415	Physical activity, cardiorespiratory fitness, and exercise training in primary and secondary coronary prevention. 2013 , 77, 281-92		222
414	Associations between perceived parental physical activity and aerobic fitness in schoolchildren. 2013 , 10, 397-405		6
413	Racial differences in the response of cardiorespiratory fitness to aerobic exercise training in Caucasian and African American postmenopausal women. 2013 , 114, 1375-82		24
412	The MILE study: a motivational, individual and locally anchored exercise intervention among 30-49 year-olds with low levels of cardiorespiratory fitness: a randomised controlled study in primary care. <i>BMC Public Health</i> , 2013 , 13, 1224	4.1	5
411	Selectively bred rat model system for low and high response to exercise training. 2013 , 45, 606-14		40
410	Is gender a factor in the reduction of cardiovascular risks with exercise training?. 2013 , 77, 646-51		13
409	Complementary Effect of Exercise in Cardiovascular Medicine. 2013 , 02,		
408	Association of primary care physicians' exercise habits and their age, specialty, and workplace. 2013 , 6, 409-14		2
407	I am 80 going on 18: exercise and the fountain of youth. 2013 , 114, 1-2		13
406	Reduced Ventricular Arrhythmogeneity and Increased Electrical Complexity in Normal Exercised Rats. 2013 , 8, e66658		8
405	Genetic analysis of a rat model of aerobic capacity and metabolic fitness. 2013 , 8, e77588		33
404	User Experiences While Playing Dance-Based Exergames and the Influence of Different Body Motion Sensing Technologies. 2013 , 2013, 1-7		10
403	The influence of physical activity performed at 20-40 years of age on cardiovascular outcomes in medical patients aged 65-75. 2013 , 114-119		
402	Factors related to coronary heart disease risk among men: validation of the Framingham Risk Score. 2014 , 11, E140		16
401	Examining the relationship between cardiorespiratory fitness and body weight status: empirical evidence from a population-based survey of adults in Taiwan. 2014 , 2014, 463736		6
400	Exercise counseling of primary care physicians in metabolic syndrome and cardiovascular diseases is associated with their specialty and exercise habits. 2014 , 7, 277-83		6

399	A community-based exercise intervention transitions metabolically abnormal obese adults to a metabolically healthy obese phenotype. 2014 , 7, 369-80		21
398	Physical fitness for health. 2014 , 3, 377-384		6
397	Cardiorespiratory fitness and risk of heart failure: a population-based follow-up study. 2014 , 16, 180-8		72
396	Cardiorespiratory fitness, body mass index, and cancer mortality: a cohort study of Japanese men. <i>BMC Public Health</i> , 2014 , 14, 1012	4.1	23
395	Clinical Strategies for Managing Dyslipidemias: Emphasis on Physical Activity and Exercise Training. <i>American Journal of Lifestyle Medicine</i> , 2014 , 8, 235-238	1.9	2
394	Aerobic exercise capacity at long-term follow-up after paediatric allogeneic haematopoietic SCT. 2014 , 49, 1393-9		7
393	The incidence of $\dot{V}O_2$ plateau at $\dot{V}O_{2max}$ in a cardiac-diseased population. 2014 , 35, 118-24		3
392	High-intensity interval training in patients with substance use disorder. 2014 , 2014, 616935		36
391	Cardiorespiratory fitness in breast cancer patients undergoing adjuvant therapy. 2014 , 53, 1356-65		40
390	The transcultural diabetes nutrition algorithm: a canadian perspective. 2014 , 2014, 151068		8
389	Increased mortality in schizophrenia due to cardiovascular disease - a non-systematic review of epidemiology, possible causes, and interventions. 2014 , 5, 137		184
388	Physical performance and disability in schizophrenia. 2014 , 1, 112-121		38
387	Is cardiorespiratory fitness a determinant of cardiomyopathy in the setting of type 2 diabetes?. 2014 , 11, 343-51		1
386	Effects of concurrent training on inflammatory markers and expression of CD4, CD8, and HLA-DR in overweight and obese adults. 2014 , 12, 55-61		7
385	Life-space mobility and mortality in older men: a prospective cohort study. 2014 , 62, 1288-96		37
384	A controversial step forward: A commentary on the 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults. 2014 , 25, 360-3		8
383	Exercise and weight loss: no sex differences in body weight response to exercise. 2014 , 42, 92-101		19
382	Association of changes in fitness and body composition with cancer mortality in men. 2014 , 46, 1366-74		19

381	Oral estrogen therapy may mitigate the effects of aerobic training on cardiorespiratory fitness in postmenopausal women: a double-blind, randomized clinical pilot study. 2014 , 21, 376-82		
380	Obesity and prognosis in chronic diseases--impact of cardiorespiratory fitness in the obesity paradox. 2014 , 13, 240-5		18
379	Effects of a 12-month multi-component exercise program on the body composition of postmenopausal women. 2014 , 17, 155-63		13
378	Regular Exercise Results in Systemic Adaptation Against Oxidative Stress. 2014 , 3855-3869		1
377	Differences in Aerobic Fitness between Inpatients and Outpatients with Severe Mental Disorders. 2014 , 5, 95		1
376	Determinants of exercise peak arterial blood pressure, circulatory power, and exercise cardiac power in a population based sample of Finnish male and female aged 30 to 47 years: the Cardiovascular Risk in Young Finns Study. 2014 , 14, 35		10
375	The combined relationship of occupational and leisure-time physical activity with all-cause mortality among men, accounting for physical fitness. <i>American Journal of Epidemiology</i> , 2014 , 179, 559-66	38	54
374	Potential benefits of weight loss in coronary heart disease. 2014 , 56, 448-56		42
373	Impact of different domains of physical activity on cause-specific mortality: a longitudinal study. 2014 , 62, 89-95		42
372	Obesity and cardiovascular diseases: implications regarding fitness, fatness, and severity in the obesity paradox. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1345-54	15.1	382
371	Time-course effects of aerobic interval training and detraining in patients with metabolic syndrome. 2014 , 24, 792-8		50
370	Is Alzheimer's disease a systemic disease?. 2014 , 1842, 1340-9		134
369	Sprint interval training effects on aerobic capacity: a systematic review and meta-analysis. 2014 , 44, 269-79		186
368	The effects of stress on physical activity and exercise. 2014 , 44, 81-121		455
367	Perinatal complications and aging indicators by midlife. 2014 , 134, e1315-23		48
366	Guidelines for the primary prevention of stroke: a statement for healthcare professionals from the American Heart Association/American Stroke Association. 2014 , 45, 3754-832		921
365	Integrative biology of exercise. 2014 , 159, 738-49		511
364	Physical activity and change in estimated GFR among persons with CKD. 2014 , 25, 399-406		83

363	Association of exercise heart rate response and incidence of hypertension in men. 2014 , 89, 1101-7		8
362	Circulating microRNAs as potential biomarkers of aerobic exercise capacity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H557-63	5.2	149
361	Can intensive exercise harm the heart? You can get too much of a good thing. 2014 , 130, 992-1002		82
360	High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: a systematic review and meta-analysis. 2014 , 48, 1227-34		667
359	Longitudinal algorithms to estimate cardiorespiratory fitness: associations with nonfatal cardiovascular disease and disease-specific mortality. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 2289-96	15.1	73
358	Associations of cardiorespiratory fitness with cardiovascular disease risk factors in middle-aged Chinese women: a cross-sectional study. 2014 , 14, 62		7
357	Test course navette de 20 metros con etapas de un minuto. Una idea original que perdura hace 30 a�s. 2014 , 49, 93-103		11
356	Dietary indices, cardiovascular risk factors and mortality in middle-aged adults: findings from the Aerobics Center Longitudinal Study. 2014 , 24, 297-303.e2		34
355	Exercise capacity and all-cause mortality in male veterans with hypertension aged ≥70 years. 2014 , 64, 30-5		39
354	Age-specific exercise capacity threshold for mortality risk assessment in male veterans. 2014 , 130, 653-8		45
353	Waist circumference and cardiorespiratory fitness are independently associated with glucose tolerance and insulin resistance in obese women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014 , 39, 358-62	3	5
352	Can a lifestyle intervention improve physical fitness in adolescents and young adults with spastic cerebral palsy? A randomized controlled trial. 2014 , 95, 1646-55		30
351	Physical activity: does environment make a difference for tension, stress, emotional outlook, and perceptions of health status?. 2014 , 11, 1503-11		16
350	Impact on physical fitness of exercise promotion service utilizing social media. <i>Biomedical Human Kinetics</i> , 2014 , 6,	0.8	
349	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. 2015 , 65, e731-8		30
348	Lifestyle and weight predictors of a healthy overweight profile over a 20-year follow-up. 2015 , 23, 1320-5		21
347	The effects of sedentary behavior on metabolic syndrome independent of physical activity and cardiorespiratory fitness. 2015 , 12, 68-73		34
346	Type 2 diabetes exaggerates exercise effort and impairs exercise performance in older women. 2015 , 3, e000124		21

345	Atrial Fibrillation in Athletes. 2015 , 23, 247-51		5
344	High prevalence of sedentary risk factors amongst university employees and potential health benefits of campus workplace exercise intervention. 2015 , 52, 589-95		15
343	The FORCE Fitness Profile--Adding a Measure of Health-Related Fitness to the Canadian Armed Forces Operational Fitness Evaluation. 2015 , 29 Suppl 11, S192-8		6
342	The controversial relationship between exercise and atrial fibrillation: clinical studies and pathophysiological mechanisms. 2015 , 16, 802-10		24
341	Association between cardiorespiratory fitness and submaximal systolic blood pressure among young adult men: a reversed J-curve pattern relationship. 2015 , 33, 2239-44		6
340	Physical Activity and Change in Long Distance Corridor Walk Performance in the Health, Aging, and Body Composition Study. 2015 , 63, 1348-54		16
339	Targeting Abdominal Adiposity and Cardiorespiratory Fitness in the Workplace. 2015 , 47, 1342-50		10
338	Efectos favorables de la actividad física regular motivada en el trabajo sobre la tensión arterial y el perfil lipídico. 2015 , 61, 162-171		
337	Moderate activity and fitness, not sedentary time, are independently associated with cardio-metabolic risk in U.S. adults aged 18-49. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 2330-43	4.6	32
336	Cardiorespiratory Fitness is a Strong Predictor of the Cardio-ankle Vascular Index in Hypertensive Middle-aged and Elderly Japanese Men. 2015 , 22, 379-89		8
335	Association between Changes in Muscle Quality with Exercise Training and Changes in Cardiorespiratory Fitness Measures in Individuals with Type 2 Diabetes Mellitus: Results from the HART-D Study. 2015 , 10, e0135057		13
334	Cardiorespiratory Adaptations during Concurrent Aerobic and Strength Training in Men and Women. 2015 , 10, e0139279		22
333	Association of Leisure-Time Physical Activity to Cardiovascular Disease Prevalence in Relation to Smoking among Adult Nevadans. 2015 , 10, e0128424		5
332	Effects of a 12-Week Hatha Yoga Intervention on Cardiorespiratory Endurance, Muscular Strength and Endurance, and Flexibility in Hong Kong Chinese Adults: A Controlled Clinical Trial. 2015 , 2015, 958727		14
331	Primary care physicians' practice regarding diabetes mellitus diagnosis, evaluation and management in the West region of Cameroon. <i>BMC Endocrine Disorders</i> , 2015 , 15, 18	3.3	16
330	Fitness of the US workforce. 2015 , 36, 131-49		23
329	Midlife Cardiorespiratory Fitness, Incident Cancer, and Survival After Cancer in Men: The Cooper Center Longitudinal Study. 2015 , 1, 231-7		100
328	Reduced fitness and abnormal cardiopulmonary responses to maximal exercise testing in children and young adults with sickle cell anemia. 2015 , 3, e12338		26

327	High-intensity interval exercise and cerebrovascular health: curiosity, cause, and consequence. 2015 , 35, 902-11		113
326	Systematic review of rehabilitation programmes initiated within 90 days of a transient ischaemic attack or 'minor' stroke: a protocol. 2015 , 5, e007849		6
325	Prognostic value of a negative peak supine bicycle stress echocardiography with or without concomitant ischaemic stress electrocardiographic changes: a cohort study. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 636-44	3.9	4
324	Maximal cardiac output in athletes: influence of age. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1588-600	3.9	7
323	Does Improving Exercise Capacity and Daily Activity Represent the Holistic Perspective of a New COPD Approach?. 2015 , 12, 575-81		12
322	What do we know about the cardiac benefits of exercise?. 2015 , 25, 529-36		36
321	Changes in mid-life fitness predicts heart failure risk at a later age independent of interval development of cardiac and noncardiac risk factors: the Cooper Center Longitudinal Study. 2015 , 169, 290-297.e1		61
320	Maximal oxidative capacity during exercise is associated with skeletal muscle fuel selection and dynamic changes in mitochondrial protein acetylation. 2015 , 21, 468-78		116
319	Risikofaktoren für Schlaganfall und ihre therapeutische Beeinflussung. 2015 , 16, 32-44		
318	Safety and feasibility of maximal physical testing in rheumatic diseases: a cross-sectional study with 5,910 assessments. 2015 , 35, 1027-36		2
317	A prospective study of fitness, fatness, and depressive symptoms. <i>American Journal of Epidemiology</i> , 2015 , 181, 311-20	3.8	30
316	Verfahren zur Diagnostik der körperlichen Fitness bei Erwachsenen. 2015 , 10, 192-196		
315	Cardiorespiratory fitness and cognitive function in midlife: neuroprotection or neuroselection?. 2015 , 77, 607-17		39
314	Association of Exercise Intolerance in Type 2 Diabetes With Skeletal Muscle Blood Flow Reserve. 2015 , 8, 913-21		21
313	Higher-Intensity Exercise Results in More Sustainable Improvements for VO ₂ peak for Breast and Prostate Cancer Survivors. 2015 , 42, 241-9		14
312	Normobaric Intermittent Hypoxia over 8 Months Does Not Reduce Body Weight and Metabolic Risk Factors--a Randomized, Single Blind, Placebo-Controlled Study in Normobaric Hypoxia and Normobaric Sham Hypoxia. 2015 , 8, 200-9		37
311	Fitness change effects on midlife metabolic outcomes. 2015 , 47, 967-73		6
310	Exercise capacity and risk of chronic kidney disease in US veterans: a cohort study. 2015 , 90, 461-8		41

309	The association of fitness with reduced cardiometabolic risk among smokers. 2015 , 48, 561-9		1
308	The impact of high-intensity interval training versus moderate-intensity continuous training on vascular function: a systematic review and meta-analysis. 2015 , 45, 679-92		326
307	Cardiorespiratory fitness and brain volume and white matter integrity: The CARDIA Study. 2015 , 84, 2347-53		38
306	The Clinician's Guide to the Treatment of Obesity. 2015 ,		2
305	The effect of a novel tactical training program on physical fitness and occupational performance in firefighters. 2015 , 29, 578-88		31
304	Atrial fibrillation and the athletic heart. 2015 , 30, 17-23		6
303	The association of cardiorespiratory fitness with endothelial or smooth muscle vasodilator function. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1200-11	3.9	36
302	Association of Cardiorespiratory Fitness With Coronary Heart Disease in Asymptomatic Men. 2015 , 90, 1372-9		29
301	Dose-Response Relationship Between Physical Activity and Risk of Heart Failure: A Meta-Analysis. 2015 , 132, 1786-94		162
300	Is a threshold-based model a superior method to the relative percent concept for establishing individual exercise intensity? a randomized controlled trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2015 , 7, 16	2.4	52
299	Independent Association of Muscular Strength and Carotid Intima-Media Thickness in Children. 2015 , 36, 624-30		11
298	Gewichtsreduktion: "Ohne Sport geht es nicht, aber wie soll man es tun?" 2015 , 40, 104-108		
297	Cardiorespiratory fitness attenuates risk for major adverse cardiac events in hyperlipidemic men and women independent of statin therapy: The Henry Ford Exercise Testing Project. 2015 , 170, 390-9		14
296	Higher Treadmill Training Intensity to Address Functional Aerobic Impairment after Stroke. 2015 , 24, 2539-46		28
295	Modulation of cardiovascular toxicity in Hodgkin lymphoma: potential role and mechanisms of aerobic training. 2015 , 11, 441-52		8
294	Associations of non-invasive measures of arterial structure and function, and traditional indicators of cardiovascular risk in adults with cerebral palsy. 2015 , 243, 462-5		15
293	Effects of Community Exercise Therapy on Metabolic, Brain, Physical, and Cognitive Function Following Stroke: A Randomized Controlled Pilot Trial. 2015 , 29, 623-35		74
292	Birthweight, body composition, and motor performance in 7- to 10-year-old children. 2015 , 57, 470-5		24

291	A lifestyle intervention improves fatigue, mental health and social support among adolescents and young adults with cerebral palsy: focus on mediating effects. 2015 , 29, 717-27		27
290	Exercise training in patients with heart disease: review of beneficial effects and clinical recommendations. 2015 , 57, 347-55		107
289	Exercise and cardiovascular risk in patients with hypertension. 2015 , 28, 147-58		86
288	Erectile Dysfunction in Hypertension and Cardiovascular Disease. 2015 ,		2
287	Effects of acute and chronic exercise in patients with essential hypertension: benefits and risks. 2015 , 28, 429-39		14
286	Healthy obese versus unhealthy lean: the obesity paradox. <i>Nature Reviews Endocrinology</i> , 2015 , 11, 55-62	5.2	140
285	Cardiorespiratory fitness and cardiovascular burden in chronic kidney disease. 2015 , 18, 492-7		29
284	Insulin resistance predicts early cardiovascular morbidity in men without diabetes mellitus, with effect modification by physical activity. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 940-9	3.9	13
283	Effect of weekly hiking on cardiovascular risk factors in the elderly. 2015 , 48, 150-3		7
282	Graded Exercise Testing Protocols for the Determination of VO _{max} : Historical Perspectives, Progress, and Future Considerations. 2016 , 2016, 3968393		101
281	Comparing Aging and Fitness Effects on Brain Anatomy. 2016 , 10, 286		22
280	FVB/NJ Mice Are a Useful Model for Examining Cardiac Adaptations to Treadmill Exercise. 2016 , 7, 636		14
279	The Effect of Atorvastatin on Habitual Physical Activity among Healthy Adults. 2016 , 48, 1-6		9
278	High Cardiorespiratory Fitness Levels Slow the Decline in Peak Heart Rate with Age. 2016 , 48, 73-81		11
277	Aortic augmentation index in endurance athletes: a role for cardiorespiratory fitness. 2016 , 116, 1537-44		15
276	Submaximal fitness and mortality risk reduction in coronary heart disease: a retrospective cohort study of community-based exercise rehabilitation. 2016 , 6, e011125		13
275	Physical activity in the prevention of coronary heart disease: implications for the clinician. 2016 , 102, 904-9		49
274	Lifestyle, Lipids, and Cardiovascular Risk Reduction in a Woman With Metabolically Unhealthy Normal Weight. <i>American Journal of Lifestyle Medicine</i> , 2016 , 10, 348-352		1.9

273	Selection-, age-, and exercise-dependence of skeletal muscle gene expression patterns in a rat model of metabolic fitness. 2016 , 48, 816-825		7
272	A review of weight loss and sarcopenia in patients with head and neck cancer treated with chemoradiation. 2016 , 1, 9		17
271	Healthy aging: exercise and nutrition as medicine for older adults. 2016 , 69-96		
270	12 min/week of high-intensity interval training reduces aortic reservoir pressure in individuals with metabolic syndrome: a randomized trial. 2016 , 34, 1977-87		15
269	Obesity and Cardiovascular Disease. 2016 , 118, 1752-70		496
268	Factores de riesgo cardiovascular y actividad física. 2016 , 37, 1-7		2
267	Twenty year fitness trends in young adults and incidence of prediabetes and diabetes: the CARDIA study. 2016 , 59, 1659-65		28
266	Cardiovascular training vs. resistance training for improving quality of life and physical function in patients with systemic lupus erythematosus: a randomized controlled trial: comments on the article by Abrfiao et al. 2016 , 45, 253-4		0
265	Exercise capacity and mortality - a follow-up study of 3033 subjects referred to clinical exercise testing. 2016 , 48, 359-66		20
264	The Hippo signal transduction network for exercise physiologists. 2016 , 120, 1105-17		21
263	Impact of a social media exercise service on individuals and employees. <i>Biomedical Human Kinetics</i> , 2016 , 8, 65-71	0.8	1
262	Physical activity increases survival after heart valve surgery. 2016 , 102, 1388-95		6
261	Approach to Erectile Dysfunction in Patients with Hypertension and Coronary Artery Disease. 2016 , 309-327		1
260	Long-term Change in Cardiorespiratory Fitness and All-Cause Mortality: A Population-Based Follow-up Study. 2016 , 91, 1183-8		93
259	Authors' reply. 2016 , 45, 254		
258	The effect of different volumes of high-intensity interval training on proinsulin in participants with the metabolic syndrome: a randomised trial. 2016 , 59, 2308-2320		31
257	Combined effects of exercise capacity and coronary atherosclerotic burden on all-cause mortality in asymptomatic Koreans. 2016 , 251, 396-403		11
256	Advanced Maternal Age and Offspring Outcomes: Reproductive Aging and Counterbalancing Period Trends. 2016 , 42, 69-94		51

255	Body Weight and Not Exercise Capacity Determines Central Systolic Blood Pressure, a Surrogate for Arterial Stiffness, in Children and Adolescents. 2016 , 18, 762-5		11
254	Effects of matched weight loss from calorie restriction, exercise, or both on cardiovascular disease risk factors: a randomized intervention trial. 2016 , 104, 576-86		62
253	Effects of a high-intensity interval training program versus a moderate-intensity continuous training program on maximal oxygen uptake and blood pressure in healthy adults: study protocol for a randomized controlled trial. 2016 , 17, 413		7
252	Behavioral Cardiovascular Risk Factors - Effect of Physical Activity and Cardiorespiratory Fitness on Cardiovascular Outcomes. 2016 , 80, 34-43		14
251	Community-Based Culturally Preferred Physical Activity Intervention Targeting Populations at High Risk for Type 2 Diabetes: Results and Implications. 2016 , 40, 561-569		3
250	Association of the magnitude of weight loss and changes in physical fitness with long-term cardiovascular disease outcomes in overweight or obese people with type 2 diabetes: a post-hoc analysis of the Look AHEAD randomised clinical trial. 2016 , 4, 913-921		282
249	Effect of Active Workstation on Energy Expenditure and Job Performance: A Systematic Review and Meta-analysis. 2016 , 13, 562-71		17
248	Changes in aerobic capacity and glycaemic control in response to reduced-exertion high-intensity interval training (REHIT) are not different between sedentary men and women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, 1117-1123	3	38
247	Fattori di rischio cardiovascolare e attivit^ fisica. 2016 , 23, 1-6		
246	[Cardiovascular prevention and regular physical exercise : Activity and training as the true "polypill"]. 2016 , 41, 664-670		8
245	Replicating Cardiovascular Condition-Birth Month Associations. 2016 , 6, 33166		14
244	Neighborhood environment correlates of physical activity and sedentary behavior among Latino adults in Massachusetts. <i>BMC Public Health</i> , 2016 , 16, 966	4.1	24
243	Association of Physical Activity and Inflammation With All-Cause, Cardiovascular-Related, and Cancer-Related Mortality. 2016 , 91, 1706-1716		22
242	Systemic blockade of ACVR2B ligands prevents chemotherapy-induced muscle wasting by restoring muscle protein synthesis without affecting oxidative capacity or atrogenes. 2016 , 6, 32695		40
241	Life-Space Mobility and Mortality in Older Women: Prospective Results from the Study of Osteoporotic Fractures. 2016 , 64, 2226-2234		22
240	Exercise Dose in Clinical Practice. 2016 , 133, 2297-313		84
239	12 weeks of Brazilian jiu-jitsu training improves functional fitness in elderly men. 2016 , 12, 291-295		8
238	The Role of Exercise in Cardiac Aging: From Physiology to Molecular Mechanisms. 2016 , 118, 279-95		69

237	"My hair or my health:" Overcoming barriers to physical activity in African American women with a focus on hairstyle-related factors. 2016 , 56, 428-47	22
236	Exercise-induced skeletal muscle signaling pathways and human athletic performance. 2016 , 98, 131-143	68
235	Effects of a one-year physical activity programme for women with systemic lupus erythematosus - a randomized controlled study. 2016 , 25, 602-16	30
234	High Exercise Capacity Attenuates the Risk of Early Mortality After a First Myocardial Infarction: The Henry Ford Exercise Testing (FIT) Project. 2016 , 91, 129-39	18
233	Aerobic fitness in late adolescence and the risk of early death: a prospective cohort study of 1.3 million Swedish men. 2016 , 45, 1159-1168	71
232	Sports-Based Health Interventions. 2016 ,	4
231	Addition of Cardiorespiratory Fitness Within an Obesity Risk Classification Model Identifies Men at Increased Risk of All-Cause Mortality. 2016 , 129, 536.e13-20	10
230	The Antioxidant Effect of Exercise: A Systematic Review and Meta-Analysis. 2017 , 47, 277-293	130
229	Cardiorespiratory fitness is positively associated with increased pancreatic beta cell function independent of fatness in individuals with the metabolic syndrome: Fitness versus fatness. 2017 , 20, 45-49	9
228	Exercise Guidelines to Promote Cardiometabolic Health in Spinal Cord Injured Humans: Time to Raise the Intensity?. 2017 , 98, 1693-1704	47
227	Reference values for and cross-validation of time to exhaustion on a modified Balke protocol in Norwegian men and women. 2017 , 27, 1248-1257	10
226	Association between Cardiorespiratory Fitness and Lung Health from Young Adulthood to Middle Age. 2017 , 195, 1236-1243	23
225	Efficacy of rhythmic exercise and walking exercise in older adults' exercise participation rates and physical function outcomes. 2017 , 17, 2311-2318	2
224	Maternal exercise upregulates mitochondrial gene expression and increases enzyme activity of fetal mouse hearts. 2017 , 5, e13184	19
223	Effects of depression, metabolic syndrome, and cardiorespiratory fitness on mortality: results from the Cooper Center Longitudinal Study. 2017 , 47, 2414-2420	9
222	A comparison of dicarbonyl stress and advanced glycation endproducts in lifelong endurance athletes vs. sedentary controls. 2017 , 20, 921-926	12
221	Exercise and Male Hypogonadism: Testosterone, the Hypothalamic-Pituitary-Testicular Axis, and Exercise Training. 2017 , 257-280	2
220	Impaired popliteal artery flow-mediated dilation caused by reduced daily physical activity is prevented by increased shear stress. 2017 , 123, 49-54	25

219	Cardiorespiratory Fitness and Incidence of Major Adverse Cardiovascular Events in US Veterans: A Cohort Study. 2017 , 92, 39-48		51
218	Aging of Competitive Athletes. 2017 , 63, 488-494		11
217	Low-Volume High-Intensity Interval Training Is Sufficient to Ameliorate the Severity of Metabolic Syndrome. 2017 , 15, 319-328		33
216	Physical Activity, Aging, and Physiological Function. 2017 , 32, 152-161		74
215	Exoskeleton plantarflexion assistance for elderly. 2017 , 52, 183-188		38
214	Impact of physical activity on cardiovascular status in obesity. 2017 , 47, 167-175		7
213	The feasibility and acceptability of high-intensity interval training for adults with mental illness: A pilot study. 2017 , 13, 40-48		14
212	Study protocol for the FITR Heart Study: Feasibility, safety, adherence, and efficacy of high intensity interval training in a hospital-initiated rehabilitation program for coronary heart disease. 2017 , 8, 181-191		9
211	Physical Inactivity and the Economic and Health Burdens Due to Cardiovascular Disease: Exercise as Medicine. 2017 , 999, 3-18		10
210	The effect of progressive resistance training on aerobic fitness and strength in adults with coronary heart disease: A systematic review and meta-analysis of randomised controlled trials. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1242-1259	3.9	52
209	Effect of a Behavioral Intervention Strategy for Adoption and Maintenance of a Physically Active Lifestyle: The Italian Diabetes and Exercise Study 2 (IDES_2): A Randomized Controlled Trial. 2017 , 40, 1444-1452		18
208	Relation Between a Simple Lifestyle Risk Score and Established Biological Risk Factors for Cardiovascular Disease. 2017 , 120, 1939-1946		12
207	Prevalence of stroke and associated risk factors: a population based cross sectional study from northeast China. 2017 , 7, e015758		40
206	Intensive Exercise Training Improves Cardiac Electrical Stability in Myocardial-Infarcted Rats. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	6
205	Jogging and mortality: is there a U-shaped curve?. 2017 , 18 Suppl 1, e177-e179		1
204	Addition of estimated cardiorespiratory fitness to the clinical assessment of 10-year coronary heart disease risk in asymptomatic men. <i>Preventive Medicine Reports</i> , 2017 , 7, 30-37	2.6	8
203	Prognostic value of exercise capacity among men undergoing pharmacologic treatment for erectile dysfunction: The FIT Project. 2017 , 40, 1049-1054		8
202	Nonexercise Estimated Cardiorespiratory Fitness and Mortality Due to All Causes and Cardiovascular Disease: The NHANES III Study. 2017 , 1, 16-25		16

201	A higher effort-based paradigm in physical activity and exercise for public health: making the case for a greater emphasis on resistance training. <i>BMC Public Health</i> , 2017 , 17, 300	4.1	66
200	Vascular Function and Structure in Veteran Athletes after Myocardial Infarction. 2017 , 49, 21-28		5
199	Exercise Capacity, Heart Failure Risk, and Mortality in Older Adults: The Health ABC Study. 2017 , 52, 144-153		9
198	Muscular strength and endurance and cardio-metabolic health in disadvantaged Hispanic children from the U.S. <i>Preventive Medicine Reports</i> , 2017 , 5, 21-26	2.6	8
197	Dispositional self-control: relationships with aerobic capacity and morning surge in blood pressure. 2017 , 20, 29-35		4
196	Commercially available lifestyle modification program: randomized controlled trial addressing heart and bone health in BRCA1/2+ breast cancer survivors after risk-reducing salpingo-oophorectomy. 2017 , 11, 246-255		12
195	Optimising secondary prevention in the acute period following a TIA of ischaemic origin. 2016 , 2, e000161		3
194	Health promotion for young patients with haemophilia. Counselling, adjuvant exercise therapy and school sports. 2017 , 37, 107-116		2
193	2. Körperliche Aktivität und Training in der Prävention bei Gesunden. 2017 ,		
192	Cardiorespiratory fitness, muscle strength and risk of cardiovascular outcomes. 2017 , 1, 60-60		1
191	A Systematic Review and Meta-Analysis of Proteomics Literature on the Response of Human Skeletal Muscle to Obesity/Type 2 Diabetes Mellitus (T2DM) Versus Exercise Training. 2017 , 5,		15
190	Assessment of peak oxygen uptake during handcycling: Test-retest reliability and comparison of a ramp-incremented and perceptually-regulated exercise test. 2017 , 12, e0181008		8
189	Sedentary Behavior and Cardiovascular Disease Risk Factors among Latino Adults. 2017 , 28, 798-811		8
188	Short-term combined exercise training improves cardiorespiratory fitness and autonomic modulation in cancer patients receiving adjuvant therapy. 2017 , 13, 599-607		6
187	Unobtrusive Estimation of Cardiorespiratory Fitness with Daily Activity in Healthy Young Men. 2017 , 32, 1947-1952		2
186	The Inverse Relationship between Cardiorespiratory Fitness and Intima-Media Thickness with Prehypertensive Middle-Aged Women. 2017 , 243, 283-288		2
185	Relation of Coronary Artery Diameters With Cardiorespiratory Fitness. 2018 , 121, 1065-1071		2
184	Does provider advice to increase physical activity differ by activity level among US adults with cardiovascular disease risk factors?. 2018 , 35, 420-425		5

183	Physical activity to improve health: do not forget that the lungs benefit too. 2018 , 51,		2
182	Improvements in fitness are not obligatory for exercise training-induced improvements in CV risk factors. 2018 , 6, e13595		8
181	Exercise in patients with hypertension and chronic kidney disease: a randomized controlled trial. 2018 , 32, 397-407		18
180	Exercise and Positive Living in Human Immunodeficiency Virus/AIDS. 2018 , 53, 1-11		3
179	Validation of the Stanford Leisure-Time Activity Categorical Item (L-Cat) using armband activity monitor data. 2018 , 4, 276-282		8
178	The contribution of physical fitness to individual and ethnic differences in risk markers for type 2 diabetes in children: The Child Heart and Health Study in England (CHASE). <i>Pediatric Diabetes</i> , 2018 , 19, 603-610	3.6	5
177	Evaluation of the convergent validity of an estimated cardiorespiratory fitness algorithm. 2018 , 118, 629-636		5
176	EX-MET study: exercise in prevention on of metabolic syndrome - a randomized multicenter trial: rationale and design. <i>BMC Public Health</i> , 2018 , 18, 437	4.1	19
175	The effect of eicosapentaenoic and docosahexaenoic acids on physical function, exercise, and joint replacement in patients with coronary artery disease: A secondary analysis of a randomized clinical trial. 2018 , 12, 937-947.e2		6
174	Does obesity attenuate the beneficial cardiovascular effects of cardiorespiratory fitness?. 2018 , 272, 21-26		3
173	Cardiometabolic risk factors, physical activity and psychiatric status in patients in long-term psychiatric inpatient departments. 2018 , 72, 296-302		31
172	Adaptations to endurance training depend on exercise-induced oxidative stress: exploiting redox interindividual variability. 2018 , 222, e12898		61
171	Association of perceived physical health and physical fitness in two Swedish national samples from 1990 and 2015. 2018 , 28, 717-724		10
170	The Effect of Physical Activity and Cardiorespiratory Fitness on All-Cause Mortality in Hong Kong Chinese Older Adults. 2018 , 73, 1132-1137		1
169	Exercise Performance Impairments and Benefits of Exercise Training in Diabetes. 2018 , 83-108		1
168	The Andersen aerobic fitness test: New peak oxygen consumption prediction equations in 10 and 16-year olds. 2018 , 28, 862-872		9
167	Patient preference and timing for exercise in breast cancer care. 2018 , 26, 507-514		7
166	Computationally Efficient Estimation for the Generalized Odds Rate Mixture Cure Model with Interval-Censored Data. 2018 , 27, 48-58		11

165	Cardiorespiratory Adaptations in Elderly Men Following Different Concurrent Training Regimes. 2018 , 22, 483-490		12
164	Balancing exercise risk and benefits: lessons learned from sickle cell trait and sickle cell anemia. 2018 , 2018, 418-425		12
163	V/VCO slope in lean and overweight women and its relationship to lean leg mass. 2018 , 21, 107-110		2
162	Changes in Metabolic Syndrome Severity Following Individualized Versus Standardized Exercise Prescription: A Feasibility Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	7
161	Inflammation-Accelerated Senescence and the Cardiovascular System: Mechanisms and Perspectives. 2018 , 19,		32
160	Walking activity during ambulant cardiac rehabilitation is related to maximum working capacity, age, and smoking behavior. 2018 , 14, 361-369		4
159	Relationship between exclusive breast feeding and cardiorespiratory fitness in children and adolescents: a protocol for a systematic review and meta-analysis. 2018 , 8, e023223		1
158	Reprint of: Promoting Physical Activity and Exercise: JACC Health Promotion Series. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 3053-3070	15.1	25
157	Association between activity energy expenditure and peak oxygen consumption with sarcopenia. 2018 , 18, 298		6
156	Reference values for cardiometabolic risk scores in children and adolescents: Suggesting a common standard. 2018 , 278, 299-306		33
155	Promoting Physical Activity and Exercise: JACC Health Promotion Series. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1622-1639	15.1	217
154	Alignment of diet prescription to genotype does not promote greater weight loss success in women with obesity participating in an exercise and weight loss program. 2018 , 4, 554-574		3
153	Cardiovascular Effects and Benefits of Exercise. 2018 , 5, 135		176
152	Combined association of cardiorespiratory fitness and family history of hypertension on the incidence of hypertension: a long-term cohort study of Japanese males. 2018 , 41, 1063-1069		7
151	Interventions to promote cardiometabolic health and slow cardiovascular ageing. 2018 , 15, 566-577		40
150	A New Framework for the Integrative Analytics of Intravascular Ultrasound and Optical Coherence Tomography Images. 2018 , 6, 36408-36419		16
149	Socioeconomic Status and Cardiovascular Outcomes: Challenges and Interventions. 2018 , 137, 2166-2178		309
148	Objective measurement of physical activity outcomes in lifestyle interventions among adults: A systematic review. <i>Preventive Medicine Reports</i> , 2018 , 11, 74-80	2.6	58

147	Association of Midlife Cardiorespiratory Fitness With Incident Depression and Cardiovascular Death After Depression in Later Life. 2018 , 75, 911-917		28
146	Exercise Prescriptions for Patients/Athletes with Coronary Artery Disease. 2018 , 69-94		
145	Adult Stem Cells in Vascular Remodeling. 2018 , 8, 815-829		27
144	JNK regulates muscle remodeling via myostatin/SMAD inhibition. 2018 , 9, 3030		43
143	Managing Cardiovascular Disease in Sport and Athletes. 2018 , 302-315		
142	Exercise capacity and clinical outcomes in adults followed in the Cooperative Study of Sickle Cell Disease (CSSCD). 2018 , 101, 532-541		5
141	The Joint Association of Fitness and Fatness on Cardiovascular Disease Mortality: A Meta-Analysis. 2018 , 61, 136-141		45
140	Adenosine 5'-Triphosphate Metabolism in Red Blood Cells as a Potential Biomarker for Post-Exercise Hypotension and a Drug Target for Cardiovascular Protection. 2018 , 8,		8
139	Associations between maternal physical activity and fitness during pregnancy and infant birthweight. <i>Preventive Medicine Reports</i> , 2018 , 11, 1-6	2.6	1
138	Heart Rate and Perceived Experience Differ Markedly for Children in Same- versus Mixed-Gender Soccer Played as Small- and Large-Sided Games. 2018 , 2018, 7804642		3
137	Exercise Deficiency Diseases of Ageing: The Primacy of Exercise and Muscle Strengthening as First-Line Therapeutic Agents to Combat Frailty. 2018 , 19, 741-743		21
136	Physical fitness is a modifiable predictor of early cardiovascular death: A 35-year follow-up study of 2014 healthy middle-aged men. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1655-1663	3.9	20
135	High Body Mass Index Masks Body Composition Differences in Physically Active Versus Sedentary Participants. 2018 , 16, 483-489		1
134	Validity of a customized submaximal treadmill protocol for determining VO. 2018 , 118, 1781-1787		6
133	Applying Precision Medicine to Healthy Living for the Prevention and Treatment of Cardiovascular Disease. 2018 , 43, 448-483		16
132	Maternal physical activity prior to and during pregnancy does not moderate the relationship between maternal body mass index and infant macrosomia. 2019 , 22, 186-190		0
131	Meta-analysis of physical activity and effects of social function and quality of life on the physical activity in patients with schizophrenia. 2019 , 269, 517-527		16
130	Physical fitness and activity, metabolic profile, adipokines and endothelial function in children. 2019 , 95, 531-537		4

129	The effect of a multidisciplinary intervention program for overweight and obese children on cardiorespiratory fitness and blood pressure. 2019 , 36, 147-153			1
128	Relationship between physical activity, body mass index (BMI) and lipid profile of students in Ghana. 2019 , 33, 30			2
127	Relevance of physical function in the association of red and processed meat intake with all-cause, cardiovascular, and cancer mortality. 2019 , 29, 1308-1315			6
126	Commentary on Wang Y et al. "An Overview of Non-exercise Estimated Cardiorespiratory Fitness: Estimation Equations, Cross-Validation and Application" 2019 , 1, 94-95			3
125	An Overview of Non-exercise Estimated Cardiorespiratory Fitness: Estimation Equations, Cross-Validation and Application. 2019 , 1, 38-53			11
124	Perceived stress, exercise habits, and exercise addiction in Israeli army reserves: A pilot study. 2019 , 31, 355-362			1
123	Aging Immunity and the Impact of Physical Exercise. 2019 , 2823-2879			
122	Peak aerobic capacity from incremental shuttle walk test in chronic kidney disease. 2019 , 45, 185-192			2
121	Assessing physiological response mechanisms and the role of psychosocial job resources in the physical activity health paradox: study protocol for the Flemish Employees' Physical Activity (FEPA) study. <i>BMC Public Health</i> , 2019 , 19, 765	4.1		11
120	Older people's experiences of falls-prevention exercise interventions and implications for practice; a qualitative study. 2019 , 20, e103			1
119	Active women over 50: study protocol for RCT of a low-dose information and support program to promote physical activity behaviour change. <i>BMC Public Health</i> , 2019 , 19, 1225	4.1		4
118	Physical fitness and activity, metabolic profile, adipokines and endothelial function in children. 2019 , 95, 531-537			
117	Effects of different protocols of high intensity interval training for VO _{max} improvements in adults: A meta-analysis of randomised controlled trials. 2019 , 22, 941-947			63
116	Association of Fitness With Racial Differences in Chronic Kidney Disease. 2019 , 57, 68-76			0
115	A varying-coefficient generalized odds rate model with time-varying exposure: An application to fitness and cardiovascular disease mortality. 2019 , 75, 853-863			0
114	Personalized Moderate-Intensity Exercise Training Combined with High-Intensity Interval Training Enhances Training Responsiveness. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6		11
113	Effect of fitness on cardiac structure and function in overweight and obesity (the FATCOR study). 2019 , 29, 710-717			5
112	Cardiorespiratory Fitness and the Risk of First Acute Myocardial Infarction: The HUNT Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e010293	6		13

111	Lifetime predictors of stroke in subjects without a diagnosis of hypertension: the aerobics center longitudinal study. 2019 , 15, 849-856	
110	Physical Activity, Cardiorespiratory Fitness, and Health: A Historical Perspective. 2019 , 1-9	
109	Physical Activity, Fitness, and Coronary Heart Disease. 2019 , 295-318	0
108	Cardiorespiratory Fitness in the Context of Cardiac Rehabilitation. 2019 , 389-404	
107	High-intensity interval exercise promotes post-exercise hypotension of greater magnitude compared to moderate-intensity continuous exercise. 2019 , 119, 1235-1243	19
106	Age-Related Improvements in Peak Cardiorespiratory Fitness among Coronary Heart Disease Patients Following Cardiac Rehabilitation. 2019 , 8,	2
105	Firefighters' basal cardiac autonomic function and its associations with cardiorespiratory fitness. 2019 , 62, 485-495	13
104	Reviews on Biomarker Studies of Metabolic and Metabolism-Related Disorders. 2019 ,	3
103	Genetic Factors Associated With Human Physical Activity: Are Your Genes Too Tight To Prevent You Exercising?. 2019 , 160, 840-852	11
102	Impact of Exercise on Inflammatory Mediators of Metabolic and Vascular Insulin Resistance in Type 2 Diabetes. 2019 , 1134, 271-294	2
101	Objectively Assessed Daily Steps-Not Light Intensity Physical Activity, Moderate-to-Vigorous Physical Activity and Sedentary Time-Is Associated With Cardiorespiratory Fitness in Patients With Schizophrenia. 2019 , 10, 82	5
100	Precision exercise medicine: understanding exercise response variability. 2019 , 53, 1141-1153	89
99	Cross-sectional and longitudinal association of non-exercise estimated cardiorespiratory fitness with depression and anxiety in the general population: The HUNT study. 2019 , 252, 122-129	13
98	Curing breast cancer and killing the heart: A novel model to explain elevated cardiovascular disease and mortality risk among women with early stage breast cancer. 2019 , 62, 116-126	28
97	Exercise and Arterial Modulation in Children: The EXAMIN YOUTH Study. 2019 , 10, 43	10
96	References. 2019 , 415-510	
95	Tailoring Assessments and Prescription in Cardiac Rehabilitation for Older Adults: The Relevance of Geriatric Domains. 2019 , 35, 423-443	3
94	Metabolomics of Aerobic Exercise in Chronic Stroke Survivors: A Pilot Study. 2019 , 28, 104453	5

93	High-Intensity Single-Leg Cycling Improves Cardiovascular Disease Risk Factor Profile. 2019 , 51, 2234-2242		1
92	Inter-Individual Variability in Metabolic Syndrome Severity Score and V _O max Changes Following Personalized, Community-Based Exercise Programming. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
91	The clinical, functional and disability characteristics of patients with severe obesity presenting for non-bariatric surgery. 2019 , 47, 522-531		3
90	Effectiveness of Aerobic Exercise Programs for Health Promotion in Metabolic Syndrome. 2019 , 51, 1876-1883	21	
89	High-Intensity Interval Training Is Feasible in Women at High Risk for Breast Cancer. 2019 , 51, 2193-2200		4
88	Do Non-Responders to Exercise Exist-and If So, What Should We Do About Them?. 2019 , 49, 1-7		62
87	Exploring the underlying biology of intrinsic cardiorespiratory fitness through integrative analysis of genomic variants and muscle gene expression profiling. 2019 , 126, 1292-1314		11
86	Cardiorespiratory Fitness and Risk of All-Cause, Cardiovascular Disease, and Cancer Mortality in Men With Musculoskeletal Conditions. 2019 , 16, 134-140		2
85	Decline in cardiorespiratory fitness in the Swedish working force between 1995 and 2017. 2019 , 29, 232-239		41
84	Arterial Stiffness is Related to Impaired Exercise Capacity in Patients With Coronary Artery Disease and History of Myocardial Infarction. 2019 , 28, 1614-1621		5
83	Cardiac Rehabilitation: New Emphasis on Metabolic Disease. 2019 , 311-322		1
82	Associations of Objectively Measured Vigorous Physical Activity With Body Composition, Cardiorespiratory Fitness, and Cardiometabolic Health in Youth: A Review. <i>American Journal of Lifestyle Medicine</i> , 2019 , 13, 61-97	1.9	22
81	Effects of a Sprint Interval and Resistance Concurrent Exercise Training Program on Aerobic Capacity of Inactive Adult Women. 2019 , 33, 1640-1647		1
80	Left Ventricular Dysfunction and Exercise Capacity Trajectory: Implications for Subclinical Heart Failure Staging Criteria. 2019 , 12, 798-806		2
79	High-intensity interval training improves inflammatory and adipokine profiles in postmenopausal women with metabolic syndrome. 2019 , 125, 85-91		15
78	Superior Aerobic Capacity and Indices of Skeletal Muscle Morphology in Chronically Trained Master Endurance Athletes Compared With Untrained Older Adults. 2020 , 75, 1079-1088		11
77	Consequences on aging process and human wellness of generation of nitrogen and oxygen species during strenuous exercise. 2020 , 23, 14-22		12
76	Comparison of heart rate reserve, age predicted maximum heart rate and rate pressure product as predictors of future cardiovascular events following a negative dobutamine stress echocardiogram. 2019 , 1-8		

75	Effects of the Active Smarter Kids (ASK) physical activity intervention on cardiometabolic risk factors in children: A cluster-randomized controlled trial. 2020 , 130, 105868		3
74	Land-walking vs. water-walking interventions in older adults: Effects on aerobic fitness. <i>Journal of Sport and Health Science</i> , 2020 , 9, 274-282	8.2	6
73	Association of fitness and body fatness with left ventricular mass: The Heart Health Study. 2020 , 6, 19-27		4
72	The 6-minute walk test is a good predictor of cardiorespiratory fitness in childhood cancer survivors when access to comprehensive testing is limited. 2020 , 147, 847-855		9
71	ADDING A NEW TECHNIQUE TO ASSESS VISCERAL OBESITY TO YOUR REPERTOIRE. 2020 , 24, 19-25		2
70	Cardiovascular Testing Detects Underlying Dysfunction in Childhood Leukemia Survivors. 2020 , 52, 525-534		1
69	Capacidad aerbica en escolares de Educaci3n Primaria determinada mediante el test Course Navette: una revisi3n sistem3tica. 2020 , 23,		
68	Association Between Moderate-to-Vigorous Physical Activity and the Risk of Major Adverse Cardiovascular Events or Mortality in People With Various Metabolic Syndrome Status: A Nationwide Population-Based Cohort Study Including 6 Million People. <i>Journal of the American Heart Association</i> , 2020 , 9, e016886	6	4
67	Effect of Different Volumes of Interval Training and Continuous Exercise on Interleukin-22 in Adults with Metabolic Syndrome: A Randomized Trial. 2020 , 13, 2443-2453		1
66	Isotemporal substitution of sedentary behavior for physical activity on cardiorespiratory fitness in children and adolescents. 2020 , 99, e21367		2
65	Cardiorespiratory fitness assessment among firefighters: Is the non-exercise estimate accurate?. 2020 , 67, 173-183		1
64	Effect of academic stress on physical activity level and cognitive functions in first year medical students: An observational study. <i>Asian Journal of Medical Sciences</i> , 2020 , 11, 8-11	0.4	1
63	Effects of a Supervised Nordic Walking Program on Obese Adults with and without Type 2 Diabetes: The C.U.R.I.A.Mo. Centre Experience. <i>Journal of Functional Morphology and Kinesiology</i> , 2020 , 5,	2.4	3
62	Association between change in cardiorespiratory fitness and incident hypertension in Swedish adults. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 1515-1522	3.9	10
61	Aerobics - decades of data for future hypothesis-testing research. <i>Nature Reviews Endocrinology</i> , 2020 , 16, 627-628	15.2	
60	Generalized Approach to Translating Exercise Tests and Prescribing Exercise. <i>Journal of Functional Morphology and Kinesiology</i> , 2020 , 5,	2.4	4
59	Development and Evaluation of a Classified and Tailored Community-Based Exercise Program According to the Mobility Level of People with Stroke Using the Knowledge to Action Framework. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	
58	Cardiac endurance training alters plasma profiles of circular RNA MBOAT2. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 319, H13-H21	5.2	8

57	Exercise-induced oxidative stress: Friend or foe?. <i>Journal of Sport and Health Science</i> , 2020 , 9, 415-425	8.2	91
56	A Longitudinal Study of a Multicomponent Exercise Intervention with Remote Guidance among Breast Cancer Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7
55	Long-term effects of group exercise intervention on maximal step-up height in middle-aged female primary care patients with obesity and other cardio-metabolic risk factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020 , 12, 11	2.4	1
54	Research in preventive cardiology: Quo vadis?. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 177-180	3.9	0
53	Exercise Capacity, Coronary Artery Fatty Plaque, Coronary Calcium Score, and Cardiovascular Events in Subjects With Stable Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e014919	6	5
52	Are Physical Fitness and CRP Related to Framingham Risk Score in HIV+ Adults?. <i>American Journal of Lifestyle Medicine</i> , 2022 , 16, 229-240	1.9	
51	Effect of Community Exercise for Patients with Stroke: A Systematic Review and Meta-analysis. <i>Physikalische Medizin Rehabilitationsmedizin Kurortmedizin</i> , 2020 , 30, 80-85	0.5	0
50	Impact of unhealthy lifestyle on cardiorespiratory fitness and heart rate recovery of medical science students. <i>BMC Public Health</i> , 2020 , 20, 1012	4.1	4
49	Exercise cardiac power and the risk of heart failure in men: A population-based follow-up study.. <i>Journal of Sport and Health Science</i> , 2022 , 11, 266-271	8.2	0
48	Positive Association of Dietary Inflammatory Index with Incidence of Cardiovascular Disease: Findings from a Korean Population-Based Prospective Study. <i>Nutrients</i> , 2020 , 12,	6.7	5
47	Validation of Maximal, Submaximal, and Nonexercise Indirect [Formula: see text]Omax Estimations at 2600 m Altitude. <i>High Altitude Medicine and Biology</i> , 2020 , 21, 135-143	1.9	0
46	Relevance of Fitness to Mortality Risk in Men Receiving Contemporary Medical Care. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1538-1547	15.1	5
45	Association between lipoprotein lipase gene polymorphisms and cardiovascular disease risk factors in European adolescents: The Healthy Lifestyle in Europe by Nutrition in Adolescence study. <i>Pediatric Diabetes</i> , 2020 , 21, 747-757	3.6	1
44	Effects of Ashwagandha () on VO: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2020 , 12,	6.7	5
43	Differential relationships between waist circumference and cardiorespiratory fitness among people with and without type 2 diabetes. <i>Preventive Medicine Reports</i> , 2020 , 18, 101083	2.6	3
42	Cardiovascular Disease and All-Cause Mortality in Male Twins With Discordant Cardiorespiratory Fitness: A Nationwide Cohort Study. <i>American Journal of Epidemiology</i> , 2020 , 189, 1114-1123	3.8	2
41	Integrating Exercise Counseling Into the Medical School Curriculum: A Workshop-Based Approach Using Behavior Change Techniques. <i>American Journal of Lifestyle Medicine</i> , 2021 , 15, 84-107	1.9	2
40	The effect of caloric restriction on blood pressure and cardiovascular function: A systematic review and meta-analysis of randomized controlled trials. <i>Clinical Nutrition</i> , 2021 , 40, 728-739	5.9	9

39	Assessing the utility of cardiorespiratory fitness, visceral fat, and liver fat in predicting changes in insulin sensitivity beyond simple changes in body weight after exercise training in adolescents. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 55-62	3	2
38	The Role of Individualized Exercise Prescription in Type 2 Diabetes Mellitus Management. <i>European Endocrinology</i> , 2021 , 1, 2	3.4	78
37	Low physical activity is associated with impaired endothelial function in patients with type 2 diabetes and controls after 5 years of follow-up. <i>BMC Endocrine Disorders</i> , 2021 , 21, 189	3.3	3
36	Cardiorespiratory Fitness and the Metabolic Syndrome. 165-176		1
35	Metabolic Syndrome. 2008 , 33-50		1
34	Hemophilia and Exercise Project (HEP) Conception and Contents of a Programmed Sports Therapy for Hemophilic Patients. 2008 , 45-59		2
33	Promoting Physical Activity Through Internet: A Persuasive Technology View. <i>Lecture Notes in Computer Science</i> , 2007 , 12-17	0.9	8
32	Causal ordering of physical self-concept and exercise behavior: reciprocal effects model and the influence of physical education teachers. <i>Health Psychology</i> , 2006 , 25, 316-28	5	71
31	A simple walk test to guide exercise programming of the elderly. <i>American Journal of Physical Medicine and Rehabilitation</i> , 1997 , 76, 208-12	2.6	12
30	Effects of short- and long-term exercise on urinary cGMP excretion in healthy subjects and in patients with coronary artery disease. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 35, 891-6	3.1	1
29	Modified protocols for cardiovascular rehabilitation and program efficacy. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2001 , 21, 374-6		4
28	Constitution or Environment? The Basis of Regional and Ethnic Differences in the Interactions among Gender, Age, and Functional Capacity. 2001 , 55-92		4
27	Predicting oxygen uptake responses during cycling at varied intensities using an artificial neural network. <i>Biomedical Human Kinetics</i> , 2019 , 11, 60-68	0.8	6
26	Sports medicine in pediatric practice: keeping pace with the changing times. <i>Pediatric Annals</i> , 2000 , 29, 146-8	1.3	3
25	Physical activity and cardiovascular health in children. <i>Pediatric Annals</i> , 2006 , 35, 814-8, 820-1	1.3	1
24	????????? : ??????, ???:??? : 2.??? "?????" : ?????????(??63? ??????????). <i>Journal of JCS Cardiologists</i> , 2000 , 8, 63-68	0.1	
23	Coenzyme Q and Antioxidant Potential in Athletes. <i>Modern Nutrition</i> , 2000 , 345-355		
22	Promotion of Work Ability during Aging. 2002 , 38-54		

- 21 Addendum to Chapter 19. **2005**, 286-290
- 20 Physical Activity and Exercise in the Obese. **2007**, 185-201
- 19 Utility of Graded Exercise Testing in the Cardiac Rehabilitation Setting. **2007**, 103-109 1
- 18 Nutrition and Heart Disease. *Exercise Physiology*, **2007**, 141-165
- 17 ??????????????????????????. [Minzoku Eisei] *Race Hygiene*, **2008**, 74, 45-54
- 16 The Role of Obesity in Insulin Resistance. **2008**, 37-55
- 15 Design of Present-Day Epidemiologic Studies of Physical Activity and Health. **2008**, 100-123
- 14 References. **2011**, 283-360
- 13 Front Matter. **2011**, i-xxiv
- 12 Influence of Cardiorespiratory Fitness and Drinking Habits on Total Cancer Mortality: A Cohort Study of Japanese Man. *Japanese Journal of Physical Fitness and Sports Medicine*, **2013**, 62, 375-381 0.1
- 11 Atherosclerosis. **2014**, 133-210
- 10 Students' job-related physical condition. How fit are they?. *Timisoara Physical Education and Rehabilitation Journal*, **2017**, 10, 33-38 0
- 9 Bayesian Estimations of Exponential Distribution Based on Interval-Censored Data with a Cure Fraction. *Journal of Mathematics*, **2021**, 2021, 1-11 1.2
- 8 Physical Activity. **2006**, 37-47
- 7 Medizinische Trainingstherapie und Dekonditionierung. **2005**, 93-108
- 6 Exercise as an Approach to Obesity and the Metabolic Syndrome. **2006**, 211-218
- 5 Physical Activity and Cardiorespiratory Fitness. **2007**, 491-510
- 4 The Relationship between Physical Fitness and Coronary Risk Factor Profiles in Japanese Women.. *Environmental Health and Preventive Medicine*, **2000**, 5, 6-12 4.2

- 3 Prevalence and Risk Factors of High-Risk Population for Stroke: A Population-Based Cross-Sectional Survey in Southwestern China.. *Frontiers in Neurology*, **2022**, 13, 693894 4.1 ○
- 2 Vitamin D, Muscle Strength and Cardiorespiratory Fitness - An Evidence-based Review. ○
- 1 A relação entre atividade física e saúde: uma abordagem histórica e conceitual. 28, 1-7 ○