

CITATION REPORT

List of articles citing

Cross-national epidemiology of major depression and bipolar disorder

DOI: 10.1001/jama.276.4.293

JAMA - Journal of the American Medical Association,
1996, 276, 293-299.

Source: <https://exaly.com/paper-pdf/82999695/citation-report.pdf>

Version: 2024-04-02

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1075	.		
1074	The mental health supplement to the Ontario Health Survey. <i>Canadian Journal of Psychiatry</i> , 1996 , 41, 541-2	4.8	1
1073	The cross-national epidemiology of panic disorder. 1997 , 54, 305-9		328
1072	Magnetic fields of transmission lines and depression. 1997 , 146, 1037-45		34
1071	What happens to depressed men? Application of the Stirling County criteria. 1997 , 5, 1-6		8
1070	Epidemiology of affective disorders: a review. <i>Canadian Journal of Psychiatry</i> , 1997 , 42, 367-77	4.8	86
1069	Depression in multiple sclerosis. 1997 , 66, 286-92		78
1068	Serotonin transporter gene polymorphisms: ethnic difference and possible association with bipolar affective disorder. <i>Molecular Psychiatry</i> , 1997 , 2, 457-62	15.1	268
1067	The prevalence of major depressive and bipolar disorders in Hungary. Results from a national epidemiologic survey. <i>Journal of Affective Disorders</i> , 1998 , 50, 153-62	6.6	172
1066	Prevalence of mood disorders in the rural population of Udmurtia. 1998 , 97, 169-74		25
1065	Depression and eating disorders. 1998 , 8, 96-104		75
1064	Identifying depression and anxiety in a 40-year epidemiological investigation: the Stirling County study. 1998 , 7, 89-109		11
1063	Alcohol dependency and affective illness among women of childbearing age. 1998 , 1, 117-123		4
1062	Announcement. 1998 , 13, 265-265		
1061	Medication management of depression in the United States and Ontario. 1998 , 13, 77-85		107
1060	Targeting depression interviewing: an exercise in diagnostic reasoning. 1998 , 13, 262-5		2
1059	Prevalence of symptoms of depression in a nationwide sample of Korean adults. 1998 , 81, 341-52		187

1058	Frontostriatal deficits in unipolar major depression. 1998 , 47, 297-310	138
1057	Depressive symptoms and Norplant contraceptive implants. 1998 , 57, 241-5	35
1056	Depressive symptoms and Depo-Provera. 1998 , 57, 237-40	61
1055	The Center for Epidemiological Studies Depression Scale in older community samples in Indonesia, North Korea, Myanmar, Sri Lanka, and Thailand. 1998 , 53, P343-52	61
1054	[Mania: clinical and epidemiological features in different periods of life]. 1998 , 7, 25-31	
1053	The effect of depression on return to drinking: a prospective study. 1998 , 55, 259-65	288
1052	Discontinuing antidepressant treatment in major depression. 1998 , 5, 293-306	83
1051	Inflationary tendencies in judging the yield of depression research. 1998 , 37, 130-41	19
1050	Sex differences in circulating human leptin pulse amplitude: clinical implications. 1998 , 83, 4140-7	136
1049	Depressive symptoms and increased risk of stroke mortality over a 29-year period. 1998 , 158, 1133-8	255
1048	Correlates of maternal depressive symptoms in a national Head Start program sample. 1999 , 153, 801-7	74
1047	Prevalence and predictors of depressive symptoms in older premenopausal women: the Harvard Study of Moods and Cycles. 1999 , 56, 418-24	128
1046	A review of bipolar disorder among adults. 1999 , 50, 201-13	54
1045	Treating depression as a recurrent or chronic disease. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 83-4	27.4 15
1044	Depressed adolescents grown up. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1707-13	27.4 592
1043	The emerging epidemic of atherosclerosis. Call for papers. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 84-5	27.4 4
1042	Short-term persistent depression following hip fracture: A risk factor and target to increase resilience in elderly people. 1999 , 23, 187-196	32
1041	Natural history and preventative treatment of recurrent mood disorders. 1999 , 50, 453-68	75

1040	Polymorphisms of the human homologue of the Drosophila white gene are associated with mood and panic disorders. <i>Molecular Psychiatry</i> , 1999 , 4, 155-62	15.1	48
1039	The influence of anxiety as a risk to early onset major depression. <i>Journal of Affective Disorders</i> , 1999 , 52, 11-7	6.6	78
1038	Unipolar-bipolar dichotomy of mood disorders is supported by noradrenergic brainstem system morphology. <i>Journal of Affective Disorders</i> , 1999 , 54, 217-24	6.6	39
1037	Gender differences in the short-term course of unipolar depression in a follow-up sample of depressed inpatients. <i>Journal of Affective Disorders</i> , 1999 , 56, 127-39	6.6	30
1036	Bipolar Disorder in Children and Adolescents. 1999 , 12, 437-450		5
1035	Omega-3 fatty acids and bipolar disorder: a review. 1999 , 60, 329-37		55
1034	Analysis of the symptoms of depression--a neural network approach. 1999 , 87, 193-201		18
1033	The prevalence of depressive disorders in the United Kingdom. 1999 , 45, 300-7		79
1032	Summary of research prepared by Steven Moldin, NIMH. 1999 , 45, 573-602		18
1031	Seasonal influences on admissions for affective disorder and schizophrenia in Ireland: a comparison of first and readmissions. 1999 , 14, 251-5		35
1030	Imagined lives, suffering, and the work of culture: the embodied discourses of conflict in modern Tibet. 1999 , 13, 391-412		26
1029	Low Socioeconomic Status and Mental Disorders: A Longitudinal Study of Selection and Causation during Young Adulthood. 1999 , 104, 1096-1131		380
1028	Genetic and environmental influences on coping styles: a twin study. 1999 , 61, 469-75		54
1027	A cross-cultural comparison of depressive symptom manifestation: China and the United States.. 2000 , 68, 993-999		134
1026	Evaluation of Chronic Insomnia. 2000 , 23, 1-66		210
1025	Differentiating DSM-IV anxiety and depressive disorders in the general population: comorbidity and treatment consequences. <i>Canadian Journal of Psychiatry</i> , 2000 , 45, 166-72	4.8	60
1024	Implications of comorbidity and ascertainment bias for identifying disease genes. 2000 , 96, 817-22		30
1023	Economic assessment of a maintenance treatment strategy in prevention of recurrent depressive disorder. 2000 , 3, 40-7		5

1022	Bipolar disorder during adolescence and young adulthood in a community sample. 2000 , 2, 281-93		219
1021	Comorbidity of Depressive and Anxiety Disorders in Chronic Daily Headache and Its Subtypes. <i>Headache</i> , 2000 , 40, 818-823	4.2	196
1020	Exercise and Depression in the Older Adult. 2000 , 3, 197-208		27
1019	Re-evaluating the prevalence of and diagnostic composition within the broad clinical spectrum of bipolar disorders. <i>Journal of Affective Disorders</i> , 2000 , 59 Suppl 1, S5-S30	6.6	623
1018	Health values of patients with bipolar disorder. 2000 , 9, 579-86		22
1017	Screening for depression in mothers bringing their offspring for evaluation or treatment of depression. 2000 , 157, 375-9		45
1016	[Epidemiology and comorbidity of depressive disorders]. 2000 , 57, 53-8		4
1015	Major depression prevalence in Calgary. <i>Canadian Journal of Psychiatry</i> , 2000 , 45, 923-6	4.8	19
1014	Depression in patients with HIV infection. 2000 , 57, 376-86; quiz 387-9		126
1013	Depression as a counter for women against men who renege on the sex contract. 2000 , 2, 47-71		28
1012	A serotonin transporter gene promoter polymorphism (5-HTTLPR) and prefrontal cortical binding in major depression and suicide. 2000 , 57, 729-38		470
1011	Psychosocial aetiology of chronic disease: a pragmatic approach to the assessment of lifetime affective morbidity in an EPIC component study. 2000 , 54, 114-22		36
1010	Internet Use for Web-Education on the Overlooked Areas of Grief and Loss. 2000 , 3, 255-270		15
1009	Use and abuse of licit and illicit substances: prevalence and risk factors among students in Lebanon. 2000 , 6, 189-97		19
1008	Full-genome scan for linkage in 50 families segregating the bipolar affective disease phenotype. 2000 , 66, 205-15		72
1007	Mirtazapine. A pharmacoeconomic review of its use in depression. 2000 , 17, 515-34		9
1006	Depression: a role for neurosurgery?. 2000 , 14, 415-22; discussion 423		36
1005	Depression and the dying older patient. 2000 , 16, 335-56		19

1004	Economic impact of using mirtazapine compared to amitriptyline and fluoxetine in the treatment of moderate and severe depression in the UK. 2000 , 15, 378-87	18
1003	Suicide attempts in the Hungarian adult population. Their relation with DIS/DSM-III-R affective and anxiety disorders. 2000 , 15, 343-7	41
1002	Corticosteroid-induced adverse psychiatric effects: incidence, diagnosis and management. 2000 , 22, 111-22	114
1001	Physical activity and mental health: current concepts. 2000 , 29, 167-80	592
1000	Mood disorders in children and adolescents: an NIMH perspective. 2001 , 49, 962-9	17
999	Gender and the course of major depressive disorder through adolescence in clinically referred youngsters. 2001 , 40, 1079-85	45
998	Development of gender differences in depression: an elaborated cognitive vulnerability-transactional stress theory. 2001 , 127, 773-96	959
997	Role of estrogen in the aetiology and treatment of mood disorders. 2001 , 15, 797-817	159
996	Mental Illness and Roots of Genius. 2001 , 13, 95-104	32
995	Systems Development of Child Mental Health Services in Developing Countries. 2001 , 10, 745-762	15
994	An eight-year longitudinal comparison of clinical course and characteristics of social phobia among men and women. 2001 , 52, 637-43	89
993	Sex and psychopharmacology: is natural estrogen a psychotropic drug in women?. 2001 , 58, 537-8	17
992	Psychosocial and behavioral selection criteria for solid organ transplantation. 2001 , 11, 121-30; quiz 131-2	38
991	Psychotherapies for Depressive Disorders: A Review. 2001 , 161-232	10
990	Psychiatrische Erkrankungen in der Schwangerschaft und im Wochenbett. 2001 , 34, 315-323	8
989	Medication prescribing patterns for patients with bipolar I disorder in hospital settings: adherence to published practice guidelines. 2001 , 3, 165-173	40
988	Is any female preponderance in depression secondary to a primary female preponderance in anxiety disorders?. 2001 , 103, 252-6	32
987	Psychiatric disorders and associated and predictive factors in patients with unresectable nonsmall cell lung carcinoma: a longitudinal study. 2001 , 92, 2609-22	102

986	Open trial of nefazodone among Hispanics with major depression: efficacy, tolerability, and adherence issues. 2001 , 13, 118-24		36
985	Does satisfaction with abilities mediate the relationship between the impact of rheumatoid arthritis on valued activities and depressive symptoms?. 2001 , 45, 263-9		28
984	Mental health screening in a refugee population: a program report. 2001 , 3, 141-9		19
983	Effects of Maternal Depression on Cognitive Development of Children Over the First 7 Years of Life. 2001 , 42, 623-636		146
982	Personality disorders in bipolar and depressive disorders. <i>Journal of Affective Disorders</i> , 2001 , 65, 3-8	6.6	65
981	Validation of the Edinburgh Postnatal Depression Scale for men, and comparison of item endorsement with their partners. <i>Journal of Affective Disorders</i> , 2001 , 64, 175-84	6.6	329
980	Tryptophan hydroxylase gene 218A/C polymorphism is associated with somatic anxiety in major depressive disorder. <i>Journal of Affective Disorders</i> , 2001 , 65, 37-44	6.6	41
979	Neurotransmitters and signal transduction processes in bipolar affective disorders: a synopsis. <i>Journal of Affective Disorders</i> , 2001 , 62, 101-11	6.6	21
978	Adult outpatients with depression: worse quality of life than in other chronic medical diseases in Argentina. 2001 , 52, 911-9		87
977	Hypnosis in treating symptoms and risk factors of major depression. 2001 , 44, 97-108		13
976	Depression in the community: results of the first Italian survey. 2001 , 16, 49-53		19
975	Major depressive disorder. Psychopathology, medical management and dental implications. 2001 , 132, 629-38		49
974	Mental health factors in late-life insomnia. 2001 , 11, 71-81		3
973	Onset and persistence of postpartum depression in an inner-city maternal health clinic system. 2001 , 158, 1856-63		272
972	Depression in the planet's largest ethnic group: the Chinese. 2001 , 158, 857-64		331
971	Trauma, War, and Violence: Public Mental Health in Socio-Cultural Context. 2002 ,		161
970	Prevalence rate and correlates of depressive symptoms in older individuals: the Veneto Study. 2002 , 57, M155-61		58
969	[Differences between unipolar and bipolar affective disorders. Review and results from a clinical population]. 2002 , 70, 403-9		6

968	Zur Häufigkeit bipolarer Störungen in der Klinik: Unterschiede zwischen bipolaren und unipolaren Erkrankungen aus Sicht der BADO. 2002 , 13, 2-6		
967	Regression analysis of multiple-source longitudinal outcomes: a "Stirling County" depression study. 2002 , 155, 88-94	10	
966	Gender differences in major depressive disorder in a Hungarian community survey. 2002 , 6, 31-7	12	
965	Depression: a call for papers. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 1400-1	27.4	2
964	Prevalence of depressive episodes with psychotic features in the general population. 2002 , 159, 1855-61	180	
963	National trends in the outpatient treatment of depression. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 203-9	27.4	550
962	Borderline personality disorder in primary care. 2002 , 162, 53-60	103	
961	Psychiatric Diagnosis and Classification in Primary Care. 219-248		
960	Understanding adolescent depression in ethnocultural context. 2002 , 25, 71-85	54	
959	Role of estrogen in the treatment of depression. 2002 , 9, 503-9	47	
958	Prevalence of depression in rural Rwanda based on symptom and functional criteria. 2002 , 190, 631-7	109	
957	Ethnic differences in clinical presentation of depression in adult women. 2002 , 8, 138-56	87	
956	A pilot study of community mental health care for depression in a supermarket setting. 2002 , 53, 1132-7	16	
955	Depression in women of reproductive age. Considerations in selecting safe, effective therapy. 2002 , 112, 45-50; quiz 2	5	
954	The Economic and Social Burden of Bipolar Disorder. 2002 , 441-501	3	
953	Omega-3 Fatty Acids May Be Effective in the Treatment of Depression. 2002 , 17, 21-27	8	
952	Psychologic and Spiritual Aspects of Menopause. 2002 , 4, 205-219		
951	Development and natural history of mood disorders. 2002 , 52, 529-42	303	

950	Future of genetics of mood disorders research. 2002 , 52, 457-77	108
949	Pharmacogenomics of Major Depression and Antidepressant Treatment. 379-395	
948	Children of parents with bipolar disorder. A population at high risk for major affective disorders. 2002 , 11, 533-53, ix	60
947	Interaction of the C-terminal region of the rat serotonin transporter with MacMARCKS modulates 5-HT uptake regulation by protein kinase C. 2002 , 294, 272-9	38
946	Physical activity reduces the risk of subsequent depression for older adults. 2002 , 156, 328-34	464
945	Affective disorders in advanced cancer. 2002 , 16, 671-700	63
944	The soft bipolar spectrum redefined: focus on the cyclothymic, anxious-sensitive, impulse-dyscontrol, and binge-eating connection in bipolar II and related conditions. 2002 , 25, 713-37	155
943	Bipolar disorder in adolescence and young adulthood. 2002 , 11, 461-75, vii	48
942	Symptom Scales and Diagnostic Schedules in Adult Psychiatry. 273-332	22
941	. 2002 ,	11
940	Epidemiology of Bipolar Disorder. 427-444	14
939	Terrorism, Traumatic Events and Mental Health in Algeria. 2002 , 367-404	2
938	. 2002 ,	24
937	. 2002 ,	7
936	Associa�� entre trauma por perda na inf��ncia e depress�� na vida adulta. 2002 , 24, 189-195	27
935	. 2002 ,	19
934	Lithium and valproic acid: parallels and contrasts in diverse signaling contexts. 2002 , 96, 45-66	133
933	Incidence of major depression: prediction from subthreshold categories in the Stirling County Study. <i>Journal of Affective Disorders</i> , 2002 , 68, 251-9	6.6 25

932	Relevance of new and newly rediscovered anticonvulsants for atypical forms of bipolar disorder. <i>Journal of Affective Disorders</i> , 2002 , 72 Suppl 1, S15-21	6.6	15
931	Changes in neural circuitry of language before and after treatment of major depression. 2002 , 17, 156-67		9
930	A cross-national relationship between sugar consumption and major depression?. 2002 , 16, 118-20		73
929	Depressive symptomatology differentiates subgroups of patients with seasonal affective disorder. 2002 , 15, 34-41		25
928	Gender differences in depression. Epidemiological findings from the European DEPRES I and II studies. 2002 , 252, 201-9		381
927	Health care utilization and costs among privately insured patients with bipolar I disorder. 2002 , 4, 398-405		107
926	The development, evolution and philosophy of a clinical research unit. 2002 , 36, 311-21		4
925	A framework for describing the impact of antidepressant medications on population health status. 2002 , 11, 549-59		14
924	Chronic disease and injury in an agricultural county: The Keokuk County Rural Health Cohort Study. 2002 , 18, 521-35		76
923	Depression scale scores in 8-17-year-olds: effects of age and gender. 2002 , 43, 1052-63		320
922	Gender differences in antidepressant response. 2003 , 5, 209-10		
921	Epidemiology of major depression in a predominantly rural health region. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 360-5	4.5	21
920	Social stress and women's risk for recurrent depression. 2003 , 6, 9-13		34
919	The etiology, biology, and evolving pathology of premenstrual syndromes. 2003 , 28 Suppl 3, 55-99		306
918	Cross-sectional survey of users of Internet depression communities. 2003 , 3, 19		61
917	Lifetime patterns of depressive symptoms in the community and among primary care attenders: an application of grade of membership analysis. <i>Journal of Affective Disorders</i> , 2003 , 77, 31-9	6.6	8
916	The prevalence and disability of bipolar spectrum disorders in the US population: re-analysis of the ECA database taking into account subthreshold cases. <i>Journal of Affective Disorders</i> , 2003 , 73, 123-31	6.6	584
915	Validating 'hard' and 'soft' phenotypes within the bipolar spectrum: continuity or discontinuity?. <i>Journal of Affective Disorders</i> , 2003 , 73, 1-5	6.6	130

914	The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. 2003 , 12, 3-21	682
913	Genetics of recurrent early-onset depression (GenRED): design and preliminary clinical characteristics of a repository sample for genetic linkage studies. 2003 , 119B, 118-30	62
912	Family, twin, and adoption studies of bipolar disorder. 2003 , 123C, 48-58	443
911	Antidepressants: psychiatrists' opinions and clinical practice. 2003 , 108, 24-31	9
910	Gender differences in unipolar depression: an update of epidemiological findings and possible explanations. 2003 , 108, 163-74	497
909	Gender and depression: a study of severity and symptomatology of depressive disorders (ICD-10) in general practice. 2003 , 107, 197-202	21
908	Clinical and sociodemographic predictors of response to augmentation, or dose increase among depressed outpatients resistant to fluoxetine 20 mg/day. 2003 , 108, 432-8	18
907	Advances in the pharmacological treatment of bipolar affective disorders. 2003 , 39, 95-103	0
906	Depressive-like behavior and stress reactivity are independent traits in a Wistar Kyoto x Fisher 344 cross. <i>Molecular Psychiatry</i> , 2003 , 8, 423-33	15.1 42
905	The role of atypical antipsychotics in bipolar depression and anxiety disorders. 2003 , 5 Suppl 2, 20-35	42
904	Boundaries of schizophrenia. 2003 , 26, 1-23	30
903	Gender differences in depression and response to antidepressant treatment. 2003 , 26, 581-94	106
902	Omega-3 fatty acids in major depressive disorder. A preliminary double-blind, placebo-controlled trial. 2003 , 13, 267-71	364
901	Impact of sex and gender on irritable bowel syndrome. 2003 , 5, 56-65	69
900	[Depressive symptoms in Alzheimer's disease: preliminary results of the REAL.FR study]. 2003 , 24 Suppl 3, 325s-332s	9
899	Depression, anxiety, and associated health status in low-income Chinese patients. 2003 , 24, 354-60	25
898	International differences in major depression prevalence: what do they mean?. 2003 , 56, 711-6	33
897	The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 3095-105	27.4 5502

896	Using chronic pain to predict depressive morbidity in the general population. 2003 , 60, 39-47	414
895	Practice Guideline for the Treatment of Patients With Bipolar Disorder (Revision). 2003 , 1, 64-110	16
894	Awareness about depression: important for all physicians. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 3169-70	27.4 14
893	A population-based assessment of women's mental health and attitudes toward women's human rights in Afghanistan. 2003 , 12, 577-87	22
892	Recent developments in the psychobiology and pharmacotherapy of depression: optimising existing treatments and novel approaches for the future. 2003 , 12, 65-86	19
891	Bipolar disorder. 2003 , 6, 101-2	1
890	Cross-national comparisons of seafood consumption and rates of bipolar disorders. 2003 , 160, 2222-7	244
889	Effectiveness of disease management programs in depression: a systematic review. 2003 , 160, 2080-90	172
888	[Validity of diagnoses of mental disorders by primary care physicians]. 2003 , 65, 359-64	4
887	Neurobehavioral assessment of mood and affect in patients with neurological disorders. 2003 , 24, 131-43	1
886	[Mental health promotion and prevention of mental diseases: are there population-based concepts? Looking abroad]. 2003 , 65, 226-35	3
885	Lifetime history of depression and carotid atherosclerosis in middle-aged women. 2003 , 60, 153-60	97
884	Are gender differences important for the clinical effects of antidepressants?. 2003 , 160, 1643-50	100
883	Gender differences in severity, symptomatology and distribution of melancholia in major depression. 2003 , 36, 204-12	36
882	Psychotherapies for Depressive Disorders: A Review. 2003 , 161-232	1
881	History of depression and smoking cessation outcome: a meta-analysis. 2003 , 71, 657-63	190
880	A cross-cultural study of the structure of comorbidity among common psychopathological syndromes in the general health care setting. 2003 , 112, 437-47	151
879	The new generation of antidepressants. 2003 , 64, 12-5	1

878	Mania, Dementia and Melancholia in the 1870s: Admissions to a Cornwall Asylum. 2003 , 96, 361-363	4
877	[Guidelines of the Brazilian Medical Association for the treatment of depression (complete version)]. 2003 , 25, 114-22	38
876	Sylvia Plath and the Depression Continuum. 2003 , 96, 296-301	8
875	Critical decision points in the management of impaired doctors: the New South Wales Medical Board program. 2004 , 181, 372-5	6
874	3 Epidemiologie affektiver Erkrankungen. 2004 ,	
873	[Transcultural aspects of bipolar disorder]. 2004 , 26 Suppl 3, 54-6	5
872	Bipolar disorder. 2004 , 351, 2454-5	1
871	[Psychiatric epidemiology in Germany]. 2004 , 31, 288-97	3
870	Psychological Effects of Terrorist Attacks in Algeria. 2004 , 9, 201-212	3
869	Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2581-90	27.4 2063
868	High-throughput cell-based screening using scintillation proximity assay for the discovery of inositol phosphatase inhibitors. 2004 , 9, 132-40	10
867	The Prevalence of Depression in Male Sex Addicts Residing in the United States. 2004 , 11, 57-69	81
866	Bipolar-panic disorder comorbidity within bipolar disorder families: a study of siblings. 2004 , 6, 245-52	36
865	Quality of life in patients with bipolar I depression: data from 920 patients. 2004 , 6, 379-85	97
864	Invited review: the evolution of antidepressant mechanisms. 2004 , 18, 1-21	127
863	The European Study of the Epidemiology of Mental Disorders (ESEMeD) project: an epidemiological basis for informing mental health policies in Europe. 2004 , 109, 5-7	506
862	Predisposing and precipitating factors for suicide among alcoholics: empirical review and conceptual integration. 2004 , 28, 6S-17S	121
861	Scale matters: the need for a Bipolar Depression Rating Scale (BDRS). 2004 , 110, 39-45	48

860	Bipolar disorder among an isolated island community in Ethiopia. <i>Journal of Affective Disorders</i> , 2004 , 80, 1-10	6.6	21
859	Early life menstrual characteristics and pregnancy experiences among women with and without major depression: the Harvard study of moods and cycles. <i>Journal of Affective Disorders</i> , 2004 , 79, 167-76	6.6	59
858	Using the CES-D in a two-phase survey for depressive disorders among nonreferred adolescents in Taipei: a stratum-specific likelihood ratio analysis. <i>Journal of Affective Disorders</i> , 2004 , 82, 419-30	6.6	138
857	Prevalence of major depressive disorder among Chinese-Americans in primary care. 2004 , 26, 24-30		39
856	Psychosocial interventions for children with early-onset bipolar spectrum disorder. <i>Clinical Child and Family Psychology Review</i> , 2004 , 7, 71-88	6.9	42
855	Mixed versus manic bipolar disorder: a comparison of demographic, symptomatic, and treatment differences. <i>Psychiatric Quarterly</i> , 2004 , 75, 183-96	4.1	6
854	A perinatal psychiatric service audit in New Zealand: patient characteristics and outcomes. 2004 , 7, 71-9		14
853	Considering long-term outcome and tolerability in the treatment of bipolar disorder. 2004 , 2, 121-127		
852	[Annual costs of bipolar disorders in Germany]. 2004 , 75, 896-903		22
851	Are higher rates of depression in women accounted for by differential symptom reporting?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 126-32	4.5	59
850	Assessment of depression prevalence in rural Uganda using symptom and function criteria. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 442-7	4.5	156
849	The epidemiology of mood disorders. 2004 , 6, 411-21		43
848	Admission rates of bipolar depressed patients increase during spring/summer and correlate with maximal environmental temperature. 2004 , 6, 90-3		53
847	Depression. 2004 , 4 Suppl 1, S19		13
846	Detecting epistatic interactions contributing to quantitative traits. 2004 , 27, 141-52		146
845	Symptoms of depression and anxiety (MHI) following acute medical/surgical hospitalization and post-discharge psychiatric diagnoses (DSM) in 839 geriatric US veterans. 2004 , 19, 1155-67		14
844	Suicidality in terminally ill Japanese patients with cancer. 2004 , 100, 183-91		65
843	Psychologic distress after disclosure of genetic test results regarding hereditary nonpolyposis colorectal carcinoma. 2004 , 101, 395-403		46

842	Toward better probing for hypomania of bipolar-II disorder by using Angst's checklist. 2004 , 13, 1-9	20
841	Lithium and valproic acid treatment effects on brain chemistry in bipolar disorder. 2004 , 56, 340-8	143
840	The Sesto Fiorentino study: point and one-year prevalences of psychiatric disorders in an Italian community sample using clinical interviewers. 2004 , 73, 226-34	64
839	A systematic review evaluating health-related quality of life, work impairment, and healthcare costs and utilization in bipolar disorder. 2004 , 20, 139-54	186
838	Depresión: una prioridad en salud pública. 2004 , 123, 181-186	
837	International differences in major depression prevalence: what do they mean?. 2004 , 57, 761; author reply 762	
836	Lifetime and 6-month prevalence of DSM-III-R psychiatric disorders in an urban community in Japan. 2004 , 121, 293-301	73
835	Bipolar disorder: a national health concern. 2004 , 9, 6-15	32
834	Transcultural issues in mood and anxiety disorders: a focus on Japan. 2004 , 9, 6-13	6
833	Prevalence of psychiatric disorders among National Health Insurance enrollees in Taiwan. 2004 , 55, 691-7	98
832	The fetus and maternal depression: implications for antenatal treatment guidelines. 2004 , 47, 535-46	22
831	Who is portrayed in psychotropic drug advertisements?. 2004 , 192, 284-8	9
830	From diathesis to dimorphism: the biology of gender differences in depression. 2004 , 192, 210-6	39
829	Perceived work stress and major depressive episodes in a population of employed Canadians over 18 years old. 2004 , 192, 160-3	46
828	Prevalence and incidence studies of mood disorders: a systematic review of the literature. <i>Canadian Journal of Psychiatry</i> , 2004 , 49, 124-38	4.8 362
827	Depression and anxiety symptoms are related to increased 24-hour urinary norepinephrine excretion among healthy middle-aged women. 2004 , 57, 353-358	109
826	Brain metabolic alterations in medication-free patients with bipolar disorder. 2004 , 61, 450-8	363
825	Mood and substance use disorders in older adults with HIV/AIDS. 2004 , 18, 43-48	49

824	Depression in the Italian community: epidemiology and socio-economic implications. 2004 , 19, 135-42	18
823	A review of acute treatments for bipolar depression. 2004 , 19, 113-24	37
822	Racial and ethnic differences in depression: the roles of social support and meeting basic needs. 2004 , 72, 41-52	114
821	The Effect of Estrogens on Depression. 2005 , 145-173	2
820	Families of People with Bipolar Disorder. 2005 , 69-85	2
819	Treatment options for post-stroke depression in the elderly. 2005 , 1, 95-105	9
818	Perceived quality of life in patients with bipolar disorder. Does group psychoeducation have an impact?. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 95-100	4.8 53
817	History and Epidemiology of Depression. 2005 , 653-667	1
816	Estrogen and Mood in Women. 2005 , 15, 180-185	5
815	History of depression increases risk of type 2 diabetes in younger adults. 2005 , 28, 1063-7	91
814	The Epidemiology of Mood Disorders. 2005 , 1-34	1
813	Bipolar Disorder. 2005 , 103-116	0
812	Complexity of medication use in the Veterans Affairs healthcare system: Part II. Antidepressant use among younger and older outpatients. 2005 , 11, 16-26	36
811	Epidemiology of Sleep Disorders. 2005 , 73-82	2
810	Age of first onset major depression in Chinese Americans. 2005 , 11, 16-27	39
809	Psychiatric comorbidity in medication overuse headache patients with pre-existing headache type of episodic tension-type headache. 2005 , 9, 285-91	59
808	Comprehensive geriatric assessment for community-dwelling elderly in Asia compared with those in Japan: II. Hongchun in Korea. 2005 , 5, 107-114	15
807	Epidemiology of bipolar disorders. 2005 , 46 Suppl 4, 8-13	96

806	Comparative analysis of the effects of four mood stabilizers in SH-SY5Y cells and in primary neurons. 2005 , 7, 33-41		55
805	Pathways to care for patients with bipolar disorder. 2005 , 7, 236-45		32
804	Canadian Network for Mood and Anxiety Treatments (CANMAT) guidelines for the management of patients with bipolar disorder: consensus and controversies. 2005 , 7 Suppl 3, 5-69		274
803	CANMAT guidelines for bipolar disorder: commentary from the African perspective. 2005 , 7 Suppl 3, 77-82		3
802	Twelve-month prevalence, severity, and treatment of common mental disorders in communities in Japan: preliminary finding from the World Mental Health Japan Survey 2002-2003. 2005 , 59, 441-52		266
801	Temperament in the clinical differentiation of depressed bipolar and unipolar major depressive patients. <i>Journal of Affective Disorders</i> , 2005 , 84, 219-23	6.6	44
800	The high prevalence of bipolar spectrum disorders in young adults with recurrent depression: toward an innovative diagnostic framework. <i>Journal of Affective Disorders</i> , 2005 , 84, 167-78	6.6	67
799	Gender differences in depression: findings from the STAR*D study. <i>Journal of Affective Disorders</i> , 2005 , 87, 141-50	6.6	292
798	Divalproex in the treatment of bipolar depression: a placebo-controlled study. <i>Journal of Affective Disorders</i> , 2005 , 85, 259-66	6.6	141
797	Is low mood an adaptation? Evidence for subtypes with symptoms that match precipitants. <i>Journal of Affective Disorders</i> , 2005 , 86, 27-35	6.6	141
796	Clinical impact of late diagnose of bipolar disorder. <i>Journal of Affective Disorders</i> , 2005 , 86, 313-6	6.6	38
795	Psychometric properties of the Lebanese-Arabic TEMPS-A: a national epidemiologic study. <i>Journal of Affective Disorders</i> , 2005 , 87, 169-83	6.6	56
794	Prevalence and clinical characteristics of bipolar I disorder in Butajira, Ethiopia: a community-based study. <i>Journal of Affective Disorders</i> , 2005 , 87, 193-201	6.6	39
793	The lifetime prevalence, health services utilization and risk of suicide of bipolar spectrum subjects, including subthreshold categories in the São Paulo ECA study. <i>Journal of Affective Disorders</i> , 2005 , 87, 231-41	6.6	35
792	Gender differences in adolescent depression: do symptoms differ for boys and girls?. <i>Journal of Affective Disorders</i> , 2005 , 89, 35-44	6.6	115
791	Cryptococcal meningitis mimicking primary mania in a young female. 2005 , 27, 301-3		9
790	Implications of genetic risk information in families with a high density of bipolar disorder: an exploratory study. 2005 , 60, 109-18		78
789	Depression in the United States and Japan: gender, marital status, and SES patterns. 2005 , 61, 2280-92		148

788	The level of recognition of physical symptoms in patients with a major depression episode in the outpatient psychiatric practice in Puerto Rico: an observational study. 2005 , 5, 28		8
787	A different depression: clinical distinctions between bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , 2005 , 84, 117-25	6.6	144
786	Gender differences in patients presenting with a single depressive episode according to ICD-10. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 197-201	4.5	12
785	The prevalence of depression in two districts of Uganda. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 439-45	4.5	76
784	Epidemiology of psychiatric and alcohol disorders in Ukraine: findings from the Ukraine World Mental Health survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 681-90	4.5	112
783	Long-term mental distress, bone mineral density and non-vertebral fractures. The Tromsø Study. 2005 , 16, 887-97		46
782	Selective breeding for an infant phenotype: rat pup ultrasonic vocalization (USV). 2005 , 35, 53-65		70
781	Anxiety, depression and quality of life in colorectal cancer patients. 2005 , 10, 411-7		94
780	Recognition and treatment of depression. 2005 , 7, 430		1
779	Construct validity of an instrument to assess major depression in parents in epidemiologic studies. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 784-91	4.8	9
778	Reply to the Paper "Prevalence of Bipolar Disorders" by F. Benazzi. 2005 , 74, 191-192		
777	Epidemiologia do transtorno bipolar. 2005 , 32, 15-20		10
776	Maternal Depression: An Adverse Early Environment. 2005 , 173, 70-84		1
775	[Mental health: an inventory of the current situation and the problems]. 2005 , 17, 583-96		2
774	The safety and tolerability of atypical antipsychotics in bipolar disorder. 2005 , 4, 849-68		17
773	Illuminating the impact of habitual behaviors in depression. 2005 , 22, 279-97		35
772	The increasing medical burden in bipolar disorder. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 2528-30	27.4	337
771	Chapter 12 Epidemiology of sleep disorders in the general population. 2005 , 139-153		1

770	Prevalence of suicide ideation in two districts of Uganda. 2005 , 9, 321-32	37
769	Epidemiology of major depressive disorder: results from the National Epidemiologic Survey on Alcoholism and Related Conditions. 2005 , 62, 1097-106	1227
768	Use of health care services among persons who screen positive for bipolar disorder. 2005 , 56, 1529-33	38
767	Screening for bipolar disorder in a primary care practice. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 956-63	27.4 144
766	Bipolar depression: issues in diagnosis and treatment. 2005 , 13, 257-71	61
765	Prevalence and burden of bipolar disorders in European countries. 2005 , 15, 425-34	226
764	Size and burden of mental disorders in Europe--a critical review and appraisal of 27 studies. 2005 , 15, 357-76	935
763	Combined analysis from eleven linkage studies of bipolar disorder provides strong evidence of susceptibility loci on chromosomes 6q and 8q. 2005 , 77, 582-95	192
762	Mood-stabilizing drugs: are their neuroprotective aspects clinically relevant?. 2005 , 28, 399-414	10
761	Estrogen Effects in Psychiatric Disorders. 2005 ,	7
760	Efficacy of antidepressant medication among HIV-positive individuals with depression: a systematic review and meta-analysis. 2005 , 19, 813-22	76
759	Dissecting the genetic etiology of major depressive disorder using linkage analysis. 2005 , 11, 138-44	27
758	Distinctions between bipolar and unipolar depression. 2005 , 25, 307-39	182
757	Depression syndromes with risk of alcohol dependence in adulthood: a latent class analysis. 2005 , 79, 71-81	22
756	Unaided smoking cessation and predictors of failure to quit in a community sample: effects of gender. 2005 , 30, 1405-24	42
755	A survey of depressive symptoms among South Korean adults after the Korean financial crisis of late 1997: prevalence and correlates. 2005 , 15, 145-52	24
754	Psychopathology in the offspring of parents with bipolar disorder: a controlled study. 2005 , 58, 554-61	147
753	Depression in women. 2005 , 54, 49-52	224

752	Depression in Schwangerschaft und Postpartum. 2005 , 115-126	
751	Psychological universals: what are they and how can we know?. 2005 , 131, 763-84	574
750	Treatment of depression: time to consider folic acid and vitamin B12. 2005 , 19, 59-65	248
749	Prevalence and treatment of mental disorders in Lebanon: a national epidemiological survey. 2006 , 367, 1000-6	194
748	The genetics of depression: a review. 2006 , 60, 84-92	632
747	[The costs of bipolar disorder]. 2006 , 32, 18-25	5
746	Effects of estrogen variation on neural correlates of emotional response inhibition. 2006 , 32, 457-64	119
745	Puberty and depression. 2006 , 15, 919-37, ix	142
744	The effects of sex and hormonal status on restraint-stress-induced working memory impairment. 2006 , 2, 8	67
743	Modeling of the temporal patterns of fluoxetine prescriptions and suicide rates in the United States. 2006 , 3, e190	34
742	Measurable outcomes in psychiatric disorders: remission as a marker of wellness. 2006 , 28, 1882-91	36
741	Association between obesity and depressive symptoms among U.S. Military active duty service personnel, 2002. 2006 , 60, 263-71	44
740	Adolescent depression: challenges and opportunities: a review and current recommendations for clinical practice. 2006 , 53, 111-63	17
739	Relationship between age and aspects of depression: consistency and reliability across two longitudinal studies. 2006 , 21, 119-26	36
738	Healthcare resource utilization in bipolar depression compared with unipolar depression: results of a United States population-based study. 2006 , 11, 704-10; quiz 719	11
737	Pharmacological Profile and Clinical Utility of Lamotrigine in Bipolar Disorders. 2006 , 43-62	
736	A cognitive vulnerability-stress perspective on bipolar spectrum disorders in a normative adolescent brain, cognitive, and emotional development context. 2006 , 18, 1055-103	57
735	The impact of the changing health care environment on the health and well-being of faculty at four medical schools. 2006 , 81, 27-34	152

734	Bipolar disorder in later life. 2006 , 2, 333-347		2
733	Efficacy of hormone therapy with and without methyltestosterone augmentation of venlafaxine in the treatment of postmenopausal depression: a double-blind controlled pilot study. 2006 , 13, 202-11		22
732	Depressive symptoms and associated psychopathology in urban adolescents: a cross-cultural study of three countries. 2006 , 194, 106-13		22
731	Community survey of bipolar disorder in Canada: lifetime prevalence and illness characteristics. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 9-16	4.8	100
730	Using the Patient Health Questionnaire-9 to measure depression among racially and ethnically diverse primary care patients. 2006 , 21, 547-52		47 ^o
729	Antidepressants: general practitioners' opinions and clinical practice. 2006 , 113, 460-7		9
728	Clinical outcome in bipolar disorder in a community-based follow-up study in Butajira, Ethiopia. 2006 , 114, 426-34		34
727	Functional status and quality of life in patients with first-episode major depression. 2006 , 13, 205-13		16
726	Positional cloning, association analysis and expression studies provide convergent evidence that the cadherin gene FAT contains a bipolar disorder susceptibility allele. <i>Molecular Psychiatry</i> , 2006 , 11, 372-83	15.1	55
725	Sex differences in outcomes of sinus surgery. 2006 , 116, 1199-203		31
724	Gender moderates the association between depression and disability in chronic pain patients. 2006 , 10, 413-22		79
723	Measuring health-related quality of life in bipolar disorder: relationship of the EuroQol (EQ-5D) to condition-specific measures. 2006 , 15, 1271-80		41
722	DSM-IV pain disorder in the general population. An exploration of the structure and threshold of medically unexplained pain symptoms. 2006 , 256, 187-96		62
721	Mental illness in a rural area: a Norwegian psychiatric epidemiological study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 713-9	4.5	68
720	Regional differences in psychiatric disorders in Chile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 935-42	4.5	18
719	Depression in children and adolescents: does gender make a difference?. 2006 , 8, 108-14		27
718	Concern about tall stature during adolescence and depression in later life. <i>Journal of Affective Disorders</i> , 2006 , 91, 145-52	6.6	21
717	Validity of the assessment of bipolar spectrum disorders in the WHO CIDI 3.0. <i>Journal of Affective Disorders</i> , 2006 , 96, 259-69	6.6	15 ^o

716	Fluoxetine disrupts food intake and estrous cyclicity in Fischer female rats. 2006 , 1072, 79-90	37
715	Cytosolic prostaglandin E2 synthase (cPGES) expression is decreased in discrete cortical regions in psychiatric disease. 2006 , 1103, 164-72	31
714	Prevalence of major depressive disorder in the general population of South Korea. 2006 , 40, 30-6	102
713	Detecting psychotic major depression using psychiatric rating scales. 2006 , 40, 22-9	26
712	Asthma management in women. 2006 , 2, 450-459	
711	Multi-target strategies for the improved treatment of depressive states: Conceptual foundations and neuronal substrates, drug discovery and therapeutic application. 2006 , 110, 135-370	433
710	[Positive and negative aspects of pharmaceutical services in Spain: about antidepressants and antipsychotics]. 2006 , 20 Suppl 1, 143-53	6
709	Differences in diagnostic subtypes among patients with late and early onset of a single depressive episode. 2006 , 21, 1127-31	22
708	A genome-wide linkage search for bipolar disorder susceptibility loci in a large and complex pedigree from the eastern part of Cuba. 2006 , 141B, 833-43	21
707	Phenomenology of children and adolescents with bipolar spectrum disorders. 2006 , 63, 1139-48	384
706	Clinical features of bipolar depression versus major depressive disorder in large multicenter trials. 2006 , 163, 225-31	156
705	High-frequency repetitive transcranial magnetic stimulation improves refractory depression by influencing catecholamine and brain-derived neurotrophic factors. 2006 , 39, 52-9	112
704	[The symptom checklist-27 in Germany]. 2006 , 56, 276-84	16
703	Genetic counseling in psychiatry. 2006 , 14, 109-21	44
702	What's new? The clinical epidemiology of bipolar I disorder. 2006 , 14, 273-84	22
701	Use of efavirenz is not associated with a higher risk of depressive disorders: a substudy of the randomized clinical trial ALIZE-ANRS 099. 2006 , 42, 1790-9	34
700	Omega-3 fatty acids and mood disorders. 2006 , 163, 969-78	277
699	Women's health--advances in knowledge and understanding. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 1448-50	27.4 1

698	Effects of risperidone augmentation in patients with treatment-resistant depression: Results of open-label treatment followed by double-blind continuation. 2006 , 31, 2505-13	110
697	Women's mental health research: the emergence of a biomedical field. 2006 , 2, 135-60	24
696	Incidence of social anxiety disorder and the consistent risk for secondary depression in the first three decades of life. 2007 , 64, 903-12	472
695	The Sex Difference in Depression Across 29 Countries. 2007 , 85, 1483-1507	99
694	Differentiating bipolar disorders from major depressive disorders: treatment implications. 2007 , 19, 305-12	24
693	The relation between cognitive functioning and self-reported sleep complaints in nondemented older adults: results from the Bronx aging study. 2007 , 5, 39-56	96
692	[The situation of caregivers of inpatients with bipolar affective disorders]. 2007 , 75, 665-72	5
691	Prevalence, comorbidity, and service utilization for mood disorders in the United States at the beginning of the twenty-first century. 2007 , 3, 137-58	328
690	Irritable bowel syndrome: a co-twin control analysis. 2007 , 102, 2220-9	30
689	Sex Differences in Communicative Attempts to Curtail Depression: An Inconsistent Nurturing as Control Perspective. 2007 , 71, 114-135	13
688	Current issues in the classification of psychotic major depression. 2007 , 33, 877-85	82
687	Zinc attenuates malathion-induced depressant-like behavior and confers neuroprotection in the rat brain. 2007 , 97, 140-8	63
686	Bipolar disorder not otherwise specified: comparison with bipolar disorder I/II and major depression. 2007 , 41, 843-9	14
685	Lifetime and 12-month prevalence of bipolar spectrum disorder in the National Comorbidity Survey replication. 2007 , 64, 543-52	1666
684	Association of MAO-A variant with complicated grief in major depression. 2007 , 56, 191-6	26
683	The prevalence and incidence of treated major depressive disorder among National Health Insurance enrollees in Taiwan, 1996 to 2003. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 28-36	4.8 44
682	A Brief Overview of the Genetics of Bipolar Disorder. 2007 , 5, 14-17	
681	Facial attractiveness: visual impact of symmetry increases significantly towards the midline. 2007 , 59, 156-62	82

680	Lifetime and 12-month prevalence of DSM-IV psychiatric disorders among Korean adults. 2007 , 195, 203-10	172
679	How and why genetic linkage has not solved the problem of psychosis: review and hypothesis. 2007 , 164, 13-21	97
678	Genetics of recurrent early-onset major depression (GenRED): final genome scan report. 2007 , 164, 248-58	81
677	Influence of sex and estrous cycle on the effects of acute tryptophan depletion induced by a gelatin-based mixture in adult Wistar rats. 2007 , 147, 304-17	30
676	Illicit drug use, depression and their association with highly active antiretroviral therapy in HIV-positive women. 2007 , 89, 74-81	82
675	Social neuroscience of child and adolescent depression. 2007 , 65, 47-68	26
674	Depression in patients with primary biliary cirrhosis and primary sclerosing cholangitis. 2007 , 46, 1099-103	60
673	The effects of prostate cancer on intimate relationships. 2007 , 4, 226-232	6
672	Response to SSRIs and role of the hormonal therapy in post-menopausal depression. 2007 , 17, 400-5	46
671	Hypothèses neuro-développementales de la dépression. 2007 , 33, 655-660	
670	Efficacy of group psychotherapy to reduce depressive symptoms among HIV-infected individuals: a systematic review and meta-analysis. 2007 , 21, 732-9	102
669	Epidemiology of social phobia in later life. 2007 , 15, 224-33	55
668	Bipolar spectrum disorder: differential diagnosis and treatment. 2007 , 34, 521-50, vi	5
667	A study of the involvement of melanin-concentrating hormone receptor 1 (MCHR1) in murine models of depression. 2007 , 61, 174-80	54
666	[The importance of detection and treatment of somatic symptoms in Latin American patients with major depression]. 2007 , 29, 182-7	10
665	Psychosocial outcomes following electroconvulsive therapy in a community setting: retrospective chart review with 2-year follow-up. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 598-604	4.8 4
664	Working with elderly persons across cultures. 512-525	
663	Evidence of linkage to psychosis on chromosome 5q33-34 in pedigrees ascertained for bipolar disorder. 2007 , 144B, 74-8	20

662	No evidence for association between 19 cholinergic genes and bipolar disorder. 2007 , 144B, 715-23		26
661	Impact of psychogenic movement disorders versus Parkinson's on disability, quality of life, and psychopathology. 2007 , 22, 2204-9		104
660	Co-occurrence of major depression or suicide attempt with migraine with aura and risk for unprovoked seizure. 2007 , 75, 220-3		45
659	Becoming the best mom that I can: women's experiences of managing depression during pregnancy--a qualitative study. 2007 , 7, 13		17
658	Serotonergic vulnerability and depression: assumptions, experimental evidence and implications. <i>Molecular Psychiatry</i> , 2007 , 12, 522-43	15.1	271
657	Developing core sets for persons with bipolar disorder based on the International Classification of Functioning, Disability and Health. 2007 , 9, 16-24		37
656	The impact of bipolar disorder upon work functioning: a qualitative analysis. 2007 , 9, 126-43		89
655	The Bipolar Depression Rating Scale (BDRS): its development, validation and utility. 2007 , 9, 571-9		111
654	The comparison of effectiveness of two modalities of mental health nurse follow-up programmes for female outpatients with depression in Taipei, Taiwan. 2007 , 16, 1141-50		8
653	Long chain omega-3 polyunsaturated fatty acids in the treatment of psychiatric illnesses in children and adolescents. 2007 , 19, 92-103		30
652	Altered omega-3 polyunsaturated fatty acid status in depressed post-myocardial infarction patients. 2007 , 115, 35-40		26
651	Suitability of the TEMPS-A for population-based studies: ease of administration and stability of affective temperaments in its Lebanese version. <i>Journal of Affective Disorders</i> , 2007 , 98, 45-53	6.6	21
650	Service utilization and associated direct costs for bipolar disorder in 2004: an analysis in managed care. <i>Journal of Affective Disorders</i> , 2007 , 101, 187-93	6.6	40
649	Mismatch between self-reported quality of life and functional assessment in acute mania: a matter of unawareness of illness?. <i>Journal of Affective Disorders</i> , 2007 , 103, 247-52	6.6	34
648	Mental health and poverty in developing countries: revisiting the relationship. 2007 , 65, 467-80		136
647	Depression and anxiety disorders in palliative cancer care. 2007 , 33, 118-29		252
646	Outcome following a first manic episode: cross-national US and Taiwan comparison. 2007 , 9, 820-7		26
645	[Mother-baby units in Germany. A report on the status quo]. 2007 , 78, 773-4, 776-9		13

- 644 [Facial aesthetics Part II - effect of symmetric and asymmetric modulations of the orbital region]. **2007**, 11, 233-7
- 643 The role of mood stabilisers in the treatment of the depressive facet of bipolar disorders. **2007**, 31, 963-75 18
- 642 Enhancing Interpersonal Psychotherapy for Mothers and Expectant Mothers on Low Incomes: Adaptations and Additions. **2008**, 38, 23-33 39
- 641 The treated prevalence and incidence of bipolar disorder among national health insurance enrollees in Taiwan, 1996-2003. *Social Psychiatry and Psychiatric Epidemiology*, **2008**, 43, 860-5 4.5 13
- 640 [Transcultural aspects of depression]. **2008**, 51, 436-42 18
- 639 Neuronal peroxisome proliferator-activated receptor gamma signaling: regulation by mood-stabilizer valproate. **2008**, 35, 225-34 17
- 638 Occupational stress and depression in Korean employees. **2008**, 82, 47-57 78
- 637 Sex differences in the use of coping strategies: predictors of anxiety and depressive symptoms. **2008**, 25, 839-46 116
- 636 Serotonin transporter polymorphism (5-HTTLPR) association with melancholic depression: a female specific effect?. **2008**, 25, 920-5 41
- 635 Shift-work and suicide ideation among police officers. **2008**, 51, 758-68 53
- 634 Clock genes may influence bipolar disorder susceptibility and dysfunctional circadian rhythm. **2008**, 147B, 1047-55 159
- 633 Maternal depression: risk factors and treatment options during pregnancy. **2008**, 10, 151-155 3
- 632 Unexpected high prevalence of 1-month depression in a small Brazilian community: the Bambuí Study. **2008**, 104, 257-263 10
- 631 Rural-urban analyses of health-related quality of life among people with multiple sclerosis. **2008**, 24, 244-52 17
- 630 Cultural comparison of symptoms in patients on maintenance hemodialysis. **2008**, 12, 434-40 25
- 629 A comparison between screened NIMH and clinically interviewed control samples on neuroticism and extraversion. *Molecular Psychiatry*, **2008**, 13, 122-30 15.1 18
- 628 Depressive symptomatology and the prevalence of cardiovascular risk factors among older men and women from Cyprus; the MEDIS (Mediterranean Islands Elderly) epidemiological study. **2008**, 17, 688-95 17
- 627 Association between depression and socio-economic status among community-dwelling elderly in Japan: the Aichi Gerontological Evaluation Study (AGES). **2008**, 14, 406-14 94

626	Socio-economic status over the life-course and depressive symptoms in men and women in Eastern Europe. <i>Journal of Affective Disorders</i> , 2008 , 105, 125-36	6.6	46
625	Cross-national difference in the prevalence of depression caused by the diagnostic threshold. <i>Journal of Affective Disorders</i> , 2008 , 106, 159-67	6.6	106
624	The Bipolar Comprehensive Outcomes Study (BCOS): baseline findings of an Australian cohort study. <i>Journal of Affective Disorders</i> , 2008 , 107, 135-44	6.6	12
623	Major depression in Kunming: prevalence, correlates and co-morbidity in a south-western city of China. <i>Journal of Affective Disorders</i> , 2008 , 111, 221-6	6.6	42
622	From menarche to menopause: exploring the underlying biology of depression in women experiencing hormonal changes. 2008 , 33, 3-17		175
621	The effects of harassment and victimization on self-rated health and mental health among Canadian adolescents. 2008 , 67, 557-67		47
620	Effects of enriched environment on animal models of neurodegenerative diseases and psychiatric disorders. 2008 , 31, 159-68		222
619	Is there a role for n-3 long-chain polyunsaturated fatty acids in the regulation of mood and behaviour? A review of the evidence to date from epidemiological studies, clinical studies and intervention trials. 2008 , 21, 13-41		86
618	Gene and expression analyses reveal enhanced expression of pericentrin 2 (PCNT2) in bipolar disorder. 2008 , 63, 678-85		26
617	Psychological aspects of chronic orofacial pain. 2008 , 57-74		0
616	Suicide. 2008 , 338-348		
615	Pharmacogenomics and Personalized Medicine. 2008 ,		2
614	The 'big bang' theory of the origin of psychosis and the faculty of language. 2008 , 102, 31-52		152
613	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. 2008 , 22, 343-96		341
612	Serotonin receptor 1A-1019C/G variant: impact on antidepressant pharmacoresponse in melancholic depression?. 2008 , 436, 111-5		48
611	Gender-related urocortin 1 and brain-derived neurotrophic factor expression in the adult human midbrain of suicide victims with major depression. 2008 , 152, 1015-23		70
610	Efficacy of electroconvulsive therapy is associated with changing blood levels of homovanillic acid and brain-derived neurotrophic factor (BDNF) in refractory depressed patients: a pilot study. 2008 , 32, 1185-90		67
609	Ethnic differences in the serotonin transporter polymorphism (5-HTTLPR) in several European populations. 2008 , 32, 1735-9		52

608	Cannabinoid receptor 1 (CNR1) gene: impact on antidepressant treatment response and emotion processing in major depression. 2008 , 18, 751-9	124
607	Perinatal depression. 2008 , 35, 419-34, viii	27
606	Comparison of users and non-users of mental health services among depressed women: a national study. 2008 , 47, 1-19	43
605	Sex differences in genetic and environmental contributions to depression symptoms in South Korean adolescent and young adult twins. 2008 , 11, 306-13	12
604	Effects of sex steroids on the neurotransmitter-specific aromatic amino acids phenylalanine, tyrosine, and tryptophan in transsexual subjects. 2008 , 88, 103-10	12
603	Apolipoprotein E epsilon4 allele genotype and the effect of depressive symptoms on the risk of dementia in men: the Honolulu-Asia Aging Study. 2008 , 65, 906-12	72
602	Classification of mood disorders in DSM-V and DSM-VI. 2008 , 42, 851-62	12
601	Depression and Globalization. 2008 ,	7
600	Principles of Clinical Medicine for Space Flight. 2008 ,	59
599	Brief interpersonal psychotherapy for depressed mothers whose children are receiving psychiatric treatment. 2008 , 165, 1155-62	123
598	Depression among women in rural Ethiopia as related to socioeconomic factors: a community-based study on women in reproductive age groups. 2008 , 36, 589-97	53
597	Effects of High-Frequency Repetitive Transcranial Magnetic Stimulation on the Treatment-Resistant Depression and Its Mechanism. 2008 ,	1
596	Development and validation of an international risk prediction algorithm for episodes of major depression in general practice attendees: the PredictD study. 2008 , 65, 1368-76	115
595	The ABCs of depression: integrating affective, biological, and cognitive models to explain the emergence of the gender difference in depression. 2008 , 115, 291-313	692
594	Open-label, concomitant use of lamotrigine and other medications for bipolar disorder. 2008 , 13, 75-83	6
593	Recognition of depression among women presenting with menopausal symptoms. 2008 , 15, 758-67	11
592	The prevalence and correlates of workplace depression in the national comorbidity survey replication. 2008 , 50, 381-90	70
591	Individual and neighborhood socioeconomic status characteristics and prevalence of metabolic syndrome: the Atherosclerosis Risk in Communities (ARIC) Study. 2008 , 70, 986-92	67

590	Recognizing and effectively treating depression. 2008 , 13, 5-9	8
589	Affective disorders. 250-283	3
588	Bipolar disorder and neurophysiologic mechanisms. 2008 , 4, 1129-53	16
587	Women Aging with Intellectual Disabilities: What are the Health Risks?. 2008 , 41-56	
586	Prevalence and Humanistic Impact of Potential Misdiagnosis of Bipolar Disorder Among Patients With Major Depressive Disorder in a Commercially Insured Population. 2008 , 14, 632-642	11
585	Comparison of prescriber evaluations and patient-directed self-reports in office-based practice for buprenorphine treatment of opiate-dependent individuals in France, 2002. 2008 , 2, 369-78	3
584	An epidemic of depression or the medicalization of distress?. 2008 , 51, 238-50	38
583	Depression during the Perimenopausal Transition: What Have We Learned from Epidemiological Studies?. 2009 , 66-76	1
582	The treatment of comorbid insomnia. 2009 , 14, 10-2	1
581	. 2009 ,	17
580	Culture and Mood Disorders. 179-195	2
579	[Review of the guidelines of the Brazilian Medical Association for the treatment of depression (Complete version)]. 2009 , 31 Suppl 1, S7-17	48
578	Prediction of depressive symptoms up to three years post-stroke. 2009 , 41, 930-5	33
577	Estrogen, stress and the brain: progress toward unraveling gender discrepancies in major depressive disorder. 2009 , 9, 967-73	26
576	Quality of life in pediatric bipolar disorder. 2009 , 123, e446-52	64
575	Intimate partner violence and depression among women in rural Ethiopia: a cross-sectional study. 2009 , 5, 8	88
574	Cross-national associations between gender and mental disorders in the World Health Organization World Mental Health Surveys. 2009 , 66, 785-95	75 ¹
573	Influence of sex and corticotropin-releasing factor pathways as determinants in serotonin sensitivity. 2009 , 150, 3709-16	29

572	Issues concerning feedback about genetic testing and risk of depression. 2009 , 194, 404-10		26
571	Lower prevalence of depression in hemodialysis patients who use polysulfone dialyzers. 2009 , 29, 592-7		11
570	Genomewide association studies: history, rationale, and prospects for psychiatric disorders. 2009 , 166, 540-56		355
569	Difficulty in resuming or inability to resume sleep and the links to daytime impairment: definition, prevalence and comorbidity. 2009 , 43, 934-40		24
568	Pain sensitivity, depression, and sleep deprivation: links with serotonergic dysfunction. 2009 , 43, 1243-5		23
567	Social reactions to Valium and Prozac: a cultural lag perspective of drug diffusion and adoption. 2009 , 5, 94-107		13
566	Pathways connecting neighborhood influences and mental well-being: socioeconomic position and gender differences. 2009 , 68, 1294-304		55
565	The promotion of olanzapine in primary care: an examination of internal industry documents. 2009 , 69, 14-20		35
564	Marital status, gender, and depression: analysis of the baseline survey of the Korean Longitudinal Study of Ageing (KLoSA). 2009 , 69, 1608-15		109
563	Stress-induced dendritic remodeling in the medial prefrontal cortex: effects of circuit, hormones and rest. 2009 , 1293, 108-13		103
562	Subtypes of depression in a nationally representative sample. <i>Journal of Affective Disorders</i> , 2009 , 113, 88-99	6.6	100
561	Prevalence and socio-demographic correlates of major depressive episode in rural and urban areas of Beijing, China. <i>Journal of Affective Disorders</i> , 2009 , 115, 323-30	6.6	42
560	A community survey of the twelve-month prevalence and correlates of bipolar spectrum disorder in Hong Kong. <i>Journal of Affective Disorders</i> , 2009 , 117, 79-86	6.6	25
559	Young, single and not depressed: prevalence of depressive disorder among young women in rural Pakistan. <i>Journal of Affective Disorders</i> , 2009 , 117, 42-7	6.6	14
558	Lack of association between plasma dehydroepiandrosterone sulfate (DHEA-S) levels and depression in hemodialysis patients: a cross-sectional study. 2009 , 44, 733-9		4
557	Common and rare variants of DAOA in bipolar disorder. 2009 , 150B, 960-6		10
556	Phenotypic effects of a bipolar liability gene among individuals with major depressive disorder. 2010 , 153B, 303-9		21
555	Neural correlates of the females' susceptibility to negative emotions: an insight into gender-related prevalence of affective disturbances. 2009 , 30, 3676-86		58

554	Brain volume abnormalities in major depressive disorder: a meta-analysis of magnetic resonance imaging studies. 2009 , 30, 3719-35		649
553	Negative emotionality: monoamine oxidase B gene variants modulate personality traits in healthy humans. 2009 , 116, 1323-34		35
552	Predictors of preoperative depressive risk in patients undergoing coronary artery bypass graft surgery. 2009 , 98, 643-50		16
551	Heartache of the state, enemy of the self: bipolar disorder and cultural change in urban China. 2009 , 33, 421-50		14
550	Non-pharmacological treatments for insomnia. 2009 , 32, 244-54		53
549	Suicide in Police Work: Exploring Potential Contributing Influences. 2009 , 34, 41-53		34
548	Molecular epidemiology of major depressive disorder. 2009 , 14, 71-87		34
547	The associations between migraine, unipolar psychiatric comorbidities, and stress-related disorders and the role of estrogen. 2009 , 13, 404-12		39
546	Rural-urban variations in psychological distress: findings from the Behavioral Risk Factor Surveillance System, 2007. 2009 , 54 Suppl 1, 16-22		30
545	Metabonomic analysis identifies molecular changes associated with the pathophysiology and drug treatment of bipolar disorder. <i>Molecular Psychiatry</i> , 2009 , 14, 269-79	15.1	135
544	The role of genetic variation in the causation of mental illness: an evolution-informed framework. <i>Molecular Psychiatry</i> , 2009 , 14, 1072-82	15.1	172
543	Nursing children and adolescents with bipolar disorder: assessment, diagnosis, treatment, and management. 2009 , 22, 33-9		4
542	Impact of psychiatric and medical comorbidity on cognitive function in depression. 2009 , 63, 392-400		29
541	Resting energy expenditure in manic episode. 2009 , 11, 102-6		25
540	Is there a measurement overlap between depressive symptoms and quality of life?. 2009 , 50, 549-55		29
539	Subcutaneous DMPA vs. intramuscular DMPA: a 2-year randomized study of contraceptive efficacy and bone mineral density. 2009 , 80, 7-17		90
538	Hypersomnia across mood disorders: a review and synthesis. 2009 , 13, 275-85		147
537	Is it always the same? Variability of depressive symptoms across six European countries. 2009 , 168, 137-44		15

536	Electroconvulsive therapy increases glial cell-line derived neurotrophic factor (GDNF) serum levels in patients with drug-resistant depression. 2009 , 170, 273-5	44
535	Idiopathic rapid-eye-movement sleep disorder: associations with antidepressants, psychiatric diagnoses, and other factors, in relation to age of onset. 2009 , 10, 60-5	97
534	Sex-specific expression of BDNF and CART in the midbrain non-preganglionic Edinger-Westphal nucleus in the rat. 2009 , 30, 2268-74	9
533	Evaluation of docosahexaenoic acid deficiency as a preventable risk factor for recurrent affective disorders: current status, future directions, and dietary recommendations. 2009 , 81, 223-31	52
532	Chronic lithium treatment decreases NG2 cell proliferation in rat dentate hilus, amygdala and corpus callosum. 2009 , 33, 503-10	14
531	Depression and health-related quality of life in chronic obstructive pulmonary disease. 2009 , 122, 778.e9-15	88
530	Depression. 2009 , 19, 264-7	3
529	Is there a place for tricyclic antidepressants and subsequent augmentation strategies in obtaining remission for patients with treatment resistant depression?. 2009 , 59, 202-6	7
528	Bipolar disorder: What effect does treatment adherence have on risk of suicidal behavior?. 2009 , 2, 42-8	4
527	Bipolar disorder: what effect does treatment adherence have on risk of suicidal behavior?. 2009 , 2, 42-48	1
526	Diagnosis and Management of Polycystic Ovary Syndrome. 2009 ,	0
525	Neurocognitive mechanisms in depression: implications for treatment. 2009 , 32, 57-74	301
524	Estrogen prevents norepinephrine alpha-2a receptor reversal of stress-induced working memory impairment. 2009 , 12, 457-63	18
523	[Severe depression : cultural and social factors]. 2009 , 35 Suppl 7, S286-90	1
522	Comparative efficacy and safety of oxcarbazepine versus divalproex sodium in the treatment of acute mania: a pilot study. 2009 , 24, 178-82	23
521	An evolutionary hypothesis of depression and its symptoms, adaptive value, and risk factors. 2009 , 197, 561-7	27
520	A case-control study of bipolar depression, compared with unipolar depression, in a regional hospital in Hong Kong. <i>Canadian Journal of Psychiatry</i> , 2009 , 54, 452-9	4.8 2
519	Restless Legs Syndrome in a Community Sample of Korean Adults: Prevalence, Impact on Quality of Life, and Association with DSM-IV Psychiatric Disorders. 2009 ,	1

518	The prevalence and impact of depression among medical students: a nationwide cross-sectional study in South Korea. 2010 , 85, 1384-90		63
517	Genetics of Bipolar Disorder. 2010 , 110-123		6
516	Update on the Epidemiology of Bipolar Disorder. 2010 , 52-61		
515	Genomewide Association Studies: History, Rationale, and Prospects for Psychiatric Disorders. 2010 , 8, 417-434		1
514	[Patients of immigrant origin in inpatient psychiatric facilities. Differences between first and second generation: nationwide questionnaire of the Psychiatry and Migration Working Group of the German Federal Conference of Psychiatric Hospital Directors]. 2010 , 81, 86-94		9
513	Similarity in depressive symptom profile in a population-based study of migrants in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 941-51	4.5	40
512	Continuity from suicidal ideations to suicide attempts? An investigation in 18-55 years old adult Iranian Kurds. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 973-81	4.5	11
511	Depression among Arabs and Jews in Israel: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 931-9	4.5	43
510	Preventive effect of estrogen on depression-like behavior induced by chronic restraint stress. 2010 , 26, 140-6		26
509	Gender Differences in the Incidence of Depression and Anxiety: Econometric Evidence from the USA. 2010 , 11, 663-682		8
508	Does the Hopelessness Theory Account for Sex Differences in Depressive Symptoms Among Young Adults?. 2010 , 34, 177-187		16
507	Gender differences in depression in 23 European countries. Cross-national variation in the gender gap in depression. 2010 , 71, 305-313		416
506	Epidemiology of major depressive episode in a southern European country: results from the ESEMeD-Spain project. <i>Journal of Affective Disorders</i> , 2010 , 120, 76-85	6.6	83
505	Women's reproductive related disorders (RRDs). <i>Journal of Affective Disorders</i> , 2010 , 122, 10-3	6.6	25
504	Suicide attempt characteristics may orientate toward a bipolar disorder in attempters with recurrent depression. <i>Journal of Affective Disorders</i> , 2010 , 122, 53-9	6.6	23
503	Epidemiology and symptomatology of depression in Sri Lanka: a cross-sectional population-based survey in Colombo District. <i>Journal of Affective Disorders</i> , 2010 , 123, 188-96	6.6	38
502	A population-based analysis of distinguishers of bipolar disorder from major depressive disorder. <i>Journal of Affective Disorders</i> , 2010 , 125, 103-10	6.6	39
501	Depression in Asian-American and Caucasian undergraduate students. <i>Journal of Affective Disorders</i> , 2010 , 125, 379-82	6.6	77

500	Manic symptoms in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , 2010 , 126, 252-6	6.6	8
499	Bipolar disorder with frequent mood episodes in the New Zealand Mental Health Survey. <i>Journal of Affective Disorders</i> , 2010 , 126, 65-74	6.6	6
498	Higher prevalence of bipolar I disorder among Asian and Latino compared to Caucasian patients receiving treatment. 2010 , 2, 156-165		8
497	The Bipolar Association Case-Control Study (BACCS) and meta-analysis: No association with the 5,10-Methylenetetrahydrofolate reductase gene and bipolar disorder. 2010 , 153B, 1298-304		23
496	Establishing the reliability and validity of the Zagazig Depression Scale in a UK student population: an online pilot study. 2010 , 10, 107		3
495	Depression diagnoses following the identification of bipolar disorder: costly incongruent diagnoses. 2010 , 10, 39		14
494	The emerging modern face of mood disorders: a didactic editorial with a detailed presentation of data and definitions. 2010 , 9, 14		15
493	Demographic and clinical predictors of depressive symptoms among incarcerated women. 2010 , 9, 34		6
492	Evaluation of major depression in a routine clinical assessment. 2010 , 2, 9		
491	Meta-analysis of the BDNF Val66Met polymorphism in major depressive disorder: effects of gender and ethnicity. <i>Molecular Psychiatry</i> , 2010 , 15, 260-71	15.1	341
490	Interface between hypothalamic-pituitary-adrenal axis and brain-derived neurotrophic factor in depression. 2010 , 64, 447-59		129
489	Current use of depression rating scales in mental health setting. <i>Psychiatry Investigation</i> , 2010 , 7, 170-6	3.1	20
488	Molecular imaging of major depression. 170-196		
487	Barriers to health care among the elderly in Japan. 2010 , 7, 1330-41		55
486	Distúrbios do pensamento em pacientes deprimidos: frequência e tipos. 2010 , 59, 28-33		2
485	Modulation of Emotional Faces Processing and Its Implication for Depression and Anxiety. 2010 ,		
484	Uso de clozapina en trastorno bipolar refractario. 2010 , 48, 335-343		
483	Asenapine: A Novel Atypical Antipsychotic Agent for Schizophrenia and Bipolar I Disorder. 2010 , 26, 352-361		4

482	Culture-gene coevolution of individualism-collectivism and the serotonin transporter gene. 2010 , 277, 529-37	373
481	Norepinephrine and serotonin transporter genes: impact on treatment response in depression. 2010 , 62, 121-31	55
480	Gender differences in rates of depression, PTSD, pain, obesity, and military sexual trauma among Connecticut War Veterans of Iraq and Afghanistan. 2010 , 19, 267-71	184
479	Guidelines for the pharmacological treatment of peripheral neuropathic pain: expert panel recommendations for the middle East region. 2010 , 38, 295-317	40
478	Symptoms of depression and anxiety in Serbian patients with systemic sclerosis: impact of disease severity and socioeconomic factors. 2010 , 20, 353-357	16
477	Are We Medicalizing Women's Misery? A Critical Review of Women's Higher Rates of Reported Depression. 2010 , 20, 9-35	106
476	Association between bipolar spectrum features and treatment outcomes in outpatients with major depressive disorder. 2011 , 68, 351-60	99
475	Incidence of maternal and paternal depression in primary care: a cohort study using a primary care database. 2010 , 164, 1038-44	124
474	Prevalence of DSM-IV major mental disorders among Korean adults: A 2006 National Epidemiologic Survey (KECA-R). 2010 , 3, 26-30	64
473	Validation of the Perinatal Grief Scale for use in Chinese women who have experienced recent reproductive loss. 2010 , 34, 151-71	5
472	Estrogen promotes stress sensitivity in a prefrontal cortex-amygdala pathway. 2010 , 20, 2560-7	134
471	Nocturnal awakenings and difficulty resuming sleep: their burden in the European general population. 2010 , 69, 565-71	33
470	Depression and Suicide Risk in Hemodialysis Patients With Chronic Renal Failure. 2010 , 51, 528-528.e6	90
469	Inflammation, sanitation, and consternation: loss of contact with coevolved, tolerogenic microorganisms and the pathophysiology and treatment of major depression. 2010 , 67, 1211-24	135
468	Shiftwork duration and the awakening cortisol response among police officers. 2011 , 28, 446-57	44
467	Depresión en el personal sanitario femenino y el análisis de los factores de riesgos sociodemográficos y laborales. 2011 , 40, 420-432	
466	DNA methylation profiles of the brain-derived neurotrophic factor (BDNF) gene as a potent diagnostic biomarker in major depression. <i>PLoS ONE</i> , 2011 , 6, e23881	3.7 295
465	"Just the Facts" of schizophrenia in the context of human evolution: commentary on Keshavan et al. (2011). 2011 , 129, 205-7	1

464	Cross-national epidemiology of DSM-IV major depressive episode. 2011 , 9, 90		1107
463	Psychiatric symptomatologies and disorders related to epilepsy and antiepileptic medications. 2011 , 10, 913-34		16
462	Biological Basis of Sex Differences in Psychopharmacology. 2011 ,		2
461	Methods used in cross-cultural comparisons of psychological symptoms and their determinants. 2011 , 70, 120-6		8
460	The burden of illness in the first year home: do male and female VA users differ in health conditions and healthcare utilization. 2011 , 21, 92-7		103
459	Effects of maternal L-tryptophan depletion and corticosterone administration on neurobehavioral adjustments in mouse dams and their adolescent and adult daughters. 2011 , 35, 1479-92		19
458	Admixture analysis of age at onset in bipolar disorder. 2011 , 185, 27-32		41
457	Gender differences in 12-week antidepressant treatment outcomes for a naturalistic secondary care cohort: the CRESCEND study. 2011 , 189, 82-90		24
456	Neuroticism and psychological distress: to what extent is their association due to person-environment correlation?. 2011 , 26, 1-5		24
455	A predictive model for diagnosing bipolar disorder based on the clinical characteristics of major depressive episodes in Chinese population. <i>Journal of Affective Disorders</i> , 2011 , 134, 119-25	6.6	23
454	Dietary fat intake and the risk of depression: the SUN Project. <i>PLoS ONE</i> , 2011 , 6, e16268	3.7	146
453	Sequence polymorphisms of MC1R gene and their association with depression and antidepressant response. 2011 , 21, 14-8		19
452	Integrating social epidemiology into public health research and practice for maternal depression. 2011 , 101, 990-4		5
451	Diagnosis, pathophysiology, and management of mood disorders in pregnant and postpartum women. 2011 , 117, 961-977		98
450	Database of genetic studies of bipolar disorder. 2011 , 21, 57-68		10
449	Psychiatric and general medical conditions comorbid with bipolar disorder in the National Hospital Discharge Survey. 2011 , 62, 1152-8		40
448	Pharmacogenetics of Obstetric Therapeutics. 202-216		
447	Managing late-life bipolar disorder: an update. 2011 , 7, 557-571		1

446	Changes in the prevalence of bipolar disorders between 1998 and 2008 in an Australian population. 2011 , 13, 182-8		11
445	Quality of life and depression assessment in nevroid basal cell carcinoma syndrome. 2011 , 50, 268-76		14
444	The hippocampus in major depression: evidence for the convergence of the bench and bedside in psychiatric research?. <i>Molecular Psychiatry</i> , 2011 , 16, 252-64	15.1	428
443	Lower levels of physical activity in childhood associated with adult depression. 2011 , 14, 222-6		54
442	Sex differences in physiological and affective responses to stress in remitted depression. 2011 , 104, 180-6		51
441	Three studies on self-report scales to detect bipolar disorder. <i>Journal of Affective Disorders</i> , 2011 , 128, 199-210	6.6	20
440	Incidence of major depressive episode correlates with elevation of substate region of residence. <i>Journal of Affective Disorders</i> , 2011 , 129, 376-9	6.6	40
439	Prevalence of episodes of mania and hypomania and associated comorbidities among young adults. <i>Journal of Affective Disorders</i> , 2011 , 130, 328-33	6.6	48
438	Prevalence of distress, comorbid conditions and well being in the general population. <i>Journal of Affective Disorders</i> , 2011 , 130, 429-37	6.6	58
437	Increased risk of cancer subsequent to severe depression--a nationwide population-based study. <i>Journal of Affective Disorders</i> , 2011 , 131, 200-6	6.6	40
436	Psychometric value of the Center for Epidemiologic Studies Depression (CES-D) scale for screening of depressive symptoms in Armenian population. <i>Journal of Affective Disorders</i> , 2011 , 133, 489-98	6.6	29
435	Treatment-induced manic switch in the course of unipolar depression can predict bipolarity: cluster analysis based evidence. <i>Journal of Affective Disorders</i> , 2011 , 134, 91-101	6.6	21
434	Open-label adjunctive creatine for female adolescents with SSRI-resistant major depressive disorder: a 31-phosphorus magnetic resonance spectroscopy study. <i>Journal of Affective Disorders</i> , 2011 , 135, 354-61	6.6	81
433	Pathways from education to depression. 2011 , 26, 121-35		29
432	Depressive symptoms among adolescent girls in relationships with older partners: causes and lasting effects?. 2011 , 40, 800-13		11
431	Bridging the Gaps: An Attempt to Integrate Three Major Cognitive Depression Models. 2011 , 35, 342-358		13
430	Erschöpfung und Depression in der Schwangerschaft. 2011 , 56, 224-230		2
429	Depression and economic hardship across Greece in 2008 and 2009: two cross-sectional surveys nationwide. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 943-52	4.5	102

428	Brain expression quantitative trait locus mapping informs genetic studies of psychiatric diseases. 2011 , 27, 123-33	23
427	Differences in demographic composition and in work, social, and functional limitations among the populations with unipolar depression and bipolar disorder: results from a nationally representative sample. 2011 , 9, 90	33
426	Should bipolar disorder be considered a systemic illness?. 2011 , 1, 45-54	3
425	The impact of gender on antidepressants. 2011 , 8, 231-49	18
424	Psychiatric comorbidity in women with chronic pelvic pain. 2011 , 16, 29-35	18
423	Depression among Asian Americans: Review and Recommendations. 2011 , 2011, 320902	79
422	Prevalence and correlates of bipolar spectrum disorder in the world mental health survey initiative. 2011 , 68, 241-51	1430
421	The relationship between quantity, type, and timing of external childcare and child problem behaviour in Switzerland. 2011 , 8, 637-660	16
420	Global Burden of Disease estimates of depression--how reliable is the epidemiological evidence?. 2011 , 104, 25-34	38
419	Oral ziprasidone in the treatment of patients with bipolar disorders: a critical review. 2011 , 4, 163-79	3
418	Sleep disorders in neurodegenerative diseases other than Parkinson's disease. 2011 , 99, 1011-50	4
417	Unhealthy and unsafe practices associated with symptoms of depression among injured patients. 2011 , 18, 243-8	1
416	Changes in the pharmacokinetics of digoxin in polyuria in streptozotocin-induced diabetic mice and lithium carbonate-treated mice. 2011 , 41, 486-93	8
415	Depression, Access Barriers, and Their Combined Associations with Unmet Health Needs among Publicly Insured Individuals in Minnesota. 2012 , 2, 85-98	8
414	Health-related quality of life among heavy-drinking college students. 2012 , 36, 289-99	10
413	A bibliometric analysis of bipolar affective disorders using density-equalizing mapping and output benchmarking. 2012 , 54, 320-6	8
412	Depression in China: integrating developmental psychopathology and cultural-clinical psychology. 2012 , 41, 682-94	25
411	Depression. 2012 , 92-98	1

410	Depression among carers of AIDS-orphaned and other-orphaned children in Umlazi Township, South Africa. 2012 , 7, 253-69		34
409	Management strategies in SSRI-associated sexual dysfunction in women at midlife. 2012 , 15, 306-16		18
408	[Health inequities in mood disorders based on material and social deprivation in dwelling sectors]. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 772-81	4.8	12
407	Cardiovascular fitness in males at age 18 and risk of serious depression in adulthood: Swedish prospective population-based study. 2012 , 201, 352-9		78
406	Symptoms of anxiety, depression, anger and sexual concern and the role of some demographic characteristic among slovenian youth: a cross sectional study. 2012 , 51,		
405	Accelerated aging-related transcriptome changes in the female prefrontal cortex. 2012 , 11, 894-901		17
404	Gender-specific predictors of early mortality after coronary artery bypass graft surgery. 2012 , 101, 745-51		31
403	Increased risk of hypertension in patients with major depressive disorder: a population-based study. 2012 , 73, 169-74		33
402	Genetic variability in the endocannabinoid system and 12-week clinical response to citalopram treatment: the role of the CNR1, CNR2 and FAAH genes. 2012 , 26, 1391-8		23
401	Psychological distress and job stressors among Lebanese workers: experience from a private sector. 2012 , 67, 133-44		1
400	Sex-specific differences in the dynamics of cocaine- and amphetamine-regulated transcript and nesfatin-1 expressions in the midbrain of depressed suicide victims vs. controls. <i>Neuropharmacology</i> , 2012 , 62, 297-303	5.5	52
399	Mood stabilizers commonly restore staurosporine-induced increase of p53 expression and following decrease of Bcl-2 expression in SH-SY5Y cells. 2012 , 38, 183-9		8
398	[Assessment of depression in rheumatoid arthritis: a cross sectional study on 60 patients]. 2012 , 41, e220-5		4
397	Prevalence of diabetes in patients with major depressive disorder: a population-based study. 2012 , 53, 569-75		28
396	Increased risk of affective disorders in type 2 diabetes is minimized by sulfonylurea and metformin combination: a population-based cohort study. 2012 , 10, 150		32
395	Depressive symptoms and psychosocial stress at work among older employees in three continents. 2012 , 8, 27		53
394	Effects of personality traits on the manifestations of irritable bowel syndrome. 2012 , 6, 20		18
393	Environment, the Immune System, and Depression: An Integrative Review and Discussion of the Infection-Defense Hypothesis. 2012 , 345-385		3

392	Fetal programming effects of testosterone on the reward system and behavioral approach tendencies in humans. 2012 , 72, 839-47	85
391	Strain differences in the effects of chronic corticosterone exposure in the hippocampus. 2012 , 222, 269-80	23
390	The costs of depression. 2012 , 35, 1-14	465
389	Burden of Mental Disorders based on the World Mental Health Surveys. 2012 , 34, 7-11	
388	Immunotoxicity, Immune Dysfunction, and Chronic Disease. 2012 ,	4
387	Psychiatric epidemiology. 2012 , 106, 167-89	4
386	Quetiapine: a pharmacoeconomic review of its use in bipolar disorder. 2012 , 30, 611-31	9
385	Depression in cultural context: "Chinese somatization," revisited. 2012 , 35, 15-36	53
384	Elevated immune-inflammatory signaling in mood disorders: a new therapeutic target?. 2012 , 12, 1143-61	84
383	Comparison Group and Individual Cognitive Behavioral Therapy in Treatment of Depression among Iranian Women around Menopause. 2012 , 4,	
382	The Psychological Impact of Hemodialysis on Patients with Chronic Renal Failure. 2012 ,	10
381	Neurobehavioral phenotyping of G(β) knockout mice reveals impairments in motor functions and spatial working memory without changes in anxiety or behavioral despair. 2012 , 6, 29	20
380	A Chinese chan-based mind-body intervention improves sleep on patients with depression: a randomized controlled trial. 2012 , 2012, 235206	19
379	Diagnosis, Pathophysiology, and Management of Mood Disorders in Pregnant and Postpartum Women. 2012 , 10, 51-66	4
378	Memory mood congruency phenomenon in bipolar I disorder and major depression disorder patients. 2012 , 45, 856-61	3
377	Aripiprazole in the acute and maintenance phase of bipolar I disorder. 2012 , 8, 1-6	1
376	Cognitive and behavioral treatment options for insomnia. 2012 , 79, 512-23	6
375	Ethnic and migrational impact on the clinical manifestation of depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1121-9	4.5 20

374	Early school outcomes for children of postpartum depressed mothers: comparison with a community sample. 2012 , 43, 201-18	47
373	Schizophrenia as variation in the sapiens-specific epigenetic instruction to the embryo. 2012 , 81, 319-24	18
372	Evaluation of the efficacy and safety of paliperidone extended-release in the treatment of acute mania: a randomized, double-blind, dose-response study. <i>Journal of Affective Disorders</i> , 2012 , 136, e51-e60	38
371	Ruminative response in clinical patients with major depressive disorder, bipolar disorder, and anxiety disorders. <i>Journal of Affective Disorders</i> , 2012 , 136, e77-e81	6.6 23
370	Screening genetic variability at the CNR1 gene in both major depression etiology and clinical response to citalopram treatment. 2013 , 227, 509-19	40
369	Trends in depressive symptom burden among older adults in the United States from 1998 to 2008. 2013 , 28, 1611-9	31
368	Major depressive disorder, panic disorder, and post-traumatic stress disorder in Korean subway drivers. 2013 , 86, 471-7	19
367	Less depressed or less forthcoming? Self-report of depression symptoms in women preparing for in vitro fertilization. 2013 , 16, 87-92	16
366	[Clinical practice guideline on bipolar disorder: drug and psychosocial therapy. Asociaci3n Espa2ola de Neuropsiquiatr3a]. 2013 , 141, 305.e1-305.e10	3
365	Hydrocortisone infusion exerts dose- and sex-dependent effects on attention to emotional stimuli. 2013 , 81, 247-55	10
364	Gender differences in demographic and clinical features and prescribing patterns of psychotropic medications in patients with major depressive disorder in China. 2013 , 54, 1198-202	7
363	Applied Demography and Public Health. 2013 ,	1
362	Functional Val66Met polymorphism of Brain-derived neurotrophic factor in type 2 diabetes with depression in Han Chinese subjects. 2013 , 9, 34	22
361	Recent advances in sleep-wake cycle and biological rhythms in bipolar disorder. 2013 , 15, 402	28
360	Systematic review of genome-wide gene expression studies of bipolar disorder. 2013 , 13, 213	63
359	Pheno-Pub: a total support system for the publication of mouse phenotypic data on the web. 2013 , 24, 473-83	3
358	Increased risk of hyperlipidemia in patients with major depressive disorder: a population-based study. 2013 , 75, 270-4	21
357	An emerging role for microRNAs in sexually dimorphic neurobiological systems. 2013 , 465, 655-67	19

356	El trastorno bipolar. 2013 , 20, 565-572	1
355	The comorbidity of adult attention-deficit/hyperactivity disorder in bipolar disorder patients. 2013 , 54, 549-55	33
354	A global perspective on psychosocial risk factors for cardiovascular disease. 2013 , 55, 574-81	47
353	Association between uremic toxins and depression in patients with chronic kidney disease undergoing maintenance hemodialysis. 2013 , 35, 23-7	15
352	A systematic review of studies of depression prevalence in university students. 2013 , 47, 391-400	763
351	Depression, quality of life and primary care: a cross-sectional study. 2013 , 3, 245-52	11
350	Mood and anxiety disorders among inpatients of a university hospital in Turkey. 2013 , 35, 417-22	12
349	Past major depression and smoking cessation outcome: a systematic review and meta-analysis update. 2013 , 108, 294-306	110
348	Homozygosity mapping of depressive disorder in a large family from Pakistan: significant linkage on chromosome 6 and 9. 2013 , 162B, 157-62	2
347	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 497-511	15.1 853
346	Depression as an evolutionary strategy for defense against infection. 2013 , 31, 9-22	49
345	The epidemiology of depression across cultures. 2013 , 34, 119-38	1310
344	Variable maternal stress in rats alters locomotor activity, social behavior, and recognition memory in the adult offspring. 2013 , 104, 47-61	24
343	Bargaining models of depression and evolution of cooperation. 2013 , 331, 54-65	13
342	A review of potassium channels in bipolar disorder. 2013 , 4, 105	14
341	Omega-3 polyunsaturated fatty acids for major depressive disorder. 2013 , 22, 1519-34	36
340	[Differential diagnosis of and pharmacotherapy for bipolar disorder]. 2013 , 81 Suppl 1, S3-8	
339	Ethnopsychopharmacology and pharmacogenomics. 2013 , 33, 88-96	11

338	Maternal age and number of children are risk factors for depressive disorders in non-perinatal women of reproductive age. 2013 , 17, 298-306			4
337	Psychometric Properties of the Attitudes toward Self-Revised in Italian Young Adults. 2013 , 2013, 209216			21
336	Development of the International Classification of Functioning, Disability and Health core sets for bipolar disorders: results of an international consensus process. 2013 , 35, 2138-46			23
335	Knowledge of psychiatric terms and concepts among Kenyan youth: analysis of focus group discussions. 2013 , 50, 515-31			13
334	Detecting mood disorder in resource-limited primary care settings: comparison of a self-administered screening tool to general practitioner assessment. 2013 , 20, 118-24			18
333	Higher pretreatment 5-HT _{1A} receptor binding potential in bipolar disorder depression is associated with treatment remission: a naturalistic treatment pilot PET study. 2013 , 67, 773-8			17
332	Country- and individual-level socioeconomic determinants of depression: multilevel cross-national comparison. 2013 , 202, 195-203			128
331	New approaches for the management of bipolar disorder: role of sublingual asenapine in the treatment of mania. 2013 , 9, 753-8			5
330	Higher prevalence of major depressive symptoms in Brazilians aged 14 and older. 2013 , 35, 142-9			12
329	Patients with blepharitis are at elevated risk of anxiety and depression. <i>PLoS ONE</i> , 2013 , 8, e83335	3.7		10
328	Assessment of the effectiveness of pharmacotherapy follow-up in patients treated for depression. 2013 , 19, 218-27			13
327	The Impact of the Built Environment on Health. 2013 , 753-763			3
326	Systematic review of the prevalence of bipolar disorder and bipolar spectrum disorders in population-based studies. 2013 , 35, 99-105			30
325	Cognitive Behavioral Therapy (CBT) of Depressive Disorders. 2013 ,			
324	Prevalence of depression morbidity among Brazilian adults: a systematic review and meta-analysis. 2014 , 36, 262-70			62
323	Gender-dependent resiliency to stressful and metabolic challenges following prenatal exposure to high-fat diet in the p66(Shc ^{-/-}) mouse. 2014 , 8, 285			27
322	Does a home treatment acute relapse prevention strategy reduce admissions for people with mania in bipolar affective disorder?. 2014 , 38, 276-80			
321	The global prevalence of common mental disorders: a systematic review and meta-analysis 1980-2013. 2014 , 43, 476-93			1257

320	Reliability and validity of the center for epidemiologic studies-depression scale in screening for depression among HIV-infected and -uninfected pregnant women attending antenatal services in northern Uganda: a cross-sectional study. 2014 , 14, 303	67
319	Sex differences in the pathways to major depression: a study of opposite-sex twin pairs. 2014 , 171, 426-35	203
318	Discriminating risk and resilience endophenotypes from lifetime illness effects in familial major depressive disorder. 2014 , 71, 136-48	39
317	Relationship between Metabolic Syndrome and Its Components with Psychological Distress. 2014 , 2014, 203463	8
316	MTHFR gene polymorphism and age of onset of schizophrenia and bipolar disorder. 2014 , 2014, 318483	15
315	A systematic review and meta-analysis of trials of treatment of depression from India. 2014 , 56, 29-38	7
314	[Males and rank--the role of competition for men's health]. 2014 , 76, 127-34	1
313	Differences in psychiatric symptoms among Asian patients with depression: a multi-country cross-sectional study. 2014 , 68, 245-54	14
312	Predictors of incident depression in systemic lupus erythematosus. 2014 , 41, 1823-33	46
311	Sex-specific effects of subjective memory complaints with respect to cognitive impairment or depressive symptoms. 2014 , 68, 176-81	24
310	Enhanced neurocognitive functioning and positive temperament in twins discordant for bipolar disorder. 2014 , 171, 1191-8	24
309	Investigation of blood mRNA biomarkers for suicidality in an independent sample. 2014 , 4, e474	19
308	Chronic multisite pain in major depression and bipolar disorder: cross-sectional study of 149,611 participants in UK Biobank. 2014 , 14, 350	58
307	Three midlife strategies to prevent cognitive impairment due to Alzheimer's disease. 2014 , 17 Suppl 2, 38-46	12
306	The BDNF Val66Met polymorphism does not moderate the effect of self-reported physical activity on depressive symptoms in midlife. 2014 , 218, 93-7	16
305	The projected effect of risk factor reduction on major depression incidence: a 16-year longitudinal Canadian cohort of the National Population Health Survey. <i>Journal of Affective Disorders</i> , 2014 , 158, 56-61	6.6 16
304	Association between norepinephrine transporter T-182C polymorphism and major depressive disorder: a meta-analysis. 2014 , 561, 64-8	8
303	The patient health questionnaire-15 and its abbreviated version as screening tools for depression in Korean college and graduate students. 2014 , 55, 743-8	9

302	Estrogen protects against the detrimental effects of repeated stress on glutamatergic transmission and cognition. <i>Molecular Psychiatry</i> , 2014 , 19, 588-98	15.1	96
301	Do HIV-positive women receive depression treatment that meets best practice guidelines?. 2014 , 18, 1094-102		27
300	The genetics of major depression. 2014 , 81, 484-503		400
299	Influence of sex differences on microRNA gene regulation in disease. <i>Biology of Sex Differences</i> , 2014 , 5, 3	9.3	112
298	EPA guidance mental health care of migrants. 2014 , 29, 107-15		109
297	Cortical thickness differences between bipolar depression and major depressive disorder. 2014 , 16, 378-88		51
296	Aquatic blues: modeling depression and antidepressant action in zebrafish. 2014 , 55, 26-39		42
295	Empathy: gender effects in brain and behavior. 2014 , 46 Pt 4, 604-27		434
294	The impact of comorbid migraine on quality-of-life outcomes after endoscopic sinus surgery. 2014 , 124, 1750-5		16
293	Decreased peripheral brain-derived neurotrophic factor levels are a biomarker of disease activity in major psychiatric disorders: a comparative meta-analysis. <i>Molecular Psychiatry</i> , 2014 , 19, 750-1	15.1	106
292	Prevention of diseases after menopause. 2014 , 17, 540-56		130
291	Distinguishing bipolar disorder from other psychiatric disorders in children. 2014 , 16, 516		20
290	Diagnosis and management of bipolar disorder in primary care: a DSM-5 update. 2014 , 98, 1025-48		8
289	Metamoodics: meta-analysis and bioinformatics resource for mood disorders. <i>Molecular Psychiatry</i> , 2014 , 19, 748-9	15.1	7
288	Depression, anxiety et confusion en soins palliatifs. 2014 , 13, 219-225		1
287	Peripheral arterial disease, gender, and depression in the Heart and Soul Study. 2014 , 60, 396-403		23
286	Sex differences in anxiety and depression clinical perspectives. 2014 , 35, 320-30		538
285	Electrophysiological evidence of the time course of attentional bias in non-patients reporting symptoms of depression with and without co-occurring anxiety. 2014 , 5, 301		18

284	Developing and Selecting Mental Health Measures. 2014 , 143-169	2
283	The Women and Peace Hypothesis in Peacebuilding Settings: Attitudes of Women in the Wake of the Rwandan Genocide. 2014 , 40, 125-151	10
282	Prevalence of depression and validation of the Beck Depression Inventory-II and the Children's Depression Inventory-Short amongst HIV-positive adolescents in Malawi. 2014 , 17, 18965	67
281	Behavioural and neurobiological consequences of macrophage migration inhibitory factor gene deletion in mice. 2015 , 12, 163	14
280	The association between shift work and depression in hotel workers. 2015 , 27,	13
279	Early Maladaptive Schemas: A Comparison Between Bipolar Disorder and Major Depressive Disorder. 2015 , 22, 387-91	13
278	Genes, Brain, and Culture Through a 5-HTT Lens. 2015 ,	
277	Concordance between Composite International Diagnostic Interview and self-reports of depressive symptoms: a re-analysis. 2015 , 24, 213-25	12
276	PERSONALITY AND DEPRESSIVE SYMPTOMS: INDIVIDUAL PARTICIPANT META-ANALYSIS OF 10 COHORT STUDIES. 2015 , 32, 461-70	209
275	Cushing Disease Presenting as Primary Psychiatric Illness: A Case Report and Literature Review. 2015 , 21, 449-57	11
274	Neuropsychological performance of patients with soft bipolar spectrum disorders. 2015 , 17, 194-204	12
273	The epidemiology and societal burden of ADHD. 24-41	0
272	Bipolar disorder prevalence: a systematic review and meta-analysis of the literature. 2015 , 37, 155-61	92
271	Correlation between postpartum depression and premenstrual dysphoric disorder: Single center study. 2015 , 58, 353-8	16
270	Risk of Developing Depressive Disorders following Hepatocellular Carcinoma: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2015 , 10, e0135417	3.7 14
269	Epidemiology and Heritability of Major Depressive Disorder, Stratified by Age of Onset, Sex, and Illness Course in Generation Scotland: Scottish Family Health Study (GS:SFHS). <i>PLoS ONE</i> , 2015 , 10, e0142197	3.7 75
268	Depression, obesity, and metabolic syndrome: prevalence and risks of comorbidity in a population-based representative sample of Mexican Americans. 2015 , 76, e1300-5	29
267	Biological factors underlying sex differences in neurological disorders. 2015 , 65, 139-50	80

266	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. 2015 , 29, 459-525	381
265	Clinical characteristics of bipolar disorder: a comparative study between Argentina and the United States. 2015 , 3, 8	6
264	The role of depressive symptomatology in peri- and post-menopause. 2015 , 81, 306-10	21
263	Random Forest Classification of Depression Status Based On Subcortical Brain Morphometry Following Electroconvulsive Therapy. 2015 , 2015, 92-96	8
262	Correlations between depression, cognitive status, functional scores, disability and lesion load in multiple sclerosis treated with interferon beta 1a. 2015 , 61, 34-39	
261	Psychosocial Stress and Cardiovascular Disease in Women. 2015 ,	1
260	The development and course of bipolar spectrum disorders: an integrated reward and circadian rhythm dysregulation model. 2015 , 11, 213-50	81
259	Prevalence, correlates, and comorbidities of DSM-IV psychiatric disorders in children in Seoul, Korea. 2015 , 27, NP1942-51	24
258	Nonsuicidal self-injury in adolescence: longitudinal course, trajectories, and intrapersonal predictors. 2015 , 43, 369-80	54
257	Towards a biopsychosocial nosology of mental illness: challenges and opportunities for psychiatric epidemiology. 2015 , 69, 301-2	3
256	Restless Leg Syndrome Across the Globe: Epidemiology of the Restless Legs Syndrome/Willis-Ekbom Disease. 2015 , 10, 189-205, xi	51
255	The impact of HIV/AIDS on compliance with antidepressant treatment in major depressive disorder: A prospective study in a South African private healthcare cohort. 2015 , 12, 9	3
254	Increased risk of hyperlipidemia in patients with bipolar disorder: a population-based study. 2015 , 37, 294-8	28
253	Gender differences in REM sleep behavior disorder: a clinical and polysomnographic study in China. 2015 , 16, 414-8	36
252	Mood Disorders in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study. 2015 , 67, 1837-47	77
251	Prevention of Late-Life Depression. 2015 ,	2
250	Sex differences in depressive and socioemotional responses to an inflammatory challenge: implications for sex differences in depression. 2015 , 40, 1709-16	173
249	Biochemical markers subtyping major depressive disorder. 2015 , 69, 597-608	76

248	Reward Responsiveness Varies by Smoking Status in Women with a History of Major Depressive Disorder. 2015 , 40, 1940-6		20
247	Perceived ethnic discrimination, acculturation, and psychological distress in women of Turkish origin in Germany. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1691-700	4.5	28
246	Higher serum total testosterone levels correlate with increased risk of depressive symptoms in Caucasian women through the entire menopausal transition. 2015 , 62, 107-13		10
245	Congenital adrenal hyperplasia and risk for psychiatric disorders in girls and women born between 1915 and 2010: A total population study. 2015 , 60, 195-205		62
244	Testing the PROMIS [®] Depression measures for monitoring depression in a clinical sample outside the US. 2015 , 68, 140-50		24
243	A multi-site randomized clinical trial to reduce suicidal ideation in suicidal adult outpatients with Major Depressive Disorder: Development of a methodology to enhance safety. 2015 , 12, 189-98		13
242	Cognitive-behavioral, behavioral, and mindfulness-based therapies for menopausal depression: a review. 2015 , 80, 37-47		24
241	Diagnosis of bipolar disorder in primary and secondary care: what have we learned over a 10-year period?. <i>Journal of Affective Disorders</i> , 2015 , 174, 225-32	6.6	7
240	Bipolar Disorder. 2015 , 655-673		7
239	Assessment of the efficacy and safety of eslicarbazepine acetate in acute mania and prevention of recurrence: experience from multicentre, double-blind, randomised phase II clinical studies in patients with bipolar disorder I. <i>Journal of Affective Disorders</i> , 2015 , 174, 70-82	6.6	15
238	Clozapine for treatment-resistant bipolar disorder: a systematic review. 2015 , 17, 235-47		80
237	Epistemological Dimensions of Evolutionary Psychology. 2015 ,		
236	Treatment for depression in 63 countries worldwide: describing and explaining cross-national differences. 2015 , 31, 1-9		6
235	Factor structure and measurement invariance of the Patient Health Questionnaire-9 for female and male primary care patients with major depression in Germany. <i>Journal of Affective Disorders</i> , 2015 , 170, 138-42	6.6	46
234	Disability and Quality of Life of Subjects with Bipolar Affective Disorder in Remission. 2016 , 38, 336-40		8
233	Psychological Status and Associated Factors among Korean Cancer Survivors: a Cross-Sectional Analysis of the Fourth & Fifth Korea National Health and Nutrition Examination Surveys. 2016 , 31, 1105-13		10
232	DHA Effects in Brain Development and Function. 2016 , 8,		232
231	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). <i>PLoS ONE</i> , 2016 , 11, e0156624	3.7	41

230	Prospective Associations between Depression and Obesity for Adolescent Males and Females- A Systematic Review and Meta-Analysis of Longitudinal Studies. <i>PLoS ONE</i> , 2016 , 11, e0157240	3.7	171
229	Which Are the Most Burdensome Functioning Areas in Depression? A Cross-National Study. 2016 , 7, 1342		12
228	Incidence of Major Depressive Disorder: Variation by Age and Sex in Low-Income Individuals: A Population-Based 10-Year Follow-Up Study. 2016 , 95, e3110		7
227	Depressive symptoms in midlife: the role of reproductive stage. 2016 , 23, 669-75		15
226	The influence of a history of clinical depression on peri-operative outcomes in elective total shoulder arthroplasty: a ten-year national analysis. 2016 , 98-B, 818-24		43
225	Evaluation of the potential antidepressant effects of soybean isoflavones. 2016 , 23, 1348-1360		14
224	Management of bipolar disorder in the intercontinental region: an international, multicenter, non-interventional, cross-sectional study in real-life conditions. <i>Scientific Reports</i> , 2016 , 6, 25920	4.9	7
223	Social adjustment in female outpatients with depressive disorders under pharmacological treatment. 2016 , 26, S404		
222	Ambulatório de mindfulness e promoção da saúde: relato de experiência. 2016 , 1, 94-100		1
221	Increased cerebrospinal fluid fibrinogen levels in major depressive disorder replicated in a larger sample set. 2016 , 26, S403-S404		1
220	Cardiometabolic disease and features of depression and bipolar disorder: population-based, cross-sectional study. 2016 , 208, 343-51		23
219	Unexplained Painful Physical Symptoms in Patients with Major Depressive Disorder: Prevalence, Pathophysiology and Management. 2016 , 30, 293-304		45
218	Sex-specific hippocampal 5-hydroxymethylcytosine is disrupted in response to acute stress. 2016 , 96, 54-66		22
217	Increased adult neurogenesis in mice with a permanent overexpression of the postsynaptic 5-HT receptor. 2016 , 633, 246-251		8
216	Categorical and dimensional psychopathology in Dutch and US offspring of parents with bipolar disorder: A preliminary cross-national comparison. <i>Journal of Affective Disorders</i> , 2016 , 205, 95-102	6.6	29
215	Serotonin transporter gene (SLC6A4) polymorphisms are associated with response to fluoxetine in south Indian major depressive disorder patients. 2016 , 72, 1215-1220		19
214	Prevalence and correlates of depression and anxiety among patients with HIV on-follow up at Alert Hospital, Addis Ababa, Ethiopia. 2016 , 16, 368		79
213	Women and Men Admitted for Alcohol Intoxication at an Emergency Department: Alcohol Use Disorders, Substance Use and Health and Social Status 7 Years Later. 2016 , 51, 567-75		20

212	Depression in midlife women. 2016 , 94, 149-154		60
211	Effectiveness of pharmacogenetic information in the treatment of major depressive disorder: results from the AB-GEN randomized clinical trial. 2016 , 26, S404-S405		1
210	Impact of marital status on survival of gastric adenocarcinoma patients: Results from the Surveillance Epidemiology and End Results (SEER) Database. <i>Scientific Reports</i> , 2016 , 6, 21098	4.9	28
209	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 1: Background and Methods of the Development of Guidelines. 2017 , 20, 98-120		19
208	The impact of depression among chronic low back pain patients in Japan. 2016 , 17, 447		55
207	Insomnia, Nightmares, and Chronotype as Markers of Risk for Severe Mental Illness: Results from a Student Population. 2016 , 39, 173-81		80
206	Prevalence and related factors of common mental disorders during pregnancy in Japan: a cross-sectional study. 2016 , 10, 17		11
205	Meta-Analysis of the COMT Val158Met Polymorphism in Major Depressive Disorder: Effect of Ethnicity. 2016 , 11, 434-45		25
204	The importance of n-6/n-3 fatty acids ratio in the major depressive disorder. 2016 , 52, 139-47		66
203	Major Depression in Canada: What Has Changed over the Past 10 Years?. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 80-5	4.8	30
202	Can anxiety damage the brain?. <i>Current Opinion in Psychiatry</i> , 2016 , 29, 56-63	4.9	71
201	The Differential Levels of Inflammatory Cytokines and BDNF among Bipolar Spectrum Disorders. 2016 , 19,		19
200	Correlates of emotional and behavioural problems in children with perinatally acquired HIV in Cape Town, South Africa. 2016 , 28, 842-50		27
199	Effects of a Large-Scale Unconditional Cash Transfer Program on Mental Health Outcomes of Young People in Kenya. 2016 , 58, 223-9		84
198	Genetic epidemiology of migraine and depression. 2016 , 36, 679-91		31
197	A meta-analysis of efficacy and safety of aripiprazole in adult and pediatric bipolar disorder in randomized controlled trials and observational studies. <i>Journal of Affective Disorders</i> , 2016 , 191, 187-208	6.6	17
196	Depression and Altitude: Cross-Sectional Community-Based Study Among Elderly High-Altitude Residents in the Himalayan Regions. 2016 , 40, 1-11		13
195	Estrogen in prefrontal cortex blocks stress-induced cognitive impairments in female rats. 2016 , 160, 221-6		15

194	An Illness of Power: Gender and the Social Causes of Depression. 2016 , 40, 59-73		27
193	Epidemiology and burden of bipolar disorder in Africa: a systematic review of data from Africa. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 93-100	4.5	17
192	A pilot fMRI study of the effect of stressful factors on the onset of depression in female patients. 2016 , 10, 195-202		17
191	Sexual Function in Female Veterans: A Review. 2017 , 43, 228-245		12
190	Role of cortical alpha-2 adrenoceptors in alcohol withdrawal-induced depression and tricyclic antidepressants. 2017 , 175, 133-139		10
189	Ovarian hormones modify anxiety behavior and glucocorticoid receptors after chronic social isolation stress. 2017 , 328, 115-122		23
188	Effect of Psychiatric Illness on Acute Care Utilization at End of Life From Serious Medical Illness. 2017 , 54, 176-185.e1		15
187	Emotional learning, stress, and development: An ever-changing landscape shaped by early-life experience. 2017 , 143, 36-48		26
186	Early life stress leads to developmental and sex selective effects on performance in a novel object placement task. 2017 , 7, 57-67		35
185	Vitamin D supplementation in multiple sclerosis: Symptoms and biomarkers of depression. 2017 , 378, 30-35		29
184	Risk of mood disorders in patients with colorectal cancer. <i>Journal of Affective Disorders</i> , 2017 , 218, 59-65.6		11
183	Close correlation between the ankle-brachial index and symptoms of depression in hemodialysis patients. 2017 , 49, 1463-1470		11
182	Characteristics of participants in a randomized trial of an Internet intervention for depression (EVIDENT) in comparison to a national sample (DEGS1). 2017 , 9, 46-50		13
181	Early Improvement Predicts Treatment Outcomes for Patients With Acute Mania: A Naturalistic Study in Taiwan. 2017 , 37, 435-440		3
180	Determinants and geographical variation in the distribution of depression in the Southern cone of Latin America: A population-based survey in four cities in Argentina, Chile and Uruguay. <i>Journal of Affective Disorders</i> , 2017 , 220, 15-23	6.6	16
179	"Sex differences in a real academic stressor, cognitive appraisal and the cortisol response". 2017 , 179, 67-74		7
178	Genetics of Depression: Progress at Last. 2017 , 19, 43		65
177	Increase in depression diagnoses and prescribed antidepressants among young girls. A national cohort study 2000-2013. 2017 , 71, 378-385		19

176	Use of a smartphone application to screen for depression and suicide in South Korea. 2017 , 46, 62-67	7
175	Early adversity and risk for moderate to severe unipolar depressive disorder in adolescence and adulthood: A register-based study of 978,647 individuals. <i>Journal of Affective Disorders</i> , 2017 , 214, 122-129	6.6 30
174	OXTR polymorphism in depression and completed suicide-A study on a large population sample. 2017 , 77, 84-89	8
173	Population Base Rates and Disease Course of Common Psychiatric and Neurodegenerative Disorders. 2017 , 27, 284-301	7
172	Circuit and synaptic mechanisms of repeated stress: Perspectives from differing contexts, duration, and development. 2017 , 7, 137-151	25
171	Risk of depression among Bangladeshi type 2 diabetic patients. 2017 , 11 Suppl 2, S1009-S1012	7
170	Prevalence of depression and suicidal ideation increases proportionally with renal function decline, beginning from early stages of chronic kidney disease. 2017 , 96, e8476	17
169	Financial difficulties in childhood and adult depression in Europe. 2017 , 27, 96-101	18
168	Common adult psychiatric disorders in Swedish primary care where most mental health patients are treated. 2017 , 17, 235	80
167	Altered DLPFC-Hippocampus Connectivity During Working Memory: Independent Replication and Disorder Specificity of a Putative Genetic Risk Phenotype for Schizophrenia. 2017 , 43, 1114-1122	21
166	Recognition of depression by primary care clinicians in rural Ethiopia. 2017 , 18, 56	25
165	Progression from unipolar depression to schizophrenia. 2017 , 135, 42-50	13
164	Epidemiology of DSM-5 bipolar I disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions - III. 2017 , 84, 310-317	69
163	Autistic and schizotypal traits and global functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2017 , 207, 268-275	6.6 13
162	Advances in Theoretical, Developmental, and Cross-Cultural Perspectives of Psychopathology. 2017 , 293-342	1
161	Sex Differences in the Peripheral Immune System in Patients with Depression. 2017 , 8, 108	39
160	Commentary: Sex Differences in the Peripheral Immune System in Patients with Depression. 2017 , 8, 145	1
159	Epigenetics of Brain Disorders. 2017 , 553-568	

158	Women Benefit More Than Men in Response to College-based Meditation Training. 2017 , 8, 551		97
157	Association between Emotional Symptoms and Job Demands in an Asian Electronics Factory. 2017 , 14,		4
156	Emotional problems among recent immigrants and parenting status: Findings from a national longitudinal study of immigrants in Canada. <i>PLoS ONE</i> , 2017 , 12, e0175023	3.7	17
155	Neuroplasticity pathways and protein-interaction networks are modulated by vortioxetine in rodents. 2017 , 18, 56		6
154	Depression: point-prevalence and risk factors in a North Cyprus household adult cross-sectional study. 2017 , 17, 387		9
153	Paroxetine versus Venlafaxine and Escitalopram in Korean Patients with Major Depressive Disorder: A Randomized, Rater-blinded, Six-week Study. 2017 , 15, 391-401		1
152	Prevalence, Comorbidity, and Correlates of Psychiatric and Substance Use Disorders and Associations with HIV Risk Behaviors in a Multisite Cohort of Women Living with HIV. 2018 , 22, 3141-3154		37
151	The relationship between progestin hormonal contraception and depression: a systematic review. 2018 , 97, 478-489		42
150	Abnormal emotional and neural responses to romantic rejection and acceptance in depressed women. <i>Journal of Affective Disorders</i> , 2018 , 234, 231-238	6.6	7
149	Prevalence of mental diseases in Austria : Systematic review of the published evidence. 2018 , 130, 141-150		7
148	Proteomic Studies of Psychiatric Disorders. 2018 , 1735, 59-89		1
147	Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. 2018 , 14, 151-164		220
146	Genome-wide meta-analyses of stratified depression in Generation Scotland and UK Biobank. 2018 , 8, 9		48
145	Risk Factors for Depression: An Autobiographical Review. 2018 , 14, 1-28		119
144	Subjective and objective sleep discrepancy in symptomatic bipolar disorder compared to healthy controls. <i>Journal of Affective Disorders</i> , 2018 , 229, 247-253	6.6	12
143	Diagnosis of Major Depressive Disorders: Clinical and Biological Perspectives. 2018 , 53-68		1
142	An Update on the Epidemiology of Major Depressive Disorder Across Cultures. 2018 , 309-315		3
141	Increased Vulnerability to Poorer Cancer-Specific Outcomes Following Recent Divorce. 2018 , 131, 517-523		8

140	Bipolar disorder in youth is associated with increased levels of vitamin D-binding protein. 2018 , 8, 61		15
139	The prevalence of depression and depressive symptoms among adults in China: Estimation based on a National Household Survey. 2018 , 51, 271-282		83
138	Epidemiology of pain and relation to psychiatric disorders. 2018 , 87, 159-167		80
137	Gender-Related Hippocampal Proteomics Study from Young Rats After Chronic Unpredicted Mild Stress Exposure. 2018 , 55, 835-850		15
136	Gender differences in subtypes of depression by first incidence and age of onset: a follow-up of the Lundby population. 2018 , 268, 179-189		22
135	A longitudinal study of neurotrophic, oxidative, and inflammatory markers in first-onset depression in midlife women. 2018 , 268, 771-781		25
134	Psychotropic use and risk of stroke among patients with bipolar disorders: 10-year nationwide population based study. <i>Journal of Affective Disorders</i> , 2018 , 226, 77-84	6.6	7
133	Sex differences in cardiovascular, neuroendocrine and behavioral changes evoked by chronic stressors in rats. 2018 , 81, 426-437		34
132	The role of cadherin genes in five major psychiatric disorders: A literature update. 2018 , 177, 168-180		29
131	The association between physical activity and depression among individuals residing in Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 373-383	4.5	14
130	A controlled study of plasma fatty acids in Indian patients with depressive episode. 2018 , 31, 152-156		1
129	Beliefs about the causes of and treatments for depression and bipolar disorder among South Koreans. 2018 , 260, 219-226		4
128	Psychometric Properties and Factor Structures of the Korean Version of Children's Depression Rating Scale-Revised. 2018 , 28, 285-292		9
127	Impact, Diagnosis, Phenomenology, and Biology. 2019 , 250, 3-33		
126	Screening for Depression Levels among Adult Female Resident at King Faisal National Guard Residential City in Jeddah (KFNGRCJ), From 18 Years Old and More, 2016. 2018 , 08,		1
125	Disturbing Lack of Early Intervention Studies in Bipolar Disorder. 2018 , 75, 1201-1202		6
124	Lifestyle and weight changes among immigrants in Canada. 2018 , 14, 439-454		4
123	Functional Analysis of iGluR Delta-2 and other Depression Associated Proteins. 2018 ,		2

122	Determine Bipolar Disorder Level from Patient Interviews Using Bi-LSTM and Feature Fusion. 2018 ,	3
121	Long term follow-up of multidrug resistant tuberculosis in a pubertal child. 2018 , 58, 198-204	
120	Social and behavioural factors associated with depressive symptoms among university students in Cambodia: a cross-sectional study. 2018 , 8, e019918	13
119	The Cultural Shaping of Alexithymia. 33-48	8
118	Course of major depressive disorder after pregnancy and the postpartum period. 2018 , 35, 1130-1136	5
117	From Default Mode Network to the Basal Configuration: Sex Differences in the Resting-State Brain Connectivity as a Function of Age and Their Clinical Correlates. 2018 , 9, 365	9
116	The impact of measurement differences on cross-country depression prevalence estimates: A latent transition analysis. <i>PLoS ONE</i> , 2018 , 13, e0198429	3-7 9
115	HCN channels in the hippocampus regulate active coping behavior. 2018 , 146, 753-766	6
114	Childhood emotional abuse, physical abuse, and neglect are associated with theory of mind decoding accuracy in young adults with depression. 2018 , 268, 501-507	7
113	Psychopathological Features of Bipolar Depression: Italian Validation of the Bipolar Depression Rating Scale (I-BDRS). 2018 , 9, 1047	3
112	The influence of marital status on survival for patients aged 65 years and younger with oral cavity cancer. 2018 , 45, 1227-1232	6
111	The impact of fibromyalgia syndrome and the role of comorbidity with mood and post-traumatic stress disorder in worsening the quality of life. 2018 , 64, 647-655	15
110	Increased risk for major depressive disorder in severely obese patients after bariatric surgery - a 12-year nationwide cohort study. 2018 , 50, 605-612	9
109	Psychometric Comparisons of the Quality of Life after Brain Injury between Individuals with Mild and Those with Moderate/Severe Traumatic Brain Injuries. 2019 , 36, 126-134	1
108	What has sex got to do with it? The role of hormones in the transgender brain. 2019 , 44, 22-37	27
107	What do we know about sex differences in depression: A review of animal models and potential mechanisms. 2019 , 89, 48-56	33
106	The magnitude and correlates of geriatric depression using Geriatric Depression Scale (GDS-15) - a Bahrain perspective for the WHO 2017 campaign 'Depression - let's talk'. 2019 , 139, 79-87	7
105	Health and Gender. 2019 ,	

104 Psychiatric Disorders. **2019**, 215-235

103 Gender differences in healthcare management of depression: aspects of sick leave and treatment with psychoactive drugs in a Swedish setting. **2019**, 73, 441-450

6

102 Identifying depression in the National Health and Nutrition Examination Survey data using a deep learning algorithm. *Journal of Affective Disorders*, **2019**, 257, 623-631

6.6 22

101 The assessment and management of insomnia: an update. **2019**, 18, 337-352

48

100 Gender Disparity in the Risk of Hypertension in Subjects With Major Depressive Disorder. **2019**, 10, 541

5

99 Death by Stereotype? Cancer Treatment in Unmarried Patients. **2019**, 381, 982-985

13

98 Toward clinical digital phenotyping: a timely opportunity to consider purpose, quality, and safety. **2019**, 2, 88

89

97 Association of Cytomegalovirus and Toxoplasma gondii Antibody Titers With Bipolar Disorder. **2019**, 76, 1285-1293

19

96 Interaction of childhood trauma with rs1360780 of the FKBP5 gene on trait resilience in a general population sample. **2019**, 116, 104-111

11

95 Predictive Big Data Analytics using the UK Biobank Data. *Scientific Reports*, **2019**, 9, 6012

4.9 13

94 The genetics of depression: successful genome-wide association studies introduce new challenges. **2019**, 9, 114

49

93 Sex-Dependent Ketamine Addiction-Like Behavior Profile Following Exposure to Chronic Mild Stress. **2019**, 3,

12

92 Diagnostic Stability in Bipolar Disorder: A Narrative Review. **2019**, 27, 3-14

2

91 Depression in the Primary Care Setting. **2019**, 380, 559-568

82

90 Hormonale Kontrazeption und Depression âBeratung in der Praxis. **2019**, 52, 112-116

2

89 Gender Variability of Perceived Stress and Negative Inferential Feedback in Depression. **2019**, 41, 331-337

5

88 SCREENING OF PHYTOCHEMICALS AND IN VITRO ANTIOXIDANT ANALYSIS OF IXORA MACROTHYRSA (TEJISM. AND BINN.). **2019**, 128-132

87 Similar effects of low to moderate-intensity exercise program vs moderate-intensity continuous exercise program on depressive disorder in heart failure patients: A 12-week randomized controlled trial. **2019**, 98, e16820

9

86	Objective measures of physical performance associated with depression and/or anxiety in midlife Singaporean women. 2019 , 26, 1045-1051		11
85	Higher plasma leptin and lower C-peptide levels are associated with depression: A cross-sectional study. <i>Journal of Affective Disorders</i> , 2019 , 243, 70-74	6.6	8
84	Quality of life in functional movement disorders is as altered as in organic movement disorders. 2019 , 116, 10-16		14
83	Risk and coaggregation of major psychiatric disorders among first-degree relatives of patients with bipolar disorder: a nationwide population-based study. 2019 , 49, 2397-2404		25
82	Maternal depression and primary healthcare use for children: a population-based cohort study in Denmark. 2019 , 69, e182-e189		7
81	The characteristics of psychotic features in bipolar disorder. 2019 , 49, 2036-2048		17
80	Copy number variation and neuropsychiatric problems in females and males in the general population. 2019 , 180, 341-350		13
79	Stress and Sensitivity to Frustration Predicting Depression among Young Adults in Poland and Korea - Psychological and Philosophical Explanations. 2019 , 38, 769-774		6
78	Antidepressant Prescription and Risk of Lung Cancer: A Nationwide Case-Control Study. 2019 , 52, 134-141		
77	A Dynamical Bifurcation Model of Bipolar Disorder Based on Learned Expectation and Asymmetry in Mood Sensitivity. 2018 , 2, 205-222		8
76	Whole blood transcriptome analysis in bipolar disorder reveals strong lithium effect. 2020 , 50, 2575-2586		6
75	Interactions between psychiatric and physical disorders and their effects on the risks of suicide: a nested case-control study. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1462, 79-91	6.5	3
74	Gender differences influence over insomnia in Korean population: A cross-sectional study. <i>PLoS ONE</i> , 2020 , 15, e0227190	3.7	19
73	Application of Item Response Theory to Model Disease Progression and Agomelatine Effect in Patients with Major Depressive Disorder. <i>AAPS Journal</i> , 2019 , 22, 4	3.7	1
72	Association between depression and rheumatoid arthritis: two longitudinal follow-up studies using a national sample cohort. <i>Rheumatology</i> , 2020 , 59, 1889-1897	3.9	14
71	The characteristics and prevalence of phobias in pregnancy. <i>Midwifery</i> , 2020 , 82, 102590	2.8	8
70	Reminiscence, personality, coping and mood state in institutionalised older adults: a cross-sectional study. <i>Psychogeriatrics</i> , 2020 , 20, 310-320	1.8	2
69	Increased prevalence of depression in South Korea from 2002 to 2013. <i>Scientific Reports</i> , 2020 , 10, 16974.9		26

68	Marital status and survival of patients with colorectal signet ring cell carcinoma: a population-based study. <i>Scientific Reports</i> , 2020 , 10, 17881	4.9	5
67	Sex-related differences in brain dynamism at rest as neural correlates of positive and negative valence system constructs. <i>Cognitive Neuroscience</i> , 2021 , 12, 131-154	1.7	0
66	Prevalence of depression and associated factors among HIV/AIDS patients attending antiretroviral therapy clinic at Dessie referral hospital, South Wollo, Ethiopia. <i>International Journal of Mental Health Systems</i> , 2020 , 14, 55	3.6	11
65	Parenting as a Mediator of Associations between Depression in Mothers and Children's Functioning: A Systematic Review and Meta-Analysis. <i>Clinical Child and Family Psychology Review</i> , 2020 , 23, 427-460	6.9	24
64	Overestimation of Postpartum Depression Prevalence Based on a 5-item Version of the EPDS: Systematic Review and Individual Participant Data Meta-analysis. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 835-844	4.8	3
63	S3-Leitlinie zur Diagnostik und Therapie Bipolarer Störungen. 2020 ,		
62	Depression and suicidal behavior in LGB and heterosexual populations in Serbia and their differences: Cross-sectional study. <i>PLoS ONE</i> , 2020 , 15, e0234188	3.7	2
61	Sex difference in dopamine D1-D2 receptor complex expression and signaling affects depression- and anxiety-like behaviors. <i>Biology of Sex Differences</i> , 2020 , 11, 8	9.3	19
60	Chronic social isolation exerts opposing sex-specific consequences on serotonin neuronal excitability and behaviour. <i>Neuropharmacology</i> , 2020 , 168, 108015	5.5	9
59	The emotional well-being of journalists exposed to traumatic events: A mapping review. <i>Media, War and Conflict</i> , 2020 , 175063521989599	1	5
58	Personality factors and cerebral glucose metabolism in community-dwelling older adults. <i>Brain Structure and Function</i> , 2020 , 225, 1511-1522	4	2
57	A Developmental Perspective on the Relationship between Child Sexual Abuse and Depression: A Systematic and Meta-Analytic Review. <i>Child Abuse Review</i> , 2020 , 29, 27-47	1.2	6
56	Perinatal exposure to bisphenol A at the intersection of stress, anxiety, and depression. <i>Neurotoxicology and Teratology</i> , 2020 , 79, 106884	3.9	8
55	The influence of X chromosome variants on trait neuroticism. <i>Molecular Psychiatry</i> , 2021 , 26, 483-491	15.1	5
54	The Adaptation of Pain Assessment Tools from High-Income to Low- and Middle-Income Countries: Psychometric Properties of a Set of Chronic Pain Questionnaires in Mongolian and New Zealand Patient Samples. <i>Pain Medicine</i> , 2021 , 22, 948-960	2.8	1
53	The prevalence of and factors associated with depressive symptoms in the Korean adults: the 2014 and 2016 Korea National Health and Nutrition Examination Survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 659-670	4.5	4
52	Add-on memantine may improve cognitive functions and attenuate inflammation in middle- to old-aged bipolar II disorder patients. <i>Journal of Affective Disorders</i> , 2021 , 279, 229-238	6.6	2
51	Increased risk of ischemic heart disease in patients with bipolar disorder: A population-based study. <i>Journal of Affective Disorders</i> , 2021 , 281, 721-726	6.6	4

50	Gender Differences in Clinical Characteristics and Comorbidities in Bipolar Disorder: a Study from South India. <i>Psychiatric Quarterly</i> , 2021 , 92, 693-702	4.1	0
49	Functional Neuroimaging of Adult-to-Adult Romantic Attachment Separation, Rejection, and Loss: A Systematic Review. <i>Journal of Clinical Psychology in Medical Settings</i> , 2021 , 28, 637-648	2	2
48	Pharmacological Profile and Clinical Utility of Lamotrigine in Mood Disorders. 45-60		1
47	Epidemiologie. 2006 , 15-37		17
46	Frauen. 2006 , 191-214		3
45	Sex Differences in Pain. 2009 , 125-148		4
44	Global Burden of Mental Health. 2010 , 1473-1491		3
43	Quality of life impairment in bipolar disorder. 2007 , 253-274		5
42	Somatisierung im kulturellen Kontext. 2006 , 363-376		1
41	Comorbidity of depressive and anxiety disorders in chronic daily headache and its subtypes. <i>Headache</i> , 2000 , 40, 818-23	4.2	189
40	Cultural psychiatry. <i>Current Opinion in Psychiatry</i> , 1998 , 11, 183-189	4.9	3
39	Implications of gender differences on coronary artery disease risk reduction in women. <i>AACN Advanced Critical Care</i> , 2001 , 12, 17-28		7
38	Depression coping self-efficacy as a predictor of relapse 1 and 2 years following psychiatric hospital-based treatment. <i>Research and Theory for Nursing Practice</i> , 2004 , 18, 261-75	0.8	8
37	The early stages of bipolar disorder and recent developments in the understanding of its neurobiology. <i>Future Neurology</i> , 2010 , 5, 317-323	1.5	1
36	Depression. 2003 , 1-39		2
35	Prognostic and metastasis-related factors in colorectal neuroendocrine tumors: A cross-sectional study based on the Surveillance, Epidemiology and End Results. <i>Oncology Letters</i> , 2019 , 18, 5129-5138	2.6	2
34	Diagnosis and Treatment of Mania in the Psychiatric Emergency Service. <i>Psychiatric Annals</i> , 2000 , 30, 258-266	0.5	2
33	Bipolar Disorder: For Women a Mixed Picture. <i>Psychiatric Annals</i> , 2000 , 30, 465-471	0.5	3

32	How Dialysis Patients Live: A Study on Their Depression and Associated Factors in Southern Italy. <i>Psychology</i> , 2011 , 02, 969-977	0.5	4
31	The clinical research center for depression study: baseline characteristics of a korean long-term hospital-based observational collaborative prospective cohort study. <i>Psychiatry Investigation</i> , 2011 , 8, 1-8	3.1	18
30	The case of the bleak blackjack bettor: Clinical depression and pathological gambling. <i>Journal of Gambling Issues</i> , 2006 ,	1	1
29	Study of Depression and Its Associated Factors among Women Living with HIV/AIDS in Coastal South India. <i>Isrn Aids</i> , 2012 , 2012, 684972		14
28	Mental Disorders. 2004 , 486-493		
27	Prevalence, burden and diagnosis. 2007 , 1-7		
26	La dpression co-morbide favorise-t-elle certains comportements ^risque chez les personnes ayant des problmes de poids?. <i>Revue Francaise Des Affaires Sociales</i> , 2008 , 1, 49	0.3	1
25	Bipolar Disorder in Later Life. <i>Medical Psychiatry</i> , 2008 , 65-90		1
24	Quality of Life in Bipolar Disorder. 2010 , 3591-3606		
23	Psychological Distress and Feelings of Guilt after Disclosure of Genetic Test Results Regarding Hereditary Nonpolyposis Colorectal Cancer. <i>Nihon Kango Kagakkai Shi = Journal of Japan Academy of Nursing Science</i> , 2010 , 30, 23-31	0.1	1
22	Depression and Postpartum Disorders. 2010 , 109-120		0
21	Psychiatric Disorders in Pregnancy. 524-552		
20	Fat Addiction. 2012 , 99-119		
19	The Global State of Mental Health: Trends and Correlates. <i>SSRN Electronic Journal</i> ,	1	0
18	Macroeconomic Crisis and the Gender Gap in Mental Health: Evidence from the 2009 Great Recession. <i>SSRN Electronic Journal</i> ,	1	
17	References. 2009 , 83-97		
16	Genetics of bipolar affective disorder. 2000 , 243-280		
15	Depression. 2006 , 238-247		

- 14 Prevalence, Clinical Course, and Management of Depression During Pregnancy. **2006**, 13-40
- 13 Depressive Störungen: Major Depression und Dysthymie. 731-762 2
- 12 Affektive Störungen. **2008**, 873-909
- 11 Is Psychosis Due to Retroviral/Retrotransposon Integration Close to the Cerebral Dominance Gene?. **2008**, 87-108
- 10 Chapitre 2. Dépression unipolaire majeure : définition, prévalence, incidence, évolution et traitement. **2015**, 14-23
- 9 Depression. **2006**, 238-247
- 8 Image_1.pdf. **2019**,
- 7 Table_1.pdf. **2019**,
- 6 Association between changes in social capital and mental well-being among older people in China. 10, e13938
- 5 Componentes bioativos de alimentos funcionais. **2021**, 199-256 0
- 4 Other Psychiatric Comorbidities in Tourette Syndrome. **2022**, 65-94 0
- 3 The relationship between gender, marital status and depression among Chinese middle-aged and older people: Mediation by subjective well-being and moderation by degree of digitization. 13, 0
- 2 A Population-based Survey of Mental Disorders in Singapore. **2012**, 41, 49-66 13
- 1  **2022**, 27, 144-156 0