

CITATION REPORT

List of articles citing

Solid-State Laser Engineering

DOI: 10.1007/978-3-662-14105-2

Springer Series in Optical Sciences, 1996, , .

Source: <https://exaly.com/paper-pdf/83958115/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
288	Continuous-wave mode-locked solid-state lasers with enhanced spatial hole burning. <i>Applied Physics B: Lasers and Optics</i> , 1995 , 61, 429-437	1.9	62
287	Thermal Birefringence Effect on the Performance of a Laser-Diode Pumped Solid-State Laser. <i>Japanese Journal of Applied Physics</i> , 1997 , 36, 7197-7201	1.4	0
286	High Stability Resonator for Pulsed Solid State Lasers. <i>Japanese Journal of Applied Physics</i> , 1997 , 36, 6761-6763	1.4	1
285	Nonlinear dynamics of additive-pulse mode-locked lasers in four cavity topologies. <i>Physical Review A</i> , 1997 , 55, 3124-3132	2.6	9
284	Stark components of lower-lying manifolds and emission cross sections of principal intermanifold and inter-Stark transitions of trivalent neodymium in strontium fluorovanadate. <i>Physical Review B</i> , 1997 , 55, 2859-2862	3.3	9
283	Characteristics of diode-pumped lasers using Co/sup 2+/ doped zinc chalcogenides.		
282	Diode-pumped neodymium lasers repetitively Q-switched by Cr/sup 4+/:YAG solid-state saturable absorbers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 1997 , 3, 45-52	3.8	54
281	. 1997 , 33, 861-873		116
280	Characteristics of a birefringence compensation scheme in nd3+ : Yag rods using a polarization rotator and imaging optics. 1997 , 4, 170-175		11
279	Characteristics of a birefringence compensation scheme in nd3+ : Yag rods using a polarization rotator and imaging optics. 1997 , 4, A170-A175		1
278	Vibrational stimulated emission of 13CO2 in solid argon. 1998 , 285, 252-258		10
277	Feedback control of the intensity noise of injection locked lasers. 1998 , 145, 359-366		10
276	Optimization of a single mode Q-switched oscillator at 1.34 μ m. 1998 , 152, 329-334		3
275	Development of medium power, compact, all-solid-state lasers. 1998 , 21, 1-32		1
274	The development of a high repetitive and high power Nd:YAG laser by using a zero-current switching resonant converter. <i>Optics and Laser Technology</i> , 1998 , 30, 199-203	4.2	5
273	Diode pumped, chirped mirror dispersion compensated, fs-laser. 1998 , 153, 275-281		6
272	Feedback control of laser intensity noise. <i>Physical Review A</i> , 1998 , 57, 1286-1294	2.6	18

271	Er3+ doped phosphate glasses and lasers. 1998 , 239, 143-148		134
270	Design and implementation of a TW-class high-average power laser system. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 1998 , 4, 395-406	3.8	37
269	Heat, fluorescence, and stimulated-emission power densities and fractions in Nd:YAG. 1998 , 34, 560-572		70
268	Measurement of thermal lensing in Cr/sup 3+/-doped colquiriites. 1998 , 34, 910-919		35
267	Saturation, gain, and noise properties of a multipass diode-laser-pumped Nd:YAG CW amplifier. 1998 , 34, 1987-1991		3
266	Passively Q-switched solid-state lasers with intracavity optical parametric oscillators. 1998 , 34, 2241-2245		31
265	Nonlinear thermal distortion in YAG rod amplifiers. 1998 , 34, 2383-2392		41
264	Direct measurement of thermal lensing in Cr/sup 3+/-doped colquirities. 1998 ,		
263	Second Harmonic Generation in Periodically Poled KTP Pumped by a Single Longitudinal Mode Laser.		
262	Measurement of Absorption Efficiency by a Leakage Power Analysis Method from an Efficient Nd:YAG Rod Laser Pumped by Diode Bars. <i>Japanese Journal of Applied Physics</i> , 1999 , 38, 2769-2774	1.4	4
261	Quantitative Measurement of Thermal Lens in Diode-Laser Pumped Self-Frequency-Doubled Nd, Lu:YAl ₃ (BO ₃) ₄ Laser under Lasing and Non-Lasing Conditions. <i>Japanese Journal of Applied Physics</i> , 1999 , 38, 6335-6339	1.4	3
260	Atomic interference in a microchip laser operating on a Λ transition. 1999 , 45, 307-313		7
259	Stabilizing the output of a Pockels cell Q-switched Nd:YAG laser. 1999 , 38, 1781		1
258	Pump-beam M2 factor approximation for design of diode fiber-coupled end-pumped lasers. 1999 , 38, 1806		6
257	Self-consistent investigation of thermal effects in high gain diode-side-pumped Nd:YAG under lasing and nonlasing condition.		1
256	A tunable self-pumped phase-conjugate laser using Ti:sapphire slab amplifiers. 1999 , 161, 338-344		3
255	A simple, thermally-stabilised, diode end-pumped, planar Nd:YAG laser. 1999 , 162, 247-250		3
254	Diffraction limited output from a CW Nd:YAG master oscillator/power amplifier with fibre phase conjugate SBS mirror. 1999 , 166, 89-93		10

253	Laser mode discrimination with intra-cavity spiral phase elements. 1999 , 169, 115-121		34
252	100-W class diode-pumped Nd:YAG MOPA system with a double-stage relay-optics scheme. 1999 , 170, 275-280		19
251	Rapid prototyping of micromechanical devices using a Q-switched Nd:YAG laser with optional frequency doubling. 1999 , 76, 381-385		20
250	Photodegradation of some luminescent polymers. 1999 , 248, 273-284		18
249	Characterization of semiconductor interfaces by second-harmonic generation. 1999 , 35, 75-161		220
248	Ytterbium-doped glass regenerative chirped-pulse amplifier. 1999 , 160, 92-97		28
247	Compact ultra-high gain multi-pass Nd:YAG amplifier with a low passive reflection phase conjugate mirror. 1999 , 165, 237-244		2
246	Absorption and photoluminescence spectroscopy of diffusion-doped ZnSe:Cr ²⁺ . 1999 , 28, 678-682		26
245	Diffraction limited output from a CW Nd:YAG MOPA with a fibre phase conjugate SBS mirror.		2
244	Properties of Yb: ₃ Al/ ₅ O/ ₁₂ and highly doped Yb:Y/ ₃ Al/ ₅ O/ ₁₂ .		
243	Design and characteristics of high-power (>0.5-W CW) diode-pumped vertical-external-cavity surface-emitting semiconductor lasers with circular TEM/ ₀₀ / beams. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 1999 , 5, 561-573	3.8	225
242	Amplified spontaneous emission-application to Nd:YAG lasers. 1999 , 35, 101-109		59
241	Quantitative pump-induced wavefront distortions in laser-diode- and flashlamp-pumped Nd:YLF laser rods. 1999 , 35, 381-386		2
240	Optimization of intracavity doubled passively Q-switched solid-state lasers. 1999 , 35, 1724-1730		20
239	Infrared LIDAR Applications in Atmospheric Monitoring. 2000 ,		3
238	Passive Q-switch and mode-locking modulators for lasers. <i>Optics and Laser Technology</i> , 2000 , 32, 215-219.	4.2	13
237	Modeling of diode pumped laser with pump dependent diffraction loss. 2000 , 182, 413-422		11
236	High efficiency second-harmonic generation in four-pass quadrature frequency conversion scheme. 2000 , 174, 499-502		4

235	Principles and limitations of a quarter-wave plate for reducing the depolarization loss from thermally induced birefringence in Nd:YAG lasers. 2000 , 175, 189-200		30
234	Highly efficient second-harmonic generation in novel four-pass quadrature frequency conversion. 2000 , 455, 236-238		
233	Analysis of Birefringence Compensation Using a Quarter-Wave Plate in Solid-State Lasers. 2000 , 7, 149-151		17
232	Passive Q-switches for Nd:hosted Solid State Lasers. 2000 , 7, 511-519		8
231	High-power Ti:sapphire regenerative amplifier operating at 50 Hz with high beam quality.		
230	1W continuous-wave laser generation and excited state absorption measurements in Cr ²⁺ :ZnSe. 2000 , MC7		1
229	Principles and limitations of a quarter-wave plate for reducing the depolarization loss from thermally induced birefringence in Nd:YAG lasers. 2000 , TuB8		
228	Observation of Less Heat Generation and Investigation of Its Effect on the Stability Range of a Nd:YAG Laser. <i>Japanese Journal of Applied Physics</i> , 2000 , 39, 3419-3421	1.4	2
227	Nonlinear dynamics of a multimode microchip laser due to enhanced stimulated absorption. <i>Physical Review A</i> , 2000 , 61,	2.6	5
226	Mode stability issues in side-pumped relative to end-pumped quasi four-level lasers. 2000 ,		1
225	1.5-/spl mu/m emissions from laser-diode-pumped microchip Nd-doped solid-state lasers. 2000 ,		
224	Stimulated Raman Scattering as an Excitation Source for Time-Resolved Excitation-Emission Fluorescence Spectroscopy with Fiber-Optical Sensors. 2000 , 54, 536-547		12
223	Thermal effects in high-power end-pumped lasers with elliptical-mode geometry. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2000 , 6, 636-642	3.8	10
222	Nonlinear optics and solid-state lasers: 2000. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2000 , 6, 911-930	3.8	37
221	A novel method for laser-induced periodic domain reversal in LiNbO ₃ /sub 3/ [nonlinear optical waveguide]. 2000 , 36, 85-88		3
220	Edge-pumped quasi-three-level slab lasers: design and power scaling. 2000 , 36, 205-219		103
219	Double-clad structures and proximity coupling for diode-bar-pumped planar waveguide lasers. 2000 , 36, 236-242		41
218	Compensation of nonlinear self-focusing in high-power lasers. 2000 , 36, 687-691		7

217	External design freedom for optimization of resonator originated beam shaping. 2000 , 36, 1105-1109		11
216	Nd-doped phosphate glasses for high-energy/high-peak-power lasers. 2000 , 263-264, 318-341		424
215	Optical loss and Nd ³⁺ non-radiative relaxation by Cu, Fe and several rare earth impurities in phosphate laser glasses. 2000 , 263-264, 251-262		23
214	Compact all-solid-state high repetition rate tunable ultraviolet source for airborne atmospheric gas sensing. <i>Journal of Modern Optics</i> , 2000 , 47, 1899-1912	1.1	9
213	Enhancement of the Erbium Concentration in RbTiOPO ₄ by Codoping with Niobium. 2000 , 12, 3171-3180		43
212	Three-fold effective brightness increase of laser diode bar emission by assessment and correction of diode array curvature. <i>Optics and Laser Technology</i> , 2001 , 33, 181-187	4.2	20
211	Diffraction losses of high power solid state lasers. 2001 , 189, 337-343		15
210	Using an ODE Solver for a Class of Integro-differential Systems. 2001 , 168, 267-285		3
209	Preparation conditions of chromium doped ZnSe and their infrared luminescence properties. 2001 , 225, 249-256		50
208	Modeling pulse shape of Q-switched lasers. 2001 , 37, 888-896		18
207	Simple method to calculate the radial energy and temperature distributions in diode-pumped solid state laser rods. 2001 , 40, 1568		2
206	Glasses of heavy metal and gallium oxides doped with neodymium. 2001 , 156, 371-375		4
205	Application of V ³⁺ :YAG crystals for Q-switching and mode-locking of 1.3- μ m diode-pumped neodymium lasers. 2001 , 40, 2802		29
204	Highly Efficient Nd:Y ₃ Al ₅ O ₁₂ Ceramic Laser. <i>Japanese Journal of Applied Physics</i> , 2001 , 40, L552-L554	1.4	35
203	Mode-locking operation of Nd:LuYLF. 2001 , 40, 1573		9
202	Highly efficient pulsed Nd:YAG lasers with radiation frequency conversion. 2002 , 32, 192-196		2
201	Cr:Er:Tm:Ho:yttrium aluminum garnet laser exhibiting dual wavelength lasing at 2.1 and 2.9 μ m: Spectroscopy and laser performance. 2002 , 91, 11		17
200	Use of fiber lasers for micro cutting applications in the medical device industry. 2002 ,		19

199	Long pulse generation technology of solid-state laser adopting a new real time multi-discharge method. <i>Optics and Laser Technology</i> , 2002 , 34, 203-207	4.2	3
198	Cr,Nd:YAG self-Q-switched laser with high efficiency output. <i>Optics and Laser Technology</i> , 2002 , 34, 589-594	4.2	11
197	Passive mode-locking upon limitation of the spectral width of a laser emission. 2003 , 94, 103-108		3
196	Optical emission properties of Nd ³⁺ in NaBi(WO ₄) ₂ single crystal. 2003 , 101, 941-949		25
195	Charge Self-compensation in the Nonlinear Optical Crystals Rb _{0.855} Ti _{0.955} Nb _{0.045} OPO ₄ and RbTi _{0.927} Nb _{0.056} Er _{0.017} OPO ₄ . 2003 , 15, 2338-2345		33
194	Coherence of pulsed microwave signals carried by two-frequency solid-state lasers. 2003 , 21, 3037-3042		9
193	Analysis and optimization of Q-switched operation of a Tm/sup 3+/-doped silica fiber laser operating at 2 μ m. 2003 , 39, 759-765		12
192	Dynamical thermal lensing of high-power solid-state lasers. 2003 , 42, 1439		1
191	Laser phase noise degradation from thermal effects due to pump power fluctuations.		1
190	Thermal modeling of solid state lasers with super-Gaussian pumping profiles. 2003 , 42, 1787		9
189	An Experimental Study and Statistical Analysis of the Effect of Laser Pulse Energy on the Geometric Quality During Laser Precision Machining. 2003 , 7, 83-104		16
188	Modeling the absorption spectra of Er ³⁺ and Yb ³⁺ in a phosphate glass. 2003 , 94, 4835		16
187	Slab-Shaped 10-kW All-Solid-State Laser. <i>The Review of Laser Engineering</i> , 2003 , 31, 513-518	0	3
186	Micro welding with pulsed single mode fiber lasers. 2004 ,		2
185	Non-edge-ray design: improved optical pumping of lasers. 2004 , 43, 1511		10
184	Quasi-continuous-wave diode array side-pumped Q-switched Yb:YAG slab laser. 2004 , 43, 986		2
183	Nonradiative Energy Losses and Radiation Trapping in Neodymium-Doped Phosphate Laser Glasses. 2004 , 85, 1061-1069		87
182	The effect of dye photodegradation on the performance of dye lasers. <i>Applied Physics B: Lasers and Optics</i> , 2004 , 78, 401-408	1.9	6

181	Laser beam induced optical aberrations in phosphate and fluoride phosphate glasses. <i>Applied Physics B: Lasers and Optics</i> , 2004 , 78, 415-419	1.9	23
180	Nonlinear refractive index of ceramic laser media and perspectives of their usage in a high-power laser-driver. <i>Laser Physics Letters</i> , 2004 , 1, 500-506	1.5	36
179	Optically controlled adaptive mirror. <i>Laser Physics Letters</i> , 2004 , 1, 551-554	1.5	6
178	Dental bleaching efficacy with diode laser and LED irradiation: an in vitro study. 2004 , 35, 254-8		79
177	Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system. 2004 , 235, 171-178		67
176	Time-resolved thermal lens determination of the thermo-optical coefficients in Nd-doped yttrium aluminum garnet as a function of temperature. 2004 , 84, 5183-5185		9
175	Laser electron accelerators for radiation medicine: a feasibility study. 2004 , 31, 2042-52		30
174	Effect of lead oxide on optical properties of Pr ³⁺ doped some borate based glasses. 2004 , 368, 1-7		29
173	Diode-pumped passively Q-switched intracavity-frequency-doubling Nd:GdVO ₄ /KTP green laser with Cr ⁴⁺ :YAG saturable absorber. 2005 , 31, 31-36		
172	All-solid-state, compact, and coherent blue source producing 118 mW at 440 nm by intracavity-frequency-tripling Nd:YAG laser beam. 2005 ,		1
171	The optical spectroscopy of lanthanides R ³⁺ in ABi(XO ₄) ₂ (A = Li, Na; X = Mo, W) and LiYb(MoO ₄) ₂ multifunctional single crystals: Relationship with the structural local disorder. 2005 , 27, 1672-1680		83
170	Threshold self-start of laser passive mode-locking under conditions of high-order frequency dispersion of the refractive index. 2005 , 98, 120-124		1
169	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2005 , 11, 587-599	3.8	99
168	Synthesis, Structure, and Spectral Properties of Bis(pyrrol-2-yl)pyridines. 2005 , 2005, 4338-4345		25
167	Optical communications in the mid-wave IR spectral band. 2005 , 2, 558-602		5
166	Nonlinear Optical Properties of β -Arylpyrroles. 2005 , 402, 86-87		
165	Oxide crystals for electro-optic Q-switching of lasers. 2005 , 31, 86-95		57
164	Analysis of Transverse Mode Formation in Quasi-Three-Level Microchip Lasers. 2005 , 37, 1109-1120		2

- 163 Project management optimization based on an optical cavity laser modelization.
- 162 Simultaneous measurement of patterns in the signal and idler near and far fields from a confocal optical parametrical oscillator with applications in quantum optics. *Physical Review A*, **2005**, 72, 2.6 4
- 161 Absorption intensities and emission cross sections of principal intermanifold and inter-Stark transitions of $\text{Er}^{3+}(\text{4f}^{11})$ in polycrystalline ceramic garnet $\text{Y}_3\text{Al}_5\text{O}_{12}$. **2005**, 97, 123501 45
- 160 Optical-absorption intensities and intermanifold emission cross sections of trivalent erbium ions in calcium fluorophosphate. **2005**, 98, 033535 10
- 159 Synchronization of 1064 and 1319 nm Pulses Emitted from Actively Mode-Locked Nd:YAG Lasers and Its Application to 589 nm Sum-Frequency Generation. *Japanese Journal of Applied Physics*, **2005**, 44, L1484-L1487 1.4 6
- 158 Bandwidth dependence of pulse duration in intra-cavity frequency-doubled lasers: theory and experiment. *Journal of Modern Optics*, **2005**, 52, 1809-1818 1.1 1
- 157 Laser Basics. *Advanced Texts in Physics*, **2005**, 1-23
- 156 3.1 Linear optics. **2005**, 73-137
- 155 Amplification of a low-power picosecond Nd:YVO/sub 4/ laser by a diode-laser side-pumped grazing-incidence slab amplifier. **2006**, 42, 772-776 13
- 154 Growth and thermal properties of SrWO_4 single crystal. **2006**, 100, 063513 30
- 153 Compositional tuning of photoluminescence properties in Nd-doped YAG-YSGG mixed structures. **2006**, 42, 563-569 7
- 152 Micromachining of 316LVM stainless steel tubes using periodic acousto-optic modulation of pulsed Nd:YAG lasers for cardiovascular stent applications. **2006**, 5, 023010 2
- 151 Continuous Lasers for Raman Spectrometry. **2006**, 1
- 150 Stark components of lower-lying manifolds and emission cross-sections of intermanifold and inter-stark transitions of $\text{Nd}^{3+}(\text{4f}^3)$ in polycrystalline ceramic garnet $\text{Y}_3\text{Al}_5\text{O}_{12}$. **2006**, 116, 145-150 18
- 149 Estimation of thermal lensing effect in the high-power end-pumped direct-cut crystal lasers. *Optics and Laser Technology*, **2006**, 38, 534-539 4.2 8
- 148 CW mode locked Nd:YVO₄ laser pumped by 20-W laser diode bar. **2006**, 14, 5
- 147 Steady-state and transient thermal lens behavior in the dual beam Z-scan arrangement. *Laser Physics Letters*, **2006**, 3, 283-287 1.5 2
- 146 Optical properties of Er^{3+} doped $\text{Ca}_3(\text{BO}_3)_2$ crystal. **2006**, 100, 033103 5

145	Synthesis and spectroscopic properties of neodymium doped lead chloride. 2007 , 101, 113103		5
144	First principles calculations of mechanical properties of the YVO4 single crystal. 2007 , 102, 023516		6
143	Analyses of the optical and magneto-optical spectra of Tb3Ga5O12. 2007 , 101, 023108		20
142	Absorption intensities and emission cross section of intermanifold transition of Er3+ in Er3+:Y2O3 nanocrystals. 2007 , 101, 113115		32
141	Spectroscopic and stimulated emission characteristics of Nd3+ in transparent glass ceramic embedding ErF3 nanocrystals. 2007 , 102, 023504		18
140	Quantum noise limits to simultaneous quadrature amplitude and phase stabilization of solid-state lasers. <i>Physical Review A</i> , 2007 , 75,	2.6	2
139	Highly Efficient and Stable Ring Regenerative Amplifier for Chirped-Pulse Amplification at Repetition Rate 1 kHz. 2007 , 24, 115-118		2
138	Time and Spectrum Resolved Model for Quasi-Three-Level Gain-Switched Lasers. 2007 , 43, 206-212		17
137	Cooling of Laser Slab by Forced Convection through a Heat Sink. 2007 , 28, 931-939		2
136	Optical characterization and ligand-field splitting of Er3+(4f11) energy levels in a fluorine containing tellurite glass. 2007 , 102, 083105		9
135	Lasers and Coherent Light Sources. 2007 , 583-936		4
134	Conductivity Measurements of Femtosecond Laser Plasma Filaments. 2007 , 35, 1430-1436		25
133	High-average-power diode-side-pumped double Q-switched Nd:YAG laser. <i>Laser Physics Letters</i> , 2007 , 4, 261-264	1.5	22
132	Mathematical modeling of 980-nm and 1320-nm endovenous laser treatment. 2007 , 39, 256-65		45
131	Radially polarized laser beam from a Nd:YAG laser cavity with a c-cut YVO4 crystal. <i>Applied Physics B: Lasers and Optics</i> , 2007 , 88, 43-46	1.9	21
130	Laser performance of N g -cut flash-lamp pumped Nd:KGW at high repetition rates. <i>Applied Physics B: Lasers and Optics</i> , 2007 , 89, 39-43	1.9	14
129	Modeling the cw lasing regime for diode-pumped solid state lasers. 2007 , 74, 60-66		1
128	Nanosecond laser-induced surface damage of optical multimode fibers and their preforms. 2008 , 92, 853-857		7

- ¹²⁷ A comprehensive study of Nd:YAG, Nd:YAlO₃, Nd:YVO₄ and Nd:YGGVO₄ lasers operating at wavelengths of 0.9 and 1.3 μ m. Part 1: cw-operation. *Applied Physics B: Lasers and Optics*, **2008**, 92, 165-174⁹ 43
- ¹²⁶ Ultrafast Laser Amplifier Systems. *Springer Series in Optical Sciences*, **2008**, 17-34 0.5
- ¹²⁵ Estimation of thermal fracture limits in quasi-continuous-wave end-pumped lasers through a time-dependent analytical model. **2008**, 16, 11115-23 22
- ¹²⁴ Power Scaling of End-Pumped Solid-State Rod Lasers by Longitudinal Dopant Concentration Gradients. **2008**, 44, 232-244 17
- ¹²³ . **2008**, 44, 1107-1115 6
- ¹²² Optical intensity analyses of Er³⁺:YAlO₃. **2008**, 104, 023102 25
- ¹²¹ Modeling optical spectra and Van Vleck paramagnetism in Er³⁺:YAlO₃. **2009**, 105, 023112 15
- ¹²⁰ High Power, Multi-Segmented Nd:YAG Laser, Longitudinally Pumped at 885 nm. **2009**, 1 1
- ¹¹⁹ Synthesis and optical properties of 2-(benzo[b]thiophene-3-yl)pyrroles and a new BODIPY fluorophore (BODIPY = 4,4-difluoro-4-bora-3a,4a-diaza-s-indacene). **2009**, 15, 5823-30 44
- ¹¹⁸ Color differences of canines and incisors in a comparative long-term clinical trial of three bleaching systems. **2009**, 24, 941-7 29
- ¹¹⁷ Efficient Nd:YAG pumped mid-IR laser based on cascaded KTP and ZGP optical parametric oscillators and a ZGP parametric amplifier. **2009**, 282, 272-275 14
- ¹¹⁶ Nd³⁺:GGG and Cr⁴⁺:GGG epitaxial films for neodymium lasers. **2009**, 17, 77-91 2
- ¹¹⁵ Energy levels and symmetry assignments for Stark components of Ho³⁺(4f¹⁰) in yttrium gallium garnet (Y₃Ga₅O₁₂). **2009**, 106, 113110 18
- ¹¹⁴ Temporal Contrast and Spatial Beam Quality Improvement Techniques in a High Intensity Ti:sapphire. *The Review of Laser Engineering*, **2009**, 37, 425-430 0
- ¹¹³ ScVO₄: Explorations of Novel Crystalline Inorganic Optical Materials in Rare-Earth Orthovanadate Systems. **2010**, 10, 4389-4400 32
- ¹¹² 101 W of average green beam from diode-side-pumped Nd:YAG/LBO-based system in a relay imaged cavity. **2010**, 75, 935-940
- ¹¹¹ A low-threshold efficient KTA OPO by a fiber-coupled diode-end-pumped Nd:YVO₄ laser. **2010**, 6, 412-416 1
- ¹¹⁰ Single-Side-Pumped Slab Laser Amplifier Chain: Design and Numerical Modeling. **2010**, 46, 1197-1205 1

109	Optical and magnetooptical properties of Ho ³⁺ :YGG. 2010 , 247, 163-169		9
108	Passive Optical Resonators. 2010 , 163-203		5
107	Pumping Processes. 2010 , 205-253		
106	Continuous Wave Laser Behavior. 2010 , 255-311		2
105	Transient Laser Behavior. 2010 , 313-373		1
104	Solid-State, Dye, and Semiconductor Lasers. 2010 , 375-430		
103	Modeling a Passively Q-Switched Nd:YVO ₄ Laser with an Application to Spatio-Temporal Instability. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 072701	1.4	3
102	Highly Efficient Lasing Action of Nd ³⁺ - and Cr ³⁺ -Doped Yttrium Aluminum Garnet Ceramics Based on Phonon-Assisted Cross-Relaxation Using Solar Light Source. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 082702	1.4	17
101	Analyses of 4f ¹¹ Energy Levels and Transition Intensities Between Stark Levels of Er ³⁺ in Y ₃ Al ₅ O ₁₂ . 2010 , 43, 406-422		24
100	Synthesis, Morphology, and Optical Characterization of Nanocrystalline Er ³⁺ :Y ₂ O ₃ . 2010 , 114, 874-880		50
99	Comparison of the curvature homogeneity and dynamic behaviour of framed and frameless electrostatic X/Y scanning micromirrors. 2011 , 6, 425		2
98	Distributed-Side-Pumped Slab Lasers: Theoretical Design and Modeling. 2011 , 47, 479-485		
97	RTP Q-switched 2 W Tm,Ho:GdVO ₄ Laser. <i>Laser Physics</i> , 2011 , 21, 94-96	1.2	14
96	Picosecond laser system with 30-W average power via cavity dumping and amplifying. <i>Laser Physics</i> , 2011 , 21, 1042-1046	1.2	8
95	Analysis of Cavity-Mode Lasing Characteristics from a Resonator with Broadband Cholesteric Liquid-Crystal Bragg Reflectors. 2011 , 21, 3430-3438		12
94	Thermal lensing and aberrations modeling of a Brewster cut end pumped laser rod by BEM and optimization of the pumping-beam waist. 2011 , 284, 423-428		4
93	Optimization of the large aperture multi-pass amplifiers for CPA and OPCPA lasers by Extraction During Pumping (EDP). 2011 ,		
92	Intracavity second-harmonic generation at 320 nm of an actively Q-switched Pr:LiYF ₄ laser. <i>Applied Optics</i> , 2012 , 51, 1382-6	1.7	7

91	Positive Gain Observation in a Nd-Doped Active Fiber Pumped by Low-Concentrated Solar-Like Xenon Lamp. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 022701	1.4	
90	Effect of emission wavelength on photo-stability of laser dye: experimental and theoretical study. <i>Applied Physics B: Lasers and Optics</i> , 2012 , 108, 833-838	1.9	1
89	Comprehensive Four-Level Laser Model With Power Conservation Part II: Laser Amplifiers, Resonators, and System Considerations. 2012 , 48, 1583-1597		4
88	Lasers and Coherent Light Sources. 2012 , 641-1046		3
87	Designing of an efficient multi-aperture, edge pumped thin-disk laser. <i>Optics and Laser Technology</i> , 2012 , 44, 800-805	4.2	5
86	Edge multi-facet pumping configuration for thin gain lasers. <i>Optics and Laser Technology</i> , 2012 , 44, 1307-1311	4.1	1
85	Timing Fluctuations Due to Beam Steering in Prism-Compensated Kerr-Lens Mode-Locked Lasers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2012 , 18, 411-418	3.8	2
84	Dynamic Temperature Distribution in Cylindrical Laser Rods With Time-Varying Pump Sources. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2012 , 18, 486-493	3.8	3
83	AQ-switched thulium-doped fiber laser with a graphene thin film based saturable absorber. <i>Laser Physics</i> , 2013 , 23, 115102	1.2	4
82	All-fiber graphene passively Q-switched nanosecond Thulium doped fiber laser at 1900 nm. 2013 ,		
81	AQ-switched erbium-doped fiber laser with a graphene saturable absorber. <i>Laser Physics Letters</i> , 2013 , 10, 025102	1.5	40
80	Design of ultrahigh energy laser amplifier system with high storage energy extraction. <i>Applied Optics</i> , 2013 , 52, 394-9	1.7	2
79	Parasitic lasing suppression in large-aperture Ti:sapphire amplifiers by optimizing the seed pump time delay. <i>Laser Physics Letters</i> , 2013 , 10, 055302	1.5	8
78	Measurement of thermal effects in solid-state laser gain medium by digital holography. 2014 ,		1
77	Crystal growth and spectroscopic properties of Er ³⁺ ions doped CdF ₂ single crystals. <i>Physica Scripta</i> , 2014 , 89, 045101	2.6	3
76	. 2014 ,		
75	3 mJ@3.3 kHz single mode single-frequency end pumped pulsed Nd:YAG ring laser. 2014 ,		0
74	Comparison of high-power diode pumped actively Q-switched double-clad flower shape co-doped-Er ³⁺ :Yb ³⁺ fiber laser using acousto-optic and mechanical (optical) modulators. <i>Journal of Modern Optics</i> , 2015 , 62, 1229-1240	1.1	2

73	Final EDP Ti: sapphire amplifiers for ELI project. 2015 ,		1
72	Spectral and Lasing Characteristics of Some Red and Nir Laser Dyes in Silica Matrices. <i>Springer Series in Optical Sciences</i> , 2015 , 199-212	0.5	3
71	A coupling model for amplified spontaneous emission in laser resonators. <i>Journal of Optics (United Kingdom)</i> , 2015 , 17, 105801	1.7	5
70	Output Characteristics of Q-switched Solid-State Lasers Using Intracavity MEMS Micromirrors. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2015 , 21, 356-363	3.8	10
69	High energetic and highly stable pulses from a Ho:YLF regenerative amplifier. 2016 ,		
68	10 W level Nd:YAG end pumped amplifier. 2016 ,		0
67	Thermal effect of large-diameter laser rod in multi-direction side-pump high power pulsed Nd:YAG laser amplifier. 2016 ,		
66	High dynamic range multi-channel cross-correlator for single-shot temporal contrast measurement. <i>Journal of Physics: Conference Series</i> , 2016 , 717, 012103	0.3	1
65	Study on laser characteristics of Ho:YLF regenerative amplifiers: Operation regimes, gain dynamics, and highly stable operation points. <i>Applied Physics B: Lasers and Optics</i> , 2017 , 123, 1	1.9	6
64	Optically pumped VECSELs: review of technology and progress. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 383001	3	86
63	Modeling structural features of pulse timing jitter in a single-mode, Q-switched, Nd:YAG laser. <i>Laser Physics</i> , 2017 , 27, 085005	1.2	2
62	Theory of passively-mode-locked fiber lasers with phase-modulated square pulses. <i>Physical Review A</i> , 2017 , 96,	2.6	5
61	Low-temperature microwave properties of biaxial YAlO ₃ . <i>Physical Review B</i> , 2017 , 96,	3.3	3
60	High-dynamic-range cross-correlator for shot-to-shot measurement of temporal contrast. <i>Japanese Journal of Applied Physics</i> , 2017 , 56, 012701	1.4	3
59	Compact 5 mJ/100 ps@1 kHz regenerative amplifier. 2017 ,		2
58	Single-frequency microchip Nd:YAG laser for injection seeding. 2018 ,		
57	New Generation of Ultra-High Peak and Average Power Laser Systems. 2018 ,		1
56	Spectral properties of laser planar waveguides based on fluoride ceramics and crystalline solid solutions. <i>Journal of Physics: Conference Series</i> , 2019 , 1164, 012019	0.3	

55	Quantum Noise: Basic Measurements and Techniques. 2019 , 269-301		0
54	An efficient off-axis multi-pass Nd:glass amplifier utilizing a birefringence crystal. <i>Laser Physics</i> , 2019 , 29, 115002	1.2	
53	Thermally guided Yb-doped fiber-rod amplifier and laser. <i>Applied Physics B: Lasers and Optics</i> , 2019 , 125, 1	1.9	2
52	Monte Carlo simulation of a transversely excited solar-pumped fiber laser. <i>Japanese Journal of Applied Physics</i> , 2019 , 58, 112006	1.4	4
51	Thermal focal length determination of a laser crystal by modulating the pump source. <i>Laser Physics</i> , 2020 , 30, 066205	1.2	1
50	Monolithic freeform optic arrays for low-SWaP laser directed energy effectors. 2021 ,		
49	Optical Communications in the mid-wave IR spectral band. 2005 , 347-391		5
48	Solid-State Lasers with a Photorefractive Phase-Conjugate Mirror. 2007 , 193-221		1
47	Transient Laser Behavior. 1998 , 305-364		2
46	Time-Resolved Laser Spectroscopy. <i>Advanced Texts in Physics</i> , 2003 , 609-677		2
45	Time-Resolved Laser Spectroscopy. 1996 , 594-647		2
44	Thermal lensing measurements in an intracavity LiIO ₃ Raman laser. 2000 ,		2
43	Dual-output fs/ps burst-mode laser for megahertz-rate rotational coherent anti-Stokes Raman scattering. <i>Optics Letters</i> , 2020 , 45, 5933-5936	3	6
42	Solid-State Clad Lasers under Quasi-Solar-Pumping. <i>The Review of Laser Engineering</i> , 2006 , 34, 374-378	0	2
41	Positive Gain Observation in a Nd-Doped Active Fiber Pumped by Low-Concentrated Solar-Like Xenon Lamp. <i>Japanese Journal of Applied Physics</i> , 2012 , 51, 022701	1.4	7
40	Nd:YAG effective emission cross section using novel method based on laser performance data. 2001 ,		
39	Optische Freiraumverbindungen. 2002 , 1046-1071		
38	Lasers as Spectroscopic Light Sources. <i>Advanced Texts in Physics</i> , 2003 , 221-367		

- 37 The Ultrafast Photoresponce Dynamics and the Functions of the Electron Transfer Proteins.. *The Review of Laser Engineering*, **2003**, 31, 190-194 o
- 36 An Optimal Way for Computation of Non-Linear Optical Properties of Crystals and Large Conjugated Molecules within Cluster Models. **2003**, 219-243
- 35 Diode-pumped Yb:Er:YF₄ chirped-pulse regenerative amplifier for high average power operation. **2004**,
- 34 High-power injection-locked single-frequency laser for the next generation of ground-based gravitational wave detectors. **2004**,
- 33 High-power injection-locked single-frequency laser for the next generation of ground-based gravitational wave detectors. **2004**,
- 32 Festkörperlaser (solid state lasers). *Teubner-Studienbücher Physik*, **2005**, 338-379
- 31 Ultrakurze Laserpulse. *Teubner-Studienbücher Physik*, **2005**, 198-215
- 30 High-power, direct upper laser level compared to traditionally Nd:YAG pumping. **2007**,
- 29 High-power laser processing system for 3D cutting and welding of automotive panels. **2008**,
- 28 High Power, High Quality Phase Conjugate Vanadate Lasers. *The Review of Laser Engineering*, **2008**, 36, 289-293 o
- 27 Encyclopedia of Complexity and Systems Science. **2009**, 6116-6175
- 26 Recent development in laser crystals with 3d ions. **2013**, 1-28
- 25 Basic Physical Effects Inside Lasers. 25-59
- 24 Lasers as Spectroscopic Light Sources. **1996**, 222-366
- 23 Laserverfahren in der Umweltanalytik. *Analytiker-Taschenbuch*, **1997**, 157-272
- 22 Hosts for Solid-State Luminescent Systems. **1997**, 1-11
- 21 Laser optical quality. **1997**,
- 20 The Alexandrite Ring Laser: A Spectrally Narrow Lidar Light Source for Atmospheric Fluorescence and Absorption Observations. **1997**, 577-580 1

19 Pumping Processes. **1998**, 201-248

18 Precision machining of thin metal foils using a diode pumped solid state (DPSS) laser. **1998**,

17 Laser Beam Transformation: Propagation, Amplification, Frequency Conversion, Pulse Compression, and Pulse Expansion. **1998**, 493-533

16 0.28 TW laser system at 1 kHz, Scaleable to 2 TW at 1 kHz. *Springer Series in Chemical Physics*, **1998**, 41-43.3

15 Highly Efficient High-Average Power Nd:YAG Laser with a Passive Q-Switch. **1998**, 407-417

14 High Power Diffraction Limited Solid State Lasers with Stable Resonators. **1998**, 381-405

13 0.27 Terawatt laser system at 1 kHz. **1998**, 17-21

12 High average power diode-end-pumped intracavity-doubled Nd:YAG laser. **1998**,

o

11 Continuous Wave Laser Behavior. **1998**, 249-304

o

10 Literaturverzeichnis. **1999**, 151-160

9 Time-Resolved Laser Spectroscopy. **2015**, 271-368

8 Festkörperlaser. **2015**, 137-168

7 Direct binary search for improved coherent beam shaping and optical differentiation wavefront sensing. *Applied Optics*, **2018**, 57, 8557-8565

1.7 4

6 Laser and Physical Properties of Materials. *Springer Series in Materials Science*, **2020**, 309-343

0.9

5 Numerical model of end-pumped Yb:YAG double-pass laser amplifier experimentally validated at 129 W output power. *Lithuanian Journal of Physics*, **2021**, 61,

1.1

4 Types of Lasers. **2023**, 1081-1095

o

3 Simple method for compensation of thermally-induced birefringence in high-power solid-state lasers. **1998**,

o

2 Second harmonic generation in periodically poled KTP pumped by a single longitudinal mode laser. **1998**,

o

1 RTP as a Q-switch for high repetition rate applications. **2000**,

o