## RNA synthesis during the development of Xenopus laev

Journal of Molecular Biology 8, 669-687 DOI: 10.1016/s0022-2836(64)80116-9

Citation Report

#	Article	IF	CITATIONS
1	RNA synthesis during amphibian development. The Journal of Experimental Zoology, 1964, 157, 101-113.	1.4	61
2	Variations in the synthesis of stable RNA's during oogenesis and development of Xenopus laevis. Journal of Molecular Biology, 1964, 8, 688-IN10.	4.2	161
3	The development of embryos derived from the transplantation of neural ectoderm cell nuclei in Xenopus laevis. Developmental Biology, 1964, 10, 467-486.	2.0	15
4	Changing Base Ratios in RNA of Developing Tissues of Xenopus laevis. Nature, 1965, 205, 1321-1322.	27.8	4
5	Synthesis of Ribonucleic Acid by Different Regions of the Early Amphibian Embryo. Nature, 1965, 207, 1244-1246.	27.8	10
6	Emission of Feulgen-positive Particles during the in vitro Maturation of Toad Ovocytes. Nature, 1965, 208, 596-597.	27.8	22
7	ELECTRON MICROSCOPIC EXAMINATION OF THE SITES OF NUCLEAR RNA SYNTHESIS DURING AMPHIBIAN EMBRYOGENESIS. Journal of Cell Biology, 1965, 26, 937-958.	5.2	131
8	Studies on RNA synthesis in Ehrlich ascites cells. Nucleic Acids and Protein Synthesis, 1965, 108, 474-488.	1.7	43
9	The biosynthesis of ribonucleic acid in the liver of the rat fetus, in vivo. Nucleic Acids and Protein Synthesis, 1965, 108, 568-577.	1.7	16
10	A study of ribosomes during embryonic development of Xenopus laevis. Nucleic Acids and Protein Synthesis, 1965, 103, 601-609.	1.7	3
11	Rapidly labelled ribonucleic acid in Xenopus laevis embryonic cells. Nucleic Acids and Protein Synthesis, 1965, 103, 610-622.	1.7	11
12	Deoxyribonucleic acid in amphibian eggs. Journal of Molecular Biology, 1965, 12, 581-599.	4.2	282
13	Ribonucleic Acids of the Ilyanassa Embryo. Science, 1965, 147, 150-151.	12.6	13
14	Cytoplasmic regulation of RNA synthesis and nucleolus formation in developing embryos of Xenopus laevis. Journal of Molecular Biology, 1965, 12, 27-IN4.	4.2	142
15	Characterization of RNA species synthesized during early development of sea urchins. Journal of Molecular Biology, 1965, 14, 195-213.	4.2	67
16	Methylation of nucleic acids during sea urchin embryo development. Journal of Molecular Biology, 1965, 11, 851-855.	4.2	41
17	Synthesis of RNA during oogenesis in the sea urchin. Journal of Molecular Biology, 1965, 13, 463-IN17.	4.2	84
18	Changes of the RNA system in the endosperm of ripening castor bean seeds. Life Sciences, 1965, 4, 1937-1944.	4.3	17

ATION REDO

#	Article	IF	CITATIONS
19	Translation-level control of protein synthesis during early development. Biochemical and Biophysical Research Communications, 1965, 21, 595-600.	2.1	77
20	Base composition of RNA synthesized during cleavage of the sea urchin embryo. Biochemical and Biophysical Research Communications, 1965, 18, 569-575.	2.1	85
21	Hemin synthesis in the developing frog embryo and its stimulation by frog liver RNA. Developmental Biology, 1965, 12, 117-130.	2.0	4
22	Ribonucleic acid base composition in the developing amphibian optic cup-lens system. Developmental Biology, 1965, 11, 385-401.	2.0	2
23	Synthetic activities during spermatogenesis in the mouse. Experimental Cell Research, 1965, 39, 197-224.	2.6	413
24	RNA and protein synthesis during zoospore differentiation in synchronized cultures of Blastocladiella. Developmental Biology, 1966, 14, 68-95.	2.0	84
25	The equivalence of DNA from developing frog embryos. Experimental Cell Research, 1966, 42, 42-49.	2.6	11
26	Occurrence of an inhibitory factor of ribosomal RNA synthesis in embryonic cells of Xenopus laevis. Experimental Cell Research, 1966, 44, 283-286.	2.6	18
27	Multiple Causes and Controls in Differentiation. Science, 1966, 153, 830-837.	12.6	84
28	Synthesis and accumulation of DNA-like RNA during embryogenesis of Xenopus laevis. Journal of Molecular Biology, 1966, 20, 81-94.	4.2	126
29	Ribonucleic acid synthesis in germinating cotton seeds. Journal of Molecular Biology, 1966, 19, 1-IN1.	4.2	124
30	EARLY DEVELOPMENT OF THE ECHINOID EGG COMPARED WITH ERYTHROPOIESIS. Biological Reviews, 1966, 41, 259-274.	10.4	16
31	The isolation of ribonucleic acid from plant, bacterial or animal cells. Nucleic Acids and Protein Synthesis, 1966, 129, 74-84.	1.7	75
32	Ribonucleic acid synthesis in vitro in nuclei isolated from the synchronously dividing Physarum polycephalum. Nucleic Acids and Protein Synthesis, 1966, 114, 536-546.	1.7	47
33	Ribonuclease activity in hepatic nuclei during development. Nucleic Acids and Protein Synthesis, 1966, 114, 631-633.	1.7	18
34	The nature of the two rapidly labelled ribonucleic acid components of animal cells in culture. Nucleic Acids and Protein Synthesis, 1966, 123, 91-101.	1.7	30
35	Genetic transcription or DNA-dependent RNA synthesis. Progress in Biophysics and Molecular Biology, 1966, 16, 15-88.	2.9	13
36	Gene expression in amphibian development. Journal of Molecular Biology, 1966, 22, 269-283.	4.2	50

#	Article	IF	CITATIONS
37	Size distribution and stability of DNA-like RNA synthesized during development of anucleolate embryos of Xenopus laevis. Journal of Molecular Biology, 1966, 19, 399-422.	4.2	68
38	Synthesis and accumulation of low molecular weight RNA during embryogenesis of Xenopus laevis. Journal of Molecular Biology, 1966, 20, 95-112.	4.2	138
39	Synthesis of Maus-Elberfeld viral RNA in ascites tumor cells. Journal of Molecular Biology, 1966, 15, 92-101.	4.2	24
40	Dissociation of ribosomal ribonucleic acid from silkmoth pupae by heat and dimethylsulfoxide: Evidence for specific cleavage points. Journal of Molecular Biology, 1966, 21, 29-41.	4.2	109
41	Gene expression in amphibian development. Journal of Molecular Biology, 1966, 22, 285-304.	4.2	105
42	REGULATION OF THE INITIATION OF HEMOGLOBIN SYNTHESIS IN THE BLOOD ISLAND CELLS OF CHICK EMBRYOS: I. QUALITATIVE STUDIES OF THE EFFECTS OF ACTINOMYCIN AND δ-AMINOLEVULINIC ACID. Canadian Journal of Biochemistry, 1966, 44, 1543-1560.	1.4	24
43	The Decrepitude of the Rat Brain with Special Reference to Changes in Nucleic Acid. Tohoku Journal of Experimental Medicine, 1966, 89, 235-244.	1.2	6
44	Chapter 1 On "Masked―Forms of Messenger Rna in Early Embryogenesis and in Other Differentiating Systems. Current Topics in Developmental Biology, 1966, 1, 1-38.	2.2	179
45	A comparative study <i>in vivo</i> and <i>in vitro</i> of the ability of ribosomes from <i>Xenopus</i> liver and ovary to incorporate <scp>l</scp> -[U-14C]leucine. Biochemical Journal, 1966, 101, 369-378.	2.8	10
46	Chapter 4 The Molecular Basis of Differentiation in Early Development of Amphibian Embryos. Current Topics in Developmental Biology, 1966, 1, 85-112.	2.2	15
47	Hormones and the Synthesis and Utilization of Ribonucleic Acids. Progress in Molecular Biology and Translational Science, 1966, 5, 191-250.	1.9	192
48	Chapter 1 Nuclear Transplantation in Amphibia. Methods in Cell Biology, 1966, , 1-36.	1.1	31
49	Activation of RNA synthesis associated with gastrulation Proceedings of the National Academy of Sciences of the United States of America, 1966, 55, 358-365.	7.1	93
50	GENOMIC FUNCTION DURING THE LAMPBRUSH CHROMOSOME STAGE OF AMPHIBIAN OOGENESIS. Proceedings of the National Academy of Sciences of the United States of America, 1966, 56, 856-863.	7.1	70
51	Factors affecting nucleic acid extractability in plants. Phytochemistry, 1966, 5, 411-422.	2.9	25
52	A biochemical study of the growth ofDrosophila melanogaster. The Journal of Experimental Zoology, 1966, 162, 337-351.	1.4	114
53	Parental influences on lactate dehydrogenase in the early development of hybrid frogs in the genusRana. The Journal of Experimental Zoology, 1966, 163, 215-229.	1.4	82
54	Nuclear activation at the onset of amphibian gastrulation. The Journal of Experimental Zoology, 1966, 163, 285-295.	1.4	97

#	Article	IF	CITATIONS
55	Stimulation of Protein Synthesis of Frog Embryo Cells by Larval and Adult Frog Liver Ribonucleic Acid Preparations. Nature, 1966, 209, 509-510.	27.8	3
56	A STUDY OF THE NUCLEOLAR MATERIAL IN SCIARA COPROPHILA. Journal of Cell Biology, 1966, 29, 347-359.	5.2	72
57	The Concept of Messenger RNA and Cytodifferentiation. American Zoologist, 1966, 6, 67-74.	0.7	22
58	A FINE STRUCTURAL STUDY OF CYTODIFFERENTIATION DURING CLEAVAGE, BLASTULA, AND GASTRULA STAGES OF FUNDULUS HETEROCLITUS. Journal of Cell Biology, 1967, 32, 121-138.	5.2	92
59	The Involvement of RNA in Protein Synthesis. New England Journal of Medicine, 1967, 276, 563-570.	27.0	16
60	The Involvement of RNA in Protein Synthesis. New England Journal of Medicine, 1967, 276, 675-680.	27.0	13
61	NUCLEIC ACID AND PROTEIN SYNTHESIS IN THE DEVELOPING OOCYTES OF THE BUDDING FORM OF THE SYLLID, AUTOLYTUS EDWARSI (CLASS POLYCHAETA). Biological Bulletin, 1967, 133, 287-302.	1.8	15
62	Chapter 1: The Control of Protein Synthesis in Embryonic Development and Differentiation. Current Topics in Developmental Biology, 1967, 2, 1-46.	2.2	89
63	The effect of thioacetamide on the maturation of high-molecular-weight ribonucleic acid in tumour cells. Biochemical Journal, 1967, 104, 186-197.	2.8	10
64	The Nucleolus and the Synthesis of Ribosomes. Progress in Molecular Biology and Translational Science, 1967, 6, 219-257.	1.9	127
65	Chapter 2: The Genes for Ribosomal RNA and their Transcription During Amphibian Development. Current Topics in Developmental Biology, 1967, 2, 47-73.	2.2	66
66	Structural Organization and Embryonic Differentiation. International Review of Cytology, 1967, 22, 147-170.	6.2	5
67	The Nature and Biosynthesis of Nuclear Ribonucleic Acids. Progress in Molecular Biology and Translational Science, 1967, 6, 259-351.	1.9	109
68	Ribonucleic Acids and Information Transfer in Animal Cells. Progress in Molecular Biology and Translational Science, 1967, 7, 195-242.	1.9	17
69	Transfer of Genetic Information During Embryogenesis. Progress in Molecular Biology and Translational Science, 1967, 7, 243-301.	1.9	29
70	DEVELOPMENTAL MODIFICATIONS IN ARBACIA PUNCTULATA BY VARIOUS METABOLIC SUBSTANCES. Biological Bulletin, 1967, 133, 184-228.	1.8	11
71	RNA metabolism during cytodifferentiation in the cellular slime mold Polysphondelium pallidum. Nucleic Acids and Protein Synthesis, 1967, 149, 407-421.	1.7	32
72	Synthesis of ribosomal RNA during sea-urchin development. Nucleic Acids and Protein Synthesis, 1967, 138, 276-285.	1.7	87

#	Article	IF	CITATIONS
73	Pattern of RNA synthesis in isolated cells of Xenopus laevis embryos. Developmental Biology, 1967, 16, 368-388.	2.0	110
74	Inhibitor of ribosomal RNA synthesis in Xenopus laevis embryos. Developmental Biology, 1967, 16, 389-406.	2.0	39
75	RNA synthesis in cultured chick embryo fibroblasts. Experimental Cell Research, 1967, 47, 554-563.	2.6	12
76	Isolation of and ribonucleic acid synthesis in nuclei of rat fetal liver. Experimental Cell Research, 1967, 46, 396-411.	2.6	30
78	The ultrastructure of the cortical cytoplasm in the unfertilized egg and first cleavage zygote of Xenopus laevis. Experimental Cell Research, 1967, 46, 553-570.	2.6	28
79	Genes and cellular differentiation. Progress in Biophysics and Molecular Biology, 1967, 17, 149-177.	2.9	4
80	Genetic control of macromolecular synthesis during development of an ascidian:Ascidia nigra. The Journal of Experimental Zoology, 1967, 164, 393-405.	1.4	44
82	Synthesis of RNA in Isolated Cells from Xenopus laevis Embryos. Nature, 1967, 213, 1027-1028.	27.8	12
83	Protein Synthesis in the Absence of the Nucleus. Nature, 1967, 213, 650-655.	27.8	29
84	Synthesis of Macromolecules and Maturation of Starfish Ovocytes. Nature, 1967, 216, 1314-1315.	27.8	23
85	Mechanisms of protein yolk synthesis and deposition in crustacean oocytes. Cell and Tissue Research, 1968, 89, 17-38.	2.9	91
88	Partial characterization of the component from normal eggs which corrects the maternal effect of gene o in the Mexican axolotl (Ambystoma mexicanum). The Journal of Experimental Zoology, 1968, 167, 105-115.	1.4	66
89	Blastular arrest and chromosome abnormalities produced by x-rays in two amphibians:Rana pipiens andXenopus laevis. The Journal of Experimental Zoology, 1968, 168, 379-386.	1.4	5
90	Fine structure analysis of oogenesis in sea urchins. The Journal of Experimental Zoology, 1968, 169, 293-313.	1.4	47
91	Studies on senescing tobacco leaf disks with special reference to peroxidase. Planta, 1968, 82, 1-13.	3.2	43
92	QUANTITATIVE AND QUALITATIVE CHANGES IN RIBONUCLEIC ACIDS OF RAT BRAIN DEPENDENT ON AGE AND TRAINING EXPERIMENTS. Journal of Neurochemistry, 1968, 15, 1109-1119.	3.9	54
93	Properties and Composition of the Isolated Ribosomal DNA Satellite of Xenopus laevis. Nature, 1968, 219, 454-463.	27.8	279
94	Mise en evidence d'un RNA ribosomal de faible poids moleculaire dans les jeunes germinations de Raphanus sativus et de Phaseolus vulgaris. Physiologia Plantarum, 1968, 21, 242-250.	5.2	3

		CITATION REPORT		
#	ARTICLE		IF	CITATIONS
95	Gene linkage by RNA-DNA hybridization. Journal of Molecular Biology, 1968, 34, 661-680.		4.2	381
96	Ribonucleic acid synthesis of the Y-chromosome of Drosophila hydei. Journal of Molecular Bi 1968, 38, 227-239.	ology,	4.2	68
97	Gene linkage by RNA-DNA hybridization. Journal of Molecular Biology, 1968, 34, 681-697.		4.2	144
99	Ribonucleic acid synthesis during thyroxin-induced metamorphosis in bullfrogs. Biochemical Biophysical Research Communications, 1968, 31, 176-181.	and	2.1	7
100	Patterns of macromolecule synthesis during development of Xenopus laevis. Developmental 1968, 18, 571-589.	Biology,	2.0	45
101	Patterns of nucleic acid synthesis in the early mouse embryo. Developmental Biology, 1968,	18, 311-330.	2.0	110
102	Soluble proteins and quantitative analysis of protein and RNA during oogenesis in Necturus maculosus. Experimental Cell Research, 1968, 51, 313-322.		2.6	6
103	Investigations on transcription in Limnaea embryos. Experimental Cell Research, 1968, 51, 1	77-184.	2.6	7
104	Inhibitor of ribosomal RNA synthesis in Xenopus laevis embryos. Experimental Cell Research, 252-260.	1968, 52,	2.6	21
105	Relationship between stage of follicular development and RNA synthesis in the mouse oocyt Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1968, 6, 155	e. -165.	1.0	63
107	Sistemi di Regolazione Nello Sviluppo Embrionale. Bollettino Di Zoologia, 1968, 35, 291-313	۶ <b>.</b>	0.3	3
108	RIBONUCLEOPROTEIN PARTICLES IN THE AMPHIBIAN OOCYTE NUCLEUS. Journal of Cell Bio 421-432.	logy, 1968, 36,	5.2	52
109	ORGANIZATION AND ACTIVITY IN THE PRE- AND POSTOVULATORY FOLLICLE OF NECTURUS Journal of Cell Biology, 1968, 39, 1-34.	MACULOSUS.	5.2	40
110	Specific Gene Amplification in Oocytes. Science, 1968, 160, 272-280.		12.6	828
111	Evidence for the appearance of novel gene products during amphibian blastulation Proceec the National Academy of Sciences of the United States of America, 1968, 60, 152-159.	lings of	7.1	49
112	Genetic Activities of The Y Chromosome in Drosophila During Spermatogenesis. Advances ir 1968, 14, 171-223.	Genetics,	1.8	161
113	Molecular hybridization used to characterize the RNA synthesized by isolated bovine thymus Proceedings of the National Academy of Sciences of the United States of America, 1968, 59	s nuclei , 846-853.	7.1	12
114	Differential synthesis of the genes for ribosomal RNA during amphibian oogenesis Proceedi National Academy of Sciences of the United States of America, 1968, 60, 553-560.	ngs of the	7.1	365

#	Article	IF	CITATIONS
115	GENE EXPRESSION IN INTERSPECIFIC HYBRIDS, II. RNA SYNTHESIS IN THE LETHAL CROSS Arbacia lixula [unk] x Paracentrotus lividus [unk]. Proceedings of the National Academy of Sciences of the United States of America, 1969, 62, 438-445.	7.1	16
116	RNA Synthesis during Early Development of the Mouse. Nature, 1969, 221, 327-332.	27.8	139
117	The differential response of the early mouse embryo to actinomycin D treatment in vitro. Teratology, 1969, 2, 47-54.	1.6	24
119	Detection of lenticular antigens in the early stages of development ofrana temporaria. Bulletin of Experimental Biology and Medicine, 1969, 67, 506-508.	0.8	0
121	Ultrastructural and autoradiographic studies of mouse cleavage stages. American Journal of Anatomy, 1969, 126, 151-173.	1.0	151
122	RNA in Cecropia moth ovaries: Sites of synthesis, transport, and storage. The Journal of Experimental Zoology, 1969, 170, 1-23.	1.4	68
123	Effects of 6-azauridine on the embryonic cells ofXenopus laevis, with special reference to nucleolar ultrastructure. The Journal of Experimental Zoology, 1969, 170, 333-340.	1.4	4
124	An artifact in the alkaline hydrolysis of RNA labeled with guanosine-8-T. Analytical Biochemistry, 1969, 27, 186-189.	2.4	15
125	Aspetti ultrastrutturali dei ribosomi durante l'ovogenesi dei vertebrati. Bollettino Di Zoologia, 1969, 36, 245-262.	0.3	1
126	Changes in Survival after X-Irradiation of Xenopus Embryos at Different Phases of the Cell Cycle. Radiation Research, 1969, 37, 173.	1.5	5
127	Co-ordinated synthesis of some ribosomal proteins and ribosomal RNA in embryos of Xenopus laevis. Journal of Molecular Biology, 1969, 46, 393-411.	4.2	52
128	Rate of nuclear ribonucleic acid turnover in sea urchin embryos. Journal of Molecular Biology, 1969, 40, 235-246.	4.2	77
129	Synthesis and function of messenger RNA during early embryonic development. Journal of Molecular Biology, 1969, 42, 559-575.	4.2	130
130	Patterns of macromolecule synthesis during development of Xenopus laevis. Developmental Biology, 1969, 19, 244-260.	2.0	48
131	Role of the oocyte nucleus in physiological maturation in Rana pipiens. Developmental Biology, 1969, 19, 281-309.	2.0	206
132	RNA codons recognized by transfer RNA from amphibian embryos and adults. Developmental Biology, 1969, 19, 1-11.	2.0	12
133	RNA and protein synthesis in the unfertilized eggs of Urechis caupo. Developmental Biology, 1969, 19, 460-481.	2.0	28
134	A comparison of RNA and protein synthesis in fertilized and unfertilized eggs of Urechis caupo. Developmental Biology, 1969, 19, 482-497.	2.0	33

#	Article	IF	CITATIONS
135	Changes in nucleolar ultrastructure during amphibian development. Experimental Cell Research, 1969, 54, 281-284.	2.6	10
136	Inhibitor of ribosomal RNA synthesis in Xenopus laevis embryos. Experimental Cell Research, 1969, 55, 155-160.	2.6	7
137	Control of Specific Gene Expression in Higher Organisms. Science, 1969, 166, 1474-1480.	12.6	567
138			

#	Article	IF	CITATIONS
157	Synthèse Du Rna Au Cours De L'oogenèse. Archives Internationales De Physiologie Et De Biochimie, 1970, 78, 393-397.	0.2	5
158	Polyacrylamide gel electrophoresis of nucleic acids synthesised during the early development of Xenopus laevis Daudin. Nucleic Acids and Protein Synthesis, 1970, 204, 416-429.	1.7	42
160	RNA polymerase activity during development of normal and hydrid amphibian embryos. Nucleic Acids and Protein Synthesis, 1970, 204, 263-266.	1.7	6
161	Regulation of DNA-like RNA and the apparent activation of ribosomal RNA synthesis in sea urchin embryos: Quantitative measurements of newly synthesized RNA. Developmental Biology, 1970, 23, 86-112.	2.0	106
162	The ultrastructure of the nuclear envelope of amphibian oocytes: a reinvestigation. Journal of Ultrastructure Research, 1970, 30, 317-327.	1.1	93
163	Factors affecting ribosome isolation from adult crickets, Acheta domesticus. Journal of Insect Physiology, 1970, 16, 813-824.	2.0	20
164	Differential inhibition of 28S-18S RNA and 5S RNA synthesis in the cycloheximide-treated xenopus laevis embryonic cells. Biochemical and Biophysical Research Communications, 1970, 40, 1070-1075.	2.1	6
165	A cytochemical and ultrastructural analysis of in vitro maturation in amphibian oocytes. Developmental Biology, 1970, 21, 157-195.	2.0	99
166	Nucleic acid metabolism in oocytes and embryos of Urechis caupo. Developmental Biology, 1970, 23, 241-260.	2.0	19
167	Cytoplasmic synthesis of RNA in the sea urchin embryo. Developmental Biology, 1970, 22, 343-365.	2.0	31
168	Effect of metabolic inhibitors on macromolecular synthesis and early development in the mouse embryo. Experimental Cell Research, 1970, 59, 197-206.	2.6	58
169	POLYAMINES AND NUCLEIC ACID METABOLISM IN THE CHICK EMBRYO. Annals of the New York Academy of Sciences, 1970, 171, 709-722.	3.8	49
170	Informational macromolecules during the early development of sea urchins. Progress in Biophysics and Molecular Biology, 1971, 23, 191-201.	2.9	3
171	Genetic information in oocyte RNA. Journal of Molecular Biology, 1971, 56, 491-506.	4.2	134
172	Characteristics of DNA-RNA hybrids prepared from the eggs of normal and thiotepa chemosterilized houseflies, Musca domestica L. Pesticide Biochemistry and Physiology, 1971, 1, 166-172.	3.6	3
173	Synthesis of 5 S and transfer RNA during embryogenesis in the milkweed bug, Oncopeltus fasciatus. Developmental Biology, 1971, 25, 502-513.	2.0	5
174	Stage-specific initiation factors for protein synthesis during insect development. Developmental Biology, 1971, 25, 280-292.	2.0	37
175	Studies on tRNA and aminoacyl-tRNA synthetases during the development ofRana pipiens. Developmental Biology, 1971, 24, 19-36.	2.0	18

#	Article	IF	CITATIONS
176	Nuclear and cytoplasmic contributions to dehydrogenase phenotypes in hybrid frog embryos. Developmental Biology, 1971, 24, 119-140.	2.0	60
177	Lactate dehydrogenase isozymes ofXenopus laevis: Factors affecting their appearance during early development. Developmental Biology, 1971, 24, 413-427.	2.0	33
179	The synthesis of 5-S RNA and its regulation during early embryogenesis of Xenopus laevis. Nucleic Acids and Protein Synthesis, 1971, 240, 392-406.	1.7	15
180	The molecular weight and thermolability of Ilyanassa ribosomal RNA. Nucleic Acids and Protein Synthesis, 1971, 254, 272-277.	1.7	22
181	The mitochondrial ribosome and ribosomal RNA of the chick. FEBS Letters, 1971, 14, 214-218.	2.8	14
182	Dissociation of ribosomes from oocytes of <i>Xenopus laevis</i> into active subparticles. Biochemical Journal, 1971, 124, 897-903.	3.1	23
183	The proteins of <i>Xenopus</i> ovary ribosomes. Biochemical Journal, 1971, 125, 1091-1107.	3.1	20
185	Characteristics of homologous and heterologous DNA-RNA hybrids from unfertilized and fertilized eggs of houseflies, Musca domestica. Insect Biochemistry, 1971, 1, 302-308.	1.8	7
186	The time of DNA replication in the cell cycle in relation to RNA synthesis in frog embryos. Journal of Cellular Physiology, 1971, 77, 411-422.	4.1	39
187	DNA content, ribosomal gene multiplicity, and cell size in fish. The Journal of Experimental Zoology, 1971, 177, 65-78.	1.4	123
188	Cytochrome oxidase activity during amphibian development. The Journal of Experimental Zoology, 1971, 178, 151-163.	1.4	5
189	Initiation of the synthesis of ribosomal ribonucleic acid precursor in different regions of frog ( <i>Rana pipiens</i> ) gastrulae. Biochemical Journal, 1972, 127, 733-735.	3.1	8
190	XENOPUS LAEVIS AND DEVELOPMENTAL BIOLOGY. Biological Reviews, 1972, 47, 37-112.	10.4	22
191	Sequence heterogeneity of 5 S RNA inXenopus laevis. FEBS Letters, 1972, 25, 13-20.	2.8	174
192	Separation and analysis of histone subfractions differing in their degree of acetylation: Some correlations with genetic activity in development. Archives of Biochemistry and Biophysics, 1972, 150, 44-56.	3.0	112
193	Biogenesis of mitochondria duringXenopus laevis development. Developmental Biology, 1972, 27, 504-518.	2.0	142
194	LOCALIZATION OF RIBOSOMAL DNA WITHIN OOCYTES OF THE HOUSE CRICKET, ACHETA DOMESTICUS (ORTHOPTERA: GRYLLIDAE). Journal of Cell Biology, 1972, 55, 310-321.	5.2	43
196	Mitochondrial RNA in Xenopus laevis. Journal of Molecular Biology, 1972, 63, 201-216.	4.2	101

#	Article	IF	CITATIONS
197	Mitochondrial RNA in Xenopus laevis. Journal of Molecular Biology, 1972, 63, 217-231.	4.2	71
198	Properties of the three cell types in sixteen-cell sea urchin embryos: RNA synthesis. Developmental Biology, 1972, 27, 457-478.	2.0	22
199	Effect of dissociation of embryos of Urechis caupo on synthesis of ribosomal RNA. Experimental Cell Research, 1972, 72, 538-541.	2.6	1
200	Ribosome arrangement during oogenesis of Lacerta sicula Raf. Experimental Cell Research, 1972, 70, 285-292.	2.6	60
201	Coordination of ribosomal RNA synthesis in vertebrate cells. Journal of Cellular Physiology, 1972, 79, 15-26.	4.1	11
202	Gene transcription in mosaic embryos. I. The pattern of RNA synthesis in early development of the coot clam,Mulinia lateralis. The Journal of Experimental Zoology, 1972, 180, 55-73.	1.4	13
203	Changes in macromolecular synthesis inTriturus presumptive epidermis stimulated by inducing agent. The Journal of Experimental Zoology, 1972, 182, 31-39.	1.4	7
204	RNA fractionation on kieselguhr columns. Journal of Chromatography A, 1972, 70, 341-363.	3.7	6
205	The number and activity of ribosomal RNA genes in Xenopus laevis embryos carrying partial deletions in both nucleolar organizers. Biochemical Genetics, 1972, 6, 65-73.	1.7	29
206	Control of Nuclear RNA Synthesis in 2-Cell and 4-Cell Mouse Embryos. Nature, 1972, 238, 457-459.	27.8	19
210	Action of progesterone and related steroids on oocyte maturation in Xenopus laevis. An in vitro study. Cell Differentiation, 1972, 1, 179-189.	0.4	109
211	Ribosomal RNA synthesis in pre- and postgastrula embryos of xenopus laevis. Cell Differentiation, 1972, 1, 209-213.	0.4	3
212	Ribosomal RNA synthesis and ribosome formation during germination of flax rust uredospores. Physiological Plant Pathology, 1972, 2, 1-6.	1.4	7
214	The incorporation of uridine-3H into the shoot apices of photoperiodically induced and non-induced plants of Chenopodium rubrum L Biologia Plantarum, 1972, 14, 241-248.	1.9	4
215	Synthesis and characterization of amplified DNA in oocytes of the house cricket, Acheta domesticus (Orthoptera: Gryllidae). Chromosoma, 1973, 42, 1-22.	2.2	28
216	Stimulation of RNA synthesis in developing frog embryos by microinjection of ribosomes. The Journal of Experimental Zoology, 1973, 183, 193-199.	1.4	2
217	The effects of inhibitors of RNA synthesis (α-amanitin and actinomycin D) on preimplantation mouse embryogenesis. The Journal of Experimental Zoology, 1973, 186, 207-216.	1.4	109
218	Nucleotides and nucleotide sugars in early development of bufo arenarum. Carbohydrate Research, 1973, 26, 365-375.	2.3	6

#	Article	IF	CITATIONS
219	Analysis of histones from different tissues and embryos of Xenopus laevis (Daudin). II. Qualitative and quantitative aspects of nuclear histones during early stages of development. Cell Differentiation, 1973, 2, 229-242.	0.4	38
220	Nuclear pore flow rate of ribosomal RNA and chain growth rate of its precursor during oogenesis of Xenopus laevis. Developmental Biology, 1973, 30, 13-28.	2.0	100
221	Regulation of RNA synthesis in plant cell culture: Delayed synthesis of ribosomal RNA during transition from the stationary phase to active growth. Developmental Biology, 1973, 30, 104-114.	2.0	18
222	Inhibition of ribosomal RNA synthesis in neurula cells by extracts from blastulae of Xenopus laevis. Developmental Biology, 1973, 33, 241-248.	2.0	18
223	Synthesis of mitochondrial RNA in disaggregated embryos of Xenopus laevis. Developmental Biology, 1973, 33, 196-205.	2.0	13
224	RNA synthesis in the ovary and oocytes of the starfish. Developmental Biology, 1973, 31, 136-146.	2.0	11
225	Quantitative and qualitative analysis of RNA synthesis in stage 6 and stage 4 oocytes of Xenopus laevis. Developmental Biology, 1973, 34, 106-118.	2.0	78
226	Clustering of transfer RNA genes of Xenopus laevis. Journal of Molecular Biology, 1973, 79, 411-429.	4.2	60
227	Preferential transcription of Xenopus laevis ribosomal RNA in interspecies hybrids between Xenopus laevis and Xenopus mulleri. Journal of Molecular Biology, 1973, 80, 217-228.	4.2	146
228	A study of the dissociation of the ribosomes of Xenopus laevis at various stages of development. Nucleic Acids and Protein Synthesis, 1973, 324, 510-517.	1.7	4
229	The role of soluble protein factors in the translational control of protein synthesis in eukaryotic cells. FEBS Letters, 1973, 32, 205-212.	2.8	33
230	CONTROL OF 5S RNA SYNTHESIS DURING EARLY DEVELOPMENT OF ANUCLEOLATE AND PARTIAL NUCLEOLATE MUTANTS OF XENOPUS LAEVIS. Journal of Cell Biology, 1973, 59, 624-632.	5.2	29
231	Hybridization Properties and Sequence Arrangement in a Population of mRNAs. Nature: New Biology, 1973, 242, 101-105.	4.5	39
232	Changes in the Protein-Synthetic Activity of Male Xenopus laevis Liver after Hormonal Induction of the Formation of Egg-Yolk Protein. Biochemical Society Transactions, 1973, 1, 589-591.	3.4	2
233	Mammalian RNA Polymerases. Progress in Molecular Biology and Translational Science, 1973, 13, 93-126.	1.9	117
234	Maintenance of Insect Ovarian Microtubular Structure and Function in vitro. Nature: New Biology, 1973, 242, 253-254.	4.5	1
235	Structural Analysis and in Vitro Function of 80 s Ribosomes Isolated from Mouse Tumor Cells Tumori, 1974, 60, 1-16.	1.1	3
236	Cellular Aspects of Ovum Implantation and Decidualization in the Rat. , 1974, 4, 263-286.		11

# 237	ARTICLE Mutant Genes in the Mexican Axolotl. Science, 1974, 184, 1142-1147.	IF 12.6	Citations 65
238	MITOTIC ACTIVITY AND CELL PROLIFERATION IN PRIMARY INDUCTION OF NEWT EMBRYO. Development Growth and Differentiation, 1974, 16, 29-40.	1.5	13
239	An analysis of acidic nuclear proteins during the development of Xenopus laevis. Cell Differentiation, 1974, 3, 249-257.	0.4	9
241	The Translation of mammalian globin mRNA injected into fertilized eggs of Xenopus laevis. Developmental Biology, 1974, 39, 125-133.	2.0	50
242	RNA metabolism in previtellogenic oocytes of Xenopus laevis. Developmental Biology, 1974, 39, 191-197.	2.0	0
243	The constancy of RNA-polymerase activities during a transcriptionally dependent cell differentiation in Naegleria. Developmental Biology, 1974, 36, 236-244.	2.0	10
244	Changes in the polysome content of developing Xenopus laevis embryos. Developmental Biology, 1974, 40, 90-101.	2.0	155
245	RNA metabolism in previtellogenic oocytes ofXenopus laevis. Developmental Biology, 1974, 39, 191-197.	2.0	20
246	DNA-binding proteins of Xenopus laevis. Experimental Cell Research, 1974, 83, 191-199.	2.6	5
247	Secondary structure maps of ribosomal RNA and DNA. Journal of Molecular Biology, 1974, 89, 379-395.	4.2	149
248	THE PHYSIOLOGY OF VITELLOGENESIS. , 1974, , 219-308.		57
249	The degradation of ribonucleic acids injected into xenopus laevis oocytes. Cell, 1974, 2, 189-196.	28.9	48
250	The Problem of Germ Cell Determinants. International Review of Cytology, 1974, 39, 413-479.	6.2	168
251	Ribosomal RNA, Maternal Age, and Down's Syndrome. Acta Geneticae Medicae Et Gemellologiae, 1975, 24, 245-250.	0.1	2
252	DNA-RNA hybrids from ovaries of normal and sterilized Musca domestica. Insect Biochemistry, 1975, 5, 231-234.	1.8	5
253	Control of cell division and cell differentiation by deoxynucleotides in the early embryo of Xenopus laevis. Cell Differentiation, 1975, 4, 313-325.	0.4	35
254	RNA and Protein Synthesis during Progesterone-Induced Germinal Vesicle Breakdown in R. pipiens Ovarian Tissue. Differentiation, 1975, 4, 143-152.	1.9	26
255	Transcription of DNAs of Known Sequence after Injection into the Eggs and Oocytes of Xenopus laevis. FEBS Journal, 1975, 57, 85-96.	0.2	38

#	Article	IF	CITATIONS
256	Intermolecular Renaturation of Hairpin Loops Leads to Stable and Specific Aggregates of 28-S rRNA and Precursor rRNAs from Xenopus laevis. FEBS Journal, 1975, 60, 73-82.	0.2	15
257	Identification of the lampbrush chromosome loops which transcribe 5S ribosomal RNA in Notophthalmus (Triturus) viridescens. Chromosoma, 1975, 53, 71-89.	2.2	73
258	Location of genes coding for 18S and 28S ribosomal RNA within the genome of Mus musculus. Chromosoma, 1975, 52, 219-228.	2.2	89
259	Function of lampbrush chromosomes: A hypothesis. Journal of Theoretical Biology, 1975, 55, 481-490.	1.7	8
260	Effect of bromodeoxyuridine on redundancy of ribosomal RNA cistrons of Drosophila virilis. Nature, 1975, 256, 436-438.	27.8	7
261	MOLECULAR EVENTS DURING OOCYTE MATURATION. , 1975, , 1-46.		12
262	Absence of ribosomal DNA amplification in the meroistic (telotrophic) ovary of the large milkweed bug Oncopeltus fasciatus (Dallas) (Hemiptera: Lygaeidae) Journal of Cell Biology, 1975, 66, 461-469.	5.2	21
263	Cytochemical studies on the protamine-type protein transition in sperm nuclei after fertilization and the early embryonic histones of Urechis caupo. Developmental Biology, 1975, 43, 333-339.	2.0	28
264	Synthesis of mitochondrial RNA by full-grown and maturing oocytes of Rana pipiens and Xenopus laevis. Developmental Biology, 1975, 45, 44-55.	2.0	40
265	In vivo synthesis and turnover of cytoplasmic ribosomal RNA by stage 6 oocytes of Xenopus laevis. Developmental Biology, 1975, 45, 199-202.	2.0	22
266	Inhibitor of ribosomal RNA synthesis in Xenopus laevis embryos. Developmental Biology, 1975, 47, 303-309.	2.0	14
267	Hormonal effects on RNA synthesis by stage 6 oocytes of Xenopus laevis. Developmental Biology, 1975, 47, 384-393.	2.0	37
268	Ribosomal protein synthesis in Xenopus laevis oocytes. Developmental Biology, 1975, 42, 40-52.	2.0	28
269	Polar lobe specific regulation of translation in embryos of Ilyanassa obsoleta. Developmental Biology, 1975, 42, 242-261.	2.0	56
270	Permeability of Xenopus laevis embryos: Specific incorporation of precursors into eukaryotic proteins and nucleic acids. Developmental Biology, 1975, 44, 169-177.	2.0	12
271	Nucleo-cytoplasmic exchange of non-histone proteins in amphibian embryos. Experimental Cell Research, 1975, 94, 235-252.	2.6	33
272	RNA synthesis in nuclei isolated from early embryos of Xenopus laevis. Nucleic Acids and Protein Synthesis, 1975, 395, 152-163.	1.7	10
273	Characterization and mapping of mitochondrial ribosomal RNA and mitochondrial DNA in Drosophila melanogaster. Cell, 1976, 9, 615-625.	28.9	94

#	Article	IF	CITATIONS
274	In vivo and in vitro hormonal effects on the metabolism of immature oocytes of Xenopus laevis. Developmental Biology, 1976, 48, 308-316.	2.0	23
275	Autoradiographic study of protein and RNA formation during early development of Drosophila eggs. Developmental Biology, 1976, 49, 425-437.	2.0	285
276	Changes in tRNA nucleotidyltransferase activity during embryonic development of Xenopus laevis. Experimental Cell Research, 1976, 100, 9-14.	2.6	7
277	The nucleotide sequence adjoining the 3′ end of the genes coding for oocyte-type 5 S ribosomal RNA in Xenopus. Journal of Molecular Biology, 1976, 102, 1-14.	4.2	33
278	Patterns of ribosomal DNA spacer lengths are inherited. Journal of Molecular Biology, 1976, 105, 507-516.	4.2	55
279	Arthropod ribosomes Integrity of ribosomal ribonucleic acids from aphids and water fleas. Nucleic Acids and Protein Synthesis, 1976, 435, 258-268.	1.7	22
280	BIOCHEMICAL AND CYTOLOGICAL EXAMINATION ON THE INITIATION OF RIBOSOMAL RNA SYNTHESIS DURING GASTRULATION OF XENOPUS LAEVIS. Development Growth and Differentiation, 1976, 18, 329-338.	1.5	19
281	Nucleotides in embryos in the stages of morula, gastrula, and neurula. Carbohydrate Research, 1976, 47, 275-284.	2.3	6
282	Genomic transcriptional activity and the structure of chromatin. Nature, 1976, 260, 495-500.	27.8	78
283	RNA synthesis in fully-grown mouse oocytes. Nature, 1976, 261, 73-74.	27.8	141
284	31P Nuclear-Magnetic-Resonance Studies on the Developing Embryos of Xenopus laevis. FEBS Journal, 1976, 61, 387-396.	0.2	64
285	The relationship of ribosomal RNA synthesis to the formation of segregated nucleoli and nucleoli and nucleolus-like bodies Journal of Cell Biology, 1976, 71, 939-949.	5.2	25
286	Ribosomal genes of Xenopus laevis: evidence of nucleosomes in transcriptionally active chromatin. Science, 1976, 194, 529-532.	12.6	72
287	Some Aspects of RNA Synthesis in Oyster Development. American Zoologist, 1976, 16, 521-528.	0.7	2
288	RNA Synthesis and the Ribosomal Cistrons in Early Molluscan Development. American Zoologist, 1976, 16, 501-520.	0.7	10
289	Absence of rDNA amplification in the uninucleolate oocyte of the cockroach Blattella germanica (Oorthoptera: Blattidae) Journal of Cell Biology, 1976, 71, 49-58.	5.2	10
290	Gene activity during zygote germination and early sporophyte germling development in the aquatic fungus, Allomyces macrogynus. Experimental Mycology, 1977, 1, 194-210.	1.6	5
291	Cytochrome oxidase deficiency during development of amphibian nucleocytoplasmic hybrids. Developmental Biology, 1977, 57, 284-292.	2.0	25

#	Article	IF	CITATIONS
292	Existence of ultraviolet-labile germ cell determinant in unfertilized eggs of Xenopus laevis and its sensitivity. Developmental Biology, 1977, 55, 206-211.	2.0	9
293	The synthesis and storage of histones during the oogenesis of Xenopus laevis. Developmental Biology, 1977, 57, 118-135.	2.0	221
294	Cell-free translation analysis of messenger RNA in echinoderm and amphibian early development. Developmental Biology, 1977, 60, 48-68.	2.0	81
295	Biochemical research on oogenesis. Developmental Biology, 1977, 59, 228-236.	2.0	42
296	Comparison of in vivo and in vitro ribosomal RNA synthesis in nucleolar mutants ofXenopus laevis. In Vitro, 1977, 13, 557-563.	1.2	28
297	Transcriptional effects of 5-bromo-2′-deoxyuridine in post-implantation mouse embryos. Experientia, 1977, 33, 448-450.	1.2	4
298	Activation of mouse ribosomal RNA genes at the 2-cell stage. Human Genetics, 1977, 38, 57-63.	3.8	88
299	Arrangement of the rRNA sequences in the rDNA of Lytechinus variegatus. Chromosoma, 1978, 65, 373-381.	2.2	10
300	An investigation of de novo protein synthesis in the South African clawed frog, Xenopus laevis. Developmental Biology, 1978, 66, 128-141.	2.0	40
301	Changes in RNA synthesis of endogenous "free―and template-engaged RNA polymerases in isolated nuclei of highly synchronized coleopteran embryos. Developmental Biology, 1978, 64, 130-139.	2.0	9
302	Transcription of the Mouse Oocyte Genome. Biology of Reproduction, 1978, 18, 865-870.	2.7	67
303	Patterns of gene activity during ovum formation in the mouse. Reproduction, Nutrition, Development, 1979, 19, 1409-1417.	1.9	5
304	Tissue-specific changes in nuclear RNA content during early development of Triturus vulgaris. Histochemistry, 1979, 63, 47-56.	1.9	4
305	DIFFERENTIAL INITIATION OF rRNA GENE ACTIVITY IN PROGENIES OF DIFFERENT BLASTOMERES OF EARLY XENOPUS EMBRYOS: EVIDENCE FOR REGULATED SYNTHESIS OF rRNA. Development Growth and Differentiation, 1979, 21, 501-507.	1.5	19
306	Effect of 5-bromodeoxyuridine on nuclear RNA size in frog embryos. FEBS Letters, 1979, 108, 505-507.	2.8	2
307	Oocyte Maturation. International Review of Cytology, 1979, 57, 185-282.	6.2	668
308	Purification of Xenopus laevis embryo and liver nuclei using Metrizamide. Developmental Biology, 1979, 68, 299-303.	2.0	5
309	Program of early development in the mammal: Changes in absolute rates of synthesis of ribosomal proteins during oogenesis and early embryogenesis in the mouse. Developmental Biology, 1979, 73, 103-119.	2.0	49

#	Article	IF	CITATIONS
310	Biochemical characterization of lysosomes in unfertilized eggs of xenopus laevis. Biochimica Et Biophysica Acta - General Subjects, 1979, 587, 567-578.	2.4	14
311	Ribosomal RNA synthesis in pre- and post-gastrula-stage sea urchin embryos. Developmental Biology, 1979, 71, 83-99.	2.0	18
312	Turnover of endogenous, microinjected, and sequestered protein in Xenopus oocytes. Experimental Cell Research, 1979, 119, 277-287.	2.6	28
313	Heterogeneous nuclear RNA (HnRNA) size in developing frog embryos. Experimental Cell Research, 1979, 120, 73-77.	2.6	6
314	A cytoplasmic clock with the same period as the division cycle in Xenopus eggs Proceedings of the National Academy of Sciences of the United States of America, 1980, 77, 462-466.	7.1	319
315	RNA synthesis during early embryogenesis of mass cultured highly synchronized coleopteran embryos. Wilhelm Roux's Archives of Developmental Biology, 1980, 188, 215-224.	1.4	8
316	INITIATION OF RIBOSOMAL RNA SYNTHESIS AND CELL DIVISION IN XENOPUS LAEVIS EMBRYOS. Development Growth and Differentiation, 1980, 22, 773-780.	1.5	5
317	Spatial and Temporal Changes in Early Amphibian Development. Animal Biology, 1980, 31, 50-77.	0.4	5
318	The nucleotide sequence of the putative transcription initiation site of a cloned ribosomal RNA gene of the mouse. Nucleic Acids Research, 1980, 8, 6043-6058.	14.5	82
319	Changes in "template-bound―and "free―RNA polymerase activities in isolated nuclei from Xenopus laevis embryos. Experimental Cell Research, 1980, 127, 63-73.	2.6	10
320	Mechanisms Regulating Pattern Formation in the Amphibian Egg and Early Embryo. , 1980, , 133-316.		134
321	A study on the steady-state population of poly(A)+RNA during early development of Xenopus laevis. Developmental Biology, 1980, 77, 431-448.	2.0	99
322	Stable RNAs andembryonicdifferentiation in Amphiba. Bollettino Di Zoologia, 1980, 47, 267-279.	0.3	0
323	Organization and sequence analysis of a cluster of repetitive DNA elements from Xenopus laevis. Journal of Molecular Biology, 1981, 151, 573-592.	4.2	50
324	Determination of the secondary structure of Drosophila melanogaster 5 S RNA by hydroxymethyltrimethylpsoralen crosslinking. Journal of Molecular Biology, 1981, 147, 417-436.	4.2	36
325	Ribosomal protein mRNAs increase dramatically during Xenopus development. Developmental Biology, 1981, 87, 330-339.	2.0	27
326	A comparison of Xenopus laevis oocyte and embryo mRNA. Developmental Biology, 1981, 87, 319-329.	2.0	13
327	Loss of rDNA methylation accompanies the onset of ribosomal gene activity in early development of X. laevis. Cell, 1981, 26, 381-390.	28.9	111

ARTICLE IF CITATIONS Spatial and Temporal Changes in the Amphibian Egg. BioScience, 1981, 31, 381-388. 328 4.9 12 Molecular mechanisms of chromatin assembly. Biochemical Society Transactions, 1981, 9, 263-270. 329 3.4 LOCALIZATION AND SEGREGATION OF MATERNAL RNA'S DURING EARLY CLEAVAGE OF XENOPUS LAEVIS 330 1.5 8 EMBRYOS. Development Growth and Differentiation, 1981, 23, 23-32. Demonstration of rRNA Synthesis in Pre-Gastrular Embryos of Xenopus Laevis. Development Growth and Differentiation, 1981, 23, 579-587. Non-Coordinated Synthesis of RNA's in Pre-Gastrular Embryos of Xenopus Laevis. Development Growth 332 1.5 50 and Differentiation, 1981, 23, 589-597. Mobilization of newly synthesized RNAs into polysomes inXenopus laevis embryos. Wilhelm Roux's Archives of Developmental Biology, 1981, 190, 103-110. 1.4 16 Gene Transfer in Amphibian Eggs and Oocytes. Annual Review of Genetics, 1981, 15, 189-218. 334 7.6 208 Evolutionary Aspects of Cell Differentiation. International Review of Cytology, 1982, 75, 229-241. 6.2 336 Expression of ribosomal-protein genes in Xenopus laevis development. Cell, 1982, 30, 163-171. 28.9 161 A gradient of poly(A)+ RNA sequences in Xenopus laevis eggs and embryos. Developmental Biology, 1982, 91, 43-49 Fate of amplified nucleoli in Xenopus laevis embryos. Developmental Biology, 1982, 91, 458-467. 338 2.0 41 Structural analysis of a cDNA clone from Xenopus laevis containing a repetitive sequence element. Developmental Biology, 1982, 94, 71-78. Quantitative changes in total RNA, total poly(A), and ribosomes in early mouse embryos. 340 2.0 354 Developmental Biology, 1982, 89, 362-378. A major developmental transition in early xenopus embryos: I. characterization and timing of cellular changes at the midblastula stage. Cell, 1982, 30, 675-686. 341 28.9 1,619 Differential Utilization of Ribosomes for Protein Synthesis During Oogenesis and Early Embryogenesis 342 1.9 5 of Urechis caupo (Echiura)\*. Differentiation, 1982, 22, 170-174. The regional distribution of poly (A) and total RNA concentrations during earlyXenopus development. 343 1.4 The Journal of Experimental Zoology, 1982, 223, 265-275. Newly synthesized extracellular ribonucleic acids in the amphibian gastrula. Cell Differentiation, 344 0.4 3 1983, 13, 149-157. [25] The use of xenopus oocytes for the expression of cloned genes. Methods in Enzymology, 1983, 101, 345 281 370-386.

#	Article	IF	CITATIONS
346	Spacer sequences regulate transcription of ribosomal gene plasmids injected into Xenopus embryos. Cell, 1983, 34, 989-996.	28.9	153
347	Onset of 5 S RNA gene regulation during Xenopus embryogenesis. Developmental Biology, 1983, 99, 248-257.	2.0	120
348	Epigenetic Mechanisms In The Early Amphibian Embryo: Cell Differentiation And Morphogenetic Elements. Biological Reviews, 1983, 58, 91-130.	10.4	11
349	DNasel-hypersensitive sites at promoter-like sequences in the spacer ofXenopus laevisandXenopus borealisribosomal DNA. Nucleic Acids Research, 1983, 11, 5361-5380.	14.5	33
350	Identification ofXenopus laevismRNAs with homology to repetitive sequences. Nucleic Acids Research, 1984, 12, 8899-8916.	14.5	4
351	Unusual organization and lack of recombination in the ribosomal RNA genes of Coprinus cinereus. Current Genetics, 1984, 8, 607-613.	1.7	87
352	The accumulation of prominent tadpole mRNAs occurs at the beginning of neurulation in Xenopus laevis embryos. Developmental Biology, 1984, 106, 289-295.	2.0	25
353	Regulation of the cell cycle during early Xenopus development. Cell, 1984, 37, 731-742.	28.9	373
354	Constancy of DNA organization of polymorphic and nonpolymorphic genes during development in Xenopus. Differentiation, 1985, 29, 14-19.	1.9	6
355	Developmental regulation of a gastrula-specific gene injected into fertilized Xenopus eggs EMBO Journal, 1985, 4, 3463-3471.	7.8	165
356	Ribosomal protein production in normal and anucleolate xenopus embryos: regulation at the posttranscriptional and translational levels. Cell, 1985, 42, 317-323.	28.9	116
357	Temporal control of rRNA synthesis in cleavage-arrested embryos of Xenopus laevis. Developmental Biology, 1985, 112, 443-450.	2.0	19
358	Coordinate expression of ribosomal protein genes during Xenopus development. Developmental Biology, 1985, 111, 488-498.	2.0	80
359	Different conformations of ribosomal DNA in active and inactive chromatin in Xenopus laevis. Journal of Molecular Biology, 1985, 186, 743-758.	4.2	3
360	In vitro action of prothoracicotropic hormone on RNA-synthesis in the prothoracic gland of the silkworm, Bombyx mori. Journal of Insect Physiology, 1986, 32, 711-717.	2.0	7
361	Ammonium lon as a possible regulator of the commencement of rRNA synthesis in Xenopus laevis embryogenesis. Developmental Biology, 1986, 115, 380-391.	2.0	18
362	Xenopus myc proto-oncogene during development: expression as a stable maternal mRNA uncoupled from cell division EMBO Journal, 1986, 5, 3563-3570.	7.8	100
363	Embryonic expression and nuclear localization of Xenopus homeobox (Xhox) gene products EMBO Journal, 1986, 5, 1237-1244.	7.8	126

#	Article	IF	CITATIONS
364	Antibodies to Xenopus egg S6 kinase II recognize S6 kinase from progesterone- and insulin-stimulated Xenopus oocytes and from proliferating chicken embryo fibroblasts Molecular and Cellular Biology, 1987, 7, 3147-3155.	2.3	85
365	An enhancer responsible for activating transcription at the midblastula transition in Xenopus development Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 2331-2335.	7.1	55
366	Inhibition of RNA synthesis in embryo ofXenopus laevis by protease inhibitor. The Journal of Experimental Zoology, 1988, 246, 150-155.	1.4	6
367	Base Composition of Poly (A+) Nuclear RNA of Frog Embryo and Friend Erythroleukemia Cells. (base) Tj ETQq1 1	0.784314 1.5	rgBT /Overio
368	Function of c-mos proto-oncogene product in meiotic maturation in Xenopus oocytes. Nature, 1988, 335, 519-525.	27.8	638
369	Upstream sequences required for transcription of the TFIIIA genein Xenopusoocytes. Nucleic Acids Research, 1988, 16, 3801-3814.	14.5	18
370	Expression of Ribosomal Protein Genes during Xenopus Development. , 1988, 5, 227-240.		4
371	Developmental expression of Cu,Zn superoxide dismutase in Xenopus. Constant level of the enzyme in oogenesis and embryogenesis. FEBS Journal, 1989, 186, 421-426.	0.2	27
372	The mRNA encoding elongation factor 1-α (EF-1α) is a major transcript at the midblastula transition in Xenopus. Developmental Biology, 1989, 133, 93-100.	2.0	407
373	Developmental expression and 5S rRNA-binding activity of Xenopus laevis ribosomal protein L5 Molecular and Cellular Biology, 1989, 9, 5281-5288.	2.3	67
374	Cis-acting sequences and trans-acting factors required for constitutive expression of a microinjected HSP70 gene after the midblastula transition ofXenopus laevis embryogenesis. Genesis, 1990, 11, 97-109.	2.1	21
375	Characterization and developmental expression of Xenopus proliferating cell nuclear antigen (PCNA). Developmental Biology, 1990, 141, 183-192.	2.0	44
376	Developmental regulation of transcription factor AP-2 duringXenopus laevisembryogenesis. Nucleic Acids Research, 1991, 19, 3709-3714.	14.5	68
377	Chapter 7 Biochemical Fractionation of Oocytes. Methods in Cell Biology, 1991, 36, 133-148.	1.1	69
378	Transcription in leech: mRNA synthesis is required for early cleavages in Helobdella embryos. Developmental Biology, 1991, 146, 12-23.	2.0	31
379	The thyroid hormone receptor gene (c-erbA alpha) is expressed in advance of thyroid gland maturation during the early embryonic development of Xenopus laevis Molecular and Cellular Biology, 1991, 11, 5079-5089.	2.3	54
380	Gene Expression from Endogenou and Exogenously-introduced DNAs in Early Embryogenesis of Xenopus laevis. (Xenopus embryogenesis/nuclear RNA synthesis/midblastula transition/CAT gene) Tj ETQq0 0 0 r	gB <b>1.</b> \$Overl	ock110 Tf 50
381	42Sp48 in previtellogenic Xenopus oocytes is structurally homologous to EF-1 alpha and may be a stage-specific elongation factor Journal of Cell Biology, 1991, 112, 237-243.	5.2	21

#	Article	IF	CITATIONS
382	XrpFI, an amphibian transcription factor composed of multiple polypeptides immunologically related to the GA-binding protein alpha and beta subunits, is differentially expressed during Xenopus laevis development Molecular and Cellular Biology, 1993, 13, 6479-6489.	2.3	20
383	In vitro assembly of coiled bodies in Xenopus egg extract Molecular Biology of the Cell, 1994, 5, 633-644.	2.1	73
384	Cloning of a brain-type aldolase cDNA and changes in its mRNA level during oogenesis and early embryogenesis in Xenopus laevis. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1994, 1218, 153-157.	2.4	12
385	Constitutive expression of a microinjected glucose-regulated protein (grp78) fusion gene during early Xenopus laevis development. Differentiation, 1994, 57, 171-177.	1.9	5
386	Effects of rRNA Gene Copy Number and Nucleolar Variation on Early Development: Inhibition of Gastrulation in rDNA-Deficient Chick Embryo. Journal of Heredity, 1994, 85, 211-217.	2.4	35
387	Promotion and Regulation of Ribosomal Transcription in Eukaryotes by RNA Polymerase. Progress in Molecular Biology and Translational Science, 1995, 50, 25-66.	1.9	193
388	Intronic U14 snoRNAs ofXenopus laevisare located in two different parent genes and can be processed from their introns during early oogenesis. Nucleic Acids Research, 1995, 23, 4844-4849.	14.5	28
389	Cloning and expression studies of cDNA for a novelXenopus cadherin (XmN-cadherin), expressed maternally and later neural-specifically in embryogenesis. Mechanisms of Development, 1996, 54, 161-171.	1.7	17
390	Antisense and sense poly(A)â^'RNAs from the Xenopus laevis pyruvate dehydrogenase gene loci are regulated with message production during embryogenesis. Gene, 1996, 176, 9-16.	2.2	3
391	Maternal and zygotic expression of mRNA for S-adenosylmethionine decarboxylase and its relevance to the unique polyamine composition in Xenopus oocytes and embryos. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1996, 1308, 31-40.	2.4	18
392	E.B. Wilson Award Lecture, 1996. Differential gene action Molecular Biology of the Cell, 1997, 8, 547-553.	2.1	1
393	Cloning ofXenopusDr1 (TBP-Binding Repressor) and Its Expression in Oocytes and Early Embryos. Biochemical and Biophysical Research Communications, 1997, 231, 561-565.	2.1	2
394	Presence of Pre-rRNAs before Activation of Polymerase I Transcription in the Building Process of Nucleoli during Early Development of Xenopus laevis. Journal of Cell Biology, 1998, 142, 1167-1180.	5.2	70
395	Developmental Changes in RNA Polymerase I and TATA Box-Binding Protein during EarlyXenopusEmbryogenesis. Experimental Cell Research, 1999, 248, 122-135.	2.6	17
396	Inhibition of Transcription of Class II, but Not Class III and I, Genes in Xenopus Postblastular Embryos Overexpressed with the TBP-Binding Protein, Dr1 (NC2β). Biochemical and Biophysical Research Communications, 1999, 265, 644-651.	2.1	1
397	Isolation and characterization of Xenopus laevis aldolase B cDNA and expression patterns of aldolase A, B and C genes in adult tissues, oocytes and embryos of Xenopus laevis. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2000, 1493, 101-118.	2.4	7
398	Importance of aquaporin-2 expression levels in genotype -phenotype studies in nephrogenic diabetes insipidus. American Journal of Physiology - Renal Physiology, 2000, 279, F778-F784.	2.7	26
399	The Ribosomal RNA Processing Machinery Is Recruited to the Nucleolar Domain before RNA Polymerase I during Xenopus laevis Development. Journal of Cell Biology, 2000, 149, 293-306.	5.2	54

#	Article	IF	CITATIONS
400	Detection of Aquaporin-2 in the Plasma Membranes of Oocytes: A Novel Isolation Method with Improved Yield and Purity. Biochemical and Biophysical Research Communications, 2001, 282, 683-690.	2.1	56
401	Quantitative expression studies of aldolase A, B and C genes in developing embryos and adult tissues of Xenopus laevis. Mechanisms of Development, 2001, 102, 283-287.	1.7	16
402	rDNA Transcription during Xenopus laevis Oogenesis. Biochemical and Biophysical Research Communications, 2002, 290, 1151-1160.	2.1	6
403	A developmental biological study of aldolase gene expression in Xenopus laevis. Cell Research, 2002, 12, 85-96.	12.0	16
404	Xenopus transcription factor IIIA and the 5S nucleosome: development of a useful in vitro system. Biochemistry and Cell Biology, 2003, 81, 177-184.	2.0	10
405	Cell and Molecular Biology of Nucleolar Assembly and Disassembly. International Review of Cytology, 2004, 239, 99-178.	6.2	59
406	Women Debate the MDGs. Development, 2005, 48, 101-106.	1.0	13
407	Gene Expression in Pre-MBT Embryos and Activation of Maternally-Inherited Program of Apoptosis to be Executed at around MBT as a Fail-Safe Mechanism in Xenopus Early Embryogenesis. Gene Regulation and Systems Biology, 2008, 2, GRSB.S579.	2.3	3
408	Molekularbiologische Untersuchungen an HÃ1⁄4hnereiern. Zeitschrift Fur Tierphysiologie, Tierernahrung Und Futtermittelkunde, 1970, 26, 45-55.	0.1	1
409	Effects of S-adenosylmethionine decarboxylase, polyamines, amino acids, and weak bases (amines and) Tj ETQq1 439-449.	1 0.78431 2.7	4 rgBT /Ove 2
410	The Midblastula Transition Defines the Onset of Y RNA-Dependent DNA Replication in Xenopus laevis. Molecular and Cellular Biology, 2011, 31, 3857-3870.	2.3	36
411	A marked animal–vegetal polarity in the localization of Na <sup>+</sup> ,K <sup>+</sup> â€ATPase activity and its downâ€regulation following progesteroneâ€induced maturation. Molecular Reproduction and Development, 2012, 79, 138-160.	2.0	6
412	Zygotic Genome Activation During the Maternal-to-Zygotic Transition. Annual Review of Cell and Developmental Biology, 2014, 30, 581-613.	9.4	469
413	Non-coding stem-bulge RNAs are required for cell proliferation and embryonic development in C. elegans. Journal of Cell Science, 2015, 128, 2118-2129.	2.0	16
414	Expression of distinct maternal and somatic 5.8S, 18S, and 28S rRNA types during zebrafish development. Rna, 2017, 23, 1188-1199.	3.5	89
415	Control of zygotic genome activation in Xenopus. Current Topics in Developmental Biology, 2021, 145, 167-204.	2.2	12
417	Transitions in the Proteome and Phospho-Proteome During <i>Xenopus laevis</i> Development. SSRN Electronic Journal, 0, , .	0.4	1
420	Expression of Ribosomal Protein Genes in Xenopus Development. , 1990, , 79-82.		1

# 421	ARTICLE The RNA of the Mature Xenopus Oocyte. , 1975, , 51-55.	IF	CITATIONS
422	Avian Genetics. , 1975, , 151-200.		8
423	Regulation of the Mid-Blastula Transition in Amphibians. , 1988, 5, 209-225.		8
424	Development of the Mature Egg Organization in Amphibians, Fish, and Starfish During the Concluding Stages of Oogenesis, in the Period of Maturation. , 1988, , 165-277.		4
425	Translation of Animal Virus mRNAs in Vitro. , 1977, , 1-71.		2
426	Evolution of Ribosomal DNA. , 1985, , 419-517.		157
427	Translational Regulation of Ribosomal Protein Gene Expression in Eukaryotes. , 1987, , 63-85.		12
428	Molecular Mechanisms of Translational Control during the Early Development of Xenopus laevis. , 1987, , 111-139.		12
429	Studies of the Relationship between DNA Methylation and Transcription of the Ribosomal RNA Genes. Advances in Experimental Medicine and Biology, 1982, 158, 375-380.	1.6	2
430	Funktionelle und strukturelle Organisation der Lampenbürsten-Chromosomen. , 1966, , 29-54.		7
431	Maternal Storage in the Mammalian Oocyte. Current Topics in Pathology Ergebnisse Der Pathologie, 1976, 62, 29-52.	0.2	6
432	Methylation of the Genes for 18S, 28S, and 5S Ribosomal RNA. Current Topics in Microbiology and Immunology, 1984, 108, 129-141.	1.1	6
433	Genome Transcription in Fish Development. Advances in Morphogenesis, 1970, 8, 209-284.	1.0	19
434	Macromolecular Syntheses and Nucleocytoplasmic Interactions in Early Development. Advances in Morphogenesis, 1971, 9, 263-316.	1.0	35
435	Biochemical Aspects of Early Differentiation in Vertebrates. Advances in Morphogenesis, 1973, 10, 175-225.	1.0	8
436	STAGE SPECIFIC CHANGES IN PROTEIN SYNTHESIS DURING XENOPUS OOGENESIS. , 1979, , 239-250.		1
437	The Nucleolus and Nucleolar DNA. , 1974, , 73-147.		72
438	Messenger RNA and Other High Molecular Weight RNA. , 1974, , 187-239.		3

#	Article	IF	Citations
439	RNA and Protein Synthesis during Early Animal Embryogenesis. , 1973, , 1-22.		2
440	Aspects of Cytoplasmic and Environmental Influences on Gene Expression. , 1980, , 301-346.		1
441	Nucleotides and Nucleic Acids. , 1970, , 69-275.		20
442	Molecular Aspects of Cytodifferentiation. Advances in Comparative Physiology and Biochemistry, 1968, 3, 115-172.	0.1	14
443	The Keys to Change: Factors Regulating Differentiation. , 1966, , 29-84.		19
444	BIOCHEMICAL CHANGES IN NUCLEIC ACIDS AND PROTEINS DURING OVARIAN MATURATION AND EGG DEVELOPMENT. , 1972, , 79-112.		1
445	Ribosomal Protein Gene Expression in Proliferating and Nonproliferating Cells. , 1984, , 243-271.		21
446	RNA Synthesisâ $\in$ "Mechanism of Genetic Transcription. , 1967, , 213-253.		2
447	The Transplantation of Living Cell Nuclei. Advances in Morphogenesis, 1964, 4, 1-43.	1.0	64
448	Role of Messenger Ribonucleic Acid in Embryonic Development. Advances in Morphogenesis, 1968, 7, 115-150.	1.0	27
449	The Activation of the Egg. , 1967, , 369-412.		14
450	Characterization of transfer RNA from liver of the developing amphibian, Rana catesbeiana Journal of Biological Chemistry, 1978, 253, 8074-8080.	3.4	7
451	Isolation and genomic arrangement of active and inactive forms of mammalian 5 S RNA genes Journal of Biological Chemistry, 1984, 259, 7916-7925.	3.4	22
452	Mechanism of Gene Expression in Tenebrio molitor. Journal of Biological Chemistry, 1970, 245, 1275-1281.	3.4	75
453	Studies on Ribonucleic Acid Synthesis in Tadpole Liver during Metamorphosis Induced by Thyroxine. Journal of Biological Chemistry, 1967, 242, 642-649.	3.4	39
454	Characterization of a Xenopus laevis ribonucleoprotein endoribonuclease. Isolation of the RNA component and its expression during development Journal of Biological Chemistry, 1992, 267, 21765-21772.	3.4	26
455	Multiple Forms of Deoxyribonucleic Acid-dependent Ribonucleic Acid Polymerase in Xenopus laevis. Journal of Biological Chemistry, 1974, 249, 249-256.	3.4	152
456	Insulin stimulates the translation of ribosomal proteins and the transcription of rDNA in mouse myoblasts Journal of Biological Chemistry, 1988, 263, 17785-17791.	3.4	59

#	Article	IF	CITATIONS
457	Stockpiling of DNA polymerases during oogenesis and embryogenesis in the frog, Xenopus laevis Journal of Biological Chemistry, 1985, 260, 974-981.	3.4	63
458	EVIDENCE FOR A COMPLEX CLASS OF NONADENYLATED mRNA IN DROSOPHILA. Genetics, 1980, 95, 673-691.	2.9	26
459	Coupled Demethylation of Sites in a Conserved Sequence of Xenopus Ribosomal DNA. Cold Spring Harbor Symposia on Quantitative Biology, 1983, 47, 585-592.	1.1	25
460	Reactivation of Ribonucleic Acid and Protein Synthesis During Germination of <i>Blastocladiella</i> Zoospores and the Role of the Ribosomal Nuclear Cap. Journal of Bacteriology, 1968, 96, 962-969.	2.2	133
461	XrpFI, an Amphibian Transcription Factor Composed of Multiple Polypeptides Immunologically Related to the GA-Binding Protein α and β Subunits, is Differentially Expressed During <i>Xenopus laevis</i> Development. Molecular and Cellular Biology, 1993, 13, 6479-6489.	2.3	12
462	Antibodies to Xenopus egg S6 kinase II recognize S6 kinase from progesterone- and insulin-stimulated Xenopus oocytes and from proliferating chicken embryo fibroblasts. Molecular and Cellular Biology, 1987, 7, 3147-3155.	2.3	36
463	DNA sequence-specific binding activity of the heat-shock transcription factor is heat-inducible before the midblastula transition of early <i>Xenopus</i> development. Development (Cambridge), 1990, 110, 427-433.	2.5	44
464	Developmental expression of fibrillarin and U3 snRNA in <i>Xenopus laevis</i> . Development (Cambridge), 1991, 112, 317-326.	2.5	29
465	Morphogenesis and regulated gene activity are independent of DNA replication in <i>Xenopus</i> embryos. Development (Cambridge), 1991, 112, 559-569.	2.5	21
466	DNA methylation <i>versus</i> gene expression. Development (Cambridge), 1984, 83, 31-40.	2.5	14
467	Association of the nucleolar transcription factor UBF with the transcriptionally inactive rRNA genes of pronuclei and early <i>Xenopus</i> embryos. Journal of Cell Science, 1997, 110, 2053-2063.	2.0	23
468	The uptake of tritiated uridine and phenylalanine by the ovaries of rats and monkeys. Journal of Cell Science, 1969, 4, 655-675.	2.0	58
469	Poly (A)-containing RNA Synthesis in Xenopus laevis Embryos. Cell Structure and Function, 1978, 3, 71-78.	1.1	12
470	Localization of poly(A) Sequences that are Lost during Oocyte Maturation of <i>Xenopus laevis</i> . Cell Structure and Function, 1981, 6, 279-282.	1.1	2
471	Ribonucleic Acid (RNA) Synthesis in Dissociated Embryonic Cells of Xenopus Laevis Proceedings of the Japan Academy, 1966, 42, 811-815.	0.4	5
472	Commencement of Ribosomal RNA Synthesis in the Absence of Cell Contact. Proceedings of the Japan Academy, 1968, 44, 697-701.	0.4	5
475	Induction of Chromosome Replication During Maturation of Amphibian Oocytes. Novartis Foundation Symposium, 1983, 98, 25-43.	1.1	8
476	RNA species whose transcription is totally silent in pre-MBT stage are not mRNA but rRNA and possible involvement of weak bases (ammonium salts and/or amines) in the transcriptional silence of rRNA genes during the pre-MBT stage in <i>Xenopus</i> early embryos. Advances in Bioscience and Biotechnology (Print). 2013. 04. 21-35.	0.7	0

#	Article	IF	Citations
477	Genetic and Biochemical Aspects of Reproductive Failure. , 1967, , 118-141.		0
478	Ribonucleic Acid (RNA) Synthesis in Dissociated Embryonic Cells of Xenopus laevis. IV. Proceedings of the Japan Academy, 1968, 44, 379-384.	0.4	4
479	Differentiation in the Cellular Slime Mold. , 1968, , 115-129.		0
480	Masked Messenger RNA and Cytoplasmic DNA in Relation to Protein Synthesis and Processes of Fertilization and Determination in Embryonic Development. , 1968, , 170-226.		8
481	Masked Messenger RNA and Cytoplasmic DNA in Relation to Protein Synthesis and Processes of Fertilization and Determination in Embryonic Development. , 1968, , 170-226.		3
483	Ribosomal RNA. , 1969, , 34-54.		Ο
484	Macromolecular Synthesis and Effect of Metabolic Inhibitors During Preimplantation Development in the Mouse. , 1971, , 101-120.		0
485	Lampenbürstenchromosomen. Handbuch Der Allgemeinen Pathologie, 1971, , 215-281.	0.3	2
486	Problems of Integration and Organization: Control Mechanisms11The writing of this chapter arose naturally from other collaboration and other studies with which the authors were both familiar—and in part it may even be viewed as a sequel to the work "Plants, Chemicals and Growth― (161)—it is, therefore, appropriately here written in collaboration , 1972, , 367-419.		1
487	The Question of Gene Regulation in Sporulating Bacteria. , 1973, , 15-27.		Ο
488	GENE EXPRESSION IN ANIMAL CELLS. , 1974, , 187-217.		0
490	Patterns of DNA Methylation and Expression of Genes. , 1986, , 7-15.		Ο
491	The developing Xenopus embryo as a complex system: Maternal and zygotic contribution of gene products in nucleo-cytoplasmic and cell-to-cell interactions. , 1997, , 154-162.		0
492	Temporal Aspects of Macromolecular Synthesis in Eukaryotic Cells. , 1973, , 71-91.		1
493	Developmental Expression and 5S rRNA-Binding Activity of <i>Xenopus laevis</i> Ribosomal Protein L5. Molecular and Cellular Biology, 1989, 9, 5281-5288.	2.3	27
494	Studies on the template activity of â€`isolated' Xenopus erythrocyte nuclei. II. The effects of cytoplasmic extracts. Journal of Cell Science, 1977, 24, 119-129.	2.0	6
496	Developmental regulation of a gastrula-specific gene injected into fertilized Xenopus eggs. EMBO Journal, 1985, 4, 3463-71.	7.8	49
497	Embryonic expression and nuclear localization of Xenopus homeobox (Xhox) gene products. EMBO Journal, 1986, 5, 1237-44.	7.8	34

#	Article	IF	CITATIONS
498	Xenopus myc proto-oncogene during development: expression as a stable maternal mRNA uncoupled from cell division. EMBO Journal, 1986, 5, 3563-70.	7.8	41
501	Observations on the origin of the â€~germinal cytoplasm' in <i>Xenopus laevis</i> . Development (Cambridge), 1969, 22, 229-251.	2.5	19
502	Effets de la puromycine sur la mitose, la synthèse des protéines et celle du DNA au cours de la segmentation de l'oeuf de Batracien. Development (Cambridge), 1965, 13, 195-206.	2.5	3
503	A study of the influence of isolated calf spleen RNA on amphibian histogenesis. Development (Cambridge), 1966, 15, 1-14.	2.5	4
504	Ultrastructure comparée du cytoplasme périphérique des oocytes mûrs et des œufs vierges de <i>Xenopus laevis</i> (Bactracien anoure). Development (Cambridge), 1966, 15, 355-364.	2.5	3
505	[3H]Uridine incorporation during previtellogenesis and early vitellogenesis in the oocytes of the chick ( <i>Gallus gallus</i> ). Development (Cambridge), 1968, 20, 169-174.	2.5	3
506	RNA synthesis in the early embryogenesis of a fish <i>(Misgurnus fossilis)</i> . Development (Cambridge), 1969, 21, 295-308.	2.5	3
507	Etude des ribosomes et du glycogène des gastrules de <i>Xenopus laevis</i> par cytochimie ultrastructurale. Development (Cambridge), 1969, 22, 69-98.	2.5	3
508	An inverse relation between the rate of cell division and RNA synthesis per cell in developing frog embryos. Development (Cambridge), 1970, 23, 571-582.	2.5	16
509	The appearance and quantitation of cytoplasmic ribonucleic acid in the early chick embryo. Development (Cambridge), 1972, 28, 367-384.	2.5	5
510	Autoradiographic patterns of [3H]uridine incorporation during the development of the mollusc, <i>Acmaea scutum</i> . Development (Cambridge), 1973, 29, 15-25.	2.5	5
511	Effects of ionizing radiation on meiotic maturation of frog oocytes: I. <i>In vivo</i> studies. Development (Cambridge), 1973, 29, 87-104.	2.5	0
512	Effects of X-rays on nucleic acid metabolism during cleavage and gastrulation in <i>Pleurodeles waltlii</i> eggs. Development (Cambridge), 1974, 32, 147-157.	2.5	0
513	Synthesis of RNA in oocytes of <i>Xenopus laevis</i> during culture <i>in vitro</i> . Development (Cambridge), 1974, 32, 515-532.	2.5	0
514	A method for isolating uncontaminated nuclei from all stages of developing <i>Xenopus laevis</i> embryos*. Development (Cambridge), 1978, 48, 101-108.	2.5	0
515	Anti-sense RNA injections in fertilized eggs as a test for the function of localized mRNAs. Development (Cambridge), 1986, 97, 211-221.	2.5	1
516	Differential nuclear import sets the timing of protein access to the embryonic genome. Nature Communications, 2022, 13, .	12.8	13