

Restriction isotyping of human apolipoprotein E by gene
HhaI.

Journal of Lipid Research

31, 545-548

DOI: [10.1016/s0022-2275\(20\)43176-1](https://doi.org/10.1016/s0022-2275(20)43176-1)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Response to cholesterol-lowering drugs in familial defective apolipoprotein B-100. <i>Atherosclerosis</i> , 1991, 91, 73-76.	0.4	22
2	Apolipoprotein E genotyping by one-stage PCR. <i>Lancet, The</i> , 1991, 337, 1158-1159.	6.3	1,082
3	A simple micromethod for rapid phenotyping of apolipoprotein E. <i>Microchemical Journal</i> , 1991, 44, 140-149.	2.3	1
4	Phenotyping of apolipoprotein E by immunoblotting in immobilized pH gradients. <i>Electrophoresis</i> , 1991, 12, 59-63.	1.3	18
5	Identification of a 76-year-old patient with compound heterozygous Familial Hypercholesterolemia by haplotype analysis of the LDL receptor gene. <i>Klinische Wochenschrift</i> , 1991, 69, 842-846.	0.6	3
6	Apolipoprotein E polymorphisms affect atherosclerosis in young males. Pathobiological Determinants of Atherosclerosis in Youth (PDAY) Research Group.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991, 11, 1237-1244.	3.8	271
7	Apolipoprotein E Phenotyping: A Word of Caution. <i>Annals of Clinical Biochemistry</i> , 1991, 28, 599-605.	0.8	36
8	Effects of the apolipoprotein E polymorphism on levels of lipids, lipoproteins, and apolipoproteins among Mexican-Americans in Starr County, Texas.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991, 11, 362-370.	3.8	51
9	Clinical signs of familial hypercholesterolemia in patients with familial defective apolipoprotein B-100 and normal low density lipoprotein receptor function.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991, 11, 691-703.	3.8	78
10	Familial Defective Apolipoprotein B-100 in 12 Subjects and Their Kindred. <i>Clinical Chemistry and Laboratory Medicine</i> , 1992, 30, 729-36.	1.4	3
11	A DNA polymorphism for LCAT is associated with altered LCAT activity and high density lipoprotein size distributions in baboons.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1992, 12, 682-690.	3.8	20
12	DNA-Based Techniques in Clinical Biochemistry: A Beginner's Guide to Theory and Practice. <i>Annals of Clinical Biochemistry</i> , 1992, 29, 598-624.	0.8	13
13	Associations between lipoprotein lipase gene polymorphisms and plasma correlations of lipids, lipoproteins and lipase activities in young myocardial infarction survivors and age-matched healthy individuals from Sweden. <i>Atherosclerosis</i> , 1992, 97, 171-185.	0.4	129
14	Apolipoprotein B gene polymorphisms, lipoproteins and coronary atherosclerosis: A study of young myocardial infarction survivors and healthy population-based individuals. <i>Atherosclerosis</i> , 1992, 92, 151-164.	0.4	86
15	Apolipoprotein ϵ homozygosity in young men with coronary heart disease. <i>Lancet, The</i> , 1992, 340, 879-880.	6.3	190
16	Apolipoprotein E1 Lys-146 \rightarrow Glu with type III hyperlipoproteinemia. <i>Lipids and Lipid Metabolism</i> , 1992, 1128, 58-64.	2.6	32
17	Molecular basis and allele specific screening of apolipoprotein CIISt. Michael. <i>Clinical Biochemistry</i> , 1992, 25, 309-312.	0.8	3
18	Estimation of the frequency of isoform-genotype discrepancies at the apolipoprotein E locus in heterozygotes for the isoforms. <i>Genetic Epidemiology</i> , 1992, 9, 239-248.	0.6	21

#	ARTICLE	IF	CITATIONS
19	Rapid and simple method for the identification of apolipoprotein E isomorphic phenotypes from whole serum. <i>Electrophoresis</i> , 1992, 13, 258-261.	1.3	14
20	The apolipoprotein 4 allele in patients with Alzheimer's disease. <i>Annals of Neurology</i> , 1993, 34, 752-754.	2.8	416
21	Characterization of the gene for apolipoprotein E5-Frankfurt (Gln81 -> Lys, Cys112 -> Arg) by polymerase chain reaction, restriction isotyping, and temperature gradient gel electrophoresis. <i>Electrophoresis</i> , 1993, 14, 1032-1037.	1.3	19
22	The effect of the apolipoprotein E polymorphism on lipid levels in patients with familial defective apolipoprotein B-100. <i>The Clinical Investigator</i> , 1993, 71, 277-80.	0.6	6
23	The apolipoprotein E gene and the serum low-density lipoprotein cholesterol response to dietary fiber. <i>Metabolism: Clinical and Experimental</i> , 1993, 42, 585-593.	1.5	39
24	The application of molecular biology techniques to the diagnosis of hyperlipidaemia and other risk factors for cardiovascular disease. <i>Clinica Chimica Acta</i> , 1993, 216, S5-S18.	0.5	1
25	Rare apolipoprotein E variant identified in a patient with Type III hyperlipidaemia. <i>Atherosclerosis</i> , 1993, 99, 261-271.	0.4	7
26	Influence of specific mutations at the LDL-receptor gene locus on the response to simvastatin therapy in Afrikaner patients with heterozygous familial hypercholesterolaemia. <i>Atherosclerosis</i> , 1993, 98, 51-58.	0.4	71
27	Cholesterol-lowering drug therapy in a patient with receptor-negative homozygous familial hypercholesterolaemia. <i>Atherosclerosis</i> , 1993, 103, 171-180.	0.4	39
28	Apolipoprotein E in sporadic Alzheimer's disease: Allelic variation and receptor interactions. <i>Neuron</i> , 1993, 11, 575-580.	3.8	1,057
29	Effect on Blood Lipids of Very High Intakes of Fiber in Diets Low in Saturated Fat and Cholesterol. <i>New England Journal of Medicine</i> , 1993, 329, 21-26.	13.9	270
30	Beta-VLDL in hepatic lipase deficiency induces apoE-mediated cholesterol ester accumulation in macrophages.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993, 13, 1282-1290.	3.8	19
31	Phenotypic variation among familial hypercholesterolemics heterozygous for either one of two Afrikaner founder LDL receptor mutations.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993, 13, 1460-1468.	3.8	112
32	Apolipoprotein E: high-avidity binding to beta-amyloid and increased frequency of type 4 allele in late-onset familial Alzheimer disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 1977-1981.	3.3	3,938
33	A rapid, semiautomated method for apolipoprotein E genotyping.. <i>Genome Research</i> , 1993, 2, 348-350.	2.4	10
34	Hepatic lipase deficiency. Clinical, biochemical, and molecular genetic characteristics.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993, 13, 720-728.	3.8	218
35	Increased amyloid beta-peptide deposition in cerebral cortex as a consequence of apolipoprotein E genotype in late-onset Alzheimer disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 9649-9653.	3.3	1,421
36	Cerebral blood flow and poststroke depression.. <i>Stroke</i> , 1993, 24, 910-910.	1.0	0

#	ARTICLE	IF	CITATIONS
37	Apolipoprotein E genotypes of normal and hyperlipidemic subjects. <i>Journal of Korean Medical Science</i> , 1993, 8, 262.	1.1	13
38	Detection of a new apolipoprotein-E mutation in type III hyperlipidemia using deoxyribonucleic acid restriction isotyping.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 78, 699-704.	1.8	13
39	Associations of allelic differences at the A-I/C-III/A-IV gene cluster with carotid artery intima-media thickness and plasma lipid transport in hypercholesterolemic-hypertriglyceridemic humans.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 874-883.	3.8	24
40	Lower Cognitive Performance in Normal Older Adult Male Twins Carrying the Apolipoprotein E ϵ 4 Allele. <i>Archives of Neurology</i> , 1994, 51, 1189-1192.	4.9	156
41	Effect on plasma lipid levels of different classes of mutations in the low-density lipoprotein receptor gene in patients with familial hypercholesterolemia.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 1717-1722.	3.8	73
42	A gene-gender interaction affecting plasma lipoproteins in a genetic isolate.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 671-678.	3.8	35
43	A dose-response study of the effects of dietary cholesterol on fasting and postprandial lipid and lipoprotein metabolism in healthy young men.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 576-586.	3.8	119
44	Dysbetalipoproteinemia in a kindred with hypobetalipoproteinemia due to mutations in the genes for ApoB (ApoB-70.5) and ApoE (ApoE2).. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 1695-1704.	3.8	14
45	Characteristics of 46 heterozygous carriers and 57 unaffected relatives in five Danish families with familial defective apolipoprotein B-100.. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994, 14, 207-213.	3.8	19
46	Apolipoprotein polymorphisms fail to define risk of coronary artery disease. Results of a prospective, angiographically controlled study.. <i>Circulation</i> , 1994, 89, 567-577.	1.6	75
47	Convenient single-step, one tube purification of PCR products for direct sequencing. <i>Nucleic Acids Research</i> , 1994, 22, 4354-4355.	6.5	607
48	Apolipoprotein E-4 gene dose in clinically diagnosed Alzheimer's disease: prevalence, plasma cholesterol levels and cerebrovascular change. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994, 243, 291-292.	1.8	51
49	Lipoprotein lipase activity in patients with combined hyperlipidaemia. <i>Journal of Molecular Medicine</i> , 1994, 72, 100-106.	1.7	19
50	Apolipoprotein E phenotype and lipoprotein(a) in familial hypercholesterolaemia implication for lipoprotein(a) metabolism. <i>The Clinical Investigator</i> , 1994, 72, 631-8.	0.6	20
51	Treatment of patients with familial defective apolipoprotein B-100 with pravastatin and gemfibrozil: a two-period cross-over study. <i>The Clinical Investigator</i> , 1994, 72, 1065-1070.	0.6	9
52	A microtiter plate assay for determining apolipoprotein E genotype and discovery of a rare allele. <i>Human Mutation</i> , 1994, 3, 379-385.	1.1	18
53	Influence of polymorphisms for apolipoprotein B (ins/del,XbaI,EcoRI)and apolipoprotein E on serum lipids and apolipoproteins in a Javanese population. <i>Genetic Epidemiology</i> , 1994, 11, 19-27.	0.6	33
54	Genetic influences on age-related change in total cholesterol, low density lipoprotein-cholesterol and triglyceride levels: Longitudinal apolipoprotein E genotype effects. <i>Genetic Epidemiology</i> , 1994, 11, 375-384.	0.6	54

#	ARTICLE	IF	CITATIONS
55	High-resolution separation of PCR product and gene diagnosis by capillary gel electrophoresis. <i>Biomedical Chromatography</i> , 1994, 8, 291-293.	0.8	25
56	Association of the apolipoprotein E ϵ 4 allele with clinical subtypes of autopsy-confirmed Alzheimer's disease. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 199-205.	2.4	90
57	Association of apolipoprotein E allele ϵ 4 with late-onset sporadic Alzheimer's disease. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 286-288.	2.4	43
58	Apolipoprotein E ϵ 4 allele doses in late-onset Alzheimer's disease. <i>Annals of Neurology</i> , 1994, 36, 681-682.	2.8	22
59	Single-day apolipoprotein E genotyping. <i>Journal of Neuroscience Methods</i> , 1994, 53, 125-127.	1.3	143
60	Genetic associations with human longevity at the APOE and ACE loci. <i>Nature Genetics</i> , 1994, 6, 29-32.	9.4	1,052
61	Apolipoprotein E-immunoreactivity in aged rhesus monkey cortex: Colocalization with amyloid plaques. <i>Neurobiology of Aging</i> , 1994, 15, 621-627.	1.5	56
62	ϵ 2-Macroglobulin Receptor/Low Density Lipoprotein Receptor-Related Protein.. <i>Annals of the New York Academy of Sciences</i> , 1994, 737, 88-95.	1.8	12
63	Phenotyping is an accurate means of analysing the principal apolipoprotein E isoforms. <i>Clinica Chimica Acta</i> , 1994, 225, 77-82.	0.5	11
64	Genotyping compared with protein phenotyping of the common apolipoprotein E polymorphism. <i>Clinica Chimica Acta</i> , 1994, 224, 131-137.	0.5	33
65	Acquired type III hyperlipoproteinaemia in recipient of liver transplant. <i>Lancet, The</i> , 1994, 343, 971.	6.3	0
66	The apolipoprotein E alleles as major susceptibility factors for Creutzfeldt-Jakob disease. <i>Lancet, The</i> , 1994, 344, 1315-1318.	6.3	139
67	ApoE allele frequencies in Italian sporadic and familial Alzheimer's disease. <i>Neuroscience Letters</i> , 1994, 177, 100-102.	1.0	134
68	Postprandial lipoproteins and progression of coronary atherosclerosis. <i>Atherosclerosis</i> , 1994, 106, 83-97.	0.4	472
69	Triglyceride-rich lipoproteins of subjects heterozygous for apolipoprotein E2(Lys146 \rightarrow Gln) are inefficiently converted to cholesterol-rich lipoproteins. <i>Atherosclerosis</i> , 1994, 108, 183-192.	0.4	16
70	Apolipoprotein ϵ 4 homozygosity "a determinant of restenosis after coronary angioplasty. <i>Atherosclerosis</i> , 1994, 110, 195-202.	0.4	32
71	Apolipoprotein E allele ϵ 4 is linked to increased deposition of the amyloid β -peptide (A- β) in cases with or without Alzheimer's disease. <i>Neuroscience Letters</i> , 1994, 178, 221-224.	1.0	80
72	Frequency of the apolipoprotein E ϵ 2 allele is diminished in sporadic Alzheimer disease. <i>Neuroscience Letters</i> , 1994, 175, 46-48.	1.0	119

#	ARTICLE	IF	CITATIONS
73	Apolipoprotein-E ϵ 4 is associated with increased neurofibrillary pathology in the Lewy body variant of Alzheimer's disease. <i>Neuroscience Letters</i> , 1994, 182, 63-65.	1.0	45
74	Neuropathology and apolipoprotein E profile of aged chimpanzees: implications for Alzheimer disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 9382-9386.	3.3	165
75	Discovery of a brain promoter from the human transferrin gene and its utilization for development of transgenic mice that express human apolipoprotein E alleles.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 12115-12119.	3.3	26
76	Marked Hyperinsulinaemia in Postmenopausal, Healthy Indian (Asian) Women. <i>Diabetic Medicine</i> , 1995, 12, 788-795.	1.2	18
77	An Overview of the Quantitative Influence of Several Risk Factors on Progression of Atherosclerosis in Young People in the United States. <i>American Journal of the Medical Sciences</i> , 1995, 310, S29-S36.	0.4	45
78	Rapid identification of ApoE alleles by multiple-single-strand conformation polymorphism (SSCP) analysis. <i>Trends in Genetics</i> , 1995, 11, 341.	2.9	13
79	Apolipoprotein ϵ 4 is not a genetic risk factor for coronary artery disease or restenosis after percutaneous transluminal coronary angioplasty. <i>American Journal of Cardiology</i> , 1995, 75, 1181-1183.	0.7	15
80	Severe hypercholesterolaemia: unusual inheritance in an Italian pedigree. <i>European Journal of Clinical Investigation</i> , 1995, 25, 322-331.	1.7	48
81	Is responsiveness to lovastatin in familial hypercholesterolaemia heterozygotes influenced by the specific mutation in the low-density lipoprotein receptor gene?. <i>European Journal of Clinical Investigation</i> , 1995, 25, 967-973.	1.7	37
82	Evidence for apolipoprotein E ϵ 4 association in early-onset Alzheimer's patients with late-onset relatives. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 550-553.	2.4	28
83	Allele doses of apolipoprotein E type ϵ 4 in sporadic late-onset Alzheimer's disease. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 566-569.	2.4	9
84	The influence of apolipoprotein E isotypes on alzheimer's disease pathology in 40 cases of down's syndrome. <i>Annals of Neurology</i> , 1995, 37, 136-138.	2.8	41
85	Apolipoprotein E and alzheimer's disease: Ethnic variation in genotypic risks. <i>Annals of Neurology</i> , 1995, 37, 254-259.	2.8	246
86	A case-control study of apolipoprotein E genotypes in Alzheimer's disease associated with Down's syndrome. <i>Annals of Neurology</i> , 1995, 38, 225-230.	2.8	56
87	Apolipoprotein E ϵ 4 allele is not associated with earlier age at onset in amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 1995, 38, 460-463.	2.8	80
88	Apolipoprotein E genotypes and age of onset in early-onset familial Alzheimer's disease. <i>Annals of Neurology</i> , 1995, 38, 678-680.	2.8	68
89	Apolipoprotein E genotype in patients with alzheimer's disease: Implications for the risk of dementia among relatives. <i>Annals of Neurology</i> , 1995, 38, 797-808.	2.8	87
90	Apolipoprotein E ϵ 4 in inclusion body myositis. <i>Annals of Neurology</i> , 1995, 38, 957-959.	2.8	40

#	ARTICLE	IF	CITATIONS
91	Apolipoprotein E4 allele and Alzheimer disease: Examination of Allelic association and effect on age at onset in both early-and late-onset cases. <i>Genetic Epidemiology</i> , 1995, 12, 83-92.	0.6	66
92	Underexpression of the apolipoprotein E2 and E4 alleles in the Greek Cypriot population of Cyprus. <i>Genetic Epidemiology</i> , 1995, 12, 489-497.	0.6	36
93	Apolipoprotein e genotyping methods for the clinical laboratory. <i>Journal of Clinical Laboratory Analysis</i> , 1995, 9, 63-69.	0.9	20
94	Association of apolipoprotein E but not B with Alzheimer's disease. <i>Human Genetics</i> , 1995, 96, 597-600.	1.8	7
95	Recurrent and novel LDL receptor gene mutations causing heterozygous familial hypercholesterolemia in La Habana. <i>Human Genetics</i> , 1995, 96, 319-322.	1.8	33
96	Detection and characterization of new mutations in the human angiotensinogen gene (AGT). <i>Human Genetics</i> , 1995, 96, 110-112.	1.8	11
97	Apolipoprotein E genotype and neuropathological phenotype in two members of a German family with chromosome 14-linked early onset Alzheimer's disease. <i>Acta Neuropathologica</i> , 1995, 90, 257-265.	3.9	22
98	Intestinally derived lipoprotein particles in non-insulin-dependent diabetic patients with and without hypertriglyceridaemia. <i>Acta Diabetologica</i> , 1995, 32, 244-250.	1.2	8
99	Apo E phenotype does not contribute to the pathogenesis of psoriasis. <i>British Journal of Dermatology</i> , 1995, 132, 169-170.	1.4	3
100	Apolipoprotein E genotyping in Turkish myocardial infarction survivors and healthy controls. <i>Journal of Biomedical Science</i> , 1995, 2, 46-49.	2.6	11
101	Apolipoprotein E genotype in diverse neurodegenerative disorders. <i>Annals of Neurology</i> , 1995, 38, 131-135.	2.8	79
102	Improved PCR amplification/HhaI restriction for unambiguous determination of apolipoprotein E alleles. <i>Clinical Chemistry</i> , 1995, 41, 187-190.	1.5	17
103	High-throughput method for determination of apolipoprotein E genotypes with use of restriction digestion analysis by microplate array diagonal gel electrophoresis. <i>Clinical Chemistry</i> , 1995, 41, 1599-1604.	1.5	92
104	Association of Postprandial Triglyceride and Retinyl Palmitate Responses With Asymptomatic Carotid Artery Atherosclerosis in Middle-aged Men and Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 2122-2129.	1.1	146
105	Apoprotein B-100 Production Is Decreased in Subjects Heterozygous for Truncations of Apoprotein B. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 71-80.	1.1	65
106	Differences in the Phenotypic Characteristics of Subjects With Familial Defective Apolipoprotein B-100 and Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1719-1729.	1.1	89
107	Increases in Dietary Cholesterol Are Associated With Modest Increases in Both LDL and HDL Cholesterol in Healthy Young Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 169-178.	1.1	86
108	A Polymorphism of the Paraoxonase Gene Associated With Variation in Plasma Lipoproteins in a Genetic Isolate. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 89-95.	1.1	115

#	ARTICLE	IF	CITATIONS
109	A Major Locus Influencing Plasma High-Density Lipoprotein Cholesterol Levels in the San Antonio Family Heart Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1730-1739.	1.1	64
110	Patients With ApoE3 Deficiency (E2/2, E3/2, and E4/2) Who Manifest With Hyperlipidemia Have Increased Frequency of an Asn 291→Ser Mutation in the Human LPL Gene. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 1695-1703.	1.1	59
111	FH Afrikaner-3 LDL Receptor Mutation Results in Defective LDL Receptors and Causes a Mild Form of Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 15, 765-772.	1.1	18
112	Apolipoprotein E genotypes in AA and AL amyloidoses. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1995, 2, 159-162.	1.4	8
113	Brief Report: Apolipoprotein E ϵ 4 allele does not correlate with amyloid plaques in transmissible spongiform encephalopathies. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1995, 2, 36-38.	1.4	1
114	Apolipoprotein E and Complement C3 Polymorphism and Their Role in the Response to Gemfibrozil and Low Fat Low Cholesterol Therapy. <i>Clinical Chemistry and Laboratory Medicine</i> , 1995, 33, 799-804.	1.4	5
115	Purification of Apolipoprotein E Attenuates Isoform-specific Binding to $\text{A}\beta$ -Amyloid. <i>Journal of Biological Chemistry</i> , 1995, 270, 9039-9042.	1.6	173
116	Neuropathological Changes in Down's Syndrome Hippocampal Formation. <i>Archives of Neurology</i> , 1995, 52, 373.	4.9	139
117	Rapid and safe determination of human apolipoprotein E genotypes by miniaturised SDS-PAGE in non-insulin dependent diabetes mellitus.. <i>Journal of Clinical Pathology</i> , 1995, 48, 295-299.	1.0	7
118	Apolipoprotein E Type 4 Allele and Cerebral Glucose Metabolism in Relatives at Risk for Familial Alzheimer Disease. <i>JAMA - Journal of the American Medical Association</i> , 1995, 273, 942.	3.8	438
119	Apolipoprotein E Status as a Predictor of the Development of Alzheimer's Disease in Memory-Impaired Individuals. <i>JAMA - Journal of the American Medical Association</i> , 1995, 273, 1274.	3.8	583
120	Apolipoprotein E and B alleles in Parkinson's patients. <i>Neuroscience Letters</i> , 1995, 194, 145-147.	1.0	12
121	A closely linked gene to apolipoprotein E may serve as an additional risk factor for Alzheimer's disease. <i>Neuroscience Letters</i> , 1995, 201, 81-83.	1.0	25
122	Apolipoprotein E genotype, Alzheimer's pathologies and related gene expression in the aged population. <i>Molecular Brain Research</i> , 1995, 29, 92-98.	2.5	47
123	Alzheimer pathology of patients carrying apolipoprotein E ϵ 4 allele. <i>Neurobiology of Aging</i> , 1995, 16, 505-513.	1.5	58
124	A severe loss of choline acetyltransferase in the frontal cortex of Alzheimer patients carrying apolipoprotein ϵ 4 allele. <i>Neuroscience Letters</i> , 1995, 187, 79-82.	1.0	160
125	Identification of a new apolipoprotein E variant (E2 Arg142 → Leu) in type III hyperlipidemia. <i>Atherosclerosis</i> , 1995, 112, 19-28.	0.4	18
126	Arginine residues at codons 112 and 158 in the apolipoprotein E gene correspond to the ancestral state in humans. <i>Atherosclerosis</i> , 1995, 112, 85-90.	0.4	107

#	ARTICLE	IF	CITATIONS
127	The relationship of APOE polymorphism and cholesterol levels in normoglycemic and diabetic subjects in a biethnic population from the San Luis Valley, Colorado. <i>Atherosclerosis</i> , 1995, 112, 145-159.	0.4	108
128	Modulation of low density lipoprotein subclasses by alimentary lipemia in control and normotriglyceridemic non-insulin-dependent diabetic subjects. <i>Atherosclerosis</i> , 1995, 113, 197-209.	0.4	27
129	Apolipoprotein E and atherosclerosis in Alaska Natives. <i>Atherosclerosis</i> , 1995, 114, 197-202.	0.4	40
130	Common variation in the gene for apolipoprotein B modulates postprandial lipoprotein metabolism: a hypothesis generating study. <i>Atherosclerosis</i> , 1995, 116, 135-145.	0.4	24
131	Apo B signal peptide insertion/deletion polymorphism is involved in postprandial lipoparticles' responses. <i>Atherosclerosis</i> , 1995, 118, 23-34.	0.4	19
132	Apolipoprotein E allele ϵ 4, dementia, and cognitive decline in a population sample. <i>Lancet</i> , The, 1995, 346, 1387-1390.	6.3	274
133	Association of apolipoprotein ϵ 4 allele and neuropathologic findings in patients with dementia. <i>Acta Neuropathologica</i> , 1995, 90, 239-243.	3.9	45
134	A familial Alzheimer's disease locus on chromosome 1. <i>Science</i> , 1995, 269, 970-973.	6.0	768
135	Volumes of hippocampus, amygdala and frontal lobe in Alzheimer patients with different apolipoprotein E genotypes. <i>Neuroscience</i> , 1995, 67, 65-72.	1.1	164
136	ApoE genotype and familial Alzheimer's disease: a possible influence on age of onset in APP717 Val \rightarrow Ile mutated families. <i>Neuroscience Letters</i> , 1995, 183, 1-3.	1.0	63
137	Apolipoprotein E polymorphism influences not only cerebral senile plaque load but also Alzheimer-type neurofibrillary tangle formation. <i>Neuroscience</i> , 1995, 66, 583-587.	1.1	163
138	Allelic variation of apolipoprotein E in Japanese sporadic Creutzfeldt-Jakob disease patients. <i>Neuroscience Letters</i> , 1995, 187, 209-211.	1.0	23
139	The association between free fatty acid concentrations and triglyceride-rich lipoproteins in the post-prandial state is altered by a common deletion polymorphism of the apo B signal peptide. <i>Atherosclerosis</i> , 1996, 127, 35-42.	0.4	14
140	Apo E variants in patients with type III hyperlipoproteinemia. <i>Atherosclerosis</i> , 1996, 127, 273-282.	0.4	46
141	Rational design of an animal model for alzheimer's disease: introduction of multiple human genomic transgenes to reproduce AD pathology in a rodent. <i>Neurobiology of Aging</i> , 1996, 17, 173-182.	1.5	30
142	Spectral analysis of EEG in Alzheimer's disease: Relation to apolipoprotein E polymorphism. <i>Neurobiology of Aging</i> , 1996, 17, 523-526.	1.5	39
143	Increased density of senile plaques (SP), but not neurofibrillary tangles (NFT), in non-demented individuals with the apolipoprotein E4 allele: comparison to confirmed Alzheimer's disease patients. <i>Journal of the Neurological Sciences</i> , 1996, 138, 97-104.	0.3	45
144	Effect of Age, Ethnicity, and Head Injury on the Association between APOE Genotypes and Alzheimer's Disease. <i>Annals of the New York Academy of Sciences</i> , 1996, 802, 6-15.	1.8	88

#	ARTICLE	IF	CITATIONS
145	Bibliography NIA/AlzA Conference on Apolipoprotein E Genotyping in Alzheimer's Disease. Annals of the New York Academy of Sciences, 1996, 802, 177-224.	1.8	0
146	Apolipoprotein E Polymorphism Is Associated with Both Senile Plaque Load and Alzheimer-Type Neurofibrillary Tangle Formation. Annals of the New York Academy of Sciences, 1996, 777, 276-280.	1.8	24
147	Preclinical Evidence of Alzheimer's Disease in Persons Homozygous for the ϵ 4 Allele for Apolipoprotein E. New England Journal of Medicine, 1996, 334, 752-758.	13.9	1,320
148	Retinitis Punctata Albescens Associated With the Arg135Trp Mutation in the Rhodopsin Gene. American Journal of Ophthalmology, 1996, 121, 19-25.	1.7	41
149	Apolipoprotein E genotype ϵ 4/ ϵ 2 in the STANISLAS Cohort Study - Dominance of the ϵ 2 allele?. Annals of Human Genetics, 1996, 60, 509-516.	0.3	23
150	Lack of association of the apoE4 allele with hippocampal sclerosis dementia. Neuroscience Letters, 1996, 204, 138-140.	1.0	24
151	No association between apolipoprotein E ϵ 4 allele and the age of onset in type I familial amyloid polyneuropathy. Neuroscience Letters, 1996, 204, 209-211.	1.0	8
152	Apolipoprotein E polymorphism and susceptibility to early- and late-onset sporadic Alzheimer's disease in Hokkaido, the northern part of Japan. Neuroscience Letters, 1996, 206, 17-20.	1.0	24
153	The deletion allele of the angiotensin I converting enzyme gene as a genetic susceptibility factor for cognitive impairment. Neuroscience Letters, 1996, 217, 203-205.	1.0	71
154	Apolipoprotein E in Alzheimer's disease risk and case detection: A case-control study. Journal of Clinical Epidemiology, 1996, 49, 1143-1148.	2.4	52
155	Effects of apo B and apo E gene polymorphisms on lipid and apolipoprotein concentrations after a test meal. Clinica Chimica Acta, 1996, 253, 127-143.	0.5	10
156	Cerebrovascular amyloidosis in squirrel monkeys and rhesus monkeys: apolipoprotein E genotype. FEBS Letters, 1996, 379, 132-134.	1.3	25
157	Very low density lipoprotein receptor binds apolipoprotein E2/2 as well as apolipoprotein E3/3. FEBS Letters, 1996, 386, 197-200.	1.3	33
158	Characterization of a novel variant of apolipoprotein E, E2 Fukuoka (Arg-224 \rightarrow Gln) in a hyperlipidemic patient with xanthomatosis. Lipids and Lipid Metabolism, 1996, 1301, 185-190.	2.6	12
159	Two novel partial deletions of LDL-receptor gene in Italian patients with familial hypercholesterolemia (FHSiracusa and FHReggio Emilia). Atherosclerosis, 1996, 121, 105-117.	0.4	7
160	Specificity, sensitivity, and predictive value of apolipoprotein-E genotyping for sporadic Alzheimer's disease. Lancet, The, 1996, 348, 90-93.	6.3	246
161	Effects of apoE gene polymorphism on Lp(a) concentrations depend on the size of apo(a): a study of 466 white men. Journal of Molecular Medicine, 1996, 74, 685-690.	1.7	9
162	Postprandial lipoprotein metabolism in normotriglyceridemic non-insulin-dependent diabetic patients: Influence of apolipoprotein E polymorphism. Metabolism: Clinical and Experimental, 1996, 45, 63-71.	1.5	43

#	ARTICLE	IF	CITATIONS
163	Association of the APOE ϵ 4 allele with clinical subtypes of late life depression. <i>Biological Psychiatry</i> , 1996, 40, 1008-1016.	0.7	82
164	Prevalence and association of atherosclerosis at three different arterial sites in patients with type III hyperlipoproteinemia. <i>Atherosclerosis</i> , 1996, 119, 89-98.	0.4	18
165	A novel single base deletion in the LDLR gene (211delG): Effect on serum lipid profiles and the influence of other genetic polymorphisms in the ACE, APOE and APOB genes. <i>Atherosclerosis</i> , 1996, 120, 83-91.	0.4	34
166	Postprandial cholesteryl ester transfer and high density lipoprotein composition in normotriglyceridemic non-insulin-dependent diabetic patients. <i>Atherosclerosis</i> , 1996, 120, 155-165.	0.4	32
167	Incomplete dominance of type III hyperlipoproteinemia is associated with the rare apolipoprotein E2 (Arg136 \rightarrow Ser) variant in multigenerational pedigree studies. <i>Atherosclerosis</i> , 1996, 122, 33-46.	0.4	34
168	Apolipoprotein E1-Hammersmith (Lys146 \rightarrow Asn; Arg147 \rightarrow Trp), due to a dinucleotide substitution, is associated with early manifestation of dominant type III hyperlipoproteinaemia. <i>Atherosclerosis</i> , 1996, 124, 183-189.	0.4	28
169	Apolipoprotein E polymorphism does not predict risk of restenosis after coronary angioplasty. <i>Atherosclerosis</i> , 1996, 125, 209-216.	0.4	14
170	Apolipoprotein E polymorphism influences lipid phenotypic expression, but not the low density lipoprotein subfraction distribution in familial combined hyperlipidemia. <i>Atherosclerosis</i> , 1996, 126, 313-324.	0.4	22
171	Sequence analysis of presenilin-1 gene mutation in Japanese Alzheimer's disease patients. <i>Neuroscience Letters</i> , 1996, 218, 139-141.	1.0	47
172	Analysis of the APOE alleles impact in Down's syndrome. <i>Neuroscience Letters</i> , 1996, 220, 57-60.	1.0	21
173	Effect of oestrogen during menopause on risk and age at onset of Alzheimer's disease. <i>Lancet</i> , The, 1996, 348, 429-432.	6.3	1,633
174	Frequency of phenotype-genotype discrepancies at the apolipoprotein E locus in a large population study. <i>Clinical Chemistry</i> , 1996, 42, 1817-1823.	1.5	34
175	Impact of Sample Selection on APOE ϵ 4 Allele Frequency: A Comparison of Two Alzheimer's Disease Samples. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 704-707.	1.3	67
176	Analysis of Apolipoproteins. <i>Annals of Clinical Biochemistry</i> , 1996, 33, 5-22.	0.8	8
177	Apolipoprotein ϵ 4 Genotyping of Diabetic Dementia Patients: Is Diabetes Rare in Alzheimer's Disease?. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 897-904.	1.3	60
178	Prevalence of Dementia and Distribution of ApoE Alleles in Japanese Centenarians: An Almost Complete Survey in Yamanashi Prefecture, Japan. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 151-155.	1.3	68
179	Water-soluble A β (N-40, N-42) Oligomers in Normal and Alzheimer Disease Brains. <i>Journal of Biological Chemistry</i> , 1996, 271, 4077-4081.	1.6	547
180	Strategies and Applications of DNA Level Diagnosis in Genetic Diseases: Past Experiences and Future Directions. <i>Biotechnology Annual Review</i> , 1996, 2, 409-446.	2.1	1

#	ARTICLE	IF	CITATIONS
181	Molecular pathobiology of the human lipoprotein lipase gene. , 1996, 70, 101-135.		153
182	Apolipoprotein E (apoE) levels in brains from Alzheimer disease patients and controls. Brain Research, 1996, 722, 71-77.	1.1	39
183	Dementia of the Alzheimer type and related dementias in the aged: DAT subgroups and senile dementia of the neurofibrillary tangle type. Neuropathology, 1996, 16, 89-98.	0.7	46
184	Apolipoprotein E genotyping in Alzheimer's disease in an Australian sample. Australian and New Zealand Journal of Medicine, 1996, 26, 658-661.	0.5	8
185	Lack of association of trinucleotide repeat polymorphisms in the very-low-density lipoprotein receptor gene with Alzheimer's disease. Annals of Neurology, 1996, 39, 800-803.	2.8	30
186	Apolipoprotein E and cognitive change in an elderly population. Annals of Neurology, 1996, 40, 55-66.	2.8	202
187	Genetic studies in Alzheimer's disease with an NACP/β-synuclein polymorphism. Annals of Neurology, 1996, 40, 207-215.	2.8	117
188	Letter to the Editor: High-resolution separation of PCR product and gene diagnosis by capillary gel electrophoresis. , 1996, 10, 48-50.		9
189	Phenotypic expression in double heterozygotes for familial hypercholesterolemia and familial defective apolipoprotein B-100. , 1996, 7, 340-345.		27
190	Influence of apolipoprotein E genotypes on plasma lipid and lipoprotein concentrations: Results from a segregation analysis in pedigrees with molecularly defined familial hypercholesterolemia. , 1996, 13, 159-177.		13
191	Apolipoprotein E-ε4 allele and familial risk in Alzheimer's disease. , 1996, 13, 285-298.		19
192	Clinical chemistry of common apolipoprotein E isoforms. Biomedical Applications, 1996, 678, 23-41.	1.7	25
193	SPECT and MRI analysis in Alzheimer's disease: relation to apolipoprotein E epsilon 4 allele.. Journal of Neurology, Neurosurgery and Psychiatry, 1996, 60, 644-649.	0.9	113
194	Diffuse Lewy Body Disease without Amyloid Plaques in a Patient Homozygous for Apolipoprotein E Allele Epsilon 4: A Case Report. Journal of Geriatric Psychiatry and Neurology, 1996, 9, 181-184.	1.2	1
195	The tRNA(Gln) 4336 mitochondrial DNA variant is not a high penetrance mutation which predisposes to dementia before the age of 75 years.. Journal of Medical Genetics, 1996, 33, 1002-1006.	1.5	26
196	Frequency of the apolipoprotein E epsilon 4 allele in a case-control study of early onset Parkinson's disease.. Journal of Neurology, Neurosurgery and Psychiatry, 1996, 61, 347-351.	0.9	35
197	Apolipoprotein E polymorphism and late onset Alzheimer's disease in Argentina.. Journal of Neurology, Neurosurgery and Psychiatry, 1996, 61, 426-427.	0.9	7
198	Amyloid β-Peptide Is Transported on Lipoproteins and Albumin in Human Plasma. Journal of Biological Chemistry, 1996, 271, 32916-32922.	1.6	286

#	ARTICLE	IF	CITATIONS
199	Premature Atherosclerosis in Patients with Familial Chylomicronemia Caused by Mutations in the Lipoprotein Lipase Gene. <i>New England Journal of Medicine</i> , 1996, 335, 848-854.	13.9	286
200	Apolipoprotein E Genotype and Rate of Decline in Probable Alzheimer's Disease. <i>Archives of Neurology</i> , 1996, 53, 345-350.	4.9	107
201	Apolipoprotein E genotype does not affect age at onset in patients with chromosome 14 encoded Alzheimer's disease.. <i>Journal of Medical Genetics</i> , 1996, 33, 174-175.	1.5	5
202	Phenotypic presentation of the FH-Cincinnati type 5 low density lipoprotein receptor mutation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1996, 56, 75-85.	0.6	5
204	Altered Amyloid Protein Processing in Platelets of Patients With Alzheimer Disease. <i>Archives of Neurology</i> , 1997, 54, 139-144.	4.9	121
205	Predicting Time to Nursing Home Care and Death in Individuals With Alzheimer Disease. <i>JAMA - Journal of the American Medical Association</i> , 1997, 277, 806.	3.8	275
206	CYP2E1 Genetic Polymorphisms and Risk of Nasopharyngeal Carcinoma in Taiwan. <i>Journal of the National Cancer Institute</i> , 1997, 89, 1207-1212.	3.0	178
207	D2 Dopamine Receptor A1 Allele in Alzheimer Disease and Aging. <i>Archives of Neurology</i> , 1997, 54, 281-285.	4.9	12
208	Lack of Association of a Polymorphism in the Low-density Lipoprotein Receptor-Related Protein Gene With Alzheimer Disease. <i>Archives of Neurology</i> , 1997, 54, 1289-1292.	4.9	47
209	No effect of the alpha 1-antichymotrypsin A allele in Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997, 63, 103-105.	0.9	13
210	Effects of Age, Sex, and Ethnicity on the Association Between Apolipoprotein E Genotype and Alzheimer Disease. <i>JAMA - Journal of the American Medical Association</i> , 1997, 278, 1349.	3.8	3,321
212	Effects of lowering fat and increasing dietary fiber on fasting and postprandial plasma lipids in hypercholesterolemic subjects consuming a mixed Mediterranean-Western diet. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 1443-1451.	2.2	28
213	APO E Genotype and Familial Hypercholesterolaemia. <i>Annals of Clinical Biochemistry</i> , 1997, 34, 534-536.	0.8	3
214	The apolipoprotein E ϵ 4 allele is not associated with early onset temporal lobe epilepsy. <i>NeuroReport</i> , 1997, 8, 1235-1237.	0.6	35
215	Two novel (M233T and I278T) presenilin-1 mutations in early-onset Alzheimer's disease pedigrees and preliminary evidence for association of presenilin-1 mutations with a novel phenotype. <i>NeuroReport</i> , 1997, 8, 1537-1542.	0.6	165
216	Increased risk of dialysis-related amyloidosis in patients with the apolipoprotein E4 allele. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1997, 4, 13-17.	1.4	10
217	Optimization of apolipoprotein E genotyping. <i>Molecular Diagnosis and Therapy</i> , 1997, 2, 271-276.	1.3	18
218	Detection and characterization of a novel splice mutation in the LDL receptor intron 12 resulting in two different mutant mRNA variants. <i>Atherosclerosis</i> , 1997, 128, 75-83.	0.4	7

#	ARTICLE	IF	CITATIONS
219	Statin therapy in a kindred with both apolipoprotein B and low density lipoprotein receptor gene defects. <i>Atherosclerosis</i> , 1997, 129, 97-102.	0.4	17
220	Triglyceride-rich lipoproteins from apolipoprotein E3/2 subjects with hypertriglyceridemia enhance cholesteryl ester synthesis in human macrophages. <i>Atherosclerosis</i> , 1997, 129, 73-77.	0.4	10
221	Analysis of the apo E/apo C-I, angiotensin converting enzyme and methylenetetrahydrofolate reductase genes as candidates affecting human longevity. <i>Atherosclerosis</i> , 1997, 129, 177-183.	0.4	91
222	A comparative study of the efficacy of simvastatin and gemfibrozil in combined hyperlipoproteinemia: prediction of response by baseline lipids, apo E genotype, lipoprotein(a) and insulin. <i>Atherosclerosis</i> , 1997, 129, 231-239.	0.4	76
223	A G+1 to C mutation in a donor splice site of intron 2 in the apolipoprotein (apo) C-II gene in a patient with apo C-II deficiency A possible interaction between apo C-II deficiency and apo E4 in a severely hypertriglyceridemic patient. <i>Atherosclerosis</i> , 1997, 130, 153-160.	0.4	21
224	A dietary and behavioral intervention designed to lower coronary heart disease. Risk factors are unaffected by variation at the APOE gene locus. <i>Atherosclerosis</i> , 1997, 132, 221-227.	0.4	18
225	Clinical characteristics of double heterozygotes with familial hypercholesterolemia and cholesteryl ester transfer protein deficiency. <i>Atherosclerosis</i> , 1997, 132, 229-236.	0.4	32
226	Direct association between the hepatic secretion of very-low-density lipoprotein apolipoprotein B-100 and plasma mevalonic acid and lathosterol concentrations in man. <i>Atherosclerosis</i> , 1997, 135, 83-91.	0.4	17
227	Cerebrospinal fluid apolipoprotein E level is increased in late-onset Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 1997, 145, 33-39.	0.3	54
228	The apolipoprotein E ϵ 4 allele causes a faster decline of cognitive performances in Down's syndrome subjects. <i>Journal of the Neurological Sciences</i> , 1997, 145, 87-91.	0.3	75
229	Risk factors for microangiopathy-related cerebral damage in the Austrian stroke prevention study. <i>Journal of the Neurological Sciences</i> , 1997, 152, 15-21.	0.3	76
230	Automated Capillary Electrophoresis in the Genotyping of Apolipoprotein E. <i>Genomics</i> , 1997, 46, 163-164.	1.3	5
231	Apolipoprotein E R112; R251G: a carboxy-terminal variant found in patients with hyperlipidemia and coronary heart disease. <i>Mutation Research - Mutation Research Genomics</i> , 1997, 382, 57-65.	1.2	1
232	Apolipoprotein E ϵ 4 and clinical phenotype in schizophrenia. <i>Lancet, The</i> , 1997, 350, 930-931.	6.3	31
233	Apolipoprotein E genotype and cognition in the very old. <i>Lancet, The</i> , 1997, 349, 1451.	6.3	7
234	Evidence That the Apolipoprotein E-Genotype Effects on Lipid Levels Can Change with Age in Males: A Longitudinal Analysis. <i>American Journal of Human Genetics</i> , 1997, 61, 171-181.	2.6	57
235	The effect of apolipoprotein E genotype on expression of an autosomal dominant schizophreniform disorder with progressive dementia and neurofibrillary tangles. <i>Biological Psychiatry</i> , 1997, 41, 191-195.	0.7	5
236	A twin study of late-onset depression and apolipoprotein E ϵ 4 as risk factors for alzheimer's disease. <i>Biological Psychiatry</i> , 1997, 41, 851-856.	0.7	165

#	ARTICLE	IF	CITATIONS
237	Apolipoprotein E genotype and psychosis. <i>Biological Psychiatry</i> , 1997, 41, 906-908.	0.7	29
238	Apolipoprotein E4 in schizophrenia: A study of one hundred sixteen cases with concomitant neuropathological examination. <i>Biological Psychiatry</i> , 1997, 42, 296-298.	0.7	16
239	Apolipoprotein E genotype and amyloid load in Alzheimer disease and control brains. <i>Neurobiology of Aging</i> , 1997, 18, 121-127.	1.5	33
240	Association between the low density lipoprotein receptor-related protein (LRP) and Alzheimer's disease. <i>Neuroscience Letters</i> , 1997, 227, 68-70.	1.0	92
241	A polymorphism in the presenilin 1 gene does not modify risk for Alzheimer's disease in a cohort with sporadic early onset. <i>Neuroscience Letters</i> , 1997, 228, 212-214.	1.0	18
242	Mutation analysis of chromosome 19 calmodulin (CALM3) gene in Alzheimer's disease patients. <i>Neuroscience Letters</i> , 1997, 229, 157-160.	1.0	8
243	Apolipoprotein-E genotype in normal aging, age-associated memory impairment, Alzheimer's disease and vascular dementia patients. <i>Neuroscience Letters</i> , 1997, 231, 59-61.	1.0	30
244	Apolipoprotein E gene polymorphism in early and late onset bipolar patients. <i>Neuroscience Letters</i> , 1997, 233, 45-48.	1.0	42
245	Reduced size of right hippocampus in 39- to 80-year-old normal subjects carrying the apolipoprotein E ϵ 4 allele. <i>Neuroscience Letters</i> , 1997, 236, 21-24.	1.0	95
246	In an epidemiological sample the apolipoprotein E4 allele is associated to dementia and loss of memory function only in the very old. <i>Neuroscience Letters</i> , 1997, 222, 29-32.	1.0	28
247	Genotypes at the GluR6 kainate receptor locus are associated with variation in the age of onset of Huntington disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 3872-3876.	3.3	229
248	Plastic Neuronal Remodeling Is Impaired in Patients with Alzheimer's Disease Carrying Apolipoprotein ϵ 4 Allele. <i>Journal of Neuroscience</i> , 1997, 17, 516-529.	1.7	314
249	Prospective Genetic Epidemiology of Dementia in the Very Old. , 1997, 167, 128-135.		0
250	High Sensitivity of Laser-Induced Fluorescence Detection in Capillary Gel Electrophoresis for Accurate Apolipoprotein E Genotyping. <i>BioTechniques</i> , 1997, 22, 736-742.	0.8	9
251	Long-term effect of soluble-fiber foods on postprandial fat metabolism in dyslipidemic subjects with apo E3 and apo E4 genotypes. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 584-590.	2.2	31
252	Improved Method for Genotyping Apolipoprotein E Polymorphisms by a PCR-Based Assay Simultaneously Utilizing Two Distinct Restriction Enzymes. <i>Clinical Chemistry</i> , 1997, 43, 1657-1659.	1.5	149
253	Apolipoprotein E genotyping by capillary electrophoretic analysis of restriction fragments. <i>Clinical Chemistry</i> , 1997, 43, 1321-1324.	1.5	15
254	Uptake of Type III Hypertriglyceridemic VLDL by Macrophages Is Enhanced by Oxidation, Especially After Remnant Formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 1707-1715.	1.1	51

#	ARTICLE	IF	CITATIONS
255	Common Genomic Variation in the <i>APOC3</i> Promoter Associated With Variation in Plasma Lipoproteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2753-2758.	1.1	71
256	Association of Apolipoprotein Genetic Polymorphisms With Plasma Cholesterol in a Japanese Rural Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 3495-3504.	1.1	55
257	Denaturing gradient-gel electrophoresis screening of familial defective apolipoprotein B-100 in a mixed Asian cohort: two cases of arginine3500 → tryptophan mutation associated with a unique haplotype. <i>Clinical Chemistry</i> , 1997, 43, 916-923.	1.5	28
258	ApoE Genotype Does Not Predict Lipid Response to Changes in Dietary Saturated Fatty Acids in a Heterogeneous Normolipidemic Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2914-2923.	1.1	33
259	Hormonal Regulation of Lipoprotein(a) Levels: Effects of Estrogen Replacement Therapy on Lipoprotein(a) and Acute Phase Reactants in Postmenopausal Women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 1822-1829.	1.1	75
260	Phenotypic Variation in Patients Heterozygous for Familial Defective Apolipoprotein B (FDB) in Three European Countries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 741-747.	1.1	45
261	DETERMINANTS OF THE KINETICS OF VERY LOW-DENSITY LIPOPROTEIN APOLIPOPROTEIN B-100 IN NON-OBESE MEN. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1997, 24, 556-562.	0.9	7
262	Coronary Artery Disease, Hypertension, ApoE, and Cholesterol: A Link to Alzheimer's Disease?. <i>Annals of the New York Academy of Sciences</i> , 1997, 826, 128-146.	1.8	246
263	HIV dementia and apolipoprotein E. <i>Acta Neurologica Scandinavica</i> , 1997, 95, 315-318.	1.0	42
264	Amino-terminus truncated apolipoprotein E is the major species in amyloid deposits in Alzheimer's disease-affected brains: a possible role for apolipoprotein E in Alzheimer's disease. <i>Brain Research</i> , 1997, 768, 208-214.	1.1	26
265	Association of transferrin C2 allele with late-onset Alzheimer's disease. <i>Human Genetics</i> , 1997, 101, 126-129.	1.8	111
266	Are Canadian Inuit at increased genetic risk for coronary heart disease?. <i>Journal of Molecular Medicine</i> , 1997, 75, 364-370.	1.7	61
267	Apolipoprotein E ϵ 4 allele, a risk factor for late onset nonfamilial Alzheimer's disease among Israeli Jews. <i>Archives of Gerontology and Geriatrics</i> , 1997, 24, 175-181.	1.4	3
268	Apolipoprotein E genotype in senile dementia and Down's syndrome. <i>Archives of Gerontology and Geriatrics</i> , 1997, 26, 15-21.	1.4	2
269	The absence of an apolipoprotein ϵ 4 allele is associated with a more aggressive form of Alzheimer's disease. <i>Annals of Neurology</i> , 1997, 41, 615-620.	2.8	121
270	Modulation of the age at onset of Parkinson's disease by apolipoprotein E genotypes. <i>Annals of Neurology</i> , 1997, 42, 655-658.	2.8	52
271	Apolipoprotein E-associated risk for Alzheimer's disease in the African-American population is genotype dependent. <i>Annals of Neurology</i> , 1997, 42, 659-661.	2.8	78
272	Analysis of alpha-1 antichymotrypsin, presenilin-1, angiotensin-converting enzyme, and methylenetetrahydrofolate reductase loci as candidates for dementia. , 1997, 74, 207-212.		45

#	ARTICLE	IF	CITATIONS
273	E280A PS-1 mutation causes Alzheimer's disease but age of onset is not modified by ApoE alleles. , 1997, 10, 186-195.		77
274	Genetics of type III hyperlipoproteinemia. <i>Genetic Epidemiology</i> , 1997, 14, 283-297.	0.6	19
275	Association of human, rat, and rabbit apolipoprotein E with β -amyloid. , 1997, 49, 9-18.		81
276	Apolipoprotein E genotyping and phenotyping in type II diabetes mellitus patients with hypertriglyceridemia. <i>Clinical Biochemistry</i> , 1997, 30, 47-52.	0.8	10
277	Genetic variations of the Apo E-CI-CII cluster gene in Koreans. <i>Clinical Biochemistry</i> , 1997, 30, 215-219.	0.8	9
278	The apolipoprotein CI A allele as a risk factor for Alzheimer's disease. <i>Neurochemical Research</i> , 1998, 23, 361-367.	1.6	44
279	A polymorphism in the regulatory region of APOE associated with risk for Alzheimer's dementia. <i>Nature Genetics</i> , 1998, 18, 69-71.	9.4	291
280	Very Early Changes in Olfactory Functioning Due to Alzheimer's Disease and the Role of Apolipoprotein E in Olfaction. <i>Annals of the New York Academy of Sciences</i> , 1998, 855, 723-731.	1.8	155
281	Apolipoprotein E Status is Associated with Odor Identification Deficits in Nondemented Older Persons. <i>Annals of the New York Academy of Sciences</i> , 1998, 855, 744-750.	1.8	112
282	Initiation and propagation stages of β -amyloid are associated with distinctive apolipoprotein E, age, and gender profiles. <i>Brain Research</i> , 1998, 798, 18-24.	1.1	31
283	Apolipoprotein E and longevity among Han Chinese population. <i>Mechanisms of Ageing and Development</i> , 1998, 104, 159-167.	2.2	46
284	The Apolipoprotein E ϵ 4 Allele Is Associated with Blunting of Ketamine-Induced Psychosis in Schizophrenia A Preliminary Report. <i>Neuropsychopharmacology</i> , 1998, 19, 445-448.	2.8	17
285	APOE Allele frequencies in demented and nondemented Elderly Jamaicans. <i>Annals of Neurology</i> , 1998, 43, 545-545.	2.8	5
286	Apolipoprotein E genotypes and age at onset of Parkinson's disease. <i>Annals of Neurology</i> , 1998, 44, 294-295.	2.8	9
287	The Glu318Gly mutation of the presenilin-1 gene does not necessarily cause Alzheimer's disease. <i>Annals of Neurology</i> , 1998, 44, 965-967.	2.8	53
288	Microglial activation induced by factor(s) contained in sera from Alzheimer-related ApoE genotypes. <i>Journal of Neuroscience Research</i> , 1998, 54, 539-553.	1.3	33
289	Initial results of a genome survey for novel alzheimer's disease risk genes: association with a locus on the X chromosome. , 1998, 81, 98-107.		17
290	Apolipoprotein E allelic frequency in elderly smokers. , 1998, 76, 32-36.		3

#	ARTICLE	IF	CITATIONS
291	Genetic heterogeneity in familial hypobetalipoproteinemia: Linkage and non-linkage to the apoB gene in caucasian families. <i>American Journal of Medical Genetics Part A</i> , 1998, 76, 79-86.	2.4	36
293	Molecular basis of type III hyperlipoproteinemia in Germany. <i>Human Mutation</i> , 1998, 11, 417-423.	1.1	33
294	Apolipoprotein E ϵ 4 allele frequency is increased in Parkinson's disease only with co-existing Alzheimer pathology. <i>Acta Neuropathologica</i> , 1998, 96, 417-420.	3.9	32
295	Identification and localization of <i>Chlamydia pneumoniae</i> in the Alzheimer's brain. <i>Medical Microbiology and Immunology</i> , 1998, 187, 23-42.	2.6	426
296	Association and linkage of LDLR gene variation with variation in plasma low density lipoprotein cholesterol. <i>Journal of Human Genetics</i> , 1998, 43, 153-159.	1.1	37
297	Expression of type III hyperlipoproteinemia in patients homozygous for apolipoprotein E-2 is modulated by lipoprotein lipase and postprandial hyperinsulinemia. <i>Journal of Molecular Medicine</i> , 1998, 76, 355-364.	1.7	21
298	Bone Fracture History and Prospective Bone Fracture Risk of Hemodialysis Patients are Related to Apolipoprotein E Genotype. <i>Calcified Tissue International</i> , 1998, 62, 278-281.	1.5	86
299	Effects of Simvastatin and omega ω 3 fatty acids on plasma lipoproteins and lipid peroxidation in patients with combined hyperlipidaemia. <i>Journal of Internal Medicine</i> , 1998, 243, 163-170.	2.7	95
300	Lack of influence of apolipoprotein E4 on lipoprotein levels in the island population of Sardinia. <i>European Journal of Clinical Investigation</i> , 1998, 28, 290-294.	1.7	24
301	Mutations in the low-density lipoprotein receptor gene in Swedish familial hypercholesterolaemia patients: clinical expression and treatment response. <i>European Journal of Clinical Investigation</i> , 1998, 28, 740-747.	1.7	17
302	Rapid apolipoprotein E genotyping from mailed buccal swabs. <i>Journal of Neuroscience Methods</i> , 1998, 79, 5-8.	1.3	20
303	PCR-based apolipoprotein E genotype analysis from archival fixed brain. <i>Journal of Neuroscience Methods</i> , 1998, 80, 209-214.	1.3	13
304	Alzheimer disease in sardinian population: A neuropsychological and genetic study. <i>Archives of Gerontology and Geriatrics</i> , 1998, 26, 407-416.	1.4	4
305	Smoking and risk of Alzheimer's disease. <i>Lancet, The</i> , 1998, 352, 818-819.	6.3	12
306	Human apolipoprotein E allele-specific brain expressing transgenic mice. <i>Neurobiology of Aging</i> , 1998, 19, 407-413.	1.5	32
307	Apolipoprotein AIV codon 360 mutation increases with human aging and is not associated with Alzheimer's disease. <i>Neuroscience Letters</i> , 1998, 242, 117-119.	1.0	17
308	No association of Presenilin-1 intronic polymorphism and Alzheimer's disease in Australia. <i>Neuroscience Letters</i> , 1998, 246, 178-180.	1.0	9
309	The ϵ 491 A/T polymorphism in the regulatory region of the Apolipoprotein E gene and early-onset Alzheimer's disease. <i>Neuroscience Letters</i> , 1998, 258, 65-68.	1.0	38

#	ARTICLE	IF	CITATIONS
310	Cortical distribution of neurofibrillary tangles in Alzheimer's disease matches the pattern of neurons that retain their capacity of plastic remodelling in the adult brain. <i>Neuroscience</i> , 1998, 83, 991-1002.	1.1	122
311	Apolipoprotein E4 reduces risk of diabetic nephropathy in patients with NIDDM. <i>American Journal of Kidney Diseases</i> , 1998, 31, 666-673.	2.1	83
312	Apolipoprotein E genotype and cholesterogenesis in polygenic hypercholesterolemia. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 97-100.	1.5	4
313	Detection of apolipoprotein E genotypes by capillary electrophoresis. <i>Talanta</i> , 1998, 45, 673-681.	2.9	11
314	Exclusion of the apoE gene in autosomal dominant retinitis pigmentosa. <i>Vision Research</i> , 1998, 38, 3829-3831.	0.7	1
315	Allelic polymorphisms in the transcriptional regulatory region of apolipoprotein E gene. <i>FEBS Letters</i> , 1998, 421, 105-108.	1.3	213
316	Apolipoprotein E, transthyretin and actin in the CSF of Alzheimer's patients: relation with the senile plaques and cytoskeleton biochemistry. <i>FEBS Letters</i> , 1998, 425, 225-228.	1.3	97
317	A novel Glu421Lys substitution in the lipoprotein lipase gene in pregnancy-induced hypertriglyceridemic pancreatitis. <i>Clinica Chimica Acta</i> , 1998, 269, 1-12.	0.5	40
318	Elevated Low-Density Lipoprotein in Alzheimer's Disease Correlates with Brain A β ¹⁻⁴² Levels. <i>Biochemical and Biophysical Research Communications</i> , 1998, 252, 711-715.	1.0	312
319	Structure and Functions of Human Cerebrospinal Fluid Lipoproteins from Individuals of Different APOE Genotypes. <i>Experimental Neurology</i> , 1998, 149, 175-182.	2.0	58
320	Absence of Association of ϵ 1-Antichymotrypsin Polymorphisms with Alzheimer's Disease: A Report on Autopsy-Confirmed Cases. <i>Experimental Neurology</i> , 1998, 151, 237-240.	2.0	16
321	A Genome Survey for Novel Alzheimer Disease Risk Loci: Results at 10-cM Resolution. <i>Genomics</i> , 1998, 50, 121-128.	1.3	96
322	The ϵ 4 allele of the apolipoprotein E gene as a potential protective factor for exudative age-related macular degeneration. <i>American Journal of Ophthalmology</i> , 1998, 125, 353-359.	1.7	265
323	Diabetes mellitus in a new kindred with familial hypobetalipoproteinemia and an apolipoprotein B truncation (apoB-55). <i>Atherosclerosis</i> , 1998, 136, 289-295.	0.4	13
324	Human apolipoprotein A-I gene promoter mutation influences plasma low density lipoprotein cholesterol response to dietary fat saturation. <i>Atherosclerosis</i> , 1998, 137, 367-376.	0.4	53
325	Apolipoprotein E polymorphism and the distribution profile of very low density lipoproteins; an influence of the E4 allele on large (Sf>60) particles. <i>Atherosclerosis</i> , 1998, 138, 207-215.	0.4	10
326	Apolipoprotein E4, lipoprotein lipase C447 and angiotensin-I converting enzyme deletion alleles were not associated with increased wall thickness of carotid and femoral arteries in healthy subjects from the Stanislas cohort. <i>Atherosclerosis</i> , 1998, 140, 89-95.	0.4	51
327	Association of apolipoprotein E genotype and intronic polymorphism of the presenilin-1 gene with Alzheimer's disease in elderly Taiwan Chinese. <i>Journal of the Neurological Sciences</i> , 1998, 157, 158-161.	0.3	22

#	ARTICLE	IF	CITATIONS
328	No association between apolipoprotein E alleles and olivopontocerebellar atrophy. <i>Journal of the Neurological Sciences</i> , 1998, 158, 110-112.	0.3	6
329	Apolipoprotein E and multiple sclerosis: A biochemical and genetic investigation. <i>Journal of the Neurological Sciences</i> , 1998, 158, 180-186.	0.3	40
330	No association of apolipoprotein epsilon 4 allele with schizophrenia even in cognitively impaired patients. <i>Schizophrenia Research</i> , 1998, 30, 149-153.	1.1	23
331	Utility of the Apolipoprotein E Genotype in the Diagnosis of Alzheimer's Disease. <i>New England Journal of Medicine</i> , 1998, 338, 506-511.	13.9	530
332	Association of Apolipoprotein E Polymorphism and Concentration with Serum Lipids and Apo-lipoprotein Level in the Chinese from Shanghai. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 615-9.	1.4	10
333	Risk for Alzheimer's disease correlates with transcriptional activity of the APOE gene. <i>Human Molecular Genetics</i> , 1998, 7, 1887-1892.	1.4	135
334	Segregation of a Missense Mutation in the Microtubule-Associated Protein Tau Gene with Familial Frontotemporal Dementia and Parkinsonism. <i>Human Molecular Genetics</i> , 1998, 7, 1825-1829.	1.4	258
335	Frequency of ApoB and ApoE Gene Mutations as Causes of Hypobetalipoproteinemia in the Framingham Offspring Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1745-1751.	1.1	60
336	Clinicopathologic Studies in Cognitively Healthy Aging and Alzheimer Disease. <i>Archives of Neurology</i> , 1998, 55, 326.	4.9	630
337	Pronounced impact of Th1/E47cs mutation compared with -491 AT mutation on neural APOE gene expression and risk of developing Alzheimer's disease. <i>Human Molecular Genetics</i> , 1998, 7, 1511-1516.	1.4	127
338	Opposite roles of apolipoprotein E in normal brains and in Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 15598-15602.	3.3	90
339	Longitudinal SPECT study in Alzheimer's disease: relation to apolipoprotein E polymorphism. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 64, 742-746.	0.9	57
340	Relationship Between ApoE, MRI Findings, and Cognitive Function in the Cardiovascular Health Study. <i>Stroke</i> , 1998, 29, 388-398.	1.0	294
341	Presenilin 1 intronic polymorphism is not associated with Alzheimer type neuropathological changes or sporadic Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 64, 548-551.	0.9	21
342	Apolipoprotein E phenotype associations with plasma lipoproteins and bone mass in postmenopausal women. <i>Climacteric</i> , 1998, 1, 188-195.	1.1	5
343	The ε4 Allele and the Risk of Alzheimer Disease Among African Americans, Whites, and Hispanics. <i>JAMA - Journal of the American Medical Association</i> , 1998, 279, 751.	3.8	655
344	Association of Specific LDL Receptor Gene Mutations With Differential Plasma Lipoprotein Response to Simvastatin in Young French Canadians With Heterozygous Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1007-1012.	1.1	80
345	Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E epsilon 4 allele. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 322-327.	0.9	114

#	ARTICLE	IF	CITATIONS
346	A new polymorphism in the APOE promoter associated with risk of developing Alzheimer's disease. <i>Human Molecular Genetics</i> , 1998, 7, 533-540.	1.4	170
347	Preferential Cholesteryl Ester Acceptors Among Triglyceride-Rich Lipoproteins During Alimentary Lipemia in Normolipidemic Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 65-74.	1.1	43
348	<i>APOE</i> in non-Alzheimer amyloidoses. <i>Neurology</i> , 1998, 51, 548-553.	1.5	23
349	Apolipoprotein E ϵ 4 Allele and Familial Aggregation of Alzheimer Disease. <i>Archives of Neurology</i> , 1998, 55, 810.	4.9	65
350	Absence of an Apolipoprotein E ϵ 4 Allele Is Associated With Increased Parietal Regional Cerebral Blood Flow Asymmetry in Alzheimer Disease. <i>Archives of Neurology</i> , 1998, 55, 1460.	4.9	30
351	ApoE polymorphism and albuminuria in diabetes mellitus: a role for LDL in the development of nephropathy in NIDDM?. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 72-75.	0.4	43
352	Apolipoprotein E Polymorphism in Multiple Sclerosis. <i>Annals of Clinical Biochemistry</i> , 1998, 35, 135-136.	0.8	19
353	Clinical Characteristics of Attention Deficit Hyperactivity Disorder in African American Children. <i>American Journal of Psychiatry</i> , 1998, 155, 696-698.	4.0	33
354	The APOE ϵ 4 allele Is Associated with Decline on Delayed Recall Performance in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 1998, 46, 1493-1498.	1.3	116
355	Two novel presenilin-1 mutations (Ser169Leu and Pro436Gln) associated with very early onset Alzheimer's disease. <i>NeuroReport</i> , 1998, 9, 3335-3339.	0.6	68
356	Apolipoprotein E genotype modulates the effect of black tea drinking on blood lipids and blood coagulation factors: a pilot study. <i>British Journal of Nutrition</i> , 1998, 79, 133-139.	1.2	53
357	Cerebrovascular Pathology Contributes to the Heterogeneity of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 1998, 1, 119-134.	1.2	72
358	A competitive reverse transcription-PCR to study apolipoprotein ϵ gene expression. <i>Clinical Chemistry</i> , 1998, 44, 773-778.	1.5	3
359	Biological variations and genetic reference values for apolipoprotein E serum concentrations: results from the STANISLAS cohort study. <i>Clinical Chemistry</i> , 1998, 44, 957-965.	1.5	70
360	Apo E structure determines VLDL clearance and atherosclerosis risk in mice. <i>Journal of Clinical Investigation</i> , 1999, 103, 1579-1586.	3.9	268
361	Comparison of the LDL-receptor binding of VLDL and LDL from apoE4 and apoE3 homozygotes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E553-E557.	1.8	38
362	Apolipoprotein E polymorphism in indigenous Australians: allelic frequencies and relationship with dyslipidaemia. <i>Medical Journal of Australia</i> , 1999, 170, 161-164.	0.8	12
363	Delayed Changes in Postprandial Lipid in Young Normolipidemic Men after a Nocturnal Vitamin A Oral Fat Load Test. <i>Journal of Nutrition</i> , 1999, 129, 1649-1655.	1.3	15

#	ARTICLE	IF	CITATIONS
364	Rapid Identification of Apolipoprotein E Genotypes by Multiplex Amplification Refractory Mutation System PCR and Capillary Gel Electrophoresis. <i>Clinical Chemistry</i> , 1999, 45, 143-146.	1.5	108
365	High-Speed Apolipoprotein E Genotyping and Apolipoprotein B3500 Mutation Detection Using Real-Time Fluorescence PCR and Melting Curves. <i>Clinical Chemistry</i> , 1999, 45, 1094-1097.	1.5	51
366	Estrogen Replacement Therapy, Serum Lipids, and Polymorphism of the Apolipoprotein E Gene. <i>Clinical Chemistry</i> , 1999, 45, 1214-1223.	1.5	30
367	A clinical pathological comparison of three families with frontotemporal dementia and identical mutations in the tau gene (P301L). <i>Brain</i> , 1999, 122, 741-756.	3.7	214
368	Association between apolipoprotein E polymorphism and macroalbuminuria in patients with non-insulin dependent diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 2144-2149.	0.4	31
369	<i>ε</i> APOE genotype, plasma lipids, lipoproteins, and AD in community elderly. <i>Neurology</i> , 1999, 53, 517-517.	1.5	167
370	Reduction in Visceral Adipose Tissue Is Associated with Improvement in Apolipoprotein B-100 Metabolism in Obese Men1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 2854-2861.	1.8	85
371	Rapid Analysis of Amplified Double-Stranded DNA by Capillary Electrophoresis with Laser-Induced Fluorescence Detection. , 1999, 27, 121-126.		3
372	Influence of Obesity and Body Fat Distribution on Postprandial Lipemia and Triglyceride-Rich Lipoproteins in Adult Women1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 184-191.	1.8	135
373	Mutation -59c->t in repeat 2 of the LDL receptor promoter: reduction in transcriptional activity and possible allelic interaction in a south african family with familial hypercholesterolaemia. <i>Human Molecular Genetics</i> , 1999, 8, 2025-2030.	1.4	20
374	LDL Particle Size Distribution Is Associated With Carotid Intima-Media Thickness in Healthy 50-Year-Old Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 2422-2430.	1.1	99
375	Modification of Type III VLDL, Their Remnants, and VLDL From ApoE-Knockout Mice by p-Hydroxyphenylacetaldehyde, a Product of Myeloperoxidase Activity, Causes Marked Cholesteryl Ester Accumulation in Macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 1238-1249.	1.1	28
376	Association of the APOE epsilon 4 allele with disease activity in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 67, 203-205.	0.9	89
377	Exercise Training-Induced Blood Pressure and Plasma Lipid Improvements in Hypertensives May Be Genotype Dependent. <i>Hypertension</i> , 1999, 34, 18-23.	1.3	83
378	Risk of dementia in parents of probands with and without the apolipoprotein E4 allele. The EVA study. <i>Journal of Epidemiology and Community Health</i> , 1999, 53, 393-398.	2.0	2
379	Lipoprotein (a) and Apolipoprotein E ϵ 4 as Independent Risk Factors for Ischemic Stroke. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999, 6, 1-6.	3.1	55
380	Low-Density Lipoprotein Cholesterol and the Risk of Dementia With Stroke. <i>JAMA - Journal of the American Medical Association</i> , 1999, 282, 254.	3.8	192
381	Is the Response of Serum Lipids and Lipoproteins to Postmenopausal Hormone Replacement Therapy Modified by ApoE Genotype?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 402-407.	1.1	41

#	ARTICLE	IF	CITATIONS
382	Acquired lipoprotein lipase deficiency associated with chronic urticaria. A new etiology for type I hyperlipoproteinemia. <i>European Journal of Endocrinology</i> , 1999, 141, 502-505.	1.9	8
383	Characterization of a New Form of Inherited Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 802-809.	1.1	83
384	Age-Dependent Association of Apolipoprotein E Genotype With Coronary and Aortic Atherosclerosis in Middle-Aged Men. <i>Circulation</i> , 1999, 100, 608-613.	1.6	162
385	Genetic investigation of patients with hypercholesterolemia type IIa. <i>Clinical Genetics</i> , 1999, 55, 67-68.	1.0	2
386	Normolipidemia and hypercholesterolemia in persons heterozygous for the same 1592+5Gâ†’A splice site mutation in the low-density lipoprotein receptor gene. <i>Clinical Genetics</i> , 1999, 56, 379-389.	1.0	9
387	Novel intronic polymorphisms in the presenilin-2 gene and a case-control association study of Alzheimer's disease. <i>Psychiatry and Clinical Neurosciences</i> , 1999, 53, 579-585.	1.0	3
388	Evidence for a major gene accounting for mild elevation in LDL cholesterol: The NHLBI Family Heart Study. <i>Annals of Human Genetics</i> , 1999, 63, 401-412.	0.3	12
389	A novel apolipoprotein E mutation, E2 (Arg25Cys), in lipoprotein glomerulopathy. <i>Kidney International</i> , 1999, 56, 421-427.	2.6	74
390	A novel 18-amino acid deletion in apolipoprotein E associated with lipoprotein glomerulopathy. <i>Kidney International</i> , 1999, 56, 1317-1323.	2.6	46
391	Apolipoprotein E genotypes and cognitive functions in healthy elderly persons. <i>Acta Neurologica Scandinavica</i> , 1999, 100, 53-60.	1.0	68
392	Determinants of postprandial lipemia in obese women. <i>International Journal of Obesity</i> , 1999, 23, S14-S21.	1.6	23
393	Application of electrophoretic techniques to the diagnosis of disorders of lipoprotein metabolism. Examples at the levels of lipoproteins and apolipoproteins. <i>Analytica Chimica Acta</i> , 1999, 383, 169-184.	2.6	8
394	Relation of genetic polymorphisms of apolipoprotein E, angiotensin converting enzyme, apolipoprotein B-100, and glycoprotein IIIa and early-onset coronary heart disease. <i>Clinical Biochemistry</i> , 1999, 32, 275-282.	0.8	27
396	A high incidence of apolipoprotein E ϵ 4 allele in middle-aged non-demented subjects with cerebral amyloid β 2 protein deposits. <i>Acta Neuropathologica</i> , 1999, 97, 82-84.	3.9	22
397	Reactive microglia in aging and dementia: an immunohistochemical study of postmortem human brain tissue. <i>Acta Neuropathologica</i> , 1999, 97, 383-392.	3.9	87
398	Apolipoprotein E isoforms and the development of low and high Braak stages of Alzheimer's disease-related lesions. <i>Acta Neuropathologica</i> , 1999, 98, 273-280.	3.9	94
399	Is the LDL receptor-related protein involved in Alzheimer's disease?. <i>Neurogenetics</i> , 1999, 2, 109-113.	0.7	29
400	No association between the HLA-A2 allele and Alzheimer disease. <i>Neurogenetics</i> , 1999, 2, 177-182.	0.7	19

#	ARTICLE	IF	CITATIONS
401	Modulation byDLST of the genetic risk of Alzheimer's disease in a very elderly population. <i>Annals of Neurology</i> , 1999, 45, 48-53.	2.8	44
402	A genetic variation of the inflammatory cytokine interleukin-6 delays the initial onset and reduces the risk for sporadic Alzheimer's disease. <i>Annals of Neurology</i> , 1999, 45, 666-668.	2.8	205
403	No association between the genes for butyrylcholinesterase K variant and apolipoprotein E4 in late-onset Alzheimer's disease. , 1999, 88, 113-115.		29
404	Distribution of apolipoprotein E genotypes in fragile X syndrome and Batten disease. , 1999, 84, 309-310.		0
405	Apo E genotypes and risk of dementia in Down syndrome. , 1999, 88, 344-347.		31
406	Genetic epidemiological study of maternal and paternal transmission of alzheimer's disease. , 1999, 88, 378-382.		28
407	Preservation of nucleus basalis neurons containing choline acetyltransferase and the vesicular acetylcholine transporter in the elderly with mild cognitive impairment and early Alzheimer's disease. <i>Journal of Comparative Neurology</i> , 1999, 411, 693-704.	0.9	235
408	Evaluation of Genetic Tests: APOE Genotyping for the Diagnosis of Alzheimer Disease. <i>Genetic Testing and Molecular Biomarkers</i> , 1999, 3, 47-53.	1.7	28
409	Early-Onset Autosomal Dominant Alzheimer Disease: Prevalence, Genetic Heterogeneity, and Mutation Spectrum. <i>American Journal of Human Genetics</i> , 1999, 65, 664-670.	2.6	696
410	Low Alzheimer's disease prevalence in rheumatoid arthritis patients is unrelated to ApoE genotype. <i>European Journal of Internal Medicine</i> , 1999, 10, 97-100.	1.0	1
411	The Emerging Importance of Genetics in Epidemiologic Research. I. Basic Concepts in Human Genetics and Laboratory Technology. <i>Annals of Epidemiology</i> , 1999, 9, 1-16.	0.9	25
412	Genetic polymorphism of cathepsin D is strongly associated with the risk for developing sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 1999, 262, 171-174.	1.0	99
413	Assessment of cerebrospinal fluid levels of serum amyloid P component in patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 1999, 273, 137-139.	1.0	20
414	Angiotensin-converting enzyme genotype is associated with Alzheimer disease in the Japanese population. <i>Neuroscience Letters</i> , 1999, 277, 65-67.	1.0	80
415	The effect of insulin and glucose on the plasma concentration of Alzheimer's amyloid precursor protein. <i>Neuroscience</i> , 1999, 95, 727-734.	1.1	37
416	Apolipoprotein E gene polymorphism frequencies in a sample of healthy Hungarians. <i>Clinica Chimica Acta</i> , 1999, 282, 147-150.	0.5	9
417	Relationship between the apolipoprotein E and angiotensin-converting enzyme genotypes and LDL particle size in Japanese subjects. <i>Clinica Chimica Acta</i> , 1999, 285, 91-103.	0.5	9
418	Identification of compound heterozygous mutations (G188E/W382X) of lipoprotein lipase gene in a Japanese infant with hyperchylomicronemia:. <i>Clinica Chimica Acta</i> , 1999, 285, 143-154.	0.5	14

#	ARTICLE	IF	CITATIONS
419	Apolipoprotein E affects serial changes in total and low-density lipoprotein cholesterol in adolescent girls: Project HeartBeat!. <i>Metabolism: Clinical and Experimental</i> , 1999, 48, 285-290.	1.5	12
420	Black-white differences in postprandial triglyceride response and postheparin lipoprotein lipase and hepatic triglyceride lipase among young men. <i>Metabolism: Clinical and Experimental</i> , 1999, 48, 749-754.	1.5	43
421	Apolipoprotein E genotype and exercise training-induced increases in plasma high-density lipoprotein (HDL)- and HDL2-cholesterol levels in overweight men. <i>Metabolism: Clinical and Experimental</i> , 1999, 48, 943-945.	1.5	73
422	Apolipoprotein E- ϵ 4 frequency in affective disorder. <i>Biological Psychiatry</i> , 1999, 45, 430-434.	0.7	24
423	Apolipoprotein ϵ 4, other risk factors, and course of alzheimer's disease. <i>Biological Psychiatry</i> , 1999, 45, 633-638.	0.7	60
424	Clinical and neurobiological correlates of D10S1423 genotype in Alzheimer's disease. <i>Biological Psychiatry</i> , 1999, 46, 740-749.	0.7	18
425	No association between an intronic polymorphism in the presenilin-1 gene and Alzheimer disease in a German population. <i>Journal of the Neurological Sciences</i> , 1999, 167, 34-36.	0.3	11
426	The apolipoprotein E4 allele is not associated with an abnormal lipid profile in a Native American population following its traditional lifestyle. <i>Atherosclerosis</i> , 1999, 142, 409-414.	0.4	41
427	Detection of a new compound heterozygote (del G916/G1401A) for lipoprotein lipase deficiency and a comparative haplotype analysis of the mutant lipoprotein lipase gene from Japanese patients. <i>Atherosclerosis</i> , 1999, 144, 443-447.	0.4	9
428	Apolipoprotein E and atherosclerosis in Greenland Inuit. <i>Atherosclerosis</i> , 1999, 145, 207-219.	0.4	18
429	Apolipoprotein E- ϵ 4 frequency in deficit schizophrenia. <i>European Psychiatry</i> , 1999, 14, 148-151.	0.1	9
430	A Multilocus Genotyping Assay for Candidate Markers of Cardiovascular Disease Risk. <i>Genome Research</i> , 1999, 9, 936-949.	2.4	193
431	Soluble Amyloid β Peptide Concentration as a Predictor of Synaptic Change in Alzheimer's Disease. <i>American Journal of Pathology</i> , 1999, 155, 853-862.	1.9	1,471
432	Appearance of Sodium Dodecyl Sulfate-Stable Amyloid β -Protein ($A\beta$) Dimer in the Cortex During Aging. <i>American Journal of Pathology</i> , 1999, 154, 271-279.	1.9	101
433	Entorhinal Cortex β -Amyloid Load in Individuals with Mild Cognitive Impairment. <i>Experimental Neurology</i> , 1999, 158, 469-490.	2.0	226
434	High Levels of Circulating $A\beta$ 242 Are Sequestered by Plasma Proteins in Alzheimer's Disease. <i>Biochemical and Biophysical Research Communications</i> , 1999, 257, 787-791.	1.0	179
435	Association of the Estrogen Receptor β Gene Polymorphisms with Sporadic Alzheimer's Disease. <i>Biochemical and Biophysical Research Communications</i> , 1999, 265, 335-338.	1.0	122
436	Progression of Clinical Deterioration and Pathological Changes in Patients With Alzheimer Disease Evaluated at Biopsy and Autopsy. <i>Archives of Neurology</i> , 1999, 56, 1254.	4.9	40

#	ARTICLE	IF	CITATIONS
437	Impaired olfaction as a marker for cognitive decline. <i>Neurology</i> , 1999, 53, 1480-1480.	1.5	282
438	Apolipoprotein E ϵ 4 Allele, Temporal Lobe Atrophy, and White Matter Lesions in Late-Life Dementias. <i>Archives of Neurology</i> , 1999, 56, 961.	4.9	82
439	Alpha-1-Antichymotrypsin Gene Polymorphism and Risk for Sporadic Alzheimer's Disease in a German Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 1999, 10, 469-472.	0.7	11
440	The Utility of Apolipoprotein E Genotyping in the Diagnosis of Alzheimer Disease in a Community-Based Case Series. <i>Archives of Neurology</i> , 1999, 56, 1489.	4.9	42
441	Apolipoprotein Serum Amyloid A in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 1999, 1, 155-167.	1.2	40
442	Metrifonate treatment of AD. <i>Neurology</i> , 1999, 53, 2010-2010.	1.5	56
443	The ϵ 491AA polymorphism in the APOE gene is associated with increased plasma apoE levels in Alzheimer's disease. <i>NeuroReport</i> , 1999, 10, 879-882.	0.6	76
444	ϵ 2-Macroglobulin polymorphisms in Alzheimer's disease and dementia with Lewy bodies. <i>NeuroReport</i> , 1999, 10, 1507-1510.	0.6	29
445	A presenilin-1 Thr116Asn substitution in a family with early-onset Alzheimer's disease. <i>NeuroReport</i> , 1999, 10, 2255-2260.	0.6	30
446	Prospective Study of Risk Factors for Alzheimer's Disease: Results at 7.5 Years. <i>American Journal of Psychiatry</i> , 1999, 156, 50-57.	4.0	27
447	β -Amyloid Load Is Not Influenced by the Severity of Cardiovascular Disease in Aged and Demented Patients. <i>Stroke</i> , 1999, 30, 613-618.	1.0	53
448	Apolipoprotein E Genotype and Lipid and Lipoprotein Levels in Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2000, 11, 70-73.	0.7	38
449	Apolipoprotein E and functional recovery from brain injury following postacute rehabilitation. <i>Neurology</i> , 2000, 55, 1536-1539.	1.5	120
450	No Association Between a Presenilin 1 Polymorphism and Alzheimer Disease. <i>Archives of Neurology</i> , 2000, 57, 699.	4.9	13
451	Apolipoprotein E, Methylenetetrahydrofolate Reductase(MTHFR) Mutation and the Risk of Senile Dementia. An Epidemiological Study Using the Polymerase Chain Reaction(PCR) Method.. <i>Journal of Epidemiology</i> , 2000, 10, 163-172.	1.1	50
452	Association Between Severe Cerebral Amyloid Angiopathy and Cerebrovascular Lesions in Alzheimer Disease Is Not a Spurious One Attributable to Apolipoprotein E4. <i>Archives of Neurology</i> , 2000, 57, 869.	4.9	101
453	Apolipoprotein E allele-dependent antioxidant activity in brains with Alzheimer's disease. <i>Neurology</i> , 2000, 54, 2319-2321.	1.5	72
454	Dietary vitamin K intakes are associated with hip fracture but not with bone mineral density in elderly men and women. <i>American Journal of Clinical Nutrition</i> , 2000, 71, 1201-1208.	2.2	353

#	ARTICLE	IF	CITATIONS
455	Presence of Apolipoprotein E ε4 Allele in Cerebral Palsy. Journal of Pediatric Orthopaedics, 2000, , 786-789.	0.6	0
456	Hippocampal sulcal cavities on MRI: Relationship to age and apolipoprotein E genotype. Neurology, 2000, 54, 2150-2153.	1.5	36
457	Plasma 24S-hydroxycholesterol. NeuroReport, 2000, 11, 1959-1962.	0.6	135
458	Presence of Apolipoprotein E ε4 Allele in Cerebral Palsy. Journal of Pediatric Orthopaedics, 2000, 20, 786-789.	0.6	28
459	Lack of relationship in long-term type 1 diabetic patients between diabetic nephropathy and polymorphisms in apolipoprotein μ, lipoprotein lipase and cholesteryl ester transfer protein. Nephrology Dialysis Transplantation, 2000, 15, 1971-1976.	0.4	36
460	Dietary fat clearance in type V hyperlipoproteinaemia secondary to a rare variant of human apolipoprotein E: the apolipoprotein E3 (Arg 136 → Ser). British Journal of Nutrition, 2000, 83, 615-622.	1.2	11
461	Apolipoprotein E genetic polymorphism, serum lipoproteins, and breast cancer risk. , 2000, 27, 2-9.		55
462	Plasma levels of amyloid β 40 and 42 are independent from ApoE genotype and mental retardation in down syndrome. American Journal of Medical Genetics Part A, 2000, 95, 224-228.	2.4	33
463	Memory performance and the apolipoprotein E polymorphism in a community sample of middle-aged adults. American Journal of Medical Genetics Part A, 2000, 96, 707-711.	2.4	112
464	Identical distribution of the β2-macroglobulin pentanucleotide deletion in subjects with alzheimer disease and controls in a German population. American Journal of Medical Genetics Part A, 2000, 96, 775-777.	2.4	18
465	Novel Leu723Pro amyloid precursor protein mutation increases amyloid β42(43) peptide levels and induces apoptosis. Annals of Neurology, 2000, 47, 249-253.	2.8	82
466	A genetic variation of cathepsin D is a major risk factor for Alzheimer's disease. Annals of Neurology, 2000, 47, 399-403.	2.8	110
467	Mitochondrial damage in Alzheimer's disease varies with apolipoprotein E genotype. Annals of Neurology, 2000, 48, 297-303.	2.8	157
468	Apo E genotype, diabetes, and peripheral arterial disease in older men: The Honolulu Asia-Aging Study. Genetic Epidemiology, 2000, 19, 52-63.	0.6	23
469	Estimation of apolipoprotein E genotype-specific relative mortality risks from the distribution of genotypes in centenarians and middle-aged men: Apolipoprotein E gene is a 'frailty gene,' not a 'longevity gene?'. Genetic Epidemiology, 2000, 19, 202-210.	0.6	184
470	Apolipoprotein E genotype and the risk of gallbladder disease in pregnancy. Hepatology, 2000, 31, 18-23.	3.6	23
471	Carotid atherosclerosis, vascular risk profile and mortality in a population-based sample of functionally healthy elderly subjects: the Berlin Ageing Study. Journal of Internal Medicine, 2000, 247, 679-688.	2.7	53
472	Coupling of a DNA piezoelectric biosensor and polymerase chain reaction to detect apolipoprotein E polymorphisms. Biosensors and Bioelectronics, 2000, 15, 363-370.	5.3	66

#	ARTICLE	IF	CITATIONS
473	Pseudodominance of lipoprotein lipase (LPL) deficiency due to a nonsense mutation (Tyr302>Term) in exon 6 of LPL gene in an Italian family from Sardinia (LPLOlbia). <i>Clinical Genetics</i> , 2000, 57, 140-147.	1.0	15
474	A multivariate analysis of 59 candidate genes in personality traits: the temperament and character inventory. <i>Clinical Genetics</i> , 2000, 58, 375-385.	1.0	118
475	APOE promoter polymorphisms do not confer independent risk for Alzheimer's disease in a French population. <i>European Journal of Human Genetics</i> , 2000, 8, 713-716.	1.4	35
476	Confirmation of the association between bleomycin hydrolase genotype and Alzheimer's disease. <i>Molecular Psychiatry</i> , 2000, 5, 213-215.	4.1	34
477	Apolipoprotein E is a genetic risk factor for fetal iodine deficiency disorder in China. <i>Molecular Psychiatry</i> , 2000, 5, 363-368.	4.1	18
478	Amyloid-beta-induced Degeneration of Human Brain Pericytes Is Dependent on the Apolipoprotein E Genotype. <i>Annals of the New York Academy of Sciences</i> , 2000, 903, 187-199.	1.8	43
479	Earlier Age of Onset of Alzheimer's Disease in Patients with Both the Transferrin C2 and Apolipoprotein E-e4 Alleles. <i>Annals of the New York Academy of Sciences</i> , 2000, 903, 200-203.	1.8	26
480	Increased lipoprotein oxidation in alzheimer's disease. <i>Free Radical Biology and Medicine</i> , 2000, 28, 351-360.	1.3	181
481	Rapid Analysis of Amplified Double-Stranded DNA by Capillary Electrophoresis with Laser-Induced Fluorescence Detection. <i>Molecular Biotechnology</i> , 2000, 15, 143-146.	1.3	4
482	Apolipoprotein E polymorphism: Automated determination of apolipoprotein E2, E3, and E4 isoforms. <i>Lipids</i> , 2000, 35, 99-104.	0.7	4
483	Selegiline treatment and the extent of degenerative changes in brain tissue of patients with Alzheimer's disease. <i>European Journal of Clinical Pharmacology</i> , 2000, 55, 815-819.	0.8	25
484	A new variant of apolipoprotein E (apo E Maebashi) in lipoprotein glomerulopathy. <i>Pediatric Nephrology</i> , 2000, 14, 149-151.	0.9	34
485	Influence of apolipoprotein E genotypes on serum lipid parameters in a biracial sample of children. <i>European Journal of Pediatrics</i> , 2000, 159, 257-260.	1.3	9
486	DNA fragmentation, gliosis and histological hallmarks of Alzheimer's disease. <i>Acta Neuropathologica</i> , 2000, 100, 681-687.	3.9	11
487	Apolipoprotein E4 promotes the early deposition of A β 42 and then A β 40 in the elderly. <i>Acta Neuropathologica</i> , 2000, 100, 36-42.	3.9	79
488	Fibrinogen Ale ϵ s: a homozygous case of dysfibrinogenemia (I 3 -Asp330 \rightarrow Val) characterized by a defective fibrin polymerization site. <i>Blood</i> , 2000, 96, 3473-3479.	0.6	19
489	Detection of Human Apolipoprotein E Genotypes by DNA Electrochemical Biosensor Coupled with PCR. <i>Clinical Chemistry</i> , 2000, 46, 31-37.	1.5	155
490	Influence of genetic polymorphisms on responsiveness to dietary fat and cholesterol. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 1275s-1284s.	2.2	80

#	ARTICLE	IF	CITATIONS
491	Predictors of postprandial triacylglycerol response in children: the Columbia University Biomarkers Study. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 1119-1127.	2.2	29
492	Biobehavioral characteristics of nondemented older adults with subclinical brain atrophy. <i>Neurology</i> , 2000, 54, 2108-2114.	1.5	92
493	Evaluation of the Apo E Genotyping Kit on the LightCycler. <i>Clinical Chemistry</i> , 2000, 46, 722-724.	1.5	36
494	Small Concomitant Vascular Lesions Do Not Influence Rates of Cognitive Decline in Patients With Alzheimer Disease. <i>Archives of Neurology</i> , 2000, 57, 1474-9.	4.9	87
495	Apolipoprotein E genotype related differences in brain lesions of multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 69, 25-28.	0.9	83
496	Estrogen use, APOE, and cognitive decline. <i>Neurology</i> , 2000, 54, 1949-1954.	1.5	327
497	Longitudinal change in hippocampal volume as a function of apolipoprotein E genotype. <i>Neurology</i> , 2000, 55, 134-136.	1.5	159
498	Cholinergic dysfunction in diseases with Lewy bodies. <i>Neurology</i> , 2000, 54, 407-407.	1.5	316
499	A Functional Polymorphism in the Promoter Region of the Microsomal Triglyceride Transfer Protein (MTP $\hat{\sim}$ 493G/T) Influences Lipoprotein Phenotype in Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1784-1788.	1.1	52
500	Apolipoprotein E Polymorphism and Serum Concentration in Alzheimer's Disease in Nine European Centres: the ApoEurope Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 721-30.	1.4	70
501	Decreased $\hat{\imath}^2$ -amyloid $\langle \text{sub} \rangle 1-42 \langle / \text{sub} \rangle$ in cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. <i>Neurology</i> , 2000, 54, 1099-1102.	1.5	182
502	Effects of ApoE Genotype on ApoB-48 and ApoB-100 Kinetics With Stable Isotopes in Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1807-1810.	1.1	48
503	Lack of association of the $\hat{\imath}^2$ -macroglobulin locus on chromosome 12 in AD. <i>Neurology</i> , 2000, 54, 433-433.	1.5	47
504	APOLIPOPROTEIN E POLYMORPHISM IN SOUTH AFRICAN ZULU WOMEN WITH PREECLAMPSIA. <i>Hypertension in Pregnancy</i> , 2000, 19, 309-314.	0.5	21
505	$\hat{\imath}^2$ -Macroglobulin polymorphism is not associated with AD or AD-type neuropathology in the Japanese. <i>Neurology</i> , 2000, 54, 443-443.	1.5	26
506	Endogenous estrogen levels and Alzheimer's disease among postmenopausal women. <i>Neurology</i> , 2000, 54, 833-837.	1.5	226
507	Olfactory Deficits in Patients With Mild Cognitive Impairment Predict Alzheimer's Disease at Follow-Up. <i>American Journal of Psychiatry</i> , 2000, 157, 1399-1405.	4.0	461
508	Early-life risk factors and the development of Alzheimer's disease. <i>Neurology</i> , 2000, 54, 415-415.	1.5	168

#	ARTICLE	IF	CITATIONS
509	Novel Presenilin 1 Mutations Associated With Early Onset of Dementia in a Family With Both Early-Onset and Late-Onset Alzheimer Disease. <i>Archives of Neurology</i> , 2000, 57, 1454-7.	4.9	35
510	Apolipoprotein E Allele Distribution in Trisomy 13, 18, and 21 Conceptuses in a Hungarian Population. <i>American Journal of Clinical Pathology</i> , 2000, 113, 535-538.	0.4	11
511	Lack of an Association of Estrogen Receptor β Gene Polymorphisms and Transcriptional Activity With Alzheimer Disease. <i>Archives of Neurology</i> , 2000, 57, 236.	4.9	144
512	Serum cholesterol, <i>APOE</i> genotype, and the risk of Alzheimer's disease: A population-based study of African Americans. <i>Neurology</i> , 2000, 54, 240-240.	1.5	215
513	Effect of <i>APOE</i> genotype and promoter polymorphism on risk of Alzheimer's disease. <i>Neurology</i> , 2000, 55, 1644-1649.	1.5	55
514	Sequence Diversity and Large-Scale Typing of SNPs in the Human Apolipoprotein E Gene. <i>Genome Research</i> , 2000, 10, 1532-1545.	2.4	156
515	Effect of Anti-inflammatory Medications on Neuropathological Findings in Alzheimer Disease. <i>Archives of Neurology</i> , 2000, 57, 831.	4.9	69
516	<i>APOE</i> and AD concordance in twin pairs as predictors of AD in first-degree relatives. <i>Neurology</i> , 2000, 54, 593-593.	1.5	15
517	The Apolipoprotein ϵ 4 Allele Determines Prognosis and the Effect on Prognosis of Simvastatin in Survivors of Myocardial Infarction. <i>Circulation</i> , 2000, 101, 1366-1371.	1.6	238
518	Alstrom syndrome: confirmation of linkage to chromosome 2p12-13 and phenotypic heterogeneity in three affected sibs. <i>Journal of Medical Genetics</i> , 2000, 37, 8e-8.	1.5	12
519	The ACE gene and Alzheimer's disease susceptibility. <i>Journal of Medical Genetics</i> , 2000, 37, 695-697.	1.5	97
520	Plasma and Cerebrospinal Fluid Levels of Amyloid β Proteins 1-40 and 1-42 in Alzheimer Disease. <i>Archives of Neurology</i> , 2000, 57, 100.	4.9	541
521	The Cross-sectional Association Between Blood Pressure and Alzheimer's Disease in a Biracial Community Population of Older Persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2000, 55, M130-M136.	1.7	46
522	β 2 Macroglobulin and the risk of Alzheimer's disease. <i>Neurology</i> , 2000, 54, 438-438.	1.5	74
523	Individual Cholesterol Variation in Response to a Margarine- or Butter-Based Diet. <i>JAMA - Journal of the American Medical Association</i> , 2000, 284, 2740.	3.8	65
524	Does APO epsilon 4 correlate with MRI changes in Alzheimer's disease?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 69, 668-671.	0.9	25
525	Metabolic Cardiovascular Syndrome and Risk of Dementia in Japanese-American Elderly Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 2255-2260.	1.1	365
526	Age-Dependent Association of Apolipoprotein E Genotypes With Stroke Subtypes in a Japanese Rural Population. <i>Stroke</i> , 2000, 31, 1299-1306.	1.0	97

#	ARTICLE	IF	CITATIONS
527	Intramuscular injection of a plasmid vector expressing human apolipoprotein E limits progression of xanthoma and aortic atheroma in apoE-deficient mice. <i>Human Molecular Genetics</i> , 2000, 9, 2545-2551.	1.4	23
528	Association of Cholesteryl Ester Transfer Protein ϵ IB Polymorphism With Variations in Lipoprotein Subclasses and Coronary Heart Disease Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1323-1329.	1.1	385
529	Associations of Apolipoprotein E Concentration and Polymorphism with Lipids and Apolipoprotein Levels in Chinese from Beijing and Shanghai. <i>Clinical Chemistry and Laboratory Medicine</i> , 2000, 38, 655-9.	1.4	11
530	Apolipoprotein epsilon 2 Allele Is Associated With an Anti-atherogenic Lipoprotein Profile in Children: The Columbia University BioMarkers Study. <i>Pediatrics</i> , 2000, 106, 568-575.	1.0	30
531	Influence of β -Thalassemia on the Phenotypic Expression of Heterozygous Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 236-243.	1.1	28
532	The joint effect of apolipoprotein E epsilon4 and MRI findings on lower- extremity function and decline in cognitive function. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2000, 55, M103-M109.	1.7	56
533	Synthesis and Regulation of Apolipoprotein E during the Differentiation of Human Neuronal Precursor NT2/D1 Cells into Postmitotic Neurons. <i>Experimental Neurology</i> , 2000, 166, 415-421.	2.0	24
534	Single Effects of Apolipoprotein B, (a), and E Polymorphisms and Interaction between Plasminogen Activator Inhibitor-1 and Apolipoprotein(a) Genotypes and the Risk of Coronary Artery Disease in Czech Male Caucasians. <i>Molecular Genetics and Metabolism</i> , 2000, 69, 137-143.	0.5	22
535	<i>Chlamydia pneumoniae</i> present in the human synovium are viable and metabolically active. <i>Microbial Pathogenesis</i> , 2000, 29, 17-24.	1.3	76
536	Clinical Expression of Familial Hypercholesterolemia in Clusters of Mutations of the LDL Receptor Gene That Cause a Receptor-Defective or Receptor-Negative Phenotype. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, E41-52.	1.1	122
537	Association of an interleukin 1ϵ polymorphism with Alzheimer's disease. <i>Neurology</i> , 2000, 55, 480-484.	1.5	232
538	Effect of Apolipoprotein E Allele ϵ 4 on the Initial Phase of Amyloid β -Protein Accumulation in the Human Brain. <i>American Journal of Pathology</i> , 2000, 157, 2093-2099.	1.9	112
539	Elevated $A\beta$ 42 in Skeletal Muscle of Alzheimer Disease Patients Suggests Peripheral Alterations of $A\beta$ PP Metabolism. <i>American Journal of Pathology</i> , 2000, 156, 797-805.	1.9	153
540	Does apolipoprotein E genotype relate to BMD and bone markers in postmenopausal women?. <i>Maturitas</i> , 2000, 34, 33-41.	1.0	32
541	Is the presenilin-1 E318G missense mutation a risk factor for Alzheimer's disease?. <i>Neuroscience Letters</i> , 2000, 278, 65-68.	1.0	24
542	The deletion polymorphism and Val100Ile in ϵ -2-macroglobulin and Alzheimer disease in Caribbean Hispanics. <i>Neuroscience Letters</i> , 2000, 279, 133-136.	1.0	30
543	The leucine (7)-to-proline (7) polymorphism in the signal peptide of neuropeptide Y is not associated with Alzheimer's disease or the link apolipoprotein E. <i>Neuroscience Letters</i> , 2000, 287, 25-28.	1.0	12
544	Human leucocyte antigen-A2 increases risk of Alzheimer's disease but does not affect age of onset in a Scottish population. <i>Neuroscience Letters</i> , 2000, 294, 37-40.	1.0	22

#	ARTICLE	IF	CITATIONS
545	Association between angiotensin-converting enzyme gene and late onset Alzheimer's disease in Han Chinese. <i>Neuroscience Letters</i> , 2000, 295, 41-44.	1.0	42
546	Midlife blood pressure and dementia: the Honolulu "Asia aging study". <i>Neurobiology of Aging</i> , 2000, 21, 49-55.	1.5	809
547	Decreased high-density lipoprotein cholesterol and serum apolipoprotein AI concentrations are highly correlated with the severity of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2000, 21, 27-30.	1.5	217
548	Acute myocardial infarction in young adults: Prognostic role of angiotensin-converting enzyme, angiotensin II type I receptor, apolipoprotein E, endothelial constitutive nitric oxide synthase, and glycoprotein IIIa genetic polymorphisms at medium-term follow-up. <i>American Heart Journal</i> , 2000, 139, 979-984.	1.2	70
549	A Cholesterol-Lowering Gene Maps to Chromosome 13q. <i>American Journal of Human Genetics</i> , 2000, 66, 157-166.	2.6	91
550	The Number of Trait Loci in Late-Onset Alzheimer Disease. <i>American Journal of Human Genetics</i> , 2000, 66, 196-204.	2.6	286
551	A newly identified lipoprotein lipase (LPL) gene mutation (F270L) in a Japanese patient with familial LPL deficiency. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2000, 1502, 433-446.	1.8	10
552	Conformation of apolipoprotein E both in free and in lipid-bound form may determine the avidity of triglyceride-rich lipoproteins to the LDL receptor: structural and kinetic study. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1484, 14-28.	1.2	19
553	Structural peculiarities of the binding of very low density lipoproteins and low density lipoproteins to the LDL receptor in hypertriglyceridemia: role of apolipoprotein E. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1484, 29-40.	1.2	11
554	Effects of the ApoE Polymorphism on Plasma Lipoproteins in Mexican Americans. <i>Annals of Epidemiology</i> , 2000, 10, 524-531.	0.9	17
555	Seven DNA polymorphisms at the candidate genes of atherosclerosis in Brazilian women with angiographically documented coronary artery disease. <i>Clinica Chimica Acta</i> , 2000, 300, 139-149.	0.5	54
556	Marked elevation in serum apolipoprotein E in a case of heterozygous cholesteryl ester transfer protein deficiency. <i>Clinica Chimica Acta</i> , 2000, 301, 55-64.	0.5	3
557	Quantitative assessment of apolipoprotein E genotypes by image analysis of PCR-RFLP fragments. <i>Clinica Chimica Acta</i> , 2000, 293, 213-221.	0.5	22
558	Cord blood apolipoprotein-E genotype distribution and plasma lipid indices in newborns of different ethnicity. <i>Annals of Human Biology</i> , 2000, 27, 367-375.	0.4	9
559	Apolipoprotein-E and White-Matter Hyperintensities in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2000, 8, 257-261.	0.6	39
560	A Longitudinal Study of Apolipoprotein-E Genotype and Depressive Symptoms in Community-Dwelling Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2000, 8, 196-200.	0.6	40
562	The Oregon Brain Aging Study. <i>Neurology</i> , 2000, 54, 105-105.	1.5	145
563	Apolipoprotein E polymorphism and atherosclerosis: association of the Îµ4 allele with defects in the internal elastic lamina. <i>Atherosclerosis</i> , 2000, 153, 155-160.	0.4	16

#	ARTICLE	IF	CITATIONS
564	Apolipoprotein E genotypes predict attendance rates at lipid clinic. <i>Atherosclerosis</i> , 2000, 153, 461-468.	0.4	3
565	Risk factors for atherosclerosis in survivors of myocardial infarction and their spouses: Comparison with spousal pairs without personal and family history of atherosclerosis. <i>Atherosclerosis</i> , 2000, 151, 153-154.	0.4	1
566	Postprandial concentrations and distribution of apo C-III in type 2 diabetic patients. Effect of bezafibrate treatment. <i>Atherosclerosis</i> , 2000, 149, 427-433.	0.4	16
567	The contribution of candidate genes to the response of plasma lipids and lipoproteins to dietary challenge. <i>Atherosclerosis</i> , 2000, 152, 239-248.	0.4	49
568	Apolipoprotein E serum concentration and polymorphism in six European countries: the ApoEurope Project. <i>Atherosclerosis</i> , 2000, 152, 475-488.	0.4	132
569	A study of fatty liver disease and plasma lipoproteins in a kindred with familial hypobetalipoproteinemia due to a novel truncated form of apolipoprotein B (APO B-54.5). <i>Journal of Hepatology</i> , 2000, 33, 361-370.	1.8	57
570	Apolipoprotein E genotype: epsilon32 women are protected while epsilon43 and epsilon44 men are susceptible to ischemic heart disease. <i>Journal of the American College of Cardiology</i> , 2000, 35, 1192-1199.	1.2	70
571	Apolipoprotein E genotypes and response of plasma lipids and progression of coronary atherosclerosis to lipid-lowering drug therapy. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1572-1578.	1.2	91
572	A new DNA polymorphism in the 5' untranslated region of the human SREBP-1a is related to development of atherosclerosis in high cardiovascular risk population. <i>Atherosclerosis</i> , 2001, 154, 589-597.	0.4	40
573	Apolipoprotein E genotype and cardiovascular disease in the Framingham Heart Study. <i>Atherosclerosis</i> , 2001, 154, 529-537.	0.4	271
574	Apolipoproteins E and C-III in apo B- and non-apo B-containing lipoproteins in middle-aged women from the Stanislas cohort: effect of oral contraceptive use and common apolipoprotein E polymorphism. <i>Atherosclerosis</i> , 2001, 155, 509-516.	0.4	12
575	Apoprotein E genotype and the response of serum cholesterol to dietary fat, cholesterol and cafestol. <i>Atherosclerosis</i> , 2001, 154, 547-555.	0.4	47
576	Apolipoprotein E genotype affects plasma lipid response to atorvastatin in a gender specific manner. <i>Atherosclerosis</i> , 2001, 158, 183-193.	0.4	170
577	No evidence of accelerated atherosclerosis in a 66-yr-old chylomicronemia patient homozygous for the nonsense mutation (Tyr611*Stop) in the lipoprotein lipase gene. <i>Atherosclerosis</i> , 2001, 159, 375-379.	0.4	31
578	Preclinical cognitive decline in late middle-aged asymptomatic apolipoprotein E-epsilon4/epsilon4 homozygotes: a replication study. <i>Journal of the Neurological Sciences</i> , 2001, 189, 93-98.	0.3	57
579	Is the apoE4 allele an independent predictor of coronary events?. <i>American Journal of Medicine</i> , 2001, 110, 28-32.	0.6	72
580	Environmental factors modulate the effect of the APOE genetic polymorphism on plasma lipid concentrations: Ecogenetic studies in a Mediterranean Spanish population. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 936-944.	1.5	71
581	Recent Origin and Spread of a Common Lithuanian Mutation, G197del LDLR, Causing Familial Hypercholesterolemia: Positive Selection Is Not Always Necessary to Account for Disease Incidence among Ashkenazi Jews. <i>American Journal of Human Genetics</i> , 2001, 68, 1172-1188.	2.6	46

#	ARTICLE	IF	CITATIONS
582	Apolipoprotein E ϵ 4 positive individuals demonstrate delayed olfactory event-related potentials. <i>Neurobiology of Aging</i> , 2001, 22, 439-447.	1.5	31
583	Distinguishable effects of Presenilin-1 and APP717 mutations on amyloid plaque deposition. <i>Neurobiology of Aging</i> , 2001, 22, 367-376.	1.5	19
584	Phenotype of apolipoprotein E influences the lipid metabolic response of postmenopausal women to hormone replacement therapy. <i>Maturitas</i> , 2001, 38, 297-304.	1.0	23
585	Effect of apolipoprotein E polymorphism on the serum lipid and insulin response to whole grain consumption in coronary artery disease patients. <i>Nutrition Research</i> , 2001, 21, 1463-1473.	1.3	4
586	Apolipoprotein E genotype, serum lipids, and colorectal adenomas in Japanese men. <i>Cancer Letters</i> , 2001, 164, 33-40.	3.2	25
587	Elevated plasma amyloid β -peptide 1-42 and onset of dementia in adults with Down syndrome. <i>Neuroscience Letters</i> , 2001, 301, 199-203.	1.0	142
588	Apolipoprotein E genotyping in a sample of Colombian patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 2001, 305, 135-138.	1.0	36
589	Allele ϵ 4 of apolipoprotein E gene is less frequent in Down syndrome patient of the Sicilian population and has no influence on the grade of mental retardation. <i>Neuroscience Letters</i> , 2001, 306, 129-131.	1.0	18
590	Modulation by age and gender of risk for Alzheimer's disease and vascular dementia associated with the apolipoprotein E- ϵ 4 allele in Latin Americans: findings from the Maracaibo Aging Study. <i>Neuroscience Letters</i> , 2001, 307, 5-8.	1.0	57
591	A study of French centenarians: are ACE and APOE associated with longevity?. <i>Comptes Rendus De L'Acad�mie Des Sciences S�rie 3, Sciences De La Vie</i> , 2001, 324, 129-135.	0.8	99
592	Detection of human apolipoprotein E genotypes by DNA biosensors coupled with PCR. <i>Clinica Chimica Acta</i> , 2001, 307, 241-248.	0.5	24
594	Dyslipemia in Familial Partial Lipodystrophy Caused by an R482W Mutation in the LMNA Gene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 2289-2295.	1.8	48
596	Joint Effect of the <i>APOE</i> Gene and Midlife Systolic Blood Pressure on Late-Life Cognitive Impairment. <i>Stroke</i> , 2001, 32, 2882-2889.	1.0	126
597	Recent Advances on DNA Biosensors. <i>International Journal of Environmental Analytical Chemistry</i> , 2001, 80, 87-99.	1.8	7
598	Compound Heterozygous Familial Hypercholesterolemia and Familial Defective Apolipoprotein B-100 Produce Exaggerated Hypercholesterolemia. <i>Clinical Chemistry</i> , 2001, 47, 438-443.	1.5	17
599	Detection of Mbol Polymorphism at the 5' Promoter Region of CYP3A4. <i>Clinical Chemistry</i> , 2001, 47, 348-351.	1.5	44
600	Apolipoprotein E Genotype in Korean Schizophrenic Patients. <i>Journal of Korean Medical Science</i> , 2001, 16, 781.	1.1	9
601	Dietary cholesterol is secreted in intestinally derived chylomicrons during several subsequent postprandial phases in healthy humans. <i>American Journal of Clinical Nutrition</i> , 2001, 73, 870-877.	2.2	43

#	ARTICLE	IF	CITATIONS
602	The coffee diterpene cafestol increases plasma triacylglycerol by increasing the production rate of large VLDL apolipoprotein B in healthy normolipidemic subjects. <i>American Journal of Clinical Nutrition</i> , 2001, 73, 45-52.	2.2	29
603	PCR on Cell Lysates Obtained from Whole Blood Circumvents DNA Isolation. <i>Clinical Chemistry</i> , 2001, 47, 1701-1702.	1.5	7
604	Apolipoprotein E Polymorphism and Response to Electroconvulsive Therapy. <i>Journal of ECT</i> , 2001, 17, 11-14.	0.3	13
605	A Founder Mutation in Presenilin 1 Causing Early-Onset Alzheimer Disease in Unrelated Caribbean Hispanic Families. <i>JAMA - Journal of the American Medical Association</i> , 2001, 286, 2257.	3.8	95
606	Severe Hypercholesterolemia in a Double Heterozygote for Lipoprotein Lipase Deficiency (LPLArita) and Apolipoprotein .EPSILON.4. A Report of a Family with LPLArita.. <i>Endocrine Journal</i> , 2001, 48, 113-118.	0.7	2
607	Apolipoprotein E Genetic Polymorphism and Stroke Subtypes in a Bangladeshi Hospital-Based Study.. <i>Journal of Epidemiology</i> , 2001, 11, 131-138.	1.1	27
608	Preliminary experience with a new stable isotope breath test for chylomicron remnant metabolism: a study in central obesity. <i>Clinical Science</i> , 2001, 101, 683-690.	1.8	17
609	An Investigation of Clinical Correlates of Lewy Bodies in Autopsy-Proven Alzheimer Disease. <i>Archives of Neurology</i> , 2001, 58, 460-5.	4.9	54
610	Association of Apolipoprotein E Polymorphism With Outcome After Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2001, 32, 1181-1184.	1.0	72
611	Alcohol drinking determines the effect of the APOE locus on LDL-cholesterol concentrations in men: the Framingham Offspring Study. <i>American Journal of Clinical Nutrition</i> , 2001, 73, 736-745.	2.2	127
612	Prevalence of Alzheimer's disease in very elderly people. <i>Neurology</i> , 2001, 56, 1690-1696.	1.5	195
613	Postprandial triglyceride-rich lipoprotein metabolism and insulin sensitivity in nonalcoholic steatohepatitis patients. <i>Lipids</i> , 2001, 36, 1117-1124.	0.7	83
614	Choline acetyltransferase activity and striatal dopamine receptors in Parkinson's disease in relation to cognitive impairment. <i>Acta Neuropathologica</i> , 2001, 102, 160-166.	3.9	116
615	Apolipoprotein E gene polymorphism is not a strong risk factor for diabetic nephropathy and retinopathy in Type I diabetes: case-control study. <i>BMC Medical Genetics</i> , 2001, 2, 8.	2.1	27
616	Elevated apolipoprotein B-48 and remnant-like particle-cholesterol in heterozygous familial hypercholesterolaemia. <i>European Journal of Clinical Investigation</i> , 2001, 31, 113-117.	1.7	36
617	Genetic polymorphisms and lipid response to dietary changes in humans. <i>European Journal of Clinical Investigation</i> , 2001, 31, 950-957.	1.7	25
618	Neuropsychological and Genetic Differences Between Age-Associated Memory Impairment and Mild Cognitive Impairment Entities. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 985-990.	1.3	57
619	The apolipoprotein μ 2 allele and the severity of coronary artery disease in Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2001, 18, 445-450.	1.2	15

#	ARTICLE	IF	CITATIONS
620	Tau-associated neuropathology in ganglion cell tumours increases with patient age but appears unrelated to ApoE genotype. <i>Neuropathology and Applied Neurobiology</i> , 2001, 27, 197-205.	1.8	32
621	The load and distribution of β -amyloid in brain tissue of patients with Alzheimer's disease. <i>Acta Neurologica Scandinavica</i> , 2001, 103, 88-92.	1.0	23
622	Creutzfeldt-Jakob disease segregating in a three generation Danish family. <i>Acta Neurologica Scandinavica</i> , 2001, 103, 139-147.	1.0	2
623	Genetic polymorphisms in older subjects with vascular or Alzheimer's dementia. <i>Acta Neurologica Scandinavica</i> , 2001, 103, 304-308.	1.0	66
624	Apolipoprotein E ϵ 4 allele is a risk factor for late-onset Alzheimer's disease and vascular dementia in Han Chinese. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 438-439.	1.3	17
625	Investigation of association of 13 polymorphisms in eight genes in southeastern African American Alzheimer disease patients as compared to age-matched controls. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 332-342.	2.4	75
626	Mortality and Apolipoprotein E in Hispanic, African-American, and Caucasian elders. <i>American Journal of Medical Genetics Part A</i> , 2001, 103, 121-127.	2.4	45
627	Gene-diet interactions and plasma lipoproteins: Role of apolipoprotein E and habitual saturated fat intake. <i>Genetic Epidemiology</i> , 2001, 20, 117-128.	0.6	57
628	Clinical characteristics of individuals with subjective memory loss in Western Australia: results from a cross-sectional survey. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 168-174.	1.3	126
629	Genetic determination of plasma lipids and insulin in the Czech population. <i>Clinical Biochemistry</i> , 2001, 34, 113-118.	0.8	19
630	17 β -Estradiol Enhances the Flux of Cholesterol Through the Cholesteryl Ester Cycle in Human Macrophages. <i>Bioscience Reports</i> , 2001, 21, 637-652.	1.1	13
631	ApoE polymorphism in a small Mediterranean island: relationships with plasma lipids, lipoproteins and LDL particle size. <i>European Journal of Epidemiology</i> , 2001, 17, 707-713.	2.5	23
632	Apolipoprotein E genotype, lipid levels and coronary heart disease in a Polish population group. <i>European Journal of Epidemiology</i> , 2001, 17, 789-792.	2.5	20
633	Title is missing!. <i>Russian Journal of Genetics</i> , 2001, 37, 422-427.	0.2	9
634	Analysis of Apolipoprotein E Gene Polymorphism in Populations of the Volga-Ural Region. <i>Russian Journal of Genetics</i> , 2001, 37, 448-452.	0.2	2
635	Regional and Hormone-Dependent Effects of Apolipoprotein E Genotype on Changes in Bone Mineral in Perimenopausal Women*. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 1906-1916.	3.1	29
636	The apolipoprotein E ϵ 4 allele is no risk factor for prostate cancer in the Norwegian population. <i>British Journal of Cancer</i> , 2001, 85, 1418-1418.	2.9	11
637	Familial defective apolipoprotein B-100 in a group of hypercholesterolaemic patients in Poland. Identification of a new mutation Thr3492Ile in the apolipoprotein B gene. <i>European Journal of Human Genetics</i> , 2001, 9, 836-842.	1.4	17

#	ARTICLE	IF	CITATIONS
638	Schizophrenic women with the APOE ϵ 4 allele have a worse prognosis than those without it. <i>Molecular Psychiatry</i> , 2001, 6, 307-310.	4.1	28
639	D10S1423 identifies a susceptibility locus for Alzheimer's disease in a prospective, longitudinal, double-blind study of asymptomatic individuals. <i>Molecular Psychiatry</i> , 2001, 6, 413-419.	4.1	31
640	Influence of vitamin E and C supplementation on lipoprotein oxidation in patients with Alzheimer's disease. <i>Free Radical Biology and Medicine</i> , 2001, 31, 345-354.	1.3	109
641	Serum Melanotransferrin, p97 as a Biochemical Marker of Alzheimer's Disease. <i>Neuropsychopharmacology</i> , 2001, 25, 84-90.	2.8	60
642	Memory decline in healthy older people. <i>Neurology</i> , 2001, 56, 1533-1538.	1.5	92
643	Cerebrovascular and Brain Morphologic Correlates of Mild Cognitive Impairment in the National Heart, Lung, and Blood Institute Twin Study. <i>Archives of Neurology</i> , 2001, 58, 643-7.	4.9	234
644	Diabetes Mellitus and Risk of Alzheimer's Disease and Dementia with Stroke in a Multiethnic Cohort. <i>American Journal of Epidemiology</i> , 2001, 154, 635-641.	1.6	590
645	Determinants of Lipid Level Variability in French-Canadian Children With Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 979-984.	1.1	14
646	Candidate Gene Polymorphism in Cardiovascular Disease: A Comparative Study of Frequencies between a French and an Italian Population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 146-54.	1.4	14
647	Discrepancies between Apolipoprotein E Phenotyping and Genotyping in the Elderly. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 405-13.	1.4	5
648	An interaction between apo C-III variants and protease inhibitors contributes to high triglyceride/low HDL levels in treated HIV patients. <i>Aids</i> , 2001, 15, 2397-2406.	1.0	108
649	Oxidative Damage Is the Earliest Event in Alzheimer Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2001, 60, 759-767.	0.9	1,670
650	Using Census Data and Birth Certificates to Reconstruct the Early-Life Socioeconomic Environment and the Relation to the Development of Alzheimer's Disease. <i>Epidemiology</i> , 2001, 12, 383-389.	1.2	113
651	Cognitive Changes 5 Years After Coronary Artery Bypass Grafting. <i>Archives of Neurology</i> , 2001, 58, 598-604.	4.9	161
652	Association of Incident Alzheimer Disease and Blood Pressure Measured From 13 Years Before to 2 Years After Diagnosis in a Large Community Study. <i>Archives of Neurology</i> , 2001, 58, 1640.	4.9	191
653	Apolipoprotein E alleles in women with pre-eclampsia. <i>Journal of Clinical Pathology</i> , 2001, 54, 652-654.	1.0	25
654	Declining brain activity in cognitively normal apolipoprotein E ϵ 4 heterozygotes: A foundation for using positron emission tomography to efficiently test treatments to prevent Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 3334-3339.	3.3	444
655	Gene Correction of the Apolipoprotein (Apo) E2 Phenotype to Wild-type ApoE3 by in Situ Chimeraplasty. <i>Journal of Biological Chemistry</i> , 2001, 276, 13226-13230.	1.6	77

#	ARTICLE	IF	CITATIONS
656	Genetic Diagnosis of Familial Hypercholesterolemia in a South European Outbreed Population: Influence of Low-Density Lipoprotein (LDL) Receptor Gene Mutations on Treatment Response to Simvastatin in Total, LDL, and High-Density Lipoprotein Cholesterol. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4926-4932.	1.8	79
657	Apolipoprotein E and age at onset of Alzheimer's disease in African American patients. <i>Neurology</i> , 2001, 57, 1923-1925.	1.5	12
658	Increased CSF cortisol in AD is a function of APOE genotype. <i>Neurology</i> , 2001, 56, 1094-1098.	1.5	154
659	Apolipoprotein E ϵ 4 is associated with rapid progression of multiple sclerosis. <i>Neurology</i> , 2001, 57, 853-857.	1.5	171
660	Head circumference and incident Alzheimer's disease. <i>Neurology</i> , 2001, 57, 1453-1460.	1.5	114
661	Isoform-Specific Effects of Apolipoprotein E on Atherogenesis. <i>Circulation</i> , 2001, 104, 2820-2825.	1.6	29
662	Cholesterol and neuropathologic markers of AD. <i>Neurology</i> , 2001, 57, 1447-1452.	1.5	148
663	Apolipoprotein E ϵ 4 Allele Affects the Relationship between Stress and Depression in Caregivers of Patients with Alzheimer's Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2001, 14, 115-119.	1.2	25
664	Parkinson's disease, CYP2D6 polymorphism, and age. <i>Neurology</i> , 2001, 56, 1363-1370.	1.5	28
665	Mild Cognitive Impairment Represents Early-Stage Alzheimer Disease. <i>Archives of Neurology</i> , 2001, 58, 397-405.	4.9	1,532
666	Polymorphism of Apoprotein E (APOE), Methylenetetrahydrofolate Reductase (MTHFR) and Paraoxonase (PON1) Genes in Patients with Cerebrovascular Disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2001, 39, 346-50.	1.4	44
667	APOE genotype predicts AD and other dementia but not ischemic cerebrovascular disease. <i>Neurology</i> , 2001, 56, 194-200.	1.5	46
668	Predictors of Healthy Brain Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2001, 56, B294-B301.	1.7	27
669	The effects of gemfibrozil upon the metabolism of chylomicron-like emulsions in patients with endogenous hypertriglyceridemia. <i>Cardiovascular Research</i> , 2001, 49, 456-465.	1.8	29
670	Association of Apolipoprotein E Polymorphism with Myocardial Infarction in Greek Patients with Coronary Artery Disease. <i>Current Medical Research and Opinion</i> , 2002, 18, 118-124.	0.9	53
671	Type 2 Diabetes, APOE Gene, and the Risk for Dementia and Related Pathologies: The Honolulu-Asia Aging Study. <i>Diabetes</i> , 2002, 51, 1256-1262.	0.3	1,097
672	Effects of sirolimus on plasma lipids, lipoprotein levels, and fatty acid metabolism in renal transplant patients. <i>Journal of Lipid Research</i> , 2002, 43, 1170-1180.	2.0	253
673	Apolipoprotein E2/E2 Genotype in Combination with Mutations in the LDL Receptor Gene Causes Type III Hyperlipoproteinemia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 475-9.	1.4	13

#	ARTICLE	IF	CITATIONS
674	Genetic Factors Associated With the Absence of Atherosclerosis in Octogenarians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002, 57, M611-M615.	1.7	15
675	The Poliovirus Receptor Related 2 (PRR2) and Apolipoprotein E Genes and Coronary Heart Disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002, 9, 59-65.	3.1	9
676	A polymorphism in the cystatin C promoter region is not associated with an increased risk of AD. <i>Neurology</i> , 2002, 58, 664-664.	1.5	25
677	Elevation of serum copper levels in Alzheimer's disease. <i>Neurology</i> , 2002, 59, 1153-1161.	1.5	217
678	Depressive symptoms, cognitive decline, and risk of AD in older persons. <i>Neurology</i> , 2002, 59, 364-370.	1.5	445
679	Caloric Intake and the Risk of Alzheimer Disease. <i>Archives of Neurology</i> , 2002, 59, 1258.	4.9	446
680	Clinical and Neuropathological Characteristics of Hippocampal Sclerosis. <i>Archives of Neurology</i> , 2002, 59, 1099.	4.9	136
681	Apolipoprotein E gene determines serum testosterone and dehydroepiandrosterone levels in postmenopausal women. <i>European Journal of Endocrinology</i> , 2002, 147, 503-506.	1.9	27
682	Learning and Recall in Subjects at Genetic Risk for Alzheimer's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2002, 14, 58-63.	0.9	18
683	Mechanism of Action of a 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Inhibitor on Apolipoprotein B-100 Kinetics in Visceral Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2283-2289.	1.8	43
684	Apolipoprotein E and Presenilin-1 Allelic Variation and Alzheimer's Disease in India. <i>Human Biology</i> , 2002, 74, 683-693.	0.4	23
685	Reporting, Appraising, and Integrating Data on Genotype Prevalence and Gene-Disease Associations. <i>American Journal of Epidemiology</i> , 2002, 156, 300-310.	1.6	354
686	Midlife income, occupation, APOE status, and dementia. <i>Neurology</i> , 2002, 59, 887-893.	1.5	84
687	Depression in Alzheimer's Disease Might Be Associated with Apolipoprotein E ϵ 4 Allele Frequency in Women but Not in Men. <i>Dementia and Geriatric Cognitive Disorders</i> , 2002, 14, 59-63.	0.7	34
688	Identification of mutations in the gene encoding sterol regulatory element binding protein (SREBP)-2 in hypercholesterolaemic subjects. <i>Journal of Medical Genetics</i> , 2002, 39, 271-275.	1.5	30
689	Cerebral amyloid angiopathy and cognitive function. <i>Neurology</i> , 2002, 58, 1629-1634.	1.5	312
690	Influence of Apolipoprotein E, Smoking, and Alcohol Intake on Carotid Atherosclerosis. <i>Stroke</i> , 2002, 33, 1357-1361.	1.0	93
691	Influence of Birth Weight on the Apo E Genetic Determinants of Plasma Lipid Levels in Children. <i>Pediatric Research</i> , 2002, 52, 873-878.	1.1	42

#	ARTICLE	IF	CITATIONS
692	Rates of progression in mild cognitive impairment and early Alzheimer's disease. <i>Neurology</i> , 2002, 59, 1034-1041.	1.5	199
693	Cholesterol and neuropathologic markers of AD: A population-based autopsy study. <i>Neurology</i> , 2002, 59, 788-789.	1.5	61
694	Cognitive activity and incident AD in a population-based sample of older persons. <i>Neurology</i> , 2002, 59, 1910-1914.	1.5	413
695	Participation in Cognitively Stimulating Activities and Risk of Incident Alzheimer Disease. <i>JAMA - Journal of the American Medical Association</i> , 2002, 287, 742.	3.8	1,041
696	The apolipoprotein E varepsilon2 allele and decline in episodic memory. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002, 73, 672-677.	0.9	144
697	Genetic polymorphisms and lipoprotein responses to diets. <i>Proceedings of the Nutrition Society</i> , 2002, 61, 427-434.	0.4	63
698	Dietary Intake of Antioxidant Nutrients and the Risk of Incident Alzheimer Disease in a Biracial Community Study. <i>JAMA - Journal of the American Medical Association</i> , 2002, 287, 3230.	3.8	575
699	Genetic polymorphisms and cerebrospinal fluid levels of tissue inhibitor of metalloproteinases 1 in sporadic Alzheimer's disease. <i>Psychiatric Genetics</i> , 2002, 12, 155-160.	0.6	11
700	<i>APOE</i> genotype and survival in men and women with Alzheimer's disease. <i>Neurology</i> , 2002, 58, 1045-1050.	1.5	53
701	High Risk for Hyperlipidemia and the Metabolic Syndrome after an Episode of Hypertriglyceridemia during 13- <i>cis</i> Retinoic Acid Therapy for Acne: A Pharmacogenetic Study. <i>Annals of Internal Medicine</i> , 2002, 136, 582.	2.0	91
702	Mitochondrial Genetic Variants and Alzheimer Disease: A Case-Control Study of the T4336C and G5460A Variants. <i>Alzheimer Disease and Associated Disorders</i> , 2002, 16, 1-7.	0.6	26
703	Cerebrospinal fluid levels of ??-amyloid(42) in patients with Alzheimer's disease are related to the exon 2 polymorphism of the cathepsin D gene. <i>NeuroReport</i> , 2002, 13, 1291-1294.	0.6	26
704	Title is missing!. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002, 9, 59-65.	1.5	12
705	Apolipoprotein E gene polymorphism alters lipids before pancreas transplantation. <i>Transplantation</i> , 2002, 74, 974-977.	0.5	11
706	1H magnetic resonance spectroscopy, cognitive function, and apolipoprotein E genotype in normal aging, mild cognitive impairment and Alzheimer's disease. <i>Journal of the International Neuropsychological Society</i> , 2002, 8, 934-942.	1.2	109
707	Effect of apolipoprotein E, peroxisome proliferator-activated receptor alpha and lipoprotein lipase gene mutations on the ability of fenofibrate to improve lipid profiles and reach clinical guideline targets among hypertriglyceridemic patients. <i>Pharmacogenetics and Genomics</i> , 2002, 12, 313-320.	5.7	72
708	Familial Alzheimer Disease Among Caribbean Hispanics. <i>Archives of Neurology</i> , 2002, 59, 87.	4.9	55
709	The Apolipoprotein E ̵4 Allele and Decline in Different Cognitive Systems During a 6-Year Period. <i>Archives of Neurology</i> , 2002, 59, 1154.	4.9	208

#	ARTICLE	IF	CITATIONS
710	Butter Differs from Olive Oil and Sunflower Oil in Its Effects on Postprandial Lipemia and Triacylglycerol-Rich Lipoproteins after Single Mixed Meals in Healthy Young Men. <i>Journal of Nutrition</i> , 2002, 132, 3642-3649.	1.3	132
711	Increased A β Peptides and Reduced Cholesterol and Myelin Proteins Characterize White Matter Degeneration in Alzheimer's Disease. <i>Biochemistry</i> , 2002, 41, 11080-11090.	1.2	254
712	TaqMan Systems for Genotyping of Disease-Related Polymorphisms Present in the Gene Encoding Apolipoprotein E. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 1123-31.	1.4	143
713	Contribution of APOE promoter polymorphisms to Alzheimer's disease risk. <i>Neurology</i> , 2002, 59, 59-66.	1.5	102
714	Parkinson's Disease and Apolipoprotein E: Possible Association with Dementia but not Age at Onset. <i>Genomics</i> , 2002, 79, 458-461.	1.3	79
715	Influence of LDL receptor gene mutation and apo E polymorphism on lipoprotein response to simvastatin treatment among adolescents with heterozygous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2002, 160, 361-368.	0.4	61
716	Relation of the ϵ 514C/T polymorphism in the hepatic lipase gene to serum HDL and LDL cholesterol levels in postmenopausal women under hormone replacement therapy. <i>Atherosclerosis</i> , 2002, 162, 17-21.	0.4	23
717	Comparison of apolipoprotein B metabolism in familial defective apolipoprotein B and heterogeneous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2002, 162, 33-43.	0.4	31
718	Determinants of HDL particle size in patients with the null (P207L) or defective (D9N) mutation in the lipoprotein lipase gene: the Quebec LipD Study. <i>Atherosclerosis</i> , 2002, 162, 269-276.	0.4	8
719	Sterol-regulatory element-binding protein (SREBP)-2 contributes to polygenic hypercholesterolaemia. <i>Atherosclerosis</i> , 2002, 164, 15-26.	0.4	92
720	The apolipoprotein B R3500Q gene mutation in Spanish subjects with a clinical diagnosis of familial hypercholesterolemia. <i>Atherosclerosis</i> , 2002, 165, 127-135.	0.4	32
721	Molecular genetic analysis of familial hypercholesterolemia: spectrum and regional difference of LDL receptor gene mutations in Japanese population. <i>Atherosclerosis</i> , 2002, 165, 335-342.	0.4	64
722	Enfermedad de Alzheimer: deterioro cognitivo y funcional asociado a polimorfismos de APOE y A2M. <i>Revista Espanola De Geriatria Y Gerontologia</i> , 2002, 37, 111-119.	0.2	0
724	Regulatory Effects of HMG CoA Reductase Inhibitor and Fish Oils on Apolipoprotein B-100 Kinetics in Insulin-Resistant Obese Male Subjects With Dyslipidemia. <i>Diabetes</i> , 2002, 51, 2377-2386.	0.3	162
725	The relationship of hypertension in the elderly to AD, vascular dementia, and cognitive function. <i>Neurology</i> , 2002, 58, 1175-1181.	1.5	280
726	A family-based study of hyperinsulinemia and hypertriglyceridemia in heterozygous lipoprotein lipase deficiency. <i>Clinica Chimica Acta</i> , 2002, 316, 179-185.	0.5	3
727	Apolipoprotein E genotyping: a comparative study between restriction endonuclease mapping and allelic discrimination with the LightCycler. <i>Clinica Chimica Acta</i> , 2002, 317, 71-76.	0.5	16
728	Influence of an asparagine to lysine mutation at amino acid 3516 of apolipoprotein B on low-density lipoprotein receptor binding. <i>Clinica Chimica Acta</i> , 2002, 321, 113-121.	0.5	14

#	ARTICLE	IF	CITATIONS
729	Is age-related macular degeneration associated with serum lipoprotein and lipoparticle levels?. <i>Clinica Chimica Acta</i> , 2002, 326, 97-104.	0.5	41
730	Effects of apolipoprotein E genotype on dietary-induced changes in high-density lipoprotein cholesterol in obese postmenopausal women. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 853-858.	1.5	28
731	Apolipoprotein B-100 kinetics in visceral obesity: Associations with plasma apolipoprotein C-III concentration. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 1041-1046.	1.5	129
732	Remnant-like lipoprotein particles in type 2 diabetic patients with apolipoprotein E3/3 and apolipoprotein E2 genotypes. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 964-969.	1.5	6
733	The effect of age, body mass index, and fasting triglyceride level on postprandial lipemia is dependent on apolipoprotein E polymorphism in subjects with non[ndash]insulin-dependent diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 1088-1092.	1.5	19
734	Chromosome-12 Mapping of Late-Onset Alzheimer Disease among Caribbean Hispanics. <i>American Journal of Human Genetics</i> , 2002, 70, 237-243.	2.6	66
735	Evidence of reduced coronary artery disease risk for apolipoprotein μ 2/3 heterozygotes. <i>European Journal of Internal Medicine</i> , 2002, 13, 250-255.	1.0	11
736	Association of plasma lipid levels with apolipoprotein E polymorphism in Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2002, 56, 63-68.	1.1	16
737	Association between the presenilin-1 mutation Glu318Gly and complaints of memory impairment. <i>Neurobiology of Aging</i> , 2002, 23, 55-58.	1.5	11
738	Transferrin gene polymorphism in Alzheimer's disease and dementia with Lewy bodies in humans. <i>Neuroscience Letters</i> , 2002, 317, 13-16.	1.0	31
739	Red blood cell copper, zinc superoxide dismutase activity is higher in Alzheimer's disease and is decreased by d-penicillamine. <i>Neuroscience Letters</i> , 2002, 329, 137-140.	1.0	43
740	Lack of association between angiotensin converting enzyme polymorphism and sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 2002, 335, 147-149.	1.0	40
742	Apolipoprotein E in Apolipoprotein B (apo B)- and Non-apo B-containing Lipoproteins in 3523 Participants in the Stanislas Cohort: Biological Variation and Genotype-specific Reference Limits. <i>Clinical Chemistry</i> , 2002, 48, 291-300.	1.5	10
743	Allele Frequencies of Apolipoprotein E Gene Polymorphisms in the Protein Coding Region and Promoter Region (-491a/T) in a Healthy Norwegian Population. <i>Human Biology</i> , 2002, 74, 137-142.	0.4	18
744	Markers of Triglyceride-rich Lipoprotein Remnant Metabolism in Visceral Obesity. <i>Clinical Chemistry</i> , 2002, 48, 278-283.	1.5	109
745	Familial Combined Hyperlipidemia (FCHL) in Children: the Significance of Early Development of HyperapoB Lipoproteinemia, Obesity and Aging. <i>Journal of Atherosclerosis and Thrombosis</i> , 2002, 9, 314-320.	0.9	12
746	Postprandial Plasma ApoB-48 Levels Are Influenced by a Polymorphism in the Promoter of the Microsomal Triglyceride Transfer Protein Gene. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 289-293.	1.1	30
747	Familial Dementia With Lewy Bodies. <i>Archives of Neurology</i> , 2002, 59, 1622.	4.9	64

#	ARTICLE	IF	CITATIONS
749	ApoE genotype, past adult lead exposure, and neurobehavioral function.. Environmental Health Perspectives, 2002, 110, 501-505.	2.8	105
750	Characterization of LDL Particle Size Among Carriers of a Defective or a Null Mutation in the Lipoprotein Lipase Gene. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 1181-1186.	1.1	12
751	24S-hydroxycholesterol in cerebrospinal fluid is elevated in early stages of dementia. Journal of Psychiatric Research, 2002, 36, 27-32.	1.5	218
752	Genetic factors play an important role in the pathogenesis of hyperlipidemia post-transplantation. American Journal of Kidney Diseases, 2002, 40, 169-177.	2.1	20
753	Apolipoprotein E genetic polymorphism, remnant lipoproteins, and nephropathy in type 2 diabetic patients. American Journal of Kidney Diseases, 2002, 40, 243-251.	2.1	78
754	Age at onset of Parkinson disease and apolipoprotein E genotypes. American Journal of Medical Genetics Part A, 2002, 107, 156-161.	2.4	61
755	No association betweenDCP1genotype and late-onset Alzheimer disease. American Journal of Medical Genetics Part A, 2002, 114, 440-445.	2.4	23
756	Candidate genes involved in cardiovascular risk factors by a family-based association study on the island of Kosrae, Federated States of Micronesia. American Journal of Medical Genetics Part A, 2002, 110, 234-242.	2.4	38
757	Association between the TNFÎ±-308 A/G polymorphism and the onset-age of Alzheimer disease. American Journal of Medical Genetics Part A, 2002, 114, 574-577.	2.4	69
758	Early inflammation and dementia: A 25-year follow-up of the Honolulu-Asia aging study. Annals of Neurology, 2002, 52, 168-174.	2.8	655
759	Niemann-Pick type C disease: Accelerated neurofibrillary tangle formation and amyloid ? deposition associated with apolipoprotein E ?4 homozygosity. Annals of Neurology, 2002, 52, 351-355.	2.8	103
760	Apolipoprotein E4 polymorphism as risk factor for coronary heart disease among Indian subjects. Indian Journal of Clinical Biochemistry, 2002, 17, 83-93.	0.9	5
761	Issues concerning the monitoring of statin therapy in hypercholesterolemic subjects with high plasma lipoprotein (a) levels. Lipids, 2002, 37, 439-444.	0.7	33
762	Familial idiopathic basal ganglia calcification (Fahr's disease) without neurological, cognitive and psychiatric symptoms is not linked to the IBGC1 locus on chromosome 14q. Human Genetics, 2002, 110, 8-14.	1.8	67
763	Apolipoprotein E polymorphism in various dementias in Taiwan Chinese population. Journal of Neural Transmission, 2002, 109, 1415-1421.	1.4	19
764	No association of the Î²48CT polymorphism of the presenilin 1 gene with Alzheimer disease in a late-onset sporadic population. Journal of Neural Transmission, 2002, 109, 1023-1027.	1.4	6
765	Type III hyperlipoproteinemia with apolipoprotein E2/2 genotype in Japan. Clinical Genetics, 2002, 61, 416-422.	1.0	15
766	Genetic polymorphisms of the apolipoprotein A-IV in a Greek population and their relation to plasma lipid and lipoprotein levels. Clinical Genetics, 2002, 62, 208-213.	1.0	12

#	ARTICLE	IF	CITATIONS
767	Capillary electrophoresis with laser-induced fluorescence detection for fast and reliable apolipoprotein E genotyping. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 775, 17-26.	1.2	13
768	Nephropathy in type 1 diabetes: A manifestation of insulin resistance and multiple genetic susceptibilities?. <i>Kidney International</i> , 2002, 62, 963-970.	2.6	191
769	Apolipoprotein E and Intellectual Achievement. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 49-54.	1.3	13
770	Apolipoprotein E genotype is associated with differential expansion rates of small abdominal aortic aneurysms. <i>British Journal of Surgery</i> , 2002, 87, 760-765.	0.1	15
771	d-penicillamine reduces serum oxidative stress in Alzheimer's disease patients. <i>European Journal of Clinical Investigation</i> , 2002, 32, 51-59.	1.7	122
772	Allelic polymorphism ϵ 491A/T in apo E gene modulates the lipid-lowering response in combined hyperlipidemia treatment. <i>European Journal of Clinical Investigation</i> , 2002, 32, 421-428.	1.7	24
773	Effect of Simvastatin on markers of triglyceride-rich lipoproteins in familial hypercholesterolaemia. <i>European Journal of Clinical Investigation</i> , 2002, 32, 493-499.	1.7	10
774	Synapse loss is greater in presenile than senile onset Alzheimer disease: implications for the cognitive reserve hypothesis. <i>Neuropathology and Applied Neurobiology</i> , 2002, 28, 218-227.	1.8	74
775	Apolipoprotein E gene in frontotemporal dementia: an association study and meta-analysis. <i>European Journal of Human Genetics</i> , 2002, 10, 399-405.	1.4	87
776	The importance of plasma apolipoprotein E concentration in addition to its common polymorphism on inter-individual variation in lipid levels: results from Apo Europe. <i>European Journal of Human Genetics</i> , 2002, 10, 841-850.	1.4	75
777	Association between presenilin-1 Glu318Gly mutation and familial Alzheimer's disease in the Australian population. <i>Molecular Psychiatry</i> , 2002, 7, 776-781.	4.1	27
778	APOE- ϵ 4 and APOE ϵ 491A polymorphisms in individuals with subjective memory loss. <i>Molecular Psychiatry</i> , 2002, 7, 768-775.	4.1	63
779	Variation at the APOE ϵ 491 promoter locus is associated with altered brain levels of apolipoprotein E. <i>Molecular Psychiatry</i> , 2002, 7, 886-890.	4.1	51
780	Polymorphism in the cholesterol 24S-hydroxylase gene is associated with Alzheimer's disease. <i>Molecular Psychiatry</i> , 2002, 7, 899-902.	4.1	139
781	Apolipoprotein E Polymorphism and Acute Ischemic Stroke: A Diffusion- and Perfusion-Weighted Magnetic Resonance Imaging Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 1336-1342.	2.4	34
782	Changes in Serum Apolipoprotein and Lipoprotein Profile After Alcohol Withdrawal: Effect of Apolipoprotein E Polymorphism. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 501-508.	1.4	7
783	Coupling of an indicator-free electrochemical DNA biosensor with polymerase chain reaction for the detection of DNA sequences related to the apolipoprotein E. <i>Analytica Chimica Acta</i> , 2002, 469, 93-99.	2.6	74
784	Modeling the effects of genetic factors on late-onset diseases in cohort studies. <i>Lifetime Data Analysis</i> , 2002, 8, 211-228.	0.4	3

#	ARTICLE	IF	CITATIONS
785	Polymorphism of the Apolipoprotein E Gene and Risk of Myocardial Infarction. <i>Molecular Biology</i> , 2002, 36, 792-797.	0.4	2
786	Apolipoprotein E Genotype Frequency Patterns in Aged Danes as Revealed by Logistic Regression Models. <i>European Journal of Epidemiology</i> , 2003, 19, 651-656.	2.5	15
787	Polymorphism of Angiotensin-Converting Enzyme, Angiotensinogen, and Apolipoprotein E Genes in Korean Patients with Cerebral Infarction. <i>Journal of Molecular Neuroscience</i> , 2003, 21, 23-28.	1.1	23
788	Coenzyme Q ₁₀ , antioxidant status and ApoE isoforms. <i>BioFactors</i> , 2003, 18, 299-305.	2.6	3
789	Two cases with transient lipoprotein lipase (LPL) activity impairment: evidence for the possible involvement of an LPL inhibitor. <i>European Journal of Pediatrics</i> , 2003, 162, 132-138.	1.3	11
790	Apolipoprotein E polymorphism and clinical course in childhood nephrotic syndrome. <i>Pediatric Nephrology</i> , 2003, 18, 230-233.	0.9	8
791	Apolipoprotein E gene polymorphism, hypercholesterolemia and glomerular filtration rate in type 2 diabetic subjects: A 9-year follow-up study. <i>Journal of Biomedical Science</i> , 2003, 10, 260-265.	2.6	17
792	The association of the R219K polymorphism in the ATP-binding cassette transporter 1 (ABCA1) gene with coronary heart disease and hyperlipidaemia. <i>Journal of Molecular Medicine</i> , 2003, 81, 264-270.	1.7	45
793	The single nucleotide polymorphism T1131T>C in the apolipoprotein A5 (APOA5) gene is associated with elevated triglycerides in patients with hyperlipidemia. <i>Journal of Molecular Medicine</i> , 2003, 81, 645-654.	1.7	87
794	Polymorphisms of the gene encoding the inflammatory cytokine interleukin-6 determine the magnitude of the increase in soluble interleukin-6 receptor levels in Alzheimer's disease. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003, 253, 44-48.	1.8	28
795	Association study between Alzheimer's disease and genes involved in A β biosynthesis, aggregation and degradation: suggestive results with BACE1. <i>Journal of Neurology</i> , 2003, 250, 956-961.	1.8	39
796	Association between apolipoprotein E genotype and outcome of traumatic brain injury. <i>Acta Neurochirurgica</i> , 2003, 145, 649-654.	0.9	81
797	Decreased brain creatine levels in elderly apolipoprotein E ϵ 4 carriers. <i>Journal of Neural Transmission</i> , 2003, 110, 267-275.	1.4	21
798	Possible increased risk for Alzheimer's disease associated with neprilysin gene. <i>Journal of Neural Transmission</i> , 2003, 110, 651-657.	1.4	41
799	CSF-tau, CSF-A β ₁₋₄₂ , ApoE-genotype and clinical parameters in the diagnosis of Alzheimer's disease: combination of CSF-tau and MMSE yields highest sensitivity and specificity. <i>Journal of Neural Transmission</i> , 2003, 110, 1149-1160.	1.4	44
800	Polymorphism in the peroxisome proliferator-activated receptor γ gene influences the risk for Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2003, 110, 1041-1050.	1.4	41
801	Genetic and metabolic determinants of increased plasma plasminogen activator inhibitor-1 activity in children with renal transplants. <i>Pediatric Nephrology</i> , 2003, 18, 749-755.	0.9	11
802	Effect of polymorphism of the endothelial nitric oxide synthase and apolipoprotein E genes on carotid atherosclerosis in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2003, 41, 822-832.	2.1	34

#	ARTICLE	IF	CITATIONS
803	Insulin doseâ€“response effects on memory and plasma amyloid precursor protein in Alzheimerâ€™s disease: interactions with apolipoprotein E genotype. <i>Psychoneuroendocrinology</i> , 2003, 28, 809-822.	1.3	233
804	Effect of apolipoprotein E alleles and angiotensin-converting enzyme insertion/deletion polymorphisms on lipid and lipoprotein markers in middle-aged men and in patients with stable angina pectoris or healed myocardial infarction. <i>American Journal of Cardiology</i> , 2003, 92, 1102-1105.	0.7	22
805	Apolipoprotein E genotype and neurodevelopmental sequelae of infant cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 1736-1745.	0.4	190
806	Cell death in cultured human Saos2 osteoblasts exposed to low-density lipoprotein. <i>Journal of Cellular Biochemistry</i> , 2003, 90, 42-58.	1.2	27
807	Detection of apolipoprotein E phenotype in unconcentrated cerebrospinal fluid. <i>Journal of Clinical Laboratory Analysis</i> , 2003, 17, 18-21.	0.9	5
808	Apolipoprotein E in schizophrenia: A French association study and meta-analysis. , 2003, 119B, 18-23.		23
809	Apolipoprotein E Pittsburgh variant is not associated with the risk of late-onset Alzheimer's disease in a Spanish population. <i>American Journal of Medical Genetics Part A</i> , 2003, 120B, 121-124.	2.4	5
810	Association of the C766T polymorphism of the low-density lipoprotein receptor-related protein gene with Alzheimer's disease. , 2003, 121B, 128-130.		38
811	Apolipoprotein E ϵ 4 modifies Alzheimer's disease onset in an E280A PS1 kindred. <i>Annals of Neurology</i> , 2003, 54, 163-169.	2.8	167
812	Polymorphisms in CYP-7A1, not APOE, influence the change in plasma lipids in response to population dietary change in an 8 year follow-up; results from the Czech MONICA study. <i>Clinical Biochemistry</i> , 2003, 36, 263-267.	0.8	40
813	Lack of amyloid plaque formation in the central nervous system of a patient with Werner syndrome. <i>Neuropathology</i> , 2003, 23, 51-56.	0.7	16
814	Influence of apolipoprotein E genotype on the response to caloric restriction in type 2 diabetic patients with hyperlipidaemia. <i>Diabetes, Obesity and Metabolism</i> , 2003, 5, 345-348.	2.2	10
815	Xanthoma striatum palmare as an early sign of familial type III hyperlipoproteinemia with an apoprotein E genotype ϵ 2/ ϵ 2. <i>Clinical and Experimental Dermatology</i> , 2003, 28, 321-322.	0.6	8
816	Apolipoprotein E3Basel : new insights into a highly conserved protein region. <i>European Journal of Clinical Investigation</i> , 2003, 33, 677-685.	1.7	5
817	The relationship of APOE genotype to neuropsychological performance in long-term cancer survivors treated with standard dose chemotherapy. <i>Psycho-Oncology</i> , 2003, 12, 612-619.	1.0	302
818	Apolipoprotein E Genotype and Early Alzheimer's Disease: A Longitudinal SPECT Study. <i>Journal of Neuroimaging</i> , 2003, 13, 113-123.	1.0	22
819	Obesity and Alcohol Modulate the Effect of Apolipoprotein E Polymorphism on Lipids and Insulin. <i>Obesity</i> , 2003, 11, 1200-1206.	4.0	44
820	Obesity Modulates the Association among APOE Genotype, Insulin, and Glucose in Men. <i>Obesity</i> , 2003, 11, 1502-1508.	4.0	89

#	ARTICLE	IF	CITATIONS
821	Plasma Markers of Cholesterol Homeostasis and Apolipoprotein B-100 Kinetics in the Metabolic Syndrome. <i>Obesity</i> , 2003, 11, 591-596.	4.0	27
822	Influence of LDL receptor gene mutations and the R3500Q mutation of the apoB gene on lipoprotein phenotype of familial hypercholesterolemic patients from a South European population. <i>European Journal of Human Genetics</i> , 2003, 11, 959-965.	1.4	24
823	Effect of obesity on HDL and LDL particle sizes in carriers of the null P207L or defective D9N mutation in the lipoprotein lipase gene: the Quebec LipD Study. <i>International Journal of Obesity</i> , 2003, 27, 631-637.	1.6	13
824	Genetic association of acyl-coenzyme A: cholesterol acyltransferase with cerebrospinal fluid cholesterol levels, brain amyloid load, and risk for Alzheimer's disease. <i>Molecular Psychiatry</i> , 2003, 8, 635-638.	4.1	59
825	Postprandial triglyceride levels in familial combined hyperlipidemia. The role of apolipoprotein E and lipoprotein lipase polymorphisms. <i>Journal of Nutritional Biochemistry</i> , 2003, 14, 394-400.	1.9	15
827	Hormone replacement therapy in postmenopausal women with Alzheimer's disease: a randomized, prospective study. <i>Fertility and Sterility</i> , 2003, 79, 274-280.	0.5	35
828	Atorvastatin enhances the plasma clearance of chylomicron-like emulsions in subjects with atherogenic dyslipidemia: relevance to the in vivo metabolism of triglyceride-rich lipoproteins. <i>Atherosclerosis</i> , 2003, 166, 311-321.	0.4	30
829	A prospective study of the association between APOE genotype and the risk of myocardial infarction among apparently healthy men. <i>Atherosclerosis</i> , 2003, 166, 323-329.	0.4	33
830	Effects of atorvastatin on electrophoretic characteristics of LDL particles among subjects with heterozygous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2003, 167, 97-104.	0.4	15
831	Influence of common variants in the CETP, LPL, HL and APO E genes on LDL heterogeneity in healthy, middle-aged men. <i>Atherosclerosis</i> , 2003, 167, 311-317.	0.4	44
832	Plasma concentration and lipoprotein distribution of ApoC-I is dependent on ApoE genotype rather than the Hpa I ApoC-I promoter polymorphism. <i>Atherosclerosis</i> , 2003, 169, 63-70.	0.4	24
833	A novel LCAT mutation (Phe382→Val) in a kindred with familial LCAT deficiency and defective apolipoprotein B-100. <i>Atherosclerosis</i> , 2003, 170, 105-113.	0.4	12
834	Genotyping of Apolipoprotein E : Comparative Evaluation of Different Protocols. <i>Current Protocols in Human Genetics</i> , 2003, 38, Unit9.14.	3.5	23
835	Association of APOE gene with schizophrenia in Chinese: a possible risk factor in times of malnutrition. <i>Schizophrenia Research</i> , 2003, 62, 225-230.	1.1	30
836	Apolipoprotein E 4 allele is associated with low bone density in postmenopausal women. <i>Journal of Endocrinological Investigation</i> , 2003, 26, 312-315.	1.8	21
837	Plasma Aβ ₄₀ and Aβ ₄₂ and Alzheimer's disease. <i>Neurology</i> , 2003, 61, 1185-1190.	1.5	415
838	CSF Aβ ₄₂ levels correlate with amyloid-neuropathology in a population-based autopsy study. <i>Neurology</i> , 2003, 60, 652-656.	1.5	532
839	Polymorphism in the human DJ-1 gene is not associated with sporadic dementia with Lewy bodies or Parkinson's disease. <i>Neuroscience Letters</i> , 2003, 352, 151-153.	1.0	34

#	ARTICLE	IF	CITATIONS
840	Apolipoprotein E genotype is not associated with cardiovascular disease in heterozygous subjects with familial hypercholesterolemia. <i>American Heart Journal</i> , 2003, 145, 999-1005.	1.2	19
841	Lipid levels and their genetic regulation in patients with familial hypercholesterolemia and familial defective apolipoprotein B-100: the MEDPED Slovakia Project. <i>Atherosclerosis Supplements</i> , 2003, 4, 3-5.	1.2	8
842	APOE ϵ 3/ ϵ 4 heterozygotes have an elevated proportion of apolipoprotein E4 in cerebrospinal fluid relative to plasma, independent of Alzheimer's disease diagnosis. <i>Experimental Neurology</i> , 2003, 183, 249-253.	2.0	63
843	Apolipoprotein ϵ 4 and the risk of unfavorable outcome after aneurysmal subarachnoid hemorrhage. <i>World Neurosurgery</i> , 2003, 60, 391-396.	1.3	45
844	Association between apolipoprotein E4 and rehabilitation outcome in hospitalized ischemic stroke patients 11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the authors or on any organization with which the authors are associated. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 973-976.	0.5	19
845	Influences of apolipoprotein E polymorphism on the response of plasma lipids to the Ad libitum consumption of a high-carbohydrate diet compared with a high-monounsaturated fatty acid diet. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 1454-1459.	1.5	21
846	Increased levels of apolipoprotein E in the frontal cortex of subjects with schizophrenia. <i>Biological Psychiatry</i> , 2003, 54, 616-622.	0.7	41
847	No association between Glu298Asp endothelial nitric oxide synthase polymorphism and Italian sporadic Alzheimer's disease. <i>Neuroscience Letters</i> , 2003, 341, 229-232.	1.0	25
848	The Saitohin ϵ Q7R polymorphism and tau haplotype in multi-ethnic Alzheimer disease and Parkinson's disease cohorts. <i>Neuroscience Letters</i> , 2003, 347, 17-20.	1.0	29
849	The Q7R Saitohin gene polymorphism is not associated with Alzheimer disease. <i>Neuroscience Letters</i> , 2003, 347, 143-146.	1.0	12
850	Association analysis between anterior-pharynx defective-1 genes polymorphisms and Alzheimer's disease. <i>Neuroscience Letters</i> , 2003, 350, 77-80.	1.0	16
851	ABCA1 modulates CSF cholesterol levels and influences the age at onset of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2003, 24, 421-426.	1.5	148
852	Mid-life smoking and late-life dementia: the Honolulu-Asia Aging Study. <i>Neurobiology of Aging</i> , 2003, 24, 589-596.	1.5	180
853	Apolipoprotein E ϵ 4 affects new learning in cognitively normal individuals at risk for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2003, 24, 947-952.	1.5	66
854	Plasma antioxidants are similarly depleted in mild cognitive impairment and in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2003, 24, 915-919.	1.5	530
855	Apolipoprotein E genotype, islet amyloid deposition and severity of Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2003, 60, 105-110.	1.1	18
856	Gene-gene interaction of PPAR γ 3 and ApoE affects coronary heart disease risk. <i>International Journal of Cardiology</i> , 2003, 92, 257-263.	0.8	45
857	Influence of polymorphism (RFLP-sstI) at the apolipoprotein C-III gene locus on the lipoprotein metabolism and insulin resistance in essential hypertensive patients. <i>Interaction between gender and genetic polymorphism. Nutrition, Metabolism and Cardiovascular Diseases</i> , 2003, 13, 194-201.	1.1	14

#	ARTICLE	IF	CITATIONS
858	Physical activity modulates effects of some genetic polymorphisms affecting cardiovascular risk in men aged over 40 years. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2003, 13, 202-210.	1.1	17
859	Two Italian kindreds carrying the Arg136→Ser mutation of the Apo E gene: development of premature and severe atherosclerosis in the presence of epsilon 2 as second allele. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2003, 13, 93-99.	1.1	12
860	Clinical and biochemical characterisation of patients with autosomal recessive hypercholesterolemia (ARH). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2003, 13, 278-286.	1.1	16
861	Effect of six candidate genes on early aging in a French population. <i>Aging Clinical and Experimental Research</i> , 2003, 15, 111-116.	1.4	14
862	Familial Dementia with Lewy Bodies with an Atypical Clinical Presentation. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003, 16, 59-64.	1.2	27
863	Association of 3'-UTR polymorphisms of the oxidised LDL receptor 1 (OLR1) gene with Alzheimer's disease. <i>Journal of Medical Genetics</i> , 2003, 40, 424-430.	1.5	37
864	Consumption of Fish and n-3 Fatty Acids and Risk of Incident Alzheimer Disease. <i>Archives of Neurology</i> , 2003, 60, 940.	4.9	992
865	Antioxidant Vitamin Intake and Risk of Alzheimer Disease. <i>Archives of Neurology</i> , 2003, 60, 203.	4.9	382
866	Effect of ursodeoxycholic acid on cholesterol absorption and metabolism in humans. <i>Journal of Lipid Research</i> , 2003, 44, 935-942.	2.0	31
867	Polymorphisms of apolipoprotein E and Japanese patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2003, 9, 382-386.	1.4	27
868	Locus on Chromosome 6p Linked to Elevated HDL Cholesterol Serum Levels and to Protection Against Premature Atherosclerosis in a Kindred With Familial Hypercholesterolemia. <i>Circulation Research</i> , 2003, 92, 569-576.	2.0	30
869	Characterisation of deletions of the ZFX1B region and genotype-phenotype analysis in Mowat-Wilson syndrome. <i>Journal of Medical Genetics</i> , 2003, 40, 601-605.	1.5	61
870	Lipoprotein Lipase Affects the Survival and Differentiation of Neural Cells Exposed to Very Low Density Lipoprotein. <i>Journal of Biological Chemistry</i> , 2003, 278, 9698-9705.	1.6	31
871	Apolipoprotein E genotypes and outcome from out of hospital cardiac arrest. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1441-1443.	0.9	0
872	Characterization of a novel mutation causing hepatic lipase deficiency among French Canadians. <i>Journal of Lipid Research</i> , 2003, 44, 1508-1514.	2.0	26
873	Antibody Phenotyping Test for the Human Apolipoprotein E2 Isoform. <i>Clinical Chemistry</i> , 2003, 49, 1524-1526.	1.5	3
874	Simple Sequence-specific-Primer-PCR Method To Identify the Three Main Apolipoprotein E Haplotypes. <i>Clinical Chemistry</i> , 2003, 49, 1945-1948.	1.5	30
875	A Novel Nontruncating APOB Gene Mutation, R463W, Causes Familial Hypobetalipoproteinemia. <i>Journal of Biological Chemistry</i> , 2003, 278, 13442-13452.	1.6	82

#	ARTICLE	IF	CITATIONS
876	Dietary Fats and the Risk of Incident Alzheimer Disease. <i>Archives of Neurology</i> , 2003, 60, 194.	4.9	436
877	Parkinsonianlike Signs and Risk of Incident Alzheimer Disease in Older Persons. <i>Archives of Neurology</i> , 2003, 60, 539.	4.9	128
878	Small babies receive the cardiovascular protective apolipoprotein ϵ 2 allele less frequently than expected. <i>Journal of Medical Genetics</i> , 2003, 40, 626-629.	1.5	20
879	The Aging Hippocampus: Cognitive, Biochemical and Structural Findings. <i>Cerebral Cortex</i> , 2003, 13, 1344-1351.	1.6	370
880	The role of APOE in the phenotypic expression of Leber hereditary optic neuropathy. <i>Journal of Medical Genetics</i> , 2003, 40, 41e-41.	1.5	3
881	Evidence of RPGRIP1 gene mutations associated with recessive cone-rod dystrophy. <i>Journal of Medical Genetics</i> , 2003, 40, 616-619.	1.5	101
882	RPGR mutation associated with retinitis pigmentosa, impaired hearing, and sinorespiratory infections. <i>Journal of Medical Genetics</i> , 2003, 40, 609-615.	1.5	124
883	Novel mass spectrometric immunoassays for the rapid structural characterization of plasma apolipoproteins. <i>Journal of Lipid Research</i> , 2003, 44, 630-639.	2.0	66
884	Products of advanced glycation in patients with type 2 diabetes and vascular disease. <i>Annals of Clinical Biochemistry</i> , 2003, 40, 552-559.	0.8	17
885	Stroke and the Risk of Alzheimer Disease. <i>Archives of Neurology</i> , 2003, 60, 1707.	4.9	321
886	Non-denaturing polyacrylamide gradient gel electrophoresis for the diagnosis of dysbetalipoproteinemia. <i>Journal of Lipid Research</i> , 2003, 44, 212-217.	2.0	31
887	Circle of Willis Atherosclerosis Is a Risk Factor for Sporadic Alzheimer's Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 2055-2062.	1.1	264
888	Association Between Apolipoprotein E Alleles and Calcific Valvular Heart Disease. <i>Circulation</i> , 2003, 108, 1804-1808.	1.6	101
889	Identification of New Presenilin Gene Mutations in Early-Onset Familial Alzheimer Disease. <i>Archives of Neurology</i> , 2003, 60, 1541.	4.9	45
890	Gender, cognitive decline, and risk of AD in older persons. <i>Neurology</i> , 2003, 60, 1777-1781.	1.5	147
891	Genetic Variation at the Scavenger Receptor Class B Type I Gene Locus Determines Plasma Lipoprotein Concentrations and Particle Size and Interacts with Type 2 Diabetes: The Framingham Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 2869-2879.	1.8	108
892	Apolipoprotein E polymorphism and outcome after closed traumatic brain injury: influence of ethnic and regional differences. <i>Journal of Neurosurgery</i> , 2003, 98, 302-306.	0.9	59
893	Incidence of Alzheimer Disease in a Biracial Urban Community. <i>Archives of Neurology</i> , 2003, 60, 185.	4.9	329

#	ARTICLE	IF	CITATIONS
894	Title is missing!. Psychiatric Genetics, 2003, 13, 85-90.	0.6	1
895	Lack of Association Between Interleukin-1 ϵ Polymorphism and Alzheimer Disease or Vascular Dementia. Alzheimer Disease and Associated Disorders, 2003, 17, 94-97.	0.6	27
896	Alzheimer's disease with spastic paraparesis and 'cotton wool' plaques: two pedigrees with PS-1 exon 9 deletions. Brain, 2003, 126, 783-791.	3.7	51
897	Polymorphism in the BACE gene influences the risk for Alzheimer's disease. NeuroReport, 2003, 14, 1243-1246.	0.6	32
898	Joint analysis of candidate genes related to Alzheimer's disease in a Spanish population. Psychiatric Genetics, 2003, 13, 85-90.	0.6	25
899	A Case of Familial Dysbetalipoproteinemia with Very Low Serum High-Density Lipoprotein-Cholesterol: Response to Atorvastatin Therapy. , 2003, 13, 85-90.		0
900	Apolipoprotein E ϵ 4 allele, AD pathology, and the clinical expression of Alzheimer's disease. Neurology, 2003, 60, 246-252.	1.5	258
901	Lower Levels of N-Acetylaspartate in Multiple Sclerosis Patients With the Apolipoprotein E ϵ 4 Allele. Archives of Neurology, 2003, 60, 65.	4.9	47
902	Lack of an Association of Apolipoprotein E Gene Polymorphisms With Familial Age-Related Macular Degeneration. JAMA Ophthalmology, 2003, 121, 679.	2.6	67
903	Cortical and Leptomeningeal Cerebrovascular Amyloid and White Matter Pathology in Alzheimer's Disease. Molecular Medicine, 2003, 9, 112-122.	1.9	227
904	The Human Cholesteryl Ester Transfer Protein I405V Polymorphism Is Associated with Plasma Cholesterol Concentration and Its Reduction by Dietary Phytosterol Esters. Journal of Nutrition, 2003, 133, 1800-1805.	1.3	38
905	Randomized controlled trial of the effect of n ω -3 fatty acid supplementation on the metabolism of apolipoprotein B-100 and chylomicron remnants in men with visceral obesity. American Journal of Clinical Nutrition, 2003, 77, 300-307.	2.2	165
906	Apolipoprotein E and mortality in African-Americans and Yoruba. Journal of Alzheimer's Disease, 2003, 5, 383-390.	1.2	23
907	Association of apolipoprotein E polymorphism in late-onset Alzheimer's disease and vascular dementia in Brazilians. Brazilian Journal of Medical and Biological Research, 2003, 36, 919-923.	0.7	30
908	Restriction Isotyping of Apolipoprotein E among Populations of Punjab, Northwestern India. Human Biology, 2003, 75, 771-776.	0.4	3
909	Postprandial lipemia in subjects with the threonine 54 variant of the fatty acid-binding protein 2 gene is dependent on the type of fat ingested. American Journal of Clinical Nutrition, 2004, 79, 1110-1117.	2.2	60
910	Transferrin C2 variant does confer a risk for Alzheimer's disease in caucasians. Journal of Alzheimer's Disease, 2004, 5, 423-427.	1.2	42
911	Variations in APOE Genotype Distribution in Children from Areas with Different Adult Cardiovascular Disease Mortality in Spain. Human Biology, 2004, 76, 615-621.	0.4	9

#	ARTICLE	IF	CITATIONS
912	Frequencies of Apolipoprotein A4 Gene Polymorphisms and Association with Serum Lipid Concentrations in Two Healthy Spanish Populations. <i>Human Biology</i> , 2004, 76, 253-266.	0.4	14
913	Polymorphisms at cholesterol 7 β -hydroxylase, apolipoproteins B and E and low density lipoprotein receptor genes in patients with gallbladder stone disease. <i>World Journal of Gastroenterology</i> , 2004, 10, 1508.	1.4	63
914	Oestrogen replacement therapy may improve memory functioning in the absence of APOE ϵ 4. <i>Journal of Alzheimer's Disease</i> , 2004, 6, 221-228.	1.2	75
915	Association of Apolipoprotein E Alleles with Susceptibility to Age-Related Macular Degeneration in a Large Cohort from a Single Center. <i>Investigative Ophthalmology and Visual Science</i> , 2004, 45, 1306-1310.	3.3	129
916	Apolipoprotein E4 allele and ribosomal genes in Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2004, 6, 391-395.	1.2	3
917	Homocysteine, Alzheimer genes and proteins, and measures of cognition and depression in older men. <i>Journal of Alzheimer's Disease</i> , 2004, 6, 329-336.	1.2	31
918	Synergistic Effect of Apolipoprotein E Polymorphisms and Cigarette Smoking on Risk of Ischemic Stroke in Young Adults. <i>Stroke</i> , 2004, 35, 438-442.	1.0	47
919	Increased Anticholinergic Challenge-Induced Memory Impairment Associated with the APOE- ϵ 4 Allele in the Elderly: A Controlled Pilot Study. <i>Neuropsychopharmacology</i> , 2004, 29, 403-409.	2.8	38
920	Angiotensin-converting Enzyme, Sleep-disordered Breathing, and Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004, 170, 1349-1353.	2.5	71
921	Single nucleotide polymorphism in the low-density lipoprotein receptor is associated with a threefold risk of strokeA case-control and prospective study. <i>European Heart Journal</i> , 2004, 25, 943-951.	1.0	25
922	Association Between Iris Constitution and Apolipoprotein E Gene Polymorphism in Hypertensives. <i>Journal of Alternative and Complementary Medicine</i> , 2004, 10, 1101-1105.	2.1	6
923	Normal tension glaucoma is not associated with the common apolipoprotein E gene polymorphisms. <i>British Journal of Ophthalmology</i> , 2004, 88, 491-493.	2.1	37
924	Midlife Dietary Intake of Antioxidants and Risk of Late-Life Incident Dementia: The Honolulu-Asia Aging Study. <i>American Journal of Epidemiology</i> , 2004, 159, 959-967.	1.6	194
925	Functional brain abnormalities in young adults at genetic risk for late-onset Alzheimer's dementia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 284-289.	3.3	907
926	Relationship between cholesteryl ester transfer protein and LDL heterogeneity in familial hypercholesterolemia. <i>Journal of Lipid Research</i> , 2004, 45, 1077-1083.	2.0	30
927	Fasting insulin and incident dementia in an elderly population of Japanese-American men. <i>Neurology</i> , 2004, 63, 228-233.	1.5	145
928	Lipid-related genes and myocardial infarction in 4685 cases and 3460 controls: discrepancies between genotype, blood lipid concentrations, and coronary disease risk. <i>International Journal of Epidemiology</i> , 2004, 33, 1002-1013.	0.9	56
929	Genome-Wide Scan for Japanese Familial Intracranial Aneurysms. <i>Circulation</i> , 2004, 110, 3727-3733.	1.6	85

#	ARTICLE	IF	CITATIONS
930	A Novel Presenilin-1 Mutation (Leu85Pro) in Early-Onset Alzheimer Disease With Spastic Paraparesis. <i>Archives of Neurology</i> , 2004, 61, 1773.	4.9	45
931	Increased production of VLDL apoB-100 in subjects with familial hypercholesterolemia carrying the same null LDL receptor gene mutation. <i>Journal of Lipid Research</i> , 2004, 45, 866-872.	2.0	46
932	Dietary niacin and the risk of incident Alzheimer's disease and of cognitive decline. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1093-1099.	0.9	161
933	Association between Cathepsin D Polymorphism and Alzheimer's Disease in a Chinese Han Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 115-119.	0.7	14
934	Association of Estrogen Receptor β Gene Polymorphisms with Neurofibrillary Tangles. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 145-150.	0.7	18
935	Contribution of Apolipoprotein E and Cathepsin D Genotypes to the Familial Aggregation of Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 151-158.	0.7	5
936	SREBP-1a Polymorphism Influences the Risk of Alzheimer's Disease in Carriers of the ApoE4 Allele. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 245-249.	0.7	23
937	ATP-Binding Cassette Transporter G8 Gene As a Determinant of Apolipoprotein B-100 Kinetics in Overweight Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 2188-2191.	1.1	28
938	Transient chylomicronemia preceding the onset of insulin-dependent diabetes in a young girl with no humoral markers of islet autoimmunity. <i>European Journal of Endocrinology</i> , 2004, 150, 831-836.	1.9	0
939	Straightforward detection of SNPs in double-stranded DNA by using exonuclease III/nuclease S1/PNA system. <i>Nucleic Acids Research</i> , 2004, 32, 42e-42.	6.5	31
940	Association study of Notch 4 polymorphisms with Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 377-381.	0.9	12
941	Abnormalities in apolipoprotein and lipid levels in an HIV-infected Brazilian population under different treatment profiles: the relevance of apolipoprotein E genotypes and immunological status. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004, 42, 525-32.	1.4	15
942	Association of APOE genotype with carotid atherosclerosis in men and women. <i>Journal of Lipid Research</i> , 2004, 45, 1868-1875.	2.0	77
943	Brain Inflammation and Alzheimer's-Like Pathology in Individuals Exposed to Severe Air Pollution. <i>Toxicologic Pathology</i> , 2004, 32, 650-658.	0.9	456
944	Within-person variation in serum lipids: implications for clinical trials. <i>International Journal of Epidemiology</i> , 2004, 33, 534-541.	0.9	35
945	Associations Among Plasma Lipoprotein Subfractions as Characterized by Analytical Capillary Isotachopheresis, Apolipoprotein E Phenotype, Alzheimer Disease, and Mild Cognitive Impairment. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, e144-6.	1.1	22
946	The influence of genetic and cardiovascular risk factors on the CADASIL phenotype. <i>Brain</i> , 2004, 127, 2031-2038.	3.7	184
947	Genotypes at the APOE and SCA2 loci do not predict the course of multiple sclerosis in patients of Portuguese origin. <i>Multiple Sclerosis Journal</i> , 2004, 10, 153-157.	1.4	27

#	ARTICLE	IF	CITATIONS
948	Polymorphisms of the Macrophage Inhibitory Factor and C-Reactive Protein Genes in Subjects with Alzheimer's Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 18, 261-264.	0.7	14
949	A Distinctive Interaction Between Chronic Anxiety and Problem Solving in Asymptomatic APOE e4 Homozygotes. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 320-329.	0.9	39
950	Genetic influences on memory performance in familial Alzheimer disease. <i>Neurology</i> , 2004, 62, 414-421.	1.5	33
951	Apolipoprotein E controls the risk and age at onset of Parkinson disease. <i>Neurology</i> , 2004, 62, 2005-2009.	1.5	123
952	Polymorphisms in glutathione <i>S</i> -transferase omega-1 and AD, vascular dementia, and stroke. <i>Neurology</i> , 2004, 63, 2255-2260.	1.5	95
953	Plasma levels of amyloid β -protein 42 are increased in women with mild cognitive impairment. <i>Neurology</i> , 2004, 63, 828-831.	1.5	105
954	Moderate Renal Impairment and Risk of Dementia among Older Adults: The Cardiovascular Health Cognition Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 1904-1911.	3.0	304
955	<i>APOE</i> ϵ 4 is associated with obstructive sleep apnea/hypopnea. <i>Neurology</i> , 2004, 63, 664-668.	1.5	185
956	APOE and APOC1 Promoter Polymorphisms and the Risk of Alzheimer Disease in African American and Caribbean Hispanic Individuals. <i>Archives of Neurology</i> , 2004, 61, 1434.	4.9	44
957	Longitudinal changes in cognition and behavior in asymptomatic carriers of the APOE e4 allele. <i>Neurology</i> , 2004, 62, 1990-1995.	1.5	213
958	Total homocysteine and cognition in a tri-ethnic cohort. <i>Neurology</i> , 2004, 63, 254-260.	1.5	79
959	Statin therapy and risk of dementia in the elderly. <i>Neurology</i> , 2004, 63, 1624-1628.	1.5	243
960	Relation of Plasma Lipids to Alzheimer Disease and Vascular Dementia. <i>Archives of Neurology</i> , 2004, 61, 705.	4.9	346
961	Association of <i>APOE</i> polymorphisms with disease severity in MS is limited to women. <i>Neurology</i> , 2004, 62, 811-814.	1.5	75
962	Effect of Apolipoprotein E4 Allele on Plasma LDL Cholesterol Response to Diet Therapy in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2004, 27, 1276-1280.	4.3	30
963	Apolipoprotein E phenotype affects the malondialdehyde-modified LDL concentration and forearm endothelial function in postmenopausal women. <i>Clinical Endocrinology</i> , 2004, 61, 619-625.	1.2	3
964	New V272A presenilin 1 mutation with very early onset subcortical dementia and parkinsonism. <i>European Journal of Neurology</i> , 2004, 11, 663-669.	1.7	51
965	Autosomal Recessive Hypercholesterolemia in Three Sisters with Phenotypic Homozygous Familial Hypercholesterolemia: Diagnostic and Therapeutic Procedures. <i>Therapeutic Apheresis and Dialysis</i> , 2004, 8, 275-280.	0.4	11

#	ARTICLE	IF	CITATIONS
966	Alcohol Intake and Risk of Dementia. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 540-546.	1.3	312
967	Prospective Association Between Low and High Total and Low-Density Lipoprotein Cholesterol and Coronary Heart Disease in Elderly Men. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1975-1980.	1.3	39
968	Fine mapping of 10q and 18q for familial Alzheimer's disease in Caribbean Hispanics. <i>Molecular Psychiatry</i> , 2004, 9, 1042-1051.	4.1	47
969	Comparison between the effects of soy milk and non-fat cow milk on lipid profile and lipid peroxidation in patients with primary hypercholesterolemia. <i>Nutrition</i> , 2004, 20, 200-204.	1.1	41
970	Histocompatibility antigens, aspirin use and cognitive performance in non-demented elderly subjects. <i>Journal of Neuroimmunology</i> , 2004, 148, 178-182.	1.1	18
971	The role of the Polio Virus Receptor and the Herpesvirus entry mediator B genes for the development of MS. <i>Journal of Neuroimmunology</i> , 2004, 156, 171-177.	1.1	9
972	The influence of serum apolipoprotein E concentration and polymorphism on serum lipid parameters in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2004, 44, 300-308.	2.1	25
973	Requirement for enzymatically active lipoprotein lipase in neuronal differentiation: a site-directed mutagenesis study. <i>Developmental Brain Research</i> , 2004, 149, 29-37.	2.1	9
974	Differences between recognition memory and remote memory for olfactory and visual stimuli in nondemented elderly individuals genetically at risk for Alzheimer's disease. <i>Experimental Gerontology</i> , 2004, 39, 433-441.	1.2	32
975	Monocyte chemoattractant protein-1 (MCP-1) gene polymorphism and risk of Alzheimer's disease in Italians. <i>Experimental Gerontology</i> , 2004, 39, 1249-1252.	1.2	51
976	Increased plasma levels of soluble CD40, together with the decrease of TGF β 1, as possible differential markers of Alzheimer disease. <i>Experimental Gerontology</i> , 2004, 39, 1555-1561.	1.2	70
977	Apolipoprotein E gene polymorphism effects triglycerides but not CAD risk in Caucasian women younger than 65 years. <i>Annales De G\acute{e}ne\acute{e}tique</i> , 2004, 47, 147-153.	0.4	10
979	Genomics of Type 1 Diabetes Mellitus and Its Late Complications. <i>Molecular Biology</i> , 2004, 38, 128-139.	0.4	10
980	Effects of Acute Lorazepam Administration on Aminergic Activity in Normal Elderly Subjects: Relationship to Performance Effects and Apolipoprotein Genotype. <i>Neurochemical Research</i> , 2004, 29, 1391-1398.	1.6	6
981	Physiological Factors Influencing Vitamin E Biokinetics. <i>Annals of the New York Academy of Sciences</i> , 2004, 1031, 60-73.	1.8	52
982	Gender- and age-specific contributions of additional DNA sequence variation in the 5' regulatory region of the APOE gene to prediction of measures of lipid metabolism. <i>Human Genetics</i> , 2004, 115, 331-45.	1.8	17
983	Effect of liver fatty acid binding protein (FABP) T94A missense mutation on plasma lipoprotein responsiveness to treatment with fenofibrate. <i>Journal of Human Genetics</i> , 2004, 49, 424-432.	1.1	62
984	Population prevalence of APOE, APOC3 and PPAR- α mutations associated to hypertriglyceridemia in French Canadians. <i>Journal of Human Genetics</i> , 2004, 49, 691-700.	1.1	20

#	ARTICLE	IF	CITATIONS
985	Apolipoprotein E polymorphism in patients with neuropsychiatric SLE. <i>Clinical Rheumatology</i> , 2004, 23, 97-101.	1.0	15
986	Interleukin-1 gene cluster polymorphisms and risk of Alzheimer's disease in Chinese Han population. <i>Journal of Neural Transmission</i> , 2004, 111, 1183-90.	1.4	19
987	SNP3 polymorphism in apo A-V gene is associated with small dense LDL particles in Type 2 diabetes. <i>Diabetologia</i> , 2004, 47, 355-356.	2.9	11
988	Association between apolipoprotein CI HpaI polymorphism and sporadic Alzheimer's disease in Chinese. <i>Acta Neurologica Scandinavica</i> , 2004, 109, 140-145.	1.0	9
989	TP73 allelic expression in human brain and allele frequencies in Alzheimer's disease. <i>BMC Medical Genetics</i> , 2004, 5, 14.	2.1	34
990	The 1239G/C polymorphism in exon 5 of BACE1 gene may be associated with sporadic Alzheimer's disease in Chinese Hans. <i>American Journal of Medical Genetics Part A</i> , 2004, 124B, 54-57.	2.4	15
991	Accelerated evolution of brain atrophy and "black holes" in MS patients with APOE- ϵ 4. <i>Annals of Neurology</i> , 2004, 55, 563-569.	2.8	109
992	Apolipoprotein E Polymorphism in 385 Patients on Renal Replacement Therapy in Sweden. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 504-510.	1.4	10
993	Hyperinsulinemia and risk of Alzheimer disease. <i>Neurology</i> , 2004, 63, 1187-1192.	1.5	615
994	Insulin-degrading enzyme and Alzheimer disease. <i>Neurology</i> , 2004, 63, 241-245.	1.5	44
996	Cholic acid supplementation enhances cholesterol absorption in humans. <i>Gastroenterology</i> , 2004, 126, 724-731.	0.6	44
997	Expression of tau mRNA and soluble tau isoforms in affected and non-affected brain areas in Alzheimer's disease. <i>FEBS Letters</i> , 2004, 576, 183-189.	1.3	61
998	Hypobetalipoproteinemia with an apparently recessive inheritance due to a "de novo" mutation of apolipoprotein B. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2004, 1688, 61-67.	1.8	15
999	Plasma concentrations of apolipoprotein B are modulated by a gene-diet interaction effect between the L FABP T94A polymorphism and dietary fat intake in French-Canadian men. <i>Molecular Genetics and Metabolism</i> , 2004, 82, 296-303.	0.5	43
1000	Marked regional differences of brain human apolipoprotein e expression in targeted replacement mice. <i>Neuroscience</i> , 2004, 124, 725-733.	1.1	101
1001	Possible association between Cys311Ser polymorphism of paraoxonase 2 gene and late-onset Alzheimer's disease in Chinese. <i>Molecular Brain Research</i> , 2004, 120, 201-204.	2.5	35
1002	Positional effects of presenilin-1 mutations on tau phosphorylation in cortical plaques. <i>Neurobiology of Disease</i> , 2004, 15, 115-119.	2.1	33
1003	Hemoglobin promotes A β oligomer formation and localizes in neurons and amyloid deposits. <i>Neurobiology of Disease</i> , 2004, 17, 367-377.	2.1	90

#	ARTICLE	IF	CITATIONS
1004	Apolipoprotein(a) null phenotype is related to a delayed age at onset of Alzheimer's disease. <i>Neuroscience Letters</i> , 2004, 357, 45-48.	1.0	15
1005	Interaction between matrix metalloproteinase 3 and the ϵ 4 allele of apolipoprotein E increases the risk of Alzheimer's disease in Finns. <i>Neuroscience Letters</i> , 2004, 367, 336-339.	1.0	22
1006	Altered levels of plasma 24S- and 27-hydroxycholesterol in demented patients. <i>Neuroscience Letters</i> , 2004, 368, 303-308.	1.0	112
1007	Possible association of mitochondrial transcription factor A (TFAM) genotype with sporadic Alzheimer disease. <i>Neuroscience Letters</i> , 2004, 369, 219-223.	1.0	47
1008	Evaluation of HFE (hemochromatosis) mutations as genetic modifiers in sporadic AD and MCI. <i>Neurobiology of Aging</i> , 2004, 25, 465-474.	1.5	57
1009	Apolipoprotein E polymorphism is not associated with spinal bone mineral density in peri- and postmenopausal Greek women. <i>Maturitas</i> , 2004, 48, 259-264.	1.0	11
1011	Evidence for a Novel Late-Onset Alzheimer Disease Locus on Chromosome 19p13.2. <i>American Journal of Human Genetics</i> , 2004, 75, 398-409.	2.6	90
1012	Familial HDL deficiency due to ABCA1 gene mutations with or without other genetic lipoprotein disorders. <i>Atherosclerosis</i> , 2004, 172, 309-320.	0.4	47
1013	Lack of evidence for reduced plasma apo B48 catabolism in patients with heterozygous familial hypercholesterolemia carrying the same null LDL receptor gene mutation. <i>Atherosclerosis</i> , 2004, 172, 367-373.	0.4	26
1014	The effect of acute red wine polyphenol consumption on postprandial lipaemia in postmenopausal women. <i>Atherosclerosis</i> , 2004, 177, 401-408.	0.4	51
1015	Clearance of a 3H-labeled chylomicron-like emulsion following the acute phase of myocardial infarction. <i>International Journal of Cardiology</i> , 2004, 93, 181-187.	0.8	3
1016	Apolipoprotein E and cholesteryl ester transfer protein polymorphisms in normal and preeclamptic pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 112, 9-15.	0.5	40
1017	A haplotype of the methylenetetrahydrofolate reductase gene is protective against late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2004, 25, 291-294.	1.5	40
1018	Hemorrhage is uncommon in new Alzheimer family with Flemish amyloid precursor protein mutation. <i>Neurology</i> , 2004, 63, 1613-1617.	1.5	35
1019	Putative association of polymorphism in the mannose 6-phosphate receptor gene with major depression and Alzheimer's disease. <i>Psychiatric Genetics</i> , 2004, 14, 97-100.	0.6	11
1020	Atherosclerosis of Cerebral Arteries in Alzheimer Disease. <i>Stroke</i> , 2004, 35, 2623-2627.	1.0	139
1021	Response to micronized fenofibrate treatment is associated with the peroxisome proliferator-activated receptors alpha G/C intron7 polymorphism in subjects with type 2 diabetes. <i>Pharmacogenetics and Genomics</i> , 2004, 14, 823-829.	5.7	45
1022	Increasing Power for Tests of Genetic Association in the Presence of Phenotype and/or Genotype Error by Use of Double-Sampling. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2004, 3, 1-32.	0.2	59

#	ARTICLE	IF	CITATIONS
1023	Copper Perturbation in 2 Monozygotic Twins Discordant for Degree of Cognitive Impairment. Archives of Neurology, 2004, 61, 738.	4.9	28
1024	Hereditary dementia with intracerebral hemorrhages and cerebral amyloid angiopathy. Neurology, 2004, 63, 234-240.	1.5	31
1025	Apolipoprotein E genotyping: accurate, simple, high throughput method using ABI Prism [®] SNaPshot [®] , [†] Multiplex System. Journal of Alzheimer's Disease, 2004, 6, 497-501.	1.2	22
1026	Influence of the amyloid precursor protein locus on dementia in Down syndrome. Neurology, 2004, 62, 1996-1998.	1.5	37
1027	A novel highly pathogenic Alzheimer presenilin-1 mutation in codon 117 (Pro117Ser): Comparison of clinical, neuropathological and cell culture phenotypes of Pro117Leu and Pro117Ser mutations. Journal of Alzheimer's Disease, 2004, 6, 31-43.	1.2	26
1028	Presence of palmar xanthomas in myotonic dystrophy identifies different patterns of linkage disequilibrium between the apolipoprotein E and myotonic dystrophy protein kinase loci. Genetics in Medicine, 2005, 7, 213-215.	1.1	1
1029	Borrelia burgdorferi persists in the brain in chronic lyme neuroborreliosis and may be associated with Alzheimer disease. Journal of Alzheimer's Disease, 2005, 6, 639-649.	1.2	117
1030	Relation of the tocopherol forms to incident Alzheimer disease and to cognitive change. American Journal of Clinical Nutrition, 2005, 81, 508-514.	2.2	259
1031	The Apolipoprotein E ϵ 4 Allele Increases the Odds of Chronic Cerebral Infarction Detected at Autopsy in Older Persons. Stroke, 2005, 36, 954-959.	1.0	84
1032	APOE polymorphism is associated with risk of severe sepsis in surgical patients*. Critical Care Medicine, 2005, 33, 2521-2526.	0.4	84
1033	Apolipoprotein E Genotypes as Predictors of High-Risk Groups for Developing Hyperlipidemia in Kidney Transplant Recipients Undergoing Sirolimus Treatment. Transplantation, 2005, 80, 1705-1711.	0.5	19
1034	Apolipoprotein E ϵ 4 Allele and Lorazepam Effects on Memory in High-Functioning Older Adults. Archives of General Psychiatry, 2005, 62, 209.	13.8	37
1035	Influence of microsomal triglyceride transfer protein promoter polymorphism ϵ 493 GT on fasting plasma triglyceride values and interaction with treatment response to atorvastatin in subjects with heterozygous familial hypercholesterolaemia. Pharmacogenetics and Genomics, 2005, 15, 211-218.	0.7	24
1036	Genetic and environmental factors affecting the response to statin therapy in patients with molecularly defined familial hypercholesterolaemia. Pharmacogenetics and Genomics, 2005, 15, 219-225.	0.7	44
1037	Apolipoprotein E and Prospective Memory in Normally Aging Adults.. Neuropsychology, 2005, 19, 28-34.	1.0	50
1038	Eyeblink Classical Conditioning to Auditory and Olfactory Stimuli: Performance Among Older Adults With and Without the Apolipoprotein E ϵ 4 Allele.. Neuropsychology, 2005, 19, 437-445.	1.0	11
1039	Individual Growth Curve Analysis of APOE ϵ 4 Associated Cognitive Decline in Alzheimer Disease. Archives of Neurology, 2005, 62, 454.	4.9	77
1040	Correction of the Neuropathogenic Human Apolipoprotein E4 (<I>APOE4</I>) Gene to <I>APOE3</I> in Vitro Using Synthetic RNA/DNA Oligonucleotides (Chimeraplasts). Journal of Molecular Neuroscience, 2005, 25, 095-104.	1.1	10

#	ARTICLE	IF	CITATIONS
1041	Serum uric acid, dehydroepiandrosterone sulphate, and apolipoprotein E genotype in benign vs. progressive multiple sclerosis. <i>European Journal of Neurology</i> , 2005, 12, 514-518.	1.7	27
1042	Modeling premature occurrence of acute coronary syndrome with atherogenic and thrombogenic risk factors and gene markers in extended families. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 2238-2244.	1.9	8
1043	The Significant Increase in Cardiovascular Disease Risk in APOE ϵ 4 Carriers is Evident Only in Men Who Smoke: Potential Relationship Between Reduced Antioxidant Status and ApoE4. <i>Annals of Human Genetics</i> , 2005, 69, 613-622.	0.3	70
1044	Relationship Between Plasma Lipids and All-Cause Mortality in Nondemented Elderly. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 219-226.	1.3	121
1045	Genetic-morphologic association study: association between the low density lipoprotein-receptor related protein (LRP) and cerebral amyloid angiopathy. <i>Neuropathology and Applied Neurobiology</i> , 2005, 31, 11-19.	1.8	33
1046	Dietary Patterns and the Metabolic Syndrome in Obese and Non-obese Framingham Women. <i>Obesity</i> , 2005, 13, 153-162.	4.0	91
1047	Estrogen receptor beta gene variants are associated with increased risk of Alzheimer's disease in women. <i>European Journal of Human Genetics</i> , 2005, 13, 1000-1006.	1.4	73
1048	Effect of the APOC3 Sst I SNP on fasting triglyceride levels in men heterozygous for the LPL P207L deficiency. <i>European Journal of Human Genetics</i> , 2005, 13, 1159-1165.	1.4	9
1049	The allele interaction between apolipoprotein e2 and e4 in Taiwanese Alzheimer's disease patients. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 38-43.	2.2	16
1050	Association of refractory complex partial seizures with a polymorphism of ApoE genotype. <i>Journal of Cellular and Molecular Medicine</i> , 2005, 9, 698-703.	1.6	28
1051	Determinants of postprandial triglyceride and remnant-like lipoproteins in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 209-214.	1.7	8
1052	Apo-E Genotypes and Cardiovascular Diseases: A Sensitivity Study Using Cross-validated Criteria. <i>Biometrical Journal</i> , 2005, 47, 541-553.	0.6	1
1053	APOE and other loci affect age-at-onset in Alzheimer's disease families with PS2 mutation. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 132B, 14-20.	1.1	65
1054	Association studies of transforming growth factor- β 1 and Alzheimer's disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 139B, 38-41.	1.1	20
1055	Detection of <i>Yersinia pestis</i> DNA in two early medieval skeletal finds from Aschheim (Upper Bavaria, 6th c AD). <i>Journal of Archaeological Science</i> , 2005, 32, 135-140.	2.1	135
1056	Apolipoprotein E ϵ 4 and catechol-O-methyltransferase alleles in autopsy-proven Parkinson's disease: Relationship to dementia and hallucinations. <i>Movement Disorders</i> , 2005, 20, 989-994.	2.2	55
1057	A novel ARH splice site mutation in a Mexican kindred with autosomal recessive hypercholesterolemia. <i>Human Genetics</i> , 2005, 116, 114-120.	1.8	20
1058	Influence of peroxisome proliferator-activated receptor γ 3 gene polymorphism on 24S-hydroxycholesterol levels in Alzheimer's patients. <i>Journal of Neural Transmission</i> , 2005, 112, 1381-1389.	1.4	25

#	ARTICLE	IF	CITATIONS
1059	A Retrospective Study on the Influence of Apolipoprotein E and Serum Lipids in Progressive Renal Failure. <i>International Urology and Nephrology</i> , 2005, 37, 329-334.	0.6	1
1060	Emotional Responses to APO E Genotype Disclosure for Alzheimer Disease. <i>Journal of Genetic Counseling</i> , 2005, 14, 141-150.	0.9	22
1061	Association of polymorphic markers of the lipid metabolism genes with diabetic polyneuropathy in type 1 diabetes mellitus. <i>Molecular Biology</i> , 2005, 39, 206-209.	0.4	5
1062	Influences of apolipoprotein E polymorphism on the risk for breast cancer and HER2/neu status in Taiwan. <i>Breast Cancer Research and Treatment</i> , 2005, 90, 257-261.	1.1	34
1063	Polymorphic Gene Markers of Lipid Metabolism Are Associated with Diabetic Nephropathy in Patients with Type 1 Diabetes Mellitus. <i>Russian Journal of Genetics</i> , 2005, 41, 760-765.	0.2	1
1064	Association of CETP TaqI and APOE polymorphisms with type II diabetes mellitus in North Indians: a case control study. <i>BMC Endocrine Disorders</i> , 2005, 5, 7.	0.9	26
1065	Genetic Variability of Apolipoprotein E in Different Populations from Venezuela. <i>Disease Markers</i> , 2005, 21, 15-19.	0.6	11
1066	Noncompetitive Plasma Biokinetics of Deuterium-Labeled Natural and Synthetic $\hat{\alpha}$ -Tocopherol in Healthy Men with an apoE4 Genotype. <i>Journal of Nutrition</i> , 2005, 135, 1063-1069.	1.3	20
1067	Unmasking of Type III Hyperlipoproteinemia by Hypothyroidism: A Dramatic Illustration of Altered Lipoprotein Metabolism in a Postpartum Woman. <i>Endocrine Practice</i> , 2005, 11, 394-398.	1.1	7
1068	Neurological soft signs are associated with APOE genotype, age and cognitive performance. <i>Journal of Alzheimer's Disease</i> , 2005, 7, 325-330.	1.2	14
1069	Plasma $\hat{\alpha}$ 242 correlates positively with increased body fat in healthy individuals. <i>Journal of Alzheimer's Disease</i> , 2005, 8, 269-282.	1.2	73
1070	The peroxisome proliferator-activated receptor $\hat{\alpha}$ Leu162Val polymorphism influences the metabolic response to a dietary intervention altering fatty acid proportions in healthy men. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 523-530.	2.2	52
1071	Influence of apolipoprotein E genotype on fat-soluble plasma antioxidants in Spanish children. <i>American Journal of Clinical Nutrition</i> , 2005, 81, 624-632.	2.2	36
1072	The Effect of Apolipoprotein E Polymorphism on Lipid Levels in Korean Adults. <i>Journal of Korean Medical Science</i> , 2005, 20, 361.	1.1	32
1073	APOE2 and Consanguinity: A risky combination for Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2005, 8, 293-297.	1.2	14
1074	$\hat{\epsilon}$ 3 $\hat{\epsilon}$ 4 Genotype as Risk Factor of Myocardial Infarction in Middle-Aged People in Spain. <i>Disease Markers</i> , 2005, 21, 153-156.	0.6	1
1075	No association between the cystatin C gene polymorphism and Alzheimer's disease: A case-control study in an Italian population. <i>Journal of Alzheimer's Disease</i> , 2005, 7, 291-295.	1.2	10
1076	The beta-chemokines MIP-1alpha and RANTES and lipoprotein metabolism in HIV-infected brazilian patients. <i>Brazilian Journal of Infectious Diseases</i> , 2005, 9, 315-23.	0.3	1

#	ARTICLE	IF	CITATIONS
1077	The distribution of apolipoprotein E alleles in Scottish perinatal deaths. <i>Journal of Medical Genetics</i> , 2005, 43, 414-418.	1.5	30
1078	The pathology of the substantia nigra in Alzheimer disease with extrapyramidal signs. <i>Neurology</i> , 2005, 64, 1397-1403.	1.5	160
1079	Effect of smoking and time on cognitive function in the elderly without dementia. <i>Neurology</i> , 2005, 65, 870-875.	1.5	79
1080	POLYMORPHISMS OF APOLIPOPROTEIN E AND ANGIOTENSIN-CONVERTING ENZYME GENES AND CAROTID ATHEROSCLEROSIS IN HEAVY DRINKERS. <i>Alcohol and Alcoholism</i> , 2005, 40, 274-282.	0.9	11
1081	apoE4 allele and the natural history of cardiovascular risk factors. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E322-E327.	1.8	34
1082	Modeling the Influence ofAPOC3, APOE,andTNFPolymorphisms on the Risk of Antiretroviral Therapyâ€“Associated Lipid Disorders. <i>Journal of Infectious Diseases</i> , 2005, 191, 1419-1426.	1.9	105
1083	White Matter Lesions Are Prevalent but Differentially Related With Cognition in Aging and Early Alzheimer Disease. <i>Archives of Neurology</i> , 2005, 62, 1870.	4.9	140
1084	From The Cover: Correlations between apolipoprotein E ϵ 4 gene dose and brain-imaging measurements of regional hypometabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8299-8302.	3.3	366
1085	Physical Activity, APOE Genotype, and Dementia Risk: Findings from the Cardiovascular Health Cognition Study. <i>American Journal of Epidemiology</i> , 2005, 161, 639-651.	1.6	531
1086	<i>ε</i> 4 APOE Genotype and Serum Cholesterol in Predicting Risk for Early Death from Ischemic Stroke in Men and Women. <i>Cerebrovascular Diseases</i> , 2005, 20, 291-298.	0.8	12
1087	Serum cholesterol and risk of Alzheimer disease: A community-based cohort study. <i>Neurology</i> , 2005, 65, 1045-1050.	1.5	140
1088	Susceptibility and modifier genes in Portuguese transthyretin V30M amyloid polyneuropathy: complexity in a single-gene disease. <i>Human Molecular Genetics</i> , 2005, 14, 543-553.	1.4	108
1089	Type 2 Diabetes Is Negatively Associated With Alzheimer's Disease Neuropathology. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 471-475.	1.7	172
1090	Apolipoprotein ϵ 4 Allele and Problems With Orientation Are Associated With a Persistent Decline in Cognition in Community-Dwelling Elderly Persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005, 60, 375-379.	1.7	5
1091	Effect of an Oat Bran-Rich Supplement on the Metabolic Profile of Overweight Premenopausal Women. <i>Annals of Nutrition and Metabolism</i> , 2005, 49, 141-148.	1.0	33
1092	Increased hippocampal activation in mild cognitive impairment compared to normal aging and AD. <i>Neurology</i> , 2005, 65, 404-411.	1.5	777
1093	Tendon Xanthomas in Familial Hypercholesterolemia Are Associated With Cardiovascular Risk Independently of the Low-Density Lipoprotein Receptor Gene Mutation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1960-1965.	1.1	95
1094	Sex Differences in the Clinical Manifestations of Alzheimer Disease Pathology. <i>Archives of General Psychiatry</i> , 2005, 62, 685.	13.8	455

#	ARTICLE	IF	CITATIONS
1095	Neuropsychological function in nondemented carriers of presenilin-1 mutations. <i>Neurology</i> , 2005, 65, 552-558.	1.5	32
1096	<i>HLA-DR,DQ</i> and <i>APOE</i> genotypes and gender influence in Sardinian primary progressive MS. <i>Neurology</i> , 2005, 64, 564-566.	1.5	28
1097	APOE4 Protects the Cognitive Development in Children with Heavy Diarrhea Burdens in Northeast Brazil. <i>Pediatric Research</i> , 2005, 57, 310-316.	1.1	115
1098	A multigenerational pedigree of late-onset Alzheimer's disease implies new genetic causes. <i>Brain</i> , 2005, 128, 1707-1715.	3.7	14
1099	Excess of serum copper not related to ceruloplasmin in Alzheimer disease. <i>Neurology</i> , 2005, 64, 1040-1046.	1.5	158
1100	Aggregation of vascular risk factors and risk of incident Alzheimer disease. <i>Neurology</i> , 2005, 65, 545-551.	1.5	691
1101	Apolipoprotein E Genotype Regulates Amyloid- β Cytotoxicity. <i>Journal of Neuroscience</i> , 2005, 25, 3621-3627.	1.7	52
1102	Inherited Apolipoprotein A-V Deficiency in Severe Hypertriglyceridemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 411-417.	1.1	177
1103	APOE- ϵ 4 predisposes to cognitive dysfunction following uncomplicated carotid endarterectomy. <i>Neurology</i> , 2005, 65, 1759-1763.	1.5	62
1104	Cerebral Amyloid Angiopathy with Severe Secondary Vascular Pathology: A Histopathological Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 20, 321-330.	0.7	7
1105	Cardiovascular risk-associated allele frequencies for 15 genes in healthy elderly French and Chinese. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 817-22.	1.4	6
1106	APOE genotypes and dyslipidemias in a sample of the Portuguese population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 907-12.	1.4	11
1107	Apolipoprotein E ϵ 4 and Change in Cognitive Functioning in Community-Dwelling Older Adults. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2005, 18, 196-201.	1.2	41
1108	Apolipoprotein E haplotyping by denaturing high-performance liquid chromatography. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 512-8.	1.4	12
1109	Association of Apolipoprotein E Genotype with Early Onset of Coronary Heart Disease in Greek Men. <i>Angiology</i> , 2005, 56, 663-670.	0.8	23
1110	Detection of ApoE E2, E3 and E4 alleles using MALDI-TOF mass spectrometry and the homogeneous mass-extend technology. <i>Nucleic Acids Research</i> , 2005, 33, e149-e149.	6.5	79
1111	Familial Danish Dementia. <i>Journal of Biological Chemistry</i> , 2005, 280, 36883-36894.	1.6	59
1112	Cumulative Effect of Predisposing Genotypes and Their Interaction With Modifiable Factors on the Risk of Ischemic Stroke in Young Adults. <i>Stroke</i> , 2005, 36, 533-539.	1.0	79

#	ARTICLE	IF	CITATIONS
1113	Circulating Levels of Soluble Receptor for Advanced Glycation End Products in Alzheimer Disease and Vascular Dementia. <i>Archives of Neurology</i> , 2005, 62, 1734.	4.9	195
1114	Predictive Utility of Apolipoprotein E Genotype for Alzheimer Disease in Outpatients With Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2005, 62, 975-80.	4.9	107
1115	Effect of Apolipoprotein E Polymorphism on Serum Uric Acid Levels in Healthy Subjects. <i>Journal of Investigative Medicine</i> , 2005, 53, 116-122.	0.7	13
1116	Distribution of Apolipoprotein E Alleles in a Scottish Healthy Newborn Population. <i>Neonatology</i> , 2005, 88, 164-167.	0.9	10
1117	Impact of Hypertension and Apolipoprotein E4 on Poststroke Cognition in Subjects >75 Years of Age. <i>Stroke</i> , 2005, 36, 1864-1868.	1.0	29
1118	Impact of plasma lipids and time on memory performance in healthy elderly without dementia. <i>Neurology</i> , 2005, 64, 1378-1383.	1.5	100
1119	Association between Angiotensin-Converting Enzyme Gene Polymorphism and Alzheimer's Disease in a Chinese Population. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 20, 52-56.	0.7	18
1120	Genetic variants of ApoE account for variability of plasma low-density lipoprotein and apolipoprotein B levels in FHBL. <i>Atherosclerosis</i> , 2005, 178, 107-113.	0.4	21
1121	Association of apo A-IV 360 (Gln → His) polymorphism with plasma lipids and lipoproteins: the Framingham Offspring Study. <i>Atherosclerosis</i> , 2005, 179, 169-175.	0.4	9
1122	The common insertional polymorphism in the APOC1 promoter is associated with serum apolipoprotein C-I levels in Hispanic children. <i>Atherosclerosis</i> , 2005, 179, 387-393.	0.4	13
1123	Plasma metabolism of apoB-containing lipoproteins in patients with hepatic lipase deficiency. <i>Atherosclerosis</i> , 2005, 180, 355-366.	0.4	21
1124	Combined monogenic hypercholesterolemia and hypoalphalipoproteinemia caused by mutations in LDL-R and LCAT genes. <i>Atherosclerosis</i> , 2005, 182, 153-159.	0.4	18
1125	Screening for Dysbetalipoproteinemia by Plasma Cholesterol and Apolipoprotein B Concentrations. <i>Clinical Chemistry</i> , 2005, 51, 904-907.	1.5	45
1126	Influence of apolipoprotein E genotype on the reliability of the Friedewald formula in the estimation of low-density lipoprotein cholesterol concentrations. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 1014-1019.	1.5	4
1127	The load of Chlamydia pneumoniae in the Alzheimer's brain varies with APOE genotype. <i>Microbial Pathogenesis</i> , 2005, 39, 19-26.	1.3	68
1128	Human apoE4-targeted replacement mice display synaptic deficits in the absence of neuropathology. <i>Neurobiology of Disease</i> , 2005, 18, 390-398.	2.1	122
1129	Proteomic analysis of glial fibrillary acidic protein in Alzheimer's disease and aging brain. <i>Neurobiology of Disease</i> , 2005, 20, 858-870.	2.1	103
1130	ACE I/D polymorphism is a risk factor of Alzheimer's disease but not of vascular dementia. <i>Neuroscience Letters</i> , 2005, 377, 37-39.	1.0	65

#	ARTICLE	IF	CITATIONS
1131	The APOC3 SstI polymorphism is weakly associated with sporadic Alzheimer's disease in a Chinese population. <i>Neuroscience Letters</i> , 2005, 380, 219-222.	1.0	21
1132	Lack of genetic association of cholesteryl ester transfer protein polymorphisms with late onset Alzheimers disease. <i>Neuroscience Letters</i> , 2005, 381, 36-41.	1.0	15
1133	Genetic association of alpha2-Heremansâ€Schmid glycoprotein polymorphism with late-onset Alzheimer's disease in Italians. <i>Neuroscience Letters</i> , 2005, 386, 176-178.	1.0	21
1134	Association between acyl-coenzyme A: cholesterol acyltransferase gene and risk for Alzheimer's disease in Chinese. <i>Neuroscience Letters</i> , 2005, 388, 17-20.	1.0	15
1135	Allele ε4 of APOE is a stronger predictor of Alzheimer risk in Sicily than in continental South Italy. <i>Neuroscience Letters</i> , 2005, 388, 168-172.	1.0	24
1136	Mortality is associated with apolipoprotein E ε4 in nondemented adults with Down syndrome. <i>Neuroscience Letters</i> , 2005, 390, 93-97.	1.0	28
1137	Apolipoprotein ε4 is associated with more rapid decline in odor identification than in odor threshold or Dementia Rating Scale scores. <i>Brain and Cognition</i> , 2005, 58, 178-182.	0.8	69
1138	Dietary vitamin C down-regulates inflammatory gene expression in apoE4 smokers. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 951-955.	1.0	25
1139	The relationship of APOE genetic polymorphism with susceptibility to multiple sclerosis and its clinical phenotypes in Kuwaiti Arab subjects. <i>Clinica Chimica Acta</i> , 2005, 351, 203-207.	0.5	20
1140	Contemporaneous carrier-state of two or three proatherosclerotic variants of APOE, ICAM1, PPARA and PAI-1 genes differentiate CAD patients from healthy individuals. <i>Clinica Chimica Acta</i> , 2005, 362, 110-118.	0.5	28
1141	Apolipoprotein E polymorphism in type 2 diabetic patients of Talca, Chile. <i>Diabetes Research and Clinical Practice</i> , 2005, 68, 244-249.	1.1	17
1142	Education modifies the effect of apolipoprotein epsilon 4 on cognitive decline. <i>Neurobiology of Aging</i> , 2005, 26, 17-24.	1.5	25
1143	Developmental and vascular risk factors for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2005, 26, 325-334.	1.5	118
1144	Genetic association of low density lipoprotein receptor and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2005, 26, 1-7.	1.5	44
1145	Gene polymorphisms affecting HDL-cholesterol levels in the normolipidemic population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005, 15, 219-224.	1.1	13
1146	Creation of a large-scale genetic data bank for cardiovascular association studies. <i>American Heart Journal</i> , 2005, 150, 500-506.	1.2	6
1149	Assessment of Cognitive Decline in Old Age with Brief Tests Amenable to Telephone Administration. <i>Neuroepidemiology</i> , 2005, 25, 19-25.	1.1	48
1150	Association Study of the A2M and LRP1 Genes with Alzheimer Disease in the Han Chinese. <i>Biological Psychiatry</i> , 2005, 58, 731-737.	0.7	25

#	ARTICLE	IF	CITATIONS
1151	The apolipoprotein E ϵ 4 allele and incident Alzheimer's disease in persons with mild cognitive impairment. <i>Neurocase</i> , 2005, 11, 3-7.	0.2	79
1152	Candidate genes of cerebral infarction and traditional classification in Koreans with cerebral infarction. <i>International Journal of Neuroscience</i> , 2005, 115, 743-756.	0.8	13
1153	Severe combined hyperlipidaemia and retinal lipid infiltration in a patient with Type 2 diabetes mellitus. <i>Lipids in Health and Disease</i> , 2006, 5, 29.	1.2	5
1154	The Relation of Cigarette Smoking to Incident Alzheimer's Disease in a Biracial Urban Community Population. <i>Neuroepidemiology</i> , 2006, 26, 140-146.	1.1	95
1155	Genes implicados en la hiperlipemia familiar combinada. <i>Clínica E Investigación En Arteriosclerosis</i> , 2006, 18, 63-67.	0.4	1
1156	The Effect of Apolipoprotein E Polymorphism on the Response to Lipid-Lowering Treatment With Atorvastatin or Fenofibrate. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2006, 11, 211-221.	1.0	35
1157	Genotype (cystatin C) and EEG phenotype in Alzheimer disease and mild cognitive impairment: A multicentric study. <i>NeuroImage</i> , 2006, 29, 948-964.	2.1	76
1158	Genotype of the mutant LDL receptor allele is associated with LDL particle size heterogeneity in familial hypercholesterolemia. <i>Atherosclerosis</i> , 2006, 184, 163-170.	0.4	9
1159	Plasma lipid, lipoprotein and apolipoprotein levels in a random population sample of 2875 Hong Kong Chinese adults and their implications (NCEP ATP-III, 2001 guidelines) on cardiovascular risk assessment. <i>Atherosclerosis</i> , 2006, 184, 438-445.	0.4	16
1160	Additive effect of mutations in LDLR and PCSK9 genes on the phenotype of familial hypercholesterolemia. <i>Atherosclerosis</i> , 2006, 186, 433-440.	0.4	97
1161	Effects of fenofibrate on apolipoprotein kinetics in patients with coexisting dysbetalipoproteinemia and heterozygous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2006, 188, 203-212.	0.4	10
1162	Apolipoprotein E Genotype and Circulating Interleukin-10 Levels in Patients With Stable and Unstable Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2006, 48, 2471-2481.	1.2	41
1163	Association of APOE-C1 gene cluster polymorphisms with gallstone disease. <i>Digestive and Liver Disease</i> , 2006, 38, 397-403.	0.4	16
1164	High frequency of open-angle glaucoma in Japanese patients with Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2006, 246, 79-83.	0.3	216
1165	Effects of chenodeoxycholic acid and deoxycholic acid on cholesterol absorption and metabolism in humans. <i>Translational Research</i> , 2006, 148, 37-45.	2.2	30
1166	Accumulation of apoE-enriched triglyceride-rich lipoproteins in patients with coronary artery disease. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 662-668.	1.5	19
1167	Heterogeneity of Apolipoprotein E Polymorphism in Different Mexican Populations. <i>Human Biology</i> , 2006, 78, 65-75.	0.4	38
1168	Fruit and Vegetable Juices and Alzheimer's Disease: The Kame Project. <i>American Journal of Medicine</i> , 2006, 119, 751-759.	0.6	450

#	ARTICLE	IF	CITATIONS
1169	The effect of the APOE polymorphism on HDL-C concentrations depends on the cholesterol ester transfer protein gene variation in a Southern European population. <i>Clinica Chimica Acta</i> , 2006, 366, 196-203.	0.5	35
1170	Association of APOE (Hha1) and ACE (I/D) gene polymorphisms with type 2 diabetes mellitus in North West India. <i>Diabetes Research and Clinical Practice</i> , 2006, 74, 95-102.	1.1	40
1171	Selective loss of synaptic proteins in Alzheimer's disease: Evidence for an increased severity with APOE ϵ 4. <i>Neurochemistry International</i> , 2006, 49, 631-639.	1.9	82
1172	Effect of the functional toll-like receptor 4 Asp299Gly polymorphism on susceptibility to late-onset Alzheimer's disease. <i>Neuroscience Letters</i> , 2006, 391, 147-149.	1.0	152
1173	Interferon- β - and interleukin-4-producing T cells in Down's syndrome. <i>Neuroscience Letters</i> , 2006, 395, 67-70.	1.0	25
1174	Genetic study of Sardinian patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 2006, 398, 124-128.	1.0	23
1175	Polymorphisms in the phosphate and tensin homolog gene are not associated with late-onset Alzheimer's disease. <i>Neuroscience Letters</i> , 2006, 401, 77-80.	1.0	7
1176	Bioavailable estradiol and age at onset of Alzheimer's disease in postmenopausal women with Down syndrome. <i>Neuroscience Letters</i> , 2006, 406, 298-302.	1.0	48
1177	Oxidative modification of proteins in the frontal cortex of Alzheimer's disease brain. <i>Neurobiology of Aging</i> , 2006, 27, 42-53.	1.5	92
1178	Association of interleukin-1 gene polymorphisms with dementia in a community-based sample: The Honolulu-Asia Aging Study. <i>Neurobiology of Aging</i> , 2006, 27, 211-217.	1.5	52
1179	Effects of intranasal insulin on cognition in memory-impaired older adults: Modulation by APOE genotype. <i>Neurobiology of Aging</i> , 2006, 27, 451-458.	1.5	560
1180	ApoE gene and familial risk of Alzheimer's disease as predictors of odour identification in older adults. <i>Neurobiology of Aging</i> , 2006, 27, 1425-1430.	1.5	32
1181	Apolipoprotein E epsilon4 is associated with atrophy of the amygdala in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 1416-1424.	1.5	40
1182	Salivary cortisol and memory function in human aging. <i>Neurobiology of Aging</i> , 2006, 27, 1705-1714.	1.5	113
1183	A positive relationship between Apo μ 2 allele and high-density lipoprotein cholesterol. <i>Nutrition Research</i> , 2006, 26, 443-449.	1.3	2
1184	A Preliminary Fluorodeoxyglucose Positron Emission Tomography Study in Healthy Adults Reporting Dream-Enactment Behavior. <i>Sleep</i> , 2006, 29, 927-933.	0.6	51
1185	Expanded Genomewide Scan Implicates a Novel Locus at 3q28 Among Caribbean Hispanics With Familial Alzheimer Disease. <i>Archives of Neurology</i> , 2006, 63, 1591.	4.9	34
1186	Apolipoprotein E in Temporal Lobe Epilepsy: A Case-Control Study. <i>Disease Markers</i> , 2006, 22, 335-342.	0.6	13

#	ARTICLE	IF	CITATIONS
1187	Association of estrogen receptor β gene with Alzheimer's disease: A case-control study. <i>Journal of Alzheimer's Disease</i> , 2006, 9, 273-278.	1.2	35
1188	Nutritional risk and the metabolic syndrome in women: opportunities for preventive intervention from the Framingham Nutrition Study. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 434-441.	2.2	70
1189	Lewy body pathology in late-onset familial Alzheimer's disease: A clinicopathological case series. <i>Journal of Alzheimer's Disease</i> , 2006, 9, 235-242.	1.2	25
1190	Apolipoprotein E Polymorphism Influences Lipid Phenotypes in Chinese Families With Familial Combined Hyperlipidemia. <i>Circulation Journal</i> , 2006, 70, 1606-1610.	0.7	11
1191	Nutritional risk and the metabolic syndrome in women: opportunities for preventive intervention from the Framingham Nutrition Study ^{1&#x2013;3} . <i>American Journal of Clinical Nutrition</i> , 2006, 84, 434-441.	2.2	72
1192	Dietary folate and vitamins B-12 and B-6 not associated with incident Alzheimer's disease ¹ . <i>Journal of Alzheimer's Disease</i> , 2006, 9, 435-443.	1.2	106
1193	Effect of statins on Alzheimer's disease biomarkers in cerebrospinal fluid. <i>Journal of Alzheimer's Disease</i> , 2006, 10, 399-406.	1.2	97
1194	Reducing the Risk of Dementia. <i>Stroke</i> , 2006, 37, 1165-1170.	1.0	166
1195	Motor Dysfunction in Mild Cognitive Impairment and the Risk of Incident Alzheimer Disease. <i>Archives of Neurology</i> , 2006, 63, 1763.	4.9	237
1196	The Prevalence of Alzheimer Neuropathologic Lesions Is Similar in Blacks and Whites. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 1143-1148.	0.9	26
1197	Apolipoprotein E polymorphism and changes in serum lipids during a family-based counselling intervention. <i>Public Health Nutrition</i> , 2006, 9, 859-865.	1.1	8
1198	Simple and Effective Determination of Apolipoprotein E Genotypes by Positive/Negative Polymerase Chain Reaction Products. <i>Diagnostic Molecular Pathology</i> , 2006, 15, 180-185.	2.1	34
1199	Homocysteine, Folate, and Vitamins B6 and B12 Blood Levels in Relation to Cognitive Performance: The Maine-Syracuse Study. <i>Psychosomatic Medicine</i> , 2006, 68, 547-554.	1.3	78
1200	Stroke and Memory Performance in Elderly Persons Without Dementia. <i>Archives of Neurology</i> , 2006, 63, 571.	4.9	40
1201	Lewy Body Pathology in Familial Alzheimer Disease. <i>Archives of Neurology</i> , 2006, 63, 370.	4.9	122
1202	Hippocampal Sclerosis Dementia with Tauopathy. <i>Brain Pathology</i> , 2003, 13, 263-278.	2.1	80
1203	Heritability and Expression of C-Reactive Protein in Type 2 Diabetes in the Diabetes Heart Study. <i>Annals of Human Genetics</i> , 2006, 70, 717-725.	0.3	33
1204	Estrogen receptor alpha and APOE ϵ 4 polymorphisms interact to increase risk for sporadic AD in Italian females. <i>European Journal of Neurology</i> , 2006, 13, 639-644.	1.7	44

#	ARTICLE	IF	CITATIONS
1205	APOLIPOPROTEIN E GENOTYPES IN NONAGENARIANS. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 1471-1473.	1.3	11
1206	ApoE polymorphism and acute stroke: a study with diffusion- and perfusion-weighted MRI and MR angiography. <i>Acta Neurologica Scandinavica</i> , 2006, 114, 323-328.	1.0	5
1207	ApoE genotype and cognition after subarachnoid haemorrhage: a longitudinal study. <i>Acta Neurologica Scandinavica</i> , 2006, 114, 315-319.	1.0	20
1208	Association between apolipoprotein E e4 allele and apathy in probable Alzheimer's disease.. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 59-63.	2.2	33
1209	Apolipoprotein E genotype is related to plasma levels of C-reactive protein and lipids and to longevity in nonagenarians. <i>Clinical Endocrinology</i> , 2006, 64, 265-270.	1.2	50
1210	Systemic Markers of the Redox Balance and Apolipoprotein E Polymorphism in Atherosclerosis: The Relevance for an Integrated Study. <i>Biological Trace Element Research</i> , 2006, 112, 57-76.	1.9	5
1211	Cognitive functions in low-grade gliomas: disease and treatment effects. <i>Journal of Neuro-Oncology</i> , 2006, 81, 175-184.	1.4	85
1212	Polymorphism in neuropeptide Y influences CSF cholesterol levels but is no major risk factor of Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2006, 113, 231-238.	1.4	9
1213	Circle of Willis atherosclerosis: association with Alzheimer's disease, neuritic plaques and neurofibrillary tangles. <i>Acta Neuropathologica</i> , 2006, 113, 13-21.	3.9	198
1214	Risk factors and early signs of Alzheimer's disease in a family study sample. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 28-36.	1.8	38
1215	Pharmacogenetic determinants of variability in lipid-lowering response to pravastatin therapy. <i>Journal of Human Genetics</i> , 2006, 51, 822-826.	1.1	64
1216	Founder effect for the Ala431Glu mutation of the presenilin 1 gene causing early-onset Alzheimer's disease in Mexican families. <i>Neurogenetics</i> , 2006, 7, 195-200.	0.7	47
1217	Multiple gene polymorphisms and warfarin sensitivity. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 881-883.	0.8	4
1218	Apolipoprotein E polymorphism in the Tunisian population: Frequency and effect on lipid parameters. <i>Clinical Biochemistry</i> , 2006, 39, 816-820.	0.8	27
1219	Cigarette smokers differ in their handling of natural (RRR) and synthetic (all rac) α -tocopherol: A biokinetic study in apoE4 male subjects. <i>Free Radical Biology and Medicine</i> , 2006, 40, 2080-2091.	1.3	11
1220	Analysis of Common Polymorphisms in Angiotensin-converting Enzyme and Apolipoprotein E Genes and Human Longevity in Colombia. <i>Archives of Medical Research</i> , 2006, 37, 890-894.	1.5	23
1221	Impact of Lipoprotein Glomerulopathy on the Relationship Between Lipids and Renal Diseases. <i>American Journal of Kidney Diseases</i> , 2006, 47, 199-211.	2.1	79
1222	The H2 MAPT haplotype is associated with familial frontotemporal dementia. <i>Neurobiology of Disease</i> , 2006, 22, 357-362.	2.1	31

#	ARTICLE	IF	CITATIONS
1223	Sex-dependent variables in the modulation of postalimentary lipemia. <i>Nutrition</i> , 2006, 22, 9-15.	1.1	10
1224	Apolipoprotein E and obstructive sleep apnea: evaluating whether a candidate gene explains a linkage peak. <i>Genetic Epidemiology</i> , 2006, 30, 101-110.	0.6	64
1225	APOE2 allele increased in tardive dyskinesia. <i>Movement Disorders</i> , 2006, 21, 540-542.	2.2	9
1226	The fourth apolipoprotein E haplotype found in the Yoruba of Ibadan. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 426-427.	1.1	11
1227	APOE ε4 is not associated with Alzheimer's disease in elderly Nigerians. <i>Annals of Neurology</i> , 2006, 59, 182-185.	2.8	114
1228	Apolipoprotein E and alpha brain rhythms in mild cognitive impairment: A multicentric Electroencephalogram study. <i>Annals of Neurology</i> , 2006, 59, 323-334.	2.8	92
1229	Endogenous sex hormones, cognitive decline, and future dementia in old men. <i>Annals of Neurology</i> , 2006, 60, 346-355.	2.8	65
1230	Accelerated Weight Loss May Precede Diagnosis in Alzheimer Disease. <i>Archives of Neurology</i> , 2006, 63, 1312.	4.9	282
1231	Relation of Blood Pressure to Risk of Incident Alzheimer's Disease and Change in Global Cognitive Function in Older Persons. <i>Neuroepidemiology</i> , 2006, 26, 30-36.	1.1	54
1232	Apolipoprotein E ε4 and Age at Onset of Sporadic and Familial Alzheimer Disease in Caribbean Hispanics. <i>Archives of Neurology</i> , 2006, 63, 1586.	4.9	36
1233	Comparative proteomics of cerebrospinal fluid in neuropathologically-confirmed Alzheimer's disease and non-demented elderly subjects. <i>Neurological Research</i> , 2006, 28, 155-163.	0.6	188
1234	Incidence of Dementia in Very Elderly Individuals: A Clinical, Neuropathological and Molecular Genetic Study. <i>Neuroepidemiology</i> , 2006, 26, 76-82.	1.1	35
1235	A Module Map Showing Interaction between Apolipoprotein E and Phospholipase A2 Polymorphism in Lipid Profiles. <i>Human Heredity</i> , 2006, 62, 135-144.	0.4	4
1236	Depression, Apolipoprotein E Genotype, and the Incidence of Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2006, 63, 435.	4.9	206
1237	Familial Alzheimer disease in Latinos: Interaction between APOE, stroke, and estrogen replacement. <i>Neurology</i> , 2006, 66, 35-40.	1.5	52
1238	Reported Alcohol Consumption and Cognitive Decline: The Northern Manhattan Study. <i>Neuroepidemiology</i> , 2006, 27, 201-207.	1.1	29
1239	Microsomal triglyceride transfer protein ε493T variant reduces IDL plus LDL apoB production and the plasma concentration of large LDL particles. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E739-E745.	1.8	27
1240	Survival and mortality differences between dementia with Lewy bodies vs Alzheimer disease. <i>Neurology</i> , 2006, 67, 1935-1941.	1.5	207

#	ARTICLE	IF	CITATIONS
1241	Past adult lead exposure is linked to neurodegeneration measured by brain MRI. <i>Neurology</i> , 2006, 66, 1476-1484.	1.5	157
1242	Association Analysis of Common Variants of ELN, NOS2A, APOE and ACE2 to Intracranial Aneurysm. <i>Stroke</i> , 2006, 37, 1189-1194.	1.0	37
1243	Cholesterol, APOE genotype, and Alzheimer disease: An epidemiologic study of Nigerian Yoruba. <i>Neurology</i> , 2006, 66, 223-227.	1.5	117
1244	Coronary artery disease is associated with Alzheimer disease neuropathology in APOE4 carriers. <i>Neurology</i> , 2006, 66, 1399-1404.	1.5	115
1245	Determinants of risk factors of atherosclerosis in the postinfarction period: The Tallinn MI Study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006, 66, 191-199.	0.6	9
1246	Integrated Single-Label Liquid-Phase Assay of APOE Codons 112 and 158 and a Lipoprotein Study in British Women. <i>Clinical Chemistry</i> , 2006, 52, 1420-1423.	1.5	19
1247	Tumor Necrosis Factor $\hat{\tau}$ and Interleukin 10 Promoter Region Polymorphisms and Risk of Late-Onset Alzheimer Disease. <i>Archives of Neurology</i> , 2006, 63, 1165.	4.9	79
1248	Association of Apolipoprotein E Genotype and Alzheimer Disease in African Americans. <i>Archives of Neurology</i> , 2006, 63, 431.	4.9	87
1249	Age and Apolipoprotein E*4 Allele Effects on Cerebrospinal Fluid $\hat{\tau}$ -Amyloid 42 in Adults With Normal Cognition. <i>Archives of Neurology</i> , 2006, 63, 936.	4.9	118
1250	Protective effect of apolipoprotein E2 on coronary artery disease in African Americans is mediated through lipoprotein cholesterol. <i>Journal of Lipid Research</i> , 2006, 47, 2475-2481.	2.0	32
1251	The Ile128Thr polymorphism influences stability and ligand binding properties of the microsomal triglyceride transfer protein. <i>Journal of Lipid Research</i> , 2006, 47, 1378-1385.	2.0	21
1252	Lack of Association of Lobar Intracerebral Hemorrhage with Apolipoprotein E Genotype in an Unselected Population. <i>Cerebrovascular Diseases</i> , 2006, 21, 266-270.	0.8	23
1253	Differences in Risk Factors for Dementia with Neurodegenerative Traits and for Vascular Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 1-7.	0.7	38
1254	Apolipoprotein E $\hat{\mu}$ 4 Allele Is Unrelated to Cognitive or Functional Decline in Alzheimer's Disease: Retrospective and Prospective Analysis. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 73-82.	0.7	67
1255	Association of Polymorphism in the Transcription Factor LBP-1c/CP2/LSF Gene with Alzheimer's Disease and Major Depression. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 95-98.	0.7	10
1256	Apolipoprotein E polymorphism and preclinical carotid artery disease in untreated hypertensive men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 98-100.	3.1	3
1257	Effect of the Apolipoprotein E $\hat{\mu}$ 4 Allele on the Efficacy and Tolerability of Galantamine in the Treatment of Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 21, 33-39.	0.7	25
1258	$\hat{\tau}$ 2-Adrenergic Receptor Genetic Variants and Risk of Sudden Cardiac Death. <i>Circulation</i> , 2006, 113, 1842-1848.	1.6	117

#	ARTICLE	IF	CITATIONS
1259	Missense Mutations in APOB within the ϵ 1 Domain of Human APOB-100 Result in Impaired Secretion of ApoB and ApoB-containing Lipoproteins in Familial Hypobetalipoproteinemia. <i>Journal of Biological Chemistry</i> , 2007, 282, 24270-24283.	1.6	66
1260	Patterns of subjective memory impairment in the elderly: association with memory performance. <i>Psychological Medicine</i> , 2007, 37, 1753-1762.	2.7	129
1261	<i>APOE</i> ϵ 4 allele, cognitive dysfunction, and obstructive sleep apnea in children. <i>Neurology</i> , 2007, 69, 243-249.	1.5	127
1262	Apolipoprotein E ϵ 4 Allele Increases Risk for Psychotic Symptoms in Alzheimer's Disease. <i>Neuropsychopharmacology</i> , 2007, 32, 171-179.	2.8	40
1263	Hypertension and the Risk of Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2007, 64, 1734.	4.9	284
1264	Dietary fatty acids make a rapid and substantial contribution to VLDL-triacylglycerol in the fed state. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E732-E739.	1.8	46
1265	Improvement of myocardial blood flow by lipid-lowering therapy with pravastatin is modulated by apolipoprotein E genotype. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007, 67, 723-734.	0.6	10
1266	Clinicopathological concordance and discordance in three monozygotic twin pairs with familial Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 1050-1055.	0.9	42
1267	Serum α -tocopherol, concurrent and past vitamin E intake, and mild cognitive impairment. <i>Neurology</i> , 2007, 68, 670-676.	1.5	26
1268	Cycad exposure and risk of dementia, MCI, and PDC in the Chamorro population of Guam. <i>Neurology</i> , 2007, 68, 1764-1771.	1.5	90
1269	Prevalence of dementia in Chamorros on Guam: Relationship to age, gender, education, and APOE. <i>Neurology</i> , 2007, 68, 1772-1781.	1.5	64
1270	Association of statin use with cognitive decline in elderly African Americans. <i>Neurology</i> , 2007, 69, 1873-1880.	1.5	69
1271	A novel apolipoprotein E mutation, ApoE Tsukuba (Arg 114 Cys), in lipoprotein glomerulopathy. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 381-384.	0.4	22
1272	Cognitive Performance in Older Women Relative to ApoE- ϵ 4 Genotype and Aerobic Fitness. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 199-207.	0.2	103
1273	APOE does not predict poor outcome 1 year after ischemic stroke. <i>Neurological Research</i> , 2007, 29, 64-69.	0.6	11
1274	Conscientiousness and the Incidence of Alzheimer Disease and Mild Cognitive Impairment. <i>Archives of General Psychiatry</i> , 2007, 64, 1204.	13.8	236
1275	Apolipoprotein E modifies the CNS response to injury via a histamine-mediated pathway. <i>Neurological Research</i> , 2007, 29, 243-250.	0.6	17
1276	Cognitive Domain Decline in Healthy Apolipoprotein E ϵ 4 Homozygotes Before the Diagnosis of Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2007, 64, 1306.	4.9	137

#	ARTICLE	IF	CITATIONS
1277	Elevated Plasma β -Amyloid Peptide A β 242 Levels, Incident Dementia, and Mortality in Down Syndrome. Archives of Neurology, 2007, 64, 1007.	4.9	89
1278	Relation of Higher Folate Intake to Lower Risk of Alzheimer Disease in the Elderly. Archives of Neurology, 2007, 64, 86.	4.9	215
1279	Association of Apolipoprotein E Genotype and Cerebral Palsy in Children. Pediatrics, 2007, 119, 306-313.	1.0	61
1280	Assessing Quality and Functionality of DNA from Fresh and Archival Dried Blood Spots and Recommendations for Quality Control Guidelines. Clinical Chemistry, 2007, 53, 1401-1407.	1.5	56
1281	β 7 Nicotinic acetylcholine receptor gene and reduced risk of Alzheimer's disease. Journal of Medical Genetics, 2007, 45, 244-248.	1.5	29
1282	ApoE genotype affects allele-specific apo[a] levels for large apo[a] sizes in African Americans: the Harlem-Basset Study. Journal of Lipid Research, 2007, 48, 693-698.	2.0	17
1283	The Relation between Apolipoprotein A-I and Dementia: The Honolulu-Asia Aging Study. American Journal of Epidemiology, 2007, 165, 985-992.	1.6	85
1284	Selenium Level and Cognitive Function in Rural Elderly Chinese. American Journal of Epidemiology, 2007, 165, 955-965.	1.6	160
1285	The Association Between Genetic Variants in SORL1 and Alzheimer Disease in an Urban, Multiethnic, Community-Based Cohort. Archives of Neurology, 2007, 64, 501.	4.9	141
1286	Relation of Diabetes to Mild Cognitive Impairment. Archives of Neurology, 2007, 64, 570.	4.9	490
1287	Neuropsychological Measures in Normal Individuals That Predict Subsequent Cognitive Decline. Archives of Neurology, 2007, 64, 862.	4.9	220
1288	Apolipoprotein E and First-ever Ischaemic Stroke in Greek Hospitalized Patients. Journal of International Medical Research, 2007, 35, 127-133.	0.4	15
1289	Presenilin Gene Predisposes to Late-Onset Degenerative but Not Vascular Dementia: A Comparative Study of PS1 and ApoE Genes in a North Indian Cohort. Dementia and Geriatric Cognitive Disorders, 2007, 24, 151-161.	0.7	16
1290	Differential CSF Biomarker Levels in <i>APOE-ϵ4</i> -Positive and -Negative Patients with Memory Impairment. Dementia and Geriatric Cognitive Disorders, 2007, 23, 87-95.	0.7	26
1291	Mild Cognitive Impairment in General Practice: Age-Specific Prevalence and Correlate Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). Dementia and Geriatric Cognitive Disorders, 2007, 24, 307-316.	0.7	173
1292	Leisure Activity and Cognitive Decline in Incident Alzheimer Disease. Archives of Neurology, 2007, 64, 1749.	4.9	90
1293	Cigarette Smoking, CFH, APOE, ELOVL4, and Risk of Neovascular Age-Related Macular Degeneration. JAMA Ophthalmology, 2007, 125, 49.	2.6	116
1294	Metabolic Syndrome and Dementia Risk in a Multiethnic Elderly Cohort. Dementia and Geriatric Cognitive Disorders, 2007, 24, 185-192.	0.7	141

#	ARTICLE	IF	CITATIONS
1295	Heritability of Longitudinal Measures of Body Mass Index and Lipid and Lipoprotein Levels in Aging Twins. <i>Twin Research and Human Genetics</i> , 2007, 10, 703-711.	0.3	92
1296	Apolipoprotein E polymorphism "a risk factor for metabolic syndrome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1149-53.	1.4	50
1297	Depressive Symptoms Associated With Hereditary Alzheimer's Disease: A Case Description. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2007, 21, 411-415.	0.9	2
1298	Genetic evidence that apolipoprotein E4 is not a relevant susceptibility factor for cholelithiasis in two high-risk populations. <i>Journal of Lipid Research</i> , 2007, 48, 1378-1385.	2.0	23
1299	The M694V Variant of the Familial Mediterranean Fever Gene Is Associated with Sporadic Early-Onset Alzheimer's Disease in an Italian Population Sample. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 23, 55-59.	0.7	7
1300	Apolipoprotein E Genotypic Frequencies Among Down Syndrome Patients Imply Early Unsuccessful Aging for ApoE4 Carriers. <i>Rejuvenation Research</i> , 2007, 10, 293-300.	0.9	13
1301	Severity of Metabolic Syndrome Unfavorably Influences Oxidative Stress and Fatty Acid Metabolism in Men. <i>Tohoku Journal of Experimental Medicine</i> , 2007, 212, 359-371.	0.5	27
1302	Apolipoprotein E Gene and Age-Related Maculopathy in Older Individuals. <i>JAMA Ophthalmology</i> , 2007, 125, 68.	2.6	31
1303	Common variants APOC3, APOA5, APOE and PON1 are associated with variation in plasma lipoprotein traits in Greenlanders. <i>International Journal of Circumpolar Health</i> , 2007, 66, 390-400.	0.5	17
1304	Longitudinal change in cognitive performance among individuals with mild cognitive impairment.. <i>Neuropsychology</i> , 2007, 21, 158-169.	1.0	158
1305	APOE genotype and cognitive functioning in a large age-stratified population sample.. <i>Neuropsychology</i> , 2007, 21, 1-8.	1.0	143
1306	Measures of Adiposity and Dementia Risk in Elderly Persons. <i>Archives of Neurology</i> , 2007, 64, 392.	4.9	196
1307	Genetic pathway of major depressive disorder in shortening telomeric length. <i>Psychiatric Genetics</i> , 2007, 17, 195-199.	0.6	105
1308	Apolipoprotein E polymorphisms influence effect of pravastatin on survival after myocardial infarction in a Mediterranean population: the GISSI-Prevenzione study. <i>European Heart Journal</i> , 2007, 28, 1977-1983.	1.0	31
1309	Differential effects of apolipoprotein E3 and E4 on markers of oxidative status in macrophages. <i>British Journal of Nutrition</i> , 2007, 97, 864-871.	1.2	40
1310	Effect of Apolipoprotein E Polymorphism on Renal Transplantation. <i>Transplantation Proceedings</i> , 2007, 39, 2217-2218.	0.3	3
1311	Clinical-pathologic study of biomarkers in FTDP-17 (PPND family with N279K tau mutation). <i>Parkinsonism and Related Disorders</i> , 2007, 13, 230-239.	1.1	47
1312	A TGF- β 1 polymorphism association with dementia and neuropathologies: The HAAS. <i>Neurobiology of Aging</i> , 2007, 28, 1367-1373.	1.5	33

#	ARTICLE	IF	CITATIONS
1313	Predicting memory decline in normal elderly: Genetics, MRI, and cognitive reserve. <i>Neurobiology of Aging</i> , 2007, 28, 1644-1656.	1.5	44
1314	Longitudinal genetic analysis of executive function in elderly men. <i>Neurobiology of Aging</i> , 2007, 28, 1759-1768.	1.5	25
1315	Mortalin is regulated by APOE in hippocampus of AD patients and by human APOE in TR mice. <i>Neurobiology of Aging</i> , 2007, 28, 1853-1862.	1.5	61
1316	Effects of sex and APOE ϵ 4 on object recognition and spatial navigation in the elderly. <i>Neuroscience</i> , 2007, 147, 6-17.	1.1	75
1317	Labeling of low-density lipoproteins using the ^{18}F -labeled thiol-reactive reagent N-[6-(4-[^{18}F]fluorobenzylidene)aminoxyhexyl]maleimide. <i>Nuclear Medicine and Biology</i> , 2007, 34, 5-15.	0.3	84
1318	Effects of apoE genotype on macrophage inflammation and heme oxygenase-1 expression. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 319-324.	1.0	88
1319	Factor V Leiden and apolipoprotein E genotypes in severe femoropopliteal atherosclerosis with restenosis. <i>Clinica Chimica Acta</i> , 2007, 377, 256-260.	0.5	9
1320	A 60-y-old chylomicronemia patient homozygous for missense mutation (G188E) in the lipoprotein lipase gene showed no accelerated atherosclerosis. <i>Clinica Chimica Acta</i> , 2007, 386, 100-104.	0.5	23
1321	Relationship between Apolipoprotein E polymorphism and nephropathy in type-2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2007, 78, 196-201.	1.1	17
1322	Cholesterol level, statin use and Alzheimer's disease in adults with Down syndrome. <i>Neuroscience Letters</i> , 2007, 416, 279-284.	1.0	38
1323	The CDC2 I-G-T haplotype associated with the APOE ϵ 4 allele increases the risk of sporadic Alzheimer's disease in Sicily. <i>Neuroscience Letters</i> , 2007, 419, 195-198.	1.0	9
1324	Association between genetic variants in sortilin-related receptor 1 (SORL1) and Alzheimer's disease in adults with Down syndrome. <i>Neuroscience Letters</i> , 2007, 425, 105-109.	1.0	44
1325	Butyrylcholinesterase, ApoE and Alzheimer's disease in a population from the Canary Islands (Spain). <i>Neuroscience Letters</i> , 2007, 427, 34-38.	1.0	7
1326	The normal equilibrium between CSF and plasma amyloid beta levels is disrupted in Alzheimer's disease. <i>Neuroscience Letters</i> , 2007, 427, 127-131.	1.0	112
1327	Association of heterozygous familial hypercholesterolemia with smaller HDL particle size. <i>Atherosclerosis</i> , 2007, 190, 429-435.	0.4	31
1328	LDL composition in E2/E2 subjects and LDL distribution by Apo E genotype in type 1 diabetes. <i>Atherosclerosis</i> , 2007, 192, 138-147.	0.4	17
1329	Effect of ezetimibe coadministered with statins in genotype-confirmed heterozygous FH patients. <i>Atherosclerosis</i> , 2007, 194, e116-e122.	0.4	68
1330	Apolipoprotein E genotyping by multiplex tetra-primer amplification refractory mutation system PCR in single reaction tube. <i>Journal of Biotechnology</i> , 2007, 131, 106-110.	1.9	33

#	ARTICLE	IF	CITATIONS
1331	Apolipoprotein E ϵ 4 Genotype and Gender: Effects on Memory. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 869-878.	0.6	21
1332	Homozygous missense mutation (G56R) in glycosylphosphatidylinositol-anchored high-density lipoprotein-binding protein 1 (GPI-HBP1) in two siblings with fasting chylomicronemia (MIM 144650). <i>Lipids in Health and Disease</i> , 2007, 6, 23.	1.2	74
1333	Ankle-to-Brachial Index and Dementia. <i>Circulation</i> , 2007, 116, 2269-2274.	1.6	77
1334	A Novel Loss of Function Mutation of PCSK9 Gene in White Subjects With Low-Plasma Low-Density Lipoprotein Cholesterol. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 677-681.	1.1	125
1335	Peripheral insulin and brain structure in early Alzheimer disease. <i>Neurology</i> , 2007, 69, 1094-1104.	1.5	103
1336	Apolipoprotein E4 Allele Presence and Functional Outcome after Severe Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 790-797.	1.7	84
1337	Two sites in the MAPT region confer genetic risk for Guam ALS/PDC and dementia. <i>Human Molecular Genetics</i> , 2007, 16, 295-306.	1.4	59
1338	Apolipoprotein E and lipoprotein lipase gene polymorphisms interaction on the atherogenic combined expression of hypertriglyceridemia and hyperapobetalipoproteinemia phenotypes. <i>Journal of Endocrinological Investigation</i> , 2007, 30, 551-557.	1.8	9
1339	The topography of grey matter involvement in early and late onset Alzheimer's disease. <i>Brain</i> , 2007, 130, 720-730.	3.7	408
1340	ApoE4 Allele Is Associated With Late-Life Depression: A Population-Based Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 858-868.	0.6	55
1341	Relation between vascular risk factors and neuropsychological test performance among elderly persons with Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2007, 257, 194-201.	0.3	27
1342	Polymorphism of apolipoprotein E (APOE) and lipoprotein lipase (LPL) genes and ischaemic stroke in individuals of Yakut ethnicity. <i>Journal of the Neurological Sciences</i> , 2007, 255, 42-49.	0.3	19
1343	Associations of apolipoprotein E polymorphism with low-density lipoprotein size and subfraction profiles in Arab patients with coronary heart disease. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 484-490.	1.5	25
1344	The relationship of sterol regulatory elementâ€“binding protein cleavageâ€“activation protein and apolipoprotein E gene polymorphisms with metabolic changes during weight reduction. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 876-880.	1.5	10
1345	Diagnosis of type III hyperlipoproteinemia from plasma total cholesterol, triglyceride, and apolipoprotein B. <i>Journal of Clinical Lipidology</i> , 2007, 1, 256-263.	0.6	64
1346	Variability of Age at Onset in Siblings With Familial Alzheimer Disease. <i>Archives of Neurology</i> , 2007, 64, 1743.	4.9	39
1347	Human Plasma Levels of Vitamin E and Carotenoids Are Associated with Genetic Polymorphisms in Genes Involved in Lipid Metabolism , ,3. <i>Journal of Nutrition</i> , 2007, 137, 2653-2659.	1.3	144
1348	Apolipoprotein E polymorphism in Brazilian dyslipidemic individuals: Ouro Preto study. <i>Brazilian Journal of Medical and Biological Research</i> , 2007, 40, 49-56.	0.7	36

#	ARTICLE	IF	CITATIONS
1349	Comparison of apolipoprotein E polymorphism and other atherosclerotic risk factors in two portuguese populations: the influence of insularity. <i>Brazilian Archives of Biology and Technology</i> , 2007, 50, 803-813.	0.5	1
1350	Alcohol consumption, interleukin-6 and apolipoprotein E genotypes, and concentrations of interleukin-6 and serum amyloid P in older adults. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 444-450.	2.2	3
1351	Polimorfismo genético de la apolipoproteína E en un grupo de escolares del centro-oriente colombiano: comparación con las concentraciones plasmáticas de lípidos y apolipoproteínas. <i>Biomedica</i> , 2007, 27, 526.	0.3	9
1352	A primate model for Alzheimer's disease: Investigation of the apolipoprotein E profile of the vervet monkey of St. Kitts. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 818-819.	1.1	34
1353	Candidate gene association study of insulin signaling genes and Alzheimer's disease: Evidence for <i>SOS2</i> , <i>PCK1</i> , and <i>PPAR1</i> as susceptibility loci. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 508-516.	1.1	54
1354	Association studies of 23 positional/functional candidate genes on chromosome 10 in late-onset Alzheimer's disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 762-770.	1.1	42
1355	Alzheimer's disease: Case-control association study of polymorphisms in <i>ACHE</i> , <i>CHAT</i> , and <i>BCHE</i> genes in a Sardinian sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 895-899.	1.1	24
1356	Apolipoprotein E ϵ 4 allele is associated with Parkinson disease risk in a Mexican Mestizo population. <i>Movement Disorders</i> , 2007, 22, 417-420.	2.2	21
1357	Determination of malondialdehyde, reduced glutathione levels and APOE4 allele frequency in late-onset Alzheimer's disease in Denizli, Turkey. <i>Clinical Biochemistry</i> , 2007, 40, 172-176.	0.8	41
1358	The D9N, N291S and S447X variants in the lipoprotein lipase (LPL) gene are not associated with Type III Hyperlipidemia. <i>BMC Medical Genetics</i> , 2007, 8, 56.	2.1	9
1359	Heritability of serum hs-CRP concentration and 5-year changes in the Stanislas family study: association with apolipoprotein E alleles. <i>Genes and Immunity</i> , 2007, 8, 352-359.	2.2	10
1360	Features of the metabolic syndrome are modulated by an interaction between the peroxisome proliferator-activated receptor- δ ϵ 87T>C polymorphism and dietary fat in French-Canadians. <i>International Journal of Obesity</i> , 2007, 31, 411-417.	1.6	50
1361	Genetic epistasis in the VLDL catabolic pathway is associated with deleterious variations on triglyceridemia in obese subjects. <i>International Journal of Obesity</i> , 2007, 31, 1325-1333.	1.6	11
1362	Violent behavior associated with hypocholesterolemia due to a novel APOB gene mutation. <i>Molecular Psychiatry</i> , 2007, 12, 258-263.	4.1	27
1363	Age-Varying Association Between Blood Pressure and Risk of Dementia in Those Aged 65 and Older: A Community-Based Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 1161-1167.	1.3	117
1364	Variation in 5' Promoter Region of the APOE gene Contributes to Predicting Ischemic Heart Disease (IHD) in the Population at Large: the Copenhagen City Heart Study. <i>Annals of Human Genetics</i> , 2007, 71, 762-771.	0.3	10
1365	What is the relationship among atherosclerosis markers, apolipoprotein E polymorphism and dementia?. <i>European Journal of Neurology</i> , 2007, 14, 679-682.	1.7	31
1366	The APOE polymorphism and 1-year outcome in ischemic stroke: genotype-gender interaction. <i>Acta Neurologica Scandinavica</i> , 2007, 116, 392-398.	1.0	33

#	ARTICLE	IF	CITATIONS
1367	Polymorphisms of cholesterol metabolism genes CYP46 and ABCA1 and the risk of sporadic Alzheimer's disease in Chinese. <i>Brain Research</i> , 2007, 1147, 34-38.	1.1	41
1368	Gender-specific effects of apolipoprotein E genotype on plasma lipid levels in a population-based sample of 6-7-year-old children in Spain. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 1039-1043.	0.7	15
1369	Corpus callosum size, reaction time speed and variability in mild cognitive disorders and in a normative sample. <i>Neuropsychologia</i> , 2007, 45, 1911-1920.	0.7	103
1370	No effect of APOE and PVRL2 on the clinical outcome of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2007, 186, 156-160.	1.1	8
1371	Polymorphism of the apolipoprotein E gene (APOE) in the populations of Russia and neighboring countries. <i>Russian Journal of Genetics</i> , 2007, 43, 1201-1207.	0.2	6
1372	Differential course of HIV-1 infection and apolipoprotein E polymorphism. <i>Open Medicine (Poland)</i> , 2007, 2, 404-416.	0.6	1
1373	Lipoprotein glomerulopathy-like disease in a patient with type III hyperlipoproteinemia due to apolipoprotein E2 (Arg158 Cys)/3 heterozygosity. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 174-179.	0.7	6
1374	Free copper in serum of Alzheimer's disease patients correlates with markers of liver function. <i>Journal of Neural Transmission</i> , 2007, 114, 1589-1594.	1.4	82
1375	Subsets of SNPs define rare genotype classes that predict ischemic heart disease. <i>Human Genetics</i> , 2007, 120, 865-877.	1.8	17
1376	Complement Factor H Y402H Polymorphism is not Associated with Late-onset Alzheimer's Disease. <i>NeuroMolecular Medicine</i> , 2007, 9, 331-334.	1.8	22
1377	Familial hypercholesterolemia associated with severe hypoalphalipoproteinemia in a Moroccan family. <i>Journal of Genetics</i> , 2007, 86, 159-163.	0.4	4
1378	The Sun Health Research Institute Brain Donation Program: Description and Experience, 1987-2007. <i>Cell and Tissue Banking</i> , 2008, 9, 229-245.	0.5	230
1379	The apolipoprotein E 4 allele and memory performance in HIV-1 seropositive subjects: differences at baseline but not after acute oral lorazepam challenge. <i>Psychopharmacology</i> , 2008, 201, 125-135.	1.5	16
1380	Diurnal variations in salivary protein carbonyl levels in normal and cognitively impaired human subjects. <i>Age</i> , 2008, 30, 1-9.	3.0	36
1381	Delayed Metabolism of Postprandial Triglyceride-Rich Lipoproteins in Subjects with Echolucent Carotid Plaques. <i>Lipids</i> , 2008, 43, 353-360.	0.7	8
1382	The ApoB Content of VLDL Particles is Associated with Plaque Size in Persons with Carotid Atherosclerosis. <i>Lipids</i> , 2008, 43, 673-679.	0.7	13
1383	Age-at-onset linkage analysis in Caribbean Hispanics with familial late-onset Alzheimer's disease. <i>Neurogenetics</i> , 2008, 9, 51-60.	0.7	26
1384	Further examination of the candidate genes in chromosome 12p13 locus for late-onset Alzheimer disease. <i>Neurogenetics</i> , 2008, 9, 127-138.	0.7	36

#	ARTICLE	IF	CITATIONS
1385	Decreased plasma levels of soluble receptor for advanced glycation end products in mild cognitive impairment. <i>Journal of Neural Transmission</i> , 2008, 115, 1047-1050.	1.4	52
1386	Association between Apolipoprotein E genotype and cerebral palsy is not confirmed in a Caucasian population. <i>Human Genetics</i> , 2008, 124, 411-416.	1.8	32
1387	The association of APOE genotype and cognitive decline in interaction with risk factors in a 65-69 year old community sample. <i>BMC Geriatrics</i> , 2008, 8, 14.	1.1	53
1388	Birth weight and blood lipid levels in Spanish adolescents: Influence of selected APOE, APOC3 and PPARGgamma2 gene polymorphisms. The AVENA Study. <i>BMC Medical Genetics</i> , 2008, 9, 98.	2.1	25
1389	Histopathological and molecular heterogeneity among individuals with dementia associated with Presenilin mutations. <i>Molecular Neurodegeneration</i> , 2008, 3, 20.	4.4	55
1390	Apolipoprotein E genotype is related to nitric oxide production in platelets. <i>Cell Biochemistry and Function</i> , 2008, 26, 852-858.	1.4	16
1391	Omega-3 supplementation in mild to moderate Alzheimer's disease: effects on neuropsychiatric symptoms. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 161-169.	1.3	154
1392	Depressive symptoms, vascular risk factors, and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 922-928.	1.3	46
1393	A new amyloid β variant favoring oligomerization in Alzheimer's ϵ type dementia. <i>Annals of Neurology</i> , 2008, 63, 377-387.	2.8	386
1394	The influence of polymorphism of ϵ 493G/T MTP gene promoter and metabolic syndrome on lipids, fatty acids and oxidative stress. <i>Journal of Nutritional Biochemistry</i> , 2008, 19, 634-641.	1.9	18
1395	Single tube optimisation of APOE genotyping based on melting curve analysis. <i>Clinical Biochemistry</i> , 2008, 41, 923-926.	0.8	4
1396	Analysis of the association of allelic variants of apolipoprotein E and interleukin 1 beta genes with multiple sclerosis in ethnic Tatars. <i>Russian Journal of Genetics</i> , 2008, 44, 350-356.	0.2	4
1397	LRP-associated protein gene (<i>LRPAP1</i>) and susceptibility to degenerative dementia. <i>Genes, Brain and Behavior</i> , 2008, 7, 943-950.	1.1	24
1398	The effect of apolipoprotein E polymorphism on plasma cholesteryl ester transfer protein activity in type 2 diabetic patients. <i>Molecular Biology</i> , 2008, 42, 829-833.	0.4	0
1399	Polymorphism of the apolipoprotein E gene and risk of multiple sclerosis in ethnic Russians. <i>Molecular Biology</i> , 2008, 42, 852-858.	0.4	1
1400	Sex-specific interaction between APOE and APOA5 variants and determination of plasma lipid levels. <i>European Journal of Human Genetics</i> , 2008, 16, 135-138.	1.4	22
1401	Conformationally altered p53: a novel Alzheimer's disease marker?. <i>Molecular Psychiatry</i> , 2008, 13, 641-647.	4.1	73
1402	Association of the ϵ 2 Allele of Apoe Gene to Hypertriglyceridemia and to Early-Onset Alcoholic Cirrhosis. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 559-566.	1.4	29

#	ARTICLE	IF	CITATIONS
1403	Antioxidant Vitamin Supplement Use and Risk of Dementia or Alzheimer's Disease in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 291-295.	1.3	108
1404	Apolipoprotein E ϵ 4, Alzheimer's Disease, and Cognitive Performance in Elderly Mexican Mestizos. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 677-682.	1.3	11
1405	Cytokine IL ϵ 1 beta but not IL ϵ 1 alpha promoter polymorphism is associated with Alzheimer disease in a population from the Canary Islands, Spain. <i>European Journal of Neurology</i> , 2008, 15, 1080-1084.	1.7	42
1406	APO E Polymorphism in Spanish and Moroccan populations. <i>Clinical Genetics</i> , 1997, 51, 354-356.	1.0	37
1407	Apolipoprotein E genotypes in offspring with a positive and negative family history of premature myocardial infarction. <i>Clinical Genetics</i> , 1998, 53, 387-390.	1.0	6
1408	Bioavailable testosterone is associated with a reduced risk of amnesic mild cognitive impairment in older men. <i>Clinical Endocrinology</i> , 2008, 68, 589-598.	1.2	57
1409	Variation in Niemann-Pick C1-like 1 gene as a determinant of apolipoprotein B-100 kinetics and response to statin therapy in centrally obese men. <i>Clinical Endocrinology</i> , 2008, 69, 45-51.	1.2	16
1410	A novel truncated apolipoprotein B (apo B55) in a patient with familial hypobetalipoproteinemia and atypical retinitis pigmentosa. <i>Clinical Genetics</i> , 1992, 42, 62-70.	1.0	20
1411	Intrafamilial variability in the clinical expression of familial hypercholesterolemia: importance of risk factor determination for genetic counselling. <i>Clinical Genetics</i> , 2008, 43, 295-299.	1.0	27
1412	Associations of genotypes at the apolipoprotein A ϵ III ϵ AIV, apolipoprotein B and lipoprotein lipase gene loci with coronary atherosclerosis and high density lipoprotein subclasses. <i>Clinical Genetics</i> , 1994, 46, 273-282.	1.0	45
1413	Plasma lipids and lipoproteins response to a dietary challenge: analysis of four candidate genes. <i>Clinical Genetics</i> , 1995, 47, 1-12.	1.0	42
1414	Complexity of molecular genetics of dyslipidemia in a family highly susceptible to ischemic heart disease. <i>Clinical Genetics</i> , 1995, 48, 23-28.	1.0	4
1415	Population frequency of apolipoprotein E5 (Glu3 ϵ Lys) and E7 (Glu244 ϵ Lys, Glu245 ϵ Lys) variants in western Japana. <i>Clinical Genetics</i> , 1995, 48, 93-99.	1.0	16
1416	Apolipoprotein E allele frequencies in a South African Indian female population. <i>Clinical Genetics</i> , 1995, 48, 243-245.	1.0	7
1417	Apolipoprotein E ⁴ allele in the normal elderly: neuropsychologic and brain MRI correlates. <i>Clinical Genetics</i> , 1996, 50, 293-299.	1.0	90
1418	Frequencies of five genetic polymorphisms in coronarographed patients and effects on lipid levels in a supposedly healthy population. <i>Clinical Genetics</i> , 1996, 50, 339-347.	1.0	26
1419	Cholesteryl ester transfer protein polymorphism D442G associated with a potential decreased risk for Alzheimer's disease as a modifier for APOE ϵ 4 in Chinese. <i>Brain Research</i> , 2008, 1187, 52-57.	1.1	30
1420	Association analysis of methionine synthase gene 2756 A>G polymorphism and Alzheimer disease in a Chinese population. <i>Brain Research</i> , 2008, 1204, 118-122.	1.1	11

#	ARTICLE	IF	CITATIONS
1421	An observational study on the influence of the APOE- ϵ 4 allele on the correlation between ϵ -free TM copper toxicosis and EEG activity in Alzheimer disease. <i>Brain Research</i> , 2008, 1215, 183-189.	1.1	39
1422	Association between polymorphisms in the apolipoprotein D gene and sporadic Alzheimer's disease. <i>Brain Research</i> , 2008, 1233, 196-202.	1.1	23
1423	CETP polymorphisms influence cholesterol metabolism but not Alzheimer's disease risk. <i>Brain Research</i> , 2008, 1232, 1-6.	1.1	26
1424	Apolipoprotein E ϵ 4 and its prevalence in early childhood death due to sudden infant death syndrome or to recognised causes. <i>Early Human Development</i> , 2008, 84, 549-554.	0.8	15
1425	Slower speed-of-processing of cognitive tasks is associated with presence of the apolipoprotein ϵ 4 allele. <i>Journal of Psychiatric Research</i> , 2008, 42, 199-204.	1.5	18
1426	Cholesterol retention in Alzheimer's brain is responsible for high β 2- and β 3-secretase activities and $A\beta$ 2 production. <i>Neurobiology of Disease</i> , 2008, 29, 422-437.	2.1	239
1428	Glutathione S-transferase variants increase susceptibility for late-onset Alzheimer's disease: association study and relationship with apolipoprotein E ϵ 4 allele. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 439-45.	1.4	45
1430	Association between apolipoprotein E polymorphism, lipids, and coronary artery disease in Tunisian type 2 diabetes. <i>Journal of Clinical Lipidology</i> , 2008, 2, 360-364.	0.6	15
1431	Human Apolipoprotein E4 Targeted Replacement Mice Show Increased Prevalence of Intracerebral Hemorrhage Associated with Vascular Amyloid Deposition. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2008, 17, 303-311.	0.7	22
1432	Apolipoprotein E4 enhances attachment of <i>Chlamydia pneumoniae</i> elementary bodies to host cells. <i>Microbial Pathogenesis</i> , 2008, 44, 279-285.	1.3	33
1433	Homocysteine and cognitive performance: Modification by the ApoE genotype. <i>Neuroscience Letters</i> , 2008, 430, 64-69.	1.0	46
1434	Effect of the XbaI polymorphism of estrogen receptor alpha on postmenopausal gray matter. <i>Neuroscience Letters</i> , 2008, 434, 304-309.	1.0	8
1435	Influence of SORL1 gene variants: Association with CSF amyloid- β 2 products in probable Alzheimer's disease. <i>Neuroscience Letters</i> , 2008, 440, 68-71.	1.0	43
1436	Dose-dependent effect of the Val66Met polymorphism of the brain-derived neurotrophic factor gene on memory-related hippocampal activity. <i>Neuroscience Research</i> , 2008, 61, 360-367.	1.0	69
1437	Multiplexed quantification of dementia biomarkers in the CSF of patients with early dementias and MCI: A multicenter study. <i>Neurobiology of Aging</i> , 2008, 29, 812-818.	1.5	94
1438	Altered medial temporal lobe responses during visuospatial encoding in healthy APOE*4 carriers. <i>Neurobiology of Aging</i> , 2008, 29, 981-991.	1.5	65
1439	Apolipoprotein ϵ 4 alleles in sporadic inclusion body myositis: A reappraisal. <i>Neuromuscular Disorders</i> , 2008, 18, 150-152.	0.3	15
1440	The APOE ϵ 4 allele increases the risk of impaired spatial working memory in obstructive sleep apnea. <i>Sleep Medicine</i> , 2008, 9, 831-839.	0.8	76

#	ARTICLE	IF	CITATIONS
1441	A multilevel analysis of the influence of Apolipoprotein E genotypes on depressive symptoms in late-life moderated by the environment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 479-486.	2.5	24
1442	Air pollution, cognitive deficits and brain abnormalities: A pilot study with children and dogs. <i>Brain and Cognition</i> , 2008, 68, 117-127.	0.8	450
1443	Interaction between APOA5 ϵ 1131T>C and APOE polymorphisms and their association with severe hypertriglyceridemia. <i>Clinica Chimica Acta</i> , 2008, 395, 68-71.	0.5	21
1444	FAMILIAL HYPERCHOLESTEROLAEMIA IN NORTHWESTERN GREECE. <i>Atherosclerosis Supplements</i> , 2008, 9, 77.	1.2	1
1445	Dose-dependent effect of rosuvastatin on apolipoprotein B-100 kinetics in the metabolic syndrome. <i>Atherosclerosis</i> , 2008, 197, 139-146.	0.4	38
1446	Evaluation of clinical diagnosis criteria of familial ligand defective apoB 100 and lipoprotein phenotype comparison between LDL receptor gene mutations affecting ligand-binding domain and the R3500Q mutation of the apoB gene in patients from a South European population. <i>Translational Research</i> , 2008, 151, 162-167.	2.2	26
1447	PPAR- γ Pro12Ala genotype and risk of cognitive decline in elders. <i>Neurobiology of Aging</i> , 2008, 29, 78-83.	1.5	37
1448	Cardiovascular disease in familial hypercholesterolaemia: Influence of low-density lipoprotein receptor mutation type and classic risk factors. <i>Atherosclerosis</i> , 2008, 200, 315-321.	0.4	135
1449	Effect of the PPAR-Alpha L162V Polymorphism on the Cardiovascular Disease Risk Factor in Response to $n-3$ Polyunsaturated Fatty Acids. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2008, 1, 205-212.	1.8	17
1451	APOE ϵ 4 allele is associated with cognitive impairment in patients with multiple sclerosis. <i>Neurology</i> , 2008, 70, 185-190.	1.5	65
1452	Pathophysiology of Delirium in the Intensive Care Unit. <i>Critical Care Clinics</i> , 2008, 24, 45-65.	1.0	187
1453	Increased Mental Slowing Associated With the APOE ϵ 4 Allele After Trihexyphenidyl Oral Anticholinergic Challenge in Healthy Elderly. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 116-124.	0.6	10
1454	Interactions between hepatic lipase and apolipoprotein E gene polymorphisms affect serum lipid profiles of healthy Canadian adults. <i>Applied Physiology, Nutrition and Metabolism</i> , 2008, 33, 761-768.	0.9	13
1455	Effect of fish oil on cognitive performance in older subjects. <i>Neurology</i> , 2008, 71, 430-438.	1.5	341
1456	Impact of Apolipoprotein E (ApoE) Polymorphism on Brain ApoE Levels. <i>Journal of Neuroscience</i> , 2008, 28, 11445-11453.	1.7	282
1457	Peripheral $A\beta$ 2 subspecies as risk biomarkers of Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14052-14057.	3.3	218
1458	Effect of Physical Activity on Cognitive Function in Older Adults at Risk for Alzheimer Disease. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 1027.	3.8	1,331
1459	Cerebrospinal Fluid Apolipoprotein E, Calcium and Cerebral Vasospasm after Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2008, 10, 102-112.	1.0	11

#	ARTICLE	IF	CITATIONS
1460	Apolipoprotein E genotype and memory in the sixth decade of life. <i>Neurology</i> , 2008, 70, 1771-1777.	1.5	52
1461	Aggregation of lipoprotein and inflammatory parameters in families with a history of premature myocardial infarction: the Tallinn Myocardial Infarction Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1602-8.	1.4	4
1462	Plasma Lipid Levels in the Elderly Are Not Associated with the Risk of Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 232-237.	0.7	80
1463	Estrogen Receptor- β Variants Increase Risk of Alzheimer's Disease in Women with Down Syndrome. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 476-482.	0.7	26
1464	Total and Regional Gray Matter Volume Is Not Related to APOE*E4 Status in a Community Sample of Middle-Aged Individuals. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 501-504.	1.7	50
1465	Trace Element Levels and Cognitive Function in Rural Elderly Chinese. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 635-641.	1.7	56
1466	The tauopathy associated with mutation +3 in intron 10 of Tau: characterization of the MSTD family. <i>Brain</i> , 2008, 131, 72-89.	3.7	98
1467	Co-occurrence of Sporadic Parkinsonism and Late-Onset Alzheimer's Disease in a Brazilian Male with the <i>LRRK2</i> p.G2019S Mutation. <i>Genetic Testing and Molecular Biomarkers</i> , 2008, 12, 471-473.	1.7	15
1468	Association of Duration and Severity of Diabetes Mellitus With Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2008, 65, 1066-73.	4.9	171
1469	Apolipoprotein E ϵ 4 Allele Genotype and the Effect of Depressive Symptoms on the Risk of Dementia in Men. <i>Archives of General Psychiatry</i> , 2008, 65, 906.	13.8	78
1470	Trajectories of brain loss in aging and the development of cognitive impairment. <i>Neurology</i> , 2008, 70, 828-833.	1.5	119
1471	Acetylcholinesterase Inhibitor in Combination With Cognitive Training in Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2008, 63, P288-P294.	2.4	21
1472	Relation of plasma lipids to all-cause mortality in Caucasian, African-American and Hispanic elders. <i>Age and Ageing</i> , 2008, 37, 207-213.	0.7	34
1473	Is olfactory impairment in Parkinson disease related to phenotypic or genotypic characteristics?. <i>Neurology</i> , 2008, 71, 1877-1882.	1.5	57
1474	Apolipoprotein E Gene Polymorphism and Serum Lipid Levels in the Guangxi Hei Yi Zhuang and Han Populations. <i>Experimental Biology and Medicine</i> , 2008, 233, 409-418.	1.1	19
1475	Magnetic Resonance Imaging White Matter Hyperintensities and Brain Volume in the Prediction of Mild Cognitive Impairment and Dementia. <i>Archives of Neurology</i> , 2008, 65, 94-100.	4.9	196
1476	Successful Aging in a 70-Year-Old Man With Down Syndrome: A Case Study. <i>Intellectual and Developmental Disabilities</i> , 2008, 46, 215-228.	0.6	40
1477	Dose-Dependent Regulation of High-Density Lipoprotein Metabolism with Rosuvastatin in the Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 430-437.	1.8	44

#	ARTICLE	IF	CITATIONS
1478	Association of liver disease with postprandial large intestinal triglyceride-rich lipoprotein accumulation and pro/antioxidant imbalance in normolipidemic non-alcoholic steatohepatitis. <i>Annals of Medicine</i> , 2008, 40, 383-394.	1.5	21
1479	Measuring Cerebral Atrophy and White Matter Hyperintensity Burden to Predict the Rate of Cognitive Decline in Alzheimer Disease. <i>Archives of Neurology</i> , 2008, 65, 1202-8.	4.9	138
1480	Polygenic determinants of severe hypertriglyceridemia. <i>Human Molecular Genetics</i> , 2008, 17, 2894-2899.	1.4	118
1481	Association of Blood Pressure and Genetic Background With White Matter Lesions in Patients With Mild Cognitive Impairment. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 510-517.	1.7	8
1482	Comparison of Clinical Manifestations in Alzheimer Disease and Dementia With Lewy Bodies. <i>Archives of Neurology</i> , 2008, 65, 1634-9.	4.9	27
1483	Genes related to the metabolism of nutrients in the Kola Sami population. <i>International Journal of Circumpolar Health</i> , 2008, 67, 58-68.	0.5	12
1484	Intranasal Insulin Administration Dose-Dependently Modulates Verbal Memory and Plasma Amyloid- β^2 in Memory-Impaired Older Adults. <i>Journal of Alzheimer's Disease</i> , 2008, 13, 323-331.	1.2	477
1485	Value of Measuring Plasmatic Levels of Neurosin in the Diagnosis of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2008, 14, 59-67.	1.2	19
1486	Correlating Cerebral Hypometabolism With Future Memory Decline in Subsequent Converters to Amnesic Pre- α Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2008, 65, 1231-6.	4.9	91
1487	Incidence and Extent of Lewy Body-Related β -Synucleinopathy in Aging Human Olfactory Bulb. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008, 67, 1072-1083.	0.9	117
1488	Pharmacogenetics and Pharmagenomics, Trends in Normal and Pathological Aging Studies: Focus on p53. <i>Current Pharmaceutical Design</i> , 2008, 14, 2665-2671.	0.9	23
1489	White Matter Tauopathy With Globular Glial Inclusions: A Distinct Sporadic Frontotemporal Lobar Degeneration. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008, 67, 963-975.	0.9	111
1490	Effect of sex and genotype on cardiovascular biomarker response to fish oils: the FINGEN Study. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 618-629.	2.2	146
1491	Tea consumption and cognitive impairment and decline in older Chinese adults. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 224-231.	2.2	214
1492	Does the Apolipoprotein β 4 Allele Predispose Varsity Athletes to Concussion? A Prospective Cohort Study. <i>Clinical Journal of Sport Medicine</i> , 2008, 18, 322-328.	0.9	85
1493	Polymorphisms of APOE and LRP Genes in Brazilian Individuals With Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2008, 22, 61-65.	0.6	21
1494	Gonadotropins and Cognition in Older Women. <i>Journal of Alzheimer's Disease</i> , 2008, 13, 267-274.	1.2	51
1495	Association of ApoE polymorphisms with prevalent hypertension in 1406 older adults: the Bambu-Health Aging Study (BHAS). <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 89-94.	0.7	27

#	ARTICLE	IF	CITATIONS
1496	APOE- ϵ 4 polymorphism and cognitive deficit among the elderly population of Fernando de Noronha. <i>Arquivos De Neuro-Psiquiatria</i> , 2008, 66, 298-302.	0.3	4
1497	Luteinizing Hormone Levels Are Positively Correlated with Plasma Amyloid- β 2 Protein Levels in Elderly Men. <i>Journal of Alzheimer's Disease</i> , 2008, 14, 201-208.	1.2	44
1498	Combined "pro-atherosclerotic" variants of the <i>ACE</i> and <i>APOE</i> genes increase the risk of the coronary artery disease associated with the presence of cigarette smoking. <i>Acta Cardiologica</i> , 2008, 63, 741-747.	0.3	10
1499	Association and Linkage Disequilibrium Analyses of <i>APOE</i> Polymorphisms in Atherosclerosis. <i>Disease Markers</i> , 2008, 24, 65-72.	0.6	8
1500	Protective Effect of R Allele of <i>PON1</i> Gene on the Coronary Artery Disease in the Presence of Specific Genetic Background. <i>Disease Markers</i> , 2008, 24, 81-88.	0.6	14
1501	The Relationship Between Memory Complaints, Perceived Quality of Life and Mental Health in Apolipoprotein ϵ 4 Carriers and Non-Carriers. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 69-79.	1.2	25
1502	Bone Density and Brain Atrophy in Early Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 777-785.	1.2	87
1503	Risk of Dementia Associated with Elevated Plasma Homocysteine in a Latin American Population. <i>International Journal of Alzheimer's Disease</i> , 2009, 2009, 1-6.	1.1	6
1504	Association of Cardiovascular Factors and Alzheimer's Disease Plasma Amyloid- β 2 Protein in Subjective Memory Complainers. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 305-318.	1.2	26
1505	Association between apolipoprotein E genotype, serum lipids, and colorectal cancer in Brazilian individuals. <i>Brazilian Journal of Medical and Biological Research</i> , 2009, 42, 397-403.	0.7	14
1506	Novel T719P A β 2PP Mutation Unbalances the Relative Proportion of Amyloid- β 2 Peptides. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 295-303.	1.2	27
1507	Effects of APOE, APOB and LDLR variants on serum lipids and lack of association with xanthelasma in individuals from Southeastern Brazil. <i>Genetics and Molecular Biology</i> , 2009, 32, 227-233.	0.6	9
1508	Linking Hippocampal Structure and Function to Memory Performance in an Aging Population. <i>Archives of Neurology</i> , 2009, 66, 1385-92.	4.9	49
1509	Longitudinal prognostic value of serum "free" copper in patients with Alzheimer disease. <i>Neurology</i> , 2009, 72, 50-55.	1.5	129
1510	Association between ApoE ϵ 4 and Cognitive Impairment after Stroke. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 525-533.	0.7	40
1511	Fibrillar amyloid- β 2 burden in cognitively normal people at 3 levels of genetic risk for Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6820-6825.	3.3	700
1512	Early and Differential Diagnosis of Dementia and Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 404-417.	0.7	90
1513	Selenium level is associated with <i>apoE</i> ϵ 4 in rural elderly Chinese. <i>Public Health Nutrition</i> , 2009, 12, 2371-2376.	1.1	24

#	ARTICLE	IF	CITATIONS
1514	Plasma Homocysteine and Risk of Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 11-17.	0.7	34
1515	Serum Lipids Are Related to Alzheimer's Pathology in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 42-49.	0.7	39
1516	Effects of Omega-3 Fatty Acids on Inflammatory Markers in Cerebrospinal Fluid and Plasma in Alzheimer's Disease: The OmegAD Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 27, 481-490.	0.7	82
1517	Large Vessel Cerebral Atherosclerosis Is Not in Direct Association with Neuropathological Lesions of Alzheimer's Disease. <i>European Neurology</i> , 2009, 62, 93-98.	0.6	34
1518	Apolipoprotein E Polymorphism and Clinical Disease Phenotypes in Arab Patients with Schizophrenia. <i>Neuropsychobiology</i> , 2009, 60, 67-72.	0.9	13
1519	Arterial Pulse Wave Velocity and Cognition With Advancing Age. <i>Hypertension</i> , 2009, 53, 668-673.	1.3	157
1520	The Nun Study. <i>Neurology</i> , 2009, 73, 665-673.	1.5	177
1521	Impact of ACE and ApoE polymorphisms on myocardial perfusion: correlation with myocardial single photon emission computed tomographic imaging. <i>Journal of Human Genetics</i> , 2009, 54, 595-602.	1.1	10
1522	Lipid Profile in Portuguese Obese Children and Adolescents. <i>JAMA Pediatrics</i> , 2009, 163, 1030-6.	3.6	11
1523	Chronic kidney disease, creatinine and cognitive functioning. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2446-2452.	0.4	167
1524	Episodic Ataxia Associated With EAAT1 Mutation C186S Affecting Glutamate Reuptake. <i>Archives of Neurology</i> , 2009, 66, 97-101.	4.9	122
1525	ABCG2 Is Upregulated in Alzheimer's Brain with Cerebral Amyloid Angiopathy and May Act as a Gatekeeper at the Blood-Brain Barrier for $\text{A}\beta_{40}$ Peptides. <i>Journal of Neuroscience</i> , 2009, 29, 5463-5475.	1.7	183
1526	Proteomic Analysis of Alzheimers Disease Cerebrospinal Fluid from Neuropathologically Diagnosed Subjects. <i>Current Alzheimer Research</i> , 2009, 6, 399-406.	0.7	32
1527	Novel LMF1 Nonsense Mutation in a Patient with Severe Hypertriglyceridemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4584-4590.	1.8	52
1528	APOE Genotype and Functional Outcome Following Aneurysmal Subarachnoid Hemorrhage. <i>Biological Research for Nursing</i> , 2009, 10, 205-212.	1.0	27
1529	Contribution of Vascular Risk Factors to the Progression in Alzheimer Disease. <i>Archives of Neurology</i> , 2009, 66, 343-8.	4.9	283
1530	Total and Cause-Specific Mortality in the Cardiovascular Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 1251-1261.	1.7	72
1531	Vitamin B-12, apolipoprotein E genotype, and cognitive performance in community-living older adults: evidence of a gene-micronutrient interaction. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1263-1268.	2.2	59

#	ARTICLE	IF	CITATIONS
1532	Memory performance is related to amyloid and tau pathology in the hippocampus. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 715-721.	0.9	30
1533	ApoE and ApoC-I polymorphisms: association of genotype with cardiovascular disease phenotype in African Americans. <i>Journal of Lipid Research</i> , 2009, 50, 1472-1478.	2.0	11
1534	Preclinical Evidence of Alzheimer Changes. <i>Archives of Neurology</i> , 2009, 66, 632-7.	4.9	89
1535	Progranulin Leu271LeufsX10 is one of the most common FTLD and CBS associated mutations worldwide. <i>Neurobiology of Disease</i> , 2009, 33, 379-385.	2.1	107
1536	Cortical PIB binding in Lewy body disease is associated with Alzheimer-like characteristics. <i>Neurobiology of Disease</i> , 2009, 34, 107-112.	2.1	177
1537	No differences of butyrylcholinesterase protein activity and allele frequency in Lewy body diseases. <i>Neurobiology of Disease</i> , 2009, 35, 296-301.	2.1	15
1538	RXRA gene variations influence Alzheimer's disease risk and cholesterol metabolism. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 589-598.	1.6	34
1539	Association of SORL1 gene variants with Alzheimer's disease. <i>Brain Research</i> , 2009, 1264, 1-6.	1.1	49
1540	Promoter polymorphisms which modulate <i>BACE1</i> expression are associated with sporadic Alzheimer's disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 159-166.	1.1	10
1541	Apolipoprotein E-dependent accumulation of Alzheimer disease-related lesions begins in middle age. <i>Annals of Neurology</i> , 2009, 65, 650-657.	2.8	250
1542	Reduced estimated glomerular filtration rate in Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 927-932.	1.3	11
1543	Correlates of depressive symptoms in rural elderly Chinese. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1358-1366.	1.3	82
1544	Cognitive impairment and the role of the ApoE ϵ 4 allele after stroke—a 13 months follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 833-842.	1.3	32
1545	MAOA gene polymorphisms and response to mirtazapine in major depression. <i>Human Psychopharmacology</i> , 2009, 24, 293-300.	0.7	35
1546	APOE genotyping: comparison of three methods. <i>Clinical and Experimental Medicine</i> , 2009, 9, 61-65.	1.9	11
1547	Association of CETP polymorphisms with the risk of vascular dementia and white matter lesions. <i>Journal of Neural Transmission</i> , 2009, 116, 467-472.	1.4	12
1548	Gene polymorphisms in prodynorphin (PDYN) are associated with episodic memory in the elderly. <i>Journal of Neural Transmission</i> , 2009, 116, 897-903.	1.4	33
1549	Apolipoprotein E Polymorphism in Hemodialyzed Patients and Healthy Controls. <i>Biochemical Genetics</i> , 2009, 47, 688-693.	0.8	11

#	ARTICLE	IF	CITATIONS
1550	Modulating effect of apolipoprotein E polymorphisms on secondary brain insult and outcome after childhood brain trauma. <i>Child's Nervous System</i> , 2009, 25, 47-54.	0.6	19
1551	Unified staging system for Lewy body disorders: correlation with nigrostriatal degeneration, cognitive impairment and motor dysfunction. <i>Acta Neuropathologica</i> , 2009, 117, 613-634.	3.9	553
1552	TARDBP 3' UTR variant in autopsy-confirmed frontotemporal lobar degeneration with TDP-43 proteinopathy. <i>Acta Neuropathologica</i> , 2009, 118, 633-645.	3.9	139
1553	Apolipoprotein E gene polymorphism in psoriasis. <i>Archives of Dermatological Research</i> , 2009, 301, 405-410.	1.1	15
1554	Capillary isotachopheresis study of lipoprotein network sensitive to apolipoprotein E phenotype. 1. ApoE distribution between lipoproteins. <i>Molecular and Cellular Biochemistry</i> , 2009, 325, 41-51.	1.4	3
1555	Observation of the density and size of cells in hippocampus and vascular lesion in thalamus of GFAP-apoE transgenic mice. <i>Neuroscience Bulletin</i> , 2009, 25, 167-178.	1.5	7
1556	Presence of the APOE ϵ 4 allele modifies the relationship between type 2 diabetes and cognitive performance: the Maine "Syracuse Study. <i>Diabetologia</i> , 2009, 52, 2551-2560.	2.9	76
1557	Association between FDG uptake, CSF biomarkers and cognitive performance in patients with probable Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1090-1100.	3.3	26
1558	Lipoprotein lipase activity and mass, apolipoprotein C-II mass and polymorphisms of apolipoproteins E and A5 in subjects with prior acute hypertriglyceridaemic pancreatitis. <i>BMC Gastroenterology</i> , 2009, 9, 46.	0.8	26
1559	HECTD2, a candidate susceptibility gene for Alzheimer's disease on 10q. <i>BMC Medical Genetics</i> , 2009, 10, 90.	2.1	11
1560	β -Amyloid deposition in brains of subjects with diabetes. <i>Neuropathology and Applied Neurobiology</i> , 2009, 35, 60-68.	1.8	84
1561	Genetic susceptibility to ischemic stroke in Russians. <i>Molecular Biology</i> , 2009, 43, 873-880.	0.4	11
1562	DNA polymorphisms as tools for spinal cord injury research. <i>Spinal Cord</i> , 2009, 47, 171-175.	0.9	13
1563	Exceptional Brain Aging in a Rural Population-Based Cohort. <i>Journal of Rural Health</i> , 2009, 25, 320-325.	1.6	16
1564	Olfactory Impairment in Presymptomatic Alzheimer's Disease. <i>Annals of the New York Academy of Sciences</i> , 2009, 1170, 730-735.	1.8	179
1565	Ageing Successfully: A Genetic Perspective. <i>Nutrition Reviews</i> , 2009, 59, S93-S101.	2.6	8
1566	Omega-3 Fatty Acid Supplementation Effects on Weight and Appetite in Patients with Alzheimer's Disease: The Omega-3 Alzheimer's Disease Study. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 11-17.	1.3	65
1567	Mortality, Dementia, and Apolipoprotein E Genotype in Elderly White Women in the United States. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 231-236.	1.3	23

#	ARTICLE	IF	CITATIONS
1568	Hypertension and Cognitive Decline in Rural Elderly Chinese. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1051-1057.	1.3	44
1569	Methodology for Discovery of Alzheimer's Disease Blood-Based Biomarkers. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 636-645.	1.7	35
1570	Energy demands and the mechanisms of lipid metabolism regulation in Eastern Finns eating the traditional diet. <i>Human Physiology</i> , 2009, 35, 765-769.	0.1	2
1571	A β PP A713T Mutation in Late Onset Alzheimer's Disease with Cerebrovascular Lesions. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 383-389.	1.2	23
1572	Plasma markers of cholesterol homeostasis in metabolic syndrome subjects with or without type-2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2009, 85, 310-316.	1.1	28
1573	Apolipoprotein E4 allele influences the response of plasma triglyceride levels to tamoxifen in breast cancer patients. <i>Clinica Chimica Acta</i> , 2009, 401, 144-147.	0.5	15
1574	MTHFR and ACE gene polymorphisms and risk of vascular and degenerative dementias in the elderly. <i>Brain and Cognition</i> , 2009, 71, 295-299.	0.8	14
1575	Thyroid function, the risk of dementia and neuropathologic changes: The Honolulu "Asia Aging Study. <i>Neurobiology of Aging</i> , 2009, 30, 600-606.	1.5	133
1576	ApoE4 disrupts sterol and sphingolipid metabolism in Alzheimer's but not normal brain. <i>Neurobiology of Aging</i> , 2009, 30, 591-599.	1.5	138
1577	APOE, ACT and CHRNA7 genes in the conversion from amnesic mild cognitive impairment to Alzheimer's disease. <i>Neurobiology of Aging</i> , 2009, 30, 1254-1264.	1.5	62
1578	Serum leptin level and cognition in the elderly: Findings from the Health ABC Study. <i>Neurobiology of Aging</i> , 2009, 30, 1483-1489.	1.5	194
1579	Association of RFC1 A80G and MTHFR C677T polymorphisms with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2009, 30, 1601-1607.	1.5	43
1580	Novel PSEN1 and PGRN mutations in early-onset familial frontotemporal dementia. <i>Neurobiology of Aging</i> , 2009, 30, 1825-1833.	1.5	48
1581	A 12-week worksite health promotion program reduces cardiovascular risk factors in male workers with the apolipoprotein E2 and apolipoprotein E3 genotypes, but not in apolipoprotein E4 genotype. <i>Nutrition Research</i> , 2009, 29, 542-550.	1.3	7
1582	Cholesteryl Ester Storage Disease (CESD) due to novel mutations in the LIPA gene. <i>Molecular Genetics and Metabolism</i> , 2009, 97, 143-148.	0.5	59
1583	Apolipoprotein E, Alcohol Consumption, and Risk of Ischemic Stroke: The Framingham Heart Study Revisited. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2009, 18, 384-388.	0.7	17
1584	No association between the promoter polymorphisms of PAI-1 gene and sporadic Alzheimer's disease in Chinese Han population. <i>Neuroscience Letters</i> , 2009, 455, 97-100.	1.0	8
1585	Risk of dementia and AD with prior exposure to NSAIDs in an elderly community-based cohort. <i>Neurology</i> , 2009, 72, 1899-1905.	1.5	151

#	ARTICLE	IF	CITATIONS
1586	Antibodies against oxidized LDL and apolipoprotein E polymorphism in demented patients. <i>Journal of the Neurological Sciences</i> , 2009, 283, 137-138.	0.3	2
1587	The Italian Brain Normative Archive of structural MR scans: norms for medial temporal atrophy and white matter lesions. <i>Aging Clinical and Experimental Research</i> , 2009, 21, 266-276.	1.4	31
1588	Longitudinal Modeling of Age-Related Memory Decline and the APOE ϵ 4 Effect. <i>New England Journal of Medicine</i> , 2009, 361, 255-263.	13.9	469
1589	A randomized controlled study on effects of ibuprofen on cognitive progression of Alzheimer's disease. <i>Aging Clinical and Experimental Research</i> , 2009, 21, 102-110.	1.4	140
1590	Relationship of the ApoE polymorphism to plasma lipid traits among South Asians, Chinese, and Europeans living in Canada. <i>Atherosclerosis</i> , 2009, 203, 192-200.	0.4	37
1591	Familial hypobetalipoproteinemia due to apolipoprotein B R463W mutation causes intestinal fat accumulation and low postprandial lipemia. <i>Atherosclerosis</i> , 2009, 206, 193-198.	0.4	22
1592	Characterization of a new LCAT mutation causing familial LCAT deficiency (FLD) and the role of APOE as a modifier gene of the FLD phenotype. <i>Atherosclerosis</i> , 2009, 207, 452-457.	0.4	17
1593	CYP46A1 variants influence Alzheimer's disease risk and brain cholesterol metabolism. <i>European Psychiatry</i> , 2009, 24, 183-190.	0.1	39
1594	Mapping the effect of APOE ϵ 4 on gray matter loss in Alzheimer's disease in vivo. <i>NeuroImage</i> , 2009, 45, 1090-1098.	2.1	71
1595	Association of C-reactive protein with mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2009, 5, 398-405.	0.4	111
1596	Prevalence rates for dementia and Alzheimer's disease in African Americans: 1992 versus 2001. <i>Alzheimer's and Dementia</i> , 2009, 5, 227-233.	0.4	66
1597	H1 haplotype of the MAPT gene is associated with lower regional gray matter volume in healthy carriers. <i>European Journal of Human Genetics</i> , 2009, 17, 287-294.	1.4	11
1598	Fitoesteroles plasmáticos: marcadores de una dieta saludable y un riesgo cardiometabólico menor en la población española del estudio EPIC. <i>Clínica e Investigación en Arteriosclerosis</i> , 2009, 21, 106-114.	0.4	0
1599	Inducible Nitric Oxide Synthase Promoter Polymorphism Affords Protection Against Cognitive Dysfunction After Carotid Endarterectomy. <i>Stroke</i> , 2009, 40, 1597-1603.	1.0	19
1600	Total and Regional Adiposity and Cognitive Change in Older Adults. <i>Archives of Neurology</i> , 2009, 66, 329.	4.9	108
1601	Late-Life Body Mass Index and Waist Circumference in Amnesic Mild Cognitive Impairment and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 223-232.	1.2	34
1602	HLA-A*01 is Associated with Late Onset of Alzheimer's Disease in Italian Patients. <i>International Journal of Immunopathology and Pharmacology</i> , 2009, 22, 991-999.	1.0	18
1603	Premorbid personality traits are associated with post-stroke behavioral and psychological symptoms: a three-month follow-up study in Perth, Western Australia. <i>International Psychogeriatrics</i> , 2009, 21, 1063-1071.	0.6	52

#	ARTICLE	IF	CITATIONS
1604	Lack of association of neprilysin gene polymorphisms with Alzheimer's disease in a southern Chinese community. <i>International Psychogeriatrics</i> , 2009, 21, 354.	0.6	11
1605	Plasma $n-3$ fatty acid response to an $n-3$ fatty acid supplement is modulated by apoE ϵ_4 but not by the common PPAR- α L162V polymorphism in men. <i>British Journal of Nutrition</i> , 2009, 102, 1121-1124.	1.2	98
1606	Cognitive decline from estimated premorbid status predicts neurodegeneration in Alzheimer's disease.. <i>Neuropsychology</i> , 2009, 23, 117-124.	1.0	27
1607	Altered Cholesterol Ester Cycle in Skin Fibroblasts from Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 829-841.	1.2	47
1608	Biracial Population Study of Mortality in Mild Cognitive Impairment and Alzheimer Disease. <i>Archives of Neurology</i> , 2009, 66, 767-72.	4.9	83
1609	Early Age-Related Macular Degeneration, Cognitive Function, and Dementia. <i>JAMA Ophthalmology</i> , 2009, 127, 667.	2.6	103
1610	Metabolic Syndrome, Inflammation, and Nonamnesic Mild Cognitive Impairment in Older Persons. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 11-18.	0.6	78
1611	Increased Soluble APP β , Abeta 1-42, and Anti-Abeta 1-42 Antibodies in Plasma From Down Syndrome Patients. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 96-100.	0.6	24
1612	Neuropathological Asymmetry in Argyrophilic Grain Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2010, 69, 737-744.	0.9	38
1613	Evidence of Altered Posteromedial Cortical fMRI Activity in Subjects at Risk for Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2010, 24, 28-36.	0.6	68
1614	Association Between Apolipoprotein E Gene Polymorphism and Hypercholesterolemic Phenotype in Maracaibo, Zulia State, Venezuela. <i>American Journal of Therapeutics</i> , 2010, 17, 330-336.	0.5	9
1615	APOE ϵ_4 Genotype and Longitudinal Changes in Cerebral Blood Flow in Normal Aging. <i>Archives of Neurology</i> , 2010, 67, 93-8.	4.9	166
1616	Reduction in Post-Synaptic Scaffolding PSD-95 and SAP-102 Protein Levels in the Alzheimer Inferior Temporal Cortex is Correlated with Disease Pathology. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 795-811.	1.2	91
1617	Elevation of β -Amyloid 1-42 Autoantibodies in the Blood of Amnesic Patients With Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2010, 67, 867-72.	4.9	30
1618	A Summary Risk Score for the Prediction of Alzheimer Disease in Elderly Persons. <i>Archives of Neurology</i> , 2010, 67, 835-41.	4.9	157
1619	Plasma Cystatin C and Risk of Developing Alzheimer's Disease in Subjects with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 985-991.	1.2	28
1620	Unfolded p53 in Blood as a Predictive Signature Signature of the Transition from Mild Cognitive Impairment to Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 97-104.	1.2	31
1621	Apolipoprotein E Allelic Frequency Altered in Women with Early-onset Breast Cancer. <i>Breast Cancer: Basic and Clinical Research</i> , 2010, 4, 117822341000400.	0.6	3

#	ARTICLE	IF	CITATIONS
1622	Apolipoprotein E Gene Polymorphism and Bone Loss: Estrogen Status Modifies the Influence of Apolipoprotein E on Bone Loss. <i>Journal of Bone and Mineral Research</i> , 2010, 15, 308-314.	3.1	47
1623	Peripheral biomarkers do not correlate with cognitive impairment in highly active antiretroviral therapy-treated subjects with human immunodeficiency virus type 1 infection. <i>Journal of NeuroVirology</i> , 2010, 16, 115-124.	1.0	40
1624	Association between apolipoprotein E4 genotype and human immunodeficiency virus-associated dementia in younger adults starting antiretroviral therapy in South Africa. <i>Journal of NeuroVirology</i> , 2010, 16, 377-383.	1.0	33
1625	Capillary cerebral amyloid angiopathy identifies a distinct APOE ϵ 4-associated subtype of sporadic Alzheimer's disease. <i>Acta Neuropathologica</i> , 2010, 120, 169-183.	3.9	81
1626	The new Alzheimer's criteria in a naturalistic series of patients with mild cognitive impairment. <i>Journal of Neurology</i> , 2010, 257, 2004-2014.	1.8	44
1627	Novel MAPT Val75Ala mutation and PSEN2 Arg62Hys in two siblings with frontotemporal dementia. <i>Neurological Sciences</i> , 2010, 31, 65-70.	0.9	15
1628	Association analysis of C12S 844ins68 and MTHFD1 G1958A polymorphisms with Alzheimer's disease in Chinese. <i>Journal of Neural Transmission</i> , 2010, 117, 499-503.	1.4	10
1629	Genetic variants at the APOE, lipoprotein lipase (LpL), cholesteryl ester transfer protein (CETP), and endothelial nitric oxide (eNOS) genes and coronary artery disease (CAD): CETP Taq1 B2B2 associates with lower risk of CAD in Asian Indians. <i>Journal of Community Genetics</i> , 2010, 1, 55-62.	0.5	18
1630	Individual and Combined Effects of ApoE and MTHFR 677C/T Polymorphisms on Cognitive Performance in Spanish Adolescents: The AVENA Study. <i>Journal of Pediatrics</i> , 2010, 156, 978-984.e1.	0.9	20
1631	The relation of regional cerebral perfusion and atrophy in mild cognitive impairment (MCI) and early Alzheimer's dementia. <i>Psychiatry Research - Neuroimaging</i> , 2010, 183, 44-51.	0.9	26
1632	Apolipoprotein E protects cultured pericytes and astrocytes from D-A β 1-40-mediated cell death. <i>Brain Research</i> , 2010, 1315, 169-180.	1.1	45
1633	No association of the C>T polymorphism that is located 1385 upstream from initial code of fibroblast growth factor 1 gene with Alzheimer's disease in Chinese. <i>Brain Research</i> , 2010, 1328, 113-117.	1.1	4
1634	D10S1423 identifies a susceptibility locus for Alzheimer's disease (<i>AD7</i>) in a prospective, longitudinal, double-blind study of asymptomatic individuals: Results at 14 years. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 359-364.	1.1	9
1635	Evidence for three loci modifying age-at-onset of Alzheimer's disease in early-onset <i>PSEN2</i> families. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1031-1041.	1.1	22
1636	Determinants of paraoxonase activity in healthy adults. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 1842-1850.	1.5	9
1637	Interaction of common sequence variants and selected risk factors in determination of HDL cholesterol levels. <i>Clinical Biochemistry</i> , 2010, 43, 754-758.	0.8	4
1638	A novel MRI biomarker candidate for Alzheimer's disease composed of regional brain volume and perfusion variables. <i>European Journal of Neurology</i> , 2010, 17, 1437-1444.	1.7	13
1639	Apolipoprotein E genotype and cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2010, 52, 666-671.	1.1	25

#	ARTICLE	IF	CITATIONS
1640	Varying Association Between Statin Use and Incident Alzheimer's Disease. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1311-1317.	1.3	88
1641	<i>MTHFR</i> C677T, <i>FIL</i> G20210A, <i>FV</i> Leiden G1691A, <i>NOS3</i> Intron 4 Vntr, and <i>APOE</i> ϵ 4 Gene Polymorphisms are Not Associated with Spontaneous Cervical Artery Dissection. <i>International Journal of Stroke</i> , 2010, 5, 80-85.	2.9	12
1642	Risk factors for incident mild cognitive impairment – results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 260-272.	2.2	107
1643	Soluble amyloid precursor proteins in the cerebrospinal fluid as novel potential biomarkers of Alzheimer's disease: a multicenter study. <i>Molecular Psychiatry</i> , 2010, 15, 138-145.	4.1	156
1644	Association of C-Reactive Protein With Cognitive Impairment. <i>Archives of Neurology</i> , 2010, 67, 87-92.	4.9	150
1645	Reduced Posterior Cingulate Mitochondrial Activity in Expired Young Adult Carriers of the <i>APOE</i> ϵ 4 Allele, the Major Late-Onset Alzheimer's Susceptibility Gene. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 307-313.	1.2	131
1646	ApoE polymorphisms and diarrheal outcomes in Brazilian shanty town children. <i>Brazilian Journal of Medical and Biological Research</i> , 2010, 43, 249-256.	0.7	65
1647	EEG Markers Discriminate Among Different Subgroup of Patients With Mild Cognitive Impairment. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2010, 25, 58-73.	0.9	35
1648	Apolipoprotein E Polymorphisms and Postprandial Triglyceridemia Before and After Fenofibrate Treatment in the Genetics of Lipid Lowering and Diet Network (GOLDN) Study. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 462-467.	5.1	39
1649	Brain Structure and Cerebrovascular Risk in Cognitively Impaired Patients. <i>Archives of Neurology</i> , 2010, 67, 1231-7.	4.9	13
1650	Novel mutation at codon 110 of the human <i>APOE</i> gene: impact on genotyping with fluorescent hybridization probes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1835-6.	1.4	0
1651	<i>APOE</i> ϵ 4: A Potential Modulation Factor in Rett Syndrome. <i>Journal of Child Neurology</i> , 2010, 25, 546-550.	0.7	3
1652	Testosterone modifies the effect of <i>APOE</i> genotype on hippocampal volume in middle-aged men. <i>Neurology</i> , 2010, 75, 874-880.	1.5	42
1653	Schizophrenia and Apolipoprotein E Gene Polymorphism in Serbian Population. <i>International Journal of Neuroscience</i> , 2010, 120, 502-506.	0.8	8
1654	Apolipoprotein E genotype and mortality in Southern European and Anglo-Celt patients with type 2 diabetes: the Fremantle Diabetes Study. <i>European Journal of Endocrinology</i> , 2010, 163, 559-564.	1.9	5
1655	<i>APOE</i> ϵ 2 Allele Is Associated with Larger Regional Cortical Thicknesses and Volumes. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 229-237.	0.7	40
1656	Apolipoprotein E Polymorphism and Age at Onset of Alzheimer's Disease in a Quadriethnic Sample. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 486-491.	0.7	22
1657	Effects of Apolipoprotein E- ϵ 4 and - ϵ 2 in Amnesic Mild Cognitive Impairment and Dementia in Shanghai: SCOBHI-P. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2010, 25, 233-238.	0.9	20

#	ARTICLE	IF	CITATIONS
1658	Phytosterol plasma concentrations and coronary heart disease in the prospective Spanish EPIC cohort. <i>Journal of Lipid Research</i> , 2010, 51, 618-624.	2.0	84
1659	Use of anticholinergics and the risk of cognitive impairment in an African American population. <i>Neurology</i> , 2010, 75, 152-159.	1.5	145
1660	Systemic Inflammation Is Associated with MCI and Its Subtypes: The Sydney Memory and Aging Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 569-578.	0.7	107
1661	Context-Dependent Associations Between Variation in Risk of Ischemic Heart Disease and Variation in the 5' Promoter Region of the Apolipoprotein E Gene in Danish Women. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 22-30.	5.1	12
1662	Serum Lipid and Blood Pressure Responses to Quercetin Vary in Overweight Patients by Apolipoprotein E Genotype. <i>Journal of Nutrition</i> , 2010, 140, 278-284.	1.3	169
1663	Association of Higher Levels of High-Density Lipoprotein Cholesterol in Elderly Individuals and Lower Risk of Late-Onset Alzheimer Disease. <i>Archives of Neurology</i> , 2010, 67, 1491-7.	4.9	193
1664	The Sydney Memory and Ageing Study (MAS): methodology and baseline medical and neuropsychiatric characteristics of an elderly epidemiological non-demented cohort of Australians aged 70-90 years. <i>International Psychogeriatrics</i> , 2010, 22, 1248-1264.	0.6	286
1665	Neprilysin Activity in Cerebrospinal Fluid is Associated with Dementia and Amyloid- β 242 Levels in Lewy Body Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 933-938.	1.2	23
1666	Integrated Role of Two Apolipoprotein E Polymorphisms on Apolipoprotein B Levels and Coronary Artery Disease in a Biethnic Population. <i>Metabolic Syndrome and Related Disorders</i> , 2010, 8, 531-538.	0.5	6
1667	Change in plasma A β 2 peptides and onset of dementia in adults with Down syndrome. <i>Neurology</i> , 2010, 75, 1639-1644.	1.5	73
1668	ApoB-100, ApoE and CYP7A1 gene polymorphisms in Mexican patients with cholesterol gallstone disease. <i>World Journal of Gastroenterology</i> , 2010, 16, 4685.	1.4	27
1669	The Trajectory of Gait Speed Preceding Mild Cognitive Impairment. <i>Archives of Neurology</i> , 2010, 67, 980-6.	4.9	409
1670	Relationship Between Low Levels of High-Density Lipoprotein Cholesterol and Dementia in the Elderly. The InChianti Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 559-564.	1.7	62
1671	Worldwide distribution of <i>PSEN1</i> Met146Leu mutation. <i>Neurology</i> , 2010, 74, 798-806.	1.5	38
1672	Cardiac Index Is Associated With Brain Aging. <i>Circulation</i> , 2010, 122, 690-697.	1.6	215
1673	Reduced Lean Mass in Early Alzheimer Disease and Its Association With Brain Atrophy. <i>Archives of Neurology</i> , 2010, 67, 428-33.	4.9	303
1675	Evidence for Sub-Haplogroup H5 of Mitochondrial DNA as a Risk Factor for Late Onset Alzheimer's Disease. <i>PLoS ONE</i> , 2010, 5, e12037.	1.1	117
1676	Cortical neuritic plaques and hippocampal neurofibrillary tangles are related to dementia severity in elderly schizophrenia patients. <i>Schizophrenia Research</i> , 2010, 116, 90-96.	1.1	30

#	ARTICLE	IF	CITATIONS
1677	Rapid and Direct Detection of Apolipoprotein E Genotypes Using Whole Blood from Humans. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2010, 73, 1502-1510.	1.1	15
1678	Increased prevalence of val66met BDNF genotype among subjects with cervical dystonia. <i>Neuroscience Letters</i> , 2010, 468, 42-45.	1.0	21
1679	Amyloid load in nondemented brains correlates with APOE e4. <i>Neuroscience Letters</i> , 2010, 473, 168-171.	1.0	76
1680	Extremely rare incidence of the UBQLN1 polymorphism (UBQ-8i) in Taiwan Chinese with Alzheimer's disease. <i>Neuroscience Letters</i> , 2010, 475, 108-109.	1.0	4
1681	Cholinesterase inhibitor use is associated with increased plasma levels of anti-Abeta 1&e2;42 antibodies in Alzheimer's disease patients. <i>Neuroscience Letters</i> , 2010, 486, 193-196.	1.0	19
1682	APOE polymorphism and its effect on plasma C-reactive protein levels in a large general population sample. <i>Human Immunology</i> , 2010, 71, 304-308.	1.2	63
1683	Postprandial apolipoprotein B48 is associated with asymptomatic peripheral arterial disease: A study in patients with type 2 diabetes and controls. <i>Clinica Chimica Acta</i> , 2010, 411, 433-437.	0.5	26
1684	APOE Gene ϵ Polymorphism Does Not Determine Predisposition to Ischemic Stroke in Children. <i>Pediatric Neurology</i> , 2010, 43, 25-28.	1.0	14
1685	A GSTM3 polymorphism associated with an etiopathogenetic mechanism in Alzheimer disease. <i>Neurobiology of Aging</i> , 2010, 31, 34-45.	1.5	33
1686	Shorter telomeres may indicate dementia status in older individuals with Down syndrome. <i>Neurobiology of Aging</i> , 2010, 31, 765-771.	1.5	31
1687	Sex hormone binding globulin and incident Alzheimer's disease in elderly men and women. <i>Neurobiology of Aging</i> , 2010, 31, 1758-1765.	1.5	45
1688	Coronary heart disease is associated with non-amnesic mild cognitive impairment. <i>Neurobiology of Aging</i> , 2010, 31, 1894-1902.	1.5	111
1689	Progressive loss of synaptic integrity in human apolipoprotein E4 targeted replacement mice and attenuation by apolipoprotein E2. <i>Neuroscience</i> , 2010, 171, 1265-1272.	1.1	63
1690	Contribution of apolipoprotein E genotype and docosahexaenoic acid to the LDL-cholesterol response to fish oil. <i>Atherosclerosis</i> , 2010, 209, 104-110.	0.4	76
1691	Association of apolipoprotein M with high-density lipoprotein kinetics in overweight-obese men. <i>Atherosclerosis</i> , 2010, 210, 326-330.	0.4	27
1692	Retrograde facilitation of verbal memory by trihexyphenidyl in healthy elderly with and without the APOE ϵ 4 allele. <i>European Neuropsychopharmacology</i> , 2010, 20, 467-472.	0.3	4
1693	Diabetes, Alzheimer disease, and vascular dementia. <i>Neurology</i> , 2010, 75, 1195-1202.	1.5	422
1694	Simultaneous Detection of Multiple Single-Nucleotide Polymorphisms by a Simple Membrane Chip. <i>Genetic Testing and Molecular Biomarkers</i> , 2010, 14, 653-659.	0.3	0

#	ARTICLE	IF	CITATIONS
1695	APOE genetic associations with seizure development after severe traumatic brain injury. <i>Brain Injury</i> , 2010, 24, 1468-1477.	0.6	26
1696	Effects of Donepezil, Galantamine and Rivastigmine in 938 Italian Patients with Alzheimer's Disease. <i>CNS Drugs</i> , 2010, 24, 163-176.	2.7	44
1697	Prevalence of angiotensin-converting enzyme, methylenetetrahydrofolate reductase, Factor V Leiden, prothrombin and apolipoprotein E gene polymorphisms in Morocco. <i>Annals of Human Biology</i> , 2010, 37, 767-777.	0.4	22
1698	Exploring the Role of Cognitive Reserve in Early-Onset Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2011, 26, 139-144.	0.9	15
1699	APOE4 is associated with greater atrophy of the hippocampal formation in Alzheimer's disease. <i>NeuroImage</i> , 2011, 55, 909-919.	2.1	116
1700	Cerebrocerebellar hypometabolism associated with repetitive blast exposure mild traumatic brain injury in 12 Iraq war Veterans with persistent post-concussive symptoms. <i>NeuroImage</i> , 2011, 54, S76-S82.	2.1	239
1701	Age-related differences in white matter integrity and cognitive function are related to APOE status. <i>NeuroImage</i> , 2011, 54, 1565-1577.	2.1	75
1702	Association between GAB2 haplotype and higher glucose metabolism in Alzheimer's disease-affected brain regions in cognitively normal APOE ϵ 4 carriers. <i>NeuroImage</i> , 2011, 54, 1896-1902.	2.1	22
1703	Apolipoproteins: metabolic role and clinical biochemistry applications. <i>Annals of Clinical Biochemistry</i> , 2011, 48, 498-515.	0.8	164
1704	APOE haplotypes are associated with human longevity in a Central Italy population: Evidence for epistasis with HP 1/2 polymorphism. <i>Clinica Chimica Acta</i> , 2011, 412, 1821-1824.	0.5	13
1705	DNA methylation in repetitive elements and Alzheimer disease. <i>Brain, Behavior, and Immunity</i> , 2011, 25, 1078-1083.	2.0	187
1706	Reduced levels of human apoE4 protein in an animal model of cognitive impairment. <i>Neurobiology of Aging</i> , 2011, 32, 791-801.	1.5	106
1707	Chromosome 9p21.3 genotype is associated with vascular dementia and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2011, 32, 1231-1235.	1.5	56
1708	Association of plasma markers of cholesterol homeostasis with metabolic syndrome components. A cross-sectional study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 651-657.	1.1	24
1709	Presymptomatic apolipoprotein E genotyping for Alzheimer's disease risk assessment and prevention. , 2011, 7, e118-e123.		22
1710	Trends in the incidence and prevalence of Alzheimer's disease, dementia, and cognitive impairment in the United States. <i>Alzheimer's and Dementia</i> , 2011, 7, 80-93.	0.4	399
1711	Carotid and femoral plaque burden is inversely associated with the ω -3-linolenic acid proportion of serum phospholipids in Spanish subjects with primary dyslipidemia. <i>Atherosclerosis</i> , 2011, 214, 209-214.	0.4	17
1712	Rare variants in the lipoprotein lipase (LPL) gene are common in hypertriglyceridemia but rare in Type III hyperlipidemia. <i>Atherosclerosis</i> , 2011, 214, 386-390.	0.4	32

#	ARTICLE	IF	CITATIONS
1713	Resequencing the Apolipoprotein A5 (APOA5) gene in patients with various forms of hypertriglyceridemia. <i>Atherosclerosis</i> , 2011, 219, 715-720.	0.4	18
1714	CALHM1 P86L Polymorphism Modulates CSF A β Levels in Cognitively Healthy Individuals at Risk for Alzheimer's Disease. <i>Molecular Medicine</i> , 2011, 17, 974-979.	1.9	26
1715	Identification of a novel mutation of MTP gene in a patient with abetalipoproteinemia. <i>Annals of Hepatology</i> , 2011, 10, 221-226.	0.6	16
1716	Familial hypobetalipoproteinemia in a hospital survey: genetics, metabolism and non-alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2011, 10, 155-164.	0.6	19
1717	Hippocampal Volume Differences Between Healthy Young Apolipoprotein E ϵ 2 and ϵ 4 Carriers. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 207-210.	1.2	62
1718	Association between the c. 2495 A>G ATP7B Polymorphism and Sporadic Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-9.	1.1	29
1719	A Novel Mutation ApoE2 Kurashiki (R158P) in a Patient with Lipoprotein Glomerulopathy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 536-541.	0.9	23
1720	ApoE Polymorphism May Determine Low-Density Lipoprotein Cholesterol Level in Association with Obesity and Metabolic Syndrome in Postmenopausal Korean Women. <i>Yonsei Medical Journal</i> , 2011, 52, 429.	0.9	10
1721	Interleukin-8-251T > a, interleukin-1 β -889C > t and apolipoprotein e polymorphisms in Alzheimer's disease. <i>Genetics and Molecular Biology</i> , 2011, 34, 1-5.	0.6	21
1722	Adverse Associations between Visceral Adiposity, Brain Structure, and Cognitive Performance in Healthy Elderly. <i>Frontiers in Aging Neuroscience</i> , 2011, 3, 12.	1.7	86
1723	Ceruloplasmin/Transferrin Ratio Changes in Alzheimer's Disease. <i>International Journal of Alzheimer's Disease</i> , 2011, 2011, 1-6.	1.1	35
1724	Apolipoprotein E4 Frequencies in a Japanese Population with Alzheimer's Disease and Dementia with Lewy Bodies. <i>PLoS ONE</i> , 2011, 6, e18569.	1.1	30
1725	A Novel Pathogenic PSEN1 Mutation in a Family with Alzheimer's Disease: Phenotypical and Neuropathological Features. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 425-431.	1.2	14
1726	Presence of ApoE ϵ 4 Allele Associated with Thinner Frontal Cortex in Middle Age. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 49-60.	1.2	68
1727	Familial Aggregation of Dementia With Lewy Bodies. <i>Archives of Neurology</i> , 2011, 68, 90-3.	4.9	35
1728	Influences of APOE ϵ 4 and expertise on performance of older pilots.. <i>Psychology and Aging</i> , 2011, 26, 480-487.	1.4	9
1729	Coffee Intake in Midlife and Risk of Dementia and its Neuropathologic Correlates. <i>Journal of Alzheimer's Disease</i> , 2011, 23, 607-615.	1.2	115
1730	Proteome-Based Plasma Markers of Brain Amyloid- β 2 Deposition in Non-Demented Older Individuals. <i>Journal of Alzheimer's Disease</i> , 2011, 22, 1099-1109.	1.2	69

#	ARTICLE	IF	CITATIONS
1731	Does apolipoprotein E genotype modify the clinical expression of ALS?. <i>European Journal of Neurology</i> , 2011, 18, 618-624.	1.7	16
1732	APOE ϵ 4 allele is associated with an increased risk of bulbar-onset amyotrophic lateral sclerosis in men. <i>European Journal of Neurology</i> , 2011, 18, 1046-1052.	1.7	17
1733	Atrial Fibrillation and Risk of Dementia: A Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1369-1375.	1.3	142
1734	Multiple sclerosis and cognitive decline: is ApoE-4 a surrogate marker?. <i>Acta Neurologica Scandinavica</i> , 2011, 124, 258-263.	1.0	10
1735	The plant sterol brassicasterol as additional CSF biomarker in Alzheimer's disease. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 184-192.	2.2	43
1736	Common variants at MS4A4/MS4A6E, CD2AP, CD33 and EPHA1 are associated with late-onset Alzheimer's disease. <i>Nature Genetics</i> , 2011, 43, 436-441.	9.4	1,676
1737	Molecular signatures in post-mortem brain tissue of younger individuals at high risk for Alzheimer's disease as based on APOE genotype. <i>Molecular Psychiatry</i> , 2011, 16, 836-847.	4.1	47
1738	Relation of Left Ventricular Ejection Fraction to Cognitive Aging (from the Framingham Heart Study). <i>American Journal of Cardiology</i> , 2011, 108, 1346-1351.	0.7	120
1739	Executive functions in recently postmenopausal women: Absence of strong association with serum gonadal steroids. <i>Brain Research</i> , 2011, 1379, 199-205.	1.1	14
1740	APOE, MTHFR, LDLR and ACE Polymorphisms Among Angami and Lotha Naga Populations of Nagaland, India. <i>Journal of Community Health</i> , 2011, 36, 975-985.	1.9	5
1741	Apolipoprotein A5-1131T>C polymorphism, but not APOE genotypes, increases susceptibility for dyslipidemia in children and adolescents. <i>Molecular Biology Reports</i> , 2011, 38, 4381-4388.	1.0	14
1742	Pre- and post-synaptic cholinergic deficits are proportional to amyloid plaque presence and density at preclinical stages of Alzheimer's disease. <i>Acta Neuropathologica</i> , 2011, 122, 49-60.	3.9	78
1743	Influence of brain-derived neurotrophic-factor and apolipoprotein E genetic variants on hippocampal volume and memory performance in healthy young adults. <i>Journal of Neural Transmission</i> , 2011, 118, 249-257.	1.4	88
1744	Apolipoprotein E Gene Polymorphism in Men with Coronary Atherosclerosis in Siberia. <i>Bulletin of Experimental Biology and Medicine</i> , 2011, 150, 355-358.	0.3	7
1745	Associations of APOE gene polymorphisms with bone mineral density and fracture risk: a meta-analysis. <i>Osteoporosis International</i> , 2011, 22, 1199-1209.	1.3	34
1746	Is APOE ϵ 3 a favourable factor for the longevity: an association study in Chinese population. <i>Journal of Genetics</i> , 2011, 90, 343-347.	0.4	19
1747	Reduced clinical and postmortem measures of cardiac pathology in subjects with advanced Alzheimer's Disease. <i>BMC Geriatrics</i> , 2011, 11, 3.	1.1	18
1748	The older people, omega-3, and cognitive health (EPOCH) trial design and methodology: A randomised, double-blind, controlled trial investigating the effect of long-chain omega-3 fatty acids on cognitive ageing and wellbeing in cognitively healthy older adults. <i>Nutrition Journal</i> , 2011, 10, 117.	1.5	44

#	ARTICLE	IF	CITATIONS
1749	Current alcohol consumption and its relationship to incident dementia: results from a 3-year follow-up study among primary care attenders aged 75 years and older. <i>Age and Ageing</i> , 2011, 40, 456-463.	0.7	97
1750	Alzheimer's Disease and Non-Demented High Pathology Control Nonagenarians: Comparing and Contrasting the Biochemistry of Cognitively Successful Aging. <i>PLoS ONE</i> , 2011, 6, e27291.	1.1	65
1751	Mechanism of Action of a Peroxisome Proliferator-Activated Receptor (PPAR)- γ Agonist on Lipoprotein Metabolism in Dyslipidemic Subjects with Central Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1568-E1576.	1.8	68
1752	APOE genotype and neuropsychological outcome in mild-to-moderate traumatic brain injury: A pilot study. <i>Brain Injury</i> , 2011, 25, 596-603.	0.6	27
1753	APOE ϵ 4 Is Associated With Exacerbation of Cognitive Decline in Patients With Multiple Sclerosis. <i>Cognitive and Behavioral Neurology</i> , 2011, 24, 128-133.	0.5	20
1754	Lewy- and Alzheimer-type pathologies in Parkinson's disease dementia: which is more important?. <i>Brain</i> , 2011, 134, 1493-1505.	3.7	497
1755	Expression of the human apoE2 isoform in adipocytes: altered cellular processing and impaired adipocyte lipogenesis. <i>Journal of Lipid Research</i> , 2011, 52, 1733-1741.	2.0	14
1756	Modeling of Pathological Traits in Alzheimer's Disease Based on Systemic Extracellular Signaling Proteome. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M111.008862.	2.5	40
1757	The Apolipoprotein C-I Content of Very-Low-Density Lipoproteins Is Associated with Fasting Triglycerides, Postprandial Lipemia, and Carotid Atherosclerosis. <i>Journal of Lipids</i> , 2011, 2011, 1-9.	1.9	15
1758	Genetic Risk Factors for Longitudinal Changes in Structural MRI in Former Organolead Workers. <i>Journal of Aging Research</i> , 2011, 2011, 1-11.	0.4	1
1759	Apolipoprotein Alleles and the Response to Interferon- γ -1b in Multiple Sclerosis. <i>European Neurology</i> , 2011, 65, 132-137.	0.6	8
1760	Reliability and Validity of Food Frequency Questionnaire and Nutrient Biomarkers in Elders With and Without Mild Cognitive Impairment. <i>Alzheimer Disease and Associated Disorders</i> , 2011, 25, 49-57.	0.6	43
1761	Grey matter atrophy of basal forebrain and hippocampus in mild cognitive impairment. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 487-493.	0.9	26
1762	Spatial Navigation and APOE in Amnesic Mild Cognitive Impairment. <i>Neurodegenerative Diseases</i> , 2011, 8, 169-177.	0.8	65
1763	Vascular Gene Polymorphisms (<i>EDNRA</i> -231 G>A and <i>APOE</i> H4) and Risk for Migraine. <i>DNA and Cell Biology</i> , 2011, 30, 577-584.	0.9	16
1764	Anxiety Affects Cognition Differently in Healthy Apolipoprotein E ϵ 4 Homozygotes and Non-Carriers. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, 294-299.	0.9	9
1765	PSEN1 and PRNP Gene Mutations Co-occurrence Makes Onset Very Early in a Family with FTD Phenotype. <i>Journal of Alzheimer's Disease</i> , 2011, 24, 415-419.	1.2	8
1766	Cognitive decline in the elderly: an analysis of population heterogeneity. <i>Age and Ageing</i> , 2011, 40, 684-689.	0.7	136

#	ARTICLE	IF	CITATIONS
1767	Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease.. <i>Psychology and Aging</i> , 2012, 27, 353-363.	1.4	31
1768	Glucose metabolism, gray matter structure, and memory decline in subjective memory impairment. <i>Neurology</i> , 2012, 79, 1332-1339.	1.5	235
1769	Apolipoprotein E polymorphisms and spontaneous pregnancy loss in patients with endometriosis. <i>Molecular Human Reproduction</i> , 2012, 18, 372-377.	1.3	12
1770	Central Obesity in the Elderly is Related to Late-onset Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2012, 26, 101-105.	0.6	110
1771	Intense physical activity is associated with cognitive performance in the elderly. <i>Translational Psychiatry</i> , 2012, 2, e191-e191.	2.4	93
1772	Olfactory discrimination predicts cognitive decline among community-dwelling older adults. <i>Translational Psychiatry</i> , 2012, 2, e118-e118.	2.4	93
1773	Adherence to a Mediterranean diet and Alzheimer's disease risk in an Australian population. <i>Translational Psychiatry</i> , 2012, 2, e164-e164.	2.4	149
1774	Constitutive inhibition of plasma CETP by apolipoprotein C1 is blunted in dyslipidemic patients with coronary artery disease. <i>Journal of Lipid Research</i> , 2012, 53, 1200-1209.	2.0	17
1775	Polymorphisms in <i>HSD17B1</i> : Early Onset and Increased Risk of Alzheimer's Disease in Women with Down Syndrome. <i>Current Gerontology and Geriatrics Research</i> , 2012, 2012, 1-8.	1.6	18
1776	Cerebral blood flow in Alzheimer's disease. <i>Vascular Health and Risk Management</i> , 2012, 8, 599.	1.0	162
1777	Association of K832R and R952K SNPs of Wilson's Disease Gene with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 29, 913-919.	1.2	50
1778	Presence of Striatal Amyloid Plaques in Parkinson's Disease Dementia Predicts Concomitant Alzheimer's Disease: Usefulness for Amyloid Imaging. <i>Journal of Parkinson's Disease</i> , 2012, 2, 57-65.	1.5	38
1779	Cholesterol metabolism is associated with soluble amyloid precursor protein production in Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2012, 123, 310-316.	2.1	66
1780	Triglyceride levels and apolipoprotein E polymorphism in patients with acute pancreatitis. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012, 11, 96-101.	0.6	35
1781	Apolipoprotein E genotype and neurological disease onset in Niemann-Pick disease, type C1. <i>American Journal of Medical Genetics, Part A</i> , 2012, 158A, 2775-2780.	0.7	34
1782	Substantia nigra depigmentation and exposure to encephalitis lethargica. <i>Annals of Neurology</i> , 2012, 72, 912-917.	2.8	7
1783	Association studies of 19 candidate SNPs with sporadic Alzheimer's disease in the North Chinese Han population. <i>Neurological Sciences</i> , 2012, 33, 1021-1028.	0.9	18
1784	ApoE genotypes are associated with age at natural menopause in Chinese females. <i>Age</i> , 2012, 34, 1023-1032.	3.0	15

#	ARTICLE	IF	CITATIONS
1785	The relationship between apolipoprotein (apo) E polymorphism and lipid changes: An 8-year cohort study in Beijing elderly persons. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 713-717.	1.4	6
1786	Effect of mutations in LDLR and PCSK9 genes on phenotypic variability in Tunisian familial hypercholesterolemia patients. <i>Atherosclerosis</i> , 2012, 222, 158-166.	0.4	22
1787	Apo E4 and lipoprotein-associated phospholipase A2 synergistically increase cardiovascular risk. <i>Atherosclerosis</i> , 2012, 223, 230-234.	0.4	27
1788	The CC genotype of transforming growth factor- β 1 increases the risk of late-onset Alzheimer's disease and is associated with AD-related depression. <i>European Neuropsychopharmacology</i> , 2012, 22, 281-289.	0.3	47
1789	ApoE and Quality of Life in Nonagenarians. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 704-707.	1.2	2
1790	Associative recognition in mild cognitive impairment: Relationship to hippocampal volume and apolipoprotein E. <i>Neuropsychologia</i> , 2012, 50, 3721-3728.	0.7	58
1791	Sleep-Disordered Breathing in Vietnam Veterans with Posttraumatic Stress Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 199-204.	0.6	45
1792	Influence of COMT Val158Met Polymorphism on Alzheimer's Disease and Mild Cognitive Impairment in Italian Patients. <i>Journal of Alzheimer's Disease</i> , 2012, 32, 919-926.	1.2	30
1793	Dimethylarginines, Homocysteine Metabolism, and Cerebrospinal Fluid Markers for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 31, 751-758.	1.2	32
1794	The French Series of Autosomal Dominant Early Onset Alzheimer's Disease Cases: Mutation Spectrum and Cerebrospinal Fluid Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2012, 30, 847-856.	1.2	113
1795	Sex differences in the association of the apolipoprotein E epsilon 4 allele with incidence of dementia, cognitive impairment, and decline. <i>Neurobiology of Aging</i> , 2012, 33, 720-731.e4.	1.5	111
1796	Hormone levels and cognitive function in postmenopausal midlife women. <i>Neurobiology of Aging</i> , 2012, 33, 617.e11-617.e22.	1.5	26
1797	Exploration of 16 candidate genes identifies the association of IDE with Alzheimer's disease in Han Chinese. <i>Neurobiology of Aging</i> , 2012, 33, 1014.e1-1014.e9.	1.5	16
1798	Early and late onset Alzheimer's disease patients have distinct patterns of white matter damage. <i>Neurobiology of Aging</i> , 2012, 33, 1023-1033.	1.5	61
1799	Effects of hemochromatosis and transferrin gene mutations on iron dyshomeostasis, liver dysfunction and on the risk of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012, 33, 1633-1641.	1.5	57
1800	Blood pressure is associated with higher brain amyloid burden and lower glucose metabolism in healthy late middle-age persons. <i>Neurobiology of Aging</i> , 2012, 33, 827.e11-827.e19.	1.5	109
1801	Impact of chronic <i>Helicobacter pylori</i> infection on Alzheimer's disease: preliminary results. <i>Neurobiology of Aging</i> , 2012, 33, 1009.e11-1009.e19.	1.5	108
1802	Hormone levels and cognitive function in postmenopausal midlife women. <i>Neurobiology of Aging</i> , 2012, 33, 1138-1147.e2.	1.5	49

#	ARTICLE	IF	CITATIONS
1803	Analysis of SNAP25 mRNA expression and promoter DNA methylation in brain areas of Alzheimer's Disease patients. <i>Neuroscience</i> , 2012, 220, 41-46.	1.1	49
1804	Low-level arsenic exposure, AS3MT gene polymorphism and cardiovascular diseases in rural Texas counties. <i>Environmental Research</i> , 2012, 113, 52-57.	3.7	78
1805	Role of the apolipoprotein E and catechol-O-methyltransferase genes in prospective and retrospective memory traits. <i>Gene</i> , 2012, 506, 135-140.	1.0	13
1806	Phenotypical difference of Amyloid Precursor Protein (APP) V717L mutation in Japanese family. <i>BMC Neurology</i> , 2012, 12, 38.	0.8	3
1807	Effect of One-Year Vitamin C- and E-Supplementation on Cerebrospinal Fluid Oxidation Parameters and Clinical Course in Alzheimer's Disease. <i>Neurochemical Research</i> , 2012, 37, 2706-2714.	1.6	82
1808	Comprehensive Search for Alzheimer Disease Susceptibility Loci in the APOE Region. <i>Archives of Neurology</i> , 2012, 69, 1270.	4.9	97
1809	Upstream Transcription Factor 1 (USF1) Polymorphisms Associate with Alzheimer's Disease-related Neuropathological Lesions: Tampere Autopsy Study. <i>Brain Pathology</i> , 2012, 22, 765-775.	2.1	17
1810	Correlations between FDG PET glucose uptake-MRI gray matter volume scores and apolipoprotein E ϵ 4 gene dose in cognitively normal adults: A cross-validation study using voxel-based multi-modal partial least squares. <i>NeuroImage</i> , 2012, 60, 2316-2322.	2.1	36
1811	Leucine 10 allelic variant in signal peptide of PCSK9 increases the LDL cholesterol-lowering effect of statins in patients with familial hypercholesterolaemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 831-835.	1.1	23
1812	Decreased Plasma Cholesterol Concentrations After PUFA-Rich Diets are not Due to Reduced Cholesterol Absorption/Synthesis. <i>Lipids</i> , 2012, 47, 1063-1071.	0.7	26
1813	Homozygosity for the APOE E4 Allele is Solely Associated with Lower Cognitive Performance in Brazilian Community-dwelling Older Adults – The Bambuí-Study. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 440-445.	0.9	5
1814	Polyphenol-Rich Foods in the Mediterranean Diet are Associated with Better Cognitive Function in Elderly Subjects at High Cardiovascular Risk. <i>Journal of Alzheimer's Disease</i> , 2012, 29, 773-782.	1.2	244
1815	Selenium level and depressive symptoms in a rural elderly Chinese cohort. <i>BMC Psychiatry</i> , 2012, 12, 72.	1.1	45
1816	Nutrition and physical activity programs for obesity treatment (PRONAF study): methodological approach of the project. <i>BMC Public Health</i> , 2012, 12, 1100.	1.2	23
1817	Morphological and Pathological Evolution of the Brain Microcirculation in Aging and Alzheimer's Disease. <i>PLoS ONE</i> , 2012, 7, e36893.	1.1	144
1818	Protective effect of the APOE-e3 allele in Alzheimer's disease. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 8-12.	0.7	24
1819	Norms for Imaging Markers of Brain Reserve. <i>Journal of Alzheimer's Disease</i> , 2012, 31, 623-633.	1.2	18
1820	Polimorfismos del gen ApoE en individuos con síndrome de Down y sus progenitores en una población colombiana. <i>Biomedica</i> , 2012, 32, .	0.3	2

#	ARTICLE	IF	CITATIONS
1821	Apolipoprotein E4 influences growth and cognitive responses to micronutrient supplementation in shantytown children from northeast Brazil. <i>Clinics</i> , 2012, 67, 11-18.	0.6	39
1822	Reliable Measurements of the β -Amyloid Pool in Blood Could Help in the Early Diagnosis of AD. <i>International Journal of Alzheimer's Disease</i> , 2012, 2012, 1-10.	1.1	52
1823	Insulin and Sex Interactions in Older Adults with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2012, 31, 401-410.	1.2	6
1824	Variants in CYP17 and CYP19 Cytochrome P450 Genes are Associated with Onset of Alzheimer's Disease in Women with Down Syndrome. <i>Journal of Alzheimer's Disease</i> , 2012, 28, 601-612.	1.2	42
1825	Amygdala in Alzheimer's Disease. , 0, , .		4
1826	Risk Profiles of Subtypes of Mild Cognitive Impairment: The Sydney Memory and Ageing Study. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 24-33.	1.3	56
1827	The association between systemic inflammation and cognitive performance in the elderly: the Sydney Memory and Ageing Study. <i>Age</i> , 2012, 34, 1295-1308.	3.0	159
1828	Midlife Blood Pressure, Plasma β -Amyloid, and the Risk for Alzheimer Disease. <i>Hypertension</i> , 2012, 59, 780-786.	1.3	187
1829	Depressed neurofilament expression associates with apolipoprotein E3/E4 genotype in maturing human fetal neurons exposed to HIV-1. <i>Journal of NeuroVirology</i> , 2012, 18, 323-330.	1.0	6
1830	Chapter 11: Challenges in and Principles for Conducting Systematic Reviews of Genetic Tests used as Predictive Indicators. <i>Journal of General Internal Medicine</i> , 2012, 27, 83-93.	1.3	6
1831	Effect of Genetic Variants Related to Lipid Metabolism as Risk Factors for Cholelithiasis After Bariatric Surgery in Brazilian Population. <i>Obesity Surgery</i> , 2012, 22, 623-633.	1.1	12
1832	Lifestyle and the Risk of Dementia in Japanese-American Men. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 118-123.	1.3	56
1833	ApoE4 and late onset depression in Indian population. <i>Journal of Affective Disorders</i> , 2012, 136, 244-248.	2.0	20
1834	Are apolipoprotein E alleles correlated with semen quality?. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 714-719.	3.6	2
1835	Analysis of the Potential Role of Apolipoprotein E Polymorphism in Genetic Predisposition to Spontaneous Abortion. <i>American Journal of Reproductive Immunology</i> , 2012, 67, 179-183.	1.2	8
1836	Correlation between genetic polymorphisms and stroke recovery: Analysis of the GAIN Americas and GAIN International Studies. <i>European Journal of Neurology</i> , 2012, 19, 718-724.	1.7	88
1837	PEMT G523A (V175M) Is Associated with Sporadic Alzheimer's Disease in a Chinese Population. <i>Journal of Molecular Neuroscience</i> , 2012, 46, 505-508.	1.1	11
1838	A 14bp indel variation in the NCX1 gene modulates the age at onset in late-onset Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2012, 119, 383-386.	1.4	5

#	ARTICLE	IF	CITATIONS
1839	High APOE epsilon 4 allele frequencies associated with Alzheimer disease in a Tunisian population. <i>Neurological Sciences</i> , 2012, 33, 33-37.	0.9	37
1840	Apolipoprotein E level and cholesterol are associated with reduced synaptic amyloid beta in Alzheimer's disease and apoE TR mouse cortex. <i>Acta Neuropathologica</i> , 2012, 123, 39-52.	3.9	48
1841	Predictors of comprehensive stimulation program efficacy in patients with cognitive impairment. Clinical practice recommendations. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 26-33.	1.3	19
1842	Glucose Levels and Risk of Dementia. <i>New England Journal of Medicine</i> , 2013, 369, 540-548.	13.9	696
1843	Allele-specific polymerase chain reaction for the detection of Alzheimer's disease-related single nucleotide polymorphisms. <i>BMC Medical Genetics</i> , 2013, 14, 27.	2.1	29
1844	A case of lipoprotein glomerulopathy with thrombotic microangiopathy due to malignant hypertension. <i>BMC Nephrology</i> , 2013, 14, 53.	0.8	6
1845	The influence of Apolipoprotein E genotype on regional pathology in Alzheimer's disease. <i>BMC Neurology</i> , 2013, 13, 44.	0.8	23
1846	Relationship between apolipoprotein E4 genotype and white matter integrity in HIV-positive young adults in South Africa. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 189-195.	1.8	39
1847	ATP7B Variants as Modulators of Copper Dyshomeostasis in Alzheimer's Disease. <i>NeuroMolecular Medicine</i> , 2013, 15, 515-522.	1.8	60
1848	Apolipoprotein E-Dependent Differences in Innate Immune Responses of Maturing Human Neuroepithelial Progenitor Cells Exposed to HIV-1. <i>Journal of NeuroImmune Pharmacology</i> , 2013, 8, 1010-1026.	2.1	13
1849	No association between an intronic polymorphism in the presenilin-1 gene and Alzheimer disease in a Tunisian population. <i>Journal of Neural Transmission</i> , 2013, 120, 1355-1358.	1.4	5
1850	The role of long chain omega-3 polyunsaturated fatty acids in reducing lipid peroxidation among elderly patients with mild cognitive impairment: a case-control study. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 803-808.	1.9	40
1851	Effects of apolipoprotein E genotypes on metabolic profile and oxidative stress in south-west Chinese women with polycystic ovary syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 146-151.	0.5	18
1852	Striatal morphology in early-onset and late-onset Alzheimer's disease: a preliminary study. <i>Neurobiology of Aging</i> , 2013, 34, 1728-1739.	1.5	52
1853	Plasma Beta Amyloid Level and Depression in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 74-79.	1.7	32
1854	Effects of interactions between ApoE polymorphisms, alcohol consumption and obesity on age-related trends of blood pressure levels in postmenopausal women: The BambuÅ cohort study of aging (1997-2008). <i>Maturitas</i> , 2013, 76, 57-63.	1.0	3
1855	Age-dependent interaction of apolipoprotein E gene with eastern birthplace in Finland affects severity of coronary atherosclerosis and risk of fatal myocardial infarction. Helsinki Sudden Death Study. <i>Annals of Medicine</i> , 2013, 45, 213-219.	1.5	3
1856	Effect of dietary sphingomyelin on absorption and fractional synthetic rate of cholesterol and serum lipid profile in humans. <i>Lipids in Health and Disease</i> , 2013, 12, 125.	1.2	37

#	ARTICLE	IF	CITATIONS
1857	Association Between Apolipoprotein E Gene Polymorphism and Myocardial Infarction. <i>Biochemical Genetics</i> , 2013, 51, 398-405.	0.8	7
1858	Dynamic changes of lipid profile in Romanian patients with Gaucher disease type 1 under enzyme replacement therapy: a prospective study. <i>Journal of Inherited Metabolic Disease</i> , 2013, 36, 555-563.	1.7	10
1859	Analysis of HSPA8 and HSPA9 mRNA Expression and Promoter Methylation in the Brain and Blood of Alzheimer's Disease Patients. <i>Journal of Alzheimer's Disease</i> , 2013, 38, 165-170.	1.2	53
1860	Non-replication of an association of Apolipoprotein E2 with sinistrality. <i>Laterality</i> , 2013, 18, 251-261.	0.5	13
1861	Power of biomarkers and their relative contributions to metabolic syndrome in Slovak adult women. <i>Annals of Human Biology</i> , 2013, 40, 132-138.	0.4	14
1862	Prevalence of MTHFR, Factor V, ACE and APOE gene polymorphisms among Muslims of Manipur, India. <i>Annals of Human Biology</i> , 2013, 40, 83-87.	0.4	3
1863	Antioxidant Status and APOE Genotype As Susceptibility Factors for Neurodegeneration in Alzheimer's Disease and Vascular Dementia. <i>Rejuvenation Research</i> , 2013, 16, 51-56.	0.9	17
1864	Resequencing the APOE gene reveals that rare mutations are not significant contributory factors in the development of type III hyperlipidemia. <i>Journal of Clinical Lipidology</i> , 2013, 7, 671-674.	0.6	11
1865	Quantitative EEG and apolipoprotein E-genotype improve classification of patients with suspected Alzheimer's disease. <i>Clinical Neurophysiology</i> , 2013, 124, 2146-2152.	0.7	21
1866	<i>TOMM40</i> intron 6 polyA length, age at onset, and neuropathology of AD in individuals with <i>APOE</i> ϵ 3/ ϵ 3. <i>Alzheimer's and Dementia</i> , 2013, 9, 554-561.	0.4	27
1867	Cerebral and extracerebral cholesterol metabolism and CSF markers of Alzheimer's disease. <i>Biochemical Pharmacology</i> , 2013, 86, 37-42.	2.0	111
1868	Recurrent Intracerebral Hemorrhage in Patients With Hypertension is Associated With APOE Gene Polymorphism: A Preliminary Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 758-763.	0.7	20
1869	Plasma renin-angiotensin system-regulating aminopeptidase activities are modified in early stage Alzheimer's disease and show gender differences but are not related to apolipoprotein E genotype. <i>Experimental Gerontology</i> , 2013, 48, 557-564.	1.2	20
1870	Apolipoprotein E genotype and LRP1 polymorphisms in patients with different clinical types of metachromatic leukodystrophy. <i>Gene</i> , 2013, 526, 176-181.	1.0	3
1871	High cortisol levels are associated with cognitive impairment no-dementia (CIND) and dementia. <i>Clinica Chimica Acta</i> , 2013, 423, 18-22.	0.5	56
1872	A silent mutation of Niemann-Pick C1-like 1 and apolipoprotein E4 modulate cholesterol absorption in primary hyperlipidemias. <i>Journal of Clinical Lipidology</i> , 2013, 7, 147-152.	0.6	11
1873	Association of polymorphisms in the LRP1 and A2M genes with Alzheimer's disease in the Northern Chinese Han population. <i>Journal of Clinical Neuroscience</i> , 2013, 20, 253-256.	0.8	8
1874	Late-Life Depression, Mild Cognitive Impairment, and Dementia. <i>JAMA Neurology</i> , 2013, 70, 383.	4.5	288

#	ARTICLE	IF	CITATIONS
1875	Variants in the ATP-Binding Cassette Transporter (ABCA7), Apolipoprotein E ϵ 4, and the Risk of Late-Onset Alzheimer Disease in African Americans. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1483.	3.8	360
1876	Physical activity and amyloid- β plasma and brain levels: results from the Australian Imaging, Biomarkers and Lifestyle Study of Ageing. <i>Molecular Psychiatry</i> , 2013, 18, 875-881.	4.1	185
1877	Effect of Complement CR1 on Brain Amyloid Burden During Aging and Its Modification by APOE Genotype. <i>Biological Psychiatry</i> , 2013, 73, 422-428.	0.7	75
1878	Apolipoprotein E ϵ 4 Allele Interacts with Sex and Cognitive Status to Influence All-cause and Cause-specific Mortality in U.S. Older Adults. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 525-534.	1.3	32
1879	Apolipoprotein E2 Accentuates Postprandial Inflammation and Diet-Induced Obesity to Promote Hyperinsulinemia in Mice. <i>Diabetes</i> , 2013, 62, 382-391.	0.3	34
1880	Interactive effects of ApoE polymorphism, alcohol and smoking on age-related trends of blood pressure levels in elderly men: the Bambu- Cohort Study of Ageing (1997-2008). <i>Journal of Human Hypertension</i> , 2013, 27, 497-503.	1.0	6
1881	Virgin olive oil supplementation and long-term cognition: the Predimed-Navarra randomized, trial. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 544-552.	1.5	216
1882	Novel mutations in SAR1B and MTTP genes in Tunisian children with chylomicron retention disease and abetalipoproteinemia. <i>Gene</i> , 2013, 512, 28-34.	1.0	30
1883	The ϵ 4 Allele of the APOE Gene Is Associated With More Severe Peripheral Neuropathy in Type 2 Diabetic Patients. <i>Angiology</i> , 2013, 64, 451-455.	0.8	26
1884	Aromatase Variants Modify Risk for Alzheimer's Disease in a Multiethnic Female Cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 35, 340-350.	0.7	24
1885	Linkage Disequilibrium and Haplotype Analysis of the <i>ATP7B</i> Gene in Alzheimer's Disease. <i>Rejuvenation Research</i> , 2013, 16, 3-10.	0.9	48
1886	DHA supplementation improved both memory and reaction time in healthy young adults: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1134-1143.	2.2	225
1887	Effects of Age, Sex, Body Mass Index and APOE Genotype on Cardiovascular Biomarker Response to an n-3 Polyunsaturated Fatty Acid Supplementation. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2013, 6, 73-82.	1.8	37
1888	Adiposity and Cognitive Decline in the Cardiovascular Health Study. <i>Neuroepidemiology</i> , 2013, 40, 274-281.	1.1	34
1889	Disturbance in uniformly ¹³ C-labelled DHA metabolism in elderly human subjects carrying the apoE ϵ 4 allele. <i>British Journal of Nutrition</i> , 2013, 110, 1751-1759.	1.2	74
1890	Posterior Cingulate Glucose Metabolism, Hippocampal Glucose Metabolism, and Hippocampal Volume in Cognitively Normal, Late-Middle-Aged Persons at 3 Levels of Genetic Risk for Alzheimer Disease. <i>JAMA Neurology</i> , 2013, 70, 320.	4.5	123
1891	Impact of Genetic Variants of Apolipoprotein E on Lipid Profile in Patients with Parkinson's Disease. <i>BioMed Research International</i> , 2013, 2013, 1-7.	0.9	20
1892	Lack of an association between left-handedness and <i>APOE</i> polymorphism in a large sample of adults: Results of the Czech HAPIEE study. <i>Laterality</i> , 2013, 18, 513-519.	0.5	9

#	ARTICLE	IF	CITATIONS
1893	The Demographic and Medical Correlates of Plasma A β ₂₄₀ and A β ₂₄₂ . Alzheimer Disease and Associated Disorders, 2013, 27, 244-249.	0.6	24
1894	Clinical characteristics and plasma lipids in subjects with familial combined hypolipidemia: a pooled analysis. Journal of Lipid Research, 2013, 54, 3481-3490.	2.0	76
1895	Kiwifruit consumption favourably affects plasma lipids in a randomised controlled trial in hypercholesterolaemic men. British Journal of Nutrition, 2013, 109, 2208-2218.	1.2	33
1896	Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: Systematic review and meta-analysis of 14 015 stroke cases and pooled analysis of primary biomarker data from up to 60 883 individuals. International Journal of Epidemiology, 2013, 42, 475-492.	0.9	145
1897	Antihypertensive medication use and risk of cognitive impairment. Neurology, 2013, 81, 888-895.	1.5	88
1898	Mediterranean diet improves cognition: the PREDIMED-NAVARRA randomised trial. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 1318-1325.	0.9	534
1899	Incidence and predictors of depression in non-demented primary care attenders aged 75 years and older: results from a 3-year follow-up study. Age and Ageing, 2013, 42, 173-180.	0.7	65
1900	Practice Effects and Longitudinal Cognitive Change in Normal Aging vs. Incident Mild Cognitive Impairment and Dementia in The Mayo Clinic Study of Aging. Clinical Neuropsychologist, 2013, 27, 1247-1264.	1.5	124
1901	Association between vitamin A, vitamin E and apolipoprotein E status with mild cognitive impairment among elderly people in low-cost residential areas. Nutritional Neuroscience, 2013, 16, 6-12.	1.5	25
1902	Macrophage inhibitory cytokine-1 is associated with cognitive impairment and predicts cognitive decline - the Sydney Memory and Aging Study. Aging Cell, 2013, 12, 882-889.	3.0	75
1903	Genome scan in familial late-onset Alzheimer's disease: A locus on chromosome 6 contributes to age-at-onset. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 201-212.	1.1	5
1904	Principal components methods for narrow-sense heritability in the analysis of multidimensional longitudinal cognitive phenotypes. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 770-778.	1.1	1
1905	Gene-environment interaction of ApoE genotype and combat exposure on PTSD. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 762-769.	1.1	46
1906	Several Direct and Calculated Biomarkers from the Amyloid- β Pool in Blood are Associated with an Increased Likelihood of Suffering from Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2013, 36, 211-219.	1.2	23
1907	Age-related trends of blood pressure levels by apolipoprotein E genotype: the BambuÃ cohort study of ageing (1997-2008). Hypertension Research, 2013, 36, 270-276.	1.5	5
1908	Apolipoprotein E gene polymorphism influences aggressive behavior in prostate cancer cells by deregulating cholesterol homeostasis. International Journal of Oncology, 2013, 43, 1002-1010.	1.4	22
1909	Association of Sleep Disordered Breathing and Cognitive Deficit in APOE ϵ ₄ Carriers. Sleep, 2013, 36, 873-880.	0.6	67
1910	Caloric Intake, Aging, and Mild Cognitive Impairment: A Population-Based Study. Journal of Alzheimer's Disease, 2013, 34, 501-507.	1.2	33

#	ARTICLE	IF	CITATIONS
1911	APOE-Dependent Phenotypes in Subjects with Mild Cognitive Impairment Converting to Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 37, 389-401.	1.2	13
1912	Predisposing and Precipitating Factors of Delirium After Cardiac Surgery. <i>Annals of Surgery</i> , 2013, 257, 1160-1167.	2.1	87
1913	Investigation of APOE isoforms and the association between APOE E3 and E4 with migraine in the Australian Caucasian population. <i>NeuroReport</i> , 2013, 24, 499-503.	0.6	4
1914	Intronic rs2147363 Variant in ATP7B Transcription Factor-Binding Site Associated with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 37, 453-459.	1.2	24
1915	Role of TOMM40 rs10524523 Polymorphism in Onset of Alzheimer's Disease Caused by the PSEN1 M146L Mutation. <i>Journal of Alzheimer's Disease</i> , 2013, 37, 285-289.	1.2	12
1916	Accelerated Cell Aging in Female APOE- ϵ 4 Carriers: Implications for Hormone Therapy Use. <i>PLoS ONE</i> , 2013, 8, e54713.	1.1	51
1917	Cognitive Decline in Older Persons Initiating Anticholinergic Medications. <i>PLoS ONE</i> , 2013, 8, e64111.	1.1	45
1918	Evaluation of annexin A5 as a biomarker for Alzheimer's disease and dementia with lewy bodies. <i>Frontiers in Aging Neuroscience</i> , 2013, 5, 15.	1.7	27
1919	Effects of hemochromatosis and transferrin gene mutations on peripheral iron dyshomeostasis in mild cognitive impairment and Alzheimer's and Parkinson's diseases. <i>Frontiers in Aging Neuroscience</i> , 2013, 5, 37.	1.7	30
1920	Association between an Alzheimer's Disease-Related Index and APOE ϵ 4 Gene Dose. <i>PLoS ONE</i> , 2013, 8, e67163.	1.1	13
1921	Persistent, Long-term Cerebral White Matter Changes after Sports-Related Repetitive Head Impacts. <i>PLoS ONE</i> , 2014, 9, e94734.	1.1	230
1922	Biochemical Assessment of Precuneus and Posterior Cingulate Gyrus in the Context of Brain Aging and Alzheimer's Disease. <i>PLoS ONE</i> , 2014, 9, e105784.	1.1	16
1923	Age-Related Changes of Adaptive and Neuropsychological Features in Persons with Down Syndrome. <i>PLoS ONE</i> , 2014, 9, e113111.	1.1	58
1924	Altered Proteolysis in Fibroblasts of Alzheimer Patients with Predictive Implications for Subjects at Risk of Disease. <i>International Journal of Alzheimer's Disease</i> , 2014, 2014, 1-8.	1.1	18
1925	Intraindividual variability across cognitive tasks as a potential marker for prodromal Alzheimer's disease. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 147.	1.7	30
1926	Compound Heterozygotes for a Novel Mutation, Apo E1 Nagoya (Arg142Ser) and Apo E2 (Arg158Cys), with Severe Type III Hyperlipoproteinemia and Familial Hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 983-988.	0.9	3
1927	Hereditary features, treatment, and prognosis of the lipoprotein glomerulopathy in patients with the APOE Kyoto mutation. <i>Kidney International</i> , 2014, 85, 416-424.	2.6	41
1928	Adiposity Estimated Using Dual Energy X-Ray Absorptiometry and Body Mass Index and Its Association with Cognition in Elderly Adults. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2311-2318.	1.3	18

#	ARTICLE	IF	CITATIONS
1929	Apolipoprotein E genotype and outcome in infants with hypoxic-ischemic encephalopathy. <i>Pediatric Research</i> , 2014, 75, 424-430.	1.1	9
1930	A Disease Modification Effect of APOE ϵ 4 on the Association between Urinary Albumin Excretion and Cognition in Korean Adults. <i>Disease Markers</i> , 2014, 2014, 1-7.	0.6	3
1931	Neuropathologic Changes Associated With Atrial Fibrillation in a Population-Based Autopsy Cohort. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 609-615.	1.7	40
1932	ϵ APOE ϵ 2 allele is an independent risk factor for vulnerable carotid plaque in ischemic stroke patients. <i>Neurological Research</i> , 2014, 36, 950-954.	0.6	8
1933	Subjective Cognitive Impairment Subjects in Our Clinical Practice. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 419-430.	0.6	33
1934	Influence of age, disease onset and ApoE4 on visual medial temporal lobe atrophy cutoffs. <i>Journal of Internal Medicine</i> , 2014, 275, 317-330.	2.7	60
1935	Dysbetalipoproteinaemia: A mixed hyperlipidaemia of remnant lipoproteins due to mutations in apolipoprotein E. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2014, 51, 46-62.	2.7	52
1936	A hierarchy of predictors for dementia-free survival in old age: results of the AgeCoDe study. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 63-72.	2.2	29
1937	Atorvastatin plus omega-3 fatty acid ethyl ester decreases very low density lipoprotein triglyceride production in insulin resistant obese men. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 519-526.	2.2	11
1938	Value of serum nonceruloplasmin copper for prediction of mild cognitive impairment conversion to Alzheimer disease. <i>Annals of Neurology</i> , 2014, 75, 574-580.	2.8	93
1939	Age-Specific Incidence Rates for Dementia and Alzheimer Disease in NIA-LOAD/NCRAD and EFIGA Families. <i>JAMA Neurology</i> , 2014, 71, 315.	4.5	48
1940	APOE ϵ 4 and the risk for Alzheimer disease and cognitive decline in African Americans and Yoruba. <i>International Psychogeriatrics</i> , 2014, 26, 977-985.	0.6	79
1941	Source Analysis of Spontaneous Magnetoencephalographic Activity in Healthy Aging and Mild Cognitive Impairment: Influence of Apolipoprotein E Polymorphism. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 259-273.	1.2	20
1942	Gene-Environment Interaction of Body Mass Index and Apolipoprotein E ϵ 4 Allele on Cognitive Decline. <i>Alzheimer Disease and Associated Disorders</i> , 2014, 28, 134-140.	0.6	32
1943	Gene-Behavior Interaction of Depressive Symptoms and the Apolipoprotein E [Latin Small Letter Open E]4 Allele on Cognitive Decline. <i>Psychosomatic Medicine</i> , 2014, 76, 101-108.	1.3	23
1944	Clinicopathological Outcomes of Prospectively Followed Normal Elderly Brain Bank Volunteers. <i>Journal of Neuropathology and Experimental Neurology</i> , 2014, 73, 244-252.	0.9	65
1945	Lack of effect of the apolipoprotein E ϵ 4 genotype on cognition during healthy aging. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 742-750.	0.8	15
1946	Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia. <i>Psychological Medicine</i> , 2014, 44, 1319-1329.	2.7	71

#	ARTICLE	IF	CITATIONS
1947	Cross-Sectional and Longitudinal Relationships Between Cerebrospinal Fluid Biomarkers and Cognitive Function in People Without Cognitive Impairment From Across the Adult Life Span. <i>JAMA Neurology</i> , 2014, 71, 742.	4.5	40
1948	Estrogen Receptor $\hat{\pm}$ Variants Affect Age at Onset of Alzheimer's Disease in a Multiethnic Female Cohort. <i>Dementia and Geriatric Cognitive Disorders</i> , 2014, 38, 200-213.	0.7	22
1949	Hypothyroidism and Risk of Mild Cognitive Impairment in Elderly Persons. <i>JAMA Neurology</i> , 2014, 71, 201.	4.5	48
1950	Genetic architecture of lipid traits changes over time and differs by race: Princeton Lipid Follow-up Study. <i>Journal of Lipid Research</i> , 2014, 55, 1515-1524.	2.0	11
1951	Apolipoprotein E genetic polymorphism, serum lipoprotein levels and breast cancer risk: A case-control study. <i>Molecular and Clinical Oncology</i> , 2014, 2, 1009-1015.	0.4	16
1952	Association of apolipoprotein E gene polymorphism with end-stage renal disease and hyperlipidemia in patients on long-term hemodialysis. <i>Renal Failure</i> , 2014, 36, 1504-1509.	0.8	8
1953	Incidence Rates of Dementia, Alzheimer Disease, and Vascular Dementia in the Japanese American Population in Seattle, WA. <i>Alzheimer Disease and Associated Disorders</i> , 2014, 28, 23-29.	0.6	27
1954	APOE-epsilon4 and aging of medial temporal lobe gray matter in healthy adults older than 50 years. <i>Neurobiology of Aging</i> , 2014, 35, 2479-2485.	1.5	36
1955	Creation of the Argentina-Alzheimer's Disease Neuroimaging Initiative. , 2014, 10, S84-S87.		19
1957	Association between the SORL1 rs2070045 polymorphism and late-onset Alzheimer's disease: Interaction with the ApoE genotype in the Chinese Han population. <i>Neuroscience Letters</i> , 2014, 559, 94-98.	1.0	15
1958	Altered neurotransmission in the lateral amygdala in aged human apoE4 targeted replacement mice. <i>Neurobiology of Aging</i> , 2014, 35, 2046-2052.	1.5	25
1959	Medial temporal atrophy in early and late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014, 35, 2004-2012.	1.5	59
1960	The effect of an APOE polymorphism on cognitive function depends on age. <i>Journal of Neurology</i> , 2014, 261, 66-72.	1.8	12
1961	Apolipoprotein E mutations: a comparison between lipoprotein glomerulopathy and type III hyperlipoproteinemia. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 220-224.	0.7	21
1962	Total apolipoprotein E levels and specific isoform composition in cerebrospinal fluid and plasma from Alzheimer's disease patients and controls. <i>Acta Neuropathologica</i> , 2014, 127, 633-643.	3.9	120
1963	The role of apolipoprotein E in neurodegeneration and cardiovascular disease. <i>Expert Review of Proteomics</i> , 2014, 11, 371-381.	1.3	23
1964	Association Between Alzheimer Disease and the ϵ 491T Allele of Regulatory Region Polymorphism of Apolipoprotein E in a Tunisian Population. <i>Neurochemical Research</i> , 2014, 39, 244-247.	1.6	4
1965	Variability in APOE genotype status in human-derived cell lines: a cause for concern in cell culture studies?. <i>Genes and Nutrition</i> , 2014, 9, 364.	1.2	12

#	ARTICLE	IF	CITATIONS
1966	Regional vulnerability of hippocampal subfields to aging measured by structural and diffusion MRI. <i>Hippocampus</i> , 2014, 24, 403-414.	0.9	67
1967	Interleukin 6 and Apolipoprotein E as Predictors of Acute Brain Dysfunction and Survival in Critical Care Patients. <i>American Journal of Critical Care</i> , 2014, 23, 49-57.	0.8	30
1968	Effect of docosahexaenoic acid and furan fatty acids on cytokinesis block micronucleus cytome assay biomarkers in astrocytoma cell lines under conditions of oxidative stress. <i>Environmental and Molecular Mutagenesis</i> , 2014, 55, 573-590.	0.9	5
1969	Influence of <i>BDNF</i> Val66Met on the relationship between physical activity and brain volume. <i>Neurology</i> , 2014, 83, 1345-1352.	1.5	58
1970	Age-specific population frequencies of cerebral β -amyloidosis and neurodegeneration among people with normal cognitive function aged 50-89 years: a cross-sectional study. <i>Lancet Neurology</i> , The, 2014, 13, 997-1005.	4.9	297
1971	Rapid-onset dystonia-parkinsonism associated with the I758S mutation of the <i>ATP1A3</i> gene: a neuropathologic and neuroanatomical study of four siblings. <i>Acta Neuropathologica</i> , 2014, 128, 81-98.	3.9	37
1972	Different associations of apoE gene polymorphism with metabolic syndrome in the Vojvodina Province (Serbia). <i>Molecular Biology Reports</i> , 2014, 41, 5221-5227.	1.0	14
1973	Cognitive function, body mass index and mortality in a rural elderly Chinese cohort. <i>Archives of Public Health</i> , 2014, 72, 9.	1.0	17
1974	Glucose impairment and ghrelin gene variants are associated to cognitive dysfunction. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 161-169.	1.4	7
1975	Fibrillar amyloid correlates of preclinical cognitive decline. , 2014, 10, e1-e8.		15
1976	Lipids in health and disease. <i>Nature</i> , 2014, 510, 47-47.	13.7	24
1977	¹⁸ F-fluorodeoxyglucose positron emission tomography, aging, and apolipoprotein E genotype in cognitively normal persons. <i>Neurobiology of Aging</i> , 2014, 35, 2096-2106.	1.5	108
1978	Genetic interaction of <i>PICALM</i> and <i>APOE</i> is associated with brain atrophy and cognitive impairment in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2014, 10, S269-76.	0.4	47
1979	ApoE gene and exceptional longevity: Insights from three independent cohorts. <i>Experimental Gerontology</i> , 2014, 53, 16-23.	1.2	66
1980	Gray matter atrophy pattern in elderly with subjective memory impairment. <i>Alzheimer's and Dementia</i> , 2014, 10, 99-108.	0.4	129
1981	APOE polymorphism and carotid atherosclerosis in Korean population: The Dong-gu Study and the Namwon Study. <i>Atherosclerosis</i> , 2014, 232, 180-185.	0.4	17
1982	Interaction of APOE genotype and testosterone on episodic memory in middle-aged men. <i>Neurobiology of Aging</i> , 2014, 35, 1778.e1-1778.e8.	1.5	23
1983	Association between polymorphism c.1-765G>C of the <i>COX2</i> gene and cognitive impairment in individuals 65 years or more with diabetes from a Geriatric Service in Monterrey, Mexico. <i>Medicina Clínica</i> , 2014, 143, 381-385.	0.3	2

#	ARTICLE	IF	CITATIONS
1984	Trajectories of inflammatory markers and cognitive decline over 10 years. <i>Neurobiology of Aging</i> , 2014, 35, 2785-2790.	1.5	43
1985	A blood-based predictor for neocortical A β burden in Alzheimer's disease: results from the AIBL study. <i>Molecular Psychiatry</i> , 2014, 19, 519-526.	4.1	108
1986	A β 1-17 is a Major Amyloid- β Fragment Isoform in Cerebrospinal Fluid and Blood with Possible Diagnostic Value in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 47-56.	1.2	22
1987	Grey Matter Changes Associated with Deficit Awareness in Mild Cognitive Impairment: A Voxel-Based Morphometry Study. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 1251-1259.	1.2	11
1988	APOE and spatial navigation in amnesic MCI: Results from a computer-based test.. <i>Neuropsychology</i> , 2014, 28, 676-684.	1.0	43
1989	Can APOE and MTHFR polymorphisms have an influence on the severity of cardiovascular manifestations in Italian Pseudoxanthoma elasticum affected patients?. <i>Molecular Genetics and Metabolism Reports</i> , 2014, 1, 477-482.	0.4	15
1990	Alzheimer risk genes modulate the relationship between plasma apoE and cortical PiB binding. <i>Neurology: Genetics</i> , 2015, 1, e22.	0.9	12
1991	Genetic variants modify the effect of age on APOE methylation in the genetics of lipid lowering drugs and diet network study. <i>Aging Cell</i> , 2015, 14, 49-59.	3.0	34
1992	Blood pressure interacts with APOE ϵ 4 to predict memory performance in a midlife sample.. <i>Neuropsychology</i> , 2015, 29, 693-702.	1.0	14
1993	Increased CSF E-Selectin in Clinical Alzheimer's Disease without Altered CSF A β 42 and Tau. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 883-887.	1.2	15
1994	Clinical Dementia Rating Scale Detects White Matter Changes in Older Adults at Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015, 50, 411-423.	1.2	8
1995	Differential Effects of Meal Challenges on Cognition, Metabolism, and Biomarkers for Apolipoprotein E ϵ 4 Carriers and Adults with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 48, 205-218.	1.2	39
1996	Amplification refractory mutation system polymerase chain reaction versus optimized polymerase chain reaction restriction-fragment length polymorphism for apolipoprotein E genotyping of majorly depressed patients. <i>Molecular Medicine Reports</i> , 2015, 12, 6829-6834.	1.1	1
1997	Alterations in dorsal and ventral posterior cingulate connectivity in APOE ϵ 4 carriers at risk of Alzheimer's disease. <i>BJPsych Open</i> , 2015, 1, 139-148.	0.3	5
1998	Amyloid- β Peptide in Olfactory Mucosa and Mesenchymal Stromal Cells of Mild Cognitive Impairment and Alzheimer's Disease Patients. <i>Brain Pathology</i> , 2015, 25, 136-145.	2.1	20
1999	Chromosomal DNA damage in APOE ϵ 4 carriers and noncarriers does not appear to be different. <i>Environmental and Molecular Mutagenesis</i> , 2015, 56, 694-708.	0.9	3
2000	A Novel A β PP M722K Mutation Affects Amyloid- β Secretion and Tau Phosphorylation and May Cause Early-Onset Familial Alzheimer's Disease in Chinese Individuals. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 157-165.	1.2	12
2001	Diabetes is Associated with Worse Executive Function in Both Eastern and Western Populations: Shanghai Aging Study and Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 167-176.	1.2	23

#	ARTICLE	IF	CITATIONS
2002	Depressive symptoms, cognitive impairment, and metabolic syndrome in community-dwelling elderly in southern Taiwan. <i>Psychogeriatrics</i> , 2015, 15, 109-115.	0.6	8
2003	Practical cutoffs for visual rating scales of medial temporal, frontal and posterior atrophy in Alzheimer's disease and mild cognitive impairment. <i>Journal of Internal Medicine</i> , 2015, 278, 277-290.	2.7	91
2004	Alzheimer Lesions in the Autopsied Brains of People 30 to 50 Years of Age. <i>Cognitive and Behavioral Neurology</i> , 2015, 28, 144-152.	0.5	30
2005	Análisis del polimorfismo del gen APOE en la población de Barranquilla, Colombia. <i>Biomedica</i> , 2015, 36, 52-8.	0.3	2
2006	Association of high-density lipoprotein and apolipoprotein E genetic variants with age-related macular degeneration. <i>Arquivos Brasileiros De Oftalmologia</i> , 2015, 78, 85-88.	0.2	6
2007	APOE Polymorphism Is Associated with C-reactive Protein Levels but Not with White Blood Cell Count: Dong-gu Study and Namwon Study. <i>Journal of Korean Medical Science</i> , 2015, 30, 860.	1.1	10
2008	Effects of APOE rs429358, rs7412 and GSTM1/GSTT1 Polymorphism on Plasma and Erythrocyte Antioxidant Parameters and Cognition in Old Chinese Adults. <i>Nutrients</i> , 2015, 7, 8261-8273.	1.7	12
2009	Bone mineral density, adiposity, and cognitive functions. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 16.	1.7	23
2010	Association of Pancreatic Polypeptide with Mild Cognitive Impairment Varies by APOE ϵ 4 Allele. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 172.	1.7	6
2011	Vascular Health Indices and Cognitive Domain Function: Singapore Longitudinal Ageing Studies. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 27-40.	1.2	36
2012	Influence of Abdominal Obesity on the Lipid-Lipoprotein Profile in Apoprotein E2/4 Carriers: The Effect of an Apparent Duality. <i>Journal of Lipids</i> , 2015, 2015, 1-10.	1.9	10
2013	Study of common variants of the apolipoprotein E and lipoprotein lipase genes in patients with coronary heart disease and variable body mass index. <i>Hormones</i> , 2015, 14, 376-82.	0.9	2
2014	Influence of ApoE and FABP2 polymorphisms and environmental factors in the susceptibility to gallstone disease. <i>Annals of Hepatology</i> , 2015, 14, 515-523.	0.6	25
2015	Dysbetalipoproteinemia: Two cases report and a diagnostic algorithm. <i>World Journal of Clinical Cases</i> , 2015, 3, 371.	0.3	7
2016	APOE and LDLR Gene Polymorphisms and Dyslipidemia Tracking. Rio de Janeiro Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 104, 468-74.	0.3	4
2017	Changes in $\text{A}\beta$ biomarkers and associations with APOE genotype in longitudinal cohorts. <i>Neurobiology of Aging</i> , 2015, 36, 2333-2339.	1.5	60
2018	Rhinal hypometabolism on FDG PET in healthy APO-E4 carriers: impact on memory function and metabolic networks. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1512-1521.	3.3	16
2019	ApoE Type 4 Allele Affects Cognitive Function of Aged Population in Tianjin City, China. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2015, 30, 503-507.	0.9	4

#	ARTICLE	IF	CITATIONS
2020	<sc>Arizona <sc>Study of <sc>Aging and <sc>Neurodegenerative <sc>Disorders and <sc>Brain and <sc>Body <sc>Donation <sc>Program. Neuropathology, 2015, 35, 354-389.	0.7	336
2021	Demographic and clinical variables affecting mid- to late-life trajectories of plasma ceramide and dihydroceramide species. Aging Cell, 2015, 14, 1014-1023.	3.0	67
2023	Risk of dementia in elderly patients with the use of proton pump inhibitors. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 419-428.	1.8	184
2024	Diagnostic Values of Cerebrospinal Fluid T-Tau and A β 242 using Meso Scale Discovery Assays for Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 45, 709-719.	1.2	28
2025	APOE and mild cognitive impairment: the Framingham Heart Study. Age and Ageing, 2015, 44, 307-311.	0.7	19
2026	Trajectories of peripheral interleukin-6, structure of the hippocampus, and cognitive impairment over 14 years in older adults. Neurobiology of Aging, 2015, 36, 3038-3044.	1.5	21
2027	Regional cerebral blood flow estimated by early PiB uptake is reduced in mild cognitive impairment and associated with age in an amyloid-dependent manner. Neurobiology of Aging, 2015, 36, 1619-1628.	1.5	41
2028	The effect of TOMM40 on spatial navigation in amnesic mild cognitive impairment. Neurobiology of Aging, 2015, 36, 2024-2033.	1.5	33
2029	Homozygous carriers of <i>APP</i> A713T mutation in an autosomal dominant Alzheimer disease family. Neurology, 2015, 84, 2266-2273.	1.5	30
2030	Novel presenilin 1 mutation (p.I83T) in Tunisian family with early-onset Alzheimer's disease. Neurobiology of Aging, 2015, 36, 2904.e9-2904.e11.	1.5	8
2031	Identification of PSEN2 mutation p.N141I in Argentine pedigrees with early-onset familial Alzheimer's disease. Neurobiology of Aging, 2015, 36, 2674-2677.e1.	1.5	6
2032	Candidate genes for Alzheimer's disease are associated with individual differences in plasma levels of beta amyloid peptides in adults with Down syndrome. Neurobiology of Aging, 2015, 36, 2907.e1-2907.e10.	1.5	25
2033	Genetic studies of quantitative MCI and AD phenotypes in ADNI: Progress, opportunities, and plans. Alzheimer's and Dementia, 2015, 11, 792-814.	0.4	241
2034	Cognitive correlates of white matter lesion load and brain atrophy. Neurology, 2015, 85, 441-449.	1.5	72
2035	Neuropsychiatric symptoms, <i>APOE</i> ϵ 4, and the risk of incident dementia. Neurology, 2015, 84, 935-943.	1.5	101
2036	Apolipoprotein E allelotype is associated with neuropathological findings in Alzheimer's disease. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 225-235.	1.4	7
2037	Disrupted fatty acid distribution in HDL and LDL according to apolipoprotein E allele. Nutrition, 2015, 31, 807-812.	1.1	6
2038	Apolipoprotein epsilon 4 genotype is associated with less improvement in cognitive function five years after cardiac surgery: a retrospective cohort study. Canadian Journal of Anaesthesia, 2015, 62, 618-626.	0.7	16

#	ARTICLE	IF	CITATIONS
2039	Follow-up plasma apolipoprotein E levels in the Australian Imaging, Biomarkers and Lifestyle Flagship Study of Ageing (AIBL) cohort. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 16.	3.0	22
2040	Apolipoprotein E-dependent load of white matter hyperintensities in Alzheimer's disease: a voxel-based lesion mapping study. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 27.	3.0	13
2041	Mediterranean Diet and Age-Related Cognitive Decline. <i>JAMA Internal Medicine</i> , 2015, 175, 1094.	2.6	653
2042	Dietary patterns and cognitive decline in an Australian study of ageing. <i>Molecular Psychiatry</i> , 2015, 20, 860-866.	4.1	111
2043	Cumulative Use of Strong Anticholinergics and Incident Dementia. <i>JAMA Internal Medicine</i> , 2015, 175, 401.	2.6	843
2044	Predicting the risk of mild cognitive impairment in the Mayo Clinic Study of Aging. <i>Neurology</i> , 2015, 84, 1433-1442.	1.5	101
2045	Plasma cholesterol in adults with phenylketonuria. <i>Pathology</i> , 2015, 47, 134-137.	0.3	9
2046	Clinical and genetic analysis of a family diagnosed with familial hypobetalipoproteinemia in which the proband was diagnosed with diabetes mellitus. <i>Atherosclerosis</i> , 2015, 239, 552-556.	0.4	9
2047	Cerebral Cortical A β ₄₂ and PHF- τ , in 325 Consecutive Brain Autopsies Stratified by Diagnosis, Location, and APOE. <i>Journal of Neuropathology and Experimental Neurology</i> , 2015, 74, 100-109.	0.9	19
2048	Apolipoprotein E (ApoE) polymorphism is related to differences in potential fertility in women: a case of antagonistic pleiotropy?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20142395.	1.2	47
2049	APOE ϵ 4 Genotype and the Risk for Subjective Cognitive Impairment in Elderly Persons. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, 322-325.	0.9	10
2050	Low Cardiac Index Is Associated With Incident Dementia and Alzheimer Disease. <i>Circulation</i> , 2015, 131, 1333-1339.	1.6	140
2051	Prescribing Personalized Nutrition for Cardiovascular Health: Are We Ready?. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2015, 7, 153-160.	1.8	1,360
2052	Isolated, subtle, neurological abnormalities in neurologically and cognitively healthy aging subjects. <i>Journal of Neurology</i> , 2015, 262, 1328-1339.	1.8	11
2053	Relationship between cerebrospinal fluid biomarkers of Alzheimer's disease and cognition in cognitively normal older adults. <i>Neuropsychologia</i> , 2015, 78, 63-72.	0.7	35
2054	Interaction between years of education and APOE ϵ 4 status on frontal and temporal metabolism. <i>Neurology</i> , 2015, 85, 1392-1399.	1.5	53
2055	Factors affecting longitudinal trajectories of plasma sphingomyelins: the Baltimore Longitudinal Study of Aging. <i>Aging Cell</i> , 2015, 14, 112-121.	3.0	71
2056	Neuropathological comparisons of amnesic and nonamnesic mild cognitive impairment. <i>BMC Neurology</i> , 2015, 15, 146.	0.8	36

#	ARTICLE	IF	CITATIONS
2057	The contribution of PCSK9 levels to the phenotypic severity of familial hypercholesterolemia is independent of LDL receptor genotype. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 1541-1547.	1.5	10
2058	Combining serum and urine biomarkers in the early diagnosis of mild cognitive impairment that evolves into Alzheimer's disease in patients with the apolipoprotein E ϵ 4 genotype. <i>Biomarkers</i> , 2015, 20, 84-88.	0.9	33
2059	C allele of the rs2209972 single nucleotide polymorphism of the insulin degrading enzyme gene and Alzheimer's disease in type 2 diabetes, a case control study. <i>Medicina Clínica (English Edition)</i> , 2015, 144, 151-155.	0.1	0
2060	Impact of 5-HTTLPR on hippocampal subregional activation in older adults. <i>Translational Psychiatry</i> , 2015, 5, e639-e639.	2.4	2
2061	Associations of brain lesions at autopsy with polysomnography features before death. <i>Neurology</i> , 2015, 84, 296-303.	1.5	50
2062	Posterior cingulate β -aminobutyric acid and glutamate/glutamine are reduced in amnesic mild cognitive impairment and are unrelated to amyloid deposition and apolipoprotein E genotype. <i>Neurobiology of Aging</i> , 2015, 36, 53-59.	1.5	61
2063	Association Between Polymorphisms of the <i>Insulin-Degrading Enzyme</i> Gene and Late-Onset Alzheimer Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 94-98.	1.2	18
2064	C allele of the rs2209972 single nucleotide polymorphism of the insulin degrading enzyme gene and Alzheimer's disease in type 2 diabetes, a case control study. <i>Medicina Clínica</i> , 2015, 144, 151-155.	0.3	4
2065	Distribution of <i>APOE</i> polymorphism in the Paisa population from northwest Colombia (Antioquia). <i>Annals of Human Biology</i> , 2015, 42, 196-199.	0.4	6
2066	Apolipoprotein C-II Tuzla: A novel large deletion in APOC2 caused by Alu-Alu homologous recombination in an infant with apolipoprotein C-II deficiency. <i>Clinica Chimica Acta</i> , 2015, 438, 148-153.	0.5	16
2067	Dementia Risk and Protective Factors Differ in the Context of Memory Trajectory Groups. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 1013-1020.	1.2	20
2068	Association of <i>APOE</i> Genotype with Bone Mineral Density in Men and Women: The Dong-gu and Namwon Studies. <i>Chonnam Medical Journal</i> , 2016, 52, 59.	0.5	2
2069	Apolipoprotein E polymorphism and functional disability in Brazilian elders: the Bambuí Health and Aging Study. <i>Cadernos De Saude Publica</i> , 2016, 32, e00080115.	0.4	3
2070	The influence of ApoE genotype on the lipid profile and lipoproteins during normal pregnancy in a Southern African population. <i>African Health Sciences</i> , 2016, 16, 853.	0.3	11
2071	Apolipoprotein E Genotype and Sex Influence Glucose Tolerance in Older Adults: A Cross-Sectional Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 78-89.	0.6	13
2072	FDG-PET and Neuropsychiatric Symptoms among Cognitively Normal Elderly Persons: The Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 1609-1616.	1.2	35
2073	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly – Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). <i>PLoS ONE</i> , 2016, 11, e0147050.	1.1	20
2074	Cortisol, HDL, VLDL, and <i>APOE</i> Polymorphisms as Laboratorial Parameters Associated to Cognitive Impairment No Dementia (CIND) and Dementia. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 374-380.	0.9	10

#	ARTICLE	IF	CITATIONS
2075	Apolipoprotein E genotype status affects habitual human blood mononuclear cell gene expression and its response to fish oil intervention. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 1649-1660.	1.5	7
2076	Apolipoprotein E genotyping in Egyptian diabetic nephropathy patients. <i>IUBMB Life</i> , 2016, 68, 58-64.	1.5	8
2077	Beer Drinking Associates with Lower Burden of Amyloid Beta Aggregation in the Brain: Helsinki Sudden Death Series. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1473-1478.	1.4	18
2078	MTHFR (C677T) CT genotype and CT-apoE3/3 genotypic combination predisposes the risk of ischemic stroke. <i>Gene</i> , 2016, 591, 465-470.	1.0	20
2079	Apolipoprotein E ϵ 4 is Associated with Dementia and Cognitive Impairment Predominantly Due to Alzheimer's Disease and Not with Vascular Cognitive Impairment: A Singapore-Based Cohort. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 1111-1118.	1.2	19
2080	Searching for Primary Predictors of Conversion from Mild Cognitive Impairment to Alzheimer's Disease: A Multivariate Follow-Up Study. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 133-143.	1.2	46
2081	Role of Niemann-Pick Type C Disease Mutations in Dementia. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 1249-1259.	1.2	24
2082	Cerebral Glucose Metabolism is Associated with Verbal but not Visual Memory Performance in Community-Dwelling Older Adults. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 661-672.	1.2	23
2083	Homocysteine and Real-Space Navigation Performance among Non-Demented Older Adults. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 951-964.	1.2	15
2084	Dura mater is a potential source of A β seeds. <i>Acta Neuropathologica</i> , 2016, 131, 911-923.	3.9	85
2085	Conversion from MCI to AD in patients with the APOE ϵ 4 genotype: Prediction by plasma HCY and serum BDNF. <i>Neuroscience Letters</i> , 2016, 626, 19-24.	1.0	19
2086	Arterial spin labeling imaging reveals widespread and A β -independent reductions in cerebral blood flow in elderly apolipoprotein epsilon-4 carriers. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016, 36, 581-595.	2.4	53
2087	Individual estimates of age at detectable amyloid onset for risk factor assessment. <i>Alzheimer's and Dementia</i> , 2016, 12, 373-379.	0.4	63
2088	Interarm differences in systolic blood pressure and the risk of dementia and subclinical brain injury. <i>Alzheimer's and Dementia</i> , 2016, 12, 438-445.	0.4	11
2089	White matter disease in midlife is heritable, related to hypertension, and shares some genetic influence with systolic blood pressure. <i>NeuroImage: Clinical</i> , 2016, 12, 737-745.	1.4	23
2090	Episomal plasmid-based generation of an iPSC line from a 79-year-old individual carrying the APOE4/4 genotype: i11001. <i>Stem Cell Research</i> , 2016, 17, 544-546.	0.3	3
2091	Role of genes GSTM1, GSTT1, and MnSOD in the development of late-onset Alzheimer disease and their relationship with APOE*4. <i>Neurologia (English Edition)</i> , 2016, 31, 535-542.	0.2	8
2092	Relative effect of APOE ϵ 4 on neuroimaging biomarker changes across the lifespan. <i>Neurology</i> , 2016, 87, 1696-1703.	1.5	44

#	ARTICLE	IF	CITATIONS
2093	Episomal plasmid-based generation of an iPSC line from an 83-year-old individual carrying the APOE4/4 genotype: i10984. <i>Stem Cell Research</i> , 2016, 17, 523-525.	0.3	3
2094	Î ² -Amyloid Burden Predicts Lower Extremity Performance Decline in Cognitively Unimpaired Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, glw183.	1.7	23
2095	Homocysteine metabolism is associated with cerebrospinal fluid levels of soluble amyloid precursor protein and amyloid beta. <i>Journal of Neurochemistry</i> , 2016, 139, 324-332.	2.1	24
2096	An inflammatory and trophic disconnect biomarker profile revealed in Down syndrome plasma: Relation to cognitive decline and longitudinal evaluation. <i>Alzheimer's and Dementia</i> , 2016, 12, 1132-1148.	0.4	75
2097	Apolipoprotein E genotype modulates effects of vitamin B ₁₂ and homocysteine on grey matter volume in Alzheimer's disease. <i>Psychogeriatrics</i> , 2016, 16, 3-11.	0.6	13
2098	Impact of Apolipoprotein E4 Polymorphism on the Gray Matter Volume and the White Matter Integrity in Subjective Memory Impairment without White Matter Hyperintensities: Voxel-Based Morphometry and Tract-Based Spatial Statistics Study under 3T MRI. <i>Journal of Neuroimaging</i> , 2016, 26, 144-149.	1.0	21
2099	Predicting Alzheimer disease from a blood-based biomarker profile. <i>Neurology</i> , 2016, 87, 1093-1101.	1.5	26
2100	Cerebral Microbleeds, Vascular Risk Factors, and Magnetic Resonance Imaging Markers: The Northern Manhattan Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	47
2101	Timing of Physical Activity, Apolipoprotein E ε4 Genotype, and Risk of Incident Mild Cognitive Impairment. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 2479-2486.	1.3	23
2102	Association of apolipoprotein E polymorphism with plasma lipid disorders, independent of obesity-related traits in Vietnamese children. <i>Lipids in Health and Disease</i> , 2016, 15, 176.	1.2	8
2103	Role of APOE ε4 Allele and Incident Stroke on Cognitive Decline and Mortality. <i>Alzheimer Disease and Associated Disorders</i> , 2016, 30, 318-323.	0.6	15
2104	A rapid and cost-effective method for genotyping apolipoprotein E gene polymorphism. <i>Molecular Neurodegeneration</i> , 2016, 11, 2.	4.4	58
2105	Association of APOE (E2, E3 and E4) gene variants and lipid levels in ischemic stroke, its subtypes and hemorrhagic stroke in a South Indian population. <i>Neuroscience Letters</i> , 2016, 628, 136-141.	1.0	14
2106	Plasma apolipoprotein J as a potential biomarker for Alzheimer's disease: Australian Imaging, Biomarkers and Lifestyle study of aging. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 3, 18-26.	1.2	30
2107	Peripheral sphingolipids are associated with variation in white matter microstructure in older adults. <i>Neurobiology of Aging</i> , 2016, 43, 156-163.	1.5	16
2108	Homocysteine metabolism and the associations of global DNA methylation with selected gene polymorphisms and nutritional factors in patients with dementia. <i>Experimental Gerontology</i> , 2016, 81, 83-91.	1.2	36
2109	Cerebral Amyloid Angiopathy Is Associated With Executive Dysfunction and Mild Cognitive Impairment. <i>Stroke</i> , 2016, 47, 2010-2016.	1.0	90
2110	Papel de las variantes GSTM1, GSTT1 y MnSOD en el desarrollo de enfermedad de Alzheimer de aparición tardía y su relación con el alelo 4 de APOE. <i>Neurología</i> , 2016, 31, 535-542.	0.3	11

#	ARTICLE	IF	CITATIONS
2111	Relationships between sleep quality and brain volume, metabolism, and amyloid deposition in late adulthood. <i>Neurobiology of Aging</i> , 2016, 41, 107-114.	1.5	141
2112	Novel APOB missense variants, A224T and V925L, in a black South African woman with marked hypocholesterolemia. <i>Journal of Clinical Lipidology</i> , 2016, 10, 604-609.	0.6	2
2113	Risk for cognitive impairment across 22 measures of cognitive ability in early-stage chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw005.	0.4	19
2114	Early psychiatric symptoms in familial Alzheimer's disease with presenilin 1 mutation (I83T). <i>Journal of Neural Transmission</i> , 2016, 123, 451-453.	1.4	5
2115	Association between ACE polymorphism, cognitive phenotype and APOE E4 allele in a Tunisian population with Alzheimer disease. <i>Journal of Neural Transmission</i> , 2016, 123, 317-321.	1.4	14
2116	Sex and post-menopause hormone therapy effects on hippocampal volume and verbal memory. <i>Aging, Neuropsychology, and Cognition</i> , 2017, 24, 227-246.	0.7	18
2117	Serum high-density lipoprotein is associated with better cognitive function in a cross-sectional study of aging women. <i>International Journal of Neuroscience</i> , 2017, 127, 243-252.	0.8	34
2118	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 738-746.	1.3	11
2119	Association Between Mentally Stimulating Activities in Late Life and the Outcome of Incident Mild Cognitive Impairment, With an Analysis of the ϵ 4 Genotype. <i>JAMA Neurology</i> , 2017, 74, 332.	4.5	71
2120	The level of 24-Hydroxycholesteryl Esters is an Early Marker of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 825-833.	1.2	15
2121	The Association Between Plasma Ceramides and Sphingomyelins and Risk of Alzheimer's Disease Differs by Sex and APOE in the Baltimore Longitudinal Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 819-828.	1.2	55
2122	Association of Cancer History with Alzheimer's Disease Dementia and Neuropathology. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 699-706.	1.2	35
2123	Association of GWAS Top Genes With Late-Onset Alzheimer's Disease in Colombian Population. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2017, 32, 27-35.	0.9	25
2124	Impact of ApoE genotypes variations on Toxoplasma patients with dementia. <i>Journal of Clinical Neuroscience</i> , 2017, 39, 184-188.	0.8	6
2125	Alterations in erythrocyte fatty acid composition in preclinical Alzheimer's disease. <i>Scientific Reports</i> , 2017, 7, 676.	1.6	35
2126	A Novel PSEN1 K311R Mutation Discovered in Chinese Families with Late-Onset Alzheimer's Disease Affects Amyloid- β Production and Tau Phosphorylation. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 613-623.	1.2	13
2127	Association of adiponectin, leptin and resistin with inflammatory markers and obesity in dementia. <i>Biogerontology</i> , 2017, 18, 561-580.	2.0	59
2128	APOE Genotype and Nonrespiratory Sleep Parameters in Cognitively Intact Older Adults. <i>Sleep</i> , 2017, 40, .	0.6	16

#	ARTICLE	IF	CITATIONS
2129	Use of Analgesics (Opioids and Nonsteroidal Anti-Inflammatory Drugs) and Dementia-Related Neuropathology in a Community-Based Autopsy Cohort. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 435-448.	1.2	11
2130	The novel PSEN1 M84V mutation associated to frontal dysexecutive syndrome, spastic paraparesis, and cerebellar atrophy in a dominant Alzheimer's disease family. <i>Neurobiology of Aging</i> , 2017, 56, 213.e7-213.e12.	1.5	19
2131	Altered levels of blood proteins in Alzheimer's disease longitudinal study: Results from Australian Imaging Biomarkers Lifestyle Study of Ageing cohort. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 8, 60-72.	1.2	29
2132	Circulating inflammatory biomarkers in relation to brain structural measurements in a non-demented elderly population. <i>Brain, Behavior, and Immunity</i> , 2017, 65, 150-160.	2.0	68
2133	Ultrasound Markers of Carotid Atherosclerosis and Cognition. <i>Stroke</i> , 2017, 48, 1855-1861.	1.0	36
2134	rs3851179 Polymorphism at 5â€™ to the PICALM Gene is Associated with Alzheimer and Parkinson Diseases in Brazilian Population. <i>NeuroMolecular Medicine</i> , 2017, 19, 293-299.	1.8	18
2135	Changes in CD200 and intercellular adhesion molecule-1 (ICAM-1) levels in brains of Lewy body disorder cases are associated with amounts of Alzheimer's pathology not Î±-synuclein pathology. <i>Neurobiology of Aging</i> , 2017, 54, 175-186.	1.5	26
2136	Genetic Ancestry and Susceptibility to Late-Onset Alzheimer Disease (LOAD) in the Admixed Colombian Population. <i>Alzheimer Disease and Associated Disorders</i> , 2017, 31, 225-231.	0.6	10
2137	Observed Hearing Loss and Incident Dementia in a Multiethnic Cohort. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1691-1697.	1.3	85
2138	Apolipoprotein E4 Suppresses Neuronal-Specific Gene Expression in Maturing Neuronal Progenitor Cells Exposed to HIV. <i>Journal of NeuroImmune Pharmacology</i> , 2017, 12, 462-483.	2.1	9
2139	Increased Carbohydrate Intake is Associated with Poorer Performance in Verbal Memory and Attention in an APOE Genotype-Dependent Manner. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 193-201.	1.2	12
2140	Relation of Dysglycemia to Structural Brain Changes in a Multiethnic Elderly Cohort. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 277-285.	1.3	41
2141	Cognitive Trajectory Changes Over 20 Years Before Dementia Diagnosis: A Large Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2627-2633.	1.3	48
2142	Decreased N-Acetyl Aspartate/Myo-Inositol Ratio in the Posterior Cingulate Cortex Shown by Magnetic Resonance Spectroscopy May Be One of the Risk Markers of Preclinical Alzheimer's Disease: A 7-Year Follow-Up Study. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1411-1427.	1.2	48
2143	A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. <i>BMC Geriatrics</i> , 2017, 17, 215.	1.1	10
2144	Indispensable role of lipoprotein bound-ApoE in adipogenesis and endocytosis induced by postprandial TRL. <i>Biochemical and Biophysical Research Communications</i> , 2017, 493, 298-305.	1.0	9
2145	Racial Differences in the Association Between Apolipoprotein E Risk Alleles and Overall and Total Cardiovascular Mortality Over 18 Years. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2425-2430.	1.3	43
2146	Genetic risk factors for myocardial infarction more clearly manifest for early age of first onset. <i>Molecular Biology Reports</i> , 2017, 44, 315-321.	1.0	10

#	ARTICLE	IF	CITATIONS
2147	The elevation of plasma concentrations of apoB-48-containing lipoproteins in familial hypercholesterolemia is independent of PCSK9 levels. <i>Lipids in Health and Disease</i> , 2017, 16, 119.	1.2	3
2148	Clinical characterization of an APP mutation (V717I) in five Han Chinese families with early-onset Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2017, 372, 379-386.	0.3	16
2149	Practice effects and longitudinal cognitive change in clinically normal older adults differ by Alzheimer imaging biomarker status. <i>Clinical Neuropsychologist</i> , 2017, 31, 99-117.	1.5	47
2150	APOE Variants E2, E3, and E4 Can Be Miscalled By Classical PCR-RFLP When The Christchurch Variant Is Also Present. <i>Journal of Clinical Laboratory Analysis</i> , 2017, 31, e22040.	0.9	5
2151	Age of onset of mesial temporal lobe epilepsy with hippocampal sclerosis: the effect of apolipoprotein E and febrile seizures. <i>International Journal of Neuroscience</i> , 2017, 127, 800-804.	0.8	10
2152	Dyslipidemia: Genetics, lipoprotein lipase and HindIII polymorphism. <i>F1000Research</i> , 2017, 6, 2073.	0.8	11
2153	Apolipoprotein ε7 allele in memory complaints: insights through protein structure prediction. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1095-1102.	1.3	10
2154	The Walnuts and Healthy Aging Study (WAHA): Protocol for a Nutritional Intervention Trial with Walnuts on Brain Aging. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 333.	1.7	57
2155	Blood Pressure Control in Aging Predicts Cerebral Atrophy Related to Small-Vessel White Matter Lesions. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 132.	1.7	24
2156	Cross-Sectional and Longitudinal Effects of CREB1 Genotypes on Individual Differences in Memory and Executive Function: Findings from the BLSA. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 142.	1.7	10
2157	ApoE rs429358 and rs7412 Polymorphism and Gender Differences of Serum Lipid Profile and Cognition in Aging Chinese Population. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 248.	1.7	31
2158	Changes of Functional and Directed Resting-State Connectivity Are Associated with Neuronal Oscillations, ApoE Genotype and Amyloid Deposition in Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2017, 9, 304.	1.7	32
2159	Reduced Activity in the Right Inferior Frontal Gyrus in Elderly APOE-E4 Carriers during a Verbal Fluency Task. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 46.	1.0	14
2160	The Endosomalâ€“Lysosomal Pathway Is Dysregulated by APOE4 Expression in Vivo. <i>Frontiers in Neuroscience</i> , 2017, 11, 702.	1.4	90
2161	Hippocampal Neurodegenerative Pathology in Post-stroke Dementia Compared to Other Dementias and Aging Controls. <i>Frontiers in Neuroscience</i> , 2017, 11, 717.	1.4	32
2162	Association between the APOEϵ4 Allele and Late-Onset Alzheimerâ€™s Disease in an Ecuadorian Mestizo Population. <i>International Journal of Alzheimer's Disease</i> , 2017, 2017, 1-9.	1.1	10
2163	Cognitive Composites Domain Scores Related to Neuroimaging Biomarkers within Probable-Amnesic Mild Cognitive Impairment-Storage Subtype. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 447-459.	1.2	26
2164	CRISPR/Cas9-Correctable mutation-related molecular and physiological phenotypes in iPSC-derived Alzheimerâ€™s PSEN2 N141I neurons. <i>Acta Neuropathologica Communications</i> , 2017, 5, 77.	2.4	102

#	ARTICLE	IF	CITATIONS
2165	Cerebrospinal fluid biomarkers for Alzheimer's and vascular disease vary by age, gender, and APOE genotype in cognitively normal adults. <i>Alzheimer's Research and Therapy</i> , 2017, 9, 48.	3.0	38
2166	Associations between Use of Specific Analgesics and Concentrations of Amyloid- β 42 or Phospho-Tau in Regions of Human Cerebral Cortex. <i>Journal of Alzheimer's Disease</i> , 2017, 61, 653-662.	1.2	10
2167	Combined association of Presenilin-1 and Apolipoprotein E polymorphisms with maternal meiosis II error in Down syndrome births. <i>Genetics and Molecular Biology</i> , 2017, 40, 577-585.	0.6	8
2168	Anticholinergic Medications and Cognitive Function in Late Midlife. <i>Alzheimer Disease and Associated Disorders</i> , 2018, 32, 262-264.	0.6	6
2169	Functional segregation loss over time is moderated by APOE genotype in healthy elderly. <i>Human Brain Mapping</i> , 2018, 39, 2742-2752.	1.9	16
2170	Leisure-Time Physical Activity and the Risk of Incident Dementia: The Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 149-155.	1.2	33
2171	Update on the laboratory investigation of dyslipidemias. <i>Clinica Chimica Acta</i> , 2018, 479, 103-125.	0.5	38
2172	β -amyloid deposition is associated with gait variability in usual aging. <i>Gait and Posture</i> , 2018, 61, 346-352.	0.6	15
2173	Duality of statin action on lipoprotein subpopulations in the mixed dyslipidemia of metabolic syndrome: Quantity vs quality over time and implication of CETP. <i>Journal of Clinical Lipidology</i> , 2018, 12, 784-800.e4.	0.6	13
2174	Insulin Resistance is Associated with Cognitive Decline Among Older Koreans with Normal Baseline Cognitive Function: A Prospective Community-Based Cohort Study. <i>Scientific Reports</i> , 2018, 8, 650.	1.6	25
2175	Identification of rare RTN3 variants in Alzheimer's disease in Han Chinese. <i>Human Genetics</i> , 2018, 137, 141-150.	1.8	22
2176	Antihypertensive Medication and Dementia Risk in Older Adult African Americans with Hypertension: A Prospective Cohort Study. <i>Journal of General Internal Medicine</i> , 2018, 33, 455-462.	1.3	17
2177	Impact of 9p21.3 region and atherosclerosis-related genes' variants on long-term recurrent hard cardiac events after a myocardial infarction. <i>Gene</i> , 2018, 647, 283-288.	1.0	9
2178	Profiles of β -Amyloid Peptides and Key Secretases in Brain Autopsy Samples Differ with Sex and APOE ϵ 4 Status: Impact for Risk and Progression of Alzheimer Disease. <i>Neuroscience</i> , 2018, 373, 20-36.	1.1	45
2179	Genetic Analysis of TREM2 Variants in Tunisian Patients with Alzheimer's Disease. <i>Medical Principles and Practice</i> , 2018, 27, 317-322.	1.1	6
2180	APOE gene and neuropsychiatric disorders and endophenotypes: A comprehensive review. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 126-142.	1.1	28
2181	APOE ϵ 4 Genotype and Hypertension Modify 8-year Cortical Thinning: Five Occasion Evidence from the Seattle Longitudinal Study. <i>Cerebral Cortex</i> , 2018, 28, 1934-1945.	1.6	21
2182	Rapid amyloid β oligomer and protofibril accumulation in traumatic brain injury. <i>Brain Pathology</i> , 2018, 28, 451-462.	2.1	31

#	ARTICLE	IF	CITATIONS
2183	Incidence of dementia in elderly Latin Americans: Results of the Maracaibo Aging Study. , 2018, 14, 140-147.		27
2184	Genetic polymorphisms associated with the risk of concussion in 1056 college athletes: a multicentre prospective cohort study. British Journal of Sports Medicine, 2018, 52, 192-198.	3.1	24
2185	Effect of <i>LSR</i> polymorphism on blood lipid levels and age-specific epistatic interaction with the <i>APOE</i> common polymorphism. Clinical Genetics, 2018, 93, 846-852.	1.0	5
2186	Proton Pump Inhibitor Use and Dementia Risk: Prospective Population-Based Study. Journal of the American Geriatrics Society, 2018, 66, 247-253.	1.3	57
2187	Interactions Among Polymorphisms of Susceptibility Loci for Alzheimer's Disease or Depressive Disorder. Medical Science Monitor, 2018, 24, 2599-2619.	0.5	17
2188	Amyloid β^2 toxic conformer has dynamic localization in the human inferior parietal cortex in absence of amyloid plaques. Scientific Reports, 2018, 8, 16895.	1.6	15
2189	Voltammetric determination of the Alzheimer's disease-related ApoE 4 gene from unamplified genomic DNA extracts by ferrocene-capped gold nanoparticles. Mikrochimica Acta, 2018, 185, 549.	2.5	26
2190	PLASMA A β 42/40 RATIO DETECTS EARLY STAGES OF ALZHEIMER'S DISEASE AND CORRELATES WITH CSF AND NEUROIMAGING BIOMARKERS IN THE AB255 STUDY. journal of prevention of Alzheimer's disease, The, 2019, 6, 1-8.	1.5	41
2191	Bsm1 polymorphism in the vitamin D receptor gene is associated with 25-hydroxy vitamin D levels in individuals with cognitive decline. Arquivos De Neuro-Psiquiatria, 2018, 76, 760-766.	0.3	11
2192	DIagnosis and Management Of familial hypercholesterolemia in a Nationwide Design (DIAMOND-FH): Prevalence in Switzerland, clinical characteristics and the diagnostic value of clinical scores. Atherosclerosis, 2018, 277, 282-288.	0.4	9
2193	Cortical thickness, brain metabolic activity, and in vivo amyloid deposition in asymptomatic, middle-aged offspring of patients with late-onset Alzheimer's disease. Journal of Psychiatric Research, 2018, 107, 11-18.	1.5	16
2194	Dual-Channel Surface Plasmon Resonance for Quantification of ApoE Gene and Genotype Discrimination in Unamplified Genomic DNA Extracts. ACS Sensors, 2018, 3, 2402-2407.	4.0	12
2195	Excessive daytime sleepiness and napping in cognitively normal adults: associations with subsequent amyloid deposition measured by PiB PET. Sleep, 2018, 41, .	0.6	53
2196	Statins and Brain Health: Alzheimer's Disease and Cerebrovascular Disease Biomarkers in Older Adults. Journal of Alzheimer's Disease, 2018, 65, 1345-1352.	1.2	23
2197	Association of ApoE Genetic Polymorphism and Type 2 Diabetes with Cognition in Non-Demented Aging Chinese Adults: A Community Based Cross-Sectional Study. , 2018, 9, 346.		24
2198	The Influence of Education and Apolipoprotein μ 4 on Mortality in Community-Dwelling Elderly Men and Women. Journal of Aging Research, 2018, 2018, 1-7.	0.4	7
2199	Synergistic interactions of Angiotensin Converting Enzyme (ACE) gene and Apolipoprotein E (APOE) gene polymorphisms with T1DM susceptibility in south India. Meta Gene, 2018, 18, 39-45.	0.3	1
2200	The Role of ApoE Polymorphism in the Relationship between Serum Steroid Hormone Levels and Cognition in Older Chinese Adults: A Cross-Sectional Study. Frontiers in Endocrinology, 2018, 9, 71.	1.5	1

#	ARTICLE	IF	CITATIONS
2201	Influence of APOE and RNF219 on Behavioral and Cognitive Features of Female Patients Affected by Mild Cognitive Impairment or Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 92.	1.7	8
2202	Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. <i>Nutrients</i> , 2018, 10, 852.	1.7	57
2203	Sustainable method for Alzheimer dementia prediction in mild cognitive impairment: Electroencephalographic connectivity and graph theory combined with apolipoprotein E. <i>Annals of Neurology</i> , 2018, 84, 302-314.	2.8	65
2204	Modified amyloid variants in pathological subgroups of β -amyloidosis. <i>Annals of Clinical and Translational Neurology</i> , 2018, 5, 815-831.	1.7	18
2205	The spectrum of preclinical Alzheimer's disease pathology and its modulation by ApoE genotype. <i>Neurobiology of Aging</i> , 2018, 71, 72-80.	1.5	42
2206	Influence of 6 genetic variants on the efficacy of statins in patients with dyslipidemia. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22566.	0.9	13
2207	A fast and cost-effective method for apolipoprotein E isotyping as an alternative to APOE genotyping for patient screening and stratification. <i>Scientific Reports</i> , 2018, 8, 5969.	1.6	12
2208	An autopsy case of amyloid β -related angiitis with cognitive impairment, multiple infarcts and subcortical hemorrhage. <i>Human Pathology: Case Reports</i> , 2018, 14, 47-51.	0.2	0
2209	Increased expression of toll-like receptor 3, an anti-viral signaling molecule, and related genes in Alzheimer's disease brains. <i>Experimental Neurology</i> , 2018, 309, 91-106.	2.0	35
2210	Epistatic interaction of apolipoprotein E and lipolysis-stimulated lipoprotein receptor genetic variants is associated with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018, 69, 292.e1-292.e5.	1.5	4
2211	Gene-gene interactions among coding genes of iron-homeostasis proteins and APOE-alleles in cognitive impairment diseases. <i>PLoS ONE</i> , 2018, 13, e0193867.	1.1	40
2212	Serum Copper is not Altered in Frontotemporal Lobar Degeneration. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 1427-1432.	1.2	6
2213	Interactive Effect of Traumatic Brain Injury and Psychiatric Symptoms on Cognition among Late Middle-Aged Men: Findings from the Vietnam Era Twin Study of Aging. <i>Journal of Neurotrauma</i> , 2019, 36, 338-347.	1.7	9
2214	Association of non-exercise physical activity in mid- and late-life with cognitive trajectories and the impact of APOE ϵ 4 genotype status: the Mayo Clinic Study of Aging. <i>European Journal of Ageing</i> , 2019, 16, 491-502.	1.2	9
2215	Measures of Adiposity and Alzheimer's Disease-Related MRI Markers: The Northern Manhattan Study. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 995-1004.	1.2	3
2216	Serum 24-hydroxycholesterol in probable Alzheimer's dementia: Reexploring the significance of a tentative Alzheimer's disease biomarker. <i>Aging Medicine (Milton (N S W))</i> , 2019, 2, 74-81.	0.9	10
2217	Sex modulates the ApoE ϵ 4 effect on brain tau deposition measured by 18 F-AV-1451 PET in individuals with mild cognitive impairment. <i>Theranostics</i> , 2019, 9, 4959-4970.	4.6	50
2218	HENA, heterogeneous network-based data set for Alzheimer's disease. <i>Scientific Data</i> , 2019, 6, 151.	2.4	34

#	ARTICLE	IF	CITATIONS
2219	MIND food and speed of processing training in older adults with low education, the MINDSpeed Alzheimer's disease prevention pilot trial. <i>Contemporary Clinical Trials</i> , 2019, 84, 105814.	0.8	4
2220	Medial temporal lobe atrophy and posterior atrophy scales normative values. <i>NeuroImage: Clinical</i> , 2019, 24, 101936.	1.4	12
2221	Microglial Phenotyping in Neurodegenerative Disease Brains: Identification of Reactive Microglia with an Antibody to Variant of CD105/Endoglin. <i>Cells</i> , 2019, 8, 766.	1.8	11
2222	Late life insulin resistance and Alzheimer's disease and dementia: The Kuakini Honolulu heart program. <i>Journal of the Neurological Sciences</i> , 2019, 403, 133-138.	0.3	2
2223	Apolipoprotein E ϵ 4 allele effects on longitudinal cognitive trajectories are sex and age dependent. <i>Alzheimer's and Dementia</i> , 2019, 15, 1558-1567.	0.4	22
2224	Association between brain amyloid accumulation and neuropsychological characteristics in elders with depression and mild cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1907-1915.	1.3	10
2225	Association of Apolipoprotein E ϵ 4, Educational Level, and Sex With Tau Deposition and Tau-Mediated Metabolic Dysfunction in Older Adults. <i>JAMA Network Open</i> , 2019, 2, e1913909.	2.8	41
2226	Education Moderates the Relation Between APOE ϵ 4 and Memory in Nondemented Non-Hispanic Black Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 495-506.	1.2	14
2227	Fine Particulate Matter Exposure and Cerebrospinal Fluid Markers of Vascular Injury. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 1015-1025.	1.2	14
2228	Possible synergistic effect of apoE and LRP1 genotypes on metabolic syndrome development in Serbian patients. <i>Molecular Biology Reports</i> , 2019, 46, 6345-6351.	1.0	0
2229	Novel Blood Biomarkers that Correlate with Cognitive Performance and Hippocampal Volumetry: Potential for Early Diagnosis of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 931-947.	1.2	18
2230	Prediction models for dementia and neuropathology in the oldest old: the Vantaa 85+ cohort study. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 11.	3.0	37
2231	Apolipoprotein E Polymorphism and Oxidative Stress in Peripheral Blood-Derived Macrophage-Mediated Amyloid-Beta Phagocytosis in Alzheimer's Disease Patients. <i>Cellular and Molecular Neurobiology</i> , 2019, 39, 355-369.	1.7	19
2232	Cyclic O3 exposure synergizes with aging leading to memory impairment in male APOE ϵ 3, but not APOE ϵ 4, targeted replacement mice. <i>Neurobiology of Aging</i> , 2019, 81, 9-21.	1.5	11
2233	Mild Chronic Traumatic Encephalopathy Neuropathology in People With No Known Participation in Contact Sports or History of Repetitive Neurotrauma. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019, 78, 615-625.	0.9	38
2234	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 857-869.	1.2	17
2235	Neuropsychological subtypes of incident mild cognitive impairment in the Mayo Clinic Study of Aging. <i>Alzheimer's and Dementia</i> , 2019, 15, 878-887.	0.4	41
2236	The effect of ApoE ϵ 4 on longitudinal brain region-specific glucose metabolism in patients with mild cognitive impairment: a FDG-PET study. <i>NeuroImage: Clinical</i> , 2019, 22, 101795.	1.4	34

#	ARTICLE	IF	CITATIONS
2237	ApoE-fragment/A β heteromers in the brain of patients with Alzheimer's disease. <i>Scientific Reports</i> , 2019, 9, 3989.	1.6	24
2238	Applying surface-based hippocampal morphometry to study APOE-E4 allele dose effects in cognitively unimpaired subjects. <i>NeuroImage: Clinical</i> , 2019, 22, 101744.	1.4	40
2239	Decreased immunoglobulin G in brain regions of elder female APOE4-TR mice accompany with A β accumulation. <i>Immunity and Ageing</i> , 2019, 16, 2.	1.8	13
2240	Nociceptive Primitive Reflexes in Neurologically and Cognitively Healthy Aging Subjects. <i>Canadian Journal of Neurological Sciences</i> , 2019, 46, 199-208.	0.3	4
2241	Association Between Hippocampus, Thalamus, and Caudate in Mild Cognitive Impairment APOE ϵ 4 Carriers: A Structural Covariance MRI Study. <i>Frontiers in Neurology</i> , 2019, 10, 1303.	1.1	23
2242	Quantity and quality of mental activities and the risk of incident mild cognitive impairment. <i>Neurology</i> , 2019, 93, e548-e558.	1.5	38
2243	Plasma A β 42/40 ratio alone or combined with FDG-PET can accurately predict amyloid-PET positivity: a cross-sectional analysis from the AB255 Study. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 96.	3.0	38
2244	Evaluation of hippocampal volume and serum brain-derived neurotrophic factor as potential diagnostic markers of conversion from amnesic mild cognitive impairment to Alzheimer disease. <i>Medicine (United States)</i> , 2019, 98, e16604.	0.4	12
2245	Characterization of lysosomal proteins Progranulin and Prosaposin and their interactions in Alzheimer's disease and aged brains: increased levels correlate with neuropathology. <i>Acta Neuropathologica Communications</i> , 2019, 7, 215.	2.4	29
2246	Apolipoprotein E Genotypes, Age, Race, and Cognitive Decline in a Population Sample. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 734-740.	1.3	27
2247	Apolipoprotein E4 genotype compromises brain exosome production. <i>Brain</i> , 2019, 142, 163-175.	3.7	86
2248	Neuropathologic, genetic, and longitudinal cognitive profiles in primary age-related tauopathy (PART) and Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2019, 15, 8-16.	0.4	83
2249	Apolipoprotein E in lipoprotein metabolism, health and cardiovascular disease. <i>Pathology</i> , 2019, 51, 165-176.	0.3	215
2250	APOE genotypes in Lebanon: distribution and association with hypercholesterolemia and Alzheimer's disease. <i>Personalized Medicine</i> , 2019, 16, 15-23.	0.8	15
2251	Soluble LR11 competes with amyloid β in binding to cerebrospinal fluid's "high-density lipoprotein. <i>Clinica Chimica Acta</i> , 2019, 489, 29-34.	0.5	2
2252	Ultrasensitive detection of telomerase activity in lung cancer cells with quencher-free molecular beacon-assisted quadratic signal amplification. <i>Analytica Chimica Acta</i> , 2019, 1053, 122-130.	2.6	14
2253	Subregional volume reduction of the cholinergic forebrain in subjective cognitive decline (SCD). <i>NeuroImage: Clinical</i> , 2019, 21, 101612.	1.4	35
2254	Subjective memory complaints predict baseline but not future cognitive function over three years: results from the Western Australia Memory Study. <i>International Psychogeriatrics</i> , 2019, 31, 513-525.	0.6	13

#	ARTICLE	IF	CITATIONS
2255	The effect of midlife cardiovascular risk factors on white matter hyperintensity volume and cognition two decades later in normal ageing women. <i>Brain Imaging and Behavior</i> , 2020, 14, 51-61.	1.1	28
2256	A novel mutation in PSEN1 (p.T119I) in an Argentine family with early- and late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2020, 85, 155.e9-155.e12.	1.5	15
2257	Isolated, Subtle Neurological Abnormalities in Mild Cognitive Impairment Types. <i>Canadian Journal of Neurological Sciences</i> , 2020, 47, 77-91.	0.3	3
2258	Triglycerides, hypertension, and smoking predict cardiovascular disease in dysbetalipoproteinemia. <i>Journal of Clinical Lipidology</i> , 2020, 14, 46-52.	0.6	7
2259	Determinants of incident dementia in different old age groups: results of the prospective AgeCoDe/AgeQualiDe study. <i>International Psychogeriatrics</i> , 2020, 32, 645-659.	0.6	9
2260	Apolipoprotein E isoforms and susceptibility to genetic generalized epilepsies. <i>International Journal of Neuroscience</i> , 2020, 130, 892-897.	0.8	1
2261	Cerebrospinal fluid lipidomics: effects of an intravenous triglyceride infusion and apoE status. <i>Metabolomics</i> , 2020, 16, 6.	1.4	20
2262	Brain imaging measurements of fibrillar amyloid β burden, paired helical filament tau burden, and atrophy in cognitively unimpaired persons with two, one, and no copies of the <i>APOE</i> ϵ 4 allele. <i>Alzheimer's and Dementia</i> , 2020, 16, 598-609.	0.4	23
2263	Impact of APOE and BDNF Val66Met Gene Polymorphisms on Cognitive Functions in Patients with Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 247-257.	1.2	16
2264	Presence of the apolipoprotein E- ϵ 4 allele is associated with an increased risk of sepsis progression. <i>Scientific Reports</i> , 2020, 10, 15735.	1.6	13
2265	Cognitive changes in patient living with HIV-AIDS and apolipoprotein-E polymorphism: is there an association?. <i>Molecular Biology Reports</i> , 2020, 47, 8757-8762.	1.0	1
2266	Preoperative Cognitive Impairment and Postoperative Delirium Predict Decline in Activities of Daily Living after Cardiac Surgery—A Prospective, Observational Cohort Study. <i>Geriatrics (Switzerland)</i> , 2020, 5, 69.	0.6	9
2267	Variants in <i>PPP2R2B</i> and <i>IGF2BP3</i> are associated with higher tau deposition. <i>Brain Communications</i> , 2020, 2, fcaa159.	1.5	12
2268	Nighttime Blood Pressure Interacts with APOE Genotype to Increase the Risk of Incident Dementia of the Alzheimer's Type in Hispanics. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 569-579.	1.2	2
2269	Mid to Late Life Hypertension Trends and Cerebral Small Vessel Disease in the Framingham Heart Study. <i>Hypertension</i> , 2020, 76, 707-714.	1.3	28
2270	Machine learning-based estimation of cognitive performance using regional brain MRI markers: the Northern Manhattan Study. <i>Brain Imaging and Behavior</i> , 2020, 15, 1270-1278.	1.1	2
2271	Association of Demographic and Early-Life Socioeconomic Factors by Birth Cohort With Dementia Incidence Among US Adults Born Between 1893 and 1949. <i>JAMA Network Open</i> , 2020, 3, e2011094.	2.8	28
2272	Polymorphic Genetic Markers of the GABA Catabolism Pathway in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 301-311.	1.2	5

#	ARTICLE	IF	CITATIONS
2273	Association of sex and APOE ϵ 4 with brain tau deposition and atrophy in older adults with Alzheimer's disease. <i>Theranostics</i> , 2020, 10, 10563-10572.	4.6	15
2274	A multivariate model of time to conversion from mild cognitive impairment to Alzheimer's disease. <i>GeroScience</i> , 2020, 42, 1715-1732.	2.1	9
2275	Performance of Validated MicroRNA Biomarkers for Alzheimer's Disease in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 245-263.	1.2	8
2276	Toehold-Mediated Strand Displacement Reaction for Dual-Signal Electrochemical Assay of Apolipoprotein E Genotyping. <i>ACS Sensors</i> , 2020, 5, 2959-2965.	4.0	14
2277	Polymorphisms of apolipoprotein E in the Afro-descendant population of Buenaventura, Colombia. <i>Revista Colombiana De Psiquiatría</i> , 2020, , .	0.1	0
2278	Sex differences in risk of Alzheimer's disease in adults with Down syndrome. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12084.	1.2	12
2279	Cortical atrophy patterns of incident MCI subtypes in the Mayo Clinic Study of Aging. <i>Alzheimer's and Dementia</i> , 2020, 16, 1013-1022.	0.4	20
2280	Molecular Insight into the Therapeutic Promise of Targeting APOE4 for Alzheimer's Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-16.	1.9	38
2281	Interaction between Apolipoprotein E and Butyrylcholinesterase Genes on Risk of Alzheimer's Disease in a Prospective Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 417-427.	1.2	2
2282	Association of common gene-smoking interactions with elevated plasma apolipoprotein B concentration. <i>Lipids in Health and Disease</i> , 2020, 19, 98.	1.2	1
2283	Proteomic profiles of prevalent mild cognitive impairment and Alzheimer's disease among adults with Down syndrome. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12023.	1.2	9
2284	Cholinergic-like neurons carrying PSEN1 E280A mutation from familial Alzheimer's disease reveal intraneuronal sAPP β fragments accumulation, hyperphosphorylation of TAU, oxidative stress, apoptosis and Ca ²⁺ dysregulation: Therapeutic implications. <i>PLoS ONE</i> , 2020, 15, e0221669.	1.1	18
2285	A simplified diagnosis algorithm for dysbetalipoproteinemia. <i>Journal of Clinical Lipidology</i> , 2020, 14, 431-437.	0.6	37
2286	Synonymous variants associated with Alzheimer disease in multiplex families. <i>Neurology: Genetics</i> , 2020, 6, e450.	0.9	9
2287	Proteomic profiles of incident mild cognitive impairment and Alzheimer's disease among adults with Down syndrome. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12033.	1.2	4
2288	Prediction of rapid amyloid and phosphorylated τ accumulation in cognitively healthy individuals. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12019.	1.2	10
2289	Alterations in Plasma microRNA and Protein Levels in War Veterans with Chronic Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2020, 37, 1418-1430.	1.7	30
2290	Association of Circulating Retinol and β -TOH Levels with Cognitive Function in Aging Subject with Type 2 Diabetes Mellitus. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 290-299.	1.5	4

#	ARTICLE	IF	CITATIONS
2291	The clinical and laboratory investigation of dysbetalipoproteinemia. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2020, 57, 458-469.	2.7	12
2292	Brain Regional Glucose Metabolism, Neuropsychiatric Symptoms, and the Risk of Incident Mild Cognitive Impairment: The Mayo Clinic Study of Aging. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 179-191.	0.6	25
2293	Associations of the Rate of Change in Geriatric Depression Scale with Amyloid and Cerebral Glucose Metabolism in Cognitively Normal Older Adults: A Longitudinal Study. <i>Journal of Affective Disorders</i> , 2021, 280, 77-84.	2.0	10
2294	Role of rs6265BDNF polymorphisms and post-stroke dysphagia recovery: A prospective cohort study. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13953.	1.6	9
2295	Novel clinicopathological characteristics differentiate dementia with Lewy bodies from Parkinson's disease dementia. <i>Neuropathology and Applied Neurobiology</i> , 2021, 47, 143-156.	1.8	19
2296	Cardiovascular risk factors and APOE ϵ 4 status affect memory functioning in aging via changes to temporal stem diffusion. <i>Journal of Neuroscience Research</i> , 2021, 99, 502-517.	1.3	2
2297	Dietary carotenoids related to risk of incident Alzheimer dementia (AD) and brain AD neuropathology: a community-based cohort of older adults. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 200-208.	2.2	46
2298	Egocentric and Allocentric Spatial Memory in Mild Cognitive Impairment with Real-World and Virtual Navigation Tasks: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 95-116.	1.2	25
2299	Physical Activity and Trajectory of Cognitive Change in Older Persons: Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 377-388.	1.2	12
2300	Effects of APOE ϵ 4 allele and mental work demands on cognitive decline in old age: Results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 152-162.	1.3	4
2301	A profile of brain reserve in adults at genetic risk of Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12208.	1.2	4
2302	Brain health registry GenePool study: A novel approach to online genetics research. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12118.	1.8	7
2303	Associations between APOE-, COMT Val108/158Met- and BDNF Val66Met polymorphisms and variations in depressive and anxiety symptoms, sense of coherence and vital exhaustion in the real-life setting of mandatory basic military training. <i>Journal of Neural Transmission</i> , 2021, 128, 105-114.	1.4	3
2305	Cell Therapy for Chronic TBI. <i>Neurology</i> , 2021, 96, .	1.5	41
2306	Early β -Amyloid Accumulation in the Brain Is Associated With Blood T and B Cell Alterations. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
2307	Altered connectivity of the default mode network in cognitively stable adults with Down syndrome: Accelerated aging or a prelude to Alzheimer's disease?. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12105.	1.2	4
2308	Positive effects of folic acid supplementation on cognitive aging are dependent on ω -3 fatty acid status: a post hoc analysis of the FACIT trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 801-809.	2.2	9
2309	Vascular mild cognitive impairment and its relationship to hemoglobin A1c levels and apolipoprotein E genotypes in the Dominican Republic. <i>Dementia E Neuropsychologia</i> , 2021, 15, 69-78.	0.3	0

#	ARTICLE	IF	CITATIONS
2310	Coping with brain amyloid: genetic heterogeneity and cognitive resilience to Alzheimer's pathophysiology. <i>Acta Neuropathologica Communications</i> , 2021, 9, 48.	2.4	18
2311	The Delayed Neuropathological Consequences of Traumatic Brain Injury in a Community-Based Sample. <i>Frontiers in Neurology</i> , 2021, 12, 624696.	1.1	22
2312	Hemostatic factor levels and cognitive decline in older adults: The Cardiovascular Health Study. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 1219-1227.	1.9	3
2313	EEG-fMRI Signal Coupling Is Modulated in Subjects With Mild Cognitive Impairment and Amyloid Deposition. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 631172.	1.7	5
2314	Frecuencias genotípicas y alélicas de apolipoproteína e (APOE) en una muestra de adultos en Bogotá. <i>Repertorio De Medicina Y Cirugía</i> , 2021, 30, 134-141.	0.0	1
2315	Sex modifies APOE ϵ 4 dose effect on brain tau deposition in cognitively impaired individuals. <i>Brain</i> , 2021, 144, 3201-3211.	3.7	31
2316	Generation of a set of isogenic iPSC lines carrying all APOE genetic variants (ϵ 2/ ϵ 3/ ϵ 4) and knock-out for the study of APOE biology in health and disease. <i>Stem Cell Research</i> , 2021, 52, 102180.	0.3	1
2317	Lack of phenotypic additive effect of familial defective apolipoprotein B3531 in familial hypercholesterolaemia. <i>Internal Medicine Journal</i> , 2021, 51, 585-590.	0.5	1
2318	Cerebral Amyloid Angiopathy Burden and Cerebral Microbleeds: Pathological Evidence for Distinct Phenotypes. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 113-122.	1.2	8
2319	The Association Between Homocysteine and Memory in Older Adults. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 413-426.	1.2	6
2320	Lipidomic Network of Mild Cognitive Impairment from the Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 533-543.	1.2	3
2321	Systolic Blood Pressure and Cognition in the Elderly: The Northern Manhattan Study1. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 689-699.	1.2	8
2322	The APOE4 allele is associated with a decreased risk of retinopathy in type 2 diabetics. <i>Molecular Biology Reports</i> , 2021, 48, 5873-5879.	1.0	6
2323	The Association between Sex and Risk of Alzheimer's Disease in Adults with Down Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 2966.	1.0	8
2324	Mind Diet Adherence and Cognitive Performance in the Framingham Heart Study. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 827-839.	1.2	30
2325	Default mode network connectivity and cognition in the aging brain: the effects of age, sex, and APOE genotype.. <i>Neurobiology of Aging</i> , 2021, 104, 10-23.	1.5	12
2326	The Clinical Spectrum of Young Onset Dementia Points to Its Stochastic Origins. <i>Journal of Alzheimer's Disease Reports</i> , 2021, 5, 663-679.	1.2	3
2327	Specific features of the oldest old from the Longevity Blue Zones in Ikaria and Sardinia. <i>Mechanisms of Ageing and Development</i> , 2021, 198, 111543.	2.2	19

#	ARTICLE	IF	CITATIONS
2328	Dysbetalipoproteinemia: Differentiating Multifactorial Remnant Cholesterol Disease From Genetic ApoE Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 538-548.	1.8	11
2329	Hyperlipidemic myeloma, a rare form of acquired dysbetalipoproteinemia, in an HIV seropositive African female. <i>Clinica Chimica Acta</i> , 2021, 520, 71-75.	0.5	4
2330	MIND Diet, Common Brain Pathologies, and Cognition in Community-Dwelling Older Adults. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 683-692.	1.2	29
2331	Smaller hippocampal volume in APOE ϵ 4 carriers independent of amyloid- β (A β) burden. <i>Psychiatry Research - Neuroimaging</i> , 2021, 317, 111381.	0.9	2
2332	Eicosapentaenoic Acid Is Associated with Decreased Incidence of Alzheimer's Dementia in the Oldest Old. <i>Nutrients</i> , 2021, 13, 461.	1.7	18
2333	Topographic patterns of white matter hyperintensities are associated with multimodal neuroimaging biomarkers of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 29.	3.0	24
2334	Association of walking energetics with amyloid beta status: Findings from the Baltimore Longitudinal Study of Aging. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12228.	1.2	7
2335	Apolipoprotein E epsilon4 and the risk of dementia with stroke. A population-based investigation. <i>JAMA - Journal of the American Medical Association</i> , 1997, 277, 818-821.	3.8	252
2336	Serum lipoprotein profile and APOE genotype in Alzheimer's disease. , 2007, , 175-179.		7
2337	The Sun Health Research Institute Brain Donation Program: description and experience, 1987-2007. <i>Cell and Tissue Banking</i> , 2008, 9, 229.	0.5	22
2338	CLINICAL APPLICATIONS Electrophoresis. , 2000, , 2461-2467.		2
2339	Lipids, Lipoproteins, Apolipoproteins, and Other Cardiovascular Risk Factors. , 2012, , 731-805.		29
2340	Variable heparan sulfate proteoglycan binding of apolipoprotein E variants may modulate the expression of type III hyperlipoproteinemia.. <i>Journal of Biological Chemistry</i> , 1994, 269, 13421-13428.	1.6	109
2341	Secretion-capture role for apolipoprotein E in remnant lipoprotein metabolism involving cell surface heparan sulfate proteoglycans.. <i>Journal of Biological Chemistry</i> , 1994, 269, 2764-2772.	1.6	188
2342	The functional characteristics of a human apolipoprotein E variant (cysteine at residue 142) may explain its association with dominant expression of type III hyperlipoproteinemia.. <i>Journal of Biological Chemistry</i> , 1992, 267, 1962-1968.	1.6	78
2343	Baboon apolipoprotein A-IV. Identification of Lys76 >Glu that distinguishes two common isoforms and detection of length polymorphisms at the carboxyl terminus. <i>Journal of Biological Chemistry</i> , 1993, 268, 15667-15673.	1.6	12
2344	Identification of the disulfide-linked homodimer of apolipoprotein E3 in plasma. Impact on receptor binding activity. <i>Journal of Biological Chemistry</i> , 1991, 266, 12029-12034.	1.6	88
2345	Associations of LPL and APOC3 gene polymorphisms on plasma lipids in a Mediterranean population: interaction with tobacco smoking and the APOE locus. <i>Journal of Lipid Research</i> , 2002, 43, 416-427.	2.0	75

#	ARTICLE	IF	CITATIONS
2346	A mutation (A→G) in the promoter of the low density lipoprotein receptor gene associated with familial hypercholesterolemia. <i>Journal of Lipid Research</i> , 2002, 43, 13-18.	2.0	34
2347	Variants of the microsomal triglyceride transfer protein gene are associated with plasma cholesterol levels and body mass index. <i>Journal of Lipid Research</i> , 2002, 43, 51-58.	2.0	75
2348	Distinct patterns of lipoproteins with apoB defined by presence of apoE or apoC-III in hypercholesterolemia and hypertriglyceridemia. <i>Journal of Lipid Research</i> , 2001, 42, 1239-1249.	2.0	62
2349	Effect of the apolipoprotein A-IV Q360H polymorphism on postprandial plasma triglyceride clearance. <i>Journal of Lipid Research</i> , 2001, 42, 211-217.	2.0	34
2350	Context-dependent and invariant associations between lipids, lipoproteins, and apolipoproteins and apolipoprotein E genotype. <i>Journal of Lipid Research</i> , 2000, 41, 1812-1822.	2.0	82
2351	Plasma levels of remnant particles are determined in part by variation in the APOC3 gene insulin response element and the APOC1/APOE cluster. <i>Journal of Lipid Research</i> , 2000, 41, 1103-1109.	2.0	33
2352	Plasma 24S-hydroxycholesterol (cerebrosterol) is increased in Alzheimer and vascular demented patients. <i>Journal of Lipid Research</i> , 2000, 41, 195-198.	2.0	327
2353	Rapid determination of apolipoprotein E genotype using a heteroduplex generator. <i>Journal of Lipid Research</i> , 1999, 40, 2340-2345.	2.0	20
2354	Lipoprotein lipase activity is decreased in a large cohort of patients with coronary artery disease and is associated with changes in lipids and lipoproteins. <i>Journal of Lipid Research</i> , 1999, 40, 735-743.	2.0	79
2355	Apolipoprotein B signal peptide and apolipoprotein E genotypes as determinants of the hepatic secretion of VLDL apoB in obese men. <i>Journal of Lipid Research</i> , 1998, 39, 1752-1758.	2.0	30
2356	LDL particle size and LDL and HDL cholesterol changes with dietary fat and cholesterol in healthy subjects. <i>Journal of Lipid Research</i> , 1998, 39, 1799-1804.	2.0	8
2357	LPL promoter -93T/G transition influences fasting and postprandial plasma triglycerides response in African-Americans and Hispanics. <i>Journal of Lipid Research</i> , 1998, 39, 1189-1196.	2.0	29
2358	Apolipoprotein E2 (Arg136 → Cys) mutation in the receptor binding domain of apoE is not associated with dominant type III hyperlipoproteinemia. <i>Journal of Lipid Research</i> , 1998, 39, 658-669.	2.0	18
2359	U-shape relationship between change in dietary cholesterol absorption and plasma lipoprotein responsiveness and evidence for extreme interindividual variation in dietary cholesterol absorption in humans. <i>Journal of Lipid Research</i> , 1998, 39, 2415-2422.	2.0	69
2360	A common Hpa I RFLP of apolipoprotein C-I increases gene transcription and exhibits an ethnically distinct pattern of linkage disequilibrium with the alleles of apolipoprotein E. <i>Journal of Lipid Research</i> , 1999, 40, 50-58.	2.0	61
2361	Percent cholesterol absorption in normal women and men quantified with dual stable isotopic tracers and negative ion mass spectrometry. <i>Journal of Lipid Research</i> , 1999, 40, 302-308.	2.0	261
2362	Remnant-like particle cholesterol and triglyceride levels of hypertriglyceridemic patients in the fed and fasted state. <i>Journal of Lipid Research</i> , 2000, 41, 1428-1436.	2.0	38
2363	Uptake of type IV hypertriglyceridemic VLDL by cultured macrophages is enhanced by interferon- γ . <i>Journal of Lipid Research</i> , 1999, 40, 1017-1028.	2.0	20

#	ARTICLE	IF	CITATIONS
2364	HMG-CoA reductase is not the site of the primary defect in phytosterolemia. <i>Journal of Lipid Research</i> , 1998, 39, 1046-1054.	2.0	12
2365	Genotypic associations of the hepatic secretion of VLDL apolipoprotein B-100 in obesity. <i>Journal of Lipid Research</i> , 2000, 41, 481-488.	2.0	40
2366	Postprandial lipemia in subjects with hypobetalipoproteinemia and a single intestinal allele for apoB-48. <i>Journal of Lipid Research</i> , 1993, 34, 1957-1967.	2.0	19
2367	Combined effects of lipoprotein lipase and apolipoprotein E polymorphisms on lipid and lipoprotein levels in the Stanislas cohort. <i>Journal of Lipid Research</i> , 1997, 38, 904-912.	2.0	62
2368	Increased clearance of low density lipoprotein precursors in patients with heterozygous familial defective apolipoprotein B-100: a stable isotope approach. <i>Journal of Lipid Research</i> , 1996, 37, 2074-2087.	2.0	39
2369	Apolipoprotein E5 (Glu212>Lys): increased binding to cell surface proteoglycans but decreased uptake and lysosomal degradation in cultured fibroblasts. <i>Journal of Lipid Research</i> , 1996, 37, 1632-1645.	2.0	19
2370	A frequently occurring mutation in the lipoprotein lipase gene (Asn291Ser) results in altered postprandial chylomicron triglyceride and retinyl palmitate response in normolipidemic carriers. <i>Journal of Lipid Research</i> , 1996, 37, 1675-1684.	2.0	45
2371	Apolipoprotein (apo) E genotype and apoE concentration determine binding of normal very low density lipoproteins to HepG2 cell surface receptors. <i>Journal of Lipid Research</i> , 1996, 37, 1316-1324.	2.0	69
2372	Identification and characterization of a novel apolipoprotein E variant, apolipoprotein E3' (Arg136>His): association with mild dyslipidemia and double pre-beta very low density lipoproteins. <i>Journal of Lipid Research</i> , 1995, 36, 57-66.	2.0	20
2373	Physiologic mechanisms of action of lovastatin in nephrotic syndrome. <i>Journal of Lipid Research</i> , 1995, 36, 188-199.	2.0	27
2374	Turkish Heart Study: lipids, lipoproteins, and apolipoproteins. <i>Journal of Lipid Research</i> , 1995, 36, 839-859.	2.0	204
2375	High frequency of mutations in the human lipoprotein lipase gene in pregnancy-induced chylomicronemia: possible association with apolipoprotein E2 isoform. <i>Journal of Lipid Research</i> , 1994, 35, 1066-1075.	2.0	102
2376	Preferential association of apolipoprotein E Leiden with very low density lipoproteins of human plasma. <i>Journal of Lipid Research</i> , 1993, 34, 447-453.	2.0	22
2377	High prevalence of familial defective apolipoprotein B-100 in Switzerland. <i>Journal of Lipid Research</i> , 1994, 35, 574-583.	2.0	67
2378	Altered lipoprotein metabolism in transgenic mice expressing low levels of a human receptor-binding-defective apolipoprotein E variant. <i>Journal of Lipid Research</i> , 1994, 35, 408-416.	2.0	21
2379	Immunological discrimination between the human apolipoprotein E2(Arg158>Cys) and E3 isoforms. <i>Journal of Lipid Research</i> , 1992, 33, 273-280.	2.0	4
2380	Restriction isotyping of human apolipoprotein A-IV: rapid typing of known isoforms and detection of a new isoform that deletes a conserved repeat. <i>Journal of Lipid Research</i> , 1991, 32, 1529-1535.	2.0	58
2381	Detection of the apoB-3500 mutation (glutamine for arginine) by gene amplification and cleavage with MspI. <i>Journal of Lipid Research</i> , 1991, 32, 1229-1233.	2.0	95

#	ARTICLE	IF	CITATIONS
2382	ApoB-54.8, a truncated apolipoprotein found primarily in VLDL, is associated with a nonsense mutation in the apoB gene and hypobetalipoproteinemia.. Journal of Lipid Research, 1991, 32, 1001-1011.	2.0	40
2383	Characterization of a new apolipoprotein E5 variant detected in two French-Canadian subjects. Journal of Lipid Research, 1991, 32, 613-620.	2.0	24
2384	Apolipoprotein E genotyping using the polymerase chain reaction and allele-specific oligonucleotide primers.. Journal of Lipid Research, 1991, 32, 183-187.	2.0	38
2385	Semantic network function captured by word frequency in nondemented APOE ϵ 4 carriers.. Neuropsychology, 2019, 33, 256-262.	1.0	26
2386	Common germline variants of the human APOE gene modulate melanoma progression and survival. Nature Medicine, 2020, 26, 1048-1053.	15.2	57
2387	Apolipoprotein E Polymorphism and Acute Ischemic Stroke: A Diffusion- and Perfusion-Weighted Magnetic Resonance Imaging Study. Journal of Cerebral Blood Flow and Metabolism, 2002, , 1336-1342.	2.4	11
2388	Apolipoprotein E polymorphism and preclinical carotid artery disease in untreated hypertensive men. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 98-100.	3.1	4
2389	Apolipoprotein E4 polymorphism as a genetic predisposition to delirium in critically ill patients*. Critical Care Medicine, 2007, 35, 112-117.	0.4	209
2390	Comparison of the efficacy of fibrates on hypertriglyceridemic phenotypes with different genetic and clinical characteristics. Pharmacogenetics and Genomics, 2010, 20, 742-747.	0.7	20
2391	Is ApoE ϵ 4 Associated with Cognitive Functioning in African Americans Diagnosed with Alzheimer Disease? An Exploratory Study. Southern Medical Journal, 2009, 102, 890-893.	0.3	9
2393	Distribution of apolipoprotein E genotypes in Asian Indians, Hungarians, and Papua New Guineans. Anthropologischer Anzeiger, 1996, 54, 31-34.	0.2	7
2394	Molecular genetic analysis of the polymorphic apolipoprotein E in modern and ancient human DNA samples. Anthropologischer Anzeiger, 2000, 58, 93-98.	0.2	2
2395	Multiple Genetic Determinants of Variation of Plasma Lipoproteins in Alberta Hutterites. Arteriosclerosis, Thrombosis, and Vascular Biology, 1995, 15, 861-871.	1.1	61
2396	Determinants of Lipid Levels Among Children With Heterozygous Familial Hypercholesterolemia in Norway. Arteriosclerosis, Thrombosis, and Vascular Biology, 1995, 15, 1009-1014.	1.1	28
2397	Polymorphisms of the Apolipoprotein E Gene and Severity of Coronary Artery Disease Defined by Angiography. Arteriosclerosis, Thrombosis, and Vascular Biology, 1995, 15, 1030-1034.	1.1	88
2398	Body Fat Distribution Is a Determinant of the High-Density Lipoprotein Response to Dietary Fat and Cholesterol in Women. Arteriosclerosis, Thrombosis, and Vascular Biology, 1995, 15, 1070-1078.	1.1	25
2399	A Familial Combined Hyperlipidemic Kindred With Impaired Apolipoprotein B Catabolism. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 17, 72-82.	1.1	38
2400	Polymorphism of the Apolipoprotein E Gene and Early Carotid Atherosclerosis Defined by Ultrasonography in Asymptomatic Adults. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 17, 91-94.	1.1	86

#	ARTICLE	IF	CITATIONS
2401	Association of Apo E Polymorphism With Plasma Lipid Levels in a Multiethnic Elderly Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 3534-3541.	1.1	87
2402	The Apolipoprotein E2(Arg145Cys) Mutation Causes Autosomal Dominant Type III Hyperlipoproteinemia With Incomplete Penetrance. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 865-872.	1.1	33
2403	Common Genomic Variants Associated With Variation in Plasma Lipoproteins in Young Aboriginal Canadians. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 1060-1066.	1.1	58
2404	Genetic Variation on Chromosome 1 Associated With Variation in Body Fat Distribution in Men. <i>Circulation</i> , 1995, 92, 1089-1093.	1.6	47
2405	Angiotensin-Converting Enzyme and Apolipoprotein E Genotypes and Restenosis After Coronary Angioplasty. <i>Circulation</i> , 1995, 92, 2066-2071.	1.6	50
2406	Heterozygous Lipoprotein Lipase Deficiency. <i>Circulation</i> , 1997, 96, 1737-1744.	1.6	114
2407	Angiotensinogen Gene Variation Associated With Variation in Blood Pressure in Aboriginal Canadians. <i>Hypertension</i> , 1997, 29, 1073-1077.	1.3	34
2408	Relation of Coronary Atherosclerosis and Apolipoprotein E Genotypes in Alzheimer Patients. <i>Stroke</i> , 1995, 26, 743-748.	1.0	71
2409	Apolipoprotein E Polymorphism Is Associated With Segment-Specific Extracranial Carotid Artery Intima-Media Thickening. <i>Stroke</i> , 1996, 27, 1755-1759.	1.0	57
2410	Influence of Apolipoprotein E Genotype on Cerebral Amyloid Angiopathy in the Elderly. <i>Stroke</i> , 1996, 27, 216-218.	1.0	24
2411	Association of Presenilin-1 Polymorphism With Cerebral Amyloid Angiopathy in the Elderly. <i>Stroke</i> , 1997, 28, 2219-2221.	1.0	30
2412	Apolipoprotein E Polymorphism and Silent Microangiopathy-Related Cerebral Damage. <i>Stroke</i> , 1997, 28, 951-956.	1.0	89
2413	Human cholesterol 7 α -hydroxylase (CYP7A1) deficiency has a hypercholesterolemic phenotype. <i>Journal of Clinical Investigation</i> , 2002, 110, 109-117.	3.9	411
2414	Familial dysbetalipoproteinemia associated with apolipoprotein E3-Leiden in an extended multigeneration pedigree.. <i>Journal of Clinical Investigation</i> , 1991, 88, 643-655.	3.9	87
2415	Metabolism of triglyceride-rich lipoproteins during alimentary lipemia.. <i>Journal of Clinical Investigation</i> , 1993, 91, 748-758.	3.9	215
2416	Apolipoprotein A-I Q[-2]X causing isolated apolipoprotein A-I deficiency in a family with analphalipoproteinemia.. <i>Journal of Clinical Investigation</i> , 1994, 93, 223-229.	3.9	103
2417	Variable expression of familial dysbetalipoproteinemia in apolipoprotein E*2 (Lys146->Gln) Allele carriers.. <i>Journal of Clinical Investigation</i> , 1994, 94, 1252-1262.	3.9	17
2418	Familial ligand-defective apolipoprotein B. Identification of a new mutation that decreases LDL receptor binding affinity.. <i>Journal of Clinical Investigation</i> , 1995, 95, 1225-1234.	3.9	175

#	ARTICLE	IF	CITATIONS
2419	Human cholesterol 7 β -hydroxylase (CYP7A1) deficiency has a hypercholesterolemic phenotype. <i>Journal of Clinical Investigation</i> , 2002, 110, 109-117.	3.9	215
2420	Analysis of neurodegenerative disease-causing genes in dementia with Lewy bodies. <i>Acta Neuropathologica Communications</i> , 2020, 8, 5.	2.4	27
2421	Apolipoprotein E ϵ 4 genotype predicts a poor outcome in survivors of traumatic brain injury. <i>Neurology</i> , 1999, 52, 244-244.	1.5	399
2422	Neurobiological correlates of a putative risk allele for Alzheimer's disease on chromosome 12q. <i>Neurology</i> , 1999, 52, 725-725.	1.5	15
2423	Preclinical memory decline in cognitively normal apolipoprotein E ϵ 4 homozygotes. <i>Neurology</i> , 1999, 53, 201-201.	1.5	114
2424	Dyslipidemia: Genetics, lipoprotein lipase and HindIII polymorphism. <i>F1000Research</i> , 2017, 6, 2073.	0.8	11
2425	Association Between the APOE*4 Allele and Atherosclerosis Is Age Dependent Among Argentine Males. <i>Human Biology</i> , 2005, 77, 247-256.	0.4	7
2426	Cerebrospinal Fluid Concentration of Brain-Derived Neurotrophic Factor and Cognitive Function in Non-Demented Subjects. <i>PLoS ONE</i> , 2009, 4, e5424.	1.1	112
2427	Serum and Cerebrospinal Fluid Levels of Transthyretin in Lewy Body Disorders with and without Dementia. <i>PLoS ONE</i> , 2012, 7, e48042.	1.1	23
2428	Frequency of the Apolipoprotein E ϵ 4 Allele in a Memory Clinic Cohort in Beijing: A Naturalistic Descriptive Study. <i>PLoS ONE</i> , 2014, 9, e99130.	1.1	13
2429	APOE ϵ 4 Allele Altered the Rest-Stimulus Interactions in Healthy Middle-Aged Adults. <i>PLoS ONE</i> , 2015, 10, e0128442.	1.1	9
2430	Development and validation of an allele-specific PCR assay for genotyping a promoter and exonic single nucleotide polymorphisms of MGMT gene. <i>Journal of Biological Methods</i> , 2018, 5, e92.	1.0	2
2431	Asociación entre el polimorfismo genético de la apolipoproteína E (ApoE) y la enfermedad de Parkinson. <i>Anales De La Facultad De Medicina</i> , 2013, 74, 169.	0.0	2
2432	Analysis of the Association Between Apolipoprotein E Polymorphism and Cardiovascular Risk Factors in an Elderly Population with Longevity. <i>Arquivos Brasileiros De Cardiologia</i> , 2002, 78, 571-579.	0.3	31
2433	Absence of the E2 allele of apolipoprotein in Amerindians. <i>Genetics and Molecular Biology</i> , 1997, 20, 741-743.	1.0	12
2435	Relevance of apolipoprotein E4 for the lipid profile of Brazilian patients with coronary artery disease. <i>Brazilian Journal of Medical and Biological Research</i> , 2007, 40, 189-197.	0.7	8
2436	Association of ApoE polymorphisms with prevalent hypertension in 1406 older adults: the Bambuí-Health Aging Study (BHAS). <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 640-641.	0.7	4
2437	Apolipoprotein E2/E5 Variants in Lipoprotein Glomerulopathy Recurred in Transplanted Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 1590-1595.	3.0	48

#	ARTICLE	IF	CITATIONS
2438	Apolipoprotein E Sendai (arginine 145->proline). Journal of the American Society of Nephrology: JASN, 1997, 8, 820-823.	3.0	90
2440	Diminished circulating retinol and elevated $\hat{\pm}$ -TOH/retinol ratio predict an increased risk of cognitive decline in aging Chinese adults, especially in subjects with ApoE2 or ApoE4 genotype. Aging, 2018, 10, 4066-4083.	1.4	12
2441	APO $\hat{\mu}$ 2 and education in cognitively normal older subjects with high levels of AD pathology at autopsy: findings from the Nun Study. Oncotarget, 2015, 6, 14082-14091.	0.8	11
2442	Differential Postprandial Lipoprotein Responses in Type 2 Diabetic Men with and without Clinical Evidence of a Former Myocardial Infarction. Review of Diabetic Studies, 2004, 1, 175-175.	0.5	26
2443	Metal-Score as a Potential Non-Invasive Diagnostic Test for Alzheimerâ€™s Disease. Current Alzheimer Research, 2013, 10, 191-198.	0.7	28
2444	BACE1 Levels by APOE Genotype in Non-Demented and Alzheimerâ€™s Post-Mortem Brains. Current Alzheimer Research, 2013, 10, 309-315.	0.7	10
2445	Mild Parkinsonian Signs in a Hospital-based Cohort of Mild Cognitive Impairment Types: A Cross-sectional Study. Current Alzheimer Research, 2019, 16, 633-649.	0.7	5
2446	Association of Circulating Cholesterol Level with Cognitive Function and Mild Cognitive Impairment in the Elderly: A Community-based Population Study. Current Alzheimer Research, 2020, 17, 556-565.	0.7	11
2447	ModulaciÃ³n de los Niveles de LÃ¡pidos y Lipoproteinas por el Polimorfismo de la Apolipoproteina E en Individuos Sanos de Bogota D.C.. Nova, 2005, 3, 31.	0.2	2
2448	Apolipoprotein E genotypes in Mexican patients with Parkinson's disease. Disease Markers, 2009, 27, 225-30.	0.6	6
2449	The Association between the Apolipoprotein E Gene Polymorphism and All-cause Mortality in the Korean Population. Journal of Korean Medical Science, 2019, 34, e269.	1.1	2
2450	Effect of apolipoprotein E gene Hha I restricting fragment length polymorphism on serum lipids in cholecystolithiasis. World Journal of Gastroenterology, 1999, 5, 228.	1.4	16
2451	Apolipoprotein E Polymorphism in Tuberculosis Patients. Journal of Applied Sciences, 2008, 8, 719-722.	0.1	4
2452	Apolipoprotein E (Apo E) Gene Polymorphism in the Bangladeshi Population and its Comparison with Other Asian Populations. Journal of Medical Sciences (Faisalabad, Pakistan), 2006, 6, 203-208.	0.0	1
2453	Development and Testing of a Neuropsychiatric Symptoms Model in Mild Cognitive Impairment. Journal of Gerontological Nursing, 2018, 44, 21-30.	0.3	2
2455	Association between Apolipoprotein E Polymorphism and Chronic Kidney Disease in the Korean General Population: Dong-gu Study. Korean Journal of Family Medicine, 2014, 35, 276.	0.4	1
2456	Gray Matter Volumes and Treatment Response of Psychotic Symptoms to Risperidone in Antipsychotic-Naïve Alzheimerâ€™s Disease Patients. Journal of Clinical Psychiatry, 2016, 77, e8-e13.	1.1	4
2457	Lipoprotein Glomerulopathy: Molecular Characterization of Three Italian Patients and Literature Survey. Journal of Genetic Disorders & Genetic Reports, 2014, 03, .	0.1	1

#	ARTICLE	IF	CITATIONS
2458	BLMH and APOE genes in Alzheimer Disease: A possible relation. <i>Advances in Alzheimer's Disease</i> , 2013, 02, 117-121.	0.3	1
2459	Effect of LDL-apheresis on plasma lipids, chitotriosidase and anti-oxLDL antibodies in heterozygous familial hypercholesterolemia. <i>Journal of Biomedical Science and Engineering</i> , 2009, 02, 499-505.	0.2	1
2460	Apolipoprotein E polymorphism and lipoprotein levels in a Gulf Arab population in Kuwait: a pilot study. <i>Annals of Saudi Medicine</i> , 2004, 24, 361-364.	0.5	8
2461	Hazelnut consumption decreases the susceptibility of LDL to oxidation, plasma oxidized LDL level and increases the ratio of large/small LDL in normolipidemic healthy subjects. <i>Anatolian Journal of Cardiology</i> , 2010, 10, 28-35.	0.4	42
2462	Molecular Analysis of a Novel LCAT Mutation (Gly179 → Arg) Found in a Patient with Complete LCAT Deficiency. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 713-719.	0.9	5
2463	Olfactory Dysfunctions in Alzheimer's Disease. , 0, , .		3
2464	Interactions between Apolipoprotein E and Apolipoprotein(a) in Patients with Late-Onset Alzheimer Disease. <i>Annals of Internal Medicine</i> , 2000, 132, 533.	2.0	34
2465	Effect of Apolipoprotein E4 on the Driving Behavior of Patients with Amnesic Mild Cognitive Impairment or Mild Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 1005-1014.	1.2	0
2466	Associations of the cerebrospinal fluid hepatocyte growth factor with Alzheimer's disease pathology and cognitive function. <i>BMC Neurology</i> , 2021, 21, 387.	0.8	8
2467	Olfactory Measures as Predictors of Conversion to Mild Cognitive Impairment and Alzheimer's Disease. <i>Brain Sciences</i> , 2021, 11, 1391.	1.1	10
2469	Relationships between Cognitive Function and Odor Identification, Balance Capability, and Muscle Strength in Middle-Aged Persons with and without Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2021, 2021, 1-14.	1.0	7
2470	Frecuencia de la apolipoproteína E-É4, en la esquizofrenia de déficit. <i>European Psychiatry (Ed Española)</i> , 2000, 7, 41-44.	0.0	0
2471	Fibrinogen Alel: a homozygous case of dysfibrinogenemia (I ³ -Asp330 → Val) characterized by a defective fibrin polymerization site. <i>Blood</i> , 2000, 96, 3473-3479.	0.6	1
2472	Multiplex Polymerase Chain Reaction and Immobilized Probes: Application to Cardiovascular Disease. <i>Principles and Practice</i> , 2003, , 107-129.	0.3	0
2474	Plasma levels of thiocyanate in the Czech population and their genetic determination. <i>Cor Et Vasa</i> , 2006, 48, 262-266.	0.1	0
2475	Type III hyperlipoproteinaemia. , 2007, , 203-213.		0
2476	The Effect of Apolipoprotein E Polymorphism on Hypertension in Korean Adults. <i>Journal of Agricultural Medicine and Community Health</i> , 2007, 32, 87-96.	0.2	0
2477	Association between polymorphisms in genes of inflammatory response and axonal repair with spinal cord injury. <i>Spinal Cord</i> , 2007, , .	0.9	0

#	ARTICLE	IF	CITATIONS
2478	Apolipoprotein E/intrauterine undernutrition interaction and hypercholesterolemia in children. <i>Physiological Research</i> , 2008, 57, 965-968.	0.4	5
2479	Low HDL Cholesterol, Smoking and IL-13 R130Q Polymorphism are Associated with Myocardial Infarction in Greek Cypriot Males. A Pilot Study. <i>Open Cardiovascular Medicine Journal</i> , 2008, 2, 52-59.	0.6	2
2480	Is dyslipidemia sustained during remission of nephrotic syndrome genetically determined? Evaluation of genetic polymorphisms of proteins involved in lipoprotein metabolism in children and adolescents with nephrotic syndrome. <i>Polish Archives of Internal Medicine</i> , 2009, 119, 11-17.	0.3	4
2481	CHARACTERIZATION OF A NEW LCAT MUTATION CAUSING FAMILIAL LCAT DEFICIENCY (FLD) AND THE ROLE OF APOE AS A MODIFIER GENE OF THE FLD PHENOTYPE. <i>Clinical and Investigative Medicine</i> , 2009, 32, 3.	0.3	0
2482	Association between cognitive impairment and presence of the apolipoprotein E epsilon4 allele in elderly patients with major depressive disorder. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2010, 32, 64-64.	0.3	0
2483	The roles of apo E genotype, gender and adipokines in blood plasma lipids in Caucasians with well-controlled type 2 diabetes. <i>International Journal of Diabetes and Metabolism</i> , 2010, 18, 49-54.	0.7	0
2484	Association polymorphism apoe gene and blood lipid profile with different types of stroke in Siberia. <i>Bulletin of Siberian Medicine</i> , 2011, 10, 104-109.	0.1	0
2485	Correlationship researches of Apolipoprotein A1 in body mass index. <i>Journal of the Korea Academia-Industrial Cooperation Society</i> , 2012, 13, 5345-5349.	0.0	0
2486	Distribution of apolipoprotein E gene polymorphism in students and in high-educated elderly from Serbia. <i>Genetika</i> , 2013, 45, 865-872.	0.1	0
2487	CLINICAL APPLICATIONS Electrophoresis. , 2013, , .		0
2489	Ethnic Variation in the Association Between APOE-ε4 and Alzheimer's Disease: A Follow-up Study. , 1996, , 170-179.		1
2490	Apolipoprotein E Genotype in Vascular Dementia. , 1998, , 153-157.		0
2491	A new variant of apolipoprotein E in a girl with lipoprotein glomerulopathy.. <i>Japanese Journal of Pediatric Nephrology</i> , 1998, 11, 171-175.	0.0	0
2492	Apolipoprotein E Gene Polymorphisms in Essential Hypertension: A Preliminary Study with Meta-analysis. <i>IJUM Medical Journal Malaysia</i> , 2015, 14, .	0.1	0
2493	Assessment of Brain-Derived Neurotrophic Gene and its Polymorphism Frequency in Patients With Bipolar Disorder in Hamadan. <i>Avicenna Journal of Neuro Psycho Physiology</i> , 2016, 3, .	0.1	0
2494	Multilocus Analysis of Genetic Susceptibility to Myocardial Infarction in Russians: Replication Study. <i>Acta Naturae</i> , 2017, 9, 74-83.	1.7	6
2499	Alzheimer Hastalarında PSEN1 Geni Kodlayan BAK1'lerinde ve APP Geni 16-17. Ekzonlarında Mutasyon Taraması ve APOE Genotiplendirmesi. <i>Türk Doğa Ve Fen Dergisi</i> , 0, , 35-41.	0.2	0
2500	The Combined Effect of APOE and BDNF Val66Met Polymorphisms on Spatial Navigation in Older Adults. <i>Journal of Alzheimer's Disease</i> , 2020, 78, 1473-1492.	1.2	6

#	ARTICLE	IF	CITATIONS
2501	APOE Genotypes and Brain Imaging Classes in Normal Cognition, Mild Cognitive Impairment, and Alzheimer's Disease: A Longitudinal Study. <i>Current Alzheimer Research</i> , 2020, 17, 766-780.	0.7	3
2503	Caracterización de pacientes con demencia de tipo Alzheimer precoz vs tardío. <i>Acta Medica Colombiana: AMC: Organo De La Asociacion Colombiana De Medicina Interna</i> , 2020, 45, .	0.0	0
2504	A brain proteomic signature of incipient Alzheimer's disease in young APOE ϵ 4 carriers identifies novel drug targets. <i>Science Advances</i> , 2021, 7, eabi8178.	4.7	23
2505	White matter changes in empirically derived incident MCI subtypes in the Mayo Clinic Study of Aging. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12269.	1.2	1
2506	Loss of association between plasma irisin levels and cognition in Alzheimer's disease. <i>Psychoneuroendocrinology</i> , 2022, 136, 105624.	1.3	7
2507	Analysis of plasma proteins using 2D gels and novel fluorescent probes: in search of blood based biomarkers for Alzheimer's disease. <i>Proteome Science</i> , 2022, 20, 2.	0.7	6
2508	Don't forget about tau: the effects of ApoE4 genotype on Alzheimer's disease cerebrospinal fluid biomarkers in subjects with mild cognitive impairment" data from the Dementia Competence Network. <i>Journal of Neural Transmission</i> , 2022, 129, 477-486.	1.4	14
2509	APOE ϵ 4 Allele Moderates the Association Between Basal Forebrain Nuclei Volumes and Allocentric Navigation in Older Adults Without Dementia. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 155-171.	1.2	0
2510	Is the Phenotype Designation by PSP-MDS Criteria Stable Throughout the Disease Course and Consistent With Tau Distribution?. <i>Frontiers in Neurology</i> , 2022, 13, 827338.	1.1	5
2511	Challenges at the APOE locus: a robust quality control approach for accurate APOE genotyping. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 22.	3.0	5
2512	Studying APOE ϵ 4 Allele Dose Effects with a Univariate Morphometry Biomarker. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1233-1250.	1.2	1
2513	Markers of Cerebrovascular Injury, Inflammation, and Plasma Lipids Are Associated with Alzheimer's Disease Cerebrospinal Fluid Biomarkers in Cognitively Normal Persons. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 813-826.	1.2	5
2514	Concussion-Associated Gene Variant COMT rs4680 Is Associated With Elite Rugby Athlete Status. <i>Clinical Journal of Sport Medicine</i> , 2023, 33, e145-e151.	0.9	4
2515	Association between H2 haplotype of microtubule associated protein tau gene (deletion / insertion) with Alzheimer Disease in Tunisian patients. <i>Neurological Research</i> , 2022, 44, 814-818.	0.6	1
2516	Study on the Association of Dietary Fatty Acid Intake and Serum Lipid Profiles With Cognition in Aged Subjects With Type 2 Diabetes Mellitus. <i>Frontiers in Aging Neuroscience</i> , 2022, 14, 846132.	1.7	1
2517	VEGF-A-related genetic variants protect against Alzheimer's disease. <i>Aging</i> , 2022, 14, 2524-2536.	1.4	10
2518	Au nanorods-TiO2 photonic crystal plasmonic-photonic hybrid sensor for label-free detection and identification of DNA molecules with single nucleotide polymorphisms. <i>Sensors and Actuators B: Chemical</i> , 2022, 361, 131747.	4.0	2
2519	The Glymphatic System Activity and Cognitive Declines in Healthy Old Adults. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
2520	Association between long-term donepezil treatment and brain regional amyloid and tau burden among individuals with mild cognitive impairment assessed using ¹⁸ F- <i>AV-45</i> and ¹⁸ F- <i>AV-1451</i> PET. <i>Journal of Neuroscience Research</i> , 2022, 100, 670-680.	1.3	3
2521	Oxidative Stress Biomarkers and Mitochondrial DNA Copy Number Associated with APOE4 Allele and Cholinesterase Inhibitor Therapy in Patients with Alzheimer's Disease. <i>Antioxidants</i> , 2021, 10, 1971.	2.2	8
2522	<i>APOE</i> polymorphism status (E4) may help in predicting the risk of recurrent implantation failure. <i>International Journal of Gynecology and Obstetrics</i> , 2021, , .	1.0	1
2523	Association of Homocysteine Levels With Medial Temporal Lobe Atrophy Among Carriers and Non-carriers of APOE ϵ 4 in MCI Subjects. <i>Frontiers in Psychiatry</i> , 2022, 13, 823605.	1.3	2
2524	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 494-501.	2.0	2
2525	Tau polygenic risk scoring: a cost-effective aid for prognostic counseling in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2022, 143, 571-583.	3.9	3
2526	Diabetes mellitus in patients with Alzheimer's disease: clinical description and correlation with the APOE genotype in a sample population from the province of Antioquia, Colombia. <i>Biomedica</i> , 2012, 32, 239-51.	0.3	8
2527	Differential Effects of APOE Genotype on MicroRNA Cargo of Cerebrospinal Fluid Extracellular Vesicles in Females With Alzheimer's Disease Compared to Males. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 864022.	1.8	15
2528	Concussion-Associated Polygenic Profiles of Elite Male Rugby Athletes. <i>Genes</i> , 2022, 13, 820.	1.0	4
2529	Red Blood Cell DHA Is Inversely Associated with Risk of Incident Alzheimer's Disease and All-Cause Dementia: Framingham Offspring Study. <i>Nutrients</i> , 2022, 14, 2408.	1.7	14
2530	Polymorphisms of apolipoprotein E in the Afro-descendant population of Buenaventura, Colombia. <i>Revista Colombiana De Psiquiatria (English Ed)</i> , 2022, 51, 99-104.	0.1	0
2531	Apolipoprotein E Genotyping Using Polymerase Chain Reaction-Restriction Fragment Length Polymorphism with General-Purpose Agarose and Lithium Borate Buffer. , 2022, 44, 105-110.		1
2532	Abdominal aortic calcification on lateral spine images captured during bone density testing and late-life dementia risk in older women: A prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 26, 100502.	1.3	7
2533	Palmar Striated Xanthomas in Clinical Practice. <i>Journal of the Endocrine Society</i> , 2022, 6, .	0.1	0
2534	The effect of apolipoprotein E gene polymorphism and Lp(a) levels on coronary artery disease with atrial fibrillation. <i>Journal of International Medical Research</i> , 2022, 50, 030006052211093.	0.4	0
2535	Effects of Sex, APOE4, and Lifestyle Activities on Cognitive Reserve in Older Adults. <i>Neurology</i> , 2022, 99, .	1.5	8
2536	Networks of inflammation, depression, and cognition in aging males and females. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2387-2398.	1.4	9
2537	A metabolomic signature of the APOE2 allele. <i>GeroScience</i> , 2023, 45, 415-426.	2.1	3

#	ARTICLE	IF	CITATIONS
2538	One-Carbon Metabolism Biomarkers and Risks of Incident Neurocognitive Disorder among Cognitively Normal Older Adults. <i>Nutrients</i> , 2022, 14, 3535.	1.7	1
2539	Missing apolipoprotein E ϵ 4 allele associated with nonamnestic Alzheimer's disease in a Tunisian population. <i>Journal of Genetics</i> , 2022, 101, .	0.4	1
2540	Mini-Mental State Examination and Montreal Cognitive Assessment as Tools for Following Cognitive Changes in Alzheimer's Disease Neuroimaging Initiative Participants. <i>Journal of Alzheimer's Disease</i> , 2022, 90, 263-270.	1.2	5
2541	Associations Between Objectively Measured Sleep and Cognition: Main Effects and Interactions With Race in Adults Aged \geq 50 Years. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2023, 78, 454-462.	1.7	3
2542	Effects of apolipoprotein E4 genotype on cerebro-cerebellar connectivity, brain atrophy, and cognition in patients with Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2022, 442, 120435.	0.3	0
2543	Weak Social Networks in Late Life Predict Incident Alzheimer's Disease: The Kuakini Honolulu-Asia Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 0, , .	1.7	3
2544	Associations of circadian rest/activity rhythms with cognition in middle-aged and older adults: Demographic and genetic interactions. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	3
2545	Relationships of APOE Genotypes With Small RNA and Protein Cargo of Brain Tissue Extracellular Vesicles From Patients With Late-Stage AD. <i>Neurology: Genetics</i> , 2022, 8, e200026.	0.9	6
2546	Long-term Cognitive Trajectory After Total Joint Arthroplasty. <i>JAMA Network Open</i> , 2022, 5, e2241807.	2.8	5
2547	Association of plasma brain-derived neurotrophic factor with Alzheimer's disease and its influencing factors in Chinese elderly population. <i>Frontiers in Aging Neuroscience</i> , 0, 14, .	1.7	4
2548	Estimation of blood-based biomarkers of glial activation related to neuroinflammation. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 26, 100549.	1.3	3
2549	Involvement of inflammation in the medial temporal region in the development of agitation in Alzheimer's disease: an <i>in vivo</i> positron emission tomography study. <i>Psychogeriatrics</i> , 2023, 23, 126-135.	0.6	0
2550	APOE Allele Frequency in Southern Greece: Exploring the Role of Geographical Gradient in the Greek Population. <i>Geriatrics (Switzerland)</i> , 2023, 8, 1.	0.6	1
2551	Low Serum Vitamin D Status Is Associated with Incident Alzheimer's Dementia in the Oldest Old. <i>Nutrients</i> , 2023, 15, 61.	1.7	5
2553	Evaluation of Associations of Growth Differentiation Factor-11, Growth Differentiation Factor-8 and their Binding Proteins Follistatin and Follistatin-like protein-3 with Dementia and Cognition. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 0, , .	1.7	1
2554	Examining the Causal Mediating Role of Cardiovascular Disease on the Effect of Subclinical Cardiovascular Disease on Cognitive Impairment via Separable Effects. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2023, 78, 1172-1178.	1.7	2
2555	Early Depressive Symptoms Predict Faster Dementia Progression in Autosomal-Dominant Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2023, 92, 911-923.	1.2	3
2556	Interaction between aluminum exposure and ApoE μ 4 gene on cognitive function of in-service workers.. <i>Chemosphere</i> , 2023, 323, 138282.	4.2	2

#	ARTICLE	IF	CITATIONS
2558	Brain Amyloid in Sporadic Young Onset Alzheimer's Disease. <i>Journal of Alzheimer's Disease Reports</i> , 2023, 7, 263-270.	1.2	1
2559	Cerebrospinal Fluid Metabolomics: Pilot Study of Using Metabolomics to Assess Diet and Metabolic Interventions in Alzheimer's Disease and Mild Cognitive Impairment. <i>Metabolites</i> , 2023, 13, 569.	1.3	0
2570	A two-step workflow based on plasma p-tau217 to screen for amyloid β^2 positivity with further confirmatory testing only in uncertain cases. <i>Nature Aging</i> , 2023, 3, 1079-1090.	5.3	10