

# Fire-extinguishing organic electrolytes for safe batterie

Nature Energy

3, 22-29

DOI: [10.1038/s41560-017-0033-8](https://doi.org/10.1038/s41560-017-0033-8)

Citation Report

| #  | ARTICLE                                                                                                                                                                                                                         | IF   | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 2  | Multifunctional Cross-Linked Polymeric Membranes for Safe, High-Performance Lithium Batteries. Chemistry of Materials, 2018, 30, 2058-2066.                                                                                     | 3.2  | 49        |
| 3  | A Nonaqueous Potassium-Based Battery-Supercapacitor Hybrid Device. Advanced Materials, 2018, 30, e1800804.                                                                                                                      | 11.1 | 345       |
| 4  | Solvation-controlled lithium-ion complexes in a nonflammable solvent containing ethylene carbonate: structural and electrochemical aspects. Physical Chemistry Chemical Physics, 2018, 20, 6480-6486.                           | 1.3  | 18        |
| 5  | A smart, anti-piercing and eliminating-dendrite lithium metal battery. Nano Energy, 2018, 49, 403-410.                                                                                                                          | 8.2  | 57        |
| 6  | Ionic Liquids and Organic Ionic Plastic Crystals: Advanced Electrolytes for Safer High Performance Sodium Energy Storage Technologies. Advanced Energy Materials, 2018, 8, 1703491.                                             | 10.2 | 109       |
| 7  | Solvation-controlled ester-based concentrated electrolyte solutions for high-voltage lithium-ion batteries. Current Opinion in Electrochemistry, 2018, 9, 49-55.                                                                | 2.5  | 17        |
| 8  | Enriching Battery Chemistry. Joule, 2018, 2, 371-372.                                                                                                                                                                           | 11.7 | 6         |
| 9  | A Study of the Transport Properties of Ethylene Carbonate-Free Li Electrolytes. Journal of the Electrochemical Society, 2018, 165, A705-A716.                                                                                   | 1.3  | 80        |
| 10 | Solvation Structure Analysis of Lithium Ion in Concentrated Lithium Salt Solutions Using Raman Spectroscopy. Bunseki Kagaku, 2018, 67, 727-732.                                                                                 | 0.1  | 1         |
| 11 | An Intrinsic Flame-Retardant Organic Electrolyte for Safe Lithium-Sulfur Batteries. Angewandte Chemie, 2019, 131, 801-805.                                                                                                      | 1.6  | 23        |
| 12 | A Bifunctional Fluorophosphate Electrolyte for Safer Sodium-Ion Batteries. IScience, 2018, 10, 114-122.                                                                                                                         | 1.9  | 43        |
| 13 | A Nonflammable and Thermotolerant Separator Suppresses Polysulfide Dissolution for Safe and Long-Cycle Lithium-Sulfur Batteries. Advanced Energy Materials, 2018, 8, 1802441.                                                   | 10.2 | 133       |
| 14 | Realizing the Ultimate Thermal Stability of a Lithium-Ion Battery Using Two Zero-Strain Insertion Materials. ACS Applied Energy Materials, 0, , .                                                                               | 2.5  | 2         |
| 15 | A Nonflammable Na <sup>+</sup> -Based Dual-Carbon Battery with Low-Cost, High Voltage, and Long Cycle Life. Advanced Energy Materials, 2018, 8, 1802176.                                                                        | 10.2 | 90        |
| 16 | High Capacity and Cycle-Stable Hard Carbon Anode for Nonflammable Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2018, 10, 38141-38150.                                                                              | 4.0  | 51        |
| 17 | Recent progress in advanced electrode materials, separators and electrolytes for lithium batteries. Journal of Materials Chemistry A, 2018, 6, 20564-20620.                                                                     | 5.2  | 295       |
| 18 | Li-Ion Battery Fire Hazards and Safety Strategies. Energies, 2018, 11, 2191.                                                                                                                                                    | 1.6  | 207       |
| 19 | Li <sup>+</sup> intercalated V <sub>2</sub> O <sub>5</sub> ·nH <sub>2</sub> O with enlarged layer spacing and fast ion diffusion as an aqueous zinc-ion battery cathode. Energy and Environmental Science, 2018, 11, 3157-3162. | 15.6 | 785       |

| #  | ARTICLE                                                                                                                                                                                                                                                                            | IF   | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 20 | High-Efficiency Lithium Metal Batteries with Fire-Retardant Electrolytes. <i>Joule</i> , 2018, 2, 1548-1558.                                                                                                                                                                       | 11.7 | 436       |
| 21 | Non-flammable electrolytes with high salt-to-solvent ratios for Li-ion and Li-metal batteries. <i>Nature Energy</i> , 2018, 3, 674-681.                                                                                                                                            | 19.8 | 557       |
| 22 | Ultrastable Potassium Storage Performance Realized by Highly Effective Solid Electrolyte Interphase Layer. <i>Small</i> , 2018, 14, e1801806.                                                                                                                                      | 5.2  | 175       |
| 23 | Lithium-Salt-Rich PEO/Li <sub>0.3</sub> La <sub>0.557</sub> TiO <sub>3</sub> Interpenetrating Composite Electrolyte with Three-Dimensional Ceramic Nano-Backbone for All-Solid-State Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 24791-24798. | 4.0  | 230       |
| 24 | Materials for lithium-ion battery safety. <i>Science Advances</i> , 2018, 4, eaas9820.                                                                                                                                                                                             | 4.7  | 958       |
| 25 | All-solid-state planar integrated lithium ion micro-batteries with extraordinary flexibility and high-temperature performance. <i>Nano Energy</i> , 2018, 51, 613-620.                                                                                                             | 8.2  | 88        |
| 26 | Non-flammable electrolyte enables Li-metal batteries with aggressive cathode chemistries. <i>Nature Nanotechnology</i> , 2018, 13, 715-722.                                                                                                                                        | 15.6 | 964       |
| 27 | Clymeâ€“Sodium Bis(fluorosulfonyl)amide Complex Electrolytes for Sodium Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2018, 122, 16589-16599.                                                                                                                            | 1.5  | 34        |
| 28 | A Ceramicâ€“PVDF Composite Membrane with Modified Interfaces as an Ionâ€“Conducting Electrolyte for Solidâ€“State Lithiumâ€“Ion Batteries Operating at Room Temperature. <i>ChemElectroChem</i> , 2018, 5, 2873-2881.                                                              | 1.7  | 69        |
| 29 | Tuning the electrolyte network structure to invoke quasi-solid state sulfur conversion and suppress lithium dendrite formation in Liâ€“S batteries. <i>Nature Energy</i> , 2018, 3, 783-791.                                                                                       | 19.8 | 421       |
| 30 | Aqueous Flow Batteries: Research and Development. <i>Chemistry - A European Journal</i> , 2019, 25, 1649-1664.                                                                                                                                                                     | 1.7  | 79        |
| 31 | Design of S-Substituted Fluorinated Aryl Sulfonamide-Tagged (S-FAST) Anions To Enable New Solvate Ionic Liquids for Battery Applications. <i>Chemistry of Materials</i> , 2019, 31, 7558-7564.                                                                                     | 3.2  | 11        |
| 32 | First-Principles Calculation Study on Solid Electrolyte Interphase (SEI) in Lithium Ion Battery. <i>Journal of Computer Chemistry Japan</i> , 2019, 18, 18-28.                                                                                                                     | 0.0  | 2         |
| 33 | Highly Reversible Lithium-Metal Anode and Lithiumâ€“Sulfur Batteries Enabled by an Intrinsic Safe Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 33419-33427.                                                                                              | 4.0  | 38        |
| 34 | 4.5â€“V Highâ€“Voltage Rechargeable Batteries Enabled by the Reduction of Polarization on the Lithium Metal Anode. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 15235-15238.                                                                                       | 7.2  | 47        |
| 35 | 4.5â€“V Highâ€“Voltage Rechargeable Batteries Enabled by the Reduction of Polarization on the Lithium Metal Anode. <i>Angewandte Chemie</i> , 2019, 131, 15379-15382.                                                                                                              | 1.6  | 7         |
| 36 | Using Triethyl Phosphate to Increase the Solubility of LiNO <sub>3</sub> in Carbonate Electrolytes for Improving the Performance of the Lithium Metal Anode. <i>Journal of the Electrochemical Society</i> , 2019, 166, A2523-A2527.                                               | 1.3  | 60        |
| 37 | Recent research progresses in etherâ€“and esterâ€“based electrolytes for sodiumâ€“ion batteries. <i>InformaÃ“n-MateriÃ“ly</i> , 2019, 1, 376-389.                                                                                                                                  | 8.5  | 183       |

| #  | ARTICLE                                                                                                                                                                                                                                 | IF   | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 38 | Polypropylene Carbonate-Based Adaptive Buffer Layer for Stable Interfaces of Solid Polymer Lithium Metal Batteries. ACS Applied Materials & Interfaces, 2019, 11, 27906-27912.                                                          | 4.0  | 24        |
| 39 | High-Performance Silicon Anodes Enabled By Nonflammable Localized High-Concentration Electrolytes. Advanced Energy Materials, 2019, 9, 1900784.                                                                                         | 10.2 | 175       |
| 40 | Enabling non-flammable Li-metal batteries <i>via</i> electrolyte functionalization and interface engineering. Journal of Materials Chemistry A, 2019, 7, 17995-18002.                                                                   | 5.2  | 46        |
| 41 | High-Safety Symmetric Sodium-Ion Batteries Based on Nonflammable Phosphate Electrolyte and Double Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Electrodes. ACS Applied Materials & Interfaces, 2019, 11, 27833-27838. | 4.0  | 40        |
| 42 | Safety Issues in Lithium Ion Batteries: Materials and Cell Design. Frontiers in Energy Research, 2019, 7, .                                                                                                                             | 1.2  | 145       |
| 43 | A survey of methods for monitoring and detecting thermal runaway of lithium-ion batteries. Journal of Power Sources, 2019, 436, 226879.                                                                                                 | 4.0  | 206       |
| 44 | A safe and non-flammable sodium metal battery based on an ionic liquid electrolyte. Nature Communications, 2019, 10, 3302.                                                                                                              | 5.8  | 173       |
| 45 | Dual Insurance Design Achieves Long-Life Cycling of Li-Metal Batteries under a Wide Temperature Range. ACS Applied Energy Materials, 2019, 2, 5292-5299.                                                                                | 2.5  | 7         |
| 46 | Cathode interfacial engineering to enhance cycling stability of rechargeable lithium-ion batteries. Journal of Solid State Chemistry, 2019, 277, 531-537.                                                                               | 1.4  | 4         |
| 47 | An Efficient Separator with Low Ion Diffusion Energy Barrier Resolving Feeble Conductivity for Practical Lithium-Sulfur Batteries. Advanced Energy Materials, 2019, 9, 1901800.                                                         | 10.2 | 61        |
| 48 | A Coaxial-Interweaved Hybrid Lithium Metal Anode for Long-Lifespan Lithium Metal Batteries. Advanced Energy Materials, 2019, 9, 1901932.                                                                                                | 10.2 | 73        |
| 49 | Negative Redox Potential Shift in Fire-Retardant Electrolytes and Consequences for High-Energy Hybrid Batteries. ACS Applied Energy Materials, 2019, 2, 7879-7885.                                                                      | 2.5  | 14        |
| 50 | New Insight on the Role of Electrolyte Additives in Rechargeable Lithium Ion Batteries. ACS Energy Letters, 2019, 4, 2613-2622.                                                                                                         | 8.8  | 160       |
| 52 | Electrochemically Stable Sodium Metal-Tellurium/Carbon Nanorods Batteries. Advanced Energy Materials, 2019, 9, 1903046.                                                                                                                 | 10.2 | 33        |
| 53 | A paradigm of storage batteries. Energy and Environmental Science, 2019, 12, 3203-3224.                                                                                                                                                 | 15.6 | 154       |
| 54 | Nonflammable Electrolytes for Lithium Ion Batteries Enabled by Ultraconformal Passivation Interphases. ACS Energy Letters, 2019, 4, 2529-2534.                                                                                          | 8.8  | 112       |
| 55 | Optimized Nonflammable Concentrated Electrolytes by Introducing a Low-Dielectric Diluent. ACS Applied Materials & Interfaces, 2019, 11, 35770-35776.                                                                                    | 4.0  | 64        |
| 56 | Microscopic Origin of the Solid Electrolyte Interphase Formation in Fire-Extinguishing Electrolyte: Formation of Pure Inorganic Layer in High Salt Concentration. Journal of Physical Chemistry Letters, 2019, 10, 5949-5955.           | 2.1  | 15        |

| #  | ARTICLE                                                                                                                                                                                                                                   | IF   | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 57 | Ultrahigh Capacity and Fire-Resistant LiFePO <sub>4</sub> -Based Composite Cathodes for Advanced Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1802930.                                                              | 10.2 | 114       |
| 58 | An ionic liquid gel with ultralow concentrations of tetra-arm polymers: Gelation kinetics and mechanical and ion-conducting properties. <i>Polymer</i> , 2019, 166, 38-43.                                                                | 1.8  | 24        |
| 59 | Combined Theoretical and Experimental Studies of Sodium Battery Materials. <i>Chemical Record</i> , 2019, 19, 792-798.                                                                                                                    | 2.9  | 13        |
| 60 | Polymer Electrolytes for High Energy Density Ternary Cathode Material-Based Lithium Batteries. <i>Electrochemical Energy Reviews</i> , 2019, 2, 128-148.                                                                                  | 13.1 | 106       |
| 61 | Sustainable cycling enabled by a high-concentration electrolyte for lithium-organic batteries. <i>Chemical Communications</i> , 2019, 55, 608-611.                                                                                        | 2.2  | 26        |
| 62 | <i>In situ</i> formed polymer gel electrolytes for lithium batteries with inherent thermal shutdown safety features. <i>Journal of Materials Chemistry A</i> , 2019, 7, 16984-16991.                                                      | 5.2  | 46        |
| 63 | Long-Term Stable Lithium Metal Anode in Highly Concentrated Sulfolane-Based Electrolytes with Ultrafine Porous Polyimide Separator. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 25833-25843.                                | 4.0  | 72        |
| 64 | Nonflammable Fluorinated Carbonate Electrolyte with High Salt-to-Solvent Ratios Enables Stable Silicon-Based Anode for Next-Generation Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 23229-23235.      | 4.0  | 57        |
| 65 | Comparative study on ternary spinel cathode Zn <sup>2+</sup> /Mn <sup>2+</sup> /O microspheres for aqueous rechargeable zinc-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019, 800, 478-482.                                  | 2.8  | 23        |
| 66 | Molecular-Scale Interfacial Model for Predicting Electrode Performance in Rechargeable Batteries. <i>ACS Energy Letters</i> , 2019, 4, 1584-1593.                                                                                         | 8.8  | 117       |
| 67 | Non-flammable electrolyte for dendrite-free sodium-sulfur battery. <i>Energy Storage Materials</i> , 2019, 23, 8-16.                                                                                                                      | 9.5  | 92        |
| 68 | Graphite Anode for a Potassium-Ion Battery with Unprecedented Performance. <i>Angewandte Chemie</i> , 2019, 131, 10610-10615.                                                                                                             | 1.6  | 100       |
| 69 | Graphite Anode for a Potassium-Ion Battery with Unprecedented Performance. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10500-10505.                                                                                      | 7.2  | 504       |
| 70 | Safety-Enhanced Polymer Electrolytes for Sodium Batteries: Recent Progress and Perspectives. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 17109-17127.                                                                       | 4.0  | 100       |
| 71 | In Situ Generated Fireproof Gel Polymer Electrolyte with Li <sub>6.4</sub> Ga <sub>0.2</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> As Initiator and Ion-Conductive Filler. <i>Advanced Energy Materials</i> , 2019, 9, 1900611. | 10.2 | 185       |
| 72 | A Room-Temperature Molten Hydrate Electrolyte for Rechargeable Zinc-Air Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1900196.                                                                                                   | 10.2 | 128       |
| 73 | Stable cross-linked gel terpolymer electrolyte containing methyl phosphonate for sodium ion batteries. <i>Journal of Membrane Science</i> , 2019, 583, 163-170.                                                                           | 4.1  | 27        |
| 74 | Comparable investigation of trivalent and pentavalent phosphorus based flame retardants on improving the safety and capacity of lithium-ion batteries. <i>Journal of Power Sources</i> , 2019, 420, 143-151.                              | 4.0  | 39        |

| #  | ARTICLE                                                                                                                                                                                      | IF   | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 75 | Key Issues Hindering a Practical Lithium-Metal Anode. Trends in Chemistry, 2019, 1, 152-158.                                                                                                 | 4.4  | 328       |
| 76 | Heteroatom Si Substituent Imidazolium-Based Ionic Liquid Electrolyte Boosts the Performance of Dendrite-Free Lithium Batteries. ACS Applied Materials & Interfaces, 2019, 11, 12154-12160.   | 4.0  | 30        |
| 77 | Toward a low-cost high-voltage sodium aqueous rechargeable battery. Materials Today, 2019, 29, 26-36.                                                                                        | 8.3  | 156       |
| 78 | Recent progress on lithium-ion batteries with high electrochemical performance. Science China Chemistry, 2019, 62, 533-548.                                                                  | 4.2  | 136       |
| 79 | Fire-Retardant Phosphate-Based Electrolytes for High-Performance Lithium Metal Batteries. ACS Applied Energy Materials, 2019, 2, 2708-2716.                                                  | 2.5  | 64        |
| 80 | Electrolytes and Electrolyte/Electrode Interfaces in Sodium-Ion Batteries: From Scientific Research to Practical Application. Advanced Materials, 2019, 31, e1808393.                        | 11.1 | 264       |
| 81 | Flame-retardant quasi-solid polymer electrolyte enabling sodium metal batteries with highly safe characteristic and superior cycling stability. Nano Research, 2019, 12, 2230-2237.          | 5.8  | 47        |
| 82 | A shear thickening fluid based impact resistant electrolyte for safe Li-ion batteries. Journal of Power Sources, 2019, 423, 297-304.                                                         | 4.0  | 34        |
| 83 | A sodium perchlorate-based hybrid electrolyte with high salt-to-water molar ratio for safe 2.5â€V carbon-based supercapacitor. Energy Storage Materials, 2019, 23, 603-609.                  | 9.5  | 102       |
| 84 | Advances and issues in developing salt-concentrated battery electrolytes. Nature Energy, 2019, 4, 269-280.                                                                                   | 19.8 | 1,026     |
| 85 | Electrolytes for Dual-Carbon Batteries. ChemElectroChem, 2019, 6, 2615-2629.                                                                                                                 | 1.7  | 59        |
| 86 | Role of Solvent Size in Ordered Ionic Structure Formation in Concentrated Electrolytes for Lithium-Ion Batteries. Journal of Physical Chemistry C, 2019, 123, 8699-8708.                     | 1.5  | 22        |
| 87 | Reversible Sodium Metal Electrodes: Is Fluorine an Essential Interphasial Component?. Angewandte Chemie, 2019, 131, 8108-8112.                                                               | 1.6  | 14        |
| 88 | Non-Flammable Phosphate Electrolyte with High Salt-to-Solvent Ratios for Safe Potassium-Ion Battery. Journal of the Electrochemical Society, 2019, 166, A1217-A1222.                         | 1.3  | 48        |
| 89 | Nitriding-Interface-Regulated Lithium Plating Enables Flame-Retardant Electrolytes for High-Voltage Lithium Metal Batteries. Angewandte Chemie, 2019, 131, 7884-7889.                        | 1.6  | 47        |
| 90 | Nitriding-Interface-Regulated Lithium Plating Enables Flame-Retardant Electrolytes for High-Voltage Lithium Metal Batteries. Angewandte Chemie - International Edition, 2019, 58, 7802-7807. | 7.2  | 161       |
| 91 | Safety optimization enabled by tris(2,2,2-trifluoroethyl)phosphite additive for advanced pouch lithium ion batteries. Solid State Ionics, 2019, 337, 7-11.                                   | 1.3  | 6         |
| 92 | Reversible Sodium Metal Electrodes: Is Fluorine an Essential Interphasial Component?. Angewandte Chemie - International Edition, 2019, 58, 8024-8028.                                        | 7.2  | 76        |

| #   | ARTICLE                                                                                                                                                                                                                                                                                         | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 93  | High-Safety Nonaqueous Electrolytes and Interphases for Sodium-Ion Batteries. <i>Small</i> , 2019, 15, e1805479.                                                                                                                                                                                | 5.2  | 65        |
| 94  | Study on the fire risk associated with a failure of large-scale commercial $\text{LiFePO}_4/\text{graphite}$ and $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2/\text{graphite}$ batteries. <i>Energy Science and Engineering</i> , 2019, 7, 411-419.                               | 1.9  | 21        |
| 95  | Recent Advances in Non-Flammable Electrolytes for Safer Lithium-Ion Batteries. <i>Batteries</i> , 2019, 5, 19.                                                                                                                                                                                  | 2.1  | 101       |
| 96  | High-Energy Rechargeable Metallic Lithium Battery at $\sim 70^\circ\text{C}$ Enabled by a Cosolvent Electrolyte. <i>Angewandte Chemie</i> , 2019, 131, 5679-5683.                                                                                                                               | 1.6  | 52        |
| 97  | High-Energy Rechargeable Metallic Lithium Battery at $\sim 70^\circ\text{C}$ Enabled by a Cosolvent Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 5623-5627.                                                                                                        | 7.2  | 217       |
| 98  | Trimethyl Phosphate for Nonflammable Carbonate-Based Electrolytes for Safer Room-Temperature Sodium-Sulfur Batteries. <i>ChemElectroChem</i> , 2019, 6, 1229-1234.                                                                                                                              | 1.7  | 23        |
| 99  | Improved Electrode Performance of Lithium-Excess Molybdenum Oxyfluoride: Titanium Substitution with Concentrated Electrolyte. <i>ACS Applied Energy Materials</i> , 2019, 2, 1629-1633.                                                                                                         | 2.5  | 34        |
| 100 | Dual Interphase Layers In Situ Formed on a Manganese-Based Oxide Cathode Enable Stable Potassium Storage. <i>CheM</i> , 2019, 5, 3220-3231.                                                                                                                                                     | 5.8  | 79        |
| 101 | Interfacial Dissociation of Contact-Ion-Pair on MXene Electrodes in Concentrated Aqueous Electrolytes. <i>Journal of the Electrochemical Society</i> , 2019, 166, A3739-A3744.                                                                                                                  | 1.3  | 20        |
| 102 | Suppression of Polysulfide Dissolution and Shuttling with Glutamate Electrolyte for Lithium Sulfur Batteries. <i>ACS Nano</i> , 2019, 13, 14172-14181.                                                                                                                                          | 7.3  | 64        |
| 103 | Dilution Effects of Highly Concentrated Dimethyl Carbonate-Based Electrolytes with a Hydrofluoroether on Charge/Discharge Properties of $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$ Positive Electrode. <i>Journal of the Electrochemical Society</i> , 2019, 166, A4005-A4013. | 1.3  | 10        |
| 104 | Well-aligned $\text{BaTiO}_3$ nanofibers via solution blow spinning and their application in lithium composite solid-state electrolyte. <i>Materials Express</i> , 2019, 9, 993-1000.                                                                                                           | 0.2  | 10        |
| 105 | All-temperature batteries enabled by fluorinated electrolytes with non-polar solvents. <i>Nature Energy</i> , 2019, 4, 882-890.                                                                                                                                                                 | 19.8 | 557       |
| 106 | Anion effects on the solvation structure and properties of imide lithium salt-based electrolytes. <i>RSC Advances</i> , 2019, 9, 41837-41846.                                                                                                                                                   | 1.7  | 31        |
| 107 | An <i>in situ</i> electrochemical oxidation strategy for formation of nanogrid-shaped $\text{V}_3\text{O}_7 \cdot \text{H}_2\text{O}$ with enhanced zinc storage properties. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25262-25267.                                                    | 5.2  | 61        |
| 108 | Anion Coordination Characteristics of Ion-pair Complexes in Highly Concentrated Aqueous Lithium Bis(trifluoromethane-sulfonyl)amide Electrolytes. <i>Analytical Sciences</i> , 2019, 35, 289-294.                                                                                               | 0.8  | 15        |
| 109 | An Intrinsic Flame-Retardant Organic Electrolyte for Safe Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 791-795.                                                                                                                                       | 7.2  | 152       |
| 110 | Cyclic carbonate for highly stable cycling of high voltage lithium metal batteries. <i>Energy Storage Materials</i> , 2019, 17, 284-292.                                                                                                                                                        | 9.5  | 115       |

| #   | ARTICLE                                                                                                                                                                                                                               | IF   | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 111 | Stable Li Metal Anode with "Solvent-Coordinated" Nonflammable Electrolyte for Safe Li Metal Batteries. ACS Energy Letters, 2019, 4, 483-488.                                                                                          | 8.8  | 148       |
| 112 | Improved Cycle Performance of $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$ Positive Electrode Material in Highly Concentrated $\text{LiBF}_4/\text{DMC}$ . Journal of the Electrochemical Society, 2019, 166, A82-A88. | 1.3  | 40        |
| 113 | Progress of enhancing the safety of lithium ion battery from the electrolyte aspect. Nano Energy, 2019, 55, 93-114.                                                                                                                   | 8.2  | 533       |
| 114 | In Situ Armoring: A Robust, High-Wettability, and Fire-Resistant Hybrid Separator for Advanced and Safe Batteries. ACS Applied Materials & Interfaces, 2019, 11, 2978-2988.                                                           | 4.0  | 71        |
| 115 | Liquid Structures and Transport Properties of Lithium Bis(fluorosulfonyl)amide/Glyme Solvate Ionic Liquids for Lithium Batteries. Australian Journal of Chemistry, 2019, 72, 70.                                                      | 0.5  | 21        |
| 116 | Moderately concentrated electrolyte improves solid-electrolyte interphase and sodium storage performance of hard carbon. Energy Storage Materials, 2019, 16, 146-154.                                                                 | 9.5  | 73        |
| 117 | Heat-Resistant Trilayer Separators for High-Performance Lithium-Ion Batteries. Physica Status Solidi - Rapid Research Letters, 2020, 14, 1900504.                                                                                     | 1.2  | 6         |
| 118 | Solid electrolyte interphase manipulation towards highly stable hard carbon anodes for sodium ion batteries. Energy Storage Materials, 2020, 25, 324-333.                                                                             | 9.5  | 92        |
| 119 | Reinforcing concentrated phosphate electrolytes with in-situ polymerized skeletons for robust quasi-solid lithium metal batteries. Energy Storage Materials, 2020, 25, 305-312.                                                       | 9.5  | 45        |
| 120 | A Game Changer: Functional Nano/Micromaterials for Smart Rechargeable Batteries. Advanced Functional Materials, 2020, 30, 1902499.                                                                                                    | 7.8  | 41        |
| 121 | A novel polyphosphonate flame-retardant additive towards safety-reinforced all-solid-state polymer electrolyte. Materials Chemistry and Physics, 2020, 239, 122014.                                                                   | 2.0  | 35        |
| 122 | An Overview of Fiber-Shaped Batteries with a Focus on Multifunctionality, Scalability, and Technical Difficulties. Advanced Materials, 2020, 32, e1902151.                                                                            | 11.1 | 207       |
| 123 | Rational design on separators and liquid electrolytes for safer lithium-ion batteries. Journal of Energy Chemistry, 2020, 43, 58-70.                                                                                                  | 7.1  | 170       |
| 124 | Paraffin wax protecting 3D non-dendritic lithium for backside-plated lithium metal anode. Energy Storage Materials, 2020, 24, 153-159.                                                                                                | 9.5  | 20        |
| 125 | Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. Angewandte Chemie - International Edition, 2020, 59, 7306-7318.                                                   | 7.2  | 113       |
| 126 | Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. Angewandte Chemie, 2020, 132, 7374-7386.                                                                          | 1.6  | 30        |
| 127 | Non-flammable organic electrolyte for sodium-ion batteries. Electrochemistry Communications, 2020, 110, 106635.                                                                                                                       | 2.3  | 44        |
| 128 | A Temperature-Responsive Electrolyte Endowing Superior Safety Characteristic of Lithium Metal Batteries. Advanced Energy Materials, 2020, 10, 1903441.                                                                                | 10.2 | 95        |



| #   | ARTICLE                                                                                                                                                                                                                             | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 129 | An Intrinsically Non-flammable Electrolyte for High-Performance Potassium Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 3638-3644.                                                                        | 7.2  | 211       |
| 130 | Improving Electrochemical Stability and Low-Temperature Performance with Water/Acetonitrile Hybrid Electrolytes. <i>Advanced Energy Materials</i> , 2020, 10, 1902654.                                                              | 10.2 | 144       |
| 131 | Concentrated Battery Electrolytes: Developing New Functions by Manipulating the Coordination States. <i>Bulletin of the Chemical Society of Japan</i> , 2020, 93, 109-118.                                                          | 2.0  | 29        |
| 132 | A Nonflammable Electrolyte Combining Phosphate and Fluorinated Ether for Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> /LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> Cells. <i>Fire Technology</i> , 2020, 56, 2349-2364. | 1.5  | 4         |
| 133 | Emerging interfacial chemistry of graphite anodes in lithium-ion batteries. <i>Chemical Communications</i> , 2020, 56, 14570-14584.                                                                                                 | 2.2  | 79        |
| 134 | Ultralight and fire-extinguishing current collectors for high-energy and high-safety lithium-ion batteries. <i>Nature Energy</i> , 2020, 5, 786-793.                                                                                | 19.8 | 168       |
| 135 | Safe Li-ion batteries enabled by completely inorganic electrode-coated silicalite separators. <i>Sustainable Energy and Fuels</i> , 2020, 4, 5783-5794.                                                                             | 2.5  | 8         |
| 136 | Anion Intercalation into a Graphite Electrode from Trimethyl Phosphate. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 47647-47654.                                                                                      | 4.0  | 21        |
| 137 | Thermal runaway of Lithium-ion batteries employing LiN(SO <sub>2</sub> F) <sub>2</sub> -based concentrated electrolytes. <i>Nature Communications</i> , 2020, 11, 5100.                                                             | 5.8  | 133       |
| 138 | Multifunctional Properties of Al <sub>2</sub> O <sub>3</sub> /Polyacrylonitrile Composite Coating on Cu to Suppress Dendritic Growth in Anode-Free Li-Metal Battery. <i>ACS Applied Energy Materials</i> , 2020, 3, 7666-7679.      | 2.5  | 41        |
| 139 | Effects of Zn <sup>2+</sup> and H <sup>+</sup> Association with Naphthalene Diimide Electrodes for Aqueous Zn-Ion Batteries. <i>Chemistry of Materials</i> , 2020, 32, 6990-6997.                                                   | 3.2  | 80        |
| 140 | Hyperbranched PCL/PS Copolymer-Based Solid Polymer Electrolytes Enable Long Cycle Life of Lithium Metal Batteries. <i>Journal of the Electrochemical Society</i> , 2020, 167, 110532.                                               | 1.3  | 21        |
| 141 | Effects of Lithium Bis(fluorosulfonyl)imide Concentration on Performances of Lithium-ion Batteries Containing Sulfolane-based Electrolytes. <i>Journal of the Electrochemical Society</i> , 2020, 167, 110553.                      | 1.3  | 10        |
| 142 | Developing high safety Li-metal anodes for future high-energy Li-metal batteries: strategies and perspectives. <i>Chemical Society Reviews</i> , 2020, 49, 5407-5445.                                                               | 18.7 | 264       |
| 143 | Adhesive Sulfide Solid Electrolyte Interface for Lithium Metal Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 54876-54883.                                                                                    | 4.0  | 30        |
| 144 | The Mystery of Electrolyte Concentration: From Superhigh to Ultralow. <i>ACS Energy Letters</i> , 2020, 5, 3633-3636.                                                                                                               | 8.8  | 96        |
| 145 | Advanced energy materials for flexible batteries in energy storage: A review. <i>SmartMat</i> , 2020, 1, .                                                                                                                          | 6.4  | 186       |
| 146 | Nonflammable organic electrolytes for high-safety lithium-ion batteries. <i>Energy Storage Materials</i> , 2020, 32, 425-447.                                                                                                       | 9.5  | 127       |

| #   | ARTICLE                                                                                                                                                                                                            | IF   | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 147 | Model-Based Design of Graphite-Compatible Electrolytes in Potassium-Ion Batteries. ACS Energy Letters, 2020, 5, 2651-2661.                                                                                         | 8.8  | 88        |
| 148 | Electrode materialâ€“ionic liquid coupling for electrochemical energy storage. Nature Reviews Materials, 2020, 5, 787-808.                                                                                         | 23.3 | 210       |
| 149 | An Energyâ€“Dense Solventâ€“Free Dualâ€“Ion Battery. Advanced Functional Materials, 2020, 30, 2003557.                                                                                                             | 7.8  | 18        |
| 150 | Ion-Solvent Chemistry-Inspired Cation-Additive Strategy to Stabilize Electrolytes for Sodium-Metal Batteries. Chem, 2020, 6, 2242-2256.                                                                            | 5.8  | 116       |
| 151 | Advances in materials for allâ€“climate sodiumâ€“ion batteries. EcoMat, 2020, 2, e12043.                                                                                                                           | 6.8  | 32        |
| 152 | An Ultrastable Nonaqueous Potassiumâ€“ion Hybrid Capacitor. Advanced Functional Materials, 2020, 30, 2004247.                                                                                                      | 7.8  | 100       |
| 153 | Novel flame retardant rigid spirocyclic biphosphate based copolymer gel electrolytes for sodium ion batteries with excellent high-temperature performance. Journal of Materials Chemistry A, 2020, 8, 22962-22968. | 5.2  | 22        |
| 154 | Resolving the Phase Instability of a Fluorinated Ether, Carbonate-Based Electrolyte for the Safe Operation of an Anode-Free Lithium Metal Battery. ACS Applied Energy Materials, 2020, 3, 10722-10733.             | 2.5  | 26        |
| 155 | Layered TiS <sub>2</sub> as a Promising Host Material for Aqueous Rechargeable Zn Ion Battery. Energy & Fuels, 2020, 34, 11590-11596.                                                                              | 2.5  | 26        |
| 156 | Li-Metal Anode in Dilute Electrolyte LiFSI/TMP: Electrochemical Stability Using Ab Initio Molecular Dynamics. Journal of Physical Chemistry C, 2020, 124, 21919-21934.                                             | 1.5  | 19        |
| 157 | Regulating the Performance of Lithium-Ion Battery Focus on the Electrode-Electrolyte Interface. Frontiers in Chemistry, 2020, 8, 821.                                                                              | 1.8  | 21        |
| 158 | Solid electrolyte interphase (SEI) in potassium ion batteries. Energy and Environmental Science, 2020, 13, 4583-4608.                                                                                              | 15.6 | 187       |
| 159 | A review of safety strategies of a Li-ion battery. Journal of Power Sources, 2020, 478, 228649.                                                                                                                    | 4.0  | 266       |
| 160 | Achieving Safe and Dendrite-Suppressed Solid-State Li Batteries via a Novel Self-Extinguished Trimethyl Phosphate-Based Wetting Agent. Energy & Fuels, 2020, 34, 11547-11556.                                      | 2.5  | 19        |
| 161 | Highly Reversible Sodium Ion Batteries Enabled by Stable Electrolyte-Electrode Interphases. ACS Energy Letters, 2020, 5, 3212-3220.                                                                                | 8.8  | 97        |
| 162 | Polymer electrolytes for rechargeable lithium metal batteries. Sustainable Energy and Fuels, 2020, 4, 5469-5487.                                                                                                   | 2.5  | 41        |
| 163 | High energy density anodes using hybrid Li intercalation and plating mechanisms on natural graphite. Energy and Environmental Science, 2020, 13, 3723-3731.                                                        | 15.6 | 44        |
| 164 | Additives Engineered Nonflammable Electrolyte for Safer Potassium Ion Batteries. Advanced Functional Materials, 2020, 30, 2001934.                                                                                 | 7.8  | 77        |

| #   | ARTICLE                                                                                                                                                                                                       | IF   | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 165 | Anion Solvation Reconfiguration Enables High-Voltage Carbonate Electrolytes for Stable Zn/Graphite Cells. <i>Angewandte Chemie</i> , 2020, 132, 21953-21961.                                                  | 1.6  | 11        |
| 166 | Anion Solvation Reconfiguration Enables High-Voltage Carbonate Electrolytes for Stable Zn/Graphite Cells. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 21769-21777.                           | 7.2  | 58        |
| 167 | Sodium Bis(oxalato)borate in Trimethyl Phosphate: A Fire-Extinguishing, Fluorine-Free, and Low-Cost Electrolyte for Full-Cell Sodium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 4974-4982. | 2.5  | 34        |
| 168 | A Nonflammable Electrolyte Enabled High Performance $K_{0.5}MnO_2$ Cathode for Low-Cost Potassium-Ion Batteries. <i>ACS Energy Letters</i> , 2020, 5, 1916-1922.                                              | 8.8  | 61        |
| 169 | Cycling a Lithium Metal Anode at 90°C in a Liquid Electrolyte. <i>Angewandte Chemie</i> , 2020, 132, 15221-15225.                                                                                             | 1.6  | 57        |
| 170 | Cycling a Lithium Metal Anode at 90°C in a Liquid Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15109-15113.                                                                      | 7.2  | 61        |
| 171 | Initial investigation and evaluation of potassium metal as an anode for rechargeable potassium batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16718-16737.                                     | 5.2  | 44        |
| 172 | Building an artificial solid electrolyte interphase on spinel lithium manganate for high performance aqueous lithium-ion batteries. <i>Dalton Transactions</i> , 2020, 49, 8136-8142.                         | 1.6  | 18        |
| 173 | A 4.8 V Reversible $Li_2CoPO_4F$ /Graphite Battery Enabled by Concentrated Electrolytes and Optimized Cell Design. <i>Batteries and Supercaps</i> , 2020, 3, 910-916.                                         | 2.4  | 20        |
| 174 | Highly thermostable expanded polytetrafluoroethylene separator with mussel-inspired silica coating for advanced Li-ion batteries. <i>Journal of Power Sources</i> , 2020, 468, 228403.                        | 4.0  | 10        |
| 175 | Highly safe and cyclable Li-metal batteries with vinylene carbonate electrolyte. <i>Nano Energy</i> , 2020, 74, 104860.                                                                                       | 8.2  | 64        |
| 176 | Highly concentrated dual-anion electrolyte for non-flammable high-voltage Li-metal batteries. <i>Energy Storage Materials</i> , 2020, 30, 228-237.                                                            | 9.5  | 61        |
| 177 | Dense PVDF-type polymer-in-ceramic electrolytes for solid state lithium batteries. <i>RSC Advances</i> , 2020, 10, 22417-22421.                                                                               | 1.7  | 9         |
| 178 | Structural study on Ti-ion complexes in concentrated aqueous electrolytes: Raman spectroscopy and high-energy X-ray total scattering. <i>Journal of Molecular Liquids</i> , 2020, 305, 112867.                | 2.3  | 2         |
| 179 | Lithium-ion battery performance enhanced by the combination of Si thin flake anodes and binary ionic liquid systems. <i>Materials Advances</i> , 2020, 1, 625-631.                                            | 2.6  | 9         |
| 180 | A Novel Li + Conducting Polymer Membrane Gelled by Fluorine-Free Electrolyte Solutions for Li-Ion Batteries. <i>Batteries and Supercaps</i> , 2020, 3, 1112-1119.                                             | 2.4  | 6         |
| 181 | Lithium Difluorophosphate-Based Dual-Salt Low Concentration Electrolytes for Lithium Metal Batteries. <i>Advanced Energy Materials</i> , 2020, 10, 2001440.                                                   | 10.2 | 121       |
| 182 | Non-Flammable Fluorinated Phosphorus(III)-Based Electrolytes for Advanced Lithium-Ion Battery Performance. <i>ChemElectroChem</i> , 2020, 7, 1499-1508.                                                       | 1.7  | 13        |

| #   | ARTICLE                                                                                                                                                                                                                                     | IF   | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 183 | Development and challenge of advanced nonaqueous sodium ion batteries. <i>EnergyChem</i> , 2020, 2, 100031.                                                                                                                                 | 10.1 | 37        |
| 184 | Constructing a Super-saturated Electrolyte Front Surface for Stable Rechargeable Aqueous Zinc Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9377-9381.                                                            | 7.2  | 551       |
| 185 | Research Progress of Sulfur/Carbon Composite Cathode Materials and the Corresponding Safe Electrolytes for Advanced Li-S Batteries. <i>Nano</i> , 2020, 15, 2030002.                                                                        | 0.5  | 22        |
| 186 | Constructing a Super-saturated Electrolyte Front Surface for Stable Rechargeable Aqueous Zinc Batteries. <i>Angewandte Chemie</i> , 2020, 132, 9463-9467.                                                                                   | 1.6  | 327       |
| 187 | Advanced Liquid Electrolytes for Rechargeable Li Metal Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 1910777.                                                                                                                 | 7.8  | 201       |
| 188 | Zwitterionic Sulfobetaine Hydrogel Electrolyte Building Separated Positive/Negative Ion Migration Channels for Aqueous Zn-MnO <sub>2</sub> Batteries with Superior Rate Capabilities. <i>Advanced Energy Materials</i> , 2020, 10, 2000035. | 10.2 | 287       |
| 189 | Flame-retardant gel polymer electrolyte and interface for quasi-solid-state sodium ion batteries. <i>Chemical Engineering Journal</i> , 2020, 401, 126065.                                                                                  | 6.6  | 77        |
| 190 | A robust flame retardant fluorinated polyimide nanofiber separator for high-temperature lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14788-14798.                                                           | 5.2  | 40        |
| 191 | Water in salt/ionic liquid-electrolyte for 2.8V aqueous lithium-ion capacitor. <i>Science Bulletin</i> , 2020, 65, 1812-1822.                                                                                                               | 4.3  | 56        |
| 192 | Perspective on High-Energy Carbon-Based Supercapacitors. <i>Energy and Environmental Materials</i> , 2020, 3, 286-305.                                                                                                                      | 7.3  | 124       |
| 193 | Designing an intrinsically safe organic electrolyte for rechargeable batteries. <i>Energy Storage Materials</i> , 2020, 31, 382-400.                                                                                                        | 9.5  | 74        |
| 194 | Photo-Rechargeable Zinc-Ion Capacitor Using 2D Graphitic Carbon Nitride. <i>Nano Letters</i> , 2020, 20, 5967-5974.                                                                                                                         | 4.5  | 106       |
| 195 | Effects of ester-based electrolyte composition and salt concentration on the Na-storage stability of hard carbon anodes. <i>Journal of Power Sources</i> , 2020, 471, 228455.                                                               | 4.0  | 17        |
| 196 | Understanding the Reactivity of a Thin Li <sub>1.5</sub> Al <sub>0.5</sub> Ge <sub>1.5</sub> (PO <sub>4</sub> ) <sub>3</sub> Solid-State Electrolyte toward Metallic Lithium Anode. <i>Advanced Energy Materials</i> , 2020, 10, 2001497.   | 10.2 | 49        |
| 197 | Flame-retarding battery cathode materials based on reversible multi-electron redox chemistry of phenothiazine-based polymer. <i>Journal of Energy Chemistry</i> , 2020, 47, 256-262.                                                        | 7.1  | 17        |
| 198 | Enabling an intrinsically safe and high-energy-density 4.5 V class Li-ion battery with nonflammable electrolyte. <i>Informa-Materials</i> , 2020, 2, 984-992.                                                                               | 8.5  | 81        |
| 199 | Fundamentals and Challenges of Lithium Ion Batteries at Temperatures between ~40 and 60 °C. <i>Advanced Energy Materials</i> , 2020, 10, 1904152.                                                                                           | 10.2 | 200       |
| 200 | A cyclic phosphate-based battery electrolyte for high voltage and safe operation. <i>Nature Energy</i> , 2020, 5, 291-298.                                                                                                                  | 19.8 | 250       |

| #   | ARTICLE                                                                                                                                                                                                                                                                                | IF   | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 201 | Failure analysis with a focus on thermal aspect towards developing safer Na-ion batteries*. Chinese Physics B, 2020, 29, 048201.                                                                                                                                                       | 0.7  | 26        |
| 202 | Dilution Effects of Highly Concentrated LiBF <sub>4</sub> /DMC with Fluorinated Esters on Charge/Discharge Properties of Ni-rich LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> Positive Electrode. Journal of the Electrochemical Society, 2020, 167, 040508. | 1.3  | 2         |
| 203 | Encapsulation of MnS Nanocrystals into N, S-Co-doped Carbon as Anode Material for Full Cell Sodium-Ion Capacitors. Nano-Micro Letters, 2020, 12, 34.                                                                                                                                   | 14.4 | 42        |
| 204 | Current Challenges and Routes Forward for Nonaqueous Lithium-Air Batteries. Chemical Reviews, 2020, 120, 6558-6625.                                                                                                                                                                    | 23.0 | 356       |
| 205 | Review-Emerging Trends in the Design of Electrolytes for Lithium and Post-Lithium Batteries. Journal of the Electrochemical Society, 2020, 167, 050508.                                                                                                                                | 1.3  | 89        |
| 206 | Hollow nanotubular clay composited comb-like methoxy poly(ethylene glycol) acrylate polymer as solid polymer electrolyte for lithium metal batteries. Electrochimica Acta, 2020, 340, 135995.                                                                                          | 2.6  | 39        |
| 207 | The polymerization capability of alkenyl phosphates and application as gel copolymer electrolytes for lithium ion batteries with high flame-retardancy. Reactive and Functional Polymers, 2020, 149, 104535.                                                                           | 2.0  | 7         |
| 208 | A Review on Materials for Flame Retarding and Improving the Thermal Stability of Lithium Ion Batteries. International Journal of Electrochemical Science, 2020, 15, 1391-1411.                                                                                                         | 0.5  | 20        |
| 209 | Research Development on K-Ion Batteries. Chemical Reviews, 2020, 120, 6358-6466.                                                                                                                                                                                                       | 23.0 | 804       |
| 210 | Safer Triethyl-Phosphate-Based Electrolyte Enables Nonflammable and High-Temperature Endurance for a Lithium Ion Battery. ACS Applied Energy Materials, 2020, 3, 1719-1729.                                                                                                            | 2.5  | 34        |
| 211 | A Flexible Solid Electrolyte with Multilayer Structure for Sodium Metal Batteries. Advanced Energy Materials, 2020, 10, 1903966.                                                                                                                                                       | 10.2 | 94        |
| 212 | Nonaqueous electrolyte with dual-cations for high-voltage and long-life zinc batteries. Journal of Materials Chemistry A, 2020, 8, 3252-3261.                                                                                                                                          | 5.2  | 89        |
| 213 | An Intrinsically Non-flammable Electrolyte for High-Performance Potassium Batteries. Angewandte Chemie, 2020, 132, 3667-3673.                                                                                                                                                          | 1.6  | 16        |
| 214 | Lithium-ion batteries fault diagnostic for electric vehicles using sample entropy analysis method. Journal of Energy Storage, 2020, 27, 101121.                                                                                                                                        | 3.9  | 73        |
| 215 | A Perspective: the Technical Barriers of Zn Metal Batteries. Chemical Research in Chinese Universities, 2020, 36, 55-60.                                                                                                                                                               | 1.3  | 16        |
| 216 | Aqueous zinc ion batteries: focus on zinc metal anodes. Chemical Science, 2020, 11, 2028-2044.                                                                                                                                                                                         | 3.7  | 440       |
| 217 | Stable Cycling of High-Voltage Lithium-Metal Batteries Enabled by High-Concentration FEC-Based Electrolyte. ACS Applied Materials & Interfaces, 2020, 12, 22901-22909.                                                                                                                 | 4.0  | 48        |
| 218 | Highly conductive and nonflammable composite polymer electrolytes for rechargeable quasi-solid-state Li-metal batteries. Journal of Power Sources, 2020, 464, 228182.                                                                                                                  | 4.0  | 27        |

| #   | ARTICLE                                                                                                                                                                                                                              | IF   | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 219 | Enabling electrochemical compatibility of non-flammable phosphate electrolytes for lithium-ion batteries by tuning their molar ratios of salt to solvent. <i>Chemical Communications</i> , 2020, 56, 6559-6562.                      | 2.2  | 23        |
| 220 | Electrolytes and Interphases in Sodium-Based Rechargeable Batteries: Recent Advances and Perspectives. <i>Advanced Energy Materials</i> , 2020, 10, 2000093.                                                                         | 10.2 | 254       |
| 221 | Boosting Potassium Storage Performance of the Cu <sub>2</sub> S Anode <i>via</i> Morphology Engineering and Electrolyte Chemistry. <i>ACS Nano</i> , 2020, 14, 6024-6033.                                                            | 7.3  | 156       |
| 222 | Interactions and Transport in Highly Concentrated LiTFSI-based Electrolytes. <i>ChemPhysChem</i> , 2020, 21, 1166-1176.                                                                                                              | 1.0  | 25        |
| 223 | Solvent-Free Method Prepared a Sandwich-like Nanofibrous Membrane-Reinforced Polymer Electrolyte for High-Performance All-Solid-State Lithium Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 21586-21595.      | 4.0  | 46        |
| 224 | Layered VSe <sub>2</sub> : a promising host for fast zinc storage and its working mechanism. <i>Journal of Materials Chemistry A</i> , 2020, 8, 9313-9321.                                                                           | 5.2  | 72        |
| 225 | Application of Concentrated Solution Theory to the Measurement of Salt Transference Numbers in Ion-Selective Membranes. <i>Journal of the Electrochemical Society</i> , 2020, 167, 020546.                                           | 1.3  | 4         |
| 226 | Materials Design for High-Safety Sodium-Ion Battery. <i>Advanced Energy Materials</i> , 2021, 11, 2000974.                                                                                                                           | 10.2 | 282       |
| 227 | Electrochemistry: Retrospect and Prospects. <i>Israel Journal of Chemistry</i> , 2021, 61, 120-151.                                                                                                                                  | 1.0  | 2         |
| 228 | Al <sub>4</sub> B <sub>2</sub> O <sub>9</sub> nanorods-modified solid polymer electrolytes with decent integrated performance. <i>Science China Materials</i> , 2021, 64, 296-306.                                                   | 3.5  | 8         |
| 229 | Challenges of today for Na-based batteries of the future: From materials to cell metrics. <i>Journal of Power Sources</i> , 2021, 482, 228872.                                                                                       | 4.0  | 169       |
| 230 | Artificial interphases enable dendrite-free Li-metal anodes. <i>Journal of Energy Chemistry</i> , 2021, 58, 198-206.                                                                                                                 | 7.1  | 48        |
| 231 | Multi-redox phenazine/non-oxidized graphene/cellulose nanohybrids as ultrathick cathodes for high-energy organic batteries. <i>Nano Research</i> , 2021, 14, 1382-1389.                                                              | 5.8  | 24        |
| 232 | A Self-Sodiophilic Carbon Host Promotes the Cyclability of Sodium Anode. <i>Advanced Functional Materials</i> , 2021, 31, 2007556.                                                                                                   | 7.8  | 30        |
| 233 | Enhanced processability and electrochemical cyclability of metallic sodium at elevated temperature using sodium alloy composite. <i>Energy Storage Materials</i> , 2021, 35, 310-316.                                                | 9.5  | 26        |
| 234 | Manipulating the Solvation Structure of Nonflammable Electrolyte and Interface to Enable Unprecedented Stability of Graphite Anodes beyond 2 Years for Safe Potassium-Ion Batteries. <i>Advanced Materials</i> , 2021, 33, e2006313. | 11.1 | 155       |
| 235 | Manipulating Electrode/Electrolyte Interphases of Sodium-Ion Batteries: Strategies and Perspectives. , 2021, 3, 18-41.                                                                                                               |      | 90        |
| 236 | Non-Flammable Liquid and Quasi-Solid Electrolytes toward Highly-Safe Alkali Metal-Based Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2008644.                                                                         | 7.8  | 127       |

| #   | ARTICLE                                                                                                                                                                                                                                                          | IF   | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 237 | Concentrated Electrolytes for Lithium Metal Negative Electrodes. , 2021, , 37-45.                                                                                                                                                                                |      | 0         |
| 238 | Comprehensive understanding of the roles of water molecules in aqueous Zn-ion batteries: from electrolytes to electrode materials. Energy and Environmental Science, 2021, 14, 3796-3839.                                                                        | 15.6 | 257       |
| 239 | Solvate electrolytes for Li and Na batteries: structures, transport properties, and electrochemistry. Physical Chemistry Chemical Physics, 2021, 23, 21419-21436.                                                                                                | 1.3  | 32        |
| 240 | High-voltage liquid electrolytes for Li batteries: progress and perspectives. Chemical Society Reviews, 2021, 50, 10486-10566.                                                                                                                                   | 18.7 | 391       |
| 241 | Electrolytes and Interphases in Potassium Ion Batteries. Advanced Materials, 2021, 33, e2003741.                                                                                                                                                                 | 11.1 | 181       |
| 242 | NiCo <sub>2</sub> O <sub>4</sub> /CNF Separator Modifiers for Trapping and Catalyzing Polysulfides for High-Performance Lithium-Sulfur Batteries with High Sulfur Loadings and Lean Electrolytes. ACS Sustainable Chemistry and Engineering, 2021, 9, 1804-1813. | 3.2  | 31        |
| 243 | Recent advanced skeletons in sodium metal anodes. Energy and Environmental Science, 0, , .                                                                                                                                                                       | 15.6 | 69        |
| 244 | The Underlying Mechanism for Reduction Stability of Organic Electrolytes in Lithium Secondary Batteries. Chemical Science, 2021, 12, 9037-9041.                                                                                                                  | 3.7  | 22        |
| 245 | Fluorophosphate-Based Nonflammable Concentrated Electrolytes with a Designed Lithium-Ion-Ordered Structure: Relationship between the Bulk Electrolyte and Electrode Interface Structures. ACS Applied Materials & Interfaces, 2021, 13, 6201-6207.               | 4.0  | 16        |
| 246 | Hard carbon for sodium storage: mechanism and optimization strategies toward commercialization. Energy and Environmental Science, 2021, 14, 2244-2262.                                                                                                           | 15.6 | 177       |
| 247 | Designing positive electrodes with high energy density for lithium-ion batteries. Journal of Materials Chemistry A, 2021, 9, 7407-7421.                                                                                                                          | 5.2  | 34        |
| 248 | Materials engineering for adsorption and catalysis in room-temperature Na-S batteries. Energy and Environmental Science, 2021, 14, 3757-3795.                                                                                                                    | 15.6 | 62        |
| 249 | Perspective on High-Concentration Electrolytes for Lithium Metal Batteries. Small Structures, 2021, 2, 2000122.                                                                                                                                                  | 6.9  | 81        |
| 250 | Non-Aqueous Electrolytes for Sodium-Ion Batteries: Challenges and Prospects Towards Commercialization. Batteries and Supercaps, 2021, 4, 881-896.                                                                                                                | 2.4  | 16        |
| 251 | An Attempt to Formulate Non-Carbonate Electrolytes for Sodium-Ion Batteries. Batteries and Supercaps, 2021, 4, 791-814.                                                                                                                                          | 2.4  | 26        |
| 252 | A Wide-Temperature-Range, Low-Cost, Fluorine-Free Battery Electrolyte Based On Sodium Bis(Oxalate)Borate. Chemistry of Materials, 2021, 33, 1130-1139.                                                                                                           | 3.2  | 24        |
| 253 | Solid-State Electrolytes for Sodium Metal Batteries. Energy & Fuels, 2021, 35, 9063-9079.                                                                                                                                                                        | 2.5  | 60        |
| 254 | High-Mass-Loading Electrodes for Advanced Secondary Batteries and Supercapacitors. Electrochemical Energy Reviews, 2021, 4, 382-446.                                                                                                                             | 13.1 | 181       |

| #   | ARTICLE                                                                                                                                                                                                                                                              | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 255 | In situ protection of a sulfur cathode and a lithium anode via adopting a fluorinated electrolyte for stable lithium-sulfur batteries. <i>Science China Materials</i> , 2021, 64, 2127-2138.                                                                         | 3.5 | 12        |
| 256 | Light Rechargeable Lithium-Ion Batteries Using $V_2O_5$ Cathodes. <i>Nano Letters</i> , 2021, 21, 3527-3532.                                                                                                                                                         | 4.5 | 99        |
| 257 | In situ Intermolecular Interaction in Composite Polymer Electrolyte for Ultralong Life Quasi-Solid-State Lithium Metal Batteries. <i>Angewandte Chemie</i> , 2021, 133, 12223-12230.                                                                                 | 1.6 | 20        |
| 258 | Thermal stability of modified lithium-ion battery electrolyte by flame retardant, tris (2,2,2-trifluoroethyl) phosphite. <i>Journal of Thermal Analysis and Calorimetry</i> , 0, , 1.                                                                                | 2.0 | 5         |
| 259 | Inherently flame-retardant solid polymer electrolyte for safety-enhanced lithium metal battery. <i>Chemical Engineering Journal</i> , 2021, 410, 128415.                                                                                                             | 6.6 | 42        |
| 260 | Advanced Low-Flammable Electrolytes for Stable Operation of High-Voltage Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2021, 133, 13109-13116.                                                                                                                   | 1.6 | 16        |
| 261 | Advanced Low-Flammable Electrolytes for Stable Operation of High-Voltage Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12999-13006.                                                                                            | 7.2 | 70        |
| 262 | In situ Intermolecular Interaction in Composite Polymer Electrolyte for Ultralong Life Quasi-Solid-State Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12116-12123.                                                          | 7.2 | 97        |
| 263 | Rational Electrolyte Design to Form Inorganic-Polymeric Interphase on Silicon-Based Anodes. <i>ACS Energy Letters</i> , 2021, 6, 1811-1820.                                                                                                                          | 8.8 | 39        |
| 264 | Challenges and future perspectives on sodium and potassium ion batteries for grid-scale energy storage. <i>Materials Today</i> , 2021, 50, 400-417.                                                                                                                  | 8.3 | 161       |
| 265 | Fluoride-Rich Solid-Electrolyte-Interface Enabling Stable Sodium Metal Batteries in High-Safe Electrolytes. <i>Advanced Functional Materials</i> , 2021, 31, 2103522.                                                                                                | 7.8 | 66        |
| 266 | How is the concentration determined for rapid lithium ion transfer in highly concentrated electrolyte solutions?. <i>Electrochemical Science Advances</i> , 0, , e2100058.                                                                                           | 1.2 | 4         |
| 267 | Formulating a Non-Flammable Highly Concentrated Dual-Salt Electrolyte for Wide Temperature High-Nickel Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2021, 168, 050511.                                                                     | 1.3 | 15        |
| 268 | A Review on the Current Progress and Challenges of 2D Layered Transition Metal Dichalcogenides as Li/Na-Ion Battery Anodes. <i>ChemElectroChem</i> , 2021, 8, 2358-2396.                                                                                             | 1.7 | 25        |
| 269 | Non-Flammable and Highly Concentrated Carbonate Ester-Free Electrolyte Solutions for 5 V-Class Positive Electrodes in Lithium-Ion Batteries. <i>ChemSusChem</i> , 2021, 14, 2445-2451.                                                                               | 3.6 | 9         |
| 270 | Development of cathode-electrolyte-interphase for safer lithium batteries. <i>Energy Storage Materials</i> , 2021, 37, 77-86.                                                                                                                                        | 9.5 | 78        |
| 271 | Reversible Copper Sulfide Conversion in Nonflammable Trimethyl Phosphate Electrolytes for Safe Sodium-Ion Batteries. <i>Small Structures</i> , 2021, 2, 2100035.                                                                                                     | 6.9 | 30        |
| 272 | Improved stability of highly concentrated $LiBF_4$ /fluorinated ethyl acetate-based electrolyte solutions with a co-solvent for $LiNi_0.8Co_0.1Mn_0.1O_2$ positive electrodes in lithium ion batteries. <i>Journal of Applied Electrochemistry</i> , 2021, 51, 1535. | 1.5 | 3         |



| #   | ARTICLE                                                                                                                                                                                                             | IF   | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 273 | Enabling Lithium Metal Anode in Nonflammable Phosphate Electrolyte with Electrochemically Induced Chemical Reactions. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 19183-19190.                     | 7.2  | 36        |
| 274 | Hydroxyapatite functionalization of solid polymer electrolytes for high-conductivity solid-state lithium-ion batteries. <i>Materials Today Energy</i> , 2021, 20, 100694.                                           | 2.5  | 20        |
| 275 | Sustainable Lithium-Metal Battery Achieved by a Safe Electrolyte Based on Recyclable and Low-Cost Molecular Sieve. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15572-15581.                        | 7.2  | 43        |
| 276 | Enabling Lithium Metal Anode in Nonflammable Phosphate Electrolyte with Electrochemically Induced Chemical Reactions. <i>Angewandte Chemie</i> , 2021, 133, 19332-19339.                                            | 1.6  | 1         |
| 277 | Experimental study on thermal runaway of fully charged and overcharged lithium-ion batteries under adiabatic and side-heating test. <i>Journal of Energy Storage</i> , 2021, 38, 102519.                            | 3.9  | 30        |
| 278 | Forging Inspired Processing of Sodium-Fluorinated Graphene Composite as Dendrite-Free Anode for Long-Life Na <sup>+</sup> CO <sub>2</sub> Cells. <i>Energy and Environmental Materials</i> , 2022, 5, 572-581.      | 7.3  | 8         |
| 279 | Sustainable Lithium-Metal Battery Achieved by a Safe Electrolyte Based on Recyclable and Low-Cost Molecular Sieve. <i>Angewandte Chemie</i> , 2021, 133, 15700-15709.                                               | 1.6  | 2         |
| 280 | Enabling stable sodium metal cycling by sodiophilic interphase in a polymer electrolyte system. <i>Journal of Energy Chemistry</i> , 2021, 63, 305-311.                                                             | 7.1  | 10        |
| 281 | Promoting operating voltage to 2.3 V by a superconcentrated aqueous electrolyte in carbon-based supercapacitor. <i>Chinese Chemical Letters</i> , 2021, 32, 2217-2221.                                              | 4.8  | 6         |
| 282 | Extending insertion electrochemistry to soluble layered halides with superconcentrated electrolytes. <i>Nature Materials</i> , 2021, 20, 1545-1550.                                                                 | 13.3 | 25        |
| 283 | Advanced Nonflammable Localized High-Concentration Electrolyte For High Energy Density Lithium Battery. <i>Energy and Environmental Materials</i> , 2022, 5, 1294-1302.                                             | 7.3  | 24        |
| 284 | Double Ionic-Electronic Transfer Interface Layers for All-Solid-State Lithium Batteries. <i>Angewandte Chemie</i> , 2021, 133, 18596-18601.                                                                         | 1.6  | 2         |
| 285 | Double Ionic-Electronic Transfer Interface Layers for All-Solid-State Lithium Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 18448-18453.                                                  | 7.2  | 37        |
| 286 | Rate Performance of LiCoO <sub>2</sub> Half-cells Using Highly Concentrated Lithium Bis(fluorosulfonyl)amide Electrolytes and Their Relevance to Transport Properties. <i>Electrochemistry</i> , 2021, 89, 389-394. | 0.6  | 8         |
| 287 | Concentrated Electrolytes Widen the Operating Temperature Range of Lithium-Ion Batteries. <i>Advanced Science</i> , 2021, 8, e2101646.                                                                              | 5.6  | 54        |
| 288 | Unlocking the self-supported thermal runaway of high-energy lithium-ion batteries. <i>Energy Storage Materials</i> , 2021, 39, 395-402.                                                                             | 9.5  | 74        |
| 289 | Thermally Stable and Nonflammable Electrolytes for Lithium Metal Batteries: Progress and Perspectives. <i>Small Science</i> , 2021, 1, 2100058.                                                                     | 5.8  | 81        |
| 290 | Fracture predictions based on a coupled chemo-mechanical model with strain gradient plasticity theory for film electrodes of Li-ion batteries. <i>Engineering Fracture Mechanics</i> , 2021, 253, 107866.           | 2.0  | 64        |

| #   | ARTICLE                                                                                                                                                                                                                | IF   | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 291 | Comparison of oxygen consumption calorimetry and thermochemistry theory on quantitative analysis of electrolyte combustion characteristics. <i>Case Studies in Thermal Engineering</i> , 2021, 26, 101085.             | 2.8  | 15        |
| 292 | Frontiers in Theoretical Analysis of Solid Electrolyte Interphase Formation Mechanism. <i>Advanced Materials</i> , 2021, 33, e2100574.                                                                                 | 11.1 | 65        |
| 293 | Electrochemically-Matched and Nonflammable Janus Solid Electrolyte for Lithium-Metal Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 39271-39281.                                                 | 4.0  | 16        |
| 294 | The passivity of lithium electrodes in liquid electrolytes for secondary batteries. <i>Nature Reviews Materials</i> , 2021, 6, 1036-1052.                                                                              | 23.3 | 201       |
| 295 | In-situ encapsulating flame-retardant phosphate into robust polymer matrix for safe and stable quasi-solid-state lithium metal batteries. <i>Energy Storage Materials</i> , 2021, 39, 186-193.                         | 9.5  | 98        |
| 296 | Tailoring uniform and ordered grain boundaries in the solid electrolyte interphase for dendrite-free lithium metal batteries. <i>Materials Today Energy</i> , 2021, 22, 100858.                                        | 2.5  | 12        |
| 297 | Development of high performing polymer electrolytes based on superconcentrated solutions. <i>Journal of Power Sources</i> , 2021, 506, 230220.                                                                         | 4.0  | 15        |
| 298 | A Lignosulfonate Binder for Hard Carbon Anodes in Sodium-Ion Batteries: A Comparative Study. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 12708-12717.                                                  | 3.2  | 10        |
| 299 | Thermal-responsive, super-strong, ultrathin firewalls for quenching thermal runaway in high-energy battery modules. <i>Energy Storage Materials</i> , 2021, 40, 329-336.                                               | 9.5  | 85        |
| 300 | Thermal-Responsive and Fire-Resistant Materials for High-Safety Lithium-Ion Batteries. <i>Small</i> , 2021, 17, e2103679.                                                                                              | 5.2  | 35        |
| 301 | Safer lithium-ion battery anode based on Ti <sub>3</sub> C <sub>2</sub> T <sub>z</sub> MXene with thermal safety mechanistic elucidation. <i>Chemical Engineering Journal</i> , 2021, 419, 129387.                     | 6.6  | 21        |
| 302 | An in-situ formed stable interface layer for high-performance sodium metal anode in a non-flammable electrolyte. <i>Energy Storage Materials</i> , 2021, 42, 145-153.                                                  | 9.5  | 42        |
| 303 | Understanding solid electrolyte interphases: Advanced characterization techniques and theoretical simulations. <i>Nano Energy</i> , 2021, 89, 106489.                                                                  | 8.2  | 43        |
| 304 | Solid-state polymer electrolytes with polypropylene separator-reinforced sandwich structure for room-temperature lithium ion batteries. <i>Journal of Membrane Science</i> , 2021, 638, 119713.                        | 4.1  | 24        |
| 305 | A thermoresponsive composite separator loaded with paraffin@SiO <sub>2</sub> microparticles for safe and stable lithium batteries. <i>Journal of Energy Chemistry</i> , 2021, 62, 423-430.                             | 7.1  | 36        |
| 306 | Nanohybrid engineering of the vertically confined marigold structure of rGO-VSe <sub>2</sub> as an advanced cathode material for aqueous zinc-ion battery. <i>Journal of Alloys and Compounds</i> , 2021, 882, 160704. | 2.8  | 17        |
| 307 | Unraveling the role of ion-solvent chemistry in stabilizing small-molecule organic cathode for potassium-ion batteries. <i>Energy Storage Materials</i> , 2021, 43, 172-181.                                           | 9.5  | 18        |
| 308 | Thermotolerant and fireproof gel polymer electrolyte toward high-performance and safe lithium-ion battery. <i>Journal of Energy Chemistry</i> , 2022, 65, 9-18.                                                        | 7.1  | 47        |

| #   | ARTICLE                                                                                                                                                                                                              | IF   | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 309 | Lithium battery enhanced by the combination of in-situ generated poly(ionic liquid) systems and TiO <sub>2</sub> nanoparticles. <i>Journal of Membrane Science</i> , 2022, 641, 119891.                              | 4.1  | 13        |
| 310 | Status and challenges facing representative anode materials for rechargeable lithium batteries. <i>Journal of Energy Chemistry</i> , 2022, 66, 260-294.                                                              | 7.1  | 149       |
| 311 | A new flame-retardant polymer electrolyte with enhanced Li-ion conductivity for safe lithium-sulfur batteries. <i>Journal of Energy Chemistry</i> , 2022, 65, 616-622.                                               | 7.1  | 26        |
| 312 | Highly Concentrated NaN(SO <sub>3</sub> ) <sub>2</sub> /3-Methylsulfolane Electrolyte Solution Showing High Na-ion Transference Number under Anion-Blocking Conditions. <i>Electrochemistry</i> , 2021, 89, 590-596. | 0.6  | 3         |
| 313 | Stable cycling via absolute intercalation in graphite-based lithium-ion battery incorporated by solidified ether-based polymer electrolyte. <i>Materials Advances</i> , 2021, 2, 3898-3905.                          | 2.6  | 4         |
| 314 | Fabrication of a microcapsule extinguishing agent with a core-shell structure for lithium-ion battery fire safety. <i>Materials Advances</i> , 0, , .                                                                | 2.6  | 14        |
| 315 | Principle in developing novel fluorinated sulfone electrolyte for high voltage lithium-ion batteries. <i>Energy and Environmental Science</i> , 2021, 14, 3029-3034.                                                 | 15.6 | 44        |
| 316 | Non-flammable liquid electrolytes for safe batteries. <i>Materials Horizons</i> , 2021, 8, 2913-2928.                                                                                                                | 6.4  | 58        |
| 317 | Advanced High-Performance Potassium-Chalcogen (S, Se, Te) Batteries. <i>Small</i> , 2021, 17, e2004369.                                                                                                              | 5.2  | 45        |
| 318 | High-voltage and intrinsically safe supercapacitors based on a trimethyl phosphate electrolyte. <i>Journal of Materials Chemistry A</i> , 2021, 9, 20725-20736.                                                      | 5.2  | 26        |
| 319 | Understanding the interfacial reactions of LiCoO <sub>2</sub> positive electrodes in aqueous lithium-ion batteries. <i>Materials Chemistry Frontiers</i> , 2021, 5, 3657-3663.                                       | 3.2  | 11        |
| 320 | A lithiophilic carbon scroll as a Li metal host with low tortuosity design and self-cleaning capability. <i>Journal of Materials Chemistry A</i> , 2021, 9, 13332-13343.                                             | 5.2  | 15        |
| 321 | Self-assembled cationic organic nanosheets: role of positional isomers in a guanidinium-core for efficient lithium-ion conduction. <i>Chemical Science</i> , 2021, 12, 13878-13887.                                  | 3.7  | 5         |
| 322 | A Halogen-Free and Flame-Retardant Sodium Electrolyte Compatible with Hard Carbon Anodes. <i>Advanced Materials Interfaces</i> , 2021, 8, .                                                                          | 1.9  | 9         |
| 323 | Aqueous Rechargeable Metal-Ion Batteries Working at Subzero Temperatures. <i>Advanced Science</i> , 2021, 8, 2002590.                                                                                                | 5.6  | 89        |
| 324 | Recent Advances in Stability of Carbon-Based Anodes for Potassium-Ion Batteries. <i>Batteries and Supercaps</i> , 2021, 4, 554-570.                                                                                  | 2.4  | 25        |
| 325 | Cocoon Silk-Derived, Hierarchically Porous Carbon as Anode for Highly Robust Potassium-Ion Hybrid Capacitors. <i>Nano-Micro Letters</i> , 2020, 12, 113.                                                             | 14.4 | 74        |
| 326 | Recent progress in aqueous based flexible energy storage devices. <i>Energy Storage Materials</i> , 2020, 30, 260-286.                                                                                               | 9.5  | 87        |

| #   | ARTICLE                                                                                                                                                                                                                           | IF   | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 327 | New Concepts in Electrolytes. <i>Chemical Reviews</i> , 2020, 120, 6783-6819.                                                                                                                                                     | 23.0 | 554       |
| 328 | Integration of Localized Electric-Field Redistribution and Interfacial Tin Nanocoating of Lithium Microparticles toward Long-Life Lithium Metal Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 650-659.     | 4.0  | 24        |
| 329 | Theoretically predicting the feasibility of highly-fluorinated ethers as promising diluents for non-flammable concentrated electrolytes. <i>Scientific Reports</i> , 2020, 10, 21966.                                             | 1.6  | 6         |
| 330 | The Efficiency of Aqueous Vermiculite Dispersion Fire Extinguishing Agent on Suppressing Three Typical Power Batteries. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2021, 18, .                             | 1.1  | 4         |
| 331 | Electrochemical Evaluation of Lithium-Metal Anode in Highly Concentrated Ethylene Carbonate Based Electrolytes. <i>Electrochemistry</i> , 2020, 88, 540-547.                                                                      | 0.6  | 14        |
| 332 | A High-performance Lithium Metal Battery with a Multilayer Hybrid Electrolyte. <i>Energy and Environmental Materials</i> , 2023, 6, .                                                                                             | 7.3  | 41        |
| 333 | MXene for aqueous zinc-based energy storage devices. <i>Functional Materials Letters</i> , 2021, 14, .                                                                                                                            | 0.7  | 15        |
| 334 | Implanting a Fire-extinguishing Alkyl in Sodium Metal Battery Electrolytes via a Functional Molecule. <i>Advanced Functional Materials</i> , 2022, 32, 2109378.                                                                   | 7.8  | 15        |
| 335 | Charge transport modelling of Lithium-ion batteries. <i>European Journal of Applied Mathematics</i> , 2022, 33, 983-1031.                                                                                                         | 1.4  | 9         |
| 336 | Zn Metal Anodes for Zn-Ion Batteries in Mild Aqueous Electrolytes: Challenges and Strategies. <i>Nanomaterials</i> , 2021, 11, 2746.                                                                                              | 1.9  | 31        |
| 337 | Fire-Retardant, Stable Cycling and High-Safety Sodium Ion Battery. <i>Angewandte Chemie</i> , 2021, 133, 27292-27300.                                                                                                             | 1.6  | 17        |
| 338 | Fire-Retardant, Stable Cycling and High-Safety Sodium Ion Battery. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 27086-27094.                                                                                      | 7.2  | 63        |
| 339 | 3i1/4ŽāfŠāf^āf^ā,  āfā,ā,āāf^3é»æ±āšā,^āā,«āf^ā,  āfā,ā,āāf^3é»æ±ç”“æœ%æ©Ÿé»èšŁæŕ^2āēç”ç©ŕā.ā. Denki Kagaku, 2019, 87, 20                                                                                                         |      |           |
| 340 | Electrolyte-dependent formation of solid electrolyte interphase and ion intercalation revealed by in situ surface characterizations. <i>Journal of Energy Chemistry</i> , 2022, 67, 718-726.                                      | 7.1  | 20        |
| 341 | High-Safety and Dendrite-Free Lithium Metal Batteries Enabled by Building a Stable Interface in a Nonflammable Medium-Concentration Phosphate Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 50869-50877. | 4.0  | 25        |
| 342 | High-voltage and High-Safety Practical Lithium Batteries with Ethylene Carbonate-free Electrolyte. <i>Advanced Energy Materials</i> , 2021, 11, 2102299.                                                                          | 10.2 | 59        |
| 343 | Solvation-protection-enabled high-voltage electrolyte for lithium metal batteries. <i>Nano Energy</i> , 2022, 92, 106720.                                                                                                         | 8.2  | 34        |
| 344 | Effects of Li ion-solvent interaction on ionic transport and electrochemical properties in highly concentrated cyclic carbonate electrolytes. <i>Journal of Non-Crystalline Solids: X</i> , 2021, 11-12, 100071.                  | 0.5  | 5         |

| #   | ARTICLE                                                                                                                                                                                                                                                                                         | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 345 | Designing Advanced Electrolytes for Lithium Secondary Batteries Based on the Coordination Number Rule. <i>ACS Energy Letters</i> , 2021, 6, 4282-4290.                                                                                                                                          | 8.8  | 60        |
| 346 | Robust Trioptical-State Electrochromic Energy Storage Device Enabled by Reversible Metal Electrodeposition. <i>ACS Energy Letters</i> , 2021, 6, 4328-4335.                                                                                                                                     | 8.8  | 36        |
| 347 | An optimized combination inspired by the wooden-barrel effect for Li-S pouch cells. <i>Cell Reports Physical Science</i> , 2021, 2, 100659.                                                                                                                                                     | 2.8  | 3         |
| 348 | In-situ Li <sup>+</sup> insertion induced lithiophilic expansion graphite for dendrite-free lithium metal anode. <i>Electrochimica Acta</i> , 2022, 403, 139646.                                                                                                                                | 2.6  | 8         |
| 349 | Surface coating of a LiNi <sub>x</sub> Co <sub>y</sub> Al <sub>1-x-y</sub> O <sub>2</sub> (<math>x > 0.85</math>) cathode with Li <sub>3</sub> PO <sub>4</sub> for applying a water-based hybrid polymer binder during Li-ion battery preparation. <i>RSC Advances</i> , 2021, 11, 37150-37161. | 1.7  | 3         |
| 350 | Sodium ion conducting flame-retardant gel polymer electrolyte for sodium batteries and electric double layer capacitors (EDLCs). <i>Journal of Energy Storage</i> , 2022, 46, 103899.                                                                                                           | 3.9  | 17        |
| 351 | Boosting safety and performance of lithium-ion battery enabled by cooperation of thermotolerant fire-retardant composite membrane and nonflammable electrolyte. <i>Chemical Engineering Journal</i> , 2022, 432, 134394.                                                                        | 6.6  | 21        |
| 352 | Solvation Structure of Li <sup>+</sup> in Concentrated Acetonitrile and N,N-Dimethylformamide Solutions Studied by Neutron Diffraction with <sup>6</sup> Li/ <sup>7</sup> Li Isotopic Substitution Methods. <i>Journal of Physical Chemistry B</i> , 2020, 124, 10456-10464.                    | 1.2  | 9         |
| 353 | Mitigating Thermal Runaway Propagation of NCM 811 Prismatic Batteries via Hollow Glass Microspheres Plates. <i>SSRN Electronic Journal</i> , 0, .                                                                                                                                               | 0.4  | 0         |
| 354 | Highly safe and stable lithium metal batteries based on a quasi-solid-state electrolyte. <i>Journal of Materials Chemistry A</i> , 2022, 10, 651-663.                                                                                                                                           | 5.2  | 32        |
| 355 | A fire-retarding electrolyte using triethyl phosphate as a solvent for sodium-ion batteries. <i>Chemical Communications</i> , 2022, 58, 533-536.                                                                                                                                                | 2.2  | 10        |
| 356 | Asymmetric donor-acceptor molecule-regulated core-shell-solvation electrolyte for high-voltage aqueous batteries. <i>Joule</i> , 2022, 6, 399-417.                                                                                                                                              | 11.7 | 50        |
| 357 | Chemical stability of sulfide solid-state electrolytes: stability toward humid air and compatibility with solvents and binders. <i>Energy and Environmental Science</i> , 2022, 15, 991-1033.                                                                                                   | 15.6 | 100       |
| 358 | Electrode Alignment: Ignored but Important Design Parameter in Assembling Coin-Type Full Lithium-Ion Cells. <i>Journal of the Electrochemical Society</i> , 2022, 169, 023502.                                                                                                                  | 1.3  | 12        |
| 359 | Deep Eutectic Solvents as Nonflammable Electrolytes for Durable Sodium-Ion Batteries. <i>Advanced Energy and Sustainability Research</i> , 2022, 3, .                                                                                                                                           | 2.8  | 12        |
| 360 | Four Phosphonium-based Ionic Liquids. Synthesis, Characterization and Electrochemical Performance as Electrolytes for Silicon Anodes. <i>ChemistrySelect</i> , 2022, 7, .                                                                                                                       | 0.7  | 3         |
| 361 | Process-Structure-Formulation Interactions for Enhanced Sodium Ion Battery Development: A Review. <i>ChemPhysChem</i> , 2022, 23, .                                                                                                                                                             | 1.0  | 4         |
| 362 | A Self-Supporting Covalent Organic Framework Separator with Desolvation Effect for High Energy Density Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2022, 7, 885-896.                                                                                                                   | 8.8  | 76        |

| #   | ARTICLE                                                                                                                                                                                                                                             | IF   | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 363 | The charge density of intercalants inside layered birnessite manganese oxide nanosheets determining Zn-ion storage capability towards rechargeable Zn-ion batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 5561-5568.                 | 5.2  | 11        |
| 364 | Multiscale Simulation of Solid Electrolyte Interface Formation in Fluorinated Diluted Electrolytes with Lithium Anodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 7972-7979.                                                        | 4.0  | 10        |
| 365 | Toward a New Generation of Fire-Safe Energy Storage Devices: Recent Progress on Fire-Retardant Materials and Strategies for Energy Storage Devices. <i>Small Methods</i> , 2022, 6, e2101428.                                                       | 4.6  | 12        |
| 366 | Thermal-triggered fire-extinguishing separators by phase change materials for high-safety lithium-ion batteries. <i>Energy Storage Materials</i> , 2022, 47, 445-452.                                                                               | 9.5  | 41        |
| 367 | Nonflammable Quasi-Solid Electrolyte for Energy-Dense and Long-Cycling Lithium Metal Batteries with High-Voltage Ni-Rich Layered Cathodes. <i>SSRN Electronic Journal</i> , 0, .                                                                    | 0.4  | 0         |
| 368 | New nonflammable tributyl phosphate based localized high concentration electrolytes for lithium metal batteries. <i>Sustainable Energy and Fuels</i> , 2022, 6, 2198-2206.                                                                          | 2.5  | 7         |
| 369 | Kinetics of Interfacial Ion Transfer in Lithium-Ion Batteries: Mechanism Understanding and Improvement Strategies. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 22706-22718.                                                           | 4.0  | 56        |
| 371 | 2D Materials for All-Solid-State Lithium Batteries. <i>Advanced Materials</i> , 2022, 34, e2108079.                                                                                                                                                 | 11.1 | 45        |
| 372 | Unveiling the Cation Exchange Reaction between the NASICON $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_4)_3$ Solid Electrolyte and the pyr13TFSI Ionic Liquid. <i>Journal of the American Chemical Society</i> , 2022, 144, 3442-3448. | 6.6  | 15        |
| 374 | Mechanism of Ion Conduction and Dynamics in Tris( <i>N,N</i> -dimethylformamide) Perchloratosodium Solid Electrolytes. <i>Journal of Physical Chemistry C</i> , 2022, 126, 4744-4750.                                                               | 1.5  | 3         |
| 375 | Lithium Salt-Induced In Situ Polymerizations Enable Double Network Polymer Electrolytes. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100853.                                                                                           | 2.0  | 1         |
| 376 | Challenge and Strategies in Room Temperature Sodium-Sulfur Batteries: A Comparison with Lithium-Sulfur Batteries. <i>Small</i> , 2022, 18, e2107368.                                                                                                | 5.2  | 32        |
| 377 | Batteries for wearables. <i>National Science Review</i> , 2023, 10, .                                                                                                                                                                               | 4.6  | 4         |
| 378 | Non-Electrode Components for Rechargeable Aqueous Zinc Batteries: Electrolytes, Solid-Electrolyte-Interphase, Current Collectors, Binders, and Separators. <i>Advanced Materials</i> , 2022, 34, e2108206.                                          | 11.1 | 58        |
| 379 | Comprehensive review on zinc-ion battery anode: Challenges and strategies. <i>Information Materials</i> , 2022, 4, .                                                                                                                                | 8.5  | 121       |
| 380 | Nitrile Electrolyte Strategy for 4.9 V-Class Lithium-Metal Batteries Operating in Flame. <i>Energy and Environmental Materials</i> , 2023, 6, .                                                                                                     | 7.3  | 10        |
| 381 | Anion-Diluent Pairing for Stable High-Energy Li Metal Batteries. <i>ACS Energy Letters</i> , 2022, 7, 1338-1347.                                                                                                                                    | 8.8  | 108       |
| 382 | Effect of Concentration and Temperature on the Structure and Ion Transport in Diglyme-Based Sodium-Ion Electrolyte. <i>Journal of Physical Chemistry B</i> , 2022, 126, 2119-2129.                                                                  | 1.2  | 5         |

| #   | ARTICLE                                                                                                                                                                                                         | IF   | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 383 | Design Strategies of Flame-Retardant Additives for Lithium Ion Electrolyte. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2022, 19, .                                                       | 1.1  | 7         |
| 384 | Safe and Energy-Dense Flexible Solid-State Lithium-Oxygen Battery with a Structured Three-Dimensional Polymer Electrolyte. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 4894-4903.              | 3.2  | 4         |
| 385 | Nonflammable quasi-solid electrolyte for energy-dense and long-cycling lithium metal batteries with high-voltage Ni-rich layered cathodes. <i>Energy Storage Materials</i> , 2022, 47, 542-550.                 | 9.5  | 34        |
| 386 | Polyzwitterionic double-network ionogel electrolytes for supercapacitors with cryogenic-effective stability. <i>Chemical Engineering Journal</i> , 2022, 438, 135607.                                           | 6.6  | 37        |
| 387 | Understanding fluorine-free electrolytes via small-angle X-ray scattering. <i>Journal of Energy Chemistry</i> , 2022, 70, 340-346.                                                                              | 7.1  | 10        |
| 388 | Non-flammable fluorobenzene-diluted highly concentrated electrolytes enable high-performance Li-metal and Li-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2022, 619, 399-406.               | 5.0  | 12        |
| 389 | Designing safer lithium-based batteries with nonflammable electrolytes: A review. <i>EScience</i> , 2021, 1, 163-177.                                                                                           | 25.0 | 147       |
| 390 | Toward an In-Depth Fire Hazard and Resistance Diagnosis of Flame Retarded Liquid Electrolytes for Safer Lithium-Ion Batteries. <i>Advanced Materials Technologies</i> , 0, , 2101055.                           | 3.0  | 0         |
| 391 | High-Polarity Fluoroalkyl Ether Electrolyte Enables Solvation-Free Li <sup>+</sup> Transfer for High-Rate Lithium Metal Batteries. <i>Advanced Science</i> , 2022, 9, e2104699.                                 | 5.6  | 54        |
| 392 | Tailoring the Solvation Sheath of Cations by Constructing Electrode Front-Faces for Rechargeable Batteries. <i>Advanced Materials</i> , 2022, 34, e2201339.                                                     | 11.1 | 66        |
| 393 | Electrolyte chemistry for lithium metal batteries. <i>Science China Chemistry</i> , 2022, 65, 840-857.                                                                                                          | 4.2  | 25        |
| 394 | Nonflammable, robust and flexible electrolytes enabled by phosphate coupled polymer-polymer for Li-metal batteries. <i>Journal of Colloid and Interface Science</i> , 2022, 621, 222-231.                       | 5.0  | 11        |
| 395 | Sodium-Ion Batteries: Chemistry of Biomass Derived Disordered Carbon in Carbonate and Ether-Based Electrolytes. <i>SSRN Electronic Journal</i> , 0, , .                                                         | 0.4  | 0         |
| 396 | Low-temperature and high-voltage planar micro-supercapacitors based on anti-freezing hybrid gel electrolyte. <i>Journal of Energy Chemistry</i> , 2022, 72, 195-202.                                            | 7.1  | 12        |
| 397 | Dynamic Reversible Evolution of Solid Electrolyte Interface in Nonflammable Triethyl Phosphate Electrolyte Enabling Safe and Stable Potassium-Ion Batteries. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8  | 32        |
| 398 | Advances in electrode/electrolyte interphase for sodium-ion batteries from half cells to full cells. <i>Cell Reports Physical Science</i> , 2022, 3, 100868.                                                    | 2.8  | 35        |
| 399 | Anion-Reinforced Solvation for a Gradient Inorganic-Rich Interphase Enables High-Rate and Stable Sodium Batteries. <i>Angewandte Chemie</i> , 2022, 134, .                                                      | 1.6  | 12        |
| 400 | Regulating Solvation Structure in Nonflammable Amide-Based Electrolytes for Long-Cycling and Safe Lithium Metal Batteries. <i>Advanced Energy Materials</i> , 2022, 12, .                                       | 10.2 | 47        |

| #   | ARTICLE                                                                                                                                                                                                           | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 401 | Superconcentrated NaFSAA <sup>+</sup> KFSAA <sup>-</sup> Aqueous Electrolytes for 2 V-Class Dual-Ion Batteries. ACS Applied Materials & Interfaces, 2022, 14, 23507-23517.                                        | 4.0  | 7         |
| 402 | Anion <sup>-</sup> Reinforced Solvation for a Gradient Inorganic <sup>-</sup> Rich Interphase Enables High <sup>-</sup> Rate and Stable Sodium Batteries. Angewandte Chemie - International Edition, 2022, 61, .  | 7.2  | 66        |
| 403 | Perspectives on Improving the Safety and Sustainability of High Voltage Lithium <sup>-</sup> Ion Batteries Through the Electrolyte and Separator Region. Advanced Energy Materials, 2022, 12, .                   | 10.2 | 64        |
| 404 | Synergistically reinforced poly(ethylene oxide)-based composite electrolyte for high-temperature lithium metal batteries. Journal of Colloid and Interface Science, 2022, 622, 1029-1036.                         | 5.0  | 7         |
| 405 | Electrospun poly(ionic liquid) nanofiber separators with high lithium-ion transference number for safe ionic-liquid-based lithium batteries in wide temperature range. Materials Today Physics, 2022, 25, 100716. | 2.9  | 2         |
| 406 | Salt <sup>-</sup> solvent synchro-constructed robust electrolyte <sup>-</sup> electrode interphase for high-voltage lithium metal batteries. Journal of Materials Chemistry A, 2022, 10, 19903-19913.             | 5.2  | 10        |
| 407 | Recent Developments in Electrolyte Materials for Rechargeable Batteries. Materials Horizons, 2022, , 369-415.                                                                                                     | 0.3  | 1         |
| 409 | A nonflammable low-concentration electrolyte for lithium-ion batteries. Journal of Materials Chemistry A, 2022, 10, 12575-12587.                                                                                  | 5.2  | 10        |
| 410 | Active material and interphase structures governing performance in sodium and potassium ion batteries. Chemical Science, 2022, 13, 6121-6158.                                                                     | 3.7  | 41        |
| 411 | Design Rationale and Device Configuration of Lithium <sup>-</sup> Ion Capacitors. Advanced Energy Materials, 2022, 12, .                                                                                          | 10.2 | 40        |
| 412 | Interfacial engineering to achieve an energy density of over 200 <sup>-</sup> Wh <sup>-</sup> kg <sup>-1</sup> in sodium batteries. Nature Energy, 2022, 7, 511-519.                                              | 19.8 | 130       |
| 413 | Electrolyte Solvation Structure Design for Sodium Ion Batteries. Advanced Science, 2022, 9, .                                                                                                                     | 5.6  | 138       |
| 414 | An Encapsulation <sup>-</sup> Based Sodium Storage via Zn <sup>-</sup> Single <sup>-</sup> Atom Implanted Carbon Nanotubes. Advanced Materials, 2022, 34, .                                                       | 11.1 | 27        |
| 415 | Enhanced interphasial stability of hard carbon for sodium-ion battery via film-forming electrolyte additive. Nano Research, 2023, 16, 3823-3831.                                                                  | 5.8  | 10        |
| 416 | Fire-extinguishing, recyclable liquefied gas electrolytes for temperature-resilient lithium-metal batteries. Nature Energy, 2022, 7, 548-559.                                                                     | 19.8 | 60        |
| 417 | Electrodeposited Layered Sodium Vanadyl Phosphate (Na <sub>x</sub> VOPO <sub>4</sub> ·nH <sub>2</sub> O) as Cathode Material for Aqueous Rechargeable Zinc Metal Batteries. Energy & Fuels, 2022, 36, 6520-6531.  | 2.5  | 3         |
| 418 | Low-solvation electrolytes for high-voltage sodium-ion batteries. Nature Energy, 2022, 7, 718-725.                                                                                                                | 19.8 | 137       |
| 419 | A Review of Battery Thermal Management Methods for Electric Vehicles. Journal of Electrochemical Energy Conversion and Storage, 2023, 20, .                                                                       | 1.1  | 1         |



| #   | ARTICLE                                                                                                                                                                                      | IF   | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 420 | Stable Sodium-Based Batteries with Advanced Electrolytes and Layered-Oxide Cathodes. ACS Applied Materials & Interfaces, 2022, 14, 28865-28872.                                              | 4.0  | 11        |
| 421 | Sodium-ion batteries: Chemistry of biomass derived disordered carbon in carbonate and ether-based electrolytes. Electrochimica Acta, 2022, 425, 140744.                                      | 2.6  | 23        |
| 422 | Strong ion pairing at the origin of modified Li-cation solvation and improved performances of dual-salt electrolytes. Journal of Power Sources, 2022, 541, 231644.                           | 4.0  | 5         |
| 423 | LiNO <sub>3</sub> and TMP enabled high voltage room-temperature solid-state lithium metal battery. Chemical Engineering Journal, 2022, 448, 137743.                                          | 6.6  | 12        |
| 424 | Materials, electrodes and electrolytes advances for next-generation lithium-based anode-free batteries. Oxford Open Materials Science, 2022, 2, .                                            | 0.5  | 5         |
| 425 | Wide-temperature range and high safety electrolytes for high-voltage Li-metal batteries. Nano Research, 2023, 16, 8260-8268.                                                                 | 5.8  | 12        |
| 426 | A Low-Cost Liquid-Phase Method of Synthesizing High-Performance Li <sub>6</sub> PS <sub>5</sub> Cl Solid-Electrolyte. ACS Applied Materials & Interfaces, 2022, 14, 30824-30838.             | 4.0  | 11        |
| 427 | Stable High-Temperature Lithium-Metal Batteries Enabled by Strong Multiple Ion-Dipole Interactions. Angewandte Chemie - International Edition, 2022, 61, .                                   | 7.2  | 24        |
| 428 | Stable High-Temperature Lithium-Metal Batteries Enabled by Strong Multiple Ion-Dipole Interactions.. Angewandte Chemie, 0, , .                                                               | 1.6  | 0         |
| 429 | Interface engineering by gelling sulfolane for durable and safe Li/LiCoO <sub>2</sub> batteries in wide temperature range. Science China Materials, 2022, 65, 2967-2974.                     | 3.5  | 2         |
| 430 | Customized design of electrolytes for high-safety and high-energy-density lithium batteries. EnergyChem, 2022, 4, 100082.                                                                    | 10.1 | 4         |
| 431 | Electrolytes for Multivalent Metal-Ion Batteries: Current Status and Future Prospect. ChemSusChem, 2022, 15, .                                                                               | 3.6  | 7         |
| 432 | Hitherto Unknown Solvent and Anion Pairs in Solvation Structures Reveal New Insights into High-Performance Lithium-Ion Batteries. Advanced Science, 2022, 9, .                               | 5.6  | 39        |
| 433 | Controlled polymerization for lithium-ion batteries. Energy Storage Materials, 2022, 52, 598-636.                                                                                            | 9.5  | 4         |
| 434 | Non-Flammable Ester Electrolyte with Boosted Stability Against Li for High-Performance Li Metal Batteries. Angewandte Chemie, 2022, 134, .                                                   | 1.6  | 8         |
| 435 | (3-Aminopropyl)triethoxysilane as an Electrolyte Additive for Enhancing the Thermal Stability of Silicon Anode in Lithium-Ion Batteries. ACS Applied Energy Materials, 2022, 5, 11254-11262. | 2.5  | 5         |
| 436 | Stabilizing Interfacial Reactions for Stable Cycling of High-Voltage Sodium Batteries. Advanced Functional Materials, 2022, 32, .                                                            | 7.8  | 19        |
| 437 | Improving Compatibility between Trimethyl Phosphate and Graphite Anodes by Preconstructing a Stable Solid Electrolyte Interphase Film. ACS Applied Energy Materials, 2022, 5, 11370-11378.   | 2.5  | 4         |

| #   | ARTICLE                                                                                                                                                                                                                                      | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 438 | Non-flammable Ester Electrolyte with Boosted Stability Against Li for High-Performance Li Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .                                                                    | 7.2 | 55        |
| 439 | Challenges and Opportunities of Ionic Liquid Electrolytes for Rechargeable Batteries. <i>Crystal Growth and Design</i> , 2022, 22, 5770-5784.                                                                                                | 1.4 | 10        |
| 440 | Monitoring lithium metal plating/stripping in anode free//NMC811 battery by in-situ X-rays diffraction. <i>Journal of Power Sources</i> , 2022, 546, 231941.                                                                                 | 4.0 | 8         |
| 441 | Uniform and oriented zinc deposition induced by artificial Nb <sub>2</sub> O <sub>5</sub> Layer for highly reversible Zn anode in aqueous zinc ion batteries. <i>Energy Storage Materials</i> , 2022, 52, 40-51.                             | 9.5 | 56        |
| 442 | Theoretical progresses in silicon anode substitutes for Lithium-ion batteries. <i>Journal of Energy Storage</i> , 2022, 55, 105352.                                                                                                          | 3.9 | 8         |
| 443 | Unexpected pressure effects on sulfide-based polymer-in-ceramic solid electrolytes for all-solid-state batteries. <i>Nano Energy</i> , 2022, 102, 107679.                                                                                    | 8.2 | 11        |
| 444 | Self-adaptable gel polymer electrolytes enable high-performance and all-round safety lithium ion batteries. <i>Energy Storage Materials</i> , 2022, 53, 62-71.                                                                               | 9.5 | 23        |
| 445 | Temperature-responsive solid-electrolyte-interphase enabling stable sodium metal batteries in a wide temperature range. <i>Nano Energy</i> , 2022, 103, 107746.                                                                              | 8.2 | 18        |
| 446 | High ionic conductivity and ion conduction mechanism in ZIF-8 based quasi-solid-state electrolytes: a positron annihilation and broadband dielectric spectroscopy study. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 24999-25009. | 1.3 | 4         |
| 447 | Two-dimensional metallic VTe <sub>2</sub> demonstrating fast ion diffusion for aqueous zinc-ion batteries. <i>Sustainable Energy and Fuels</i> , 2022, 6, 4626-4635.                                                                         | 2.5 | 6         |
| 448 | Non-flammable, dilute, and hydrous organic electrolytes for reversible Zn batteries. <i>Chemical Science</i> , 2022, 13, 11320-11329.                                                                                                        | 3.7 | 43        |
| 449 | A trade-off-free fluorosulfate-based flame-retardant electrolyte additive for high-energy lithium batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 21933-21940.                                                                | 5.2 | 4         |
| 450 | Electrochemical Evaluation of Lithium Metal Batteries Using Separators with Different Pore Sizes. <i>Electrochemistry</i> , 2022, 90, 107005-107005.                                                                                         | 0.6 | 4         |
| 451 | A fluorinated SEI layer induced by a fire-retardant gel polymer electrolyte boosting lateral dendrite growth. <i>Journal of Materials Chemistry A</i> , 2022, 10, 21905-21911.                                                               | 5.2 | 9         |
| 452 | High-Voltage and Fast-Charge Electrolytes for Lithium-Ion Batteries. <i>Batteries and Supercaps</i> , 2022, 5, .                                                                                                                             | 2.4 | 2         |
| 453 | Dipole-Dipole Interaction Induced Electrolyte Interfacial Model To Stabilize Antimony Anode for High-Safety Lithium-Ion Batteries. <i>ACS Energy Letters</i> , 2022, 7, 3545-3556.                                                           | 8.8 | 54        |
| 454 | NaAlCl <sub>4</sub> : New Halide Solid Electrolyte for 3 V Stable Cost-Effective All-Solid-State Na-Ion Batteries. <i>ACS Energy Letters</i> , 2022, 7, 3293-3301.                                                                           | 8.8 | 23        |
| 455 | Thermal Runaway of Nonflammable Localized High-Concentration Electrolytes for Practical Li <sub>0.8</sub> Mn <sub>0.1</sub> Co <sub>0.1</sub> O <sub>2</sub>   Graphite/SiO Pouch Cells. <i>Advanced Science</i> , 2022, 9, .                | 5.6 | 15        |

| #   | ARTICLE                                                                                                                                                                                                                                                          | IF   | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 456 | High-Voltage and Intrinsically Safe Sodium Metal Batteries Enabled by Nonflammable Fluorinated Phosphate Electrolytes. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 43387-43396.                                                                    | 4.0  | 7         |
| 457 | Lithium-Metal Batteries via Suppressing Li Dendrite Growth and Improving Coulombic Efficiency. <i>Small Structures</i> , 2022, 3, .                                                                                                                              | 6.9  | 26        |
| 458 | Tailored Organic Cathode Material with Multi-Active Site and Compatible Groups for Stable Quasi-Solid-State Lithium-Organic Batteries. <i>Advanced Functional Materials</i> , 2022, 32, .                                                                        | 7.8  | 21        |
| 459 | Controlling Intermolecular Interaction and Interphase Chemistry Enabled Sustainable Water-Tolerance LiMn <sub>2</sub> O <sub>4</sub>   Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, . | 7.2  | 10        |
| 460 | Innermost Ion Association Configuration Is a Key Structural Descriptor of Ionic Liquids at Electrified Interfaces. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 9464-9472.                                                                           | 2.1  | 3         |
| 461 | Controlling Intermolecular Interaction and Interphase Chemistry Enabled Sustainable Water-Tolerance LiMn <sub>2</sub> O <sub>4</sub>   Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Batteries. <i>Angewandte Chemie</i> , 0, , .                              | 1.6  | 2         |
| 462 | Key Advances of High-voltage Solid-state Lithium Metal Batteries Based on Poly(ethylene oxide) Polymer Electrolytes. <i>Acta Chimica Sinica</i> , 2022, 80, 1410.                                                                                                | 0.5  | 2         |
| 463 | Opportunities of Flexible and Portable Electrochemical Devices for Energy Storage: Expanding the Spotlight onto Semi-solid/Solid Electrolytes. <i>Chemical Reviews</i> , 2022, 122, 17155-17239.                                                                 | 23.0 | 67        |
| 464 | Surface positive-charged modification of inorganic fillers to optimize lithium ion conductive pathways in composite polymer electrolytes for lithium-metal batteries. <i>Journal of Colloid and Interface Science</i> , 2023, 630, 634-644.                      | 5.0  | 6         |
| 465 | Nonflammable Localized High-Concentration Electrolytes with Long-Term Cycling Stability for High-Performance Li Metal Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 48694-48704.                                                          | 4.0  | 5         |
| 468 | Review of the structure and performance of through-holed anodes and cathodes prepared with a picosecond pulsed laser for lithium-ion batteries. <i>International Journal of Extreme Manufacturing</i> , 2023, 5, 012001.                                         | 6.3  | 8         |
| 469 | Reductive gas manipulation at early self-heating stage enables controllable battery thermal failure. <i>Joule</i> , 2022, 6, 2810-2820.                                                                                                                          | 11.7 | 39        |
| 470 | Progress and Prospects of Inorganic Solid-State Electrolyte-Based All-Solid-State Pouch Cells. <i>Advanced Materials</i> , 2023, 35, .                                                                                                                           | 11.1 | 30        |
| 471 | Electrolyte design for stable electrode-electrolyte interphase to enable high-safety and high-voltage batteries. <i>ETransportation</i> , 2023, 15, 100216.                                                                                                      | 6.8  | 7         |
| 472 | Unveiling the structure, chemistry, and formation mechanism of an in-situ phosphazene flame retardant-derived interphase layer in LiFePO <sub>4</sub> cathode. <i>Chemical Engineering Journal</i> , 2023, 455, 140678.                                          | 6.6  | 8         |
| 473 | Electrode/electrolyte additives for practical sodium-ion batteries: a mini review. <i>Inorganic Chemistry Frontiers</i> , 2022, 10, 37-48.                                                                                                                       | 3.0  | 11        |
| 474 | Cellulose-based gel-type electrolyte fabricated by lyophilization to enable uniform Li <sup>+</sup> ion flux distribution for stable Li metal anodes with high-rate capability. <i>Applied Materials Today</i> , 2023, 30, 101705.                               | 2.3  | 3         |
| 475 | Improved interfacial compatibility between flame-retardant electrolytes and graphite electrodes by tuning the solvation structure of Li <sup>+</sup> . <i>Applied Surface Science</i> , 2023, 612, 155936.                                                       | 3.1  | 4         |

| #   | ARTICLE                                                                                                                                                                                                                                                                                                                                                      | IF   | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 476 | Is Nonflammability of Electrolyte Overrated in the Overall Safety Performance of Lithium Ion Batteries? A Sobering Revelation from a Completely Nonflammable Electrolyte. <i>Advanced Energy Materials</i> , 2023, 13, .                                                                                                                                     | 10.2 | 19        |
| 477 | Solvent Reorganization and Additives Synergistically Enable High-Performance Na-Ion Batteries. <i>ACS Energy Letters</i> , 2023, 8, 477-485.                                                                                                                                                                                                                 | 8.8  | 6         |
| 478 | Na Storage Activity or Inertness of P-Configurations in N, P Dual-Doped Carbon Nanofibers: Bulk vs Surface. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 56836-56846.                                                                                                                                                                           | 4.0  | 4         |
| 479 | Electrolyte Engineering for Safer $\text{Li}^+$ Batteries: A Review. <i>Chinese Journal of Chemistry</i> , 2023, 41, 1119-1141.                                                                                                                                                                                                                              | 2.6  | 16        |
| 480 | Concentrated electrolytes for rechargeable lithium metal batteries. <i>Materials Futures</i> , 2023, 2, 012101.                                                                                                                                                                                                                                              | 3.1  | 18        |
| 481 | Influence of $\text{AlPO}_4$ Impurity on the Electrochemical Properties of NASICON-Type $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ti}_{1.5}(\text{PO}_4)_3$ Solid Electrolyte. <i>ChemElectroChem</i> , 2022, 9, .                                                                                                                                                | 1.7  | 3         |
| 482 | Nonflammable Dual-Salt Electrolytes for Graphite/ $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$ Lithium-Ion Batteries: $\text{Li}^+$ Solvation Structure and Electrode/Electrolyte Interphase. <i>ACS Applied Energy Materials</i> , 2022, 5, 15491-15501.                                                                                     | 2.5  | 3         |
| 483 | Non-Flammable Electrolyte Enables High-Voltage and Wide-Temperature Lithium-Ion Batteries with Fast Charging. <i>Angewandte Chemie</i> , 2023, 135, .                                                                                                                                                                                                        | 1.6  | 12        |
| 484 | Non-Flammable Electrolyte Enables High-Voltage and Wide-Temperature Lithium-Ion Batteries with Fast Charging. <i>Angewandte Chemie - International Edition</i> , 2023, 62, .                                                                                                                                                                                 | 7.2  | 42        |
| 485 | Solvation Structures in Electrolyte and the Interfacial Chemistry for Na-Ion Batteries. <i>ACS Energy Letters</i> , 2022, 7, 4501-4503.                                                                                                                                                                                                                      | 8.8  | 8         |
| 486 | Mitigating Electron Leakage of Solid Electrolyte Interface for Stable Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2023, 62, .                                                                                                                                                                                                   | 7.2  | 25        |
| 487 | Mitigating Electron Leakage of Solid Electrolyte Interface for Stable Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2023, 135, .                                                                                                                                                                                                                          | 1.6  | 2         |
| 488 | A comparative analysis of volumetric, viscometric and conductometric properties of Triethylmethylammonium Tetrafluoroborate (TEMABF <sub>4</sub> ) and Tetraethylammonium Tetrafluoroborate (TEABF <sub>4</sub> ) in pure propylene carbonate (PC) and binary aqueous propylene carbonate solvents. <i>Journal of Molecular Liquids</i> , 2023, 374, 121244. | 2.3  | 3         |
| 489 | Novel quasi-solid-state composite electrolytes boost interfacial $\text{Li}^+$ transport for long-cycling and dendrite-free lithium metal batteries. <i>Energy Storage Materials</i> , 2023, 56, 258-266.                                                                                                                                                    | 9.5  | 3         |
| 490 | A tailored electrolyte for safe and durable potassium ion batteries. <i>Energy and Environmental Science</i> , 2023, 16, 305-315.                                                                                                                                                                                                                            | 15.6 | 90        |
| 491 | High-safety and high-efficiency electrolyte design for 4.6 V-class lithium-ion batteries with a non-solvating flame-retardant. <i>Chemical Science</i> , 2023, 14, 1184-1193.                                                                                                                                                                                | 3.7  | 15        |
| 492 | Electrochemical Reactivation of Dead $\text{Li}_2\text{S}$ for $\text{Li}^+\text{S}$ Batteries in Non-Solvating Electrolytes. <i>Angewandte Chemie</i> , 2023, 135, .                                                                                                                                                                                        | 1.6  | 0         |
| 493 | High-stable nonflammable electrolyte regulated by coordination-number rule for all-climate and safer lithium-ion batteries. <i>Energy Storage Materials</i> , 2023, 55, 836-846.                                                                                                                                                                             | 9.5  | 14        |

| #   | ARTICLE                                                                                                                                                                                                                                             | IF   | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 494 | Electrochemical Reactivation of Dead Li <sub>2</sub> S for Li <sup>+</sup> S Batteries in Non-Solvating Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2023, 62, .                                                                | 7.2  | 15        |
| 495 | Innovative discontinuous-SEI constructed in ether-based electrolyte to maximize the capacity of hard carbon anode. <i>Journal of Energy Chemistry</i> , 2023, 79, 459-467.                                                                          | 7.1  | 12        |
| 496 | On enhancing the Li-ion conductivity of quasi-solid-state electrolytes by suppressing the flexibility of zeolitic imidazolate framework-8 <i>via</i> a mixed ligand strategy. <i>Physical Chemistry Chemical Physics</i> , 0, , .                   | 1.3  | 1         |
| 497 | An intrinsically non-flammable organic electrolyte for wide temperature range supercapacitors. <i>Chemical Engineering Journal</i> , 2023, 457, 141265.                                                                                             | 6.6  | 15        |
| 498 | Realizing high reversibility and safety of Zn anode via binary mixture of organic solvents. <i>Nano Energy</i> , 2023, 107, 108175.                                                                                                                 | 8.2  | 20        |
| 499 | High-performance lithium metal batteries enabled by fluorinated aromatic diluent assisted nonflammable localized high-concentration electrolytes. <i>Journal of Power Sources</i> , 2023, 559, 232631.                                              | 4.0  | 5         |
| 500 | Polymeric concentrated electrolyte enables simultaneous stabilization of electrode/electrolyte interphases for quasi-solid-state lithium metal batteries. <i>EcoMat</i> , 2023, 5, .                                                                | 6.8  | 15        |
| 501 | In-situ construction of barium-induced cathode electrolyte interphase to enable mechanostable high-performance zinc-ion batteries. <i>Materials Today Energy</i> , 2023, 32, 101254.                                                                | 2.5  | 3         |
| 502 | A comparative analysis of the influence of hydrofluoroethers as diluents on solvation structure and electrochemical performance in non-flammable electrolytes. <i>Journal of Materials Chemistry A</i> , 2023, 11, 4111-4125.                       | 5.2  | 8         |
| 503 | Designing Zwitterionic Gel Polymer Electrolytes with Dual-Ion Solvation Regulation Enabling Stable Sodium Ion Capacitor. <i>Advanced Energy Materials</i> , 2023, 13, .                                                                             | 10.2 | 5         |
| 504 | A Review of Solid Electrolyte Interphase (SEI) and Dendrite Formation in Lithium Batteries. <i>Electrochemical Energy Reviews</i> , 2023, 6, .                                                                                                      | 13.1 | 30        |
| 505 | Deep and Comprehensive Study on the Impact of Different Phosphazene-Based Flame-Retardant Additives on Electrolyte Properties, Performance, and Durability of High-Voltage LMNO-Based Lithium-Ion Batteries. <i>Energy Technology</i> , 2023, 11, . | 1.8  | 3         |
| 506 | Current trends, challenges, and prospects in material advances for improving the overall safety of lithium-ion battery pack. <i>Chemical Engineering Journal</i> , 2023, 463, 142336.                                                               | 6.6  | 11        |
| 507 | In-situ construction of high-mechanical-strength and fast-ion-conductivity interphase for anode-free Li battery. <i>Journal of Energy Chemistry</i> , 2023, 80, 207-214.                                                                            | 7.1  | 10        |
| 508 | A nonflammable diethyl ethylphosphonate-based electrolyte improved by synergistic effect of lithium difluoro(oxalato)borate and fluoroethylene carbonate. <i>Journal of Power Sources</i> , 2023, 570, 233051.                                      | 4.0  | 0         |
| 509 | Novelty method based on thermal trigger mechanism for high energy density lithium-ion battery safety. <i>Journal of Energy Storage</i> , 2023, 64, 107231.                                                                                          | 3.9  | 1         |
| 510 | Molecular Design of Asymmetric Cyclophosphamide as Electrolyte Additive for High-Voltage Lithium-Ion Batteries. <i>ACS Energy Letters</i> , 2023, 8, 2241-2251.                                                                                     | 8.8  | 6         |
| 511 | Moderately concentrated electrolyte enabling high-performance lithium metal batteries with a wide working temperature range. <i>Journal of Energy Chemistry</i> , 2023, 79, 201-210.                                                                | 7.1  | 7         |

| #   | ARTICLE                                                                                                                                                                                                                             | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 512 | A high-safety, flame-retardant cellulose-based separator with encapsulation structure for lithium-ion battery. SmartMat, 2023, 4, .                                                                                                 | 6.4  | 5         |
| 513 | Recent progress in electrolyte design for advanced lithium metal batteries. SmartMat, 2023, 4, .                                                                                                                                    | 6.4  | 13        |
| 514 | Electrochemical and Mechanical Performance According to Regulating Sintering Time of Cubic $\text{Li}_{6.1}\text{Ga}_{0.3}\text{La}_3\text{Zr}_2\text{O}_{12}$ Solid Electrolyte. ACS Applied Energy Materials, 2023, 6, 2812-2818. | 2.5  | 2         |
| 515 | Non-flammable Phosphate-Grafted Nanofiber Separator Enabling Stable-Cycling and High-Safety Lithium Metal Batteries. Journal of the Electrochemical Society, 2023, 170, 030513.                                                     | 1.3  | 1         |
| 516 | Surface-dipole-directed formation of stable solid electrolyte interphase. Cell Reports Physical Science, 2023, 4, 101324.                                                                                                           | 2.8  | 3         |
| 517 | Low-Cost, High-Strength Cellulose-based Quasi-Solid Polymer Electrolyte for Solid-State Lithium-Metal Batteries. Angewandte Chemie - International Edition, 2023, 62, .                                                             | 7.2  | 21        |
| 518 | Low-Cost, High-Strength Cellulose-based Quasi-Solid Polymer Electrolyte for Solid-State Lithium-Metal Batteries. Angewandte Chemie, 2023, 135, .                                                                                    | 1.6  | 2         |
| 519 | Design of Localized High-Concentration Electrolytes via Donor Number. ACS Energy Letters, 2023, 8, 1723-1734.                                                                                                                       | 8.8  | 21        |
| 520 | Nanostructured Conducting Polymers and Their Applications in Energy Storage Devices. Polymers, 2023, 15, 1450.                                                                                                                      | 2.0  | 12        |
| 521 | An Intrinsically Nonflammable Electrolyte for Prominent-Safety Lithium Metal Batteries with High Energy Density and Cycling Stability. Advanced Functional Materials, 2023, 33, .                                                   | 7.8  | 4         |
| 522 | Highly stable lithium-ion wide-temperature storage performance achieved via anion-dominated solvation structure and electric double-layer engineering. Journal of Power Sources, 2023, 567, 232975.                                 | 4.0  | 1         |
| 523 | Flame-Retardant Additive/Co-Solvent Contained in Organic Solution for Safe Second Batteries: A Review. ChemElectroChem, 2023, 10, .                                                                                                 | 1.7  | 1         |
| 524 | Thermally insulating and fire-retardant bio-mimic structural composites with a negative Poisson's ratio for battery protection. , 2023, 5, .                                                                                        |      | 4         |
| 525 | Zwitterionic poly(ionic liquids)-based polymer electrolytes for Lithium-ion batteries applications. Ionics, 2023, 29, 2249-2259.                                                                                                    | 1.2  | 3         |
| 526 | Revealing Structural Insights of Solid Electrolyte Interphase in High-Concentrated Non-Flammable Electrolyte for Li Metal Batteries by Cryo-TEM. Small, 2023, 19, .                                                                 | 5.2  | 4         |
| 527 | Emerging electrolytes with fluorinated solvents for rechargeable lithium-based batteries. Chemical Society Reviews, 2023, 52, 2713-2763.                                                                                            | 18.7 | 58        |
| 528 | Regulating the Solvation Structure of Electrolyte via Dual-Salt Combination for Stable Potassium Metal Batteries. Advanced Science, 2023, 10, .                                                                                     | 5.6  | 7         |
| 529 | Binder-Induced Ultrathin SEI for Defect-Passivated Hard Carbon Enables Highly Reversible Sodium-Ion Storage. Advanced Energy Materials, 2023, 13, .                                                                                 | 10.2 | 30        |

| #   | ARTICLE                                                                                                                                                                       | IF   | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 532 | Recent advances of Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> as cathode for rechargeable zinc-based batteries. Carbon Letters, 2023, 33, 989-1012.       | 3.3  | 2         |
| 539 | Building Better Full Manganese-Based Cathode Materials for Next-Generation Lithium-Ion Batteries. Electrochemical Energy Reviews, 2023, 6, .                                  | 13.1 | 10        |
| 555 | Recent progress in nonflammable electrolytes and cell design for safe Li-ion batteries. Journal of Materials Chemistry A, 2023, 11, 15576-15599.                              | 5.2  | 3         |
| 561 | Insights into the solvation chemistry in liquid electrolytes for lithium-based rechargeable batteries. Chemical Society Reviews, 2023, 52, 5255-5316.                         | 18.7 | 24        |
| 574 | Electrolyte designs for safer lithium-ion and lithium-metal batteries. Journal of Materials Chemistry A, 0, , .                                                               | 5.2  | 0         |
| 578 | Interfacial engineering of the layered oxide cathode materials for sodium-ion battery. Nano Research, 2024, 17, 1441-1464.                                                    | 5.8  | 3         |
| 582 | Recent status, key strategies and challenging perspectives of fast-charging graphite anodes for lithium-ion batteries. Energy and Environmental Science, 2023, 16, 4834-4871. | 15.6 | 14        |
| 594 | From Liquid to Solid-State Lithium Metal Batteries: Fundamental Issues and Recent Developments. Nano-Micro Letters, 2024, 16, .                                               | 14.4 | 1         |
| 610 | Lithium batteries - Secondary systems “ All-solid state systems   Halides and oxy-halides lithium-based solid electrolytes. , 2023, , .                                       |      | 0         |
| 624 | Tailored nonwoven supported non-flammable quasi-solid electrolyte enables an ultra-stable sodium metal battery. Energy Advances, 2024, 3, 419-423.                            | 1.4  | 0         |