

CITATION REPORT

List of articles citing

Multiple organ dysfunction score: a reliable descriptor of a complex clinical outcome

DOI: 10.1097/00003246-199510000-00007
Critical Care Medicine, 1995, 23, 1638-52.

Source: <https://exaly.com/paper-pdf/85505144/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2269	Ergebnisforschung âBedeutung ff die Sepsis und den septischen Schock. 1996 , 23, 127-136		
2268	Sepsis: Putting Parts of the Elephant Together. 1996 , 11, 346-348		
2267	Efficacy measures: surrogates or clinical outcomes?. 1996 , 36, 767-70	18	
2266	The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure. On behalf of the Working Group on Sepsis-Related Problems of the European Society of Intensive Care Medicine. 1996 , 22, 707-10		8346
2265	Influence of multiple organ dysfunction syndrome on duration of critical illness and hospitalization. 1996 , 131, 1318-23; discussion 1324		30
2264	The Logistic Organ Dysfunction System. 1996 , 276, 802		443
2263	Hospital outcome of ICU patients in multi-organ failure. 1997 , 8, 132-135		2
2262	Multiple organ failure, multiple organ dysfunction syndrome, and systemic inflammatory response syndrome. Why no magic bullets?. 1997 , 132, 703-7		99
2261	The impact of gender on outcome from mechanical ventilation. 1997 , 111, 434-41		66
2260	Predictors of outcome in cardiac surgical patients with prolonged intensive care stay. 1997 , 112, 1035-42		90
2259	Light versus heavy sedation after cardiac surgery: myocardial ischemia and the stress response. Maritime Heart Centre and Dalhousie University. 1997 , 85, 971-8		8
2258	Sepsis: a new hypothesis for pathogenesis of the disease process. 1997 , 112, 235-43		805
2257	Light Versus Heavy Sedation After Cardiac Surgery. 1997 , 85, 971-978		36
2256	Anaesthetic Research Society, Bristol meeting. July 3-4, 1997. Abstracts. 1997 , 79, 674P-687P		
2255	Proceedings of the Anaesthetic Research Society. 1997 , 78, 453P-475P		
2254	Selecting and validating biologic markers for drug development. 1997 , 37, 355-62		33
2253	From the Bench to the Bedside: The Future of Sepsis Research. 1997 , 111, 744-753		64

2252	International comparisons of critical care outcome and resource consumption. 1997 , 13, 389-407	56
2251	In vivo endotoxin tolerance: impaired LPS-stimulated TNF release of monocytes from patients with sepsis, but not SIRS. 1997 , 69, 101-6	42
2250	Dysregulated expression of neutrophil apoptosis in the systemic inflammatory response syndrome. 1997 , 132, 1263-9; discussion 1269-70	264
2249	Adult respiratory distress syndrome: a disorder in need of improved outcome. 1997 , 26, 3-14	21
2248	Acute renal failure, critical illness and the artificial kidney: can we predict outcome?. 1997 , 15, 346-53	6
2247	A survey of the ASA physical status classification: significant variation in allocation among Finnish anaesthesiologists. 1997 , 41, 629-32	98
2246	Prehospital care, importance of early intervention on outcome. 1997 , 110, 71-6	46
2245	Documenting life-support preferences in hospitalized patients. 1997 , 12, 155-60	18
2244	The Multiple Organ Dysfunction (MOD) Score. 1997 , 1, 49-52	8
2243	Organ Dysfunction as an Outcome Measure: The Sofa Score. 1997 , 1, 53-54	10
2242	Effects of thalidomide on neutrophil respiratory burst, chemotaxis, and transmigration of cytokine- and endotoxin-activated endothelium. 1997 , 356, 529-35	28
2241	Epidemiology of acute renal failure and outcome of haemodiafiltration in intensive care. 1997 , 23, 1204-11	97
2240	The effect of N-acetylcysteine on total serum anti-oxidant potential and urinary albumin excretion in critically ill patients. 1998 , 24, 230-5	26
2239	Nutritional modulation of immunity and the inflammatory response. 1998 , 14, 545-50	34
2238	Scoring systems in intensive care. 1998 , 9, 8-15	2
2237	Cerebral blood flow is proportional to cardiac index in patients with septic shock. 1998 , 13, 104-9	44
2236	Using the logistic organ dysfunction system to assess organ dysfunction in the intensive care unit. 1998 , 35, 183-192	
2235	Clinical relevance of sepsis scores. 1998 , 383, 11-4	4

2234	Outcome after polytrauma. 1998 , 383, 228-34	31
2233	The impact of multiple organ dysfunction on mortality following ruptured abdominal aortic aneurysm repair. 1998 , 12, 93-100	56
2232	[Scores for multiple organ dysfunction and multiple organ failure]. 1998 , 39, 502-8	13
2231	[Clinical effects of supplemental enteral nutrition solution in severe polytrauma]. 1998 , 101, 105-14	11
2230	Comparison between two fat emulsions: Intralipid 30 cent vs intralipid 10 cent in critically ill patients. 1998 , 17, 31-4	15
2229	Beneficial effects of chest tube drainage of pleural effusion in acute respiratory failure refractory to positive end-expiratory pressure ventilation. 1998 , 123, 137-143	90
2228	Degree of hypercoagulability and hyperfibrinolysis is related to organ failure and prognosis after burn trauma. 1998 , 89, 59-64	96
2227	A comparison of sucralfate and ranitidine for the prevention of upper gastrointestinal bleeding in patients requiring mechanical ventilation. Canadian Critical Care Trials Group. 1998 , 338, 791-7	683
2226	Impaired platelet function correlates with multi-organ dysfunction. A study of patients with sepsis. 1998 , 9, 223-5	27
2225	Sepsis-related organ failure assessment and withholding or withdrawing life support from critically ill patients. 1998 , 2, 61-66	8
2224	Decreased mortality from necrotizing pancreatitis. 1998 , 176, 648-53	25
2223	Anaesthesia, Pain, Intensive Care and Emergency Medicine - A.P.I.C.E.. 1998 ,	
2222	Acute lung injury in the medical ICU: comorbid conditions, age, etiology, and hospital outcome. 1998 , 157, 1159-64	367
2221	Evaluation of a ventilation strategy to prevent barotrauma in patients at high risk for acute respiratory distress syndrome. Pressure- and Volume-Limited Ventilation Strategy Group. 1998 , 338, 355-61	745
2220	Effect of pentoxifylline in severe sepsis: results of a randomized, double-blind, placebo-controlled study. 1998 , 133, 94-100	100
2219	Management of multiple organ failure: guidelines but no hard-and-fast rules. 1998 , 41 Suppl A, 103-12	28
2218	The systemic inflammatory response syndrome: definitions and aetiology. 1998 , 41 Suppl A, 1-7	202
2217	Gender differences in human sepsis. 1998 , 133, 1200-5	432

2216	Increased intestinal permeability is associated with the development of multiple organ dysfunction syndrome in critically ill ICU patients. 1998 , 158, 444-51	296
2215	Defining a High-Performance ICU System for the 21st Century: A Position Paper. 1998 , 13, 195-205	18
2214	Scoring organ dysfunction. 1998 , 114, 941-2	0
2213	Multivariate analysis of 9 disease-associated variables for outcome prediction in patients with sepsis. 1998 , 133, 1347-50	14
2212	Incidence of and risk factors for ventilator-associated pneumonia in critically ill patients. 1998 , 129, 433-40	620
2211	Ruptured abdominal aortic aneurysm--outcome in a community teaching hospital intensive care unit. 1999 , 27, 497-502	11
2210	Relationship of systemic inflammatory response syndrome to organ dysfunction, length of stay, and mortality in critical surgical illness: effect of intensive care unit resuscitation. 1999 , 134, 81-7	132
2209	Diaspirin cross-linked hemoglobin (DCLHb) in the treatment of severe traumatic hemorrhagic shock: a randomized controlled efficacy trial. 1999 , 282, 1857-64	355
2208	Anti-inflammatory function of secretory leukocyte protease inhibitor. 1999 , 5, 167-169	
2207	Development of a pediatric multiple organ dysfunction score: use of two strategies. 1999 , 19, 399-410	138
2206	Role of hypoalbuminemia and hypocholesterolemia as copredictors of mortality in acute renal failure. 1999 , 56, 1058-63	75
2205	New concepts of sepsis and their practical value. 1999 , 5, 2S13-2S16	1
2204	Differentiated effects on splanchnic homeostasis by selective and non-selective endothelin receptor antagonism in porcine endotoxaemia. 1999 , 127, 1793-804	20
2203	Measures of total free radical activity in critically ill patients. 1999 , 32, 263-8	52
2202	Application of SOFA score to trauma patients. Sequential Organ Failure Assessment. 1999 , 25, 389-94	154
2201	Biostatistical aspects of outcome evaluation using TISS-28. 1999 , 56-61	11
2200	Organ dysfunction as an outcome measure in clinical trials. 1999 , 62-7	35
2199	Relationship between blood lactate and early hepatic dysfunction in acute circulatory failure. 1999 , 14, 7-11	36

2198	Perioperative multiple organ dysfunction syndrome. 1999 , 18, 27-43	1
2197	Anaesthesia, Pain, Intensive Care and Emergency Medicine âA.P.I.C.E.. 1999 ,	
2196	The clinical management database. 1999 , 15, 481-97, v	5
2195	Calculated total radical antioxidant potential compared in outcome groups of septic shock. 1999 , 10, 7-12	2
2194	La pathologie iatrog�ne en r�animation: �tude prospective. 1999 , 8, 319-326	2
2193	Changes of platelet surface antigens in patients suffering from abdominal septic shock. 1999 , 95, 289-94	24
2192	Thrombocytopenia in critically ill surgical patients: a case-control study evaluating attributable mortality and transfusion requirements. 1999 , 3, 151-158	44
2191	The attributable morbidity and mortality of ventilator-associated pneumonia in the critically ill patient. The Canadian Critical Trials Group. 1999 , 159, 1249-56	667
2190	The clinical utility of invasive diagnostic techniques in the setting of ventilator-associated pneumonia. Canadian Critical Care Trials Group. 1999 , 115, 1076-84	122
2189	Lack of enteral nutrition during critical illness is associated with profound decrements in biliary lipid concentrations. 1999 , 70, 70-7	32
2188	Mechanical ventilation in hematopoietic stem cell transplantation: can We effectively predict outcomes?. 1999 , 116, 1012-8	52
2187	Hepatic Hemodynamics and Cell Functions in Human and Experimental Sepsis. 1999 , 89, 344-352	8
2186	Hepatic hemodynamics and cell functions in human and experimental sepsis. 1999 , 89, 344-52	19
2185	Gender-based differences in outcome in patients with sepsis. 1999 , 134, 1342-7	167
2184	Extending the Computerisation of Healthcare Delivery. 2000 , 33, 207-212	
2183	Performance of APACHE III models in an Australian ICU. 2000 , 118, 1732-8	21
2182	Appraisal of early evaluation of blunt chest trauma: development of a standardized scoring system for initial clinical decision making. 2000 , 49, 496-504	164
2181	Ventricular cerebrospinal fluid and serum concentrations of sTNFR-I, IL-1ra, and IL-6 after aneurysmal subarachnoid hemorrhage. 2000 , 12, 297-306	52

2180	Plasma granulocyte colony-stimulating factor and granulocyte-macrophage colony-stimulating factor levels in critical illness including sepsis and septic shock: relation to disease severity, multiple organ dysfunction, and mortality. <i>Critical Care Medicine</i> , 2000 , 28, 2344-54	1.4	40
2179	Changing pattern of organ dysfunction in early human sepsis is related to mortality. <i>Critical Care Medicine</i> , 2000 , 28, 3405-11	1.4	147
2178	Thrombocytopenia and prognosis in intensive care. <i>Critical Care Medicine</i> , 2000 , 28, 1871-6	1.4	950
2177	Blunted rise in platelet count in critically ill patients is associated with worse outcome. <i>Critical Care Medicine</i> , 2000 , 28, 3843-6	1.4	91
2176	The "new" scores: what problems have been fixed, and what remain?. 2000 , 6, 158-165		14
2175	Endothelin in septic patients: effects on cardiovascular and renal function and its relationship to proinflammatory cytokines. <i>Critical Care Medicine</i> , 2000 , 28, 1854-60	1.4	56
2174	Safety of granulocyte colony-stimulating factor (filgrastim) in intubated patients in the intensive care unit: interim analysis of a prospective, placebo-controlled, double-blind study. <i>Critical Care Medicine</i> , 2000 , 28, 3620-5	1.4	45
2173	Long-term survival and functional capacity in cardiac surgery patients after prolonged intensive care. <i>Critical Care Medicine</i> , 2000 , 28, 3847-53	1.4	119
2172	Inhibition of neutrophil apoptosis after severe trauma is NFkappabeta dependent. 2000 , 48, 599-604; discussion 604-5		39
2171	Sleep in critically ill patients requiring mechanical ventilation. 2000 , 117, 809-18		362
2170	Sequential organ scoring as a measure of effectiveness of critical care. 2000 , 55, 1149-54		13
2169	Critical care in the emergency department: A physiologic assessment and outcome evaluation. 2000 , 7, 1354-61		129
2168	Treatment of ruptured abdominal aortic aneurysm, a permanent challenge or a waste of resources? Prediction of outcome using a multi-organ-dysfunction score. 2000 , 19, 190-6		115
2167	Is the endogenous peroxy-radical scavenging capacity of plasma protective in systemic inflammatory disorders in humans?. 2000 , 28, 926-33		53
2166	Microalbuminuria and serum procalcitonin levels following oesophagectomy. 2000 , 17, 464-465		26
2165	N-acetylcysteine treatment in critical illness. 2000 , 11, 269-273		3
2164	Severity of illness scores and the outcome of acute tubular necrosis. 2000 , 32, 185-91		9
2163	Study Design Issues in Sepsis Trials. 2000 , 4, 7-13		3

2162	The epidemiology of the systemic inflammatory response. 2000 , 26 Suppl 1, S64-74		336
2161	Clinical trials of mediator-directed therapy in sepsis: what have we learned?. 2000 , 26 Suppl 1, S75-83		79
2160	Multiple organ failure during critical illness: how organ failure influences outcome in liver disease and liver transplantation. 2000 , 6, S5-9		3
2159	Early signs of critical illness polyneuropathy in ICU patients with systemic inflammatory response syndrome or sepsis. 2000 , 26, 1360-3		712
2158	Comparison of Sepsis-related Organ Failure Assessment (SOFA) score and CIS (cellular injury score) for scoring of severity for patients with multiple organ dysfunction syndrome (MODS). 2000 , 26, 1786-93		49
2157	Myocardial necrosis in ICU patients with acute non-cardiac disease: a prospective study. 2000 , 26, 31-7		240
2156	Late steroid therapy in primary acute lung injury. 2000 , 26, 526-31		28
2155	Evaluation of organ failure: we are making progress. 2000 , 26, 1023-4		13
2154	Evaluation of the SOFA score: a single-center experience of a medical intensive care unit in 303 consecutive patients with predominantly cardiovascular disorders. Sequential Organ Failure Assessment. 2000 , 26, 1037-45		112
2153	Multiorganversagen auf operativen und nicht-operativen Intensivstationen im Vergleich. 2000 , 37, 688-700		
2152	Vorschlag für ein nationales Register zum externen Qualitätsvergleich in der Intensivmedizin Interdisziplinäre Arbeitsgruppe "Qualitätssicherung in der Intensivmedizin" der Deutschen Interdisziplinären Vereinigung für Intensivmedizin (DIVI). 2000 , 37, 454-460		5
2151	Stellenwert bakteriologischer Screeninguntersuchungen bei Patienten mit Sepsis auf einer herzchirurgischen Intensivstation. 2000 , 14, 137-142		2
2150	Outcome nach präklinischer Reanimation. 2000 , 3, 22-31		1
2149	Secretory leukocyte protease inhibitor, an inhibitor of neutrophil activation, is elevated in serum in human sepsis and experimental endotoxemia. <i>Critical Care Medicine</i> , 2000 , 28, 1276-82	1.4	54
2148	Does programmed cell death (apoptosis) play a role in the development of multiple organ dysfunction in critically ill patients? a review and a theoretical framework. <i>Critical Care Medicine</i> , 2000 , 28, 537-49	1.4	145
2147	Resuscitation of critically ill patients based on the results of gastric tonometry: a prospective, randomized, controlled trial. <i>Critical Care Medicine</i> , 2000 , 28, 607-14	1.4	131
2146	Strong vasopressor support may be futile in the intensive care unit patient with multiple organ failure. <i>Critical Care Medicine</i> , 2000 , 28, 947-9	1.4	58
2145	Multiple organ dysfunction in ulcerative colitis. 2000 , 95, 1258-62		37

2144	Epidemiology of multiple organ dysfunction syndrome in critical surgical illness. 2000 , 1, 173-85; discussion 185-6	34
2143	Trauma intensive care. 2000 , 2, 19-31	
2142	Epidemiology of de novo acute renal failure in hospitalized African Americans: comparing community-acquired vs hospital-acquired disease. 2000 , 160, 1309-13	62
2141	Solving the puzzle of multiple organ dysfunction syndrome. 2000 , 1, 153-4	1
2140	Relationships between T lymphocyte apoptosis and anergy following trauma. 2000 , 88, 200-6	54
2139	Induction of global anergy rather than inhibitory Th2 lymphokines mediates posttrauma T cell immunodepression. 2000 , 96, 52-66	78
2138	Respuesta inflamatoria sistémica: definiciones, marcadores inflamatorios y posibilidades terapéuticas. 2000 , 24, 361-370	5
2137	Monitoring organ function. Heart, liver, and kidney. 2000 , 80, 911-9, x	6
2136	Scoring systems for assessing organ dysfunction and survival. 2000 , 16, 353-66	89
2135	Prospectively validated predictions of shock and organ failure in individual septic surgical patients: the Systemic Mediator Associated Response Test. 2000 , 4, 319-26	11
2134	Pathogenesis and management of multiple organ dysfunction or failure in severe sepsis and septic shock. 2000 , 16, 337-52, vii	124
2133	Eficacia y eficiencia de una Unidad de Medicina Intensiva polivalente. 2000 , 24, 211-219	3
2132	The attitude of Brazilian intensive care physicians towards the decisions of withdrawal or withholding treatments. 2001 , 5, P82	78
2131	Monitoring of severely head-injured patients during the first 72 h: correlation with mortality. 2001 , 5, P73	78
2130	[Mortality and quality of life of patients beyond 65 years one year after ICU discharge]. 2001 , 116, 521-5	13
2129	Efectos de la optimización del transporte de oxígeno sobre la morbimortalidad en el postoperatorio de cirugía cardíaca. 2001 , 25, 297-302	1
2128	Complicaciones de los traumatismos abdominales. 2001 , 69, 318-323	
2127	Early enteral nutrition in critically ill patients with a high-protein diet enriched with arginine, fiber, and antioxidants compared with a standard high-protein diet. The effect on nosocomial infections and outcome. 2001 , 25, 299-308; discussion 308-9	77

2126	Therapeutic effect of dimethyl sulfoxide on ICAM-1 gene expression and activation of NF-kappaB and AP-1 in septic rats. 2001 , 95, 181-7	46
2125	Early goal-directed therapy in the treatment of severe sepsis and septic shock. 2001 , 345, 1368-77	10748
2124	Preliminary result of an algorithm to select proper ventricular assist devices for high-risk patients with extracorporeal membrane oxygenation support. 2001 , 20, 850-7	61
2123	Plasminogen-activator-inhibitor-1 4G/5G promoter polymorphism and prognosis of severely injured patients. 2001 , 357, 1096-7	560
2122	Cytopathic hypoxia. Mitochondrial dysfunction as mechanism contributing to organ dysfunction in sepsis. 2001 , 17, 219-37	257
2121	Utilizaci3n de ndices de gravedad en la sepsis. 2001 , 70, 314-323	2
2120	Factores predictores de mortalidad tras el alta de la unidad de medicina intensiva. 2001 , 25, 179-186	2
2119	Cellular markers of systemic inflammation and immune suppression in patients with organ failure due to severe acute pancreatitis. 2001 , 36, 1100-7	44
2118	The attributable mortality and length of intensive care unit stay of clinically important gastrointestinal bleeding in critically ill patients. 2001 , 5, 368-75	207
2117	Door-to-balloon time in patients undergoing primary angioplasty and therapeutic decision on acute myocardial infarction. 2001 , 5, 1	1
2116	Primary angioplasty versus streptokinase in elderly patients with acute myocardial infarction. 2001 , 5, P2	78
2115	Long distance aeromedical transport post myocardial infarction. 2001 , 5, P3	78
2114	Age-related trends in prehospital delay time interval and reperfusion therapy in patients with ST elevation acute myocardial infarction. 2001 , 5, P4	78
2113	Comparison among bilevel noninvasive mechanical ventilation, continuous positive airway pressure and oxygen in the treatment of cardiogenic acute pulmonary edema. 2001 , 5, P5	78
2112	Propranolol kinetics in patients submitted to cardiac surgery with cardiopulmonary bypass. 2001 , 5, 1	78
2111	Prognostic value of treadmill stress testing in patients admitted to the emergency room with chest pain. 2001 , 5, P7	78
2110	A prospective analysis of complications related to the use of glycoprotein IIb/IIIa inhibitors in acute coronary syndromes. 2001 , 5, P8	78
2109	Long-term prognostic value of C-reactive protein in unstable angina. 2001 , 5, 1	78

2108	Aggressive therapy for non-ST elevation acute coronary syndromes is highly effective. 2001 , 5, P10	78
2107	Features and markers of mortality of hospital patients that use intra-aortic balloon pump. 2001 , 5, P11	78
2106	Hemorrhagic complications during percutaneous coronary interventions: prospective analysis of 270 cases. 2001 , 5, P12	78
2105	Cardiac arrest in ICU: the Ultstein method results in general intensive care. 2001 , 5, P13	2
2104	The client with chest pain in the emergency unit: educational strategy concerning early signals and symptoms in acute myocardial infarction. 2001 , 5, P14	78
2103	Acute atrial fibrillation (AAF) in cardiac surgery postoperative period: evaluation of pre- and perioperative factors associated with its higher incidence. 2001 , 5, P15	78
2102	The electrocardiogram as a predictor of right ventricular dysfunction in patients with pulmonary embolism. 2001 , 5, P16	78
2101	Arterial hypotension at admission as a right ventricle dysfunction marker in patients with pulmonary embolism. 2001 , 5, P17	78
2100	Basic life support education for first year health students at UNISUL. 2001 , 5, P18	78
2099	GRACE (the Global Registry of Acute Coronary Events): the real world side of the cardiovascular clinical practice in acute coronary syndromes. 2001 , 5, P19	5
2098	Artifacts related to lucigenin chemiluminescence for superoxide detection in a vascular system. 2001 , 5, P20	78
2097	Macrophage migration inhibitory factor (MIF), C-reactive protein (CRP) and C3a serum levels following coronary artery bypass graft surgery (CABG). 2001 , 5, P21	78
2096	Apoptosis of vascular cells in culture and reactive oxygen species generation following exposure to plasma of septic patients. 2001 , 5, P22	78
2095	Cardiovascular function during acute normovolemic hemodilution (ANH) with hydroxyethyl starch or Ringer's lactate. 2001 , 5, 1	78
2094	Role of biocompatible IV infusion pumps in hemodynamic instability. 2001 , 5, 1	78
2093	Acetylcholine can totally reverse alterations in microvascular blood flow that occur in patients with septic shock. 2001 , 5, P25	1
2092	Inflammatory peritoneal cell profile in distinct models of peritoneal injury. 2001 , 5, P26	78
2091	Impaired production of IFN- γ and TNF- α but not IL-10 in whole blood of septic patients. 2001 , 5, P27	78

2090	Influence of EDTA and heparin on lipopolysaccharide binding, internalization, and cell activation, evaluated at single-cell level in whole blood. 2001 , 5, P28	78
2089	Do plasma cytokine levels correlate with survival in septic patients?. 2001 , 5, P29	78
2088	The role of circulating DNA in sepsis. 2001 , 5, P30	78
2087	Severity stratification of septic shock according to noradrenaline requirement. 2001 , 5, P31	5
2086	The effects of small-volume hypertonic saline and large-volume lactated Ringer's solutions on intra-abdominal blood loss after spleen rupture or iliac artery tear. 2001 , 5, 1	78
2085	Compensatory increases in cardiac output and SMA blood flows prevent splanchnic hypoperfusion during moderate isovolemic hemodilution in dogs. 2001 , 5, 1	78
2084	Impact of treatment modality, biochemical parameters and apoptosis on polymorphonuclear cell (PMN) function in patients with renal failure. 2001 , 5, P34	78
2083	Secular trends in the survival of patients with dialytic acute renal failure (ARF) in an intensive care unit (ICU). 2001 , 5, 1	78
2082	Efficacy of hemodiafiltration on the outcome of renal and respiratory failure of leptospirosis. 2001 , 5, P36	78
2081	Bicarbonate buffered dialysate and replacement solutions for CRRT: effect of crystallization on the measured levels of electrolytes and buffer. 2001 , 5, P37	78
2080	Hypokalemic thyrotoxic periodic paralysis in intensive care unit (UCI). 2001 , 5, P38	78
2079	Serial prognostic score indexes in acute renal failure (ARF): best performance of scores obtained at the time of referral to the nephrologist. 2001 , 5, P39	78
2078	Use of APACHE-II as a prognostic score index for non-ICU patients with acute renal failure (ARF). 2001 , 5, P40	78
2077	Regional citrate anticoagulation (RCA) for continuous venovenous hemodiafiltration (CVVHDF): initial experience. 2001 , 5, 1	78
2076	Presentation of 50 cases of Wegener's granulomatosis from Sã Paulo, Brazil. 2001 , 5, 1	78
2075	Effects of PEEP above the L-Pflexon gas exchange, hemodynamic and gastric tonometer in ARDSpatients. 2001 , 5, P43	78
2074	Pressure support ventilation versus bilevel positive airway pressure for acute exacerbation of chronic obstructive pulmonary disease: a randomized trial. 2001 , 5, 1	78
2073	CO2 dynamics in ARDS patients: effects of PEEP above the Pflex. 2001 , 5, P45	78

2072	Recruitment maneuvers with different pressure control levels in ARDS patients. 2001 , 5, P46	1
2071	Pneumonia associated with mechanical ventilation (VAP): influence on morbidity and mortality in critically ill patients. 2001 , 5, 1	78
2070	Ventilation-associated pneumonia in a general ICU. 2001 , 5, P48	78
2069	Patterns in oxygenation, dead space ventilation, lung mechanics and CO2 kinetics after prolonged cardiopulmonary bypass: an analysis by the CO2 SMO-PLUS. 2001 , 5, P49	78
2068	Impact of mechanical ventilation in the elderly. 2001 , 5, P50	78
2067	Early prediction of mechanical ventilation length of stay (MV-LOS) for patients submitted to heart surgery. 2001 , 5, P51	78
2066	Effects of inhaled nitric oxide combined to mechanic ventilation on the patients with acute respiratory dysfunction in postoperative heart surgery: comparative study among pressure controlled ventilation and volume controlled ventilation. 2001 , 5, 1	78
2065	Weaning from mechanical ventilation: comparison of two methods. 2001 , 5, P53	0
2064	Noninvasive positive pressure ventilation can prevent reintubation after acute respiratory failure: results of a prospective and randomized study. 2001 , 5, P54	78
2063	PxV curve behavior inside and outside the thorax in normal rats. 2001 , 5, P55	78
2062	MODS in mechanically ventilated patients. 2001 , 5, P56	3
2061	Lung computed tomography during a lung recruitment maneuver on patients with acute respiratory failure: mechanisms and clinical usefulness. 2001 , 5, P57	78
2060	Impact of weaning failure in the evolution of patients under mechanical ventilation. 2001 , 5, P58	78
2059	Measurements of respiratory mechanics in difficult weaning. 2001 , 5, 1	78
2058	Association between ventilation parameters and outcomes in acute respiratory failure patients. 2001 , 5, P60	78
2057	Multiple organ dysfunction in ARDS. 2001 , 5, P61	78
2056	Multidrug Resistant Bacteria in an Intensive Care Unit: relationship between excessive workload and increasing requirement of contact isolation. 2001 , 5, 1	78
2055	Contact precautions for multidrug resistant bacteria: positive impact on handwashing compliance in an intensive care unit. 2001 , 5, 1	78

2054	Quality improvement tools (PDCA cycle) enhances compliance to nosocomial infection preventive measures: experience of a medical-surgical ICU. 2001 , 5, 1	2
2053	Epidemiology, diagnosis and prognosis of critically ill patients with positive fungal cultures. 2001 , 5, P65	78
2052	Features and markers of nosocomial pneumonia in patients undergoing heart surgery. 2001 , 5, P66	1
2051	Description of MRSA small colony variant (SCV) outbreak in an ICU in Rio de Janeiro. 2001 , 5, P67	2
2050	Appropriateness of antibiotic use and its influence on outcome of patients admitted to an intensive care unit. 2001 , 5, P68	78
2049	The evaluation of intracranial pressure by the carotid eco-color Doppler. 2001 , 5, P69	78
2048	Immediate postoperative analgesia and sedation following heart surgery: a comparative analysis of dexmedetomidine chlorohydrate versus remifentanyl hydrochloride. 2001 , 5, P70	1
2047	Immediate postoperative thoracic epidural analgesia following heart surgery: a comparative analysis of patient-controlled continuous thoracic epidural analgesia (PCCTEA) versus intermittent thoracic epidural analgesia (ITEA). 2001 , 5, P71	78
2046	Malignant hyperthermia emergency consultation: preliminary results from 'hotline' calls. 2001 , 5, P72	78
2045	Study of 531 consecutive cases of severe head trauma in Florianópolis, 1994-2000. 2001 , 5, P74	78
2044	Assuring the effectiveness of nursing technical training: the experience of a 75-bed critical care unit. 2001 , 5, P75	78
2043	Patients' and their relatives' satisfaction in an intensive care unit. 2001 , 5, P76	78
2042	Needs of families of critically ill patients and perception of the health care team. 2001 , 5, P77	0
2041	Patient satisfaction with postoperative analgesia in ICU: pain is not the unique determinant. 2001 , 5, P78	78
2040	What can a psychologist do at an ICU? The epidemiological description of the patients. 2001 , 5, P79	78
2039	The ICU Humanization Program: contributions from the psychologist team. 2001 , 5, P80	78
2038	Patient information after hospitalization improves humanistic care in intensive care units. 2001 , 5, P81	7
2037	Evaluating the level of comfort and stress of conscious ICU patients. 2001 , 5, P83	1

2036	Short stay unit/observation unit: a new paradigm. 2001 , 5, P84	78
2035	ISO 9002 for intensive care unit (ICU): quality improvement, process control or marketing?: a case study on a 75-bed adult and pediatric ICUs of a private hospital in Sã Paulo, Brazil. 2001 , 5, P85	78
2034	The influence of the use of human albumin on morbidity/mortality and the costs of hospitalization of critically ill patients. 2001 , 5, P86	78
2033	Evaluation of thrombocytopenia in a general intensive care unit. 2001 , 5, P87	2
2032	Markers of length of stay in surgical intensive care unit, in patients submitted to heart surgery. 2001 , 5, P88	78
2031	Serial lactate and prognosis in intensive care patients. 2001 , 5, P89	78
2030	Early and delayed onset of acute respiratory failure: different patterns?. 2001 , 5, P90	78
2029	Disseminated intravascular coagulation (DIC) in ICU: predictors and outcome. 2001 , 5, P91	78
2028	C-reactive protein levels on admission are correlated with mortality and organ failures in critically ill patients. 2001 , 5, P92	78
2027	Predictors of mortality and prolonged mechanical ventilation in patients admitted to a medical-surgical intensive care unit. 2001 , 5, P93	78
2026	Percutaneous multidilatational tracheostomy endoscopic guided: a simple and safe bedside procedure done by intensivists. 2001 , 5, P94	78
2025	The external jugular vein as the first choice for central venous access in critically ill patients with severe coagulopathy. 2001 , 5, P95	0
2024	Soluble receptors of tumor necrosis factor- α Early predictors of mortality in patients with severe burn injury. 2001 , 5, P96	78
2023	Early experience of intensive postoperative unit (IPU): percutaneous tracheotomy as the first option after long-term oro-tracheal intubation. 2001 , 5, P97	78
2022	Monitoring trauma patients with total bioelectrical impedance. 2001 , 5, P98	78
2021	Intraneuronal calcium release after traumatic brain injury and hemorrhagic hypotension: a comparison between small-volume hypertonic saline and large-volume lactated Ringer's infusions. 2001 , 5, P99	78
2020	Systemic inflammatory response syndrome and multiple-organ damage/dysfunction in complicated canine babesiosis. 2001 , 72, 158-62	77
2019	Scoring Systems for Sepsis and the Multiple Organ Dysfunction Syndrome. 2001 , 921-931	

2018	Involvement of soluble adhesion molecules in acute pancreatitis. 2001 , 33, 377-82		14
2017	Relationship of hypolipidemia to cytokine concentrations and outcomes in critically ill surgical patients. <i>Critical Care Medicine</i> , 2001 , 29, 1563-8	1.4	145
2016	Objective estimates of the incidence and consequences of multiple organ dysfunction and sepsis after burn trauma. 2001 , 50, 510-5		79
2015	A 9-year, single-institution, retrospective review of death rate and prognostic factors in adult respiratory distress syndrome. 2001 , 233, 414-22		48
2014	Randomized, placebo-controlled trial of the anti-tumor necrosis factor antibody fragment afelimomab in hyperinflammatory response during severe sepsis: The RAMSES Study. <i>Critical Care Medicine</i> , 2001 , 29, 765-9	1.4	193
2013	Procalcitonin, soluble interleukin-2 receptor, and soluble E-selectin in predicting the severity of acute pancreatitis. <i>Critical Care Medicine</i> , 2001 , 29, 63-9	1.4	84
2012	Multiple organ dysfunction: baseline and serial component scores. <i>Critical Care Medicine</i> , 2001 , 29, 2046-50		98
2011	New strategies for clinical trials in patients with sepsis and septic shock. <i>Critical Care Medicine</i> , 2001 , 29, 880-6	1.4	137
2010	Severity of illness scores: are they useful in febrile neutropenic adult patients in hematology wards? A prospective multicenter study. <i>Critical Care Medicine</i> , 2001 , 29, 2125-31	1.4	18
2009	Diagnosis of intra-abdominal infection in the critically ill patient. 2001 , 7, 117-21		55
2008	Epidemiology of severe sepsis in the United States: analysis of incidence, outcome, and associated costs of care. <i>Critical Care Medicine</i> , 2001 , 29, 1303-10	1.4	7034
2007	Inflammation, coagulopathy, and the pathogenesis of multiple organ dysfunction syndrome. <i>Critical Care Medicine</i> , 2001 , 29, S99-106	1.4	388
2006	Apoptosis in cells of bronchoalveolar lavage: a cellular reaction in patients who die with sepsis and respiratory failure. <i>Critical Care Medicine</i> , 2001 , 29, 2310-7	1.4	15
2005	Time-variant increase in methylprednisolone clearance in patients with acute respiratory distress syndrome: a population pharmacokinetic study. 2001 , 41, 415-24		13
2004	Reappraisal of the aetiology and prognostic factors of severe acute respiratory failure in HIV patients. 2001 , 17, 87-93		33
2003	Critical Care Medicine: Major Changes in Dogma of the Past Decade. 2001 , 16, 177-192		8
2002	On the need for observational studies to design and interpret randomized trials in ICU patients: a case study in stress ulcer prophylaxis. 2001 , 27, 347-54		39
2001	Evaluation of the logistic organ dysfunction system for the assessment of organ dysfunction and mortality in critically ill patients. 2001 , 27, 992-8		31

2000	Monitoring des herzkranken Intensivpatienten. 2001 , 38, 232-250		9
1999	Multiple organ dysfunction syndrome: a narrative review. 2001 , 48, 502-9		63
1998	Sequential organ scoring as a measure of effectiveness of care in the high-dependency unit. 2001 , 56, 850-4		4
1997	Improved outcome prediction for patients with multiple organ failure undergoing continuous hemodiafiltration. 2001 , 5, 31-5		3
1996	Assessment of factors predicting outcome of acute respiratory distress syndrome in North India. 2001 , 6, 125-30		15
1995	The utility of serology in diagnosing candidosis in non-neutropenic critically ill patients. 2001 , 44, 47-53		6
1994	The effect of a selenium supplementation on the outcome of patients with severe systemic inflammation, burn and trauma. 2001 , 14, 199-204		51
1993	Short-term prognosis in critically ill patients with cirrhosis assessed by prognostic scoring systems. 2001 , 34, 255-61		182
1992	Expression of chemokine receptors CXCR1 and CXCR2 during cardiopulmonary bypass. 2001 , 122, 1162-6		14
1991	Critical Care Medicine: Major Changes in Dogma of the Past Decade. 2001 , 16, 177-192		8
1990	Extraperitoneal approach reduces neutrophil activation, systemic inflammatory response and organ dysfunction in aortic aneurysm surgery. 2001 , 21, 326-33		13
1989	Proceedings of the Anaesthetic Research Society Meeting, London, November 16-17, 2000. 2001 , 86, 303P-326P		
1988	Daily assessment of severity of illness and mortality prediction for individual patients. <i>Critical Care Medicine</i> , 2001 , 29, 45-50	1.4	18
1987	Intensive care unit outcomes for patients with thrombotic thrombocytopenic purpura. 2001 , 12, 73-79		
1986	Predictors of mortality in patients treated with continuous hemodiafiltration for acute renal failure in an intensive care setting. 2001 , 47, 86-91		29
1985	The pharmacokinetics of once-daily dosing of ceftriaxone in critically ill patients. 2001 , 47, 421-9		140
1984	Comparison of gastrointestinal tolerance to two enteral feeding protocols in critically ill patients: a prospective, randomized controlled trial. 2001 , 25, 81-6		125
1983	Electronic database for documentation of microsurgical and endovascular treatment of intracranial aneurysms: technical note. 2001 , 44, 92-4		3

1982	[Blood purification methods for treatment of organ failure in patients with severe pancreatitis]. 2001 , 126, 780-4		6
1981	Magnesium, calcium, zinc, and nitrogen loss in trauma patients during continuous renal replacement therapy. 2002 , 26, 77-92; discussion 92-3		49
1980	Organ Failure. 2002 , 29-46		
1979	Quantifying Risk in Sepsis: A Review of Illness Severity and Organ Dysfunction Scoring. 2002 , 81-96		
1978	Bioactive oxidized lipids in the plasma of cardiac surgical intensive care patients. 2002 , 18, 14-7		6
1977	D-dimer correlates with proinflammatory cytokine levels and outcomes in critically ill patients. 2002 , 121, 1262-8		125
1976	Does acute organ dysfunction predict patient-centered outcomes?. 2002 , 121, 1963-71		48
1975	Markers of inflammation in sepsis. 2002 , 34, 614-23		70
1974	[Risk predictors, scoring systems and prognostic models in anesthesia and intensive care. Part II. Intensive Care]. 2002 , 37, 591-9		11
1973	Importance of Scoring Systems in Surgery. 2002 , 37, 333-339		2
1972	Serial assessment of mortality in the neonatal intensive care unit by algorithm and intuition: certainty, uncertainty, and informed consent. 2002 , 109, 878-86		75
1971	Refining predictive models in critically ill patients with acute renal failure. 2002 , 13, 1350-7		277
1970	Risk factors for late-onset nosocomial pneumonia caused by <i>Stenotrophomonas maltophilia</i> in critically ill trauma patients. 2002 , 35, 228-35		126
1969	Assessing Outcomes in Critical Care. 2002 , 17, 103-111		8
1968	Randomized, controlled clinical trials in sepsis: has methodological quality improved over time?. <i>Critical Care Medicine</i> , 2002 , 30, 461-72	1.4	100
1967	Multicenter, prospective, randomized, single-blind study comparing the efficacy and gastrointestinal complications of early jejunal feeding with early gastric feeding in critically ill patients. <i>Critical Care Medicine</i> , 2002 , 30, 796-800	1.4	233
1966	A multicenter review of toxic epidermal necrolysis treated in U.S. burn centers at the end of the twentieth century. 2002 , 23, 87-96		220
1965	Selection of endpoints for clinical trials of acute renal failure in critically ill patients. 2002 , 8, 515-8		25

1964	Randomized, prospective trial of antioxidant supplementation in critically ill surgical patients. 2002 , 236, 814-22		361
1963	A phase II randomized, controlled trial of continuous hemofiltration in sepsis. <i>Critical Care Medicine</i> , 2002 , 30, 100-6	1.4	235
1962	Prospectively validated prediction of physiologic variables and organ failure in septic patients: The Systemic Mediator Associated Response Test (SMART). <i>Critical Care Medicine</i> , 2002 , 30, 1035-45	1.4	8
1961	Randomized study of the benefits of preoperative corticosteroid administration on the postoperative morbidity and cytokine response in patients undergoing surgery for esophageal cancer. 2002 , 236, 184-90		132
1960	Calibration and discrimination by daily Logistic Organ Dysfunction scoring comparatively with daily Sequential Organ Failure Assessment scoring for predicting hospital mortality in critically ill patients. <i>Critical Care Medicine</i> , 2002 , 30, 2003-13	1.4	641
1959	The injured child is resistant to multiple organ failure: a different inflammatory response?. 2002 , 53, 1058-63		58
1958	Randomized clinical trials in pediatric critical care: Rarely done but desperately needed. 2002 , 3, 102-106		33
1957	Critical care and emergency medicine. 2002 , 8, 600-6		31
1956	Predictive value of antithrombin III and serum C-reactive protein concentration in critically ill patients with suspected sepsis. <i>Critical Care Medicine</i> , 2002 , 30, 271-5	1.4	77
1955	Coagulation/fibrinolysis abnormality and vascular endothelial damage in the pathogenesis of thrombocytopenic multiple organ failure. <i>Critical Care Medicine</i> , 2002 , 30, 2242-8	1.4	34
1954	The G-->A single nucleotide polymorphism at the -308 position in the tumor necrosis factor-alpha promoter increases the risk for severe sepsis after trauma. 2002 , 52, 817-25; discussion 825-6		65
1953	Recent innovations in intensive care unit risk-prediction models. 2002 , 8, 321-30		71
1952	Multiple organ dysfunction associated with severe acute pancreatitis. <i>Critical Care Medicine</i> , 2002 , 30, 1274-9	1.4	144
1951	Comparison of multiple organ dysfunction scores in the prediction of hospital mortality in the critically ill. <i>Critical Care Medicine</i> , 2002 , 30, 1705-11	1.4	672
1950	Cortisol response to corticotropin stimulation in trauma patients: influence of hemorrhagic shock. 2002 , 97, 807-13		99
1949	Bispectral index-guided sedation with dexmedetomidine in intensive care: a prospective, randomized, double blind, placebo-controlled phase II study. <i>Critical Care Medicine</i> , 2002 , 30, 1007-14	1.4	136
1948	Prognosis of hematologic malignancies does not predict intensive care unit mortality. <i>Critical Care Medicine</i> , 2002 , 30, 2260-70	1.4	643
1947	Effects of severity of illness on resource use by survivors and nonsurvivors of severe sepsis at intensive care unit admission. <i>Critical Care Medicine</i> , 2002 , 30, 2413-9	1.4	34

1946	Decreased cytokine expression in peripheral blood leukocytes of patients with severe sepsis. 2002 , 137, 1037-43; discussion 1043	23
1945	Catheter infection risk related to the distance between insertion site and burned area. 2002 , 23, 266-71	33
1944	Hepatic dysfunction increases length of stay and risk of death after injury. 2002 , 53, 517-23	46
1943	Measurement of endotoxin activity in critically ill patients using whole blood neutrophil dependent chemiluminescence. 2002 , 6, 342-8	114
1942	Epidemiology of ARDS in a Brazilian ICU. 2002 , 6, P1	78
1941	The blood shifts during the pressure volume curve. 2002 , 6, P10	4
1940	Compartmentalized cytokine production during mechanical ventilation and ventilator-associated pneumonia. 2002 , 6, P100	78
1939	Monocyte normal immune response to LPS stimulation. 2002 , 6, P101	1
1938	Pro-inflammatory cytokines decrease the expression of tight junction proteins in Caco-2 intestinal epithelial cells through a process that is dependent on peroxynitrite formation and PARP activation. 2002 , 6, P102	1
1937	The effect of surgery followed by endotoxin on the unspecific cell mediated immunity. 2002 , 6, P103	78
1936	p22phox-containing microparticles from plasma of septic patients are related to reactive oxygen species production and apoptosis of vascular cells in culture. 2002 , 6, P104	78
1935	LPS activation of leukocytes attenuates adhesion to endothelial cells under shear stress. 2002 , 6, P105	78
1934	Incidence and risk factors of reactive histiocytic hyperplasia with hemophagocytosis in medical intensive care patients. 2002 , 6, P106	78
1933	Decreased monocyte surface expression of HLA-DQ is associated with prolonged duration of septic shock. 2002 , 6, P107	78
1932	Complement activation in relation to age in patients with severe sepsis. 2002 , 6, P108	78
1931	Comparing C-reactive protein, procalcitonin, and interleukin-6 for the diagnosis of bacterial infection in adult atraumatic patients in a medical center emergency department. 2002 , 6, P109	78
1930	Clinical study of sustained inflation on patients with acute respiratory distress syndrome. 2002 , 6, P11	78
1929	Effects of granulocyte-colony stimulating factor (G-CSF) prophylaxis in high risk patients (ASA III and IV) with colorectal cancer on perioperative cytokine levels, complications and global quality of life. 2002 , 6, P110	78

1928	Effects of intravenous and intratracheal pentoxifylline on histopathologic changes and wet-dry ratio in HCl acid-induced acute lung injury in rabbits. 2002 , 6, P111	78
1927	Correlation between plasma peroxides and procalcitonin levels in patients with severe streptococcal community acquired pneumonia. 2002 , 6, P112	1
1926	Lipopolysaccharide binding protein: a poor parameter for the differentiation of SIRS and sepsis but useful as determinant of outcome in septic patients. 2002 , 6, P113	78
1925	Changes in plasminogen activator inhibitor-1 (PAI-1) in patients with severe sepsis or septic shock. 2002 , 6, P114	78
1924	Antithrombin prevents proinflammatory activation via NF κ B and MAPK signaling pathways. 2002 , 6, P115	78
1923	Cost effectiveness analysis of drotrecogin alfa (activated) as a treatment for severe sepsis in hospitalised patients. 2002 , 6, P116	78
1922	Marked reductions of protein C and antithrombin in post-trauma DIC have close relations with MODS and poor outcome. 2002 , 6, P117	1
1921	Antithrombin reduces the ischemia/reperfusion-induced hepatic injury by increasing hepatic levels of prostacyclin through activation of capsaicin-sensitive sensory neurons in rats. 2002 , 6, P118	78
1920	Inhibition of proliferation and induction of differentiation of endothelial cells by antithrombin. 2002 , 6, P119	78
1919	The optimal pressure of sustained inflation for alveolar recruitment. 2002 , 6, P12	78
1918	Syndecan-4 on human peripheral blood lymphocytes and monocytes mediates effects of antithrombin on chemotaxis. 2002 , 6, P120	2
1917	Abstract withdrawn. 2002 , 6, P121	78
1916	Effect of unfractionated and low molecular weight heparin on microcirculatory antithrombin effects during endotoxemia. 2002 , 6, P122	78
1915	Evaluation of anti-inflammatory and anti-adhesive effects of heparins in human endotoxemia. 2002 , 6, P123	78
1914	Measurement of carboxypeptidase R by colorimetric assay. 2002 , 6, P124	78
1913	The role of natural coagulation inhibitors in correlation with clinic scores in critical patients with obstetric diseases. 2002 , 6, P125	78
1912	Prophylactic anticoagulation with low dose enoxaparin: is the subcutaneous route appropriate in the critically ill?. 2002 , 6, P126	78
1911	Follow up study in the assessment of rVlla as a universal haemostatic agent in a model of haemodilution. 2002 , 6, P127	78

1910	Recombinant activated factor VII (rFVIIa-NovoSeven [®] -NovoNordisk) treatment of bleeding complications in intensive care unit. 2002 , 6, P128	78
1909	Renal effect of dopamine, norepinephrine, epinephrine, or norepinephrine+dobutamine in septic shock. 2002 , 6, P129	78
1908	Expiratory pressure-volume curves in pulmonary and extrapulmonary ARDS. 2002 , 6, P13	78
1907	Effects of epinephrine compared to dobutamine-norepinephrine on gastric perfusion in septic shock. 2002 , 6, P130	78
1906	Terlipressin in the treatment of catecholamine resistant septic shock. 2002 , 6, P131	4
1905	Arginine vasopressin compromises gut mucosal microcirculation in septic rats. 2002 , 6, P132	1
1904	Effect of a maldistribution of microvascular blood flow on capillary O ₂ extraction in sepsis. 2002 , 6, P133	2
1903	Changes in complement cascade during continuous hemodiafiltration (CHDF) in patients with sepsis. 2002 , 6, P134	78
1902	Arterio- and veno-venous hemofiltration in the treatment of sepsis and septic shock. 2002 , 6, P135	78
1901	Coupled plasmafiltration-adsorption (CPFA) in septic shock with normal renal function. 2002 , 6, P136	1
1900	Myocardial efficiency during levosimendan infusion. 2002 , 6, P137	78
1899	Effect of β blockade on the haemodynamic responses of levosimendan and dobutamine in the treatment of low-output heart failure. 2002 , 6, P138	78
1898	Effects of levosimendan on cardiac arrhythmia in patients with severe heart failure. 2002 , 6, P139	1
1897	Influence of positive end-expiratory pressure (PEEP) on left ventricular regional wall motion in patients with acute respiratory distress syndrome (ARDS). 2002 , 6, P14	78
1896	The effects of levosimendan on myocardial oxygen consumption and coronary blood flow early after coronary artery bypass grafting. 2002 , 6, P140	78
1895	Haemodynamic effects of levosimendan in patients during weaning from cardiopulmonary bypass. 2002 , 6, P141	1
1894	Levosimendan enhances cardiac performance in patients following cardiac surgery and cardiopulmonary bypass. 2002 , 6, P142	2
1893	Ibutilide for pharmacological cardioversion of atrial flutter. 2002 , 6, P143	78

1892	Ibutilide after unsuccessful electric electroversion of atrial fibrillation. 2002 , 6, P144	78
1891	Acute atrial fibrillation (AAF) in cardiac surgery postoperative period (PP): its influence in mortality, intensive care and hospital length of stay (LOS) and costs. 2002 , 6, P145	78
1890	The relationship between plasma urotensin II (hU-II) and pulmonary artery occlusion pressure during cardiac surgery: further evidence that hU-II is influenced by cardiac filling pressures. 2002 , 6, P146	1
1889	Intrahepatic interleukin-10 synthesis during hypothermic cardiopulmonary bypass inhibits TNF α synthesis throughout the STAT-3 pathway. 2002 , 6, P147	78
1888	Methylprednisolone sodium succinate reduces postoperative hyperthermia but does not affect cardiac function after aortic valve replacement. 2002 , 6, P148	78
1887	Hemostatic and fibrinolysis markers in serum and shed mediastinal blood after elective coronary artery bypass grafting. 2002 , 6, P149	78
1886	Does the use of large ventilator tidal volume increase the incidence of postoperative complications?. 2002 , 6, P15	78
1885	Acute atrial fibrillation (AAF) in cardiac surgery postoperative period: evaluation of preoperative and peroperative factors associated with its higher incidence. 2002 , 6, P150	78
1884	Methemoglobin formation in children with congenital heart disease treated with inhaled nitric oxide after cardiac surgery. 2002 , 6, P151	78
1883	Fibrinolytic activity in patients with atrial arrhythmias during acute myocardial infarction, treated with streptokinase. 2002 , 6, P152	78
1882	Predictive role of plasminogen-activator-inhibitor-1 (PAI-1) in non-ST-segment elevation acute coronary syndrome. 2002 , 6, P153	78
1881	Fibrinogen, ejection fraction and Killip classification as mortality prediction factors in acute coronary syndrome. 2002 , 6, P154	78
1880	Platelet dysfunction in acute coronary syndromes: diagnostic aspects and relation to angiographic patency. 2002 , 6, P155	78
1879	Acute myocardial infarction in patients older than 80 years: 3 years later. 2002 , 6, P156	1
1878	Diabetes mellitus worsens the prognosis of an acute myocardial infarction in patients older than 80 years. 2002 , 6, P157	1
1877	Cardiac troponin I and T in patients with impaired renal function after heart surgery. 2002 , 6, P158	78
1876	The use of cardiac troponin I to diagnose myocardial dysfunction in the critically ill. 2002 , 6, P159	78
1875	Lung recruitment manoeuvres decrease gastric mucosal blood flow in ICU patients. 2002 , 6, P16	78

1874	Troponin I as expression of myocardial damage after major vascular surgery. 2002 , 6, P160	78
1873	Effect of IV amiodarone on CPR haemodynamics and outcome: experimental study in dogs. 2002 , 6, P161	78
1872	Vasopressin in refractory out-of-hospital ventricular fibrillation: preliminary results. 2002 , 6, P162	2
1871	Continuous insufflation of oxygen (CIO) during cardiopulmonary resuscitation (CPR): preliminary results of a randomised controlled trial. 2002 , 6, P163	0
1870	Efficacy of in and out of hospital CPR. 2002 , 6, P164	78
1869	Brazilian heartsaver program: 'Time is Life' campaign. 2002 , 6, P165	78
1868	Ultrastructural alterations in myocardial, pulmonary and cerebral tissues after resuscitation by closed chest cardiopulmonary bypass (CPB). 2002 , 6, P166	78
1867	Epidemic poisoning with methanol in Estonia: experience of intensive care. 2002 , 6, P167	78
1866	Acute in-hospital hyponatremia in children: an observational study. 2002 , 6, P168	78
1865	Predictive factors of mortality in polytrauma patients with life threatening pelvic hemorrhage after transarterial embolization (TAE). 2002 , 6, P169	78
1864	Asymmetry in lung pathology and short-term effects of independent lung ventilation (ILV) on pulmonary mechanics and gas exchange in patients with blunt chest trauma. 2002 , 6, P17	1
1863	Changing the practice of blood transfusion in intensive care. 2002 , 6, P170	78
1862	Hypoalbuminemia in the acutely ill – risks and rationale for treatment: a meta-analysis. 2002 , 6, P171	78
1861	HES 130 kD, but not crystalloid volume support reduces leukocyte-endothelial cell interaction during endotoxemia. 2002 , 6, P172	78
1860	Large-dose hydroxyethyl starch (HES) 130/0.4 in elective coronary artery bypass surgery. 2002 , 6, P173	78
1859	Effects of three different resuscitation regimens on jejunal tissue oxygen supply after hemorrhagic shock. 2002 , 6, P174	78
1858	The prognostic value of gastric tonometry in severe polytrauma patients. 2002 , 6, P175	78
1857	The effects of a single dose of furosemide on urine flow, fluid balance, and the course of plasma creatinine during cardiac surgery. 2002 , 6, P176	78

1856	Continuous versus bolus furosemide therapy in critically ill patients with fluid overload. 2002 , 6, P177	78
1855	Plasma-lyte [®] as dialysate for CRRT: institution of a new therapy and initial evaluation. 2002 , 6, P178	78
1854	Simplified method of regional citrate anticoagulation for continuous extra renal epuration. 2002 , 6, P179	78
1853	Alveolar recruitment improves arterial oxygenation in responders to prone position. 2002 , 6, P18	78
1852	Fatal events on chronic hemodialysis (HD) in Croatia. 2002 , 6, P180	78
1851	Outcome of patients with acute renal failure treated with intermittent or continuous renal replacement therapy depending on the initial diagnosis: a retrospective analysis. 2002 , 6, P181	78
1850	Renal function impairment (RFI) in the ICU: a 1-year prospective study. 2002 , 6, P182	78
1849	Factors affecting mortality from acute renal failure in the ICU. 2002 , 6, P183	78
1848	Need for renal replacement therapy in ICU is a marker of morbidity. 2002 , 6, P184	78
1847	Use of Molecular Adsorbent Recycling System (MARS) treatment in severe liver failure: initial clinical experience. 2002 , 6, P185	1
1846	Renal blood flow in cirrhotic patients and hepatorenal syndrome (HRS). 2002 , 6, P186	78
1845	The effect of induced hypernatraemia on intracranial pressure in patients with acute liver failure: a randomised controlled clinical trial. 2002 , 6, P187	78
1844	Plasma separation and bilirubin adsorption for excessive hyperbilirubinemia before and after liver transplantation. 2002 , 6, P188	0
1843	Non-invasive measurement of carboxyhemoglobin (COHb) by new pulse oximeter in human volunteers. 2002 , 6, P189	78
1842	Rotoprone [®] : a new and promising way to prone positioning. 2002 , 6, P19	4
1841	Helicobacter pylori antigen scanning in stools in the patients and in the staff of the intensive care unit. 2002 , 6, P190	78
1840	A comparison of two immediate-early genes, c-fos and c-jun in rat brain after occlusion of superior mesenteric artery (SMAO). 2002 , 6, P191	78
1839	Cardiac output determination during experimental hemorrhage and resuscitation using a transesophageal Doppler monitor. 2002 , 6, 1	78

1838	Is the blood velocity beat-to-beat variation in the descending aorta similar to the arterial pulse pressure variation?. 2002 , 6, P193	78
1837	Is it feasible to monitor total hepatic blood flow by use of transesophageal echography? A validation in patients. 2002 , 6, P194	78
1836	Assessment of the agreement between cardiac output measured by thermal filament continuous thermodilution (CCO) and noninvasive partial CO ₂ rebreathing (NICO) with particular reference to ETCO ₂ levels. 2002 , 6, P195	1
1835	Comparison of cardiac output (CO) measurement before and after cardiopulmonary bypass: bolus thermodilution (TDco) and noninvasive partial CO ₂ rebreathing (NICO). 2002 , 6, P196	78
1834	Monitoring of intrathoracic blood volume in early septic patients: its correlation with survival. 2002 , 6, P197	78
1833	Preload index: pulmonary artery occlusion pressure and intrathoracic blood volume monitoring during lung transplantation. 2002 , 6, P198	4
1832	Continuous and intermittent cardiac output measurement: pulmonary artery catheter vs aortic transpulmonary technique. 2002 , 6, P199	78
1831	Role of multiple organ dysfunction syndrome in ARDS mortality. 2002 , 6, P2	2
1830	Do we have explanations for the improvement of oxygenation and deterioration of outcome by using prone position in acute respiratory failure?. 2002 , 6, P20	1
1829	Prognostic value of indocyanine green-plasma disappearance rate in critically ill patients. 2002 , 6, P200	78
1828	Arterial blood pressure monitoring during whole body hyperthermia. 2002 , 6, P201	78
1827	Monitoring of intrathoracic volumes in induced supranormal cardiac output. 2002 , 6, P202	78
1826	Is the degree of multiple organ dysfunction related to severity of capillary leakage?. 2002 , 6, P203	78
1825	Microvascular bed volume evaluated by near infrared spectroscopy in healthy and critically ill subjects. 2002 , 6, P204	78
1824	Utility of mixed venous vs central venous oximetry following cardiac surgery in infants. 2002 , 6, P205	2
1823	Intraoperative correction of low cardiac output to normal values improves outcome in patients with elective abdominal surgery. 2002 , 6, P206	78
1822	The cost-effectiveness of preoperative optimisation of high risk surgical patients. 2002 , 6, P207	78
1821	Outcome of hemodynamic instability therapy guided by pulmonary artery catheter in immunocompromised ICU patients. 2002 , 6, P208	78

1820	Lung protective strategy for ventilation in acute lung failure with pECLA (pumpless extracorporeal lung assist). 2002 , 6, P21	78
1819	Oxygen consumption in critically ill children. 2002 , 6, P210	78
1818	Nutritional status in hypercatabolic patients with acute renal failure. 2002 , 6, P211	78
1817	The incidence and immediate respiratory consequences of pulmonary aspiration of enteral feed. 2002 , 6, P212	78
1816	The effect of preoperative immunonutrition on postoperative immune system and cytokine release in the cases undergoing major abdominal surgery. 2002 , 6, P213	78
1815	Influence of muscle relaxants on the mass of intercostal and upper arm muscles in COPD patients during mechanical ventilation. 2002 , 6, P214	78
1814	Bombesine in critically ill patients receiving enteral and total parenteral nutrition. 2002 , 6, P215	78
1813	Intravenous total parenteral nutrition elevates oxidant production in critically ill patients. 2002 , 6, P216	78
1812	Patients after acute pancreatitis benefit from long-term home enteral nutrition. 2002 , 6, P217	78
1811	Investigation of the factors which influence insulin sensitivity in septic patients with glucose intolerance: analysis with glucose clamp method by means of artificial pancreas. 2002 , 6, P218	78
1810	Glucagon processes on intestines in surgically stressed patients. 2002 , 6, P219	78
1809	Does evolution of pre-ECMO conventional therapies affect the use of ECMO over the past decade in the regional ECMO centre in UK?. 2002 , 6, P22	78
1808	Corticoids and ACTH test in septic shock: a prospective study over 15 months. 2002 , 6, P220	78
1807	Reduced cortisol in acute liver failure is not due to pituitary failure or reduced binding proteins. 2002 , 6, P221	78
1806	Review of the use of hydrocortisone in intensive care patients with sepsis. 2002 , 6, P222	1
1805	Adrenal function in protracted critical illness: evaluation with the low-dose (1 μ) corticotropin stimulation test. 2002 , 6, P223	78
1804	Time-dependence of dehydroepiandrosterone (DHEA), dehydroepiandrosterone-sulfate (DHEAS), and cortisol in survivors and non-survivors of severe sepsis. 2002 , 6, P224	78
1803	High incidence of decreased cortisol reserve in brain-dead potential organ-donors. 2002 , 6, P225	78

1802	Unlicensed drug use on ICU. 2002 , 6, P226	78
1801	Look-alikes favor emergency drug administration errors: a national survey in Belgium. 2002 , 6, P227	78
1800	Optimization of morphine ampoules for injection. 2002 , 6, P228	78
1799	The incidence and mortality rate of ventilator-associated pneumonia in elderly patients. 2002 , 6, P229	78
1798	The effect of lateral positioning on gas exchange and respiratory mechanics in mechanically ventilated patients with unilateral lung disease. 2002 , 6, P23	78
1797	Profile and outcome in elderly patients requiring mechanical ventilation. 2002 , 6, P230	78
1796	Comparison of three scoring systems for mortality risk assessment among retrieved children. 2002 , 6, P231	78
1795	Comparison of three scoring systems for mortality risk assessment among retrieved children with meningococcal sepsis. 2002 , 6, P232	78
1794	Norepinephrine requirement is not an independent variable to predict outcome in severe septic shock patients. 2002 , 6, P233	78
1793	Low urine output in acute renal dysfunction (ARI/ARFS) diagnosis. 2002 , 6, P234	78
1792	Long-term outcome and IL-6 levels in critically ill septic patients: results from the sepsis longitudinal epidemiological outcomes tracking study (SELECT I). 2002 , 6, P235	78
1791	Brazilian Sepsis Epidemiological Study (BASES): preliminary results from first 439 patients. 2002 , 6, P236	78
1790	Application of SOFA score to neurological patients admitted to intensive care unit. 2002 , 6, P237	2
1789	“treatment profile” a new concept that must be considered when comparing data obtained from physiological severity of illness scores. 2002 , 6, P238	78
1788	Mortality probability model II (MPM0 ^{II}) in 1667 patients with acute cardiovascular disorders. 2002 , 6, P239	0
1787	Surfactant phospholipids in the bronchoalveolar lavage fluid (BALF) of children who develop acute lung injury (ALI). 2002 , 6, P24	2
1786	To verify four 5-year-old mathematical models to predict the outcome of ICU patients. 2002 , 6, P240	78
1785	Markers of in surgical intensive care unit length of stay in patients submitted to heart surgery: the intensivists point of view. 2002 , 6, P241	78

1784	The extent and effect of sepsis in the first 24-hours of intensive care in one country. 2002 , 6, P242	78
1783	Predictors of hospital costs in patients submitted to heart surgery: the intensivists point of view. 2002 , 6, P243	78
1782	Comparison of DRG system funding and actual costs for intensive care in Hungary. 2002 , 6, P244	1
1781	Compliance with intensive care admission guidelines on triage. 2002 , 6, P245	78
1780	Clinical outcomes in a controlled trial of early identification and rapid systematic treatment of shock, modeled after the trauma system. 2002 , 6, P246	78
1779	Reduction in post-ICU, in-hospital mortality following the introduction of an ICU nursing outreach service. 2002 , 6, P247	4
1778	Emergency airway service by anaesthetists: a selective referral approach. 2002 , 6, P248	1
1777	Critical care in internal medicine department: EBM approach and new organizational model for Italian National Health Service. 2002 , 6, P249	1
1776	Treatment of status asthmaticus in children: is there a place for sodium bicarbonate?. 2002 , 6, P25	78
1775	Health-related quality of life of multiple organ dysfunction patients: changes and comparison with normative population data. 2002 , 6, P250	1
1774	Are clinical diagnoses prior to death reliable in critically ill patients?. 2002 , 6, P251	78
1773	Terminal weaning in critically ill patients. 2002 , 6, P252	78
1772	Ethical attitudes of ICU physicians in Hong Kong. 2002 , 6, P253	78
1771	Life sustaining treatment decisions in Portuguese intensive care units. 2002 , 6, P254	78
1770	Effect of helium-oxygen mixture on time constant inequalities in COPD patients during controlled ventilation. 2002 , 6, P26	78
1769	Impact of aerosol particle size on drug deposition during mechanical ventilation: an in vitro evaluation. 2002 , 6, P27	78
1768	Ultrasound diagnosis of pneumothorax. 2002 , 6, P28	78
1767	Bedside fiberoptic bronchoscopy can be safely performed under conscious sedation. 2002 , 6, P29	0

1766	Instrument development to conduct a meta-analysis of mortality from ARDS. 2002 , 6, P3	78
1765	Hypoxaemia during tracheal suctioning; comparison of closed versus open techniques at varying PEEP. 2002 , 6, P30	2
1764	Bacterial filters in breathing circuits: an unnecessary cost?. 2002 , 6, P31	78
1763	Are periodic changes of ventilator circuits necessary?. 2002 , 6, P32	78
1762	Evaluation of early and late complications of percutaneous dilatational tracheostomy in 86 ICU patients. 2002 , 6, P33	78
1761	Comparison of the laryngeal mask airway (LMA) and cuffed oropharyngeal airway (COPA) during percutaneous tracheostomy (PCT) in ICU patients. 2002 , 6, P34	78
1760	The percutaneous dilatational tracheostomy, a comparative clinical trial. 2002 , 6, P35	78
1759	Evaluation of the mobility of the vocal folds after percutaneous translaryngeal tracheostomy intervention (Fantoni technique) on ICU patients. 2002 , 6, P36	1
1758	Over-inflation of the tracheal tube cuff: a case for routine monitoring. 2002 , 6, P37	2
1757	Does the method of humidification within a CPAP circuit affect the work of breathing? A pilot study. 2002 , 6, P38	0
1756	Comfort levels of six CPAP delivery systems. 2002 , 6, P39	78
1755	A novel technique of intra-abdominal pressure measurement: validation of two prototypes. 2002 , 6, P4	5
1754	Hypercapnia and respiratory drive in obstructive sleep apnea patients before and after CPAP treatment. 2002 , 6, P40	78
1753	Very early extubation and non invasive ventilation after lung transplantation. 2002 , 6, P41	78
1752	Non invasive mechanical ventilation delivered by a new "helmet" versus a standard face mask. 2002 , 6, P42	1
1751	Comparison of efficacy of different ventilators to administer NIV in healthy subjects. 2002 , 6, P43	78
1750	Non-invasive ventilation (PS-IMV) in patients with acute respiratory failure in common wards away from ICU. 2002 , 6, P44	78
1749	Maintaining ventilatory settings in seven home ventilators during leaks. 2002 , 6, P45	78

1748	Effect of noninvasive ventilation on pulmonary gas exchange in chronic obstructive pulmonary disease. 2002 , 6, P46	78
1747	Neuroprotective efficacy of magnesium sulphate in experimental traumatic brain injury. 2002 , 6, P47	78
1746	Is continued aggressive care justified in patients requiring mechanical ventilation after a stroke following cardiovascular surgery?. 2002 , 6, P48	78
1745	Pulmonary complications in patients with stroke requiring mechanical ventilation. 2002 , 6, P49	1
1744	An observational study on intraabdominal pressure in 125 critically ill patients. 2002 , 6, P5	6
1743	Stroke treatment and outcome in ICU. 2002 , 6, P50	78
1742	Medical specific characteristics of brain dead patients related to etiology. 2002 , 6, P51	78
1741	BIS for recognition of brain-death in potential organ donors. 2002 , 6, P52	2
1740	Apnea test for brain death determination: an alternative approach. 2002 , 6, P53	78
1739	High serum protein S100B levels in brain-dead patients. 2002 , 6, P54	0
1738	Quality of life after severe head injury correlates to S100B serum level. 2002 , 6, P55	78
1737	Serum S100B as a biochemical marker of neurological complications in intensive care patients. 2002 , 6, P56	78
1736	The influence of ventricular tapping on S100 and NSE serum concentrations: preliminary results. 2002 , 6, P57	1
1735	Serum S100B as a marker of brain damage in the trauma intensive care unit. 2002 , 6, P58	78
1734	Is procalcitonin a new surrogate marker for hypoxic brain damage?. 2002 , 6, P59	78
1733	Relation between transdiaphragmatic pressure and oxygen consumption in patients with intestinal obstruction. 2002 , 6, P6	78
1732	Cerebral blood flow in critically ill cardiac patients: effects of vasoactive drug therapy. 2002 , 6, P60	78
1731	Validity of cerebral blood flow measurements by the thermodilution technique in critically ill cardiac patients. 2002 , 6, P61	78

1730	Correlation of transcranial doppler (TCD) parameters with jugular bulb venous oxygen saturation (SjO ₂). 2002 , 6, P62	1
1729	Intracranial pressure monitoring in two district general hospital ICUs. 2002 , 6, P63	0
1728	CSF-cytokines (IL-6, IL-12, and IL-13): the right marker for shunt reimplantation after infections?. 2002 , 6, P64	78
1727	Propofol attenuates the neuroprotective effects of magnesium in experimental traumatic brain injury. 2002 , 6, P65	78
1726	Respiratory effects of sufentanil and remifentanil in spontaneously ventilated patients after major abdominal surgery. 2002 , 6, P66	78
1725	Postoperative morphine clonidine analgesia in high-risk patients. 2002 , 6, P67	78
1724	BIS monitoring in ICU: advantages of the new XP generation. 2002 , 6, P68	4
1723	'Diprifusor' TCI for sedation of ventilated adult ICU patients: target blood propofol concentration settings. 2002 , 6, P69	78
1722	Effects of systemic inflammatory response syndrome on intraabdominal pressure and lung compliance. 2002 , 6, P7	78
1721	Analgesia and sedation for ventilated newborn infants of low dose remifentanyl infusion. 2002 , 6, P70	78
1720	Pain relief in major trauma patients: an Israeli perspective. 2002 , 6, P71	78
1719	Salient beliefs towards the application of an algorithm for pain relief in ICU. 2002 , 6, P72	78
1718	Preoperative assessment of carbohydrate-deficient transferrin (CDT) in surgical patients and a prevention of abstinence syndrome. 2002 , 6, P73	78
1717	Accidental withdrawal of catheters in 400 patients in ICU. 2002 , 6, P74	78
1716	Which is worse, a repeated short time ischemia or a continuous long time ischemia? An effect of intermittent reperfusion on tissue damage due to ischemia-reperfusion. 2002 , 6, P75	78
1715	Ischemic preconditioning reduces intestinal apoptosis in rodents. 2002 , 6, P76	78
1714	Sepsis: pro-apoptotic and anti-apoptotic signals in liver cells. 2002 , 6, P77	78
1713	Determination of fever in intensive care unit. 2002 , 6, P78	78

1712	Leucocytosis in critically ill patients is not always a sign of infection!. 2002, 6, P79	78
1711	The effects of increasing levels of PEEP on inflammation markers and oxygenation in rats with unilateral lung injury. 2002, 6, P8	78
1710	Transfer in ICU of febrile neutropenic patients: identification of risk factors and prospective validation of a prognostic score. 2002, 6, P80	78
1709	Septic shock etiology in kidney transplant recipients. 2002, 6, P81	78
1708	Colistin in the treatment of infections from multiresistant Gram (-) bacilli. 2002, 6, P82	78
1707	Clinical outcome in ICU patients with Enterobacter bacteremia. 2002, 6, P83	78
1706	Screening and isolation of methicillin-resistant Staphylococcus aureus (MRSA) colonized patients is widely practiced in UK critical care units but little benefit is perceived. 2002, 6, P84	78
1705	Patient-to-patient antibiotic rotation. 2002, 6, P85	78
1704	Appropriateness of antibiotic prescribing after transition from an open to a closed intensive care unit. 2002, 6, P86	78
1703	Audit of therapeutic drug monitoring of dosing of vancomycin on an intensive care unit. 2002, 6, P87	1
1702	Efficacy and safety of sequential IV/PO moxifloxacin for the treatment of severe community-acquired pneumonia. 2002, 6, P88	78
1701	Adult varicella pneumonia requiring intensive care. 2002, 6, P89	78
1700	The effects of increasing levels of PEEP on oxygenation and lung perfusion in pigs with unilateral lung injury. 2002, 6, P9	78
1699	Respiratory Herpes simplex virus at the intensive care unit: a prospective study. 2002, 6, P90	78
1698	The clinical stages and prognostic factors of children with enterovirus type 71 infection developing pulmonary edema and hemorrhage. 2002, 6, P91	78
1697	Surveillance urine cultures in the ICU: prospective markers for the phenotypic and genotypic drift of emerging yeast pathogens?. 2002, 6, P92	78
1696	5000 days of central venous catheterization: complications. 2002, 6, P93	78
1695	Central venous catheter-related infection. 2002, 6, P94	78

1694	Multi-lumen central venous catheters increase the risk of bloodstream infection: evidence from a systematic review. 2002 , 6, P95	78
1693	Dialysis with perfusion lumen catheter in intensive care unit. 2002 , 6, P96	78
1692	Catheter-related infections in a medical cardio-pulmonary ICU: trends after the implementation of a nosocomial infection surveillance system (KISS). 2002 , 6, P97	78
1691	Nosocomial infection: main cause in development of septic complications during postoperative period. 2002 , 6, P98	78
1690	Comparative analysis of patients with early-onset versus late-onset nosocomial lower respiratory tract infections in medical ICU. 2002 , 6, P99	78
1689	The outcome of early pressure-controlled inverse ratio ventilation on patients with severe acute respiratory distress syndrome in surgical intensive care unit. 2002 , 183, 151-5	18
1688	Assessment of energy consumption by indirect calorimetric method and HarrisâBenedict equation in patients with severe head injury. 2002 , 6, P209	78
1687	ARDS and the multiple organ dysfunction syndrome. Common mechanisms of a common systemic process. 2002 , 18, 127-41	41
1686	Trauma scoring. 2002 , 91, 12-22	68
1685	Outcome of necrosectomy in acute pancreatitis: the case for continued vigilance. 2002 , 37, 1449-53	51
1684	Prehospital trauma research methodology. 2002 , 6, S68-74	4
1683	Serum profiles of interleukin-18 in different severity forms of human acute pancreatitis. 2002 , 37, 1097-102	29
1682	Long-term survival and quality of life in cardiac surgical patients with prolonged intensive care unit length of stay. 2002 , 73, 1472-8	51
1681	Calidad de vida y reinserci3n laboral al a3e de la cirug3a card3aca. 2002 , 26, 1-6	1
1680	Two cases of delayed diagnosis of postpartal streptococcal toxic shock syndrome. 2002 , 10, 217-22	21
1679	Limited effects of micronutrient supplementation on strength and physical function after abdominal aortic aneurysmectomy. 2002 , 21, 321-7	10
1678	Palliative care in the surgical intensive care unit. 2002 , 194, 75-83; discussion 83-5	53
1677	Early debridement for necrotizing pancreatitis: is it worthwhile?. 2002 , 194, 740-4; discussion 744-5	46

1676	Hypercapnic respiratory failure and partial upper airway obstruction during high frequency oscillatory ventilation in an adult burn patient. 2002 , 49, 724-8	10
1675	Serum IL-6, IL-8 and IL-10 Levels in Multiple Trauma Compared to Traumatic Brain Injury and Combined Trauma. 2002 , 28, 183-189	7
1674	Pitfalls in gastrointestinal permeability measurement in ICU patients with multiple organ failure using differential sugar absorption. 2002 , 28, 130-8	31
1673	Revision of the multiple organ failure score. 2002 , 387, 14-20	42
1672	Plasma exchange as a source of protein C for acute onset protein C pathway failure. 2002 , 116, 905-8	16
1671	Dynamic nature of early organ dysfunction determines outcome in acute pancreatitis. 2002 , 89, 298-302	392
1670	Towards the development of computerised healthcare delivery in the hospital setting. 2002 , 10, 111-117	1
1669	Uncertainty and scoring systems. 2002 , 57, 761-7	23
1668	Randomized controlled trial of the effect of early enteral nutrition on markers of the inflammatory response in predicted severe acute pancreatitis. 2000 , 87, 1375-81	112
1667	The Multiple Organ Dysfunction Score (MODS) versus the Sequential Organ Failure Assessment (SOFA) score in outcome prediction. 2002 , 28, 1619-24	194
1666	High values of the pulmonary artery wedge pressure in patients with acute lung injury and acute respiratory distress syndrome. 2002 , 28, 1073-7	96
1665	New laboratory tests in acute pancreatitis. 2002 , 7, 181-90	4
1664	Portable computed tomography performed on the intensive care unit. 2003 , 29, 491-5	8
1663	Microalbuminuria does not reflect increased systemic capillary permeability in septic shock. 2003 , 29, 391-5	441
1662	2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. 2003 , 29, 530-8	1632
1661	Prophylactic N-acetylcysteine decreases serum CRP but not PCT levels and microalbuminuria following major abdominal surgery. A prospective, randomised, double-blinded, placebo-controlled clinical trial. 2003 , 29, 749-55	20
1660	[A population-based survey of critical care]. 2003 , 52, 393-408	2
1659	[Scoring systems in the intensive care unit]. 2003 , 52, 965-87; quiz 988-9	10

1658	Doppler-guided cannulation of internal jugular vein, subclavian vein and innominate (brachiocephalic) vein--a case-control comparison in patients with reduced and normal intracranial compliance. 2003 , 29, 1535-40	7
1657	Hyperreninemic hypoaldosteronism: a possible etiological factor of septic shock-induced acute renal failure. 2003 , 29, 1703-9	57
1656	Validation of the multiple organ dysfunction (MOD) score in critically ill medical and surgical patients. 2003 , 29, 2216-2222	43
1655	Robert Wood Johnson Foundation Office of Promoting Excellence in End-of-Life Care: executive summary of the report from the field. 2003 , 196, 807-15	8
1654	Heart rate variability as early marker of multiple organ dysfunction syndrome in septic patients. 2003 , 18, 156-63	168
1653	Non-neurological organ dysfunction in neurocritical care. 2003 , 18, 238-44	37
1652	Prevalence of antineutrophil cytoplasmic antibodies in patients with various pulmonary diseases or multiorgan dysfunction. 2003 , 49, 151-5	26
1651	Post-operative hypoalbuminaemia and procalcitonin elevation for prediction of outcome in cardiopulmonary bypass surgery. 2003 , 47, 1276-83	557
1650	Pharmacokinetics of nafamostat mesilate during continuous hemodiafiltration with a polyacrylonitrile membrane. 2003 , 7, 483-5	25
1649	Such stuff as dreams are made on: mediator-directed therapy in sepsis. 2003 , 2, 391-405	209
1648	Prognostication and intensive care unit outcome: the evolving role of scoring systems. 2003 , 24, 751-62	39
1647	Predicting fatal outcome in the early phase of severe acute pancreatitis by using novel prognostic models. 2003 , 3, 309-15	44
1646	The hematologic system as a marker of organ dysfunction in sepsis. 2003 , 78, 869-81	98
1645	Lower levels of whole blood LPS-stimulated cytokine release are associated with poorer clinical outcomes in surgical ICU patients. 2003 , 4, 171-80	64
1644	Impact of perioperative administration of steroid over inflammatory response and pulmonary dysfunction following cardiac surgery. 2003 , 7, P1	78
1643	Immediate and short-term safety of catheter-based autologous bone marrow-derived mononuclear cell transplantation into myocardium of patients with severe ischemic heart failure. 2003 , 7, P2	78
1642	Clinical improvement after autologous bone marrow mononuclear cell transplantation. 2003 , 7, P3	78
1641	Primary angioplasty in a public hospital: initial results. 2003 , 7, P4	0

1640	Should left ventricular failure be part of the risk score in acute ischemic syndrome without ST elevation?. 2003 , 7, P5	78
1639	Identification of subgroups of greater mortality in patients undergoing surgical cardiac valve replacement based on preoperative, perioperative, and postoperative variables. 2003 , 7, P6	78
1638	Endocardial delivery of bone marrow-derived mononuclear cells (BMMCs) in patients with severe ischemic heart failure. 2003 , 7, P7	78
1637	Clinical presentation of patients with chest pain and acute aortic dissection admitted in the chest pain unit. 2003 , 7, P8	78
1636	Prognostic impact of troponin > 0.2 µg/ml and 2003 , 7, P9	78
1635	Clinical security with association of four antithrombotic drugs in the treatment of UA/NSTEMI: experience of our unit. 2003 , 7, P10	78
1634	Admissional B-type natriuretic peptide is an independent predictor of outcome in patients with decompensated heart failure. 2003 , 7, P11	78
1633	Transendocardial, autologous bone-marrow cell transplant in severe, chronic ischemic heart failure. 2003 , 7, P12	78
1632	Epidemiologic profile and clinical follow-up of a population with acute atrial fibrillation and age 2003 , 7, P13	1
1631	Compensated mortality of cardiovascular disease in the States of Rio de Janeiro, Sã Paulo and Rio Grande do Sul from 1980 to 1999. 2003 , 7, P14	78
1630	B-Type natriuretic peptide assessment in coronary arterial bypass graft surgery. 2003 , 7, P15	78
1629	The use of enoxaparin during coronary angioplasty: study of clinical security. 2003 , 7, P16	78
1628	Role of chronobiological rhythms in acute aortic dissection. 2003 , 7, P17	78
1627	The utility of B-type natriuretic peptide in differentiating decompensated heart failure from lung disease in patients presenting to the emergency department with dyspnea. 2003 , 7, P18	78
1626	Levosimendan improves hemodynamic effects in patients with acutely decompensated heart failure: the Argentinean multicenter registry. 2003 , 7, P19	78
1625	Postoperative circulatory support in adult cardiac surgery: recent experience from one center. 2003 , 7, 1	78
1624	Dynamic subaortic stenosis with the use of vasoactive drugs in critical care: case report. 2003 , 7, 1	78
1623	Catheter-based transendocardial delivery of autologous bone marrow-derived mononuclear cells in patients listed for heart transplantation. 2003 , 7, P22	78

1622	Levosimendan treatment for acutely decompensated heart failure is as effective for Chagas disease patients as for patients with other etiologies. 2003, 7, P23	3
1621	Case report: short time reversible myocardial dysfunction in sepsis treated with drotrecogin alpha. 2003, 7, P24	78
1620	Comparative analysis of SVO2 of samples drawn in the superior cava vein and pulmonary artery. 2003, 7, P25	78
1619	Is there a role for continuous esophageal Doppler in critically ill patients?. 2003, 7, P26	78
1618	Systemic and regional hemodynamic effects of fluid resuscitation in experimental septic shock. 2003, 7, 1	78
1617	Bacterial translocation consequential to intestinal bacterial overgrowth provokes aggravation of mortality by sepsis. 2003, 7, P28	1
1616	The role of the mesenteric lymph on microcirculation injury during bacterial translocation. 2003, 7, P29	78
1615	Hemodynamics and metabolic effects of prolonged and isolated hepatic artery occlusion in dogs. 2003, 7, 1	78
1614	Acute, normovolemic hemodilution: effects on systemic and splanchnic blood flows and oxygen metabolism. 2003, 7, 1	78
1613	Total homocysteine plasmatic levels as a marker of clinical severity in septic patients. 2003, 7, P32	78
1612	When is the 'golden time' to apply the SOFA score in critically ill patients?. 2003, 7, P33	78
1611	What is the prevalence and clinical relevance of hypocalcemia in sepsis?. 2003, 7, P34	2
1610	Evaluation of blood transfusion effects on mixed venous oxygen saturation and lactate levels in patients with systemic inflammatory response syndrome (SIRS)/sepsis. 2003, 7, P35	1
1609	Severe hemodynamic compromise, respiratory failure and disseminated skin lesions due to <i>Strongyloides stercoralis</i> . 2003, 7, P36	78
1608	Is it possible to use levosimendan to treat cardiovascular dysfunction in septic patients?. 2003, 7, 1	78
1607	The use of radionuclide-labeled white blood cell scintigraphy and ⁶⁷ gallium scintigraphy in critically ill patients with sepsis. 2003, 7, P38	78
1606	Acidosis and mortality in severe sepsis and septic shock evaluated by base excess variation. 2003, 7, P39	2
1605	Can we predict pulmonary wedge pressure from central venous pressure in hepatic transplantation?. 2003, 7, 1	78

1604	Sepsis-based critical care teaching program: the SETUP Project. 2003, 7, P41	78
1603	Is it possible to obtain Frank-Starling curves in the intensive care unit?. 2003, 7, 1	78
1602	Effects of customized bicarbonate buffered solutions for continuous renal replacement therapies on polymorphonuclear function and viability. 2003, 7, P43	78
1601	The use of renal scintigraphy with technetium-99m-L-ethylenedicysteine in critically ill patients with acute renal failure in the intensive care unit. 2003, 7, P44	78
1600	Incidence, risk factors and prognostic factors of acute renal failure in patients admitted in an intensive care unit. 2003, 7, P45	1
1599	Ventilator beyond ventilation: impact of the increase of elastic recoil pressure of a respiratory system through positive end expiratory pressure—zero positive end expiratory pressure vs manually assisted cough vs manually assisted cough adding positive end expiratory pressure 12 cmH2O on the peak expiratory flow in mechanically ventilated patients. 2003, 7, P46	78
1598	Pulmonary thromboembolism among elderly intensive care unit patients. 2003, 7, P47	1
1597	Mechanical ventilation with controlled pressure and controlled volume in septic patients with acute respiratory distress syndrome. 2003, 7, P48	78
1596	Peak expiratory flow in mechanically ventilated patients under three modalities of manually assisted coughing. 2003, 7, P49	0
1595	Ventilator beyond ventilation: impact of positive end expiratory pressure on peak expiratory flow in mechanically ventilated patients under three modalities of manually assisted coughing. 2003, 7, P50	78
1594	Influence of the increase of positive end expiratory pressure on the intra-abdominal pressure. 2003, 7, P51	78
1593	Staphylococcia and severe acute respiratory distress syndrome. 2003, 7, 1	78
1592	Frequency of acute lung injury and acute respiratory distress syndrome in the intensive care unit of a teaching hospital: a prospective study. 2003, 7, P53	78
1591	The measurement of proximal inspiratory pressure at intensive care unit admission can predict patient hospital mortality. 2003, 7, P54	78
1590	Assessment of cardiorespiratory changes in critically ill patients in two methods employed for mechanical ventilation weaning. 2003, 7, P55	78
1589	Heart rate variability in chronic obstructive pulmonary disease patients during bilevel positive airway pressure. 2003, 7, P56	1
1588	Hemodynamic profile and vasoactive drugs in acute respiratory distress syndrome. 2003, 7, P57	78
1587	Mortality associated with invasive mechanical ventilation. 2003, 7, P58	78

1586	Automatic pressure support reduction is effective in weaning postoperative patients in the intensive care unit. 2003, 7, 1	78
1585	Prevalence of cytomegalovirus infection among patients in an intensive care unit. 2003, 7, P60	78
1584	Clinical usefulness of technetium (Tc)-99m-mononuclear leukocytes in the imaging of infectious lesions. 2003, 7, P61	78
1583	Prediction of pneumonia in the postoperative period of cardiac surgery using the classification tree. 2003, 7, P62	78
1582	Preliminary results of a prospective randomized study comparing the effect of double-lumen central venous catheters impregnated with chlorhexidine and silver sulfadiazine with the standard on colonization. 2003, 7, P63	78
1581	Resolution of <i>Staphylococcus aureus</i> (methicillin-resistant <i>Staphylococcus aureus</i>) osteomyelitis by oral linezolid. 2003, 7, P64	78
1580	Microbiological predominance in an intensive care unit. 2003, 7, 1	78
1579	Risk factors for catheter-related bloodstream infection in the intensive care unit. 2003, 7, P66	78
1578	Mobile septic intra-atrial masses in premature infants. 2003, 7, P67	78
1577	Polimixin B use in treatment of multidrug-resistant <i>Pseudomonas aeruginosa</i> infection. 2003, 7, P68	78
1576	Evaluation of mortality rate among patients submitted to a guideline for treatment of nosocomial pneumonia in the Intensive Care Unit of the Regional University Hospital, Londrina, Paraná/Brazil. 2003, 7, P69	78
1575	Hantavirus Cardiopulmonary Syndrome: report of four cases. 2003, 7, P70	78
1574	Mortality predictor parameters in infective endocarditis. 2003, 7, P71	78
1573	Traumatic brain injury: analysis of 64 cases managed in a general intensive care unit. 2003, 7, P72	1
1572	Risk factors and impact of an acute confusional state in the postoperative period of cardiac surgery. 2003, 7, P73	78
1571	Dissociative anesthesia with ketamine plus benzodiazepine in a prehospital setting: a retrospective analysis. 2003, 7, P74	78
1570	Variability of care among neurological intensive care unit patients: the role of insurance coverage. 2003, 7, P75	78
1569	Use of dexmedetomidine beyond 24 hours in the intensive care unit. 2003, 7, P76	78

1568	Two-dimensional transcranial color Doppler: its role in subarachnoid hemorrhage. 2003, 7, P77	78
1567	Cerebral oxygen extraction during cardiopulmonary resuscitation (CPR) for ventricular fibrillation (VF) with and without assisted ventilation (AV). 2003, 7, P78	78
1566	Complications of monitoring of jugular bulb venous saturation. 2003, 7, P79	78
1565	Survey of severe head injury treatment in Brazil. 2003, 7, P80	78
1564	Cutaneous integrity protocol for critical patients in the intensive care unit. 2003, 7, 1	78
1563	Transfusional practices: what have we learnt with Transfusion Requirements In Critical Care (TRICC). 2003, 7, P82	78
1562	Quality of Life (QOL) improvement following catheter-based autologous bone marrow mononuclear cell transplantation (ABM-MCT). 2003, 7, P83	78
1561	Quality of care in the intensive care unit: the sight of the family members. 2003, 7, P84	78
1560	Haemoglobin behaviour in critical patients. 2003, 7, P85	78
1559	Chest roentgenogram (CR) performed as routine after thoracic tube withdrawal in heart surgery postoperatively (HS-PO): a useless examination?. 2003, 7, P86	78
1558	Intrahospital transport of critical ill patients: is it a safe procedure?. 2003, 7, P87	78
1557	Evaluation of patients with acute leukemia admitted to an intensive care unit. 2003, 7, P88	78
1556	Toward a new frontier on economic and technologic assessment in intensive care: the role of ethics. 2003, 7, P89	0
1555	Evaluation of the patients refused admission into the intensive care unit: the lack of public beds. 2003, 7, P90	78
1554	Choose the prognostic index for patients with dialytic acute renal failure in the intensive care unit. 2003, 7, P91	78
1553	Prognostic risk markers at 180 days in patients with ischemic heart syndrome without ST elevation. 2003, 7, P92	78
1552	Association of cardiovascular disease with critically elderly patients' mortality. 2003, 7, P93	1
1551	Incidence of hypomagnesemia in the emergency room. 2003, 7, P94	78

1550	Identification of subgroups with long length of stay in surgical intensive care units among patients undergoing surgical cardiac valve replacement based on preoperative, peroperative, and postoperative variables. 2003, 7, P95	78
1549	Metabolic acidosis and organ dysfunctions in critically ill patients. 2003, 7, P96	78
1548	Use of Acute Physiology and Chronic Health Evaluation II in nontraumatic neurological intensive care patients: calibration and discrimination analysis. 2003, 7, P97	78
1547	Mortality and length of stay (LOS) in the postoperative unit of cardiac surgery (POU) in patients with myocardial infarction (MI) undergoing myocardial revascularization (MR) surgery. 2003, 7, P98	78
1546	The impact of nutritional support on morbimortality of critically ill patients. 2003, 7, P99	78
1545	High impact of Sepsis-related Organ Failure Assessment score on mortality prediction of patients undergoing valve replacement on the first postoperative day. 2003, 7, P100	78
1544	Risk of factors for readmission in the intensive care unit. 2003, 7, 1	1
1543	Comparison between prognostic scores of patients undergoing cardiac surgery: which is the best score to predict mortality and length of stay in a surgical intensive care unit?. 2003, 7, P102	78
1542	Evaluation of the organic dysfunction in elderly patients in the intensive care unit. 2003, 7, P103	78
1541	The nurse's role in nuclear medicine service in the emergency room. 2003, 7, P104	1
1540	Epidemiologic analysis of patients admitted to the intensive care unit in a general hospital. 2003, 7, 1	0
1539	Prognostics index: evaluation of Sequential Organ Failure Assessment and Multiple Organ Dysfunction Score in patients after cardiac arrest in intensive care. 2003, 7, P106	78
1538	Prehospital rapid sequence intubation in severe traumatic brain injury: a retrospective analysis. 2003, 7, P107	78
1537	'Damage control' in the intensive care unit. 2003, 7, P108	78
1536	Thoracic blood drainage debt: what amount should be expected as normal in the first postoperative hours of cardiac surgery?. 2003, 7, P109	78
1535	Use of noradrenaline (NA) in the early postoperative (PO) period of myocardial revascularization (MR) surgery in a group of patients with a short stay in the intensive care unit. 2003, 7, P110	78
1534	Percutaneous tracheostomy: Ciaglia Blue Rhino vs basic Ciaglia. 2003, 7, P111	78
1533	Complications of arterial lines in an intensive care unit. 2003, 7, P112	78

1532	Treatment of pseudoaneurism of the femoral artery with local injection of thrombin. 2003 , 7, P113	78
1531	Prehospital emergency thoracotomy: is there any indication? Report of five cases and an algorithm. 2003 , 7, P114	0
1530	Pulmonary thromboendarterectomy with embolectomy: a report of two cases. 2003 , 7, P115	78
1529	Clinical value of in vitro labeling of red blood cells with technetium 99m-scintigraphy in the detection of acute gastrointestinal bleeding. 2003 , 7, P116	78
1528	Platelet-derived exosomes: a new vascular redox signaling pathway. 2003 , 7, P117	3
1527	Evidence for the interaction between protein disulfide isomerase and NADPH oxidase as a regulatory mechanism for superoxide generation in phagocytic and vascular smooth muscle cells. 2003 , 7, P118	78
1526	Positive and negative regulators of transforming growth factor beta 1/bone morphogenetic protein pathways are constitutively expressed in mesangial cells. 2003 , 7, P119	78
1525	Cyclooxygenase inhibition corrects the impaired microvascular reactivity in diabetic female rats. 2003 , 7, P120	78
1524	Selective cyclooxygenase-2 inhibition with etoricoxib elevates blood pressure and alters vascular reactivity. 2003 , 7, P121	78
1523	Rapamycin modifies the vascular tone of rat isolated aortas. 2003 , 7, P122	78
1522	Expression and regulation of bone morphogenetic protein antagonists in vascular smooth muscle cells. 2003 , 7, P123	78
1521	Lipopolysaccharide-induced renin-angiotensin system (RAS) inhibition in human mesangial cells (HMC) is blocked by high ambient glucose. 2003 , 7, P124	78
1520	Influence of losartan and enalapril on the diclofenac effect on leukocyte-endothelium interaction in spontaneously hypertensive rats (SHR). 2003 , 7, P125	78
1519	Role of NADPH oxidase in the vascular reactivity and superoxide generation in the intrauterine undernourished rats: involvement of the renin-angiotensin system. 2003 , 7, P126	78
1518	Metformin treatment improves vascular function in rats with neonatal streptozotocin-induced type 2 diabetes. 2003 , 7, P127	78
1517	The effect of insulin and enalapril on the potentiation of bradykinin-induced vasodilation by angiotensin-(1-7) in diabetes mellitus. 2003 , 7, P128	78
1516	Outcome after acute respiratory failure is more dependent on dysfunction in other vital organs than on the severity of the respiratory failure. 2003 , 7, R72	53
1515	Resolution and outcome of acute circulatory failure does not correlate with hemodynamics. 2003 , 7, R52	4

1514	Tormentic acid inhibits proliferation and induces apoptosis in vascular smooth muscle cells. 2003 , 7, P129		1
1513	Following severe injury, hypocholesterolemia improves with convalescence but persists with organ failure or onset of infection. 2003 , 7, R145-53		46
1512	Validation of the paediatric logistic organ dysfunction (PELOD) score: prospective, observational, multicentre study. 2003 , 362, 192-7		539
1511	Abnormal gastric tonometric variables and vasoconstrictor use after left ventricular assist device insertion. 2003 , 75, 1886-91		3
1510	Withdrawal of mechanical ventilation in anticipation of death in the intensive care unit. 2003 , 349, 1123-32		332
1509	One-year outcomes in survivors of the acute respiratory distress syndrome. 2003 , 348, 683-93		1635
1508	Desmopressin therapy for massive hemoptysis associated with severe leptospirosis. 2003 , 167, 726-8		34
1507	Failure of monocytes of trauma patients to convert to immature dendritic cells is related to preferential macrophage-colony-stimulating factor-driven macrophage differentiation. 2003 , 170, 6355-62		67
1506	2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. <i>Critical Care Medicine</i> , 2003 , 31, 1250-6	1.4	4459
1505	Injurious mechanical ventilation and end-organ epithelial cell apoptosis and organ dysfunction in an experimental model of acute respiratory distress syndrome. 2003 , 289, 2104-12		490
1504	High frequency of T9 and CFTR mutations in children with idiopathic bronchiectasis. 2003 , 40, 530-5		6
1503	Mainstream vs. sidestream capnometry for prediction of arterial carbon dioxide tension during supine craniotomy. 2003 , 58, 149-55		12
1502	Lipopolysaccharide-binding protein serum levels in patients with severe sepsis due to gram-positive and fungal infections. 2003 , 187, 287-91		68
1501	Risk factors for severe sepsis in secondary peritonitis. 2003 , 4, 355-62		49
1500	[The MEDAN database: patients with abdominal septic shock]. 2003 , 128, 298-303		1
1499	[Perioperative risk assessment in surgery - an analysis in 10 395 patients]. 2003 , 128, 963-9		8
1498	A randomized trial of inhaled nitric oxide to prevent ischemia-reperfusion injury after lung transplantation. 2003 , 167, 1483-9		130
1497	Mitogen-activated protein kinases in the intensive care unit: prognostic potential. 2003 , 237, 94-100		9

1496	Recombinant platelet-activating factor acetylhydrolase to prevent acute respiratory distress syndrome and mortality in severe sepsis: Phase IIb, multicenter, randomized, placebo-controlled, clinical trial. <i>Critical Care Medicine</i> , 2003 , 31, 1612-9	1.4	88
1495	Matrix metalloproteinase-1 and cytokines in patients with acute pancreatitis. 2003 , 26, 134-8		13
1494	Serum levels of mast cell tryptase, vascular endothelial growth factor and basic fibroblast growth factor in patients with acute pancreatitis. 2003 , 27, e29-33		16
1493	Transforming growth factor-beta1 and major trauma: time-dependent association with hepatic and renal insufficiency. 2003 , 19, 16-23		21
1492	Plasma concentration of Gc-globulin is associated with organ dysfunction and sepsis after injury. <i>Critical Care Medicine</i> , 2003 , 31, 152-6	1.4	109
1491	Naloxone for shock. 2003 , CD004443		97
1490	Fluconazole improves survival in septic shock: a randomized double-blind prospective study. <i>Critical Care Medicine</i> , 2003 , 31, 1938-46	1.4	92
1489	The risk factors and time course of sepsis and organ dysfunction after burn trauma. 2003 , 54, 959-66		178
1488	Measures, markers, and mediators: toward a staging system for clinical sepsis. A report of the Fifth Toronto Sepsis Roundtable, Toronto, Ontario, Canada, October 25-26, 2000. <i>Critical Care Medicine</i> , 2003 , 31, 1560-7	1.4	189
1487	Lung injury severity scoring in the era of lung protective mechanical ventilation: the PaO ₂ /FIO ₂ ratio. 2003 , 55, 285-9		28
1486	A prospective study on the implications of a base deficit during fluid resuscitation. 2003 , 24, 75-84		38
1485	Plasma exchange as rescue therapy in multiple organ failure including acute renal failure. <i>Critical Care Medicine</i> , 2003 , 31, 1730-6	1.4	94
1484	Report of a case series of ultra low-frequency oscillations in cardiac output in critically ill adults with sepsis, systemic inflammatory response syndrome, and multiple organ dysfunction syndrome. 2003 , 20, 101-9		5
1483	Multiple organ failure in trauma patients. 2003 , 55, 608-16		155
1482	Lipoprotein metabolism in patients with severe sepsis. <i>Critical Care Medicine</i> , 2003 , 31, 1359-66	1.4	234
1481	Acute pancreatitis: treatment strategies. 2003 , 21, 30-7		6
1480	Decreased HLA (human leucocyte antigen)-DR expression on peripheral blood monocytes predicts the development of organ failure in patients with acute pancreatitis. 2003 , 105, 409-17		51
1479	Association of proinflammatory molecules with apoptotic markers and survival in critically ill multiple organ dysfunction patients. 2003 , 5, 129-41		5

1478	Lack of effect of prophylactic N-acetylcysteine on postoperative organ dysfunction following major abdominal tumour surgery: a randomized, placebo-controlled, double-blinded clinical trial. 2003 , 31, 267-71	18
1477	Incidence and definition of sepsis and associated organ dysfunction. 2004 , 27, 352-9	14
1476	Correlation between extravascular lung water and oxygenation in ALI/ARDS patients in septic shock: possible role in the development of atelectasis?. 2004 , 32, 196-201	20
1475	Pneumonia associada à ventilação mecânica: impacto da multirresistência bacteriana na morbidade e mortalidade. 2004 , 30, 540-548	6
1474	Devastating presentations of regional enteritis (Crohn's disease): two reports of survival following severe multiple organ dysfunction syndrome. 2004 , 5, 301-7	2
1473	The Complement System. 2004 ,	6
1472	Multiple organ system failure in critically ill cirrhotic patients. A comparison of two multiple organ dysfunction/failure scoring systems. 2004 , 69, 190-200	50
1471	Persistent organ failure during the first week as a marker of fatal outcome in acute pancreatitis. 2004 , 53, 1340-4	407
1470	Outcome rating scales for pediatric head injury. 2004 , 19, 205-19	8
1469	Diagnostic and prognostic implications of endotoxemia in critical illness: results of the MEDIC study. 2004 , 190, 527-34	254
1468	Re-evaluation and modification of the Stuivenberg Hospital Acute Renal Failure (SHARF) scoring system for the prognosis of acute renal failure: an independent multicentre, prospective study. 2004 , 19, 2282-8	57
1467	Monitoring therapeutic interventions in critically ill septic patients. 2004 , 19, 423-32	3
1466	Endotoxaemia during left ventricular assist device insertion: relationship between risk factors and outcome. 2004 , 92, 131-3	5
1465	Evaluation of prognostic indexes in critical acute renal failure patients. 2004 , 26, 545-52	7
1464	TLR4 and TNF-alpha polymorphisms are associated with an increased risk for severe sepsis following burn injury. 2004 , 41, 808-13	131
1463	Increased glomerular permeability and pulmonary dysfunction following major surgery: correlation of microalbuminuria and PaO ₂ /FiO ₂ ratio. 2004 , 48, 704-10	30
1462	Drotrecogin alfa: a role in emergency department treatment of severe sepsis?. 2004 , 16, 324-35	3
1461	Renal replacement therapy with high-cutoff hemofilters: Impact of convection and diffusion on cytokine clearances and protein status. 2004 , 43, 444-53	148

1460	Comorbidity assessment in localized prostate cancer: a review of currently available techniques. 2004 , 46, 28-41; discussion 41	23
1459	Finding optimal decision scores by evolutionary strategies. 2004 , 32, 85-95	2
1458	Correlation of glomerular permeability, endothelial injury, and postoperative multiple organ dysfunction. 2004 , 34, 811-6	8
1457	Use of drotrecogin alfa (activated) in bariatric surgery patients with severe sepsis syndrome: experience in an urban community teaching hospital. 2004 , 14, 107-15	2
1456	Cancer patients with septic shock: mortality predictors and neutropenia. 2004 , 12, 833-9	46
1455	Dialektik der Intensivmedizinâ€urativ und palliativ. 2004 , 41, 1-5	4
1454	Scoring-Systeme in der Diagnostik und Verlaufsbeurteilung der Sepsisâ€diagnostische und therapeutische Implikationen. 2004 , 41, 476-487	
1453	Ëiologie und Diagnostik des septischen Organversagens. 2004 , 41, 465-475	
1452	Risikoscoresysteme bei herzchirurgischen Patienten mit Nierenversagen. 2004 , 18, 133	
1451	Ein neuer Score ffdie tgliche Schweregradklassifizierung auf herzchirurgischen Intensivstationen. 2004 , 18, 257-267	
1450	DNR directives are established early in mechanically ventilated intensive care unit patients. 2004 , 51, 1034-41	37
1449	Compartmentalisation of cytokines and cytokine inhibitors in ventilator-associated pneumonia. 2004 , 30, 68-74	53
1448	Short-term outcome of critically ill patients with severe acute respiratory syndrome. 2004 , 30, 381-7	81
1447	Fluid resuscitation with colloids of different molecular weight in septic shock. 2004 , 30, 1356-60	54
1446	Clinician discomfort with life support plans for mechanically ventilated patients. 2004 , 30, 1783-90	20
1445	Early diagnosis of candidiasis in non-neutropenic critically ill patients. 2004 , 48, 181-92	47
1444	Urinary trypsinogen activation peptide as a marker of severe acute pancreatitis. 2004 , 91, 1027-33	38
1443	Plasma anti-inflammatory cytokines and monocyte human leucocyte antigen-DR expression in patients with acute pancreatitis. 2004 , 39, 178-87	54

1442	Erythropoietin and renin as biological markers in critically ill patients. 2004 , 8, R328-35		25
1441	Natural anticoagulant inhibitors: activated Protein C. 2004 , 17, 161-82		18
1440	Pharmacologic treatments for acute respiratory distress syndrome and acute lung injury: systematic review and meta-analysis. 2004 , 3, 307-28		42
1439	Longitudinal outcomes of intra-abdominal infection complicated by critical illness. 2004 , 5, 365-73		43
1438	Non-infectious and unusual infectious mimics of community-acquired pneumonia. 2004 , 98, 488-94		49
1437	The critically ill obstetric patient: what's the score?. 2004 , 13, 144-5		20
1436	Circulating heat-shock protein 70 is associated with postoperative infection and organ dysfunction after liver resection. 2004 , 187, 777-84		57
1435	Diffuse pulmonary infiltrates after bone marrow transplantation: the role of open lung biopsy. 2004 , 78, 267-72		33
1434	[High and low-risk febrile neutropenic patients]. 2004 , 33, 467-73		3
1433	Causes and consequences of fever complicating critical surgical illness. 2004 , 5, 145-59		74
1432	Causes and predictors of nonresponse to treatment of intensive care unit-acquired pneumonia. <i>Critical Care Medicine</i> , 2004 , 32, 938-45	1.4	108
1431	Recombinant human platelet-activating factor acetylhydrolase for treatment of severe sepsis: results of a phase III, multicenter, randomized, double-blind, placebo-controlled, clinical trial. <i>Critical Care Medicine</i> , 2004 , 32, 332-41	1.4	148
1430	Clinician predictions of intensive care unit mortality. <i>Critical Care Medicine</i> , 2004 , 32, 1149-54	1.4	204
1429	Modulation of macrophage responsiveness to lipopolysaccharide by IRAK-1 manipulation. 2004 , 21, 182-8		81
1428	Abnormal PGE(2) regulation of monocyte TNF-alpha levels in trauma patients parallels development of a more macrophage-like phenotype. 2004 , 22, 204-12		12
1427	Circulating levels of macrophage migration inhibitory factor are associated with mild pulmonary dysfunction after cardiopulmonary bypass. 2004 , 22, 533-7		26
1426	Study of clinical course of organ dysfunction in intensive care. <i>Critical Care Medicine</i> , 2004 , 32, 384-90	1.4	31
1425	Efficacy and safety of the monoclonal anti-tumor necrosis factor antibody F(ab') ₂ fragment afelimomab in patients with severe sepsis and elevated interleukin-6 levels. <i>Critical Care Medicine</i> , 2004 , 32, 2173-82	1.4	314

1424	Aspirin preserves neutrophil apoptosis after cardiopulmonary bypass. 2004 , 21, 495-9		9
1423	Intravenous immunoglobulin does not improve outcome in toxic epidermal necrolysis. 2004 , 25, 246-55		97
1422	Administration of the nitric oxide synthase inhibitor NG-methyl-L-arginine hydrochloride (546C88) by intravenous infusion for up to 72 hours can promote the resolution of shock in patients with severe sepsis: results of a randomized, double-blind, placebo-controlled multicenter study (study no. 144-002). <i>Critical Care Medicine</i> , 2004 , 32, 1-12	1.4	172
1421	Delayed neutrophil apoptosis in sepsis is associated with maintenance of mitochondrial transmembrane potential and reduced caspase-9 activity. <i>Critical Care Medicine</i> , 2004 , 32, 1460-9	1.4	166
1420	Sepsis severity is the major determinant of circulating thrombopoietin levels in septic patients. <i>Critical Care Medicine</i> , 2004 , 32, 1004-10	1.4	560
1419	New method of classifying infections in critically ill patients. <i>Critical Care Medicine</i> , 2004 , 32, 1510-26	1.4	59
1418	Impact of high volume hemofiltration on hemodynamic disturbance and outcome during septic shock. 2004 , 50, 102-9		111
1417	Acute respiratory distress syndrome criteria in trauma patients: why the definitions do not work. 2004 , 57, 522-6; discussion 526-8		33
1416	CD14 receptor occupancy in severe sepsis: results of a phase I clinical trial with a recombinant chimeric CD14 monoclonal antibody (IC14). <i>Critical Care Medicine</i> , 2004 , 32, 1100-8	1.4	59
1415	The beneficial effects of antioxidant supplementation in enteral feeding in critically ill patients: a prospective, randomized, double-blind, placebo-controlled trial. 2004 , 99, 857-863		108
1414	Does the storage time of transfused red blood cells influence regional or global indexes of tissue oxygenation in anemic critically ill patients?. <i>Critical Care Medicine</i> , 2004 , 32, 364-71	1.4	251
1413	Oxandrolone does not improve outcome of ventilator dependent surgical patients. 2004 , 240, 472-8; discussion 478-80		33
1412	The prediction of adverse maternal outcomes in preeclampsia. 2004 , 26, 871-9		48
1411	Association of interleukin-10 promoter polymorphism with the incidence of multiple organ dysfunction following major trauma: results of a prospective pilot study. 2004 , 21, 306-10		28
1410	Diagnostic measures to evaluate oxygenation in critically ill adults: implications and limitations. 2004 , 15, 506-24; quiz 641-2		5
1409	Altered cell-mediated immunity and increased postoperative infection rate in long-term alcoholic patients. 2004 , 100, 1088-100		122
1408	The puzzle of sepsis: fitting the pieces of the inflammatory response with treatment. 2004 , 15, 18-44		21
1407	Patients with severe sepsis vary markedly in their ability to generate activated protein C. 2004 , 104, 3958-64		131

1406	Diagnostic approach to the patient with jaundice following trauma. 2004 , 93, 176-83		10
1405	International pediatric sepsis consensus conference: definitions for sepsis and organ dysfunction in pediatrics. 2005 , 6, 2-8		2252
1404	Effect from multiple episodes of inadequate empiric antibiotic therapy for ventilator-associated pneumonia on morbidity and mortality among critically ill trauma patients. 2005 , 58, 94-101		56
1403	One more piece in the septic myocardial depression puzzle?. <i>Critical Care Medicine</i> , 2005 , 33, 690-1	1.4	36
1402	Errors in monitoring transcutaneous PCO2 on the ear. <i>Critical Care Medicine</i> , 2005 , 33, 2414-5	1.4	8
1401	Evolving paradigms in the management of severe traumatic brain injury. <i>Critical Care Medicine</i> , 2005 , 33, 2415-7	1.4	15
1400	The prospect of hemoglobin-based blood substitutes: Still a long stony road to go. <i>Critical Care Medicine</i> , 2005 , 33, 694-5	1.4	5
1399	Avoiding a blood transfusion: How much is it worth?. <i>Critical Care Medicine</i> , 2005 , 33, 672-4	1.4	14
1398	Beta-blockade during sepsis: inspired or insane?. <i>Critical Care Medicine</i> , 2005 , 33, 2433-4	1.4	8
1397	Clinical significance of increased lipase levels on admission to the ICU. 2005 , 127, 246-50		41
1396	Organ dysfunction in circulatory shock â altered perfusion, metabolism or tight junctions? Do we need a shift of paradigm?. 2005 , 577-585		
1395	Deep venous thrombosis in medical-surgical critically ill patients: prevalence, incidence, and risk factors. <i>Critical Care Medicine</i> , 2005 , 33, 1565-71	1.4	895
1394	Incidence and prognosis of intraabdominal hypertension in a mixed population of critically ill patients: a multiple-center epidemiological study. <i>Critical Care Medicine</i> , 2005 , 33, 315-22	1.4	1717
1393	General anesthesia in the intensive care unit? Is it ready for "prime time"?. <i>Critical Care Medicine</i> , 2005 , 33, 687-8	1.4	7
1392	A looming crisis in demand for intensive care unit resources?. <i>Critical Care Medicine</i> , 2005 , 33, 683-4	1.4	1
1391	The Pediatric Multiple Organ Dysfunction Score (P-MODS): development and validation of an objective scale to measure the severity of multiple organ dysfunction in critically ill children. <i>Critical Care Medicine</i> , 2005 , 33, 1484-91	1.4	99
1390	Characteristics and outcomes for critically ill patients with prolonged intensive care unit stays. <i>Critical Care Medicine</i> , 2005 , 33, 1922-7; quiz 1936	1.4	78
1389	Genetic polymorphisms in acute respiratory distress syndrome: new approach to an old problem. <i>Critical Care Medicine</i> , 2005 , 33, 2443-5	1.4	7

1388	An old debate joined again: should we give steroids to all head-injured patients?. <i>Critical Care Medicine</i> , 2005 , 33, 2440-1	1.4	1
1387	Settling the score for disseminated intravascular coagulation. <i>Critical Care Medicine</i> , 2005 , 33, 2417-8	1.4	10
1386	Lactic acidosis in sepsis: another commentary. <i>Critical Care Medicine</i> , 2005 , 33, 2420-2	1.4	14
1385	Alterations in the systemic inflammatory response after early total care and damage control procedures for femoral shaft fracture in severely injured patients. 2005 , 58, 446-52; discussion 452-4		139
1384	TOOLS (treatment with oscillation and open lung strategy) are welcome: timely intervention, combining therapies, strict algorithms. <i>Critical Care Medicine</i> , 2005 , 33, 667-8	1.4	2
1383	Do we need another pediatric severity of illness score?. <i>Critical Care Medicine</i> , 2005 , 33, 1643-5	1.4	2
1382	Outcome measures for clinical research in sepsis: a report of the 2nd Cambridge Colloquium of the International Sepsis Forum. <i>Critical Care Medicine</i> , 2005 , 33, 1708-16	1.4	114
1381	Sepsis and intracellular calcium homeostasis, a sparkling story. <i>Critical Care Medicine</i> , 2005 , 33, 688-90	1.4	7
1380	"Smart" pumps: A cautionary tale of human factors engineering. <i>Critical Care Medicine</i> , 2005 , 33, 679-80	1.4	16
1379	It's all in the charge. <i>Critical Care Medicine</i> , 2005 , 33, 680-1	1.4	5
1378	Aneurysmal subarachnoid hemorrhage and positive end-expiratory pressure. <i>Critical Care Medicine</i> , 2005 , 33, 2442-3	1.4	
1377	Drotrecogin alfa (activated) treatment in severe sepsis: a "journal club" review of the global ENHANCE trial. <i>Critical Care Medicine</i> , 2005 , 33, 2428-31	1.4	9
1376	Collateral damage: sepsis-induced gut injury. <i>Critical Care Medicine</i> , 2005 , 33, 2439-40	1.4	4
1375	The unpretentious role of 2,3-diphosphoglycerate in critical illness. <i>Critical Care Medicine</i> , 2005 , 33, 2423-4	1.4	2
1374	What is the role of neonatal organ dysfunction and illness severity scores in therapeutic studies in sepsis?. 2005 , 6, S135-7		4
1373	Hyperglycemia, asymmetric dimethylarginine, and patient survival: Dysregulation of complex networks and the metabolic basis of disease. <i>Critical Care Medicine</i> , 2005 , 33, 674-6	1.4	
1372	Magnesium sulfate therapy in patients with acute neuronal damage: The problem of intravenous administration. <i>Critical Care Medicine</i> , 2005 , 33, 698-9	1.4	6
1371	Cytochrome P-450 activity is differentially altered in severely injured patients. <i>Critical Care Medicine</i> , 2005 , 33, 541-6	1.4	30

1370	Calpain: A new target in pulmonary hypertension?. <i>Critical Care Medicine</i> , 2005 , 33, 693	1.4	5
1369	Should high mobility group box-1 protein (HMGB1) be measured in patients with severe sepsis and septic shock? If so, when, where, and how?. <i>Critical Care Medicine</i> , 2005 , 33, 682-3	1.4	7
1368	Cardiac high-risk patients: from "permissive" to "deliberate" anemia. <i>Critical Care Medicine</i> , 2005 , 33, 2434-5	1.4	5
1367	Plasma vascular endothelial growth factor in severe sepsis. 2005 , 23, 35-8		132
1366	The meaning and measurement of physiologic variability?. <i>Critical Care Medicine</i> , 2005 , 33, 677-8	1.4	9
1365	Intensive care or end-of-life care for critically ill cancer patients?. <i>Critical Care Medicine</i> , 2005 , 33, 678-9	1.4	
1364	Nebulized nitric oxide/nucleophile adduct: Donating nitric oxide to the lung. <i>Critical Care Medicine</i> , 2005 , 33, 691-2	1.4	1
1363	Redefining the roles of apoptosis pathways during sepsis. <i>Critical Care Medicine</i> , 2005 , 33, 670-2	1.4	5
1362	Can single nucleotide polymorphisms in innate immune receptors predict development of septic complications in intensive care unit patients?. <i>Critical Care Medicine</i> , 2005 , 33, 695-6	1.4	13
1361	Intestinal permeability and systemic infections in critically ill patients: effect of glutamine. <i>Critical Care Medicine</i> , 2005 , 33, 1125-35	1.4	255
1360	Multifactorial aspects to explain variations of control group mortality rates of randomized controlled trials. <i>Critical Care Medicine</i> , 2005 , 33, 2410-1	1.4	0
1359	Prognostic value of a simple evolving disseminated intravascular coagulation score in patients with severe sepsis. <i>Critical Care Medicine</i> , 2005 , 33, 2214-21	1.4	75
1358	Early changes in organ function predict eventual survival in severe sepsis. <i>Critical Care Medicine</i> , 2005 , 33, 2194-201	1.4	319
1357	Prone position, high-frequency oscillatory ventilation, and Hippocrates in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2005 , 33, 2407-8	1.4	5
1356	The dynamic interface between hemodynamic variables and autonomic tone. <i>Critical Care Medicine</i> , 2005 , 33, 2437-8	1.4	14
1355	Controlling antibiotic-resistant bacteria: what's an intensivist to do?. <i>Critical Care Medicine</i> , 2005 , 33, 2446-7	1.4	5
1354	Exogenous surfactant in acute lung injury: no longer a question?. <i>Critical Care Medicine</i> , 2005 , 33, 2431-3	1.4	5
1353	The early bird catches the worm. <i>Critical Care Medicine</i> , 2005 , 33, 2412-4	1.4	20

1352	When shall the lung be opened up: during or after cardiac surgery?. <i>Critical Care Medicine</i> , 2005 , 33, 2425-6	1.4	2
1351	Reassessing recombinant human activated protein C for sepsis: time for a new randomized controlled trial. <i>Critical Care Medicine</i> , 2005 , 33, 2426-8	1.4	53
1350	Predicting mortality: how fast can you go?. <i>Critical Care Medicine</i> , 2005 , 33, 2409-10	1.4	2
1349	When the brain is injured, the body suffers. <i>Critical Care Medicine</i> , 2005 , 33, 697-8	1.4	2
1348	Inotropic options for postresuscitation myocardial dysfunction. <i>Critical Care Medicine</i> , 2005 , 33, 668-70	1.4	5
1347	Non-neurologic organ dysfunction in severe traumatic brain injury. <i>Critical Care Medicine</i> , 2005 , 33, 654-60	1.4	236
1346	The Bispectral Index: expanded performance for everyday use in the intensive care unit?. <i>Critical Care Medicine</i> , 2005 , 33, 685-7	1.4	18
1345	Sepsis during pregnancy. <i>Critical Care Medicine</i> , 2005 , 33, S286-93	1.4	51
1344	The imperfect diagnosis of acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2005 , 33, 2419-20	1.4	4
1343	Peroxisome proliferator-activated receptor-gamma ligands protect against lung injury: potential therapeutic targets?. <i>Critical Care Medicine</i> , 2005 , 33, 2436-7	1.4	1
1342	Emergency medicine and the surviving sepsis campaign: an international approach to managing severe sepsis and septic shock. 2005 , 46, 228-31		50
1341	Obesity exacerbates sepsis-induced inflammation and microvascular dysfunction in mouse brain. 2005 , 12, 183-94		67
1340	Beneficial effects of hypertonic saline/dextran on early survival in porcine endotoxin shock. 2005 , 49, 1124-34		14
1339	Does transthoracic compared to transhiatal resection alter the early postoperative course of oesophagectomy?. 2005 , 18, 155-9		8
1338	Endpoints in clinical trials of fluid resuscitation of patients with traumatic injuries. 2005 , 45, 4S-8S		8
1337	Pathophysiology of polytrauma. 2005 , 36, 691-709		830
1336	Continuous venovenous hemofiltration with citrate-based replacement fluid: efficacy, safety, and impact on nutrition. 2005 , 46, 908-18		35
1335	Shock: Management Guidelines. 2005 , 2, 277-286		

1334	Thrombocytopenia in medical-surgical critically ill patients: prevalence, incidence, and risk factors. 2005 , 20, 348-53	174
1333	Deep venous thrombosis: clinically silent in the intensive care unit. 2005 , 20, 334-40	59
1332	â€œDamage Controlâ€ in Severely Injured Patients. 2005 , 31, 212-221	21
1331	[Relaparotomy in secondary peritonitis Planned relaparotomy or relaparotomy on demand?]. 2005 , 76, 856-67	4
1330	Effects of volumetric vs. pressure-guided fluid therapy on postoperative inflammatory response: a prospective, randomized clinical trial. 2005 , 31, 656-63	23
1329	Multicenter study of the multiple organ dysfunction syndrome in intensive care units: the usefulness of Sequential Organ Failure Assessment scores in decision making. 2005 , 31, 927-33	89
1328	Critically ill obstetric patients in an American and an Indian public hospital: comparison of case-mix, organ dysfunction, intensive care requirements, and outcomes. 2005 , 31, 1087-94	74
1327	The use of severity scores in the intensive care unit. 2005 , 31, 1618-23	59
1326	Measuring organ dysfunction in the intensive care unit: why and how?. 2005 , 52, 224-30	17
1325	Limited ability of SOFA and MOD scores to discriminate outcome: a prospective evaluation in 1,436 patients. 2005 , 52, 302-8	46
1324	Plasma therapies in thrombotic syndromes. 2005 , 28, 459-65	32
1323	Do we have reliable biochemical markers to predict the outcome of critical illness?. 2005 , 28, 1197-210	23
1322	Multi-organ failure aspects of a fatal radiation accident in Norway in 1982. 2005 , Supplement_27, 36-40	5
1321	A proposed algorithm for managing the open abdomen. 2005 , 71, 202-7	52
1320	A unifying system: does the vascular endothelium have a role to play in multi-organ failure following radiation exposure?. 2005 , Supplement_27, 100-105	30
1319	Predictors of mortality and limb loss in necrotizing soft tissue infections. 2005 , 140, 151-7; discussion 158	269
1318	Anaesthesia, Pain, Intensive Care and Emergency Medicine â€œA.P.I.C.E.. 2005 ,	1
1317	Cumulative influence of organ dysfunctions and septic state on mortality of critically ill children. 2005 , 171, 348-53	109

1316	Organ dysfunction scores in critical illness. 2005 , 1, 18-23	2
1315	Acute respiratory distress syndrome and multiple organ dysfunction: a story of intricate relationships. 2005 , 1, 78-82	1
1314	Effect of stress doses of hydrocortisone on S-100B vs. interleukin-8 and polymorphonuclear elastase levels in human septic shock. 2005 , 43, 259-68	20
1313	Intensive insulin therapy and strict glucose control for critically ill patients. 2005 ,	2
1312	Severity of illness and organ dysfunction scoring in children. 2005 , 6, S126-34	69
1311	Application of autologous hematopoietic cell therapy to a nonhuman primate model of heterogeneous high-dose irradiation. 2005 , 163, 557-70	29
1310	Early and innovative interventions for severe sepsis and septic shock: taking advantage of a window of opportunity. 2005 , 173, 1054-65	103
1309	Bench-to-bedside review: outcome predictions for critically ill patients in the emergency department. 2005 , 9, 376-83	42
1308	The "cytokine profile": a code for sepsis. 2005 , 11, 56-63	1009
1307	Inhalation injury assessed by score does not contribute to the development of acute respiratory distress syndrome in burn victims. 2005 , 31, 263-8	70
1306	Daily assessment of organ dysfunction and survival in intensive care unit cardiac surgical patients. 2005 , 79, 1555-62	37
1305	Outcome of severe acute pancreatitis. 2005 , 189, 273-7	61
1304	Sepsis and coagulation. 2005 , 21, 417-31	49
1303	Emergency drainage for urosepsis associated with upper urinary tract calculi. 2005 , 173, 458-62	70
1302	Markers of oxidative damage, antioxidant status and clinical outcome in critically ill patients. 2005 , 42, 269-76	58
1301	Influence of antibiotic therapy on mortality of critical surgical illness caused or complicated by infection. 2005 , 6, 41-54	92
1300	A randomized controlled trial of enteral versus parenteral feeding in patients with predicted severe acute pancreatitis shows a significant reduction in mortality and in infected pancreatic complications with total enteral nutrition. 2006 , 23, 336-44; discussion 344-5	172
1299	Better understanding of organ dysfunction requires proteomic involvement. 2006 , 5, 1060-2	10

1298	Long-term quality of life and hospital mortality in patients treated with intermittent or continuous hemodialysis for acute renal and respiratory failure. 2006 , 28, 323-30	39
1297	Non-neurologic organ dysfunction in acute brain injury. 2006 , 22, 753-66; abstract x	8
1296	Coma, delirium, and cognitive dysfunction in critical illness. 2006 , 22, 787-804; abstract x	23
1295	Two-year outcomes, health care use, and costs of survivors of acute respiratory distress syndrome. 2006 , 174, 538-44	330
1294	A randomized trial of diagnostic techniques for ventilator-associated pneumonia. 2006 , 355, 2619-30	419
1293	Circulating inflammatory mediators and organ dysfunction after cardiovascular surgery with cardiopulmonary bypass: a prospective observational study. 2006 , 10, R46	55
1292	Serum procalcitonin level and leukocyte antisedimentation rate as early predictors of respiratory dysfunction after oesophageal tumour resection. 2006 , 10, R110	12
1291	SOFA is superior to MOD score for the determination of non-neurologic organ dysfunction in patients with severe traumatic brain injury: a cohort study. 2006 , 10, R115	46
1290	Mechanical ventilation interacts with endotoxemia to induce extrapulmonary organ dysfunction. 2006 , 10, R136	57
1289	Relation of the Sequential Organ Failure Assessment score to morbidity and mortality after cardiac surgery. 2006 , 82, 2072-8	50
1288	Clinical laboratory findings associated with in-hospital mortality. 2006 , 372, 1-13	22
1287	Using ice cream headache to help physicians experience the pain of and empathize with cluster headache patients. 2006 , 66, 685	
1286	More reliable mortality prediction in intensive care can be possible by use of fuzzy logic interpreters and decision trees. 2006 , 66, 684-5	0
1285	Circulating cytokines, chemokines, and stress hormones are increased in patients with organ dysfunction following liver resection. 2006 , 133, 102-12	50
1284	Plasma disappearance rate of indocyanine green in liver dysfunction. 2006 , 38, 801-2	65
1283	Transfus� de sangue em terapia intensiva: um estudo epidemiol�gico observacional. 2006 , 18, 242	3
1282	A doena oncol�gica n� deve ser um fator limitante para admiss� na UTI de pacientes submetidos a cirurgias de alto risco. 2006 , 18, 251-255	0
1281	Gravidade dos pacientes admitidos � Unidade de Terapia Intensiva de um hospital universit�rio brasileiro. 2006 , 18, 18-21	4

1280	Methods to assess performance of models estimating risk of death in intensive care patients: a review. 2006 , 34, 164-75		9
1279	Blood serum levels of proinflammatory cytokines in patients with different degrees of biliary pancreatitis. 2006 , 20, 645-8		11
1278	MOF, MODS, and SIRS: what is in a name or an acronym?. 2006 , 26, 438-49		82
1277	Does microalbuminuria predict illness severity in critically ill patients on the intensive care unit? A systematic review. <i>Critical Care Medicine</i> , 2006 , 34, 1805-10	1.4	52
1276	Mortality predictions in the intensive care unit: comparing physicians with scoring systems. <i>Critical Care Medicine</i> , 2006 , 34, 878-85	1.4	747
1275	Morbidity and Mortality of Patients With Invasive Group A Streptococcal Infections Admitted to the ICU. 2006 , 130, 1679-1686		42
1274	Well-being in informal caregivers of survivors of acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2006 , 34, 81-6	1.4	110
1273	Which AIS based scoring system is the best predictor of outcome in orthopaedic blunt trauma patients?. 2006 , 60, 334-40		45
1272	Elevated serum levels of S-100beta protein and neuron-specific enolase are associated with brain injury in patients with severe sepsis and septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 1967-74	1.4	151
1271	Impact of hemorrhage on trauma outcome: an overview of epidemiology, clinical presentations, and therapeutic considerations. 2006 , 60, S3-11		791
1270	The effects of leukoreduced blood transfusion on infection risk following injury: a randomized controlled trial. 2006 , 26, 342-7		82
1269	Safe and successful restriction of transfusion in burn patients. 2006 , 27, 826-34		41
1268	Sex differences in creation of do-not-resuscitate orders for critically ill elderly patients following emergency surgery. 2006 , 60, 193-7; discussion 197-8		25
1267	Approach to the comatose patient. <i>Critical Care Medicine</i> , 2006 , 34, 31-41	1.4	93
1266	A bedside scoring system ("Candida score") for early antifungal treatment in nonneutropenic critically ill patients with Candida colonization. <i>Critical Care Medicine</i> , 2006 , 34, 730-7	1.4	446
1265	Heparin-induced thrombocytopenia in the critical care setting: diagnosis and management. <i>Critical Care Medicine</i> , 2006 , 34, 2898-911	1.4	70
1264	Applying Ockham's razor to pancreatitis prognostication: a four-variable predictive model. 2006 , 243, 380-8		35
1263	Pandrug-resistant <i>Pseudomonas aeruginosa</i> among hospitalised patients: clinical features, risk-factors and outcomes. 2006 , 12, 63-8		76

1262	Five percent albumin for adult burn shock resuscitation: lack of effect on daily multiple organ dysfunction score. 2006 , 46, 80-9	56
1261	Leukoreduction of blood transfusions does not diminish transfusion-associated microchimerism in trauma patients. 2006 , 46, 1863-9	46
1260	The impact of organ failures and their relationship with outcome in intensive care: analysis of a prospective multicentre database of adult admissions. 2006 , 61, 731-8	33
1259	Solvent-detergent plasma: use in neonatal patients, in adult and paediatric patients with liver disease and in obstetric and gynaecological emergencies. 2006 , 16, 85-91	22
1258	Severe sepsis and septic shock: review of the literature and emergency department management guidelines. 2006 , 48, 28-54	189
1257	The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection. 2006 , 48, 583-90, 590.e1	159
1256	Ätiologie und Diagnostik des septischen Organversagens. 2006 , 13-23	
1255	Scoring-Systeme in der Diagnostik und Verlaufsbeurteilung der Sepsis –diagnostische und therapeutische Implikationen. 2006 , 24-35	
1254	Concept of operations for triage of mechanical ventilation in an epidemic. 2006 , 13, 223-9	84
1253	New insights into cellular mechanisms during sepsis. 2006 , 34, 133-41	25
1252	Effect of a liberal versus restrictive transfusion strategy on mortality in patients with moderate to severe head injury. 2006 , 5, 4-9	135
1251	Jaundice in critical illness: promoting factors of a concealed reality. 2006 , 32, 267-274	83
1250	Avian influenza (H5N1): implications for intensive care. 2006 , 32, 823-9	35
1249	Difference in reported pre-morbid health-related quality of life between ARDS survivors and their substitute decision makers. 2006 , 32, 1826-31	54
1248	Clinical predictors of ongoing infection in secondary peritonitis: systematic review. 2006 , 30, 2170-81	36
1247	[Sepsis. Update on pathophysiology, diagnostics and therapy]. 2006 , 55, 835-45	6
1246	Biomarkers of sepsis. 2006 , 8, 351-7	25
1245	The logistic organ dysfunction score as a tool for making ethical decisions. 2006 , 53, 518-23	2

1244	[Epidemiology and costs of severe sepsis in Madrid. A hospital discharge study]. 2006 , 30, 197-203	25
1243	Staged management and outcome of combined pelvic and liver trauma. An international experience of the deadly duo. 2006 , 37, 642-51	26
1242	Factors influencing DNR decision-making in a surgical ICU. 2006 , 202, 995-1000	32
1241	Outcomes after ruptured abdominal aortic aneurysms: the "halo effect" of trauma center designation. 2006 , 203, 498-505	37
1240	Molecular diagnostics in sepsis: from bedside to bench. 2006 , 203, 585-598	34
1239	The burden of nosocomial infection in the intensive care unit: Effects on organ failure, mortality and costs. A nested case-control study. 2006 , 37, 370-5	21
1238	Controversies in sepsis clinical trials: proceedings of a meeting of the International Sepsis Forum, Lausanne, Switzerland, September 29, 2001. 2006 , 21, 38-47	19
1237	Pleurodesis using autologous blood: a new concept in the management of persistent air leak in acute respiratory distress syndrome. 2006 , 21, 209-16	19
1236	Association between early systemic inflammatory response, severity of multiorgan dysfunction and death in acute pancreatitis. 2006 , 93, 738-44	362
1235	Outcome of older critically ill patients: a matched cohort study. 2006 , 52, 169-73	13
1234	Intervention at the level of the neuroendocrine-immune axis and postoperative pneumonia rate in long-term alcoholics. 2006 , 174, 408-14	72
1233	The spectrum of encephalopathy in critical illness. 2006 , 26, 440-51	24
1232	[Significance of multiple organ failure for the prognosis of surgical intensive care patients]. 2006 , 131, 2456-60	2
1231	Innate immunity SNPs are associated with risk for severe sepsis after burn injury. 2006 , 4, 250-5	75
1230	Organ failure in acute pancreatitis. 2006 , 2, 171-175	4
1229	Ventilator-Induced Lung Injury. 2006 ,	3
1228	Obesity and sepsis. 2006 , 21, 287-95	34
1227	Risk stratification of severe sepsis patients in the emergency department. 2006 , 23, 281-5	72

1226	Characterization of monoclonal antibodies to human soluble MD-2 protein. 2006 , 25, 349-57	16
1225	Applied Physiology in Intensive Care Medicine. 2006 ,	8
1224	Organ dysfunction in patients with severe sepsis. 2006 , 7 Suppl 2, S69-72	30
1223	Cell-specific expression and pathway analyses reveal alterations in trauma-related human T cell and monocyte pathways. 2006 , 103, 15564-9	95
1222	The central nervous system as an initiator of multiple organ dysfunction syndrome: a mini-review. 2007 , 3, 3-6	
1221	Nonpulmonary organ dysfunction and its impact on outcome in patients with acute respiratory failure. 2007 , 132, 829-35	13
1220	The secondary and recurrent abdominal compartment syndrome. 2007 , 62 Suppl 1, 60-5	32
1219	Comparison of the SpO ₂ /FIO ₂ ratio and the PaO ₂ /FIO ₂ ratio in patients with acute lung injury or ARDS. 2007 , 132, 410-7	939
1218	Management of sepsis. 2007 , 335, 929-32	28
1217	Predictive capacity of severity scoring systems in the ICU. 2007 , 156, 92-100	7
1216	Antibiotics protect against septic shock in mice administered beta-glucan and indomethacin. 2007 , 51, 851-9	6
1215	Defining gastrointestinal failure. 2007 , 62 Suppl 1, 168-72	11
1214	Clinical utility of B-type natriuretic peptide in early severe sepsis and septic shock. 2007 , 22, 363-73	47
1213	Randomised, double blind, placebo controlled trial of intravenous antioxidant (n-acetylcysteine, selenium, vitamin C) therapy in severe acute pancreatitis. 2007 , 56, 1439-44	113
1212	Comparison of on-demand vs planned relaparotomy strategy in patients with severe peritonitis: a randomized trial. 2007 , 298, 865-72	228
1211	Optimizing the dose of glutamine dipeptides and antioxidants in critically ill patients: a phase I dose-finding study. 2007 , 31, 109-18	60
1210	Mediators or markers of injury, inflammation, and infection (harbingers of doom or predictors of disaster) and biologic puzzles or ambiguities. 2007 , 142, 89-93	1
1209	Antioxidants in acute pancreatitis. 2007 , 56, 1344-5	8

1208	Neurologic Sequelae in Critical Illness: Evaluation and Outcomes. 2007 , 3, 309-319		
1207	Clinical risk conditions for acute lung injury in the intensive care unit and hospital ward: a prospective observational study. 2007 , 11, R96		85
1206	Multiple organ failure after trauma affects even long-term survival and functional status. 2007 , 11, R95		70
1205	Early hyperglycemia predicts multiple organ failure and mortality but not infection. 2007 , 63, 487-93; discussion 493-4		56
1204	Effects of probiotic therapy in critically ill patients: a randomized, double-blind, placebo-controlled trial. 2007 , 85, 816-23		122
1203	Acute renal failure in critically ill surgical patients: persistent lethality despite new modes of renal replacement therapy. 2007 , 63, 987-93		23
1202	Early antibiotic treatment for severe acute necrotizing pancreatitis: a randomized, double-blind, placebo-controlled study. 2007 , 245, 674-83		219
1201	Prognostication during physician-family discussions about limiting life support in intensive care units. <i>Critical Care Medicine</i> , 2007 , 35, 442-8	1.4	153
1200	Negative signaling contributes to T-cell anergy in trauma patients. <i>Critical Care Medicine</i> , 2007 , 35, 794-804		48
1199	The influence of early hemodynamic optimization on biomarker patterns of severe sepsis and septic shock. <i>Critical Care Medicine</i> , 2007 , 35, 2016-24	1.4	213
1198	Functional significance of gene polymorphisms in the promoter of myeloid differentiation-2. 2007 , 246, 151-8		45
1197	American Burn Association consensus conference to define sepsis and infection in burns. 2007 , 28, 776-90		425
1196	Influence of sex and age on mods and cytokines after multiple injuries. 2007 , 27, 151-6		153
1195	Increased intra-abdominal, intrathoracic, and intracranial pressure after severe brain injury: multiple compartment syndrome. 2007 , 62, 647-56; discussion 656		68
1194	Incidence and prognosis of early hepatic dysfunction in critically ill patients—a prospective multicenter study. <i>Critical Care Medicine</i> , 2007 , 35, 1099-104	1.4	174
1193	Epidemiology of sedation and sedation adequacy for mechanically ventilated patients in a medical and surgical intensive care unit. <i>Critical Care Medicine</i> , 2007 , 35, 393-401	1.4	138
1192	Hemodynamic and respiratory changes during lung recruitment and descending optimal positive end-expiratory pressure titration in patients with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2007 , 35, 787-93	1.4	93
1191	Nuclear factor-kappaB activation in peripheral blood mononuclear cells in children with sepsis. <i>Critical Care Medicine</i> , 2007 , 35, 2395-401	1.4	13

1190	Tissue oxygen saturation predicts the development of organ dysfunction during traumatic shock resuscitation. 2007 , 62, 44-54; discussion 54-5		202
1189	Red cell transfusion: an essential factor for patient prognosis in surgical critical illness?. 2007 , 28, 165-71		13
1188	Repeat bronchoalveolar lavage to guide antibiotic duration for ventilator-associated pneumonia. 2007 , 63, 1329-37; discussion 1337		33
1187	William J. Sibbald: In Memoriam. <i>Critical Care Medicine</i> , 2007 , 35, 1-2	1.4	97
1186	Variables associated with positive findings at relaparotomy in patients with secondary peritonitis. <i>Critical Care Medicine</i> , 2007 , 35, 468-76	1.4	96
1185	Hypertonic resuscitation modulates the inflammatory response in patients with traumatic hemorrhagic shock. 2007 , 245, 635-41		96
1184	Sepsis incidence and outcome: contrasting the intensive care unit with the hospital ward. <i>Critical Care Medicine</i> , 2007 , 35, 1284-9	1.4	274
1183	Pancreatites aiguë. 2007 , 2, 1-12		
1182	Outcome of patients with small-vessel vasculitis admitted to a medical ICU. 2007 , 131, 972-6		51
1181	Sepsis. 2007 , 120, 1012-22		108
1180	Vasopressin for the septic burn patient. 2007 , 33, 441-51		20
1179	Complement-related molecular events in sepsis leading to heart failure. 2007 , 44, 95-102		40
1178	Quantifying risk and benchmarking performance in the adult intensive care unit. 2007 , 22, 141-56		77
1177	Predictors of mortality in acute renal failure in a developing country: a prospective study. 2007 , 29, 463-9		40
1176	Liver dysfunction associated with artificial nutrition in critically ill patients. 2007 , 11, R10		120
1175	Clinical review: mass casualty triage--pandemic influenza and critical care. 2007 , 11, 212		30
1174	Clinical review: allocating ventilators during large-scale disasters--problems, planning, and process. 2007 , 11, 217		76
1173	Visualizing multiple organ failure: a method for analyzing temporal and dynamic relations between failing systems and interventions. 2007 , 11, 417		9

1172	Cerebral haemodynamics and carbon dioxide reactivity during sepsis syndrome. 2007 , 11, R123	21
1171	Severity of illness and organ failure assessment in adult intensive care units. 2007 , 23, 639-58	82
1170	Pancreas and cystic fibrosis: the implications of increased survival in cystic fibrosis. 2007 , 7, 447-50	7
1169	Early prediction of severity in acute pancreatitis using infrared spectroscopy of serum. 2007 , 7, 451-8	24
1168	Frusemide administration in critically ill patients by continuous compared to bolus therapy. 2007 , 107, c70-6	29
1167	Acute pancreatitis: bench to the bedside. 2007 , 132, 1127-51	447
1166	AGA Institute technical review on acute pancreatitis. 2007 , 132, 2022-44	520
1165	Correction. 2007 , 133, 1056-1056.e25	15
1164	Acute Pancreatitis: Bench to the Bedside. 2007 , 133, 1056.e1-1056.e25	34
1163	Risk scoring and bloodstream infections. 2007 , 30 Suppl 1, S88-92	9
1162	The role of 5-lipoxygenase and leukotrienes in shock and ischemia-reperfusion injury. 2007 , 7, 56-74	8
1161	Combining sequential organ failure assessment (SOFA) score with acute physiology and chronic health evaluation (APACHE) II score to predict hospital mortality of critically ill patients. 2007 , 35, 515-21	50
1160	Defining the Contribution of Renal Dysfunction to Outcome after Traumatic Injury. 2007 , 73, 836-840	7
1159	Daily variation in endotoxin levels is associated with increased organ failure in critically ill patients. 2007 , 28, 524-9	31
1158	An audit of the management of patients with acute pancreatitis against national standards of practice. 2007 , 94, 844-8	47
1157	Decreased fluid volume to reduce organ damage: a new approach to burn shock resuscitation? A preliminary study. 2007 , 72, 371-8	96
1156	Bacterial translocation: overview of mechanisms and clinical impact. 2007 , 22, 464-71	236
1155	Severe head injury: control of physiological variables, organ failure and complications in the intensive care unit. 2007 , 51, 1194-201	69

1154	Comparison of Acute Physiology and Chronic Health Evaluation (APACHE) II score with organ failure scores to predict hospital mortality. 2007 , 62, 466-73	51
1153	Megakaryocytes and platelet homeostasis in diffuse alveolar damage. 2007 , 83, 327-31	36
1152	Identification of severe acute pancreatitis using an artificial neural network. 2007 , 141, 59-66	51
1151	Prospective study of risk factors for ventilator-associated pneumonia caused by <i>Acinetobacter</i> species. 2007 , 22, 18-26	19
1150	Ventilator-associated pneumonia by multidrug-resistant bacteria: pathogen-specific risks versus care-related risks. 2007 , 22, 26-7	1
1149	Inadequate treatment of ventilator-associated pneumonia: risk factors and impact on outcomes. 2007 , 65, 361-7	54
1148	Multiple Organ Dysfunction Syndrome. 2007 , 477-487	
1147	Hypertonic saline and the cerebral microcirculation in obese septic mice. 2007 , 14, 223-31	20
1146	Adult congenital heart disease: intensive care management and outcome prediction. 2007 , 33, 652-9	38
1145	Antibiotic management of suspected nosocomial ICU-acquired infection: does prolonged empiric therapy improve outcome?. 2007 , 33, 1369-78	52
1144	Activated protein C improves survival in severe sepsis patients with elevated troponin. 2007 , 33, 2122-8	55
1143	Prognostic factors in patients undergoing surgery for severe necrotizing pancreatitis. 2007 , 31, 2002-7	24
1142	Predicting severity of acute pancreatitis. 2007 , 9, 107-15	22
1141	Medical emergency teams at The Ottawa Hospital: the first two years. 2008 , 55, 223-31	66
1140	Extracranial complications in patients with acute brain injury: a post-hoc analysis of the SOAP study. 2008 , 34, 720-7	80
1139	Plasma apolipoprotein CI correlates with increased survival in patients with severe sepsis. 2008 , 34, 907-11	18
1138	[Scoring systems for daily assessment in intensive care medicine. Overview, current possibilities and demands on new developments]. 2008 , 57, 189-95	4
1137	[Cholestasis and liver dysfunction in critical care patients]. 2008 , 57, 1172-82	0

1136	Critically ill newborns with multiple organ dysfunction: assessment by NEOMOD score in a tertiary NICU. 2008 , 177, 11-7	8
1135	The relationship between body mass index and postoperative mortality from critical illness. 2008 , 18, 501-7	16
1134	Historie des Qualit�smanagements. 2008 , 45, 171-181	3
1133	Tryptophan catabolites in mesenteric lymph may contribute to pancreatitis-associated organ failure. 2008 , 95, 855-67	30
1132	Role of coagulation in predicting the outcome of bacterial meningitis. 2008 , 64, 473-4; author reply 474	2
1131	Advancing neurologist directed endovascular surgical neuroradiology. 2008 , 64, 474-5	2
1130	Reply. 2008 , 64, 474-474	1
1129	Effect of Lactobacillus plantarum enteral feeding on the gut permeability and septic complications in the patients with acute pancreatitis. 2008 , 62, 923-30	74
1128	Severity scoring in the ICU: a review. 2008 , 52, 467-78	102
1127	Arterial thermodilution in burn patients suggests a more rapid fluid administration during early resuscitation. 2008 , 52, 742-9	34
1126	Hypertonic resuscitation: design and implementation of a prehospital intervention trial. 2008 , 206, 220-32	55
1125	Assessment of transcutaneous bilirubinometry in hospitalized adults. 2008 , 206, 1129-36	8
1124	The interleukin-4 expression in patients with severe sepsis. 2008 , 23, 519-24	25
1123	Correlates of clinical failure in ventilator-associated pneumonia: insights from a large, randomized trial. 2008 , 23, 64-73	55
1122	The safety of targeted antibiotic therapy for ventilator-associated pneumonia: a multicenter observational study. 2008 , 23, 82-90	49
1121	Determinants of outcome in patients with a clinical suspicion of ventilator-associated pneumonia. 2008 , 23, 41-9	15
1120	The clinical significance of Candida colonization of respiratory tract secretions in critically ill patients. 2008 , 23, 11-7	106
1119	Previous cultures are not clinically useful for guiding empiric antibiotics in suspected ventilator-associated pneumonia: secondary analysis from a randomized trial. 2008 , 23, 58-63	21

1118	The -1082 interleukin-10 polymorphism is associated with acute respiratory failure after major trauma: a prospective cohort study. 2008 , 143, 233-42	16
1117	Influence of obesity on sepsis. 2008 , 15, 123-34	33
1116	[Recommendations of the Spanish Biliopancreatic Club for the Treatment of Acute Pancreatitis. Consensus development conference]. 2008 , 31, 366-87	16
1115	Persistent infection with <i>Pseudomonas aeruginosa</i> in ventilator-associated pneumonia. 2008 , 178, 513-9	120
1114	Monocyte subsets and natural killer cells in acute pancreatitis. 2008 , 8, 126-34	21
1113	Improving outcomes for severe sepsis and septic shock: tools for early identification of at-risk patients and treatment protocol implementation. 2008 , 24, S1-47	51
1112	Anaesthesia, Pain, Intensive Care and Emergency A.P.I.C.E.. 2008 ,	
1111	Is there a role for aggressive use of fresh frozen plasma in massive transfusion of civilian trauma patients?. 2008 , 196, 948-58; discussion 958-60	32
1110	Evaluation of bronchoalveolar lavage fluid from ARDS patients with regard to apoptosis. 2008 , 102, 464-9	40
1109	Model for end-stage liver disease can predict very early outcome after liver transplantation. 2008 , 40, 2952-4	5
1108	Clinical Assessment and Biochemical Markers to Objectify Severity and Prognosis. 242-254	
1107	Neutrophil elastase and systemic inflammatory response syndrome in the initiation and development of acute lung injury among critically ill patients. 2008 , 62, 333-8	31
1106	Cellular energetic metabolism in sepsis: the need for a systems approach. 2008 , 1777, 763-71	92
1105	Types of brain dysfunction in critical illness. 2008 , 26, 469-86, ix	25
1104	Anemia, blood loss, and blood transfusions in North American children in the intensive care unit. 2008 , 178, 26-33	696
1103	Immunomodulatory effects of glutamine-enriched nutritional support in elderly patients with severe sepsis: a prospective, randomized, controlled study. 2008 , 4, 31-37	10
1102	Gastrointestinal dysfunction in the critically ill: can we measure it?. 2008 , 12, 180	14
1101	Analysis of N-terminal pro-B-type natriuretic peptide and cardiac index in multiple injured patients: a prospective cohort study. 2008 , 12, R118	20

1100	Severity scoring systems in the critically ill. 2008 , 8, 181-185	81
1099	Post-burn organ dysfunction: an overview. 2008 , 4, 184-192	
1098	Abdominal compartment syndrome in patients with severe acute pancreatitis in early stage. 2008 , 14, 3541-8	87
1097	Stimulation of the local femoral inflammatory response to fracture and intramedullary reaming: a preliminary study of the source of the second hit phenomenon. 2008 , 90, 393-9	39
1096	Neutrophil-derived circulating free DNA (cf-DNA/NETs): a potential prognostic marker for posttraumatic development of inflammatory second hit and sepsis. 2008 , 30, 352-8	166
1095	Massive transfusion in trauma patients: tissue hemoglobin oxygen saturation predicts poor outcome. 2008 , 64, 1010-23	70
1094	A modified sequential organ failure assessment score to predict hospital mortality of postoperative acute renal failure patients requiring renal replacement therapy. 2008 , 26, 547-54	20
1093	Role of enteral ebselen and ethylhydroxyethyl cellulose in pancreatitis-associated multiple-organ dysfunction in humans. 2008 , 4, 43-50	3
1092	Sodium-dependent glucose transporter-1 as a novel immunological player in the intestinal mucosa. 2008 , 181, 3126-36	28
1091	Hypertonic resuscitation of hypovolemic shock after blunt trauma: a randomized controlled trial. 2008 , 143, 139-48; discussion 149	118
1090	SAPS 3 at dialysis commencement is predictive of hospital mortality in patients supported by extracorporeal membrane oxygenation and acute dialysis. 2008 , 34, 1158-64	15
1089	Ventilation strategy using low tidal volumes, recruitment maneuvers, and high positive end-expiratory pressure for acute lung injury and acute respiratory distress syndrome: a randomized controlled trial. 2008 , 299, 637-45	833
1088	Thymosin alpha1- and ulinastatin-based immunomodulatory strategy for sepsis arising from intra-abdominal infection due to carbapenem-resistant bacteria. 2008 , 198, 723-30	41
1087	Higher body mass index predicts need for insulin but not hyperglycemia, nosocomial infection, or death in critically ill surgical patients. 2008 , 9, 121-30	20
1086	Optimizing outcomes in damage control resuscitation: identifying blood product ratios associated with improved survival. 2008 , 65, 527-34	233
1085	An FFP:PRBC transfusion ratio $\geq 1:1.5$ is associated with a lower risk of mortality after massive transfusion. 2008 , 65, 986-93	248
1084	Hospital and 1-year outcomes of septic syndromes in older people: a cohort study. 2008 , 63, 210-2	14
1083	Clinical relevance of intra-abdominal hypertension in patients with severe acute pancreatitis. 2008 , 36, 39-43	79

1082	Randomized trial of combination versus monotherapy for the empiric treatment of suspected ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2008 , 36, 737-44	1.4	155
1081	Nonpulmonary organ dysfunction and mortality with acute respiratory failure. 2008 , 134, 467-468		0
1080	Obesity correlates with early hyperglycemia in patients with acute pancreatitis who developed organ failure. 2008 , 36, e21-5		25
1079	Acute kidney injury criteria predict outcomes of critically ill patients. <i>Critical Care Medicine</i> , 2008 , 36, 1397-403	1.4	678
1078	Estradiol is associated with mortality in critically ill trauma and surgical patients. <i>Critical Care Medicine</i> , 2008 , 36, 62-8	1.4	76
1077	Immunoglobulin G treatment of postcardiac surgery patients with score-identified severe systemic inflammatory response syndrome--the ESSICS study. <i>Critical Care Medicine</i> , 2008 , 36, 716-23	1.4	55
1076	Functional significance of CD14 promoter polymorphisms and their clinical relevance in a Chinese Han population. <i>Critical Care Medicine</i> , 2008 , 36, 2274-80	1.4	29
1075	Immature circulating neutrophils in sepsis have impaired phagocytosis and calcium signaling. 2008 , 30, 618-22		53
1074	Correlation between IL-6 levels and the systemic inflammatory response score: can an IL-6 cutoff predict a SIRS state?. 2008 , 65, 646-52		70
1073	The FLAMES score accurately predicts mortality risk in burn patients. 2008 , 65, 636-45		48
1072	Identification of interleukin-6 promoter polymorphisms in the Chinese Han population and their functional significance. <i>Critical Care Medicine</i> , 2008 , 36, 1437-43	1.4	61
1071	Characterization of the gender dimorphism after injury and hemorrhagic shock: are hormonal differences responsible?. <i>Critical Care Medicine</i> , 2008 , 36, 1838-45	1.4	92
1070	Persistent early organ failure: defining the high-risk group of patients with severe acute pancreatitis?. 2008 , 36, 249-54		76
1069	Continuous renal replacement therapy improves survival in severely burned military casualties with acute kidney injury. 2008 , 64, S179-85; discussion S185-7		51
1068	Combining early coagulation and inflammatory status improves prediction of mortality in burned and nonburned trauma patients. 2008 , 64, S188-94		30
1067	Male gender is associated with excessive IL-6 expression following severe injury. 2008 , 64, 572-8; discussion 578-9		69
1066	Decreasing magnitude of multiple organ dysfunction syndrome despite increasingly severe critical surgical illness: a 17-year longitudinal study. 2008 , 65, 1227-35		11
1065	Severe acute pancreatitis in the elderly: etiology and clinical characteristics. 2008 , 14, 2517-21		38

1064	Severity Scoring Systems: Tools for the Evaluation of Patients and Intensive Care Units. 2008 , 1547-1565	
1063	Severe Sepsis and Septic Shock. 235-250	
1062	Fatores prognósticos em pacientes idosos admitidos em unidade de terapia intensiva. 2009 , 21,	1
1061	Usefulness of the Sequential Organ Failure Assessment (SOFA) Score in Patients with Sepsis due to Intra-abdominal Infection. 2009 , 76, 273	2
1060	A genomic score prognostic of outcome in trauma patients. 2009 , 15, 220-7	66
1059	Outcome of patients receiving high dose vasopressor therapy: a retrospective cohort study. 2009 , 37, 286-9	37
1058	Effect of ambient workload in the intensive care unit on mortality and time to discharge alive. 2009 , 12 Spec No Patient, 8-14	4
1057	An adequately robust early TNF-alpha response is a hallmark of survival following trauma/hemorrhage. 2009 , 4, e8406	49
1056	Enteral nutrition and cardiovascular failure: from myths to clinical practice. 2009 , 33, 702-9	32
1055	Implementation of tight glucose control for critically ill surgical patients: a process improvement analysis. 2009 , 10, 523-31	6
1054	A prospective evaluation of the bedside index for severity in acute pancreatitis score in assessing mortality and intermediate markers of severity in acute pancreatitis. 2009 , 104, 966-71	156
1053	Is MOF an outcome parameter or a transient, adaptive state in critical illness?. 2009 , 15, 431-6	34
1052	Hypothermia therapy after pediatric cardiac arrest. 2009 , 119, 1492-500	119
1051	Chemical, biological and radiation casualties: critical care considerations. 2009 , 155, 160-71	8
1050	Severe head injury promotes early caspase-dependent apoptosis in peripheral blood monocytes from multiply injured patients. 2009 , 5, 261-272	
1049	Intensive and Critical Care Medicine. 2009 ,	3
1048	Resuscitation with hypertonic saline-dextran reduces serum biomarker levels and correlates with outcome in severe traumatic brain injury patients. 2009 , 26, 1227-40	64
1047	A randomised clinical trial of transnasal endoscopy versus fluoroscopy for the placement of nasojejunal feeding tubes in patients with severe acute pancreatitis. 2009 , 85, 59-63	14

1046	Criteria for ICU admission and severity of illness scoring. 2009 , 27, 201-206	3
1045	Mortality for intra-abdominal infection is associated with intrinsic risk factors rather than the source of infection. 2009 , 146, 654-61; discussion 661-2	42
1044	Outcome of patients with liver cirrhosis admitted to a specialty liver intensive care unit in India. 2009 , 24, 387-93	18
1043	Influence of tissue perfusion on the outcome of surgical patients who need blood transfusion. 2009 , 24, 426-34	10
1042	Reduction in mortality associated with statin therapy in patients with severe sepsis. 2009 , 29, 621-30	66
1041	Elevated systemic IL-18 and neopterin levels are associated with posttraumatic complications among patients with multiple injuries: a prospective cohort study. 2009 , 40, 528-34	29
1040	Distributions of glucocorticoid receptor gene polymorphisms in a Chinese Han population and associations with outcome after major trauma. 2009 , 40, 479-83	12
1039	Postinjury multiple organ failure. 2009 , 40, 912-8	203
1038	Heart-type fatty acid-binding protein is a useful marker for organ dysfunction and leptin alleviates sepsis-induced organ injuries by restraining its tissue levels. 2009 , 616, 244-50	24
1037	Low molecular weight heparin in the treatment of severe acute pancreatitis: a multiple centre prospective clinical study. 2009 , 32, 89-94	18
1036	Risk assessment in acute pancreatitis. 2009 , 96, 137-50	38
1035	Promoting Global Research Excellence in Severe Sepsis (PROGRESS): lessons from an international sepsis registry. 2009 , 37, 222-32	111
1034	Discrepancy between the extent of pancreatic necrosis and multiple organ failure score in severe acute pancreatitis. 2009 , 33, 2427-32	12
1033	Plasma CC16 levels are associated with development of ALI/ARDS in patients with ventilator-associated pneumonia: a retrospective observational study. 2009 , 9, 49	51
1032	The Toronto prehospital hypertonic resuscitation-head injury and multi organ dysfunction trial (TOPHR HIT)--methods and data collection tools. 2009 , 10, 105	10
1031	IL-6 predicts organ dysfunction and mortality in patients with multiple injuries. 2009 , 17, 49	82
1030	Does red blood cell storage affect clinical outcome? When in doubt, do the experiment. 2009 , 49, 1286-90	35
1029	Incidence of individual organ dysfunction in fatal acute pancreatitis: analysis of 1024 death records. 2009 , 11, 166-70	57

1028	Derivation of a prognostic score for identifying critically ill patients in an emergency department resuscitation room. 2009 , 80, 1000-5	26
1027	Serum procalcitonin at the time of admission to the ICU as a predictor of short-term mortality. 2009 , 42, 1025-31	47
1026	Multiple organ dysfunction syndrome in critical surgical illness. 2009 , 10, 369-77	37
1025	Multiple Organ Dysfunction: The Systemic Host Response to Critical Surgical Illness. 2009 , 223-232	
1024	Extending international sepsis epidemiology: the impact of organ dysfunction. 2009 , 13, 120	42
1023	Clinical relevance of the severe abnormalities of the T cell compartment in septic shock patients. 2009 , 13, R26	43
1022	Early down-regulation of the pro-inflammatory potential of monocytes is correlated to organ dysfunction in patients after severe multiple injury: a cohort study. 2009 , 13, R88	39
1021	Clinical relevance of the interleukin 10 promoter polymorphisms in Chinese Han patients with major trauma: genetic association studies. 2009 , 13, R188	32
1020	No association between CALCA polymorphisms and clinical outcome or serum procalcitonin levels in German polytrauma patients. 2009 , 47, 30-6	4
1019	The multiple organ dysfunction syndrome. 2009 , 55, 476-526	55
1018	Characteristics and outcomes of multiple organ dysfunction syndrome among severe-burn patients. 2009 , 35, 937-41	39
1017	The 90-day mortality and the subsequent renal recovery in critically ill surgical patients requiring acute renal replacement therapy. 2009 , 198, 325-32	65
1016	The effects of abdominal compartment hypertension after open and endovascular repair of a ruptured abdominal aortic aneurysm. 2009 , 49, 866-72	25
1015	The harmless acute pancreatitis score: a clinical algorithm for rapid initial stratification of nonsevere disease. 2009 , 7, 702-5; quiz 607	105
1014	Applied Physiology in Intensive Care Medicine. 2009 ,	0
1013	Early systemic inflammatory response syndrome is associated with severe acute pancreatitis. 2009 , 7, 1247-51	180
1012	Organ dysfunction as estimated by the sequential organ failure assessment score is related to outcome in critically ill burn patients. 2009 , 31, 125-31	46
1011	Single-dose etomidate for rapid sequence intubation may impact outcome after severe injury. 2009 , 67, 45-50	50

1010	Fresh frozen plasma is independently associated with a higher risk of multiple organ failure and acute respiratory distress syndrome. 2009 , 67, 221-7; discussion 228-30		242
1009	Thromboelastography as a better indicator of hypercoagulable state after injury than prothrombin time or activated partial thromboplastin time. 2009 , 67, 266-75; discussion 275-6		219
1008	Unfractionated heparin for treatment of sepsis: A randomized clinical trial (The HETRASE Study). <i>Critical Care Medicine</i> , 2009 , 37, 1185-96	1.4	117
1007	High occupancy increases the risk of early death or readmission after transfer from intensive care. <i>Critical Care Medicine</i> , 2009 , 37, 2753-8	1.4	72
1006	Early hypothermia in severely injured trauma patients is a significant risk factor for multiple organ dysfunction syndrome but not mortality. 2009 , 249, 845-50		72
1005	Late death after multiple severe trauma: when does it occur and what are the causes?. 2009 , 66, 1212-7		57
1004	Randomized trial of light versus deep sedation on mental health after critical illness. <i>Critical Care Medicine</i> , 2009 , 37, 2527-34	1.4	281
1003	Variation in the TLR4 gene influences the risk of organ failure and shock posttrauma: a cohort study. 2009 , 66, 115-22; discussion 122-3		37
1002	Preinjury statin use is associated with a higher risk of multiple organ failure after injury: a propensity score adjusted analysis. 2009 , 67, 476-82; discussion 482-4		11
1001	Better infrastructure for critical care trials: nomenclature, etymology, and informatics. <i>Critical Care Medicine</i> , 2009 , 37, S173-7	1.4	8
1000	Validation of postinjury multiple organ failure scores. 2009 , 31, 438-47		114
999	Characterization of persistent hyperglycemia: what does it mean postinjury?. 2009 , 66, 1076-82		12
998	Suppression and recovery of LPS-stimulated monocyte activity after trauma is correlated with increasing injury severity: a prospective clinical study. 2009 , 66, 1273-80		25
997	A prospective, observational registry of patients with severe sepsis: the Canadian Sepsis Treatment and Response Registry. <i>Critical Care Medicine</i> , 2009 , 37, 81-8	1.4	154
996	D-dimer in acute pancreatitis: a new approach for an early assessment of organ failure. 2009 , 38, 655-60		42
995	Prospective assessment of hepatic function and mechanisms of dysfunction in the critically ill. 2009 , 32, 358-65		60
994	Self-reported symptoms of depression and memory dysfunction in survivors of ARDS. 2009 , 135, 678-687		55
993	Altered plasma proteome during an early phase of peritonitis-induced sepsis. 2009 , 116, 721-30		23

992	High occupancy increases the risk of early death or readmission after transfer from intensive care *. <i>Critical Care Medicine</i> , 2009 , 37, 2753-2758	1.4	114
991	Clinical relevance of the TLR4 11367 polymorphism in patients with major trauma. 2009 , 144, 1144-8		13
990	Association of mitochondrial allele 4216C with increased risk for complicated sepsis and death after traumatic injury. 2009 , 66, 850-7; discussion 857-8		12
989	Involvement of leukotriene pathway in the pathogenesis of ischemia-reperfusion injury and septic and non-septic shock. 2009 , 7, 185-97		10
988	Predisposition, insult/infection, response, and organ dysfunction: A new model for staging severe sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 1329-35	1.4	150
987	Increased plasma kynurenine values and kynurenine-tryptophan ratios after major trauma are early indicators for the development of sepsis. 2009 , 32, 29-34		36
986	Personalized risk stratification for adverse surgical outcomes: innovation at the boundaries of medicine and computation. 2010 , 7, 695-701		2
985	The performance of organ dysfunction scores for the early prediction and management of severity in acute pancreatitis: an exploratory phase diagnostic study. 2010 , 39, 1104-8		15
984	Dfinitions des tats infectieux. 2010 , 7, 1-12		1
983	Effect of lower-molecular weight heparin in the prevention of pancreatic encephalopathy in the patient with severe acute pancreatitis. 2010 , 39, 516-9		24
982	Critical illness is an iatrogenic disorder. <i>Critical Care Medicine</i> , 2010 , 38, S582-9	1.4	17
981	Incidence, clinical predictors, genomics, and outcome of acute kidney injury among trauma patients. 2010 , 252, 158-65		104
980	Impact of selective decontamination of the digestive tract on multiple organ dysfunction syndrome: systematic review of randomized controlled trials. <i>Critical Care Medicine</i> , 2010 , 38, 1370-6	1.4	61
979	PIRO Concepts in Respiratory Sepsis. 2010 , 17, 184-188		
978	Red blood cell transfusion is associated with infection and extracerebral complications after subarachnoid hemorrhage. 2010 , 66, 312-8; discussion 318		57
977	Traditional resuscitative practices fail to resolve metabolic acidosis in morbidly obese patients after severe blunt trauma. 2010 , 68, 317-30		22
976	Skeletal traction versus external fixation in the initial temporization of femoral shaft fractures in severely injured patients. 2010 , 68, 633-40		41
975	Plasma superoxide dismutase activity and mortality in septic patients [corrected]. 2010 , 69, E102-6		16

974	Functional significance of the Toll-like receptor 4 promoter gene polymorphisms in the Chinese Han population. <i>Critical Care Medicine</i> , 2010 , 38, 1292-9	1.4	17
973	Urinary L-type fatty acid-binding protein as a new biomarker of sepsis complicated with acute kidney injury. <i>Critical Care Medicine</i> , 2010 , 38, 2037-42	1.4	74
972	Association of mitochondrial allele 4216C with increased risk for sepsis-related organ dysfunction and shock after burn injury. 2010 , 33, 19-23		15
971	Early elevation in random plasma IL-6 after severe injury is associated with development of organ failure. 2010 , 34, 346-51		61
970	Combat-associated drowning. 2010 , 69 Suppl 1, S179-87		4
969	Efficacy and safety of quetiapine in critically ill patients with delirium: a prospective, multicenter, randomized, double-blind, placebo-controlled pilot study. <i>Critical Care Medicine</i> , 2010 , 38, 419-27	1.4	420
968	Clinical relevance of IL-1beta promoter polymorphisms (-1470, -511, and -31) in patients with major trauma. 2010 , 33, 576-82		26
967	Prestorage leukoreduction ameliorates the effects of aging on banked blood. 2010 , 69, 330-7		29
966	Differences in outcome between obese and nonobese patients following severe blunt trauma are not consistent with an early inflammatory genomic response. <i>Critical Care Medicine</i> , 2010 , 38, 51-8	1.4	49
965	Inadequate antimicrobial treatment for nosocomial infection is a mortality risk factor for systemic lupus erythematosus patients admitted to intensive care unit. 2010 , 340, 64-8		22
964	Special Incidents Rules. 2010 , 131-157		
963	Surgical intervention of severe post-ERCP-pancreatitis accompanied with duodenum perforation. 2010 , 11, 17-21		1
962	Acute pancreatitis: radiologic scores in predicting severity and outcome. 2010 , 35, 349-61		28
961	Deferred primary anastomosis versus diversion in patients with severe secondary peritonitis managed with staged laparotomies. 2010 , 34, 169-76		25
960	[Systematic review of measurement instruments and concepts used for functioning outcome in multiple trauma]. 2010 , 113, 448-55		2
959	[Comparison of early total care (ETC) and damage control orthopedics (DCO) in the treatment of multiple trauma with femoral shaft fractures: benefit and costs]. 2010 , 113, 923-30		14
958	Does PELOD measure organ dysfunction...and is organ function a valid surrogate for death?. 2010 , 36, 4-7		9
957	Chapter 1. Introduction. 2010 , 36, 4-10		20

956	Clinical relevance of 13 cytokine gene polymorphisms in Chinese major trauma patients. 2010 , 36, 1261-5	26
955	Risk factors for organ dysfunction and failure in patients with acute traumatic cervical spinal cord injury. 2010 , 13, 29-39	41
954	Severe respiratory failure due to diffuse alveolar hemorrhage: clinical characteristics and outcome of intensive care. 2010 , 25, 230-5	41
953	Hemodynamic effects of recombinant human activated protein C in patients with septic shock. 2010 , 25, 343-7	1
952	Scoring systems in acute pancreatitis: which one to use in intensive care units?. 2010 , 25, 358.e9-358.e15	24
951	Is dopexamine superior to dopamine in the treatment of multiple trauma patients--a prospective, double-blind, randomised study. 2010 , 41, 499-505	2
950	Diagnosis-dependent relationships between cytokine levels and survival in patients admitted for surgical critical care. 2010 , 210, 833-44, 845-6	22
949	Systematic review of percutaneous catheter drainage as primary treatment for necrotizing pancreatitis. 2011 , 98, 18-27	222
948	Systematic review of percutaneous catheter drainage as primary treatment for necrotizing pancreatitis (Br J Surg 2011; 98: 18-27). 2011 , 98, 27-8	4
947	Curcumin modulates leukocyte and platelet adhesion in murine sepsis. 2010 , 17, 407-16	28
946	Influência da saturaç�o venosa central de oxig�nio na mortalidade hospitalar de pacientes cir�rgicos. 2010 , 60, 597-602	1
945	. 2010 ,	
944	Scoring systems and outcome. 27-33	
943	Sepsis. 99-107	
942	Multiple organ failure. 108-115	
941	Prediction of survival in patients with cardiogenic shock and multiorgan failure treated with biventricular assist device. 2010 , 56, 273-8	13
940	Extravascular lung water correlates multiorgan dysfunction syndrome and mortality in sepsis. 2010 , 5, e15265	25
939	A medida do lactato arterial intraoperat�rio n�o � determinante de mortalidade em pacientes cir�rgicos de alto risco. 2010 , 22, 229-235	1

938	A Computerized Alert Screening for Severe Sepsis in Emergency Department Patients Increases Lactate Testing but does not Improve Inpatient Mortality. 2010 , 1, 394-407	26
937	Aplicabilidade do escore fisiológico agudo simplificado (SAPS 3) em hospitais brasileiros. 2010 , 60, 20-31	23
936	Criteria for patient admission to an intensive care unit and related mortality rates. 2010 , 56, 528-34	22
935	Recognition of critical illness. 1-5	1
934	Safety and efficacy of video-assisted retroperitoneal debridement for infected pancreatic collections: a multicenter, prospective, single-arm phase 2 study. 2010 , 145, 817-25	146
933	What Platelet Disorders Occur in the Intensive Care Unit and How Should They Be Treated?. 2010 , 645-660	
932	Out-of-hospital hypertonic resuscitation following severe traumatic brain injury: a randomized controlled trial. 2010 , 304, 1455-64	203
931	Validation of the American Thoracic Society-Infectious Diseases Society of America guidelines for hospital-acquired pneumonia in the intensive care unit. 2010 , 50, 945-52	61
930	Fibrinolytic and procoagulant activity in septic and haemorrhagic shock. 2010 , 45, 295-300	5
929	Inadequate antibiotic therapy in solid organ transplant recipients is associated with a higher mortality rate. 2010 , 11, 33-9	16
928	Prediction of mortality in intensive care unit cardiac surgical patients. 2010 , 38, 104-9	23
927	Early readmission in acute pancreatitis: incidence and risk factors. 2010 , 105, 2492-7	51
926	Nosocomial pneumonia in the intensive care unit acquired by mechanically ventilated versus nonventilated patients. 2010 , 182, 1533-9	125
925	Regulated upon activation, normal T-cell expressed and secreted chemokine and interleukin-6 in rheumatic pulmonary hypertension, targets for therapeutic decisions. 2010 , 37, 853-8	3
924	Prognostic value of procalcitonin (PCT) and/or interleukin-6 (IL-6) plasma levels after multiple trauma for the development of multi organ dysfunction syndrome (MODS) or sepsis. 2010 , 18, 89-100	40
923	Cytokines and metabolic patterns in pediatric patients with critical illness. 2010 , 2010, 354047	79
922	Early observational research and registries during the 2009-2010 influenza A pandemic. <i>Critical Care Medicine</i> , 2010 , 38, e120-32	1.4 31
921	Patient-controlled sedation: a novel approach to sedation management for mechanically ventilated patients. 2010 , 138, 1045-53	26

920	Effect of chlorhexidine whole-body bathing on hospital-acquired infections among trauma patients. 2010 , 145, 240-6	106
919	[Postoperative sepsis: diagnosis, special features, management]. 2010 , 135, 240-8	1
918	Severity of illness. 2010 , 31, 31-8	22
917	Prognostic value of daily cardiac surgery score (CASUS) and its derivatives in cardiac surgery patients. 2010 , 58, 392-7	10
916	Retroperitoneal approach to abdominal aortic aneurysm repair preserves splanchnic perfusion as measured by gastric tonometry. 2010 , 24, 321-7	7
915	L'abord r�tro-p�riton�al des an�rysmes de l'aorte abdominale pr�serve la perfusion splanchnique mesur�e par tonom�trie gastrique. 2010 , 24, 352-358	
914	Influence of central venous oxygen saturation on in-hospital mortality of surgical patients. 2010 , 60, 593-602, 329-34	5
913	Applicability of the Simplified Acute Physiology Score (SAPS 3) in Brazilian Hospitals. 2010 , 60, 20-31	9
912	Association between outcome and organ system dysfunction in dogs with sepsis: 114 cases (2003-2007). 2010 , 236, 83-7	98
911	Modulation of circulating cell-endothelial cell interaction by erythropoietin in lean and obese mice with cecal ligation and puncture. 2010 , 17, 9-18	8
910	Sepsis Syndromes. 2010 , 419-444	
909	Pharmacotherapy for prevention and treatment of acute respiratory distress syndrome: current and experimental approaches. 2010 , 70, 1255-82	67
908	Association between length of storage of red blood cell units and outcome of critically ill children: a prospective observational study. 2010 , 14, R57	72
907	Pathway genetic load allows simultaneous evaluation of multiple genetic associations. 2010 , 36, 787-92	12
906	Extravascular lung water index as a sign of developing sepsis in burns. 2010 , 36, 1263-70	23
905	Clinical studies of the effect of blood storage on patient outcomes. 2010 , 43, 95-106	73
904	Addressing the question of the effect of RBC storage on clinical outcomes: the Red Cell Storage Duration Study (RECESS) (Section 7). 2010 , 43, 107-16	99
903	Definici�n de los estados infecciosos. 2010 , 36, 1-13	

902	Update of the Atlanta Classification of severity of acute pancreatitis: should a moderate category be included?. 2010 , 10, 613-9	25
901	Handbook of Evidence-Based Critical Care. 2010 ,	10
900	Clinical review: scoring systems in the critically ill. 2010 , 14, 207	337
899	Cuidado crítico materno. 2011 , 39, 190-205	2
898	Definizioni degli stati infettivi. 2011 , 16, 1-12	
897	An assessment of the severity of interstitial pancreatitis. 2011 , 9, 1098-103	108
896	Thrombocytopenia in Staphylococcus aureus bacteremia: risk factors and prognostic importance. 2011 , 86, 389-96	50
895	Acute pancreatitis: mild, severe or potentially fatal. 2011 , 11, 373-5	7
894	Pressure and volume limited ventilation for the ventilatory management of patients with acute lung injury: a systematic review and meta-analysis. 2011 , 6, e14623	62
893	A comparative study of four intensive care outcome prediction models in cardiac surgery patients. 2011 , 6, 21	47
892	Functional disability 5 years after acute respiratory distress syndrome. 2011 , 364, 1293-304	1601
891	Acute pancreatitis: the role of imaging in diagnosis and management. 2011 , 66, 164-75	45
890	Reduction of CD47 on monocytes correlates with MODS in burn patients. 2011 , 37, 94-8	6
889	Effect of N-acetylcysteine treatment on the expression of leukocyte surface markers after burn injury. 2011 , 37, 453-64	10
888	Increased serum soluble Fas after major trauma is associated with delayed neutrophil apoptosis and development of sepsis. 2011 , 15, R20	45
887	Stimulation of Fas signaling down-regulates activity of neutrophils from major trauma patients with SIRS. 2011 , 216, 334-42	7
886	Persistent organ dysfunction plus death: a novel, composite outcome measure for critical care trials. 2011 , 15, R98	25
885	Clinical relevance of single nucleotide polymorphisms within the entire NLRP3 gene in patients with major blunt trauma. 2011 , 15, R280	36

884	Triage of high-risk surgical patients for intensive care. 2011 , 15, 217		45
883	The clinical characteristics and outcomes of patients with human granulocytic anaplasmosis in China. 2011 , 15, e859-66		26
882	Performance of sequential organ failure assessment, logistic organ dysfunction and multiple organ dysfunction score in severe sepsis within Chinese intensive care units. 2011 , 39, 55-60		5
881	Thrombocytopenia in cardiac surgery: diagnostic and prognostic importance. 2011 , 26, 47-53		6
880	Cardiac Support and Multiorgan Dysfunction Syndrome. 2011 ,		1
879	Independent predictors of mortality for necrotizing fasciitis: a retrospective analysis in a single institution. 2011 , 71, 467-73; discussion 473		89
878	Identification of haplotype tag SNPs within the entire TLR2 gene and their clinical relevance in patients with major trauma. 2011 , 35, 35-41		30
877	Out-of-hospital hypertonic resuscitation after traumatic hypovolemic shock: a randomized, placebo controlled trial. 2011 , 253, 431-41		216
876	Association of interleukin 4 -589T/C polymorphism with T(H)1 and T(H)2 bias and sepsis in Chinese major trauma patients. 2011 , 71, 1583-7		9
875	Early blood product and crystalloid volume resuscitation: risk association with multiple organ dysfunction after severe blunt traumatic injury. 2011 , 71, 299-305		39
874	Resolution of organ functional scores to predict the outcome in adult acute respiratory distress syndrome patients receiving high-frequency oscillatory ventilation. 2011 , 71, 1536-42		3
873	Severity of illness scoring systems in the intensive care unit. <i>Critical Care Medicine</i> , 2011 , 39, 163-9	1.4	132
872	Tumor necrosis factor alpha gene polymorphism is associated with the outcome of trauma patients in Chinese Han population. 2011 , 70, 954-8		15
871	A phase II randomized placebo-controlled trial of omega-3 fatty acids for the treatment of acute lung injury. <i>Critical Care Medicine</i> , 2011 , 39, 1655-62	1.4	154
870	New prognostic markers for outcome of acute pancreatitis: overview of reporting in 184 studies. 2011 , 40, 522-32		31
869	Body adipose content is independently associated with a higher risk of organ failure and nosocomial infection in the nonobese patient postinjury. 2011 , 70, 292-8		12
868	Angiotensin-1 and angiotensin-2 as clinically informative prognostic biomarkers of morbidity and mortality in severe sepsis. <i>Critical Care Medicine</i> , 2011 , 39, 702-10	1.4	144
867	Prehospital serum lactate as a predictor of outcomes in trauma patients: a retrospective observational study. 2011 , 70, 782-6		101

866	Tricuspid valve repair in patients supported with left ventricular assist devices. 2011 , 57, 363-7	26
865	Early determinants of death due to multiple organ failure after noncardiac surgery in high-risk patients. 2011 , 112, 877-83	64
864	High-risk surgery: epidemiology and outcomes. 2011 , 112, 891-901	64
863	The evolving concepts of haemodynamic support: from pulmonary artery catheter to echocardiography and theragnostics. 2011 , 7, 136-45	3
862	Self-reported depressive symptoms and memory complaints in survivors five years after ARDS. 2011 , 140, 1484-1493	53
861	Septic Shock. 2011 , 571-595	
860	Prediction of patient outcome from <i>Acinetobacter baumannii</i> bacteremia with Sequential Organ Failure Assessment (SOFA) and Acute Physiology and Chronic Health Evaluation (APACHE) II scores. 2011 , 50, 871-7	26
859	Gender and acute respiratory distress syndrome in critically injured adults: a prospective study. 2011 , 71, 878-83; discussion 883-5	34
858	Intensive care unit risk scoring. 369-382	
857	Experience managing postpartum hemorrhage at Minia University Maternity Hospital, Egypt: no mortality using external aortic compression. 2011 , 37, 1557-63	10
856	The Toronto prehospital hypertonic resuscitation--head injury and multiorgan dysfunction trial: feasibility study of a randomized controlled trial. 2011 , 26, 363-72	20
855	Evaluation of standard and modified severity of illness scores in the obstetric patient. 2011 , 26, 535.e1-535.e7	31
854	Cardiovascular manifestations of acute pancreatitis. 2011 , 26, 225.e11-8	33
853	Elevated plasma matrix metalloproteinases and their tissue inhibitors in patients with severe sepsis. 2011 , 26, 556-65	42
852	Intensive Care Unit Scoring Systems. 2011 , 8, 89-93	1
851	Logistic Organ Dysfunction Score (LODS): a reliable postoperative risk management score also in cardiac surgical patients?. 2011 , 6, 110	9
850	Second hit phenomenon: existing evidence of clinical implications. 2011 , 42, 617-29	52
849	Trends in estradiol during critical illness are associated with mortality independent of admission estradiol. 2011 , 212, 703-12; discussion 712-3	15

848	Comparative evaluation of the modified CT severity index and CT severity index in assessing severity of acute pancreatitis. 2011 , 197, 386-92	75
847	What Is Inflammation? What Is Sepsis? What Is MODS?. 2011 , 151-156	1
846	Severe acute pancreatitis during pregnancy: eleven years experience from a surgical intensive care unit. 2011 , 56, 3672-7	38
845	Platelet aggregation in severe sepsis. 2011 , 31, 6-12	24
844	Reducing elevated heart rate in patients with multiple organ dysfunction syndrome by the I (f) (funny channel current) inhibitor ivabradine : MODI (f)Y trial. 2011 , 100, 915-23	37
843	[Scoring systems in intensive care medicine : principles, models, application and limits]. 2011 , 60, 963-74	6
842	Impact of low-dose vasopressin on trauma outcome: prospective randomized study. 2011 , 35, 430-9	64
841	Eosinopenia, an early marker of increased mortality in critically ill medical patients. 2011 , 37, 1136-42	58
840	Acute kidney injury in patients with severe traumatic brain injury: implementation of the acute kidney injury network stage system. 2011 , 14, 377-81	59
839	Clinical effects of intensive insulin therapy treating traumatic shock combined with multiple organ dysfunction syndrome. 2011 , 31, 194-198	3
838	Failure of available scoring systems to predict ongoing infection in patients with abdominal sepsis after their initial emergency laparotomy. 2011 , 11, 38	35
837	Polymorphisms in the toll-like receptor 9 gene associated with sepsis and multiple organ dysfunction after major blunt trauma. 2011 , 98, 1252-9	31
836	Alcohol and multiple trauma: is there an influence on the outcome?. 2011 , 45, 245-51	31
835	Kinetics of inflammatory markers following cancer-related bowel and liver resection. 2011 , 116, 124-8	7
834	Organ dysfunction: general approach, epidemiology, and organ failure scores. 2011 , 32, 543-51	33
833	Acute pancreatitis: imaging utilization practices in an urban teaching hospital--analysis of trends with assessment of independent predictors in correlation with patient outcomes. 2011 , 258, 174-81	48
832	Review of a large clinical series: Predicting death for patients with abdominal septic shock. 2011 , 26, 27-33	21
831	A large Venous-Arterial PCO ₂ Is Associated with Poor Outcomes in Surgical Patients. 2011 , 2011, 759792	8

830	Prevalence of acute kidney injury following cardiac surgery and related risk factors in Chinese patients. 2011 , 117, c305-11	29
829	Safety and efficacy of vitamin-based antioxidant therapy in patients with severe acute pancreatitis: a randomized controlled trial. 2011 , 17, 174-9	38
828	Direct effects of chemoradiotherapy following esophagectomy. 2011 , 47, 63-9	
827	Effect of intravenous GLutamine supplementation IN Trauma patients receiving enteral nutrition study protocol (GLINT Study): a prospective, blinded, randomised, placebo-controlled clinical trial. 2011 , 1, e000334	9
826	Dfinitions du sepsis et concept PIRO. 2011 , 9-18	
825	Beyond thrombosis: the versatile platelet in critical illness. 2011 , 139, 658-668	77
824	The frequency and clinical significance of thrombocytopenia complicating critical illness: a systematic review. 2011 , 139, 271-278	204
823	Increased neutrophil adenosine a3 receptor expression is associated with hemorrhagic shock and injury severity in trauma patients. 2011 , 36, 435-9	14
822	Aggregate evaluable organ dysfunction predicts in-hospital mortality from sepsis in Uganda. 2011 , 85, 697-702	13
821	Is deferasirox implicated in multiple organ failure in a patient with homozygous Ethalassemia?. 2011 , 62, 346-8	4
820	Comparison between Sequential Organ Failure Assessment score (SOFA) and Cardiac Surgery Score (CASUS) for mortality prediction after cardiac surgery. 2012 , 60, 35-42	18
819	Role of complement in multiorgan failure. 2012 , 2012, 962927	55
818	New translational research provides insights into liver dysfunction in sepsis. 2012 , 9, e1001341	22
817	Activated platelet-derived microparticle numbers are elevated in patients with severe fungal (Candida albicans) sepsis. 2012 , 49, 554-60	29
816	In vitro performance of a perfusion and oxygenation optical sensor using a unique liver phantom. 2012 ,	1
815	Multiorgan failure in trauma. 2012 , 23, 235-242	2
814	A method to summarize Disease Based Temporal state of human organ using laboratory test data and UMLS knowledge. 2012 ,	0
813	Association between ischemia-modified albumin, homocysteine, vitamin B(12) and folic acid in patients with severe sepsis. 2012 , 50, 1417-21	21

812	The Clinical Handbook for Surgical Critical Care. 2012 ,		
811	The Utility of Serum Procalcitonin Levels in the Management of Systemic Inflammatory Response Syndrome in the Emergency Department. 2012 , 27, 10		
810	4G/5G Polymorphism of the plasminogen activator inhibitor-1 gene is associated with multiple organ dysfunction in critically ill patients. 2012 , 127, 72-80		3
809	Hypothermia in massive transfusion. 2012 , 73, 486-491		27
808	Challenges and solutions in the development of genomic biomarker panels: a systematic phased approach. 2012 , 13, 334-41		5
807	Impact of perioperative bleeding on the protective effect of β blockers during infrarenal aortic reconstruction. 2012 , 117, 1203-11		39
806	The vulnerable family. <i>Critical Care Medicine</i> , 2012 , 40, 1667-8	1.4	1
805	Predicting outcome in patients with acute liver failure: what works best?. <i>Critical Care Medicine</i> , 2012 , 40, 1666-7	1.4	2
804	Identification of haplotype tag SNPs within the whole myeloid differentiation 2 gene and their clinical relevance in patients with major trauma. 2012 , 37, 366-72		7
803	Predicting factors associated with clinical deterioration of sepsis patients with intermediate levels of serum lactate. 2012 , 38, 249-54		27
802	Benchmarking outcomes in the critically injured trauma patient and the effect of implementing standard operating procedures. 2012 , 255, 993-9		77
801	The changing pattern and implications of multiple organ failure after blunt injury with hemorrhagic shock. <i>Critical Care Medicine</i> , 2012 , 40, 1129-35	1.4	113
800	Acute respiratory distress syndrome after trauma: development and validation of a predictive model. <i>Critical Care Medicine</i> , 2012 , 40, 2295-303	1.4	67
799	A functional variant of lipopolysaccharide binding protein predisposes to sepsis and organ dysfunction in patients with major trauma. 2012 , 255, 147-57		28
798	Crystalloid to packed red blood cell transfusion ratio in the massively transfused patient: when a little goes a long way. 2012 , 72, 892-8		88
797	Characterization of acute coagulopathy and sexual dimorphism after injury: females and coagulopathy just do not mix. 2012 , 73, 1395-400		26
796	Debunking the survival bias myth: characterization of mortality during the initial 24 hours for patients requiring massive transfusion. 2012 , 73, 358-64; discussion 364		78
795	An evaluation of the diagnostic accuracy of the 1991 American College of Chest Physicians/Society of Critical Care Medicine and the 2001 Society of Critical Care Medicine/European Society of Intensive Care Medicine/American College of Chest Physicians/American Thoracic Society/Surgical Infection Society sepsis definition. <i>Critical Care Medicine</i> , 2012 , 40, 1700-6	1.4	33

794	Obese patients show a depressed cytokine profile following severe blunt injury. 2012 , 37, 253-6	24
793	Combined central venous oxygen saturation and lactate as markers of occult hypoperfusion and outcome following cardiac surgery. 2012 , 26, 52-7	40
792	A comparative evaluation of radiologic and clinical scoring systems in the early prediction of severity in acute pancreatitis. 2012 , 107, 612-9	199
791	Adiponectin-deficiency exaggerates sepsis-induced microvascular dysfunction in the mouse brain. 2012 , 20, 498-504	36
790	Failure to normalize lymphopenia following trauma is associated with increased mortality, independent of the leukocytosis pattern. 2012 , 16, R12	112
789	Hemoglobin levels and transfusions in neurocritically ill patients: a systematic review of comparative studies. 2012 , 16, R54	53
788	Obese trauma patients are at increased risk of early hypovolemic shock: a retrospective cohort analysis of 1,084 severely injured patients. 2012 , 16, R77	44
787	Clinical review: The liver in sepsis. 2012 , 16, 235	152
786	Identification of haplotype tag single nucleotide polymorphisms within the receptor for advanced glycation end products gene and their clinical relevance in patients with major trauma. 2012 , 16, R131	10
785	Hemofiltration compared to hemodialysis for acute kidney injury: systematic review and meta-analysis. 2012 , 16, R146	85
784	Prognostic utility and characterization of cell-free DNA in patients with severe sepsis. 2012 , 16, R151	164
783	Opportunities for improved trauma care of the elderly - a single center analysis of 2090 severely injured patients. 2012 , 55, 660-6	12
782	Blood product storage: does age really matter?. 2012 , 16, 160-5	5
781	The revised Atlanta classification of acute pancreatitis: its importance for the radiologist and its effect on treatment. 2012 , 262, 751-64	267
780	Prestorage leukoreduction abrogates the detrimental effect of aging on packed red cells transfused after trauma: a prospective cohort study. 2012 , 203, 198-204	24
779	Abnormal coagulation tests obtained in the emergency department are associated with mortality in patients with suspected infection. 2012 , 42, 127-32	12
778	Usefulness of severity scores in patients with suspected infection in the emergency department: a systematic review. 2012 , 42, 379-91	27
777	Comparison of different thoracic trauma scoring systems in regards to prediction of post-traumatic complications and outcome in blunt chest trauma. 2012 , 176, 239-47	32

776	Effect of N-acetylcysteine treatment on oxidative stress and inflammation after severe burn. 2012 , 38, 428-37	50
775	Differential expression of the immunoinflammatory response in trauma patients: burn vs. non-burn. 2012 , 38, 599-606	40
774	Jaundice increases the rate of complications and one-year mortality in patients with hypoxic hepatitis. 2012 , 56, 2297-304	51
773	Suspicion and treatment of severe sepsis. An overview of the prehospital chain of care. 2012 , 20, 42	24
772	Hospital Mortality of Septic Acute Kidney Injury Requiring Renal Replacement Therapy in the Postoperative Elderly. 2012 , 6, 75-79	1
771	Evolution of neutrophil apoptosis in septic shock survivors and nonsurvivors. 2012 , 27, 415.e1-11	30
770	The impact of body mass index on the physiology of patients with polytrauma. 2012 , 27, 722-6	7
769	Derivation and Validation of a Novel Physiological Emergency Surgery Acuity Score (PESAS). 2017 , 41, 1782-1789	10
768	Massive Transfusion in Cardiac Surgery: The Impact of Blood Component Ratios on Clinical Outcomes and Survival. 2017 , 124, 1777-1782	49
767	Defining multiple organ failure after major trauma: A comparison of the Denver, Sequential Organ Failure Assessment, and Marshall scoring systems. 2017 , 82, 534-541	30
766	Analysis of factors influencing survival in patients with severe acute pancreatitis. 2017 , 52, 904-908	3
765	Use of life support in acutely admitted ICU patients. An international cohort study. 2017 , 61, 513-522	1
764	Thrombocytopaenia during methicillin-sensitive <i>Staphylococcus aureus</i> bacteraemia. 2017 , 36, 887-896	0
763	Shenfu injection for improving cellular immunity and clinical outcome in patients with sepsis or septic shock. 2017 , 35, 1-6	17
762	Late-onset moderate to severe acute respiratory distress syndrome is associated with shorter survival and higher mortality: a two-stage association study. 2017 , 43, 399-407	16
761	A Comprehensive Multimorbidity Index for Predicting Mortality in Intensive Care Unit Patients. 2017 , 20, 35-41	14
760	Multiple Organ Failure. 2017 , 95-111	
759	Endothelial markers are associated with pancreatic necrosis and overall prognosis in acute pancreatitis: A preliminary cohort study. 2017 , 17, 45-50	6

758	Association of Systemic Inflammatory and Anti-inflammatory Responses with Adverse Outcomes in Acute Pancreatitis: Preliminary Results of an Ongoing Study. 2017 , 62, 3468-3478	20
757	Early Abdominal Imaging Remains Over-Utilized in Acute Pancreatitis. 2017 , 62, 2894-2899	11
756	Rates of bark formation on surfaces of saguaro cacti (<i>Carnegiea gigantea</i>)1, 2. 2017 , 144, 450	2
755	Plasma cytokines can help to identify the development of severe acute pancreatitis on admission. 2017 , 96, e7312	9
754	Transfusion Requirement in Burn Care Evaluation (TRIBE): A Multicenter Randomized Prospective Trial of Blood Transfusion in Major Burn Injury. 2017 , 266, 595-602	53
753	The predictive value of C-reactive protein (CRP) in acute pancreatitis - is interval change in CRP an additional indicator of severity?. 2017 , 19, 874-880	38
752	The impact of surgery on mortality and morbidity in patients with severe acute pancreatitis and intra-abdominal hypertension. 2017 , 4, 1340078	1
751	Unfälle und Verletzungen im Kinder- und Jugendreitsport. 2017 , 20, 13-18	1
750	Effect of Serum Triglycerides on Clinical Outcomes in Acute Pancreatitis: Findings From a Regional Integrated Health Care System. 2017 , 46, 874-879	17
749	Elevated Serum Triglycerides in the Prognostic Assessment of Acute Pancreatitis: A Systematic Review and Meta-Analysis of Observational Studies. 2017 , 51, 586-593	39
748	Genetic Susceptibility in Acute Pancreatitis: Genotyping of GSTM1, GSTT1, GSTP1, CASP7, CASP8, CASP9, CASP10, LTA, TNFRSF1B, and TP53 Gene Variants. 2017 , 46, 71-76	10
747	Risk Models That Use Postoperative Patient Monitoring Data to Predict Outcomes in Adult Cardiac Surgery: A Systematic Review. 2017 , 31, 1865-1877	4
746	Risk of hemophagocytic lymphohistiocytosis in adults with fevers of unknown origin: the clinical utility of a new scoring system on early detection. 2017 , 35, 835-844	5
745	Validation of the efficacy of the prognostic factor score in the Japanese severity criteria for severe acute pancreatitis: A large multicenter study. 2017 , 5, 389-397	21
744	Postinjury Inflammation and Organ Dysfunction. 2017 , 33, 167-191	78
743	The impact of red blood cell storage duration on tissue oxygenation in cardiac surgery. 2017 , 153, 610-619.e2	9
742	Interleukin 8 and hepatocyte growth factor in predicting development of severe acute pancreatitis. 2017 , 4, 1396634	3
741	Acute and Chronic Pancreatitis. 2017 , 527-554	

740	Etiology, pathogenesis, and diagnostic assessment of acute pancreatitis. 2017 , 883-896.e3	
739	Clinical outcomes of isolated renal failure compared to other forms of organ failure in patients with severe acute pancreatitis. 2017 , 23, 5431-5437	12
738	Severe Tuberculosis Requiring Intensive Care: A Descriptive Analysis. 2017 , 2017, 9535463	18
737	Is MicroRNA-127 a Novel Biomarker for Acute Pancreatitis with Lung Injury?. 2017 , 2017, 1204295	12
736	Blood Urea Nitrogen as a Predictor of Severe Acute Pancreatitis Based on the Revised Atlanta Criteria: Timing of Measurement and Cutoff Points. 2017 , 2017, 9592831	19
735	Comment on "Comparison of BISAP, Ranson, MCTSI, and APACHE II in Predicting Severity and Prognoses of Hyperlipidemic Acute Pancreatitis in Chinese Patients". 2017 , 2017, 1426486	1
734	Sirtuin 2 Regulates Microvascular Inflammation during Sepsis. 2017 , 2017, 2648946	17
733	Impact of Fatty Liver on Acute Pancreatitis Severity. 2017 , 2017, 4532320	13
732	Association between lymphocyte expression of the apoptotic receptor Fas and pain in critically ill patients. 2017 , 10, 175-181	1
731	Bleeding Risk and Thromboprophylaxis in Neurosurgical Patients after Emergency Procedure. 2017 , 03,	0
730	The effect of a novel extracorporeal cytokine hemoadsorption device on IL-6 elimination in septic patients: A randomized controlled trial. 2017 , 12, e0187015	126
729	Perioperative body weight change is associated with in-hospital mortality in cardiac surgical patients with postoperative acute kidney injury. 2017 , 12, e0187280	4
728	Can high-flow nasal cannula reduce the rate of reintubation in adult patients after extubation? A meta-analysis. 2017 , 17, 142	23
727	The common promoter polymorphism rs11666254 downregulates FPR2/ALX expression and increases risk of sepsis in patients with severe trauma. 2017 , 21, 171	16
726	High-volume hemofiltration in adult burn patients with septic shock and acute kidney injury: a multicenter randomized controlled trial. 2017 , 21, 289	43
725	Clinical application of a novel diagnostic scheme including pancreatic Ecell dysfunction for traumatic multiple organ dysfunction syndrome. 2018 , 17, 683-693	1
724	Urinary cadmium levels predict mortality of patients with acute heart failure. 2017 , 13, 379-386	5
723	Early identification of patients at risk for acute respiratory distress syndrome among severe pneumonia: a retrospective cohort study. 2017 , 9, 3979-3995	9

722	Antimicrobial use in a critical care unit: a prospective observational study. 2012 , 20, 164-71		9
721	Evaluation of HVHF for the treatment of severe acute pancreatitis accompanying MODS. 2018 , 97, e9417		12
720	Evaluation of ICU Risk Models Adapted for Use as Continuous Markers of Severity of Illness Throughout the ICU Stay. <i>Critical Care Medicine</i> , 2018 , 46, 361-367	1.4	27
719	Impact of Antibiotic-Resistant Bacterial and Fungal Infections in Outcome of Acute Pancreatitis. 2018 , 47, 489-494		23
718	Survival and Safety Outcomes of ICU Patients Discharged Directly Home-A Direct From ICU Sent Home Study. <i>Critical Care Medicine</i> , 2018 , 46, 900-906	1.4	8
717	Management of Multiorgan Failure in Sepsis. 2018 , 139-158		
716	Health care utilization and the cost of posttraumatic acute respiratory distress syndrome care. 2018 , 85, 148-154		12
715	MR imaging of hemorrhage associated with acute pancreatitis. 2018 , 18, 363-369		12
714	Handbook of Sepsis. 2018 ,		4
713	Links between a biomarker profile, cold ischaemic time and clinical outcome following simultaneous pancreas and kidney transplantation. 2018 , 105, 8-16		2
712	Heat-shock protein-90 prolongs septic neutrophil survival by protecting c-Src kinase and caspase-8 from proteasomal degradation. 2018 , 103, 933-944		8
711	Higher Thrombin-Antithrombin III Complex Levels May Indicate Severe Acute Pancreatitis. 2018 , 36, 244-251		4
710	Activator Protein-1 Decoy Oligodeoxynucleotide Transfection Is Beneficial in Reducing Organ Injury and Mortality in Septic Mice. <i>Critical Care Medicine</i> , 2018 , 46, e435-e442	1.4	4
709	Clinical Assessment and Biochemical Markers to Objectify Severity and Prognosis. 2018 , 204-212		1
708	Multiple Organ Dysfunction: The Defining Syndrome of Sepsis. 2018 , 19, 184-190		35
707	Clinical deterioration: A concept analysis. 2018 , 27, 1360-1368		15
706	Systematic comparison of routine laboratory measurements with in-hospital mortality: ICU-Labome, a large cohort study of critically ill patients. 2018 , 56, 1140-1151		4
705	Limited influence of blunt aortic injuries on the outcome of polytraumatized patients: a matched pair analysis. 2018 , 138, 211-218		1

704	Influence of Entrapment on Prehospital Management and the Hospital Course in Polytrauma Patients: A Retrospective Analysis in Air Rescue. 2018 , 54, 827-834	1
703	Predicting adverse hemodynamic events in critically ill patients. 2018 , 24, 196-203	7
702	The Pancreatitis Activity Scoring System predicts clinical outcomes in acute pancreatitis: findings from a prospective cohort study. 2018 , 113, 755-764	36
701	Risk factors and outcomes of infected pancreatic necrosis: Retrospective cohort of 148 patients admitted to the ICU for acute pancreatitis. 2018 , 6, 910-918	8
700	Rate of recurrence in Indian patients presenting with acute pancreatitis and identification of chronicity on follow up: Possible risk factors for progression. 2018 , 37, 92-97	4
699	Shock volume: Patient-specific cumulative hypoperfusion predicts organ dysfunction in a prospective cohort of multiply injured patients. 2018 , 85, S84-S91	3
698	Factors Associated With the Increasing Rates of Discharges Directly Home From Intensive Care Units-A Direct From ICU Sent Home Study. 2018 , 33, 121-127	16
697	Impact of pelvic fractures on the early clinical outcomes of severely injured trauma patients. 2018 , 44, 155-162	5
696	Evaluation of a novel 5-group classification system of sepsis by vasopressor use and initial serum lactate in the emergency department. 2018 , 13, 257-268	3
695	Outcome of Acute Pancreatic and Peripancreatic Collections Occurring in Patients With Acute Pancreatitis. 2018 , 267, 357-363	59
694	The clinical and microbiological characteristics of infections in burn patients from the Formosa Fun Coast Dust Explosion. 2018 , 51, 267-277	10
693	The effect of high-flow nasal cannula in reducing the mortality and the rate of endotracheal intubation when used before mechanical ventilation compared with conventional oxygen therapy and noninvasive positive pressure ventilation. A systematic review and meta-analysis. 2018 , 36, 226-233	67
692	Clinical relevance of peroxisome proliferator-activated receptor- γ gene polymorphisms with sepsis. 2018 , 32, e22340	2
691	Association of Statins With Decreased Acute Pancreatitis Severity: A Propensity Score Analysis. 2018 , 52, 742-746	6
690	Sepsis Definitions: A Work in Progress. 2018 , 34, 1-14	11
689	Systematic review of acute pancreatitis associated with interferon- β or pegylated interferon- β . Possible or definitive causation?. 2018 , 18, 691-699	14
688	The Duty of Mind: Ethical Capacity in a Time of Crisis. 2018 , 12, 657-662	48
687	Acute pancreatitis in the elderly: a cause for increased concern?. 2018 , 30, 337-341	18

686	Cortisol Outperforms Novel Cardiovascular, Inflammatory, and Neurohumoral Biomarkers in the Prediction of Outcome in Acute Pancreatitis. 2018 , 47, 55-64		5
685	Early prediction of persistent organ failure by serum apolipoprotein A-I and high-density lipoprotein cholesterol in patients with acute pancreatitis. 2018 , 476, 139-145		14
684	Signalling Profiles of Blood Leucocytes in Sepsis and in Acute Pancreatitis in Relation to Disease Severity. 2018 , 87, 88-98		9
683	Comparison of Various Scoring Systems and Biochemical Markers in Predicting the Outcome in Acute Pancreatitis. 2018 , 47, 65-71		25
682	Using IL-6 concentrations in the first 24 h following trauma to predict immunological complications and mortality in trauma patients: a meta-analysis. 2018 , 44, 679-687		42
681	Softmax Regression by Using Unsupervised Ensemble Learning. 2018 ,		2
680	Comparison of Ocular Biomechanical Machine Learning Classifiers for Glaucoma Diagnosis. 2018 ,		0
679	Intracoelomic pressure and coelomic perfusion pressure in healthy tegus (<i>Salvator merianae</i>). 2018 , 48,		
678	The Effects of Storage Age of Blood in Massively Transfused Burn Patients: A Secondary Analysis of the Randomized Transfusion Requirement in Burn Care Evaluation Study. <i>Critical Care Medicine</i> , 2018 , 46, e1097-e1104	1.4	7
677	SPARSE BAYESIAN BINARY LOGISTIC REGRESSION USING THE SPLIT-AND-AUGMENTED GIBBS SAMPLER. 2018 ,		2
676	Optimal intensive care outcome prediction over time using machine learning. 2018 , 13, e0206862		31
675	Neue Definitionen der Sepsis. 2018 , 14, 371-389		0
674	Efficacy and safety of Tongfu powder in acute pancreatitis patients with gastrointestinal dysfunction: a clinical trial. 2018 , 12, 3665-3673		4
673	Akute Pankreatitis – Teil 1: Allgemeine Grundlagen und Diagnostik. 2018 , 12, 587-599		0
672	Potential Risk Factors for In-Hospital Mortality in Patients with Moderate-to-Severe Blunt Multiple Trauma Who Survive Initial Resuscitation. 2018 , 2018, 6461072		8
671	Infected Pancreatic Necrosis due to Multidrug-Resistant Organisms and Persistent Organ failure Predict Mortality in Acute Pancreatitis. 2018 , 9, 190		28
670	Values of detection of NF- κ B activation level combined with IL-6 and TNF- α levels in peripheral neutrophils in the prediction of multiple organ dysfunction syndrome in patients with severe multiple trauma. 2018 , 16, 2478-2482		2
669	Deresuscitation of Patients With Iatrogenic Fluid Overload Is Associated With Reduced Mortality in Critical Illness. <i>Critical Care Medicine</i> , 2018 , 46, 1600-1607	1.4	76

668	Impact of the site of necrosis on outcome of acute pancreatitis. 2018 , 2, 295-299		4
667	Extracellular Mitochondrial DNA and N-Formyl Peptides in Trauma and Critical Illness: A Systematic Review. <i>Critical Care Medicine</i> , 2018 , 46, 2018-2028	1.4	10
666	Differences in Hypotensive vs. Non-Hypotensive Sepsis Management in the Emergency Department: Door-to-Antibiotic Time Impact on Sepsis Survival. 2018 , 6,		1
665	Sirtuins and Immuno-Metabolism of Sepsis. 2018 , 19,		25
664	Management of acute pancreatitis in the first 72 hours. 2018 , 34, 330-335		23
663	Not all organ dysfunctions are created equal - Prevalence and mortality in sepsis. 2018 , 48, 257-262		9
662	Heart rate variability as predictor of mortality in sepsis: A systematic review. 2018 , 13, e0203487		28
661	Complication Burden Index-A tool for comprehensive evaluation of the effect of complications on functional outcome after status epilepticus. 2018 , 59 Suppl 2, 176-181		5
660	A Healthcare management using clinical decision support system. 2018 ,		
659	Interleukin-6 significantly improves predictive value of systemic inflammatory response syndrome for predicting severe acute pancreatitis. 2018 , 18, 500-506		16
658	The effect of aspirin in preventing the acute respiratory distress syndrome/acute lung injury: A meta-analysis. 2018 , 36, 1486-1491		11
657	Risk stratification tools in emergency general surgery. 2018 , 3, e000160		30
656	Clinical risk factors of extracorporeal membrane oxygenation support in older adults. 2018 , 13, e0195445		10
655	Nucleic-acid based gene therapy approaches for sepsis. 2018 , 833, 403-410		7
654	Genetic contribution of suppressor of cytokine signalling polymorphisms to the susceptibility to infection after traumatic injury. 2018 , 194, 93-102		4
653	Mechanisms and Management of Acute Pancreatitis. 2018 , 2018, 6218798		31
652	Association between HLA-DR Expression and Multidrug-resistant Infection in Patients with Severe Acute Pancreatitis. 2018 , 38, 449-454		4
651	Immunothrombotic Activity of Damage-Associated Molecular Patterns and Extracellular Vesicles in Secondary Organ Failure Induced by Trauma and Sterile Insults. 2018 , 9, 190		26

650	Protracted immune disorders at one year after ICU discharge in patients with septic shock. 2018 , 22, 42	32
649	The impact of blood type O on mortality of severe trauma patients: a retrospective observational study. 2018 , 22, 100	26
648	Sepsis 3 and the burns patient: do we need Sepsis 3.1?. 2018 , 4, 2059513118790658	6
647	[Updated S3-Guideline for Prophylaxis, Diagnosis and Treatment of Gallstones. German Society for Digestive and Metabolic Diseases (DGVS) and German Society for Surgery of the Alimentary Tract (DGAV) - AWMF Registry 021/008]. 2018 , 56, 912-966	33
646	Early Management of Biliary Pancreatitis. 2018 , 117-136	
645	Predictive value of serum cyclophilin A concentrations after acute pancreatitis. 2018 , 484, 237-245	3
644	Gastrointestinal Complications of Diabetes. 2018 ,	
643	Pigtail catheter drainage and surgery in severe acute pancreatitis. 2019 , 3, 429-434	2
642	Population-based observational study of acute pancreatitis in southern England. 2019 , 101, 487-494	11
641	A retrospective study of the effect of fibrinogen levels during fresh frozen plasma transfusion in patients with traumatic brain injury. 2019 , 161, 1943-1953	17
640	Differential clinical benefits of continuous blood purification treatment in critically ill patients with variable APACHE II scores. 2019 , 18, 741-746	
639	Optimal timing of contrast-enhanced computed tomography in an evaluation of severe acute pancreatitis-associated complications. 2019 , 18, 1029-1038	4
638	Elevations in Circulating sST2 Levels Are Associated With In-Hospital Mortality and Adverse Clinical Outcomes After Blunt Trauma. 2019 , 244, 23-33	10
637	Revised Marshall Score: A New Approach to Stratifying the Severity of Acute Pancreatitis. 2019 , 64, 3610-3615	6
636	Statin intake can decrease acute pancreatitis severity. 2019 , 19, 807-812	4
635	Radiology of acute pancreatitis today: the Atlanta classification and the current role of imaging in its diagnosis and treatment. 2019 , 61, 453-466	3
634	Comparative study of the outcome between alcohol and gallstone pancreatitis in a high-volume tertiary care center. 2019 , 3, 338-343	8
633	Diagnostic Accuracy of Critical Care Transesophageal Echocardiography vs Cardiology-Led Echocardiography in ICU Patients. 2019 , 155, 491-501	11

632	Diurnal Variation in Systemic Acute Inflammation and Clinical Outcomes Following Severe Blunt Trauma. 2019 , 10, 2699	5
631	Rs1982809 is a functional biomarker for the prognosis of severe post-traumatic sepsis and MODs. 2019 , 244, 1438-1445	6
630	Comparison of the source and prognostic utility of cfDNA in trauma and sepsis. 2019 , 7, 29	29
629	Impact of Accidental Hypothermia on Pulmonary Complications in Multiply Injured Patients With Blunt Chest Trauma - A Matched-pair Analysis. 2019 , 33, 1539-1545	1
628	A successful term pregnancy with severe hypertriglyceridaemia and acute pancreatitis. Clinical management and review of the literature. 2019 , 40, 117-121	1
627	Inhalation Injury Does Not Influence the Amount of Blood Transfused to Major Burn Patients: A Secondary Analysis from the Transfusion Requirement in Burn Care Evaluation Study. 2019 , 40, 757-762	1
626	Predictive Value of Osteoprotegerin and Neutrophil Gelatinase-associated Lipocalin on Multiple Organ Failure in Multiple Trauma. 2019 , 33, 1573-1580	4
625	Frailty and invasive mechanical ventilation: association with outcomes, extubation failure, and tracheostomy. 2019 , 45, 1742-1752	37
624	Adverse clinical outcomes associated with multidrug-resistant organisms in patients with infected pancreatic necrosis. 2019 , 19, 935-940	11
623	High Rates of Readmission in Necrotizing Pancreatitis: Natural History or Opportunity for Improvement?. 2019 , 23, 1834-1839	18
622	Describing organ dysfunction in the intensive care unit: a cohort study of 20,000 patients. 2019 , 23, 186	15
621	Computational evidence for an early, amplified systemic inflammation program in polytrauma patients with severe extremity injuries. 2019 , 14, e0217577	18
620	Early complementopathy predicts the outcomes of patients with trauma. 2019 , 4, e000217	11
619	Predictors of outcome of percutaneous catheter drainage in patients with acute pancreatitis having acute fluid collection and development of a predictive model. 2019 , 19, 658-664	11
618	Ascites in acute pancreatitis: not a silent bystander. 2019 , 19, 646-652	14
617	Changes in pathogen spectrum and antimicrobial resistance development in the time-course of acute necrotizing pancreatitis. 2019 , 34, 2096-2103	6
616	Impact of visceral adiposity on severity of acute pancreatitis: a propensity score-matched analysis. 2019 , 19, 87	13
615	Neutrophil gelatinase-associated lipocalin: An early biomarker for predicting acute kidney injury and severity in patients with acute pancreatitis. 2019 , 3, 105-110	6

614	Fatty liver disease is associated with the severity of acute pancreatitis:A systematic review and meta-analysis. 2019 , 65, 147-153	6
613	Postponed or immediate drainage of infected necrotizing pancreatitis (POINTER trial): study protocol for a randomized controlled trial. 2019 , 20, 239	20
612	Efficacy of Coupled Plasma Filtration Adsorption in Treating Patients with Severe Intra-Abdominal Infection: A Retrospective Study. 2019 , 29, 905-908	1
611	Risk factors and outcome of acute kidney injury in elderly trauma patients. 2019 , 218, 480-483	5
610	The effect of hyperoxia on mortality in critically ill patients: a systematic review and meta analysis. 2019 , 19, 53	37
609	FAM46C inhibits lipopolysaccharides-induced myocardial dysfunction via downregulating cellular adhesion molecules and inhibiting apoptosis. 2019 , 229, 1-12	9
608	The post-cardiac arrest syndrome: A case for lung-brain coupling and opportunities for neuroprotection. 2019 , 39, 939-958	12
607	Surgical management of the grade C pancreatic fistula after pancreatoduodenectomy. 2019 , 21, 1166-1174	3
606	Serum soluble fibrinogen-like protein 2 concentration predicts delirium after acute pancreatitis. 2019 , 9, e01261	5
605	Protective effects of carbon monoxide releasing molecule-2 on pancreatic function in septic mice. 2019 , 19, 3449-3458	5
604	External Validation and Updating of the Cardiac Surgery Score for Prediction of Mortality in a Cardiac Surgery Intensive Care Unit. 2019 , 33, 3028-3034	3
603	Organ system network analysis and biological stability in critically ill patients. 2019 , 23, 83	4
602	Acute pancreatitis associated with intravenous administration of propofol: evaluation of causality in a systematic review of the literature. 2019 , 7, 13-23	18
601	Lung nitroxidative stress in mechanically-ventilated septic patients: A pilot study. 2019 , 51, 204-212	2
600	Venous Thromboembolism in Necrotizing Pancreatitis: an Underappreciated Risk. 2019 , 23, 2430-2438	18
599	Effects of Stepwise Lung Recruitment Maneuvers in Patients with Early Acute Respiratory Distress Syndrome: A Prospective, Randomized, Controlled Trial. 2019 , 8,	11
598	Updates in the Management of Acute Pancreatitis. 2019 , 445-454	
597	Quantification of critical care medicine: An ICU survey. 2019 , 13, 232-238	1

596	Predicting intensive care outcomes in traumatic brain injury using heart rate variability measures with feature extraction strategies. 2019,		1
595	Predictive values of neutrophil-lymphocyte ratio as an early indicator for severe acute pancreatitis in the emergency department patients. 2019, 11, 259-264		7
594	Prevalence and Associated Factors of Abdominal Pain and Disability at 1-Year Follow-up After an Attack of Acute Pancreatitis. 2019, 48, 1348-1353		5
593	Predictors of Survival in Patients with Advanced Gastrointestinal Malignancies Admitted to the Intensive Care Unit. 2019, 24, 483-490		2
592	Systemic Inflammatory Response. 2019, 14-27		
591	Enhancer polymorphism rs10865710 associated with traumatic sepsis is a regulator of PPARC gene expression. 2019, 23, 430		3
590	The SOFA score-development, utility and challenges of accurate assessment in clinical trials. 2019, 23, 374		194
589	Low psoas muscle index is a poor prognostic factor for lower gastrointestinal perforation: a single-center retrospective cohort study. 2019, 19, 181		3
588	Radiology of acute pancreatitis today: The Atlanta classification and the current role of imaging in its diagnosis and treatment. 2019, 61, 453-466		1
587	The role of CRP and Pentraxin 3 in the prediction of systemic inflammatory response syndrome and death in acute pancreatitis. 2019, 9, 18340		14
586	Young Age Predicts Acute Pancreatitis Severity in Children. 2019, 68, 720-726		1
585	Linking Big Data and Prediction Strategies: Tools, Pitfalls, and Lessons Learned. <i>Critical Care Medicine, 2019, 47, 840-848</i>	1.4	12
584	Clinical relevance of single nucleotide polymorphisms in the CXCL1 and CXCL12 genes in patients with major trauma. 2019, 86, 440-447		1
583	Predictors of postinjury acute respiratory distress syndrome: Lung injury persists in the era of hemostatic resuscitation. 2019, 87, 371-378		9
582	Early Immunologic Response in Multiply Injured Patients With Orthopaedic Injuries Is Associated With Organ Dysfunction. 2019, 33, 220-228		15
581	Drug-Induced Acute Pancreatitis in Adults: An Update. 2019, 48, 1263-1273		26
580	Prediction of Severe Maternal Outcome Among Pregnant and Puerperal Women in Obstetric ICU. <i>Critical Care Medicine, 2019, 47, e136-e143</i>	1.4	6
579	Frailty and Associated Outcomes and Resource Utilization Among Older ICU Patients With Suspected Infection. <i>Critical Care Medicine, 2019, 47, e669-e676</i>	1.4	39

578	Variation in Identifying Sepsis and Organ Dysfunction Using Administrative Versus Electronic Clinical Data and Impact on Hospital Outcome Comparisons. <i>Critical Care Medicine</i> , 2019 , 47, 493-500	1.4	28
577	Serum Serine Peptidase Inhibitor Kazal-Type 1, Trypsinogens 1 to 3, and Complex of Trypsin 2 and α -Antitrypsin in the Diagnosis of Severe Acute Pancreatitis. 2019 , 48, 374-380		6
576	Comparison of outcomes and costs between adult diabetic ketoacidosis patients admitted to the ICU and step-down unit. 2019 , 50, 257-261		8
575	Limited Influence of Flail Chest in Patients With Blunt Thoracic Trauma - A Matched-pair Analysis. 2019 , 33, 133-139		2
574	Fluid sequestration is a useful parameter in the early identification of severe disease of acute pancreatitis. 2019 , 54, 359-366		5
573	Hypertriglyceridemia-Associated Drug-Induced Acute Pancreatitis. 2019 , 48, 22-35		13
572	Risk factors and the associated limit values for abnormal elevation of extravascular lung water in severely burned adults. 2019 , 45, 849-859		3
571	Gender Disparities in Trauma Care: How Sex Determines Treatment, Behavior, and Outcome. 2019 , 37, 107-117		8
570	Validation of Modified Determinant-Based Classification of severity for acute pancreatitis in a tertiary teaching hospital. 2019 , 19, 217-223		15
569	Multiple Organ Dysfunction. 2019 , 205-208.e2		1
568	Aggressive Resuscitation Is Associated with the Development of Acute Kidney Injury in Acute Pancreatitis. 2019 , 64, 544-552		14
567	Liver transplantation in patients with liver failure related to exertional heatstroke. 2019 , 70, 431-439		10
566	Accidental hypothermia as an independent risk factor of poor neurological outcome in older multiply injured patients with severe traumatic brain injury: a matched pair analysis. 2019 , 45, 255-261		5
565	Hepatic and Renal Biochemical Markers as Predictors of Mortality Among Critically Ill Systemic Inflammatory Response Syndrome Patients. 2019 , 34, 188-194		1
564	Patient, Family, and Physician Satisfaction With Planning for Direct Discharge to Home From Intensive Care Units: Direct From ICU Sent Home Study. 2020 , 35, 82-90		8
563	Clinical Predictors for Unsafe Direct Discharge Home Patients From Intensive Care Units. 2020 , 35, 1067-1073	3	
562	Pancreatitis, Acute. 2020 , 88-97		
561	Outcomes of severe H1N1 pneumoniae: A retrospective study at intensive care units. 2020 , 119, 26-33		8

560	Intravenous omega-3 fatty acids are associated with better clinical outcome and less inflammation in patients with predicted severe acute pancreatitis: A randomised double blind controlled trial. 2020 , 39, 2711-2719		2
559	CT imaging, classification, and complications of acute pancreatitis. 2020 , 45, 1243-1252		7
558	Hospital resource use and costs among abdominal aortic aneurysm repair patients admitted to the intensive care unit. 2020 , 71, 1190-1199.e5		1
557	Acute pancreatitis: an update on the revised Atlanta classification. 2020 , 45, 1222-1231		18
556	Gastrointestinal Failure Is a Predictor of Poor Outcome in Patients with Acute Pancreatitis. 2020 , 65, 2419-2426		6
555	THAI-ICU score as a simplified severity score for critically ill patients in a resource limited setting: Result from SEA-AKI study group. 2020 , 55, 56-63		1
554	Using bioimpedance analysis to assess intensive care unit patients with sepsis in the post-resuscitation period: a prospective multicentre observational study. 2020 , 67, 437-444		1
553	Impact of Anticoagulation on Mortality and Resource Utilization Among Critically Ill Patients With Major Bleeding. <i>Critical Care Medicine</i> , 2020 , 48, 515-524	1.4	6
552	Timely Reduction of Triglyceride Levels Is Associated With Decreased Persistent Organ Failure in Hypertriglyceridemic Pancreatitis. 2020 , 49, 105-110		7
551	What is sepsis? What is septic shock? What are mods and persistent critical illness?. 2020 , 215-220.e1		
550	Effect of High-Flow Nasal Cannula Oxygen Therapy in Immunocompromised Subjects With Acute Respiratory Failure. 2020 , 65, 369-376		9
549	Leukocytosis after distal pancreatectomy and splenectomy as a marker of major complication. 2020 , 220, 354-358		2
548	Immune capacity determines outcome following surgery or trauma: a systematic review and meta-analysis. 2020 , 46, 979-991		2
547	Frailty and associated outcomes and resource utilization following in-hospital cardiac arrest. 2020 , 146, 138-144		11
546	Elevated triglycerides on admission positively correlate with the severity of hypertriglyceridaemic pancreatitis. 2020 , 74, e13458		5
545	What Demographic and Clinical Factors Are Associated with In-hospital Mortality in Patients with Necrotizing Fasciitis?. 2020 , 478, 1770-1779		2
544	Novel risk models to predict acute kidney disease and its outcomes in a Chinese hospitalized population with acute kidney injury. 2020 , 10, 15636		10
543	Evaluation of sepsis using compensatory reserve measurement: A prospective clinical trial. 2020 , 89, S153-S160		6

542	Toward a hemorrhagic trauma severity score: fusing five physiological biomarkers. 2020 , 18, 348	4
541	Performance of Prognostic Scoring Systems in Trauma Patients in the Intensive Care Unit of a Trauma Center. 2020 , 17,	6
540	Viral sepsis is a complication in patients with Novel Corona Virus Disease (COVID-19). 2020 , 8, 100057	19
539	Apoptotic cell therapy for cytokine storm associated with acute severe sepsis. 2020 , 11, 535	12
538	Non-inferiority comparative clinical trial between early oral REFEEDING and usual oral REFEEDING in predicted mild acute biliary pancreatitis. 2020 , 20, 228	0
537	Outcome of percutaneous drainage in patients with pancreatic necrosis having organ failure. 2021 , 23, 1030-1038	1
536	The Organ Trail: A Review of Biomarkers of Organ Failure. 2020 , 10, 579219	1
535	The impact of non-neurological organ dysfunction on outcomes in severe isolated traumatic brain injury. 2020 , 89, 405-410	5
534	Prediction on critically ill patients: The role of "big data". 2020 , 60, 64-68	5
533	Pancreatic necrosis volume - A new imaging biomarker of acute pancreatitis severity. 2020 , 130, 109193	4
532	Platelet Dysfunction Diseases and Conditions: Clinical Implications and Considerations. 2020 , 37, 3707-3722	1
531	Outcomes and Resource Utilization Among Patients Admitted to the Intensive Care Unit Following Acute Exacerbation of Chronic Obstructive Pulmonary Disease. 2021 , 36, 1091-1097	3
530	Clinical outcomes of acute pancreatitis in elderly patients: An experience of single tertiary center. 2020 , 20, 1296-1301	4
529	Prognostic factors in patients with burns. 2020 , 52, 330-335	
528	A classification model for prediction of clinical severity level using qSOFA medical score. 2020 , 48, 41-77	
527	The Immunologic Effect of Early Intravenous Two and Four Gram Bolus Dosing of Tranexamic Acid Compared to Placebo in Patients With Severe Traumatic Bleeding (TAMPITI): A Randomized, Double-Blind, Placebo-Controlled, Single-Center Trial. 2020 , 11, 2085	10
526	Effect of Different-Volume Fluid Resuscitation on Organ Functions in Severe Acute Pancreatitis and Therapeutic Effect of. 2020 , 2020, 6408202	1
525	Establishment and effectiveness evaluation of a scoring system for exertional heat stroke by retrospective analysis. 2020 , 7, 40	6

524	Impact of Chest Trauma and Overweight on Mortality and Outcome in Severely Injured Patients. 2020 , 9,	1
523	Organ System Network Disruption Is Associated With Poor Prognosis in Patients With Chronic Liver Failure. 2020 , 11, 983	6
522	Utilizing heart rate variability to predict ICU patient outcome in traumatic brain injury. 2020 , 21, 481	0
521	Care after pancreatic resection according to an algorithm for early detection and minimally invasive management of pancreatic fistula versus current practice (PORSCH-trial): design and rationale of a nationwide stepped-wedge cluster-randomized trial. 2020 , 21, 389	5
520	Survival, Outcomes, and Use of Acuity Scoring Systems Following Tracheotomy in Veteran Patients. 2020 , 37, 890-896	
519	The use of low-titer group O whole blood is independently associated with improved survival compared to component therapy in adults with severe traumatic hemorrhage. 2020 , 60 Suppl 3, S2-S9	19
518	Predicting severe clinical events by learning about life-saving actions and outcomes using distant supervision. 2020 , 107, 103425	3
517	Development of disturbance of consciousness is associated with increased severity in acute pancreatitis. 2020 , 20, 806-812	2
516	COVID-19, acute respiratory distress syndrome (ARDS), and hyperbaric oxygen therapy (HBOT): what is the link?. 2020 , 25, 717-720	17
515	Variation in antibiotic use across intensive care units (ICU): A population-based cohort study in Ontario, Canada. 2020 , 41, 1035-1041	0
514	Unsupervised Clustering Analysis Based on MODS Severity Identifies Four Distinct Organ Dysfunction Patterns in Severely Injured Blunt Trauma Patients. 2020 , 7, 46	7
513	Prevention of Severe Acute Pancreatitis With Cyclooxygenase-2 Inhibitors: A Randomized Controlled Clinical Trial. 2020 , 115, 473-480	17
512	Classification, Severity Assessment, and Prevention of Recurrences in Acute Pancreatitis. 2020 , 109, 53-58	1
511	Thrombocytopenia in the Intensive Care Unit. 2020 , 621-629	1
510	Nasogastric versus nasojejunal tube feeding for severe acute pancreatitis. 2020 , 3, CD010582	13
509	Prognostic Analysis of Elderly Patients with Multiple Organ Dysfunction Syndrome Undergoing Invasive Mechanical Ventilation. 2020 , 2020, 6432048	1
508	The challenge of recognising sepsis: Future nanotechnology solutions. 2020 , 21, 241-246	7
507	Predicting 1-Year Mortality After Cardiac Surgery Complicated by Prolonged Critical Illness: Derivation and Validation of a Population-Based Risk Model. 2020 , 34, 2628-2637	1

506	Elevated CA125 levels are associated with adverse clinical outcomes in acute pancreatitis: A propensity score-matched study. 2020 , 20, 789-794	2
505	Comparison of a modified Sequential Organ Failure Assessment Score using RASS and FOUR. 2020 , 15, e0229199	2
504	Non-neurologic organ dysfunction plays a major role in predicting outcomes in pediatric traumatic brain injury. 2020 , 55, 1590-1595	2
503	Measuring organ dysfunction. 2020 , 115, 15-20	3
502	Post-contrast acute kidney injury in a hospitalized population: short-, mid-, and long-term outcome and risk factors for adverse events. 2020 , 30, 3516-3527	7
501	Studying coral reef patterns in UAE waters using panel data analysis and multinomial logit and probit models. 2020 , 112, 106050	2
500	Data initiatives supporting critical care research and quality improvement in Canada: an environmental scan and narrative review. 2020 , 67, 475-484	2
499	Towards evidence-based and personalised care of acute pancreatitis. 2020 , 8, 403-409	7
498	New-onset atrial fibrillation and associated outcomes and resource use among critically ill adults-a multicenter retrospective cohort study. 2020 , 24, 15	16
497	Laparoscopic cholecystectomy in acute mild gallstone pancreatitis: how early is safe?. 2020 , 72, 129-135	4
496	Temporal trends in in-hospital complications of acute coronary syndromes: Insights from the nationwide AMIS Plus registry. 2020 , 313, 16-24	1
495	The Bucharest ESTES consensus statement on peritonitis. 2020 , 46, 1005-1023	2
494	Transcatheter Arterial Embolization in the Treatment of Abdominal Bleeding in Patients Being Treated with Open Abdomen Due to Duodenal Fistula. 2020 , 44, 2562-2571	1
493	Reduction of intra-abdominal pressure after percutaneous catheter drainage of pancreatic fluid collection predicts survival. 2020 , 20, 772-777	8
492	Predicting fetal loss in severe acute pancreatitis during pregnancy: a 5-year single-tertiary-center retrospective analysis. <i>Postgraduate Medicine</i> , 2020 , 132, 473-478	3-7 5
491	Acute respiratory distress syndrome in acute pancreatitis. 2020 , 39, 123-132	10
490	Gender-related differences in the performance of sequential organ failure assessment (SOFA) to predict septic shock after percutaneous nephrolithotomy. 2021 , 49, 65-72	1
489	A cross-disciplinary comparison of multimodal data fusion approaches and applications: Accelerating learning through trans-disciplinary information sharing. 2021 , 165, 113885	5

488	Lung-Protective Ventilation and Associated Outcomes and Costs Among Patients Receiving Invasive Mechanical Ventilation in the ED. 2021 , 159, 606-618	8
487	Sepsis Definitions in Burns. 2021 , 22, 28-36	3
486	Prospective Analysis of the Mechanisms Underlying Ineffective Deep Vein Thrombosis Prophylaxis in Necrotizing Pancreatitis. 2021 , 232, 91-100	5
485	Impact of early aggressive fluid resuscitation in acute pancreatitis. 2021 , 21, 69-73	2
484	Evaluation of the modified computed tomography severity index (MCTSI) and computed tomography severity index (CTSI) in predicting severity and clinical outcomes in acute pancreatitis. 2021 , 22, 41-48	5
483	High flow nasal cannula versus conventional oxygen therapy in postoperative patients at high risk for pulmonary complications: A systematic review and meta-analysis. 2021 , 75, e13828	2
482	Society for Maternal-Fetal Medicine Consult Series #54: Assessing the risk of maternal morbidity and mortality. 2021 , 224, B2-B15	3
481	Dynamic frailty: Objective physiological assessment to guide management in necrotizing pancreatitis. 2021 , 169, 1078-1085	2
480	Severe acute pancreatitis: surgical indications and treatment. 2021 , 406, 521-535	16
479	Preadmission Antiplatelet Use and Associated Outcomes and Costs Among ICU Patients With Intracranial Hemorrhage. 2021 , 36, 70-79	1
478	Clinical Decision Support System for Early Disease Detection and Management. 2021 , 1035-1075	
477	Neutrophil Gelatinase-associated Lipocalin Predicts Post-traumatic Acute Kidney Injury in Severely Injured Patients. 2021 , 35, 2755-2762	1
476	Literatur. 2021 , 945-986	
475	Cytokine-induced liver injury in coronavirus disease-2019 (COVID-19): untangling the knots. 2021 , Publish Ahead of Print,	3
474	Pancrătite aiguă 2021 , 23-67.e2	
473	Pleural Effusion Is Associated with Severe Renal Dysfunction in Patients with Acute Pancreatitis. 2021 , 27, e928118	2
472	Fluctuation in red cell distribution width predicts disseminated intravascular coagulation morbidity and mortality in sepsis: a retrospective single-center study. 2021 , 87, 52-64	5
471	Complete hemogram: simple and cost-effective in staging and predicting outcome in acute pancreatitis. 2021 , 133, 661-668	3

470 Emergency Management of Acute Pancreatitis.

469 Dynamic changes in the pancreatitis activity scoring system during hospital course in a multicenter, prospective cohort. **2021**, 36, 2416-2423 2

468 Endothelium-protective, histone-neutralizing properties of the polyanionic agent defibrotide. **2021**, 2, 1-10 2

467 Strategic approach to minimally invasive necrosectomy for necrotizing pancreatitis: technique, complications and predictors of outcome. **2021**, 91, E104-E111 1

466 Early Changes in Blood Urea Nitrogen (BUN) Can Predict Mortality in Acute Pancreatitis: Comparative Study between BISAP Score, APACHE-II, and Other Laboratory Markers-A Prospective Observational Study. **2021**, 2021, 6643595 5

465 Protective/reparative cytokines are suppressed at high injury severity in human trauma. **2021**, 6, e000619 5

464 PREDICTING THE COURSE OF ACUTE PANCREATITIS PATIENT BASED ON HARMLESS ACUTE PANCREATITIS SCORE (HAPS). **2021**, 59-62

463 Assessment of the Clinical Interpreter of Death in Life-Threatening Infective Cases Admitted in the Intensive Care Unit of a North-Eastern State of India. **2021**, 13, e13915

462 Mortality in acute pancreatitis with persistent organ failure is determined by the number, type, and sequence of organ systems affected. **2021**, 9, 139-149 1

461 The role of antimicrobial resistance on long-term mortality and quality of life in critically ill patients: a prospective longitudinal 2-year study. **2021**, 19, 72 0

460 Candidemia indicates poor outcome in patients with infected pancreatic necrosis. **2021**, 64, 684-690 1

459 Definition of Complications and Severity of Acute Pancreatitis for Clinical Practice. **2021**, 25-30

458 Morphologic Severity of Acute Pancreatitis on Imaging Is Independently Associated with Opioid Dose Requirements in Hospitalized Patients. **2021**, 1 2

457 Accuracy of conventional and novel scoring systems in predicting severity and outcomes of acute pancreatitis: a retrospective study. **2021**, 20, 41 0

456 Age, Frailty, Resuscitation and Intensive Care: With Reference to COVID-19. **2021**, 6, 1-10 1

455 Emergency General Surgery (EGS) Risk Stratification Scores. **2021**, 9, 1

454 Can Coagulation System Disorders and Cytokine and Inflammatory Marker Levels Predict the Temporary Clinical Deterioration or Improvement of Septic Patients on ICU Admission?. **2021**, 10, 1-10

453 Early risk factors for extrapulmonary organ injury in adult COVID-19 patients. **2021**, 9, 701 1

452	Injured recipients of low-titer group O whole blood have similar clinical outcomes compared to recipients of conventional component therapy: A single-center, retrospective study. 2021 , 61, 1710-1720	7
451	The "Two-Step" approach for classifying the severity of acute pancreatitis: A retrospective study. 2021 , 28, 902-912	
450	Intensive Care and Treatment of Severe Guillain-Barré Syndrome. 2021 , 12, 608130	8
449	Evaluating the Risk of Irreversible Intestinal Necrosis Among Critically Ill Patients With Nonocclusive Mesenteric Ischemia. 2021 , 116, 1506-1513	4
448	Blood Leukocyte Signaling Pathways as Predictors of Severity of Acute Pancreatitis. 2021 , 50, 710-718	0
447	Upregulated PD-L1 delays human neutrophil apoptosis and promotes lung injury in an experimental mouse model of sepsis. 2021 , 138, 806-810	5
446	Ranson score to stratify severity in Acute Pancreatitis remains valid - Old is gold. 2021 , 15, 865-877	6
445	Clinical Evaluation of Acute Pancreatitis Caused by SARS-CoV-2 Virus Infection. 2021 , 2021, 5579795	2
444	A Dynamic Ensemble Learning Algorithm based on K-means for ICU mortality prediction. 2021 , 103, 107166	2
443	[Classification of pancreatitis]. 2021 , 61, 524-531	1
442	Urinary neutrophil gelatinase-associated lipocalin was a predictor from the day after intensive care unit entry, but not on the day of intensive care unit entry. 2021 , 517, 117-121	
441	A Multicentric, Randomized, Controlled Phase III Study of Centhaquine (Lyfaquin) as a Resuscitative Agent in Hypovolemic Shock Patients. 2021 , 81, 1079-1100	1
440	Clinical course and outcomes of COVID-19 patients with a history of cerebrovascular disease: a retrospective study in Wuhan. 2021 , 9, 988	1
439	The effect of high flow nasal oxygen therapy in intensive care units: a systematic review and meta-analysis. 2021 , 15, 1335-1345	0
438	Impact of Cardiovascular Failure in Intensive Care Unit-Acquired Pneumonia: A Single-Center, Prospective Study. 2021 , 10,	1
437	The () polymorphism could protect against development of severe sepsis. 2021 , 27, 409-420	1
436	The Multiple Organ Dysfunction Syndrome: Syndrome, Metaphor, and Unsolved Clinical Challenge. <i>Critical Care Medicine</i> , 2021 , 49, 1402-1413	1.4 3
435	Proteinase 3 contributes to endothelial dysfunction in an experimental model of sepsis. 2021 , 246, 2338-2345	0

434	Outcomes in Endoscopic and Operative Transgastric Pancreatic Debridement. 2021 , 274, 516-523		2
433	Initial Renal Function (eGFR) Is a Prognostic Marker of Severe Acute Pancreatitis: A Cohort-Analysis of 1,224 Prospectively Collected Cases. 2021 , 8, 671917		0
432	Cadmium and cardiovascular disease: An overview of pathophysiology, epidemiology, therapy, and predictive value. 2021 , 40, 611-617		
431	Intensive Care Unit Scoring Systems. 2021 , 41, 54-64		1
430	Cadmium and cardiovascular disease: An overview of pathophysiology, epidemiology, therapy, and predictive value. 2021 , 40, 611-617		3
429	50 Years of Sepsis Investigation/Enlightenment Among Adults-The Long and Winding Road. <i>Critical Care Medicine</i> , 2021 , 49, 1606-1625	1.4	2
428	Activated matrix metalloproteinase 8 in serum predicts severity of acute pancreatitis. 2021 , 21, 862-869		1
427	High-versus low-dose clonidine for sedation and analgesia in critically ill adults: A retrospective cohort study. 2021 , 46, 1706-1713		0
426	Trajectories of Lymphocyte Counts in the Early Phase of Acute Pancreatitis Are Associated With Infected Pancreatic Necrosis. 2021 , 12, e00405		0
425	Colonic perforation following major burns: Experience from a burns center and a systematic review. 2021 , 47, 1241-1251		
424	Endothelium-protective, histone-neutralizing properties of the polyanionic agent defibrotide. 2021 , 6,		7
423	The Modified Pancreatitis Activity Scoring System Shows Distinct Trajectories in Acute Pancreatitis: An International Study. 2021 ,		0
422	A Functional Variant of CXCL16 Is Associated With Predisposition to Sepsis and MODS in Trauma Patients: Genetic Association Studies. 2021 , 12, 720313		1
421	Acute Pancreatitis: The Increasing Role of Medical Management of a Traditionally Surgically Managed Disease. 2021 ,		0
420	Decreased skeletal muscle density is an independent predictor of mortality in necrotizing pancreatitis- A single tertiary center experience in 507 patients. 2021 , 21, 1146-1146		2
419	Effect of ischemia-reperfusion on outcomes after open mesenteric bypass for chronic mesenteric ischemia. 2021 , 74, 1301-1308.e1		1
418	SEVERITY ASSESSMENT OF ACUTE PANCREATITIS USING SEVERITY INDICES, REVISED ATLANTA CLASSIFICATION AND CORRELATING WITH CLINICAL OUTCOMES. 2021 , 1-4		
417	Polydatin: a new therapeutic agent against multiorgan dysfunction. 2015 , 198, 192-199		14

416	Shock. 1-21	4
415	A Neuro-fuzzy Based Alarm System for Septic Shock Patients with a Comparison to Medical Scores. 2002 , 42-52	8
414	Risk Prediction, Disease Stratification, and Outcome Description in Critical Surgical Illness. 2008 , 433-445	1
413	Risk Factors for MOF and Pattern of Organ Failure Following Severe Trauma. 2000 , 30-43	4
412	Research in the Intensive Care Unit. 1998 , 481-495	1
411	Glutamine Supplementation in Multiple Trauma of Critical Care. 2015 , 203-218	1
410	Organ Failure and Acute Pancreatitis. 2015 , 15-27	2
409	Peritonitis und abdominelles Kompartmentsyndrom. 2006 , 209-214	0
408	Organ Dysfunction in the ICU: A Clinical Perspective. 2007 , 238-245	1
407	Scores. 2008 , 53-63	1
406	Measuring the Health Status of Pediatric Intensive Care Unit Survivors. 2003 , 107-115	1
405	Multiple Organ Failure: Clinical Syndrome. 2002 , 394-403	5
404	Understanding the Incidence and Long-term Outcome of ARDS. 1997 , 289-298	0
403	Acute renal failure scoring. 1998 , 1535-1545	1
402	External validation of a prognostic model for intensive care unit mortality: a retrospective study using the Ontario Critical Care Information System. 2020 , 67, 981-991	5
401	SYSTEMIC INFLAMMATORY RESPONSE SYNDROME AND MULTIPLE-ORGAN DYSFUNCTION SYNDROME: DEFINITION, DIAGNOSIS, AND MANAGEMENT. 2008 , 663-670	1
400	Sepsis, Severe Sepsis, and Septic Shock. 2010 , 987-1010	14
399	Pediatric Multiple Organ Dysfunction Syndrome. 2006 , 1494-1507	2

398	Acute Pancreatitis. 2010 , 959-983.e6		0
397	Severity-of-Illness Indices and Outcome Prediction. 2011 , 1604-1614		1
396	Oxygen delivery is an important predictor of outcome in patients with ruptured abdominal aortic aneurysms. 1998 , 227, 726-32; discussion 732-4		33
395	Measurements of medicine. <i>Critical Care Medicine</i> , 1995 , 23, 1619-20	1.4	2
394	Multiple organ dysfunction score. <i>Critical Care Medicine</i> , 1996 , 24, 1272-3	1.4	3
393	A personal experience with SIRS and MODS. <i>Critical Care Medicine</i> , 1996 , 24, 1417-8	1.4	10
392	A comparison of risks and outcomes for patients with organ system failure: 1982-1990. <i>Critical Care Medicine</i> , 1996 , 24, 1633-41	1.4	83
391	Dear SIRS, I'm sorry to say that I don't like you. <i>Critical Care Medicine</i> , 1997 , 25, 372-4	1.4	437
390	A retrospective review of a large cohort of patients undergoing the process of withholding or withdrawal of life support. <i>Critical Care Medicine</i> , 1997 , 25, 1324-31	1.4	161
389	How to use an article on therapy or prevention: pneumonia prevention using subglottic secretion drainage. <i>Critical Care Medicine</i> , 1997 , 25, 1502-13	1.4	28
388	Pushing the envelope on futility. <i>Critical Care Medicine</i> , 1997 , 25, 1768-9	1.4	3
387	American College of Chest Physicians/Society of Critical Care Medicine Consensus Conference definitions of the systemic inflammatory response syndrome and allied disorders in relation to critically injured patients. <i>Critical Care Medicine</i> , 1997 , 25, 1789-95	1.4	310
386	Early onset of acute pulmonary dysfunction after cardiovascular surgery: risk factors and clinical outcome. <i>Critical Care Medicine</i> , 1997 , 25, 1831-9	1.4	101
385	Quantification of organ dysfunction: seeking standardization. <i>Critical Care Medicine</i> , 1998 , 26, 1767-8	1.4	39
384	Use of the SOFA score to assess the incidence of organ dysfunction/failure in intensive care units: results of a multicenter, prospective study. Working group on "sepsis-related problems" of the European Society of Intensive Care Medicine. <i>Critical Care Medicine</i> , 1998 , 26, 1793-800	1.4	2797
383	Therapy of shock with naloxone: a meta-analysis. <i>Critical Care Medicine</i> , 1998 , 26, 1910-6	1.4	18
382	Has the mortality of septic shock changed with time. <i>Critical Care Medicine</i> , 1998 , 26, 2078-86	1.4	522
381	Extracerebral organ dysfunction and neurologic outcome after aneurysmal subarachnoid hemorrhage. <i>Critical Care Medicine</i> , 1999 , 27, 505-14	1.4	133

380	Charting the course of critical illness: prognostication and outcome description in the intensive care unit. <i>Critical Care Medicine</i> , 1999 , 27, 676-8	1.4	26
379	The Multiple Organ Dysfunction Score as a descriptor of patient outcome in septic shock compared with two other scoring systems. <i>Critical Care Medicine</i> , 1999 , 27, 741-4	1.4	58
378	N-Acetylcysteine treatment to prevent the progression of multisystem organ failure: a prospective, randomized, placebo-controlled study. <i>Critical Care Medicine</i> , 1999 , 27, 1100-4	1.4	102
377	Selenium replacement in patients with severe systemic inflammatory response syndrome improves clinical outcome. <i>Critical Care Medicine</i> , 1999 , 27, 1807-13	1.4	213
376	Continuous plasmfiltration in sepsis syndrome. Plasmfiltration in Sepsis Study Group. <i>Critical Care Medicine</i> , 1999 , 27, 2096-104	1.4	183
375	Long-term follow-up of survivors of acute lung injury: lack of effect of a ventilation strategy to prevent barotrauma. <i>Critical Care Medicine</i> , 1999 , 27, 2616-21	1.4	81
374	Risk factors for clinically important upper gastrointestinal bleeding in patients requiring mechanical ventilation. Canadian Critical Care Trials Group. <i>Critical Care Medicine</i> , 1999 , 27, 2812-7	1.4	207
373	Predicting outcomes in the intensive care unit: are we making any progress?. <i>Critical Care Medicine</i> , 1999 , 27, 2830-1	1.4	3
372	Scoring of multiple organ dysfunction in patients with severe acute pancreatitis. <i>Critical Care Medicine</i> , 2002 , 30, 1390-1	1.4	1
371	Scoring for multiple organ dysfunction: Multiple Organ Dysfunction Score, Logistic Organ Dysfunction, or Sequential Organ Failure Assessment. <i>Critical Care Medicine</i> , 2002 , 30, 1913-4	1.4	11
370	Microalbuminuria and serum procalcitonin levels following oesophagectomy. 2000 , 17, 464-465		1
369	Rehabilitation results of patients with multiple injuries and multiple organ failure and long-term intensive care. 1997 , 42, 919-26		28
368	Nitric oxide production in burns: plasma nitrate levels are not increased in patients with minor thermal injuries. 1997 , 43, 467-74		12
367	Both T-helper-1- and T-helper-2-type lymphokines are depressed in posttrauma energy. 1998 , 44, 1037-45; discussion 1045-6		51
366	Neurologic dysfunction in the multiple organ dysfunction syndrome. 1998 , 44, 1108-9		3
365	Multiple organ failure can be predicted as early as 12 hours after injury. 1998 , 45, 291-301; discussion 301-3		161
364	Cellular injury score for multiple organ failure severity scoring system. 1998 , 45, 304-10; discussion 310-1		26
363	Multiple organ failure: by the time you predict it, it's already there. 1999 , 46, 597-604; discussion 604-6		67

362	The failure of clinical trials in sepsis. 1999 , 5, 339	5
361	A retrospective study of ulinastatin for the treatment of severe sepsis. 2020 , 99, e23361	3
360	Nonaggressive Versus Aggressive Intravenous Fluid Therapy in Acute Pancreatitis With More Than 24 Hours From Disease Onset: A Randomized Controlled Trial. 2020 , 49, 579-583	2
359	Cardiac Dysfunction Identified by Strain Echocardiography Is Associated With Illness Severity in Pediatric Sepsis. 2020 , 21, e192-e199	6
358	Colon Involvement in Necrotizing Pancreatitis: Incidence, Risk Factors, and Outcomes. 2020 ,	3
357	Pre-B cell colony-enhancing factor inhibits neutrophil apoptosis in experimental inflammation and clinical sepsis. 2004 , 113, 1318-27	429
356	Clinical Characteristics and Risk Factors for Sinistral Portal Hypertension Associated with Moderate and Severe Acute Pancreatitis: A Seven-Year Single-Center Retrospective Study. 2019 , 25, 5969-5976	6
355	Dissecting inflammatory complications in critically injured patients by within-patient gene expression changes: a longitudinal clinical genomics study. 2011 , 8, e1001093	44
354	The predisposition, infection, response and organ failure (Piro) sepsis classification system: results of hospital mortality using a novel concept and methodological approach. 2013 , 8, e53885	30
353	The -144C/A polymorphism in the promoter of HSP90beta is associated with multiple organ dysfunction scores. 2013 , 8, e58646	9
352	The Decrease of Peripheral Blood CD4+ T Cells Indicates Abdominal Compartment Syndrome in Severe Acute Pancreatitis. 2015 , 10, e0135768	11
351	Normal Lactate and Unenhanced CT-Scan Result in Delayed Diagnosis of Acute Mesenteric Ischemia. 2020 , 115, 1902-1905	10
350	Recent Advances in Diagnosis and Severity Assessment of Acute Pancreatitis. 2020 , 121, 65-86	5
349	Splanchnic Venous Thrombosis in Acute Pancreatitis: Does Anticoagulation Affect Outcome?. 2020 , 13, 25-31	7
348	Predictive Factors of Intestinal Necrosis in Acute Mesenteric Ischemia. 2019 , 14, 883-889	8
347	Vasopressor requirement during targeted temperature management for out-of-hospital cardiac arrest caused by acute myocardial infarction without cardiogenic shock. 2016 , 3, 20-26	3
346	[Principles of intensive care in severe acute pancreatitis in 2008]. 2008 , 149, 2211-20	4
345	[Combined forecasting system of peritonitis outcome]. 2017 , 33-37	1

344	SOFA OR APACHE II, WHICH DESERVES MORE ATTENTION IN SEPSIS PATIENTS IN ICU? AN EXPERIENCE FROM A TERTIARY CARE HOSPITAL IN NORTH EAST INDIA. 2017 , 4, 1700-1704	1
343	Mechanical ventilation practice in Egyptian pediatric intensive care units. 2017 , 9, 4370-4377	5
342	Acute pancreatitis patient registry to examine novel therapies in clinical experience (APPRENTICE): an international, multicenter consortium for the study of acute pancreatitis. 2017 , 30, 106-113	24
341	Thrombocytopenia After Transcatheter Valve-in-Valve Implantation: Prognostic Marker or Mere Finding?. 2018 , 33, 362-370	2
340	Using Machine Learning to Predict Early Onset Acute Organ Failure in Critically Ill Intensive Care Unit Patients With Sickle Cell Disease: Retrospective Study. 2020 , 22, e14693	1
339	Abdominal sepsis: the state of the problem, integral system for assessing the severity of sepsis and criteria for predicting the result. 2018 , 177, 108-112	3
338	Acute pancreatitis at the beginning of the 21st century: the state of the art. 2009 , 15, 2945-59	64
337	Severity of acute gastrointestinal injury grade is a good predictor of mortality in critically ill patients with acute pancreatitis. 2020 , 26, 514-523	5
336	Clinical significance of positive polymerase chain reaction in non-human immunodeficiency virus immunocompromised patients in a real practice. 2017 , 32, 478-485	5
335	Application of therapeutic plasma exchange in patients having severe fever with thrombocytopenia syndrome. 2019 , 34, 902-909	15
334	Advances in the Understanding of Clinical Manifestations and Therapy of Severe Sepsis: An Update for Critical Care Nurses. 2003 , 12, 120-133	12
333	Levels of Care in the Intensive Care Unit: A Research Program. 2006 , 15, 269-279	8
332	Elevated Cardiac Troponin Levels in Critically Ill Patients: Prevalence, Incidence, and Outcomes. 2006 , 15, 280-288	50
331	Sequential organ failure assessment scoring and prediction of patient's outcome in Intensive Care Unit of a tertiary care hospital. 2016 , 32, 364-8	17
330	Illness severity and organ dysfunction scoring in Pediatric Intensive Care Unit. 2016 , 20, 27-35	15
329	Comparison of Various Severity Assessment Scoring Systems in Patients with Sepsis in a Tertiary Care Teaching Hospital. 2018 , 22, 842-845	7
328	Interleukin-6: An Early Predictive Marker for Severity of Acute Pancreatitis. 2017 , 21, 424-428	11
327	The Platelet Count and its Implications in Sickle Cell Disease Patients Admitted for Intensive Care. 2018 , 22, 585-590	3

326	Scrub Typhus - A Major Cause of Pediatric Intensive Care Admission and Multiple Organ Dysfunction Syndrome: A Single-Center Experience from India. 2018 , 22, 107-110	2
325	Development of multiple organ dysfunction syndrome in older and young adult trauma patients. 2019 , 9, 21-24	2
324	Demographic & clinical profile of patients with COVID-19 at a tertiary care hospital in north India. 2021 , 153, 115-125	13
323	Severity assessment of acute pancreatitis using CT severity index and modified CT severity index: Correlation with clinical outcomes and severity grading as per the Revised Atlanta Classification. 2017 , 27, 152-160	29
322	Comparison of Modified Atlanta Classification With Modified CT Severity Index in Acute Gallstone Pancreatitis. 2019 , 5, 63	1
321	Immune Enteral Nutrition Can Improve Outcomes in Medical-Surgical Patients with ARDS: A Prospective Randomized Controlled Trial. 2012 , 2, 109	19
320	Jaundice in Adult in-Patients at a Tertiary General Hospital. 2015 , 03, 1-11	2
319	Factors predicting adverse short-term outcomes in patients with acute cholangitis undergoing ERCP: A single center experience. 2014 , 6, 74-81	18
318	Intra-abdominal pressure: Time ripe to revise management guidelines of acute pancreatitis?. 2016 , 7, 186-98	20
317	Comparison of Acute Physiology and Chronic Health Evaluation II, Modified Computed Tomography Severity Index, and Bedside Index for Severity in Acute Pancreatitis Score in Predicting the Severity of Acute Pancreatitis. 2020 , 24, 99-103	2
316	Intra-abdominal pressure in the early phase of severe acute pancreatitis: canary in a coal mine? Results from a rigorous validation protocol. 2013 , 7, 731-8	13
315	COMPARISON OF PATIENTS' ADMISSION, MEAN AND HIGHEST SOFA SCORES IN PREDICTION OF ICU MORTALITY: A PROSPECTIVE OBSERVATIONAL STUDY. 2016 , 28, 343-347	7
314	Prognostic categorization of intensive care septic patients. 2012 , 1, 67-79	5
313	Predictive value of cytokines for developing complications after polytrauma. 2016 , 5, 187-200	14
312	Association Between the Pancreatic Enzyme Level and Organ Failure in Trauma Patients. 2016 , 21, e20773	7
311	Association of low non-invasive near-infrared spectroscopic measurements during initial trauma resuscitation with future development of multiple organ dysfunction. 2015 , 6, 105-10	10
310	The influence of body mass index on injury pattern in polytrauma: thorax as the main source of complications. 2013 , 1, 3	1
309	Can Platelet Count and Mean Platelet Volume and Red Cell Distribution Width Be Used as a Prognostic Factor for Mortality in Intensive Care Unit?. 2020 , 12, e11630	1

308 ~~2021~~ 2021, 206-208

307 Impact of Different Patterns of Organ Failure on Mortality in Acute Necrotizing Pancreatitis. **2021**, 50, 1030-1036 1

306 Veri madencili~ luybtemleri kullanarak yo~ un bak~ m bitesindeki hastalar~ n s~ n~ fland~ rmas~ r

305 Colonic involvement in acute mesenteric ischemia: prevalence, risk factors, and outcomes. **2021**, 32, 2813 1

304 SIRS, MODS, and the Brave New World of ICU Acronyms: Have They Helped Us?. **2000**, 14-22

303 Systemic Inflammatory Response and Multiple Organ Dysfunction Syndrome: Biologic Domino Effect. **2000**, 23-29

302 Intestinal Microcirculation: Changes in Sepsis and Effect of Vasoactive Manipulation. **2000**, 72-79

301 Epidemiology, Risk Factors, and Outcome of Multiple Organ Dysfunction Syndrome in Surgical Patients. **2000**, 52-67

300 Risk Prediction and Outcome Description in Critical Surgical Illness. **2001**, 305-320 1

299 Research in the Intensive Care Unit: Ethical and Methodological Issues. **2001**, 137-154

298 Multiorgan Dysfunction Syndrome. **2001**, 433-437

297 Measuring Organ Dysfunction. **2002**, 899-910

296 Hypothesis Generation: Asking the Right Question, Getting the Correct Answer. **2002**, 167-184

295 Measuring Organ Dysfunction. **2002**, 899-910

294 Evolving Concepts and Challenges in Sepsis and MODS. **2002**, 197-214

293 Severity of Illness. **2002**, 51-68

292 Measuring Treatment Outcomes in Intensive Care: Mortality, Morbidity, and Organ Dysfunction. **2002**, 69-85

291 Disaggregating Data: From Groups to Individuals. **2002**, 309-320

290 Severity of Illness Scoring Systems. **2002**, 911-933

289 Severity of Illness Scoring Systems. **2002**, 911-933

288 Sepsis and the role of the human host. **2003**, 1065-1073

287 Grading severity of sepsis. **2003**, 1057-1064

286 Early goal-directed therapy prevents organ failure and mortality in severe sepsis and septic shock. **2003**, 1089-1103

285 Scoring-Systeme auf der Intensivtherapiestation. **2003**, 137-157

284 Intra-ICU patient factors. **2003**, 127-132

283 Positron Emission Tomography: Anticipated Usefulness in Critical Care Settings. **2003**, 737-746

282 Scores. **2004**, 71-81

281 Selecting Severe Cases of Acute Pancreatitis on the Basis of Organ Failure. **2004**, 366-370

280 Sepsis and the Role of Activated Protein C. **2004**, 24, 40-45

279 Safety, Quality, Scoring Systems, and Legal Issues in Critical Care. **2005**, 372-380

278 Systemic Inflammatory Response and Sepsis. **2005**, 565-577

277 Stress Response and Multiple Organ Failure. **2005**, 3-19

276 Gut Function. **2005**, 547-556

275 The use of severity scores in the intensive care unit. **2006**, 331-336

274 Evaluation methods for the severity of multiple organ dysfunction syndrome. **2006**, 17, 345-352

273 Grenzen der Intensivmedizin. **2007**, 1045-1069

272 Etiology, Pathogenesis, and Diagnostic Assessment of Acute Pancreatitis. **2007**, 691-699

271 Pharmacokinetics of teicoplanin in patients undergoing continuous hemodialysis. **2007**, 40, 55-60

270 Severity of Illness Scoring for Trauma and Critical Care. **2007**, 2120-2131

269 Apoptosis in Critical Illness: A Primer for the Intensivist. **2008**, 375-384

268 Intraabdominal Infections. **2008**, 259-272

267 Apoptosis in Critical Illness: A Primer for the Intensivist. **2008**, 375-384

266 Outcomes and Quality Definitions Assessment and Analysis. **2009**, 1-8

265 Sepsis: Clinical Approach, Evidence-Based at the Bedside. **2009**, 299-313

264 Multiple organ dysfunction syndrome. **2009**, 123-132

263 The use of severity scores in the intensive care unit. **2009**, 403-408

262 The evaluation of four scoring systems for critical care during acute blood purification therapy. **2009**, 42, 761-767

261 General Illness Severity Scores. **2009**, 55-60

o

260 Risk Stratification in Server Sepsis: Organ Failure scores or PIRO?. **2009**, 11-22

259 Severity of illness and likely outcome from critical illness. **2009**, 17-29

o

258 Multi-organ Dysfunction Syndrome. **2010**, 593-597

257 Scoring systems to evaluate severity-of-illness and organ dysfunction in patients admitted to the intensive care unit and emergency room. **2010**, 21, 327-342

256 Sepsis. **2010**, 297-309

255 Scoring Systems and Outcome Prediction. **2010**, 679-684

- 254 Risk Stratification in Severe Sepsis: Organ Failure Scores, PIRO or Both?. **2010**, 519-528
- 253 Multiple Organ Dysfunction: The Systemic Host Response to Critical Surgical Illness. **2010**, 93-107
- 252 Overview of Anesthesiology and Critical Care Medicine. **2010**, 2845-2867
- 251 Sepsis Syndromes. **2010**, 1848-1858 1
- 250 Risk Stratification in Severe Sepsis: Organ Failure Scores, PIRO or Both?. **2010**, 519-528
- 249 Acute Pancreatitis. **2010**, 396-414
- 248 Triage of High-risk Surgical Patients for Intensive Care. **2011**, 729-740 2
- 247 Abdominelle Sepsis und Peritonitisbehandlung. **2011**, 239-253
- 246 Pathophysiology of Sepsis and Multiple Organ Dysfunction. **2011**, 983-991
- 245 Scores. **2011**, 55-65 1
- 244 Scores, DRG und Qualitätssicherung. **2011**, 277-285
- 243 Timing of continuous veno-venous hemofiltration for patients with wasp sting-induced multiple organ dysfunction syndrome of different phases according to RIFLE criteria. **2011**, 31, 417-421
- 242 Will clinical studies using the PIRO score lead to improvement of sepsis treatment?. **2012**, 19, 569-577
- 241 Inflammation. **2012**, 53-76
- 240 Klinische Klassifikationssysteme und prognostische Marker der akuten Pankreatitis: Wie hoch ist der Nutzen im Alltag?. **2013**, 15-21
- 239 Scores, DRG und Qualitätssicherung. **2013**, 333-341
- 238 Outcomes Research in the PICU. **2014**, 107-116 2
- 237 Multiple organ dysfunction syndrome. **2014**, 138-145.e2

236 Shock. **2014**, 159-271

235 Scoring Systems in Critical Care. **2014**, 47-54

234 Severity of illness and likely outcome from critical illness. **2014**, 16-26.e3

1

233 Pregnancy-related critical illness in ICU. **2014**, 21, 137-146

232 Glutamine Supplementation in Multiple Trauma and Critical Illness. **2014**, 1-18

231 Brain Dysfunction Secondary to Sepsis. **1997**, 79-93

230 Klinischer Verlauf des Multiorganversagens beim polytraumatisierten Patienten. **1997**, 313-316

229 Pathophysiologie. **1997**, 239-256

1

228 Mortality in Sepsis. **1997**, 421-426

227 Is There a Role for Surrogate Markers in the Evaluation of Sepsis Trials?. **1998**, 257-262

226 Is Reduction in Mortality in Intensive Care Just Another Holy Grail?. **1998**, 495-500

225 Multiple Organ Dysfunction (MOD) Score. **1998**, 45-51

224 HIGHER MORTALITY ASSOCIATED WITH PULMONARY ARTERY CATHETERIZATION RELATED TO CLINICAL DETERIORATION PRIOR TO PULMONARY ARTERY CATHETER (PAC) INSERTION. *Critical Care Medicine*, **1998**, 26, 65A

1.4

223 The Logistic Organ Dysfunction (LOD) System. **1998**, 53-64

222 Pentoxifyllin als adjuvante Therapie der Multiorgandysfunktion. **1998**, 461-465

221 Antimicrobial Therapy for ICU-Acquired Infection: Time for a Reappraisal. **1998**, 283-291

1

220 Prediction of outcome in critically ill patients. **1998**, 19-32

219 Designing the Perfect Trial in ARDS and ALI. **1998**, 421-429

- 218 Discourse on Method: Measuring the Value of New Therapies in Intensive Care. **1998**, 263-279
- 217 An Overview to Introduce Prognostic Indexes in MODS. **1998**, 35-44 2
- 216 N-acetylcysteine in the critically-ill: friend or foe?. **1998**, 15, 783
- 215 The failure of clinical trials in sepsis: Challenges of clinical trial design. **1999**, 349-362
- 214 Is Mortality the Only Outcome Measure in ICU Patients?. **1999**, 113-117 0
- 213 Severity scoring systems and the practice of evidence-based medicine in the intensive care unit. **1999**, 5, 167 1
- 212 Revised Atlanta Classification of Acute Pancreatitis. **2015**, 3-14
- 211 BISAP: A NOVEL METHOD FOR ASSESSING SEVERITY OF ACUTE PANCREATITIS. **2014**, 3, 10428-10434
- 210 Assessment of thrombocytopenia in critically ill patients. **2014**, 8, 143-148
- 209 Scores. **2015**, 69-80
- 208 Encyclopedia of Trauma Care. **2015**, 1473-1478
- 207 Scores in der Intensivmedizin. **2015**, 1-18
- 206 Futility and the Care of the Perioperative Patient. **2015**, 151-170
- 205 Sepsis, Severe Sepsis, and Septic Shock. **2015**, 914-934.e6 0
- 204 Critical Care. **2015**, 549-573
- 203 Nutritional Support during Systemic Inflammatory Response Syndrome and Sepsis. **2015**, 567-588
- 202 Pirmieji multicentrinis perspektyvinis studijos atidiegimo ūmenireikpnis kubiciam chinio pankreatito sunkumo ūvertinimui rezultatai. **2015**, 21, 406-412
- 201 Acute Pancreatitis. **2016**, 347-356

200 Scoring Systems and Outcome Prediction. **2016**, 817-823

199 Analysis of Treatment-Related Factors Affecting Mortality in Patients with Severe Necrotizing Acute Pancreatitis. **2016**, 33, 173-185

198 Acute Necrotizing Pancreatitis. **2017**, 129-143

197 "Neo-PIRO": Introducing a Novel Grading System for Surgical Infections of Neonates. **2017**, 22, 211-216

196 Organ Dysfunction in Sepsis: Brain, Neuromuscular, Cardiovascular, and Gastrointestinal. **2017**, 159-183

195 A CROSS-SECTIONAL STUDY TO EVALUATE THE OUTCOME OF PATIENTS ADMITTED TO PAEDIATRIC INTENSIVE CARE UNIT BY USING PAEDIATRIC MULTIPLE ORGAN DYSFUNCTION SCORE (P-MODS) AT KLES TERTIARY CARE HOSPITAL AND MRC, BELGAUM. **2017**, 6, 3542-3547

194 Diagnostic and therapeutic medical devices for safer blood management in cardiac surgery: systematic reviews, observational studies and randomised controlled trials. **2017**, 5, 1-406 3

193 Clinical Manifestation. **2018**, 213-232

192 Validation of the prognostic burn indexes in adult patients with burn injury. **2018**, 64 1

191 Is elevated blood glucose a marker of occult tissue hypoperfusion in off-pump coronary artery bypass grafting?. **2018**, 21, 393-401

190 Evaluation of Laboratory Findings and Mortality in Elderly Patients with Acute Biliary Pancreatitis. **2018**, 52, 274-278 1

189 Prevalence of and Risk Factors for Abdominal Bleeding in Patients with External Duodenal Fistula. **2018**, 24, 9317-9323 0

188 Clinical profile and survival outcome of acute respiratory distress syndrome in a rural tertiary care hospital. **2019**, 14, 213

187 Clinical Decision Support System for Early Disease Detection and Management. **2019**, 108-155

186 Imaging of Pancreatitis. **2019**, 247-274

185 Guidelines for Antibiotic Prescription in Intensive Care Unit. **2019**, 23, S1-S63 12

184 Risk factors associated with intolerance to enteral nutrition in moderately severe acute pancreatitis: A retrospective study of 568 patients. **2019**, 25, 362-368 4

183 Selected health problems of patients with acute pancreatitis treated in intensive care units. **2019**, 65, 48-53

- 182 MECHANICAL CIRCULATORY SUPPORT IN PATIENTS UNDERGOING PERCUTANEOUS CORONARY INTERVENTION. **2019**, 8, 100-111 1
- 181 Machine learning predicts early-onset acute organ failure in critically ill patients with sickle cell disease.
- 180 MANAGEMENT OF POSTOPERATIVE PERITONITIS IN LOW-RESOURCES SERVICES. **2019**, 3, 3-9
- 179 Interleukins and inflammatory markers are useful in predicting the severity of acute pancreatitis. **2020**, 20, 99-105 7
- 178 Aggressive hydration in early resuscitation phase does not provide mortality benefit in acute pancreatitis. **2019**, 3, 035-040
- 177 Obstetric Early Warning Score for Prognostication of Critically Ill Obstetric Patient. **2020**, 24, 398-403 1
- 176 State Severity Assessment in Patients with Obstructive Jaundice using PMGMU2018h Scale Adapted to the Russian Medical and Economic Standards. **2021**, 12, 77-81
- 175 Rectal Indomethacin Does Not Mitigate the Systemic Inflammatory Response Syndrome in Acute Pancreatitis: A Randomized Trial. **2021**, 12, e00415 0
- 174 Clinical longitudinal evaluation of COVID-19 patients and prediction of organ-specific recovery using artificial intelligence. **2021**, 4, 62-69 78
- 173 Diseases of the Alimentary Tract. **2020**, 702-920.e35
- 172 Sequential organ failure assessment score is superior to other prognostic indices in acute pancreatitis. **2021**, 10, 355-368 2
- 171 Hemoadsorption in 'Liver Indication'-Analysis of 109 Patients' Data from the CytoSorb International Registry. **2021**, 10, 3
- 170 A Review of Mortality Risk Prediction Models in Smartphone Applications. **2021**, 45, 107
- 169 SOFA Score: A Keystone for Grading Multiple Organ Dysfunction. **2008**, 255-260 1
- 168 Role of Complement in Multi-Organ Dysfunction Syndrome. **2004**, 465-480
- 167 Dfinitions du sepsis (Confrence commune SCCM/Esicm/ACCP/ATS/Sis, 2001) et concept PIRO. **2005**, 13-22
- 166 Organ dysfunction assessment score for severe head injury patients during brain hypothermia. **2006**, 96, 33-6
- 165 Fluid Resuscitation in Trauma. **2006**, 197-207

164	Organ Dysfunction in the ICU: A Clinical Perspective. 2007 , 238-245	
163	Therapie des erhöhten intraabdominellen Drucks. 2007 , 319-330	
162	COMPARATIVE STUDY BETWEEN BISAP SCORE AND RANSON SCORE IN PREDICTING SEVERITY OF ACUTE PANCREATITIS. 2020 , 16-17	
161	Acute renal failure mortality in hospitalized African Americans: age and gender considerations. 2002 , 94, 127-34	25
160	Comparison of oxidative stress & leukocyte activation in patients with severe sepsis & burn injury. 2011 , 134, 69-78	7
159	Antiseptic-impregnated central venous catheters: their evaluation in burn patients. 2006 , 19, 63-7	1
158	Peri-Operative Bacteraemia in Burn Patients. What Does it Mean?. 2006 , 19, 130-5	5
157	Comparison of the outcome of burn patients using acute-phase plasma base deficit. 2011 , 24, 203-8	2
156	Performance of SAPS II and SAPS III scores in post-cardiac arrest. 2012 , 78, 1341-7	14
155	Incidence and risk factors of gastrointestinal bleeding in mechanically ventilated patients. 2010 , 1, 32-6	6
154	Continuous tracheal gas insufflation during protective mechanical ventilation in juvenile piglets with acute lung injury induced by endotoxin. 2010 , 1, 59-64	1
153	Prognostic value of different scoring models in patients with multiple organ dysfunction syndrome associated with acute COPD exacerbation. 2015 , 7, 329-36	5
152	Risk factors of nosocomial bloodstream infections in surgical intensive care unit. 2015 , 8, 16682-7	4
151	Learning a Severity Score for Sepsis: A Novel Approach based on Clinical Comparisons. 2015 , 2015, 1890-8	
150	Approach to an obstetric prognosis scale: The modified SOFA scale. 2016 , 50, 129-135	
149	An observational study of incidence, risk factors & outcome of systemic inflammatory response & organ dysfunction following major trauma. 2017 , 146, 346-353	8
148	Utilizing Multiparameter Scores and Procalcitonin as Prognosis Markers for the Degree of Severity of Acute Pancreatitis. 2017 , 43, 311-317	2
147	Intravenous Immunoglobulin G Modulates the Expression of Sepsis-Induced Coagulopathy Factors and Increases Serum IgM Levels: A Prospective, Single-Center Intervention Study. 2020 , 66, E32-E39	

146	Multiple organ dysfunction syndrome: Contemporary insights on the clinicopathological spectrum. 2020 , 2020, 22	
145	Association between intraoperative hyperglycemia and postoperative end-organ dysfunctions after cardiac surgery: a retrospective observational study. 2021 , 1	1
144	Impacts of body composition parameters and liver cirrhosis on the severity of alcoholic acute pancreatitis. 2021 , 16, e0260309	0
143	A case report of an isolated superior mesenteric artery dissection caused by childbirth. 2021 , 21, 428	1
142	Understanding the complexity of sepsis mortality prediction via rule discovery and analysis: a pilot study. 2021 , 21, 334	0
141	Visceral artery pseudoaneurysms in necrotizing pancreatitis: risk of early bleeding with lumen-apposing metal stents. 2021 ,	2
140	Prognostic Value of an Estimate-of-Risk Model in Critically Ill Obstetric Patients in Brazil.. 2022 , 139, 83-90	2
139	Patient-Specific Precision Injury Signatures to Optimize Orthopaedic Interventions in Multiply Injured Patients (PRECISE STUDY).. 2022 , 36, S14-S20	0
138	Multiple organ dysfunction syndrome: Contemporary insights on the clinicopathological spectrum. 2020 , 2020, 22	3
137	Pleural effusion volume in patients with acute pancreatitis: a retrospective study from three acute pancreatitis centers. 2021 , 53, 2003-2018	2
136	A Novel Strategy for Transmural Stent Removal in Necrotizing Pancreatitis Undergoing Endoscopic Transmural Necrosectomy.. 2022 ,	
135	Dynamic changes and nomogram prediction for sinistral portal hypertension in moderate and severe acute pancreatitis.. 2022 ,	
134	Efficacy and Safety of Faecal Microbiota Transplantation for Acute Pancreatitis: A Randomised, Controlled Study.. 2021 , 8, 772454	1
133	Establishment and Effectiveness Evaluation of a Scoring System-RAAS (RDW, AGE, APACHE II, SOFA) for Sepsis by a Retrospective Analysis.. 2022 , 15, 465-474	2
132	Assessment of 5-year outcomes of life satisfaction in survivors after rehabilitation programs: a multicenter clinical trial.. 2022 , 12, 1497	0
131	Predictive ability of the sequential organ failure assessment score for in-hospital mortality in patients with cardiac critical illnesses: a nationwide observational study.. 2022 ,	0
130	Availability of Multiple Organ Failure Score Components in Surgical Patients.. 2022 ,	0
129	A comment on 'Development of the Gastrointestinal Dysfunction Score (GIDS) for critically ill patients - A prospective multicenter observational study (iSOFA study)' (Reintam et al. 2021. Clinical Nutrition, v 40 (8): pp 4932-4940. August 2021.. 2021 ,	

128	Vascular endotheliitis associated with infections: its pathogenetic role and therapeutic implication.. 2022 , 197, 114909	1
127	Image Analysis of Circulating Tumor Cells and Leukocytes Predicts Survival and Metastatic Pattern in Breast Cancer Patients.. 2022 , 12, 725318	
126	Analysis of the Performance of Daily Surgery Score (CASUS) in Patients with Mixed Racial Profile after Cardiac Surgery: A Single-Center Retrospective Study.. 2021 ,	0
125	External Validation of the Cardiac Surgery Score in a Quaternary Hospital in the United States of America.. 2021 , 8850666211066820	0
124	9th European Congress on Intensive Care Medicine. Glasgow, United Kingdom, 24-28 September 1996. Abstracts. 1996 , 22 Suppl 3, S263-453	
123	Pankreas. 2022 , 421-448	
122	Sepsis-Associated Acute Kidney Injury and the Need for Renal Replacement Therapy: A Physician's Perspective. 2022 , 10, 60	
121	The Definition of Multiple Organ Failure. 2022 , 1-7	
120	Method for Data Quality Assessment of Synthetic Industrial Data.. 2022 , 22,	3
119	S3-Leitlinie Pankreatitis â Leitlinie der Deutschen Gesellschaft fr Gastroenterologie, Verdauungs- und Stoffwechselkrankheiten (DGVS) â September 2021 â AWMF Registernummer 021-003. 2022 , 60, 419-521	2
118	Post-return of spontaneous circulation (ROSC) Accelerated Idioventricular Rhythm in the Setting of Severe Pancreatitis and Hyperkalemia.. 2022 , 14, e23573	
117	Increased Mortality and Costs Associated with Adverse Events in Intensive Care Unit Patients.. 2022 , 8850666221084908	1
116	Hypertriglyceridaemia-Induced Acute Pancreatitis: A Different Disease Phenotype.. 2022 , 12,	0
115	Retroperitoneal versus transperitoneal percutaneous catheter drainage of necrotic pancreatic collections: a comparative analysis.. 2022 , 1	0
114	Elevated Serum Triglyceride Levels in Acute Pancreatitis: A Parameter to be Measured and Considered Early.. 2022 , 1	0
113	Effect of Early Continuous Veno-Venous Haemofiltration in Severe Acute Pancreatitis for the Prevention of Local Pancreatic Complications.. 2022 , 2022, 7575231	0
112	Impact of carbapenem-resistant Acinetobacter baumannii infections on acute pancreatitis patients.. 2021 ,	1
111	Predictors of mortality in trauma patients with acute respiratory distress syndrome receiving extracorporeal membrane oxygenation. 2022 , 9, 100071	

- 110 Hypophosphatemia Is More Common and Is Prognostic of Poorer Outcomes in Severe Alcoholic Pancreatitis.. **2021**, 50, 1440-1444
- 109 Characteristics and Outcomes for Low-Risk Hospital Admissions Admitted to the ICU: A Multisite Cohort Study.. **2021**, 3, e0596 0
- 108 Effect of Massive Transfusion Protocol on Coagulation Function in Elderly Patients with Multiple Injuries.. **2021**, 2021, 2204542 1
- 107 Sirtuins and Sepsis: Cross Talk between Redox and Epigenetic Pathways.. **2021**, 11, 0
- 106 A STUDY OF CLINICAL PROFILE OF PEDIATRIC COVID 19 PATIENTS IN A GOVERNMENT TERTIARY CARE HOSPITAL IN INDIA. **2021**, 67-71
- 105 The intensivist's assessment of gastrointestinal function: A pilot study.. **2021**, 0
- 104 Improving Diagnosis and Prognosis in Acute Severe Brain Injury: A Multimodal Imaging Protocol.. **2021**, 12, 757219 1
- 103 The structure of rehospitalization of patients after examination and treatment on emergency department beds during the COVID-19 pandemic. **2022**, 23, 4-10 0
- 102 Domain Adaptation Using Convolutional Autoencoder and Gradient Boosting for Adverse Events Prediction in the Intensive Care Unit.. **2022**, 5, 640926 0
- 101 Contemporary Intervention in Necrotizing Pancreatitis: Improved Understanding Changing Practice.. **2022**, 1
- 100 Cardiopulmonary resuscitation. 947-954
- 99 Multiorgan failure and its prevention. 955-959
- 98 Data_Sheet_1.docx. **2020**,
- 97 Table_1.docx. **2020**,
- 96 Image_1.TIF. **2019**,
- 95 Table_1.DOCX. **2020**,
- 94 Table_1.DOCX. **2020**,
- 93 Table_2.DOCX. **2020**,

92	Stopping Trials Early Due to Harm. 2022 , 1,	1
91	Therapeutic effects of different timing for PTCD and ERCP in obstructive severe acute biliary pancreatitis.	
90	Liver spontaneous hypoattenuation on CT is an imaging biomarker of the severity of acute pancreatitis.. 2022 ,	
89	E-CatBoost: An efficient machine learning framework for predicting ICU mortality using the eICU Collaborative Research Database.. 2022 , 17, e0262895	1
88	Clinical course and outcomes of COVID-19 patients with chronic obstructive pulmonary disease: A retrospective observational study in Wuhan, China.. 2022 , 101, e29141	0
87	A time-incorporated SOFA score-based machine learning model for predicting mortality in critically ill patients: A multicenter, real-world study.. 2022 , 163, 104776	2
86	Elevated Serum Procalcitonin to Predict Severity and Prognosis of Extensive Burns.. 2022 , 1-9	
85	Guidelines for the management of patients with severe acute pancreatitis, 2021. 2022 , 41, 101060	1
84	Polytrauma and Multiple Organ Dysfunction. 2022 , 519-540	
83	Urinary extracellular vesicles and micro-RNA as markers of acute kidney injury after cardiac surgery. 2022 , 12,	0
82	Baseline Serum Estradiol Level Is Associated with Acute Kidney Injury in Patients with Moderately Severe and Severe Acute Pancreatitis. 2022 , 2022, 1-9	
81	Understanding Necroptosis in Pancreatic Diseases. 2022 , 12, 828	1
80	Intra-Abdominal Hypertension: A Systemic Complication of Severe Acute Pancreatitis. 2022 , 58, 785	1
79	Development of an Interpretable, Multivariable, Machine Learning Model for Clinical Decision Support on Mortality Prediction of People Admitted to Intensive Care Units.	
78	Prognostic scores in post-endoscopic retrograde cholangiopancreatography acute pancreatitis: should we use all, some, or none?. Publish Ahead of Print,	0
77	Polytrauma scoring revisited: prognostic validity and usability in daily clinical practice.	0
76	A Retrospective Cohort Study on the Clinical Characteristics of Patients with Surgical Blunt Bowel and/or Mesenteric Injuries among Motorcyclists and Car Occupants. 2022 , 10, 1323	
75	Ward based goal directed fluid therapy (GDFT) in acute pancreatitis (GAP) trial: A feasibility randomised controlled trial. 2022 , 106737	

- 74 A procalcitonin-based algorithm to guide antibiotic use in patients with acute pancreatitis (PROCAP): a single-centre, patient-blinded, randomised controlled trial. **2022,** ○
- 73 Atlanta 2012 Classification: Terminology and Definitions in the Diagnosis  of Acute Pancreatitis. **2021,** 14, 325-333
- 72 Direct Peritoneal Resuscitation for Trauma. *Advances in Surgery,* **2022,** 1.2
- 71 Trends in Early and Late Mortality in Patients With Severe Acute Pancreatitis Admitted to ICUs: A Nationwide Cohort Study. *Critical Care Medicine,* Publish Ahead of Print, 1.4 ○
- 70 Diabetes is an independent predictor of severe acute pancreatitis. *Postgraduate Medicine,* 3.7
- 69 Comparison of modified Glasgow-Imrie, Ranson, and Apache II scoring systems in predicting the severity of acute pancreatitis. **2022,** 94, 1-7
- 68 Revised Clinical Practice Guidelines of the Korean Pancreatobiliary Association for Acute Pancreatitis. **2022,** ○
- 67 Obesity Worsens Local and Systemic Complications of Necrotizing Pancreatitis and Prolongs Disease Course. ○
- 66 Safety and efficacy of intravenous hydromorphone patient-controlled analgesia versus intramuscular pethidine in acute pancreatitis: An open-label, randomized controlled trial. 13, ○
- 65 Development of the AAST Disease Severity Stratification System. **2022,** 29-41 ○
- 64 Frontier of Smart Healthcare Engineering Management. **2022,** 21-55 ○
- 63 Mean corpuscular hemoglobin predicts the length of hospital stay independent of severity classification in patients with acute pancreatitis. **2022,** 17, 1449-1454 ○
- 62 Acute Pancreatitis: Nonoperative and Operative Management. **2022,** 263-282 ○
- 61 The Quick Sepsis-Related Organ Failure Assessment Score Is Prognostic of Pancreatitis Severity in Patients With Alcohol-Induced Pancreatitis. **2022,** 51, 694-699 ○
- 60 Abdominal paracentesis drainage improves outcome of acute pancreatitis complicated with intra-abdominal hypertension in early phase. **2022,** ○
- 59 Identification of early predictors for infected necrosis in acute pancreatitis. **2022,** 22, ○
- 58 Severe acute pancreatitis exhibits distinct cytokine signatures and trajectories in humans: a prospective observational study. 1
- 57 65 yaşta hastalarda puanlama sistemlerinin ıddetli akut pankreatiti ve mortaliteyi erken ılgıme aı s- ıdan de ırlendirilmesi. **2022,** 47, 1327-1338 ○

56	Management of Necrotizing Pancreatitis. 2022 , 56, 13-35	○
55	A Historical Review of the Evolution of the Systemic Inflammatory Response Syndrome Criteria in the Diagnosis of Sepsis: Should it Continue to be Used and Could Nurses Have a More Prominent Role in Identifying Sepsis?. 2022 ,	○
54	Predicting the Severity of Acute Pancreatitis Using Ultrasound Markers and Clinical Scales. 2022 , 11, 274-279	○
53	A NOVEL CLASSIFICATION SYSTEM FOR WALLED-OFF NECROSIS: A STEP TOWARD STANDARDIZED NOMENCLATURE AND RISK STRATIFICATION FRAMEWORK. 2022 ,	○
52	Impact of fatty liver on acute pancreatitis severity and prognosis: A meta-analysis of English and Chinese studies. 2021 , 8, 140	○
51	Effect of Air Transport Delay on Mortality in Critical Illness: A Population-Based Cohort Study. 2022 ,	○
50	Serum Lactate Dehydrogenase Is a Sensitive Predictor of Systemic Complications of Acute Pancreatitis. 2022 , 2022, 1-6	○
49	The role of high serum triglyceride levels on pancreatic necrosis development and related complications.	○
48	Illness wellness scale: novel grading system for performance status of patients under surgical care.	○
47	Clinical significance of reactive thrombocytosis in the course of acute pancreatitis.	○
46	Pancrătite aigügrave du patient adulte en soins critiques 2021. 2022 ,	○
45	Prognostic scores for prediction of maternal near miss and maternal death after admission to an intensive care unit: A narrative review. 1-15	○
44	Artificial Intelligence and Big Data Science in Neurocritical Care. 2023 , 39, 235-242	○
43	A simple core dataset for triglyceride-induced acute pancreatitis. 1-26	○
42	Microbiological characteristics and risk factors on prognosis associated with Acinetobacter baumannii bacteremia in general hospital: A single-center retrospective study. 13,	○
41	Prognostic Value of Arterial Lactate Metabolic Clearance Rate in Moderate and Severe Acute Pancreatitis. 2022 , 2022, 1-8	○
40	A machine learning method for predicting the probability of MODS using only non-invasive parameters. 2022 , 227, 107236	○
39	The Infected and Septic Patient. 2022 , 221-231	○

- 38 Are admission laboratory values in isolation meaningful for predicting surgical outcome in patients with perforated peptic ulcers?. **2023**, 11, 62-68 ○
- 37 Scores in der Intensivmedizin. **2022**, 1-14 ○
- 36 Prediction of acute lung injury in severe acute pancreatitis by routine clinical data. **2023**, 35, 36-44 ○
- 35 Impact of multiple drug-resistant Gram-negative bacterial bacteraemia on infected pancreatic necrosis patients. 12, ○
- 34 Machine learning model identifies aggressive acute pancreatitis within 48 h of admission: a large retrospective study. **2022**, 22, ○
- 33 Using Second Measurement of De Ritis Ratio to Improve Mortality Prediction in Adult Trauma Patients in Intensive Care Unit. **2022**, 12, 2930 ○
- 32 Early Hyperchloremia and Outcomes After Severe Traumatic Brain Injury: Analysis of Resuscitation Outcomes Consortium Hypertonic Saline Trial. **2022**, 4, e0797 ○
- 31 Correlative factor of death in patients with infected pancreatic necrosis after surgical intervention. **2022**, 5, 141-145 ○
- 30 Health Outcome Predictive Modelling in Intensive Care Units. ○
- 29 Septic Shock: Management and Outcomes. **2022**, ○
- 28 Opioid analgesia in necrotizing pancreatitis: Incidence and timing of a hidden crisis. **2022**, ○
- 27 Endoscopic ultrasound-guided transluminal drainage using lumen-apposing metal stent with or without coaxial plastic stent for treatment of walled-off necrotizing pancreatitis: a prospective bicentric randomized controlled trial. **2023**, ○
- 26 Endotoxin in Sepsis: Methods for LPS Detection and the Use of Omics Techniques. **2023**, 13, 79 ○
- 25 Early prediction of the severe course, survival, and ICU requirements in acute pancreatitis by artificial intelligence. **2022**, ○
- 24 Management of Acute and Chronic Pancreatitis. ○
- 23 Systematic reviews and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: mortality, morbidity, and organ failure. **2023**, ○
- 22 Evaluation of Early Tocilizumab Effect on Multiorgan Dysfunction in Critically Ill Patients With COVID-19: A Propensity Score-Matched Study. 088506662211508 ○
- 21 Predictors and classifications of the degree of severity of acute pancreatitis. **2023**, 181, 100-107 ○

- 20 Monitoring and Interpretation of Vital Signs in the High-Risk Surgical Patients. **2023**, 41-63 ○
- 19 Patient selection for urgent endoscopic retrograde cholangio-pancreatography by endoscopic ultrasound in predicted severe acute biliary pancreatitis (APEC-2): a multicentre prospective study. *gutjnl-2022-328258* ○
- 18 Incidence and Clinical Outcomes of New-Onset Atrial Fibrillation in Critically Ill Patients with COVID-19: A Multicenter Cohort Study âNew-Onset Atrial Fibrillation and COVID-19. **2023**, 29, 107602962311561 ○
- 17 Human Bone Marrowâderived Clonal Mesenchymal Stem Cells Decrease the Initial C-Reactive Protein Level in Patients With Moderately Severe to Severe Acute Pancreatitis. **2023**, ○
- 16 The role of high serum triglyceride levels on pancreatic necrosis development and related complications. **2023**, 23, ○
- 15 Influence of enlarged waist circumference and hypertriglyceridemia in the severity of acute pancreatitis: A retrospective study. **2023**, ○
- 14 Diagnosis and Monitoring of Sepsis. **2023**, 55-64 ○
- 13 Prognostic performance of the NRS2002, NUTRIC, and modified NUTRIC to identify high nutritional risk in severe acute pancreatitis patients. 10, ○
- 12 Dietary Interventions for Pancreatitis. ○
- 11 Scoring for Hemorrhage Severity in Traumatic Injury. **2022**, 1-18 ○
- 10 Evaluation of Infective Endocarditis in Children: A 19-Year Retrospective Study in Taiwan. **2023**, 12, 2298 ○
- 9 COMPARISON OF THE MODIFIED CT SEVERITY INDEX WITH THE CT SEVERITY INDEX FOR THE ASSESSMENT OF ACUTE PANCREATITIS SEVERITY. **2023**, 77-78 ○
- 8 Scoring for Hemorrhage Severity in Traumatic Injury. **2023**, 1135-1152 ○
- 7 Clinical Assessment in the Neurocritical Care Unit. **2013**, 84-98.e3 ○
- 6 Organ Dysfunction Scores in the Adult ICU. **2023**, 93-108 ○
- 5 Machine learning for post-acute pancreatitis diabetes mellitus prediction and personalized treatment recommendations. **2023**, 13, ○
- 4 High-flow nasal cannula reduces intubation rate in patients with COVID-19 with acute respiratory failure: a meta-analysis and systematic review. **2023**, 13, e067879 ○
- 3 Predictive value of serum apolipoprotein A-I in the organ failure of acute pancreatitis: a retrospective cohort study. 1-7 ○

- 2 La pancreatitis aguda recurrente no es infrecuente en la práctica clínica habitual. **2023**, 43, 31-7 ○
- 1 Impact of Iron Overload and Iron Chelation with Deferasirox on Outcomes of Patients with Severe Aplastic Anemia after Allogeneic Hematopoietic Stem Cell Transplantation. **2023**, ○