Health-related quality of life and posttraumatic stress d respiratory distress syndrome

Critical Care Medicine 26, 651-659 DOI: 10.1097/00003246-199804000-00011

Citation Report

#	Article	IF	CITATIONS
1	Psychological morbidity following critical illness - the rationale for care after intensive care. Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine, 1998, 9, 199-205.	0.1	52
2	Epidemiology of Acute Lung Injury and ARDS. Chest, 1999, 116, 74S-82S.	0.8	169
3	The Effect of Acute Respiratory Distress Syndrome on Long-term Survival. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 1838-1842.	5.6	94
4	Sensitivity and specificity of a screening test to document traumatic experiences and to diagnose post-traumatic stress disorder in ARDS patients after intensive care treatment. Intensive Care Medicine, 1999, 25, 697-704.	8.2	276
6	Pain relief and sedation in the intensive care unit. Seminars in Anesthesia, 1999, 18, 81-86.	0.3	1
7	Acute respiratory distress syndrome. Lancet, The, 1999, 354, 497-501.	13.7	108
8	Posttranscriptional Regulation of Lung Elastin Expression Involves Binding of a Developmentally Regulated Cytosolic Protein to an Open-Reading Frame cis-Element in the Messenger RNA. Chest, 1999, 116, 74S.	0.8	63
9	Evaluating long-term outcome in survivors of critical illness: "Seeing is believingâ€â€"a case for ambulatory follow-up. Current Opinion in Critical Care, 2000, 6, 171-175.	3.2	2
10	Intensive care unit drug use and subsequent quality of life in acute lung injury patients. Critical Care Medicine, 2000, 28, 3626-3630.	0.9	194
11	Health-related quality of life and post-traumatic stress disorder in patients after cardiac surgery and intensive care treatment. Journal of Thoracic and Cardiovascular Surgery, 2000, 120, 505-512.	0.8	700
12	Posttraumatic stress disorder in the primary care medical setting. General Hospital Psychiatry, 2000, 22, 261-269.	2.4	294
13	Quality of life following critical care: moving beyond survival. Intensive Care Medicine, 2000, 26, 1172-1175.	8.2	14
14	Early psychological reactions to life-threatening injuries. Critical Care Medicine, 2000, 28, 86-92.	0.9	65
15	Quality of Life in the Anxiety Disorders. Harvard Review of Psychiatry, 2000, 8, 273-282.	2.1	93
16	Disturbed memory and amnesia related to intensive care. Memory, 2000, 8, 79-94.	1.7	176
18	Extracorporeal membrane oxygenation for severe acute respiratory failure. Critical Care, 2000, 4, 156.	5.8	150
19	THE INJURED ELDERLY IN THE TRAUMA INTENSIVE CARE UNIT. Surgical Clinics of North America, 2000, 80, 1005-1019.	1.5	42
20	ACUTE LUNG INJURY AND ACUTE RESPIRATORY DISTRESS SYNDROME. Clinics in Chest Medicine, 2000, 21, 401-417.	2.1	49

#	Article	IF	CITATIONS
21	The Acute Respiratory Distress Syndrome. New England Journal of Medicine, 2000, 342, 1334-1349.	27.0	5,867
22	The effect of stress doses of hydrocortisone during septic shock on posttraumatic stress disorder in survivors. Biological Psychiatry, 2001, 50, 978-985.	1.3	348
23	MONITORING SEDATION, AGITATION, ANALGESIA, AND DELIRIUM IN CRITICALLY ILL ADULT PATIENTS Critical Care Clinics, 2001, 17, 967-988.	2.6	44
24	Linguistic Analysis to Assess Medically Related Posttraumatic Stress Symptoms. Psychosomatics, 2001, 42, 35-40.	2.5	24
25	COMMENTARY. Critical Care Clinics, 2001, 17, 1015-1027.	2.6	38
26	Quality-adjusted Survival in the First Year after the Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2001, 163, 1389-1394.	5.6	319
28	New ways to reduce unnecessary variation and improve outcomes in the intensive care unit. Current Opinion in Critical Care, 2001, 7, 304-311.	3.2	85
29	Memory, delusions, and the development of acute posttraumatic stress disorder-related symptoms after intensive care. Critical Care Medicine, 2001, 29, 573-580.	0.9	1,265
30	Critical Illness in the Elderly: Review of Pathophysiology of Aging and Outcome of Intensive Care. Journal of Intensive Care Medicine, 2001, 16, 114-127.	2.8	10
31	Filling the intensive care memory gap?. Intensive Care Medicine, 2001, 27, 344-346.	8.2	91
32	Luftgestützter Intensivtransport am Beispiel des ITH München. Notfall Und Rettungsmedizin, 2001, 4, 120-129.	0.3	5
33	Psychological problems following ICU treatment*. Anaesthesia, 2001, 56, 9-14.	3.8	256
34	The relationship between cognitive performance and employment and health status in long-term survivors of the acute respiratory distress syndrome: results of an exploratory study. General Hospital Psychiatry, 2001, 23, 90-96.	2.4	260
35	Critical Illness in the Elderly: Review of Pathophysiology of Aging and Outcome of Intensive Care. Journal of Intensive Care Medicine, 2001, 16, 114-127.	2.8	10
36	Sedation Assessment in Critically III Adults. Annals of Pharmacotherapy, 2001, 35, 1624-1632.	1.9	46
37	Monitoring Sedation, Agitation, Analgesia, Neuromuscular Blockade, and Delirium in Adult ICU Patients. Seminars in Respiratory and Critical Care Medicine, 2001, 22, 189-198.	2.1	40
38	Long-Term Outcomes After ARDS. Seminars in Respiratory and Critical Care Medicine, 2001, 22, 327-336.	2.1	13
39	Multidisciplinary Management of Sedation and Analgesia in Critical Care. Seminars in Respiratory and Critical Care Medicine, 2001, 22, 211-226.	2.1	116

τιων Ρ

#	Article	IF	CITATIONS
40	Use of Sedative Medications in the Intensive Care Unit. Seminars in Respiratory and Critical Care Medicine, 2001, 22, 165-174.	2.1	45
42	Efficacy of Low Tidal Volume Ventilation in Patients with Different Clinical Risk Factors for Acute Lung Injury and the Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 231-236.	5.6	281
43	Healthâ€Related Quality of Life and Posttraumatic Stress Disorder among Survivors of an Outbreak of Legionnaires Disease. Clinical Infectious Diseases, 2002, 35, 11-17.	5.8	62
44	Patients' recollections of stressful experiences while receiving prolonged mechanical ventilation in an intensive care unit*. Critical Care Medicine, 2002, 30, 746-752.	0.9	502
45	Long-term outcomes after critical illness. Current Opinion in Critical Care, 2002, 8, 331-336.	3.2	66
46	Sedation in the Intensive Care Unit. Clinical Pulmonary Medicine, 2002, 9, 221-228.	0.3	1
47	Intensive care unit admission has minimal impact on long-term mortality*. Critical Care Medicine, 2002, 30, 501-507.	0.9	59
48	Clinical practice guidelines for the sustained use of sedatives and analgesics in the critically ill adult. Critical Care Medicine, 2002, 30, 119-141.	0.9	1,945
49	2-Month Mortality and Functional Status of Critically III Adult Patients Receiving Prolonged Mechanical Ventilation. Chest, 2002, 121, 549-558.	0.8	72
50	Clinical review: Intensive care follow-upwhat has it told us?. Critical Care, 2002, 6, 411.	5.8	73
51	Effects of Stress Hormones on Traumatic Memory Formation and the Development of Posttraumatic Stress Disorder in Critically III Patients. Neurobiology of Learning and Memory, 2002, 78, 596-609.	1.9	54
52	Acute Stress Disorder Following Ventilation. Psychosomatics, 2002, 43, 74-76.	2.5	7
54	Clinical Practice Guidelines for the Sustained Use of Sedatives and Analgesics in the Critically III Adult. American Journal of Health-System Pharmacy, 2002, 59, 150-178.	1.0	44
55	Psychiatric and Psychosocial Outcome of Orthotopic Liver Transplantation. Psychotherapy and Psychosomatics, 2002, 71, 285-297.	8.8	82
57	Optimizing sedative use in the intensive care unit. Intensive Care Medicine, 2002, 28, 44-47.	8.2	1
58	Incidence of recall, nightmares, and hallucinations during analgosedation in intensive care. Intensive Care Medicine, 2002, 28, 38-43.	8.2	113
59	Bispectral index variations during tracheal suction in mechanically ventilated critically ill patients: effect of an alfentanil bolus. Intensive Care Medicine, 2002, 28, 211-213.	8.2	64
60	Short- and long-term outcome and health-related quality of life after severe peritonitis. World Journal of Surgery, 2002, 26, 667-671.	1.6	19

		CITATION RE	PORT	
#	Article		IF	CITATIONS
61	Outcome und Lebensqualitänach ARDS. Intensivmedizin Und Notfallmedizin, 2002, 3	39, 125-130.	0.2	0
63	The impact of critical care pharmacists on enhancing patient outcomes. Intensive Care 29, 691-698.	Medicine, 2003,	8.2	208
64	Quality of life in acute respiratory distress syndrome survivors may be no worst than ir survivors. Intensive Care Medicine, 2003, 29, 1744-1750.	ı other ICU	8.2	40
65	Health status after critical illness: beyond descriptive studies. Intensive Care Medicine, 1626-1628.	2003, 29,	8.2	7
66	Follow-up after intensive care: a single center study. Intensive Care Medicine, 2003, 29	9, 2149-2156.	8.2	74
67	Der Post-Intensivpatient. Intensivmedizin Und Notfallmedizin, 2003, 40, 184-194.		0.2	15
68	Trauma care and palliative care: time to integrate the two?. Journal of the American Co Surgeons, 2003, 197, 509-516.	llege of	0.5	43
69	Immediate follow-up after ICU discharge: establishment of a service and initial experier Critical Care, 2003, 8, 49-55.	nces. Nursing in	2.3	39
70	Prognostication and intensive care unit outcome: the evolving role of scoring systems. Chest Medicine, 2003, 24, 751-762.	Clinics in	2.1	55
71	Posttraumatic stress disorder following medical illness and treatment. Clinical Psycholo 2003, 23, 409-448.	ogy Review,	11.4	288
72	Management of agitation in the intensive care unit. Clinics in Chest Medicine, 2003, 2-	4, 713-725.	2.1	22
73	One-Year Outcomes in Survivors of the Acute Respiratory Distress Syndrome. New Eng Medicine, 2003, 348, 683-693.	Jand Journal of	27.0	2,073
74	Editorial I. British Journal of Anaesthesia, 2003, 90, 267-269.		3.4	19
75	The challenge of diagnosis of stress reactions following intensive care and early interverview. Clinical Intensive Care: International Journal of Critical & Coronary Care Medicin 83-89.	ention: a ne, 2003, 14,	0.1	3
76	Monitoring Sedation Status Over Time in ICU Patients. JAMA - Journal of the American Association, 2003, 289, 2983.	Medical	7.4	1,314
77	Pulmonary Function and Health-related Quality of Life in Survivors of Acute Respiratory Syndrome. American Journal of Respiratory and Critical Care Medicine, 2003, 167, 690	/ Distress -694.	5.6	236
78	The challenge of diagnosis of stress reactions following intensive care and early interver review. Clinical Intensive Care: International Journal of Critical & Coronary Care Medicin 83-89.		0.1	6
79	The Long-term Psychological Effects of Daily Sedative Interruption on Critically III Patie Journal of Respiratory and Critical Care Medicine, 2003, 168, 1457-1461.	nts. American	5.6	482

#	Article	IF	CITATIONS
80	Neuromuscular Sequelae of Critical Illness. New England Journal of Medicine, 2003, 348, 745-747.	27.0	52
81	The epidemiology and definition of the acute respiratory distress syndrome. Respiratory Care Clinics of North America, 2003, 9, 273-282.	0.5	12
82	Identification and Management of Delirium in the Critically Ill Patient With Cancer. AACN Advanced Critical Care, 2003, 14, 92-111.	1.9	7
83	What does it mean to be critically ill and elderly?. Current Opinion in Critical Care, 2003, 9, 316-320.	3.2	30
84	APRN BC-PCM Tackettes. Journal of Hospice and Palliative Nursing, 2003, 5, 204.	0.9	0
85	The Terror of the Night. Journal of Hospice and Palliative Nursing, 2003, 5, 196-204.	0.9	6
86	Exposure to high stress in the intensive care unit may have negative effects on health-related quality-of-life outcomes after cardiac surgery. Critical Care Medicine, 2003, 31, 1971-1980.	0.9	223
87	Health-related quality of life before, 1 month after, and 9 months after intensive care in medical cardiovascular and pulmonary patients. Critical Care Medicine, 2003, 31, 2163-2169.	0.9	118
88	Epidemiology of acute lung injury. Critical Care Medicine, 2003, 31, S276-S284.	0.9	199
89	Six-month neuropsychological outcome of medical intensive care unit patients. Critical Care Medicine, 2003, 31, 1226-1234.	0.9	373
90	Rehabilitation after critical illness: A randomized, controlled trial. Critical Care Medicine, 2003, 31, 2456-2461.	0.9	460
91	The pathophysiology of acute respiratory distress syndrome. Respiratory Care Clinics of North America, 2003, 9, 283-296.	0.5	6
92	Depressiv-ägstliche Störungen bei somatischen Krankheiten. , 2003, , 1559-1591.		4
93	Anpassungsstörung, akute und posttraumatische Belastungsstörung. , 2003, , 1302-1341.		6
94	Konsiliar- und Liaisonpsychiatrie. , 2003, , 1798-1817.		0
95	One-Year Health Assessment of Adult Survivors of <emph type="ITAL">Bacillus anthracis</emph> Infection. JAMA - Journal of the American Medical Association, 2004, 291, 1994.	7.4	30
97	The Critical Care Experience. American Journal of Respiratory and Critical Care Medicine, 2004, 170, 357-359.	5.6	35
98	Quality of Life and Related Risk Factors in a Taiwanese Village Population 21 Months after an Earthquake. Australian and New Zealand Journal of Psychiatry, 2004, 38, 358-364.	2.3	76

#	Article	IF	CITATIONS
100	The Occurrence of Posttraumatic Stress Disorder in Patients Following Intensive Care Treatment: A Cross-Sectional Study in a Random Sample. Journal of Intensive Care Medicine, 2004, 19, 285-290.	2.8	55
101	Long-term outcomes in survivors from critical illness. Anaesthesia, 2004, 59, 1049-1052.	3.8	21
102	Patients' dreams and unreal experiences following intensive care unit admission. Nursing in Critical Care, 2004, 9, 173-180.	2.3	55
103	Holocaust survivors coping with open heart surgery decades later: posttraumatic symptoms and quality of life. General Hospital Psychiatry, 2004, 26, 443-452.	2.4	18
104	Screening for delirium in an adult intensive care unit. Intensive and Critical Care Nursing, 2004, 20, 206-213.	2.9	37
105	Memories of intensive care and experiences of survivors of a critical illness: an interview study. Intensive and Critical Care Nursing, 2004, 20, 257-263.	2.9	62
106	The Relationship Between Quality of Life and Psychiatric Impairment for a Taiwanese Community Post-Earthquake. Quality of Life Research, 2004, 13, 1089-1097.	3.1	63
107	Can Posttraumatic Stress Disorder Be Prevented with Glucocorticoids?. Annals of the New York Academy of Sciences, 2004, 1032, 158-166.	3.8	108
109	Post-traumatic stress disorder after critical illness requiring general intensive care. Intensive Care Medicine, 2004, 30, 450-455.	8.2	819
110	Clinical identification of cognitive impairment in ICU survivors: insights for intensivists. Intensive Care Medicine, 2004, 30, 1997-2008.	8.2	59
111	Research issues in the evaluation of cognitive impairment in intensive care unit survivors. Intensive Care Medicine, 2004, 30, 2009-2016.	8.2	58
112	Performance of two measures of general health-related quality of life, the EQ-5D and the RAND-36 among critically ill patients. Intensive Care Medicine, 2004, 30, 2245-2252.	8.2	53
113	Stress doses of hydrocortisone, traumatic memories, and symptoms of posttraumatic stress disorder in patients after cardiac surgery: a randomized study. Biological Psychiatry, 2004, 55, 627-633.	1.3	321
114	Acute lung injury and acute respiratory distress syndrome in pregnancy. Critical Care Clinics, 2004, 20, 577-607.	2.6	750
115	The Patient with Respiratory Failureâ \in "Preferred Practice Pattern 6F. , 2004, , 372-399.		1
116	The effect of chronic pain on health related quality of life amongst intensive care survivors. Australian Critical Care, 2004, 17, 104-113.	1.3	58
117	Long-term mortality and quality of life after prolonged mechanical ventilation*. Critical Care Medicine, 2004, 32, 61-69.	0.9	367
118	Life after death: Posttraumatic stress disorder in survivors of cardiac arrest—Prevalence, associated factors, and the influence of sedation and analgesia. Critical Care Medicine, 2004, 32, 378-383.	0.9	121

#	Article	IF	CITATIONS
119	Posttraumatic Stress Disorder and Health-Related Quality of Life in Long-Term Survivors of Acute Respiratory Distress Syndrome. American Journal of Psychiatry, 2004, 161, 45-52.	7.2	293
120	The State of Intubated ICU Patients. Chest, 2004, 126, 1883-1890.	0.8	59
121	Quality of life, emotional, and cognitive function following acute respiratory distress syndrome. Journal of the International Neuropsychological Society, 2004, 10, 1005-1017.	1.8	153
122	Outcomes up to 5 Years After Severe, Acute Respiratory Failure. Chest, 2004, 126, 1897-1904.	0.8	53
123	Strategic learning: Linking resident training to outcomes for patients*. Critical Care Medicine, 2005, 33, 1655-1656.	0.9	0
124	Acute respiratory distress syndrome and long-term outcomes: What should we follow?*. Critical Care Medicine, 2005, 33, 1656-1658.	0.9	5
125	Extracorporeal cardiopulmonary resuscitation: Another piece of the jigsaw*. Critical Care Medicine, 2005, 33, 1659-1660.	0.9	2
126	S-100 Protein and Neurohistopathologic Changes in a Porcine Model of Acute Lung Injury. Anesthesiology, 2005, 102, 761-767.	2.5	51
127	Improving the ICU. Chest, 2005, 127, 2151-2164.	0.8	131
128	Critical Illness Brain Syndrome (CIBS): An Underestimated Entity?. Critical Care Medicine, 2005, 33, 1464-1465.	0.9	0
129	Lipopolysaccharide binding by plasma proteins: An important protective effect?*. Critical Care Medicine, 2005, 33, 1664-1666.	0.9	11
130	Positive end-expiratory pressure in severe airflow obstruction: More than a "one-trick pony�*. Critical Care Medicine, 2005, 33, 1652-1653.	0.9	16
131	Is the end-game penetration (of the airway)?*. Critical Care Medicine, 2005, 33, 1654-1655.	0.9	33
132	Noninvasive ventilation outside the intensive care unit: A new standard of care?*. Critical Care Medicine, 2005, 33, 1642-1643.	0.9	6
133	Hyperglycemia and subarachnoid hemorrhage: The critical care part of neurocritical care*. Critical Care Medicine, 2005, 33, 1663-1664.	0.9	2
134	Pharmacological aspects of albumin as a niche product in the intensive care unit*. Critical Care Medicine, 2005, 33, 1667-1669.	0.9	13
135	Do we need another pediatric severity of illness score?*. Critical Care Medicine, 2005, 33, 1643-1645.	0.9	2
136	Helicobacter pylori and stress ulceration: An ongoing puzzle*. Critical Care Medicine, 2005, 33, 1650-1652.	0.9	2

#	Article	IF	CITATIONS
137	Evaluation of the critical care patient with Brugada syndrome*. Critical Care Medicine, 2005, 33, 1666-1667.	0.9	2
138	Survivors of acute respiratory distress syndrome: Relationship between pulmonary dysfunction and long-term health-related quality of life*. Critical Care Medicine, 2005, 33, 1549-1556.	0.9	157
139	Prognostic determinants of acute respiratory distress syndrome in adults: Impact on clinical trial design. Critical Care Medicine, 2005, 33, S217-S222.	0.9	139
140	As we move into the new millennium*. Critical Care Medicine, 2005, 33, 1647-1648.	0.9	3
141	Tetracycline: From antibiotic to antisepsis*. Critical Care Medicine, 2005, 33, 1660-1661.	0.9	3
142	Health-related quality-of-life assessment after intensive care therapy: Preexisting disease matters*. Critical Care Medicine, 2005, 33, 1658-1659.	0.9	1
143	Epidemiology and treatment of psychiatric conditions that develop after critical illness. Current Opinion in Critical Care, 2005, 11, 376-380.	3.2	30
144	Five-year survival, quality of life, and individual costs of 303 consecutive medical intensive care patients—A cost-utility analysis. Critical Care Medicine, 2005, 33, 547-555.	0.9	66
145	Detailing and clarifying cortisol's role in the metabolic response to injury*. Critical Care Medicine, 2005, 33, 1648-1650.	0.9	1
146	Community-associated organisms in the intensive care unit—Dangerous or just passing through?. Critical Care Medicine, 2005, 33, 1645-1647.	0.9	1
147	Blood viscosity: A factor in tissue survival?*. Critical Care Medicine, 2005, 33, 1662-1663.	0.9	13
148	Sedation Strategies in the Critically Ill. , 2005, , 711-720.		1
149	Does ICU length of stay influence quality of life?. Acta Anaesthesiologica Scandinavica, 2005, 49, 975-983.	1.6	35
150	Quality of life before and after intensive care. Anaesthesia, 2005, 60, 332-339.	3.8	198
151	Prolonged cognitive dysfunction in survivors of critical illness. Anaesthesia, 2005, 60, 847-853.	3.8	130
152	Predictors of emotional outcomes of intensive care. Anaesthesia, 2005, 60, 1085-1092.	3.8	194
153	Post-traumatic stress disorder, depression, anxiety and quality of life in patients with traffic-related injuries. Journal of Advanced Nursing, 2005, 52, 22-30.	3.3	92
154	Inhalational anaesthetics in the ICU: theory and practice of inhalational sedation in the ICU, economics, risk-benefit. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2005, 19, 523-538.	4.0	88

# 155	ARTICLE Posttraumatic stress disorder in primary care: prevalence and relationships with physical symptoms and medical utilization. General Hospital Psychiatry, 2005, 27, 392-399.	lF 2.4	Citations 92
156	Stress-inducing factors in ICUs: What liver transplant recipients experience and what caregivers perceive. Liver Transplantation, 2005, 11, 967-972.	2.4	39
157	Returning home after intensive care: A comparison of symptoms of anxiety and depression in ICU and elective cardiac surgery patients and their relatives. Intensive Care Medicine, 2005, 31, 86-91.	8.2	88
158	Quality-of-Life Impairment in Depressive and Anxiety Disorders. American Journal of Psychiatry, 2005, 162, 1171-1178.	7.2	715
160	ICU Psychosis and Patient Autonomy: Some Thoughts from the Inside. Journal of Medicine and Philosophy, 2005, 30, 411-430.	0.8	24
161	Acute Lung Injury — Affecting Many Lives. New England Journal of Medicine, 2005, 353, 1736-1738.	27.0	60
162	Physical and sexual violence and health care utilization in HIV-infected persons with alcohol problems. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2005, 17, 566-578.	1.2	22
163	Two-Year Cognitive, Emotional, and Quality-of-Life Outcomes in Acute Respiratory Distress Syndrome. American Journal of Respiratory and Critical Care Medicine, 2005, 171, 340-347.	5.6	693
164	Sleep in the intensive care unit: Sleepy doctors and restless patients. Clinical Intensive Care: International Journal of Critical & Coronary Care Medicine, 2005, 16, 129-136.	0.1	2
165	Multicentre study of delirium in ICU patients using a simple screening tool. Australian Critical Care, 2005, 18, 6-16.	1.3	80
166	Patients' recollections of experiences in the intensive care unit may affect their quality of life. Critical Care, 2005, 9, R96.	5.8	198
167	Long-term sequelae of critical illness: memories and health-related quality of life. Critical Care, 2005, 9, 145.	5.8	25
169	Incidence and Outcomes of Acute Lung Injury. New England Journal of Medicine, 2005, 353, 1685-1693.	27.0	3,430
171	Disability and Quality of Life in Post-Traumatic Stress Disorder. Pharmacoeconomics, 2006, 24, 989-998.	3.3	26
172	Incidence of Posttraumatic Stress Disorder After Prolonged Surgical Intensive Care Unit Treatment. Psychosomatics, 2006, 47, 223-230.	2.5	86
173	Increased psychiatric morbidity after abdominal aortic surgery: Risk factors for stress-related disorders. Journal of Vascular Surgery, 2006, 43, 929-934.	1.1	42
174	Clinical Epidemiology of Acute Lung Injury and Acute Respiratory Distress Syndrome: Incidence, Diagnosis, and Outcomes. Clinics in Chest Medicine, 2006, 27, 549-557.	2.1	75
175	Therapy for Late-Phase Acute Respiratory Distress Syndrome. Clinics in Chest Medicine, 2006, 27, 671-677.	2.1	11

	CITATION		
#	Article	IF	CITATIONS
176	Neuromuscular Sequelae in Survivors of Acute Lung Injury. Clinics in Chest Medicine, 2006, 27, 691-703.	2.1	33
177	Quality of Life, Emotional Abnormalities, and Cognitive Dysfunction in Survivors of Acute Lung Injury/Acute Respiratory Distress Syndrome. Clinics in Chest Medicine, 2006, 27, 679-689.	2.1	32
178	Study protocol: home-based physical rehabilitation for survivors of a critical illness [ACTRN12605000166673]. Critical Care, 2006, 10, R90.	5.8	22
179	Brain dysfunction in critically ill patientsthe intensive care unit and beyond. Critical Care, 2006, 10, 223.	5.8	26
180	Social support during intensive care unit stay might improve mental impairment and consequently health-related quality of life in survivors of severe acute respiratory distress syndrome. Critical Care, 2006, 10, R147.	5.8	126
181	Sleep in the Critically ill Patient. Sleep, 2006, 29, 707-716.	1.1	195
182	Interdisciplinary model for palliative care in the trauma and surgical intensive care unit: Robert Wood Johnson Foundation Demonstration Project for Improving Palliative Care in the Intensive Care Unit. Critical Care Medicine, 2006, 34, S399-S403.	0.9	53
183	Sedation in the mechanically ventilated patient. Critical Care Medicine, 2006, 34, 2541-2546.	0.9	105
184	The Mind Does Matter: Psychological and Physical Recovery After Musculoskeletal Trauma. Journal of Trauma, 2006, 61, 1408-1414.	2.3	17
186	A self-report-based study of the incidence and associations of sexual dysfunction in survivors of intensive care treatment. Intensive Care Medicine, 2006, 32, 445-451.	8.2	50
187	Memory in relation to depth of sedation in adult mechanically ventilated intensive care patients. Intensive Care Medicine, 2006, 32, 660-667.	8.2	123
188	Quality of life after acute respiratory distress syndrome: aÂmeta-analysis. Intensive Care Medicine, 2006, 32, 1115-1124.	8.2	316
189	Difference in reported pre-morbid health-related quality of life between ARDS survivors and their substitute decision makers. Intensive Care Medicine, 2006, 32, 1826-1831.	8.2	65
192	Patients' dreams in ICU: Recall at two years post discharge and comparison to delirium status during ICU admission. Intensive and Critical Care Nursing, 2006, 22, 264-273.	2.9	46
193	The Changing Epidemiology of Mechanical Ventilation: A Population-Based Study. Journal of Intensive Care Medicine, 2006, 21, 173-182.	2.8	214
194	Perceptual Memory Representations and Memory Fragmentation as Predictors of Post-Trauma Symptoms. Behavioural and Cognitive Psychotherapy, 2006, 35, 259-272.	1.2	29
195	Psychological consequences of critical illness: aftercare or an afterthought?. British Journal of Hospital Medicine (London, England: 2005), 2007, 68, 474-476.	0.5	0
196	Physical consequences of critical illness. British Journal of Hospital Medicine (London, England:) Tj ETQq1 1 0.7	′84314_rgB ⁻	「/Overlock 10

~				
(ПТ	ΔTIC	JNI I	2 F D	ORT
	$\pi \Pi \Lambda$		VLI -	

#	Article	IF	CITATIONS
197	Increased Prevalence of Post-traumatic Stress Disorder Symptoms in Critical Care Nurses. American Journal of Respiratory and Critical Care Medicine, 2007, 175, 693-697.	5.6	1,264
198	Post-traumatic stress disorder in somatic disease: lessons from critically ill patients. Progress in Brain Research, 2007, 167, 229-237.	1.4	61
200	Psychological consequences associated with intensive care treatment. Trauma, 2007, 9, 95-102.	0.5	5
201	Neurologic Sequelae in Critical Illness: Evaluation and Outcomes. Current Respiratory Medicine Reviews, 2007, 3, 309-319.	0.2	0
202	The intensive care unit. , 2007, , 673-696.		2
203	Patient and caregiver counselling after the intensive care unit: what are the needs and how should they be met?. Current Opinion in Critical Care, 2007, 13, 503-507.	3.2	25
204	The role of future longitudinal studies in ICU survivors: understanding determinants and pathophysiology of weakness and neuromuscular dysfunction. Current Opinion in Critical Care, 2007, 13, 489-496.	3.2	34
205	Weaning from prolonged mechanical ventilation using an antipsychotic agent in a patient with acute stress disorder. Critical Care Medicine, 2007, 35, 2417-2419.	0.9	11
206	Cognitive sequelae in acute respiratory distress syndrome patients with and without recall of the intensive care unit. Journal of the International Neuropsychological Society, 2007, 13, 595-605.	1.8	60
207	Pediatric acute lung injury. Paediatric Respiratory Reviews, 2007, 8, 348-362.	1.8	96
208	Mechanical Circulatory Support as a Bridge to Heart Transplantation: What Remains? Long-term Emotional Sequelae in Patients and Spouses. Journal of Heart and Lung Transplantation, 2007, 26, 384-389.	0.6	79
209	Post-traumatic stress disorder and post-traumatic stress symptoms following critical illness in medical intensive care unit patients: assessing the magnitude of the problem. Critical Care, 2007, 11, R27.	5.8	193
210	Risk factors for post-traumatic stress disorder symptoms following critical illness requiring mechanical ventilation: a prospective cohort study. Critical Care, 2007, 11, R28.	5.8	231
211	Long-term prevalence of post-traumatic stress disorder symptoms in patients after secondary peritonitis. Critical Care, 2007, 11, R30.	5.8	34
212	Psychiatric Considerations in Pulmonary Disease. Psychiatric Clinics of North America, 2007, 30, 761-780.	1.3	26
213	Évaluation des conséquences psychologiques d'un séjour en réanimation. Reanimation: Journal De l Societe De Reanimation De Langue Francaise, 2007, 16, 533-537.	.a _{0.1}	18
214	Stressful memories and psychological distress in adult mechanically ventilated intensive care patients ? a 2-month follow-up study. Acta Anaesthesiologica Scandinavica, 2007, 51, 671-678.	1.6	204
215	Memories of critical illness: what do we know?. Acta Anaesthesiologica Scandinavica, 2007, 51, 653-654.	1.6	3

#	Article	IF	Citations
" 216	Factual memories of ICU: recall at two years postâ€discharge and comparison with delirium status during ICU admission – a multicentre cohort study. Journal of Clinical Nursing, 2007, 16, 1669-1677.	3.0	67
217	Psychological assessment of ICU survivors: a comparison between the Hospital Anxiety and Depression scale and the Depression, Anxiety and Stress scale. Anaesthesia, 2007, 62, 239-243.	3.8	79
218	The intensive care follow-up clinic: current provision and future direction?. Nursing in Critical Care, 2007, 12, 1-3.	2.3	15
219	Family satisfaction in the intensive care unit: cross-cultural adaptation of a questionnaire. Journal of Critical Care, 2007, 22, 204-211.	2.2	55
220	Three-year follow-up study of the relationship between posttraumatic stress symptoms and quality of life among earthquake survivors in Yu-Chi, Taiwan. Journal of Psychiatric Research, 2007, 41, 90-96.	3.1	78
221	Physical and psychological sequelae of critical illness. British Journal of Health Psychology, 2007, 12, 65-74.	3.5	119
222	Precipitants of post-traumatic stress disorder following intensive care: aÂhypothesis generating study of diversity in care. Intensive Care Medicine, 2007, 33, 978-985.	8.2	379
223	The prevalence of post traumatic stress disorder in survivors of ICU treatment: aÂsystematic review. Intensive Care Medicine, 2007, 33, 1506-1518.	8.2	191
224	Post-ICU consequences of patient wakefulness and sedative exposure during mechanical ventilation. Intensive Care Medicine, 2008, 34, 82-90.	8.2	103
225	Factors associated with posttraumatic stress symptoms in aÂprospective cohort of patients after abdominal sepsis: aÂnomogram. Intensive Care Medicine, 2008, 34, 664-674.	8.2	74
226	Time-dependent behavioral recovery after sepsis in rats. Intensive Care Medicine, 2008, 34, 1724-1731.	8.2	93
228	Posttraumatic stress disorder (PTSD) in children after paediatric intensive care treatment compared to children who survived a major fire disaster. Child and Adolescent Psychiatry and Mental Health, 2008, 2, 9.	2.5	60
229	Evaluation of Physical Activity Habits in Patients with Posttraumatic Stress Disorder. Clinics, 2008, 63, 473-478.	1.5	72
230	Posttraumatische BelastungsstĶrung nach ARDS und septischem Schock. Psychosomatik Und Konsiliarpsychiatrie, 2008, 2, 220.	0.0	9
231	Use of a screening questionnaire for postâ€ŧraumatic stress disorder (PTSD) on a sample of UK ICU patients. Acta Anaesthesiologica Scandinavica, 2008, 52, 202-208.	1.6	129
232	Emotional outcome after intensive care: literature review. Journal of Advanced Nursing, 2008, 64, 2-13.	3.3	72
234	ICU patients' recall of emotional reactions in the trajectory from falling critically ill to hospital discharge: Follow-ups after 3 and 12 months. Intensive and Critical Care Nursing, 2008, 24, 108-121.	2.9	38
236	De la réanimation à la pneumologie. Revue Des Maladies Respiratoires, 2008, 25, 153-164.	1.7	ο

#	Article	IF	CITATIONS
237	Beyond the walls: A review of ICU clinics and their impact on patient outcomes after leaving hospital. Australian Critical Care, 2008, 21, 6-17.	1.3	55
238	Adverse Effects of Sleep Deprivation in the ICU. Critical Care Clinics, 2008, 24, 461-476.	2.6	49
239	Posttraumatic Stress Disorder Following Critical Illness. Critical Care Clinics, 2008, 24, 875-887.	2.6	20
240	Nonrespiratory Sleep Disorders Found in ICU Patients. Critical Care Clinics, 2008, 24, 589-611.	2.6	7
241	Epidemiology of Acute Respiratory Failure and Mechanical Ventilation. , 2008, , 193-202.		0
242	Health-Related Quality of Life. Chest, 2008, 133, 339-341.	0.8	22
244	Children's Factual and Delusional Memories of Intensive Care. American Journal of Respiratory and Critical Care Medicine, 2008, 177, 976-982.	5.6	189
245	Understanding posttraumatic stress disorder-related symptoms after critical care: The early illness amnesia hypothesis*. Critical Care Medicine, 2008, 36, 2801-2809.	0.9	158
246	Psychiatric Morbidity in Survivors of the Acute Respiratory Distress Syndrome: A Systematic Review. Psychosomatic Medicine, 2008, 70, 512-519.	2.0	269
247	Sleep and recovery from critical illness and injury: A review of theory, current practice, and future directions*. Critical Care Medicine, 2008, 36, 697-705.	0.9	180
248	The Impact of Severe Sepsis on Health-Related Quality of Life: A Long-Term Follow-Up Study. Anesthesia and Analgesia, 2008, 107, 1957-1964.	2.2	100
249	Short- and long-term follow-up of intensive care unit patients after sedation with isoflurane and midazolam—A pilot study*. Critical Care Medicine, 2008, 36, 801-806.	0.9	99
250	Outcomes and long-term quality-of-life of patients supported by extracorporeal membrane oxygenation for refractory cardiogenic shock*. Critical Care Medicine, 2008, 36, 1404-1411.	0.9	554
251	The intensive care experience: What really matters?*. Critical Care Medicine, 2008, 36, 2945-2946.	0.9	0
252	Delirium, Sleep, and Mental Health Disturbances in Critical Illness. , 2008, , 1531-1546.		0
254	Surviving critical illness: Acute respiratory distress syndrome as experienced by patients and their caregivers. Critical Care Medicine, 2009, 37, 2702-2708.	0.9	26
255	Cognitive behaviour therapy for post-traumatic stress symptoms in the context of hydrocephalus: A single case. Neuropsychological Rehabilitation, 2009, 19, 86-97.	1.6	5
256	Culture of early mobility in mechanically ventilated patients. Critical Care Medicine, 2009, 37, S429-S435.	0.9	70

#	Article	IF	CITATIONS
257	Healthâ€Related Quality of Life and Posttraumatic Stress Disorder among Survivors of Leftâ€Sided Native Valve Endocarditis. Clinical Infectious Diseases, 2009, 48, 1559-1565.	5.8	45
258	Introducing Photo Diaries for ICU Patients. Journal of the Intensive Care Society, 2009, 10, 183-185.	2.2	4
259	Traumatic memories, post-traumatic stress disorder and serum cortisol levels in long-term survivors of the acute respiratory distress syndrome. Brain Research, 2009, 1293, 114-120.	2.2	54
260	The prevalence and impact of post traumatic stress disorder and burnout syndrome in nurses. Depression and Anxiety, 2009, 26, 1118-1126.	4.1	312
262	Discomfort associated with underhumidified high-flow oxygen therapy in critically ill patients. Intensive Care Medicine, 2009, 35, 996-1003.	8.2	159
263	Patients' memory and psychological distress after ICU stay compared with expectations of the relatives. Intensive Care Medicine, 2009, 35, 2078-86.	8.2	84
264	A critical review of daily sedation interruption in the intensive care unit. Journal of Clinical Nursing, 2009, 18, 1239-1249.	3.0	22
265	A nurseâ€led intensive care afterâ€care programme – development, experiences and preliminary evaluation. Nursing in Critical Care, 2009, 14, 254-263.	2.3	40
266	Conceptual issues specifically related to health-related quality of life in critically ill patients. Critical Care, 2009, 13, 118.	5.8	15
267	What patients think about ICU follow-up services: a qualitative study. Critical Care, 2009, 13, R46.	5.8	88
268	Cognitive dysfunction after critical illness: measurement, rehabilitation, and disclosure. Critical Care, 2009, 13, 312.	5.8	9
269	The PRaCTICaL study of nurse led, intensive care follow-up programmes for improving long term outcomes from critical illness: a pragmatic randomised controlled trial. BMJ: British Medical Journal, 2009, 339, b3723-b3723.	2.3	358
270	Pulmonary Problems in Pregnancy. , 2009, , .		2
271	Comparison of Short-Term Psychological Outcomes of Respiratory Failure Treated by Either Invasive or Non-Invasive Ventilation. Psychosomatics, 2009, 50, 586-591.	2.5	27
272	Sedation and Analgesia for the Mechanically Ventilated Patient. Clinics in Chest Medicine, 2009, 30, 131-141.	2.1	51
273	Pharmacology of Commonly Used Analgesics and Sedatives in the ICU: Benzodiazepines, Propofol, and Opioids. Critical Care Clinics, 2009, 25, 431-449.	2.6	112
274	Role of analgesics, sedatives, neuromuscular blockers, and delirium. Critical Care Medicine, 2009, 37, S416-S421.	0.9	22
275	Randomized trial of light versus deep sedation on mental health after critical illness*. Critical Care Medicine, 2009, 37, 2527-2534.	0.9	346

#	Article	IF	CITATIONS
276	Pain Assessment Is Associated with Decreased Duration of Mechanical Ventilation in the Intensive Care Unit. Anesthesiology, 2009, 111, 1308-1316.	2.5	303
277	Surviving critical illness: Acute respiratory distress syndrome as experienced by patients and their caregivers. Critical Care Medicine, 2009, 37, 2702-2708.	0.9	106
278	Legacy of intensive care unit-acquired weakness. Critical Care Medicine, 2009, 37, S457-S461.	0.9	79
279	A framework for diagnosing and classifying intensive care unit-acquired weakness. Critical Care Medicine, 2009, 37, S299-S308.	0.9	487
280	Compromised Autonomy and the Seriously Ill Patient. Chest, 2010, 137, 926-931.	0.8	44
281	Long-term mortality and quality of life in sepsis: A systematic review*. Critical Care Medicine, 2010, 38, 1276-1283.	0.9	520
282	Sedation of Ventilated Patients and Analgesia. Clinical Pulmonary Medicine, 2010, 17, 290-299.	0.3	4
283	Case Scenario: Tailored Sedation to the Individual Needs of the Intensive Care Unit Patient. Anesthesiology, 2010, 113, 1439-1446.	2.5	10
284	Haunted by delusions: Trauma, delusional memories, and intensive care unit morbidity*. Critical Care Medicine, 2010, 38, 300-301.	0.9	0
286	Risk factors for depression and anxiety in survivors of acute respiratory distress syndrome. General Hospital Psychiatry, 2010, 32, 147-155.	2.4	84
287	Physical restraint use in intensive care units across Europe: The PRICE study. Intensive and Critical Care Nursing, 2010, 26, 241-245.	2.9	157
288	Effect of an episode of critical illness on subsequent hospitalisation: a linked data study. Anaesthesia, 2010, 65, 172-177.	3.8	11
289	Effects of music intervention on physiological stress response and anxiety level of mechanically ventilated patients in China: a randomised controlled trial. Journal of Clinical Nursing, 2010, 19, 978-987.	3.0	111
290	Patients' experience of open repair of abdominal aortic aneurysm – preoperative information, hospital care and recovery. Journal of Clinical Nursing, 2010, 19, 3112-3122.	3.0	14
291	Longâ€ŧerm effect of the ICUâ€diary concept on quality of life after critical illness. Acta Anaesthesiologica Scandinavica, 2010, 54, 736-743.	1.6	85
292	The Psychiatric Management of Patients with Cardiac Disease. , 2010, , 303-322.		0
293	Transtorno de estresse pós-traumático em pacientes de unidade de terapia intensiva. Revista Brasileira De Terapia Intensiva, 2010, 22, 77-84.	0.3	13
294	Vocal function following discharge from intensive care. Journal of Laryngology and Otology, 2010, 124, 515-519.	0.8	5

ARTICLE IF CITATIONS A \hat{l}^2 -adrenergic antagonist reduces traumatic memories and PTSD symptoms in female but not in male 295 4.5 53 patients after cardiac surgery. Psychological Medicine, 2010, 40, 861-869. Complications de la sédation., 2010, , 129-139. Long-Term Outcomes in Patients Surviving Acute Respiratory Distress Syndrome. Seminars in 297 2.1 44 Respiratory and Critical Care Medicine, 2010, 31, 055-065. Reconnaître et traiter la souffrance psychique des patients. Reanimation: Journal De La Societe De 0.1 Reanimation De Langue Francaise, 2010, 19, 236-242. Sources de nuisances et d'inconforts en réanimation. Reanimation: Journal De La Societe De 299 0.1 4 Reanimation De Langue Francaise, 2010, 19, 221-227. CritÃ[°]res de jugement du «Âmieux vivre» en réanimation. Reanimation: Journal De La Societe De Reanimation De Langue Francaise, 2010, 19, 204-211. 0.1 Anaesthesia for ICU-based procedures: the advantages of and options available for inhalational 301 0.3 2 anaesthesia. Southern African Journal of Anaesthesia and Analgesia, 2010, 16, 63-69. Quality of life in the five years after intensive care: a cohort study. Critical Care, 2010, 14, R6. 5.8 350 Intensive care diaries reduce new onset post traumatic stress disorder following critical illness: a 303 5.8 386 randomised, controlled trial. Critical Care, 2010, 14, R168. Health-related quality of life and physical recovery after a critical illness: a multi-centre randomised 5.8 controlled trial of a home-based physical rehabilitation program. Critical Care, 2011, 15, R142. Pharmacology of Commonly Used Analgesics and Sedatives in the ICU: Benzodiazepines, Propofol, and 306 1.4 60 Opioids. Anesthesiology Clinics, 2011, 29, 567-585. Recovery and Long-Term Outcome in Acute Respiratory Distress Syndrome. Critical Care Clinics, 2011, 27, 685-704. Functional Disability 5 Years after Acute Respiratory Distress Syndrome. New England Journal of 308 27.0 2,228 Medicine, 2011, 364, 1293-1304. The Mind Continues to Matter: Psychologic and Physical Recovery 5 Years After Musculoskeletal Trauma. Journal of Orthopaedic Trauma, 2011, 25, 228-232. 309 1.4 Health-related quality of life in Australian survivors of critical illness*. Critical Care Medicine, 2011, 310 0.9 55 39, 1896-1905. Relationship of a common polymorphism of the glucocorticoid receptor gene to traumatic memories and posttraumatic stress disorder in patients after intensive care therapy. Critical Care Medicine, 2011, 103 39, 643-650. Screening and treatment of problems after intensive care: A descriptive study of multidisciplinary 312 2.9 49 follow-up. Intensive and Critical Care Nursing, 2011, 27, 94-101. Quality of life in Croatian Homeland war (1991-1995) veterans who suffer from post-traumatic stress 314 2.4 disorder and chronic pain. Health and Quality of Life Outcomes, 2011, 9, 56.

ARTICLE IF CITATIONS # Posttraumatic stress disorder at the end of life: Extant research and proposed psychosocial 315 1.0 23 treatment approach. Palliative and Supportive Care, 2011, 9, 407-418. Analgesic efficacy and haemodynamic effects of nefopam in critically ill patients. British Journal of 3.4 Anaesthesia, 2011, 106, 336-343. Comorbid Trends in World Trade Center Cough Syndrome and Probable Posttraumatic Stress 317 0.8 43 Disorder in Firefighters. Chest, 2011, 140, 1146-1154. Disturbed Dreaming as a Factor in Medical Conditions., 2011, , 1116-1127. 318 Extracorporeal membrane oxygenation, an anesthesiologistâ€²s perspective: Physiology and principles. 319 0.6 56 Part 1. Annals of Cardiac Anaesthesia, 2011, 14, 218. Medical and Economic Implications of Cognitive and Psychiatric Disability of Survivorship. Seminars in Respiratory and Critical Care Medicine, 2012, 33, 348-356. 2.1 44 Embracing Physical and Neuropsychological Dysfunction in Acute Lung Injury Survivors: The Time Has 321 5.6 1 Come. American Journal of Respiratory and Critical Care Medicine, 2012, 185, 470-471. Long-term outcome after acute lung injury. Current Opinion in Critical Care, 2012, 18, 8-15. 3.2 37 Cognitive and physical rehabilitation of intensive care unit survivors. Critical Care Medicine, 2012, 40, 323 0.9 244 1088-1097. Long-term Outcomes of Pandemic 2009 Influenza A(H1N1)-Associated Severe ARDS. Chest, 2012, 142, 324 0.8 199 583-592. Treatment with Î²-Blockers and Incidence of Post-Traumatic Stress Disorder After Cardiac Surgery: A 325 1.3 19 Prospective Observational Study. Journal of Cardiothoracic and Vascular Anesthesia, 2012, 26, 265-269. Health-related quality of life of long-term survivors of intensive care: changes after intensive care treatment. Wiener Klinische Wochenschrift, 2012, 124, 624-632. Development and evaluation of an interprofessional communication intervention to improve family 327 1.8 83 outcomes in the ICU. Contemporary Clinical Trials, 2012, 33, 1245-1254. Techniques to measure cardiac output: minimally invasive method versus thermodilution. Critical 5.8 Care, 2012, 16, . Effects of cardiac output levels on the measurement of transpulmonary thermodilution cardiac 329 0 5.8 output in patients with acute lung injury. Critical Care, 2012, 16, . Comparison of bioimpedance and oesophageal Doppler cardiac output monitoring during abdominal 5.8 aortic surgery. Critical Care, 2012, 16, . Cardiac output monitoring in cirrhotic patients: EV1000 versus pulmonary artery catheter -331 5.8 0 preliminary data. Critical Care, 2012, 16, . Pulse contour cardiac output monitoring is less reliable in critically ill children. Critical Care, 2012, 5.8 16, .

#	Article	IF	CITATIONS
333	Impact of arterial catheter location on the accuracy of cardiac output provided by an endotracheal bioimpedance device. Critical Care, 2012, 16, .	5.8	0
334	Accuracy of the PiCCO2-derived pulse contour cardiac index (Clpc): development and validation of a calibration index in two independent collectives. Critical Care, 2012, 16, .	5.8	0
335	Cardiac output monitoring using the LiDCOplusâ,,¢ monitor in abdominal aortic surgery: changes in calibration factor in aortic aneurysm disease versus aortic occlusive disease. Critical Care, 2012, 16, .	5.8	1
336	Haemodynamic changes during the peri-extubation period using bioreactance flow monitoring. Critical Care, 2012, 16, .	5.8	0
337	Left ventricular stroke volume measurement by impedance cardiography correlates with echocardiography in neonates. Critical Care, 2012, 16, .	5.8	2
338	Validation of less-invasive hemodynamic monitoring with Pulsioflex in critically ill patients. Critical Care, 2012, 16, .	5.8	1
339	A preliminary study on the use of noninvasive hemodynamic monitoring with the Nexfin monitor in critically ill patients. Critical Care, 2012, 16, .	5.8	0
340	Computer-based monitoring of global cardiovascular dynamics during acute pulmonary embolism and septic shock in swine. Critical Care, 2012, 16, .	5.8	0
341	Homeodynamic complexity: multifractal analysis of physiological instability. Critical Care, 2012, 16, .	5.8	0
342	Accuracy of conventional urinary output monitoring in the ICU. Critical Care, 2012, 16, .	5.8	4
343	Changes in B-type natriuretic peptide and related hemodynamic parameters following a fluid challenge in patients with severe sepsis or septic shock. Critical Care, 2012, 16, .	5.8	0
344	The Brody effect to detect hypovolemia in clinical practice. Critical Care, 2012, 16, .	5.8	1
345	Stroke volume variation guided fluid therapy in septic shock with ARDS. Critical Care, 2012, 16, .	5.8	0
346	Assessment fluid responsiveness in septic shock patients: a comparison of automated pulse pressure variation and manually calculated pulse pressure variation. Critical Care, 2012, 16, .	5.8	0
347	Applicability of methods for fluid responsiveness prediction in the ICU. Critical Care, 2012, 16, .	5.8	0
348	Fluid responsiveness during weaning from mechanical ventilation. Critical Care, 2012, 16, .	5.8	0
349	Microcirculatory blood flow is related to clinical signs of impaired organ perfusion, and its dynamics to the macrohemodynamic concept of fluid responsiveness. Critical Care, 2012, 16, .	5.8	1
350	Frank-Starling and Guyton together at bedside during a fluid challenge. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
351	Prediction of fluid responsiveness in intensive care (PREFERENCE study): fluid challenge versus passive leg raising in high-risk surgical patients. Critical Care, 2012, 16, .	5.8	7
352	Tight control of fluid balance may reduce incidence of intra-abdominal hypertension in patients after major abdominal surgery and trauma: a pilot study. Critical Care, 2012, 16, .	5.8	0
353	Negative fluid balance 48 hours after admission improves survival at 28 days in critically ill patients. Critical Care, 2012, 16, .	5.8	0
354	Goal-directed fluid and hemodynamic therapy in major colon surgery with the pressure recording analytical method cardiac output monitor (MostCare®-PRAM®): prospective analysis of 58 patients. Critical Care, 2012, 16, .	5.8	0
355	Implementation of an optimal fluid management protocol using the PiCCO system delays development of ARDS secondary to severe sepsis. Critical Care, 2012, 16, .	5.8	1
356	Confrontation of the increase in ELWI rate regarding the septic polytraumatised patient administering furosemide: is it effective?. Critical Care, 2012, 16, .	5.8	0
357	Indexation of extravascular lung water in unselected adult patients with and without mechanical ventilation: a prospective study in 50 patients with 843 transpulmonary thermodilutions. Critical Care, 2012, 16, .	5.8	0
358	How to perform indexing of extravascular lung water data. Critical Care, 2012, 16, .	5.8	0
359	Near-normal values of extravascular lung water in children. Critical Care, 2012, 16, .	5.8	0
360	Transthoracic ultrasound assessment of B-lines for identifying the increment of extravascular lung water in shock patients requiring fluid resuscitation. Critical Care, 2012, 16, .	5.8	0
361	Fluid therapy tactics in patients with polytrauma during interhospital transportation. Critical Care, 2012, 16, .	5.8	0
362	A prospective, randomized, clinical trial comparing the hemodynamics, efficacy, and safety of 6% hydroxyethyl starch 130/0.4 compared to albumin in postoperative patients undergoing pancreaticoduodenectomy. Critical Care, 2012, 16, .	5.8	0
363	Effect of balanced versus unbalanced HES solution on cytokine response in a rat model of peritonitis. Critical Care, 2012, 16, .	5.8	0
364	Evaluation of effectiveness and safety of hydroxyethyl starch (HES 130 kDa/0.4) in burn resuscitation. Critical Care, 2012, 16, .	5.8	1
365	Normal saline resuscitation worsens lactic acidosis in experimental sepsis. Critical Care, 2012, 16, .	5.8	6
366	Albumin in early septic shock resuscitation: examination of plasma and urine inflammatory markers. Critical Care, 2012, 16, .	5.8	0
367	Study of the correlation between central venous oxygen saturation and venous saturation from the antecubital vein in severe sepsis/septic shock patients. Critical Care, 2012, 16, .	5.8	2
368	Central venous hyperoxia is related to changes in tissue perfusion and morbi-mortality of patients in shock. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
369	Curve analysis of tissue oxygen desaturation after a venous occlusion test does not identify the central venous hemoglobin oxygen saturation. Critical Care, 2012, 16, .	5.8	0
370	Lactate in burn patients: biomarker of sepsis and mortality. Critical Care, 2012, 16, .	5.8	2
371	Can we predict arterial lactate from venous lactate in the emergency department?. Critical Care, 2012, 16, .	5.8	2
372	Cross-correlation analysis of blood and microdialysis-assessed tissue lactate monitoring: a study in critically ill septic patients. Critical Care, 2012, 16, .	5.8	0
373	Admission lactate and outcome after high-risk surgery. Critical Care, 2012, 16, .	5.8	0
374	Effects of induced relative hypoxia during the postoperative period of abdominal oncologic surgery, on hemoglobin and reticulocyte levels: a prospective, randomized controlled clinical trial. Critical Care, 2012, 16, .	5.8	1
375	Pre-emptive hypothermia during resuscitated porcine hemorrhagic shock. Critical Care, 2012, 16, .	5.8	0
376	Carbon monoxide therapy protects against hepatic microvascular injury in a mouse model of murine hemorrhagic shock and resuscitation. Critical Care, 2012, 16, .	5.8	0
377	Customized modeling to predict the use of vasopressors in ICUs. Critical Care, 2012, 16, .	5.8	0
378	Implementation of the fifth link of the Chain of Survival concept for out-of-hospital cardiac arrest. Critical Care, 2012, 16, .	5.8	0
379	Examination of out-of-hospital cardiac arrest patients with the Utstein style in Saga prefecture, Japan. Critical Care, 2012, 16, .	5.8	1
380	Effectiveness and limitations of learning cardiopulmonary resuscitation with an automated external defibrillator in the curriculum of First Aid courses among lay people. Critical Care, 2012, 16, .	5.8	0
381	Survival after out-of-hospital cardiac arrest during nights and weekends. Critical Care, 2012, 16, .	5.8	0
382	CPR initiated after telephone-assisted instruction produces a better outcome of bystander-witnessed out-of-hospital cardiac arrests than no bystander CPR but is less effective than CPR on the bystander's own initiative. Critical Care, 2012, 16, .	5.8	0
383	Critical times in pediatric out-of-hospital cardiac arrest. Critical Care, 2012, 16, .	5.8	1
384	Don't stop your heart in front of your family: family as a bystander is associated with poor outcome of bystander-witnessed, bystander-CPR-performed out-of-hospital cardiac arrest. Critical Care, 2012, 16, .	5.8	0
385	Coronary perfusion pressure in a pig model of prolonged cardiac arrest treated by different modes of venoarterial extracorporeal membrane oxygenation and intraaortic balloon counterpulsation. Critical Care, 2012, 16, .	5.8	4
386	Capnometry successfully predicts outcome and determination of the cessation of cardiopulmonary resuscitation efforts. Critical Care, 2012, 16, .	5.8	1

#	Article	IF	CITATIONS
387	Modified clinical decision rule for termination-of-resuscitation in cases of refractory out-of-hospital cardiac arrest. Critical Care, 2012, 16, .	5.8	0
388	Survival benefit for patients receiving antibiotics following out-of-hospital cardiac arrest. Critical Care, 2012, 16, .	5.8	0
389	Correlation between IL-6 and S-100B blood levels and outcome of post-cardiac arrest syndrome and influence of therapeutic hypothermia on these mediator blood levels. Critical Care, 2012, 16, .	5.8	0
390	Early neurological outcome prediction model after bystander-witnessed out-of-hospital cardiac arrest: a nationwide population-based study. Critical Care, 2012, 16, .	5.8	0
391	Helium ventilation is safe and feasible in ICU patients admitted after cardiac arrest. Critical Care, 2012, 16, .	5.8	2
392	Therapeutic hypothermia in an out-of-hospital arrest population: are we selecting appropriately?. Critical Care, 2012, 16, .	5.8	0
393	Therapeutic hypothermia for nonventricular fibrillation/ventricular tachycardia cardiac arrest. Critical Care, 2012, 16, .	5.8	0
394	Comparison of cold crystalloid and colloid infusions for induction of therapeutic hypothermia. Critical Care, 2012, 16, .	5.8	0
395	Cerebral oxygenation during induction of therapeutic hypothermia after cardiac arrest. Critical Care, 2012, 16, .	5.8	0
396	Survey on the management of patients treated with therapeutic hypothermia post cardiac arrest in London hospitals. Critical Care, 2012, 16, .	5.8	0
397	Simplified EEG/aEEG to monitor the injured brain after cardiac arrest. Critical Care, 2012, 16, .	5.8	0
398	Usefulness of a Bispectral index oriented sedative method without neuromuscular blocker for therapeutic hypothermia after cardiac arrest. Critical Care, 2012, 16, .	5.8	0
399	Predictive factors of neurologic outcome in therapeutic hypothermia after prehospital return of spontaneous circulation. Critical Care, 2012, 16, .	5.8	0
400	Employment status 1 year after out-of-hospital cardiac arrest in comatose patients treated with therapeutic hypothermia. Critical Care, 2012, 16, .	5.8	0
401	Changes in cerebrospinal fluid and serum cytokine levels in severe traumatic brain injury patients. Critical Care, 2012, 16, .	5.8	0
402	Noninvasive cerebral oxygenation monitoring during rapid ventricular pacing in transcutaneous aortic valve implant. Critical Care, 2012, 16, .	5.8	0
403	Novel models to predict elevated intracranial pressure during intensive care and long-term neurological outcome after TBI. Critical Care, 2012, 16, .	5.8	0
404	Transcranial Doppler pulsatility index is a poor predictor of hydrocephalus in patients with aneurysmal subarachnoid haemorrhage. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
405	Transcranial cerebral oximetry in newborn infants on mechanical ventilation as a method for prevention of hyperoxia and oxidative stress. Critical Care, 2012, 16, .	5.8	0
406	Cerebral oximetry and brain death in the ICU: data from seven cases. Critical Care, 2012, 16, .	5.8	3
407	Deoxyhaemoglobin as a biomarker of cerebral autoregulation. Critical Care, 2012, 16, .	5.8	3
408	Study of the acoustic stem evoked potentials in blood circulation disorder in the vertebral basilar basin. Critical Care, 2012, 16, .	5.8	0
409	Examination of the autonomic nervous system in the ICU: a pilot study. Critical Care, 2012, 16, .	5.8	0
410	Predictive value of glial fibrillary acidic protein for prognosis in patients with moderate and severe traumatic brain injury: a systematic review and meta-analysis. Critical Care, 2012, 16, .	5.8	3
411	Prevalence of pituitary disorders associated with traumatic brain injury: a systematic review. Critical Care, 2012, 16, .	5.8	2
412	Mannose binding lectin deficiency attenuates neurobehavioral deficits following experimental traumatic brain injury. Critical Care, 2012, 16, .	5.8	0
413	Azathioprine and aspirin in treatment of childhood primary arterial stroke: therapeutic benefits and side effects. Critical Care, 2012, 16, .	5.8	0
414	Changes of ribosomal protein S3 immunoreactivity and its new expression in microglia in the mice hippocampus after lipopolysaccharide treatment. Critical Care, 2012, 16, .	5.8	0
415	Neuronal damage using Fluoro-Jade B histofluorescence and gliosis in the striatum after various durations of transient cerebral ischemia in gerbils. Critical Care, 2012, 16, .	5.8	7
416	Molecular, histological and microcirculatory modeling of cerebral ischemia in pigs. Critical Care, 2012, 16, .	5.8	0
417	Delayed post-ischaemic administration of xenon reduces brain damage in a rat model of global ischaemia. Critical Care, 2012, 16, .	5.8	0
418	Seizures in the respiratory ICU: single-center study of patients with new-onset seizures. Critical Care, 2012, 16, .	5.8	1
419	Early treatment with intravenous immunoglobulins in patients with critical illness polyneuropathy: a randomized controlled, double-blinded study. Critical Care, 2012, 16, .	5.8	0
420	Intracranial pressure monitoring in acute liver failure: a retrospective cohort study. Critical Care, 2012, 16, .	5.8	2
421	Retrospective observation of 6-month survival following decompressive craniectomy in a London major trauma and stroke centre. Critical Care, 2012, 16, .	5.8	1
422	Feasibility of a multicenter prospective cohort study on the evaluation of prognosis in severe traumatic brain injury. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
423	Predictive value of neuron-specific enolase following moderate and severe traumatic brain injury: a systematic review and meta-analysis. Critical Care, 2012, 16, .	5.8	0
424	Blood-brain barrier permeability following traumatic brain injury. Critical Care, 2012, 16, .	5.8	6
425	Can urinary 8-OHdG be a good indicator of vasospasm occurrence following subarachnoid hemorrhage?. Critical Care, 2012, 16, .	5.8	9
426	Cortical capillary recruitment by rosuvastatin in experimental brain trauma is associated with increased NO production. Critical Care, 2012, 16, .	5.8	0
427	Effects of sinvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. Critical Care, 2012, 16, .	5.8	3
428	Evaluation of arterial and venous ophthalmic hemodynamics in preeclamptic pregnant women. Critical Care, 2012, 16, .	5.8	0
429	Data classification of magnetic resonance tomography and computer tomography images of brain in parturients with neurological complications of eclampsia. Critical Care, 2012, 16, .	5.8	0
430	Eleven years of critical obstetric pathology: epidemiologic study. Critical Care, 2012, 16, .	5.8	0
431	Clinical outcomes in neonates following maternal magnesium sulfate therapy in preeclampsia/eclampsia. Critical Care, 2012, 16, .	5.8	0
432	Sleep monitoring by actigraphy in short-stay ICU patients. Critical Care, 2012, 16, .	5.8	1
433	Quality and quantity of sleep in multipatient versus single-room ICUs. Critical Care, 2012, 16, .	5.8	1
434	Oral melatonin in high-risk critically ill patients: quality of sedative effect. Critical Care, 2012, 16, .	5.8	1
435	Sedation depth and mortality in mechanically ventilated critically ill adults. Critical Care, 2012, 16, .	5.8	1
436	Sedation in the ICU: nurses' perceptions of practices and influencing factors. Critical Care, 2012, 16, .	5.8	0
437	Implementation of a national guideline for analgesia and sedation: how often can a RASS of 0 to -2 be achieved?. Critical Care, 2012, 16, .	5.8	0
438	Comparison of the RAMSAY score and the Richmond Agitation Sedation Score for the measurement of sedation depth. Critical Care, 2012, 16, .	5.8	16
439	Dexmedetomidine is associated with better outcomes in patients undergoing cardiac surgery. Critical Care, 2012, 16, .	5.8	0
440	Cerebral ischemia-reperfusion model in rabbits: relationship between dexmedetomidine and biochemical parameters in lowering intraparenchymal pressure. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
441	Evaluation of sedation using pupilometry in ICUs: a pilot study. Critical Care, 2012, 16, .	5.8	0
442	Effect of critical illness on the pharmacokinetics and dose-response relationship of midazolam. Critical Care, 2012, 16, .	5.8	2
443	Effect of propofol and midazolan on microcirculation of septic shock patients. Critical Care, 2012, 16,	5.8	0
444	Current use of pain scores in Dutch ICUs: a postal survey in the Netherlands. Critical Care, 2012, 16, .	5.8	0
445	Efficiency estimation of intrapleural and thoracic paravertebral block in combination with general anesthesia at thoracoscopic interventions. Critical Care, 2012, 16, .	5.8	0
446	Preoperative diclofenc reduces postcraniotomy headache: a randomized, placebo-controlled trial. Critical Care, 2012, 16, .	5.8	0
447	Long-term adverse neuropsychological functioning in children who survived meningococcal septic shock: is there a relationship with sedation and analgesia during paediatric ICU admission?. Critical Care, 2012, 16, .	5.8	0
448	Delirium could be an indicator of sepsis in patients under 65 years old with urinary tract infections. Critical Care, 2012, 16, .	5.8	0
449	Delirium screening in critically ill patients: a systematic review and meta-analysis. Critical Care, 2012, 16, .	5.8	7
450	Electroencephalography-based monitoring of delirium in the ICU: what are the opportunities?. Critical Care, 2012, 16, .	5.8	2
451	Performance of SAPS 3 in predicting delirium among critically ill patients. Critical Care, 2012, 16, .	5.8	0
452	Incidence of delirium and inadequacy of the clinical diagnosis in patients in intensive care. Critical Care, 2012, 16, .	5.8	0
453	Investigation into detection and treatment rates of hyperactive and hypoactive delirium in the ICU setting. Critical Care, 2012, 16, .	5.8	0
454	Memories and post-traumatic stress-related symptoms in older, post-cardiac surgery patients: substudy of an RCT. Critical Care, 2012, 16, .	5.8	0
455	Using tramadol to monitor hepatic drug metabolism in the critically ill. Critical Care, 2012, 16, .	5.8	0
456	Data mining techniques for predicting acute kidney injury after elective cardiac surgery. Critical Care, 2012, 16, .	5.8	5
457	Acute kidney injury in critically ill patients with A/H1N1 pneumonitis in 2010/11. Critical Care, 2012, 16, .	5.8	0
458	A RIFLE score-based trigger for renal replacement therapy and survival after cardiac surgery. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
459	Effect of off-pump versus on-pump coronary artery bypass grafting in patients with chronic kidney disease. Critical Care, 2012, 16, .	5.8	1
460	Effects of renal-dose dopamine on renal tubular functions following coronary artery bypass grafting surgery. Critical Care, 2012, 16, .	5.8	1
461	Nurses' knowledge regarding the early identification of acute kidney injury. Critical Care, 2012, 16, .	5.8	0
462	Neutrophil gelatinase-associated lipocalin predicts postoperative fluid overload, a potentially modifiable risk factor for mortality after cardiac surgery. Critical Care, 2012, 16, .	5.8	2
463	Plasma and urine neutrophil gelatinase-associated lipocalin as markers of acute kidney injury in critically ill adults. Critical Care, 2012, 16, .	5.8	0
464	Plasma and urine neutrophil gelatinase-associated lipocalin in septic and nonseptic ICU patients. Critical Care, 2012, 16, .	5.8	0
465	Urinary neutrophil gelatinase-associated lipocalin as an early marker of acute kidney injury complicating circulatory shock. Critical Care, 2012, 16, .	5.8	0
466	Additive value to clinical judgement of blood neutrophil gelatinase-associated lipocalin in diagnosis of acute kidney injury and prediction of mortality in patients hospitalized from the emergency department. Critical Care, 2012, 16, .	5.8	3
467	Is cystatin C reliable in the anesthetized pig? An experimental study with special reference to septic shock. Critical Care, 2012, 16, .	5.8	1
468	Are serum cystatin-C-based estimates better than those derived from serum creatinine in critically ill patients?. Critical Care, 2012, 16, .	5.8	2
469	Assessment of glomerular filtration rate in trauma patients in early resuscitation phase. Critical Care, 2012, 16, .	5.8	1
470	Validation of a continuous low-dose iohexol infusion to measure the glomerular filtration rate. Critical Care, 2012, 16, .	5.8	0
471	Investigation into the effects of commencing haemodialysis in the critically ill. Critical Care, 2012, 16, .	5.8	0
472	Is the AKIN score useful as an indicator of the optimum time for intervention with renal replacement therapy in critically ill patients?. Critical Care, 2012, 16, .	5.8	0
473	Timing for initiation of continuous renal replacement therapy in patients with septic shock and acute kidney injury. Critical Care, 2012, 16, .	5.8	0
474	Early application of CVVH In the complex treatment of patients with early severe acute pancreatitis. Critical Care, 2012, 16, .	5.8	1
475	Timing of the initiation of continuous renal replacement therapy and clinical outcome in patients with severe sepsis and septic shock. Critical Care, 2012, 16, .	5.8	0
476	Amino acid concentrations in serum, urine and dialysate/ultrafiltrate solutions of continuous venovenous hemodiafiltration patients. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
477	Evaluation of the potential adverse effects associated with calcium carbonate precipitate during continuous venovenous hemofiltration. Critical Care, 2012, 16, .	5.8	0
478	Regional citrate anticoagulation in CVVH: a new protocol combining citrate solution with a phosphate-containing replacement fluid. Critical Care, 2012, 16, .	5.8	0
479	Regional citrate anticoagulation with a low-concentration solution in predilution-postdilution CVVH. Critical Care, 2012, 16, .	5.8	0
480	Exposure to intermittent hemodialysis and renal recovery after acute kidney injury: a systematic review. Critical Care, 2012, 16, .	5.8	2
481	Sustained low-efficiency dialysis for renal replacement therapy in the ICU: a cost-benefit analysis of the years 2006 to 2010. Critical Care, 2012, 16, .	5.8	0
482	The new dialysis method Mini-SLED is useful for dialyzing acute brain stroke patients. Critical Care, 2012, 16, .	5.8	0
483	Investigation into haemodynamic stability during intermittent haemodialysis in the critically ill. Critical Care, 2012, 16, .	5.8	0
484	Evaluation of microcirculation before and during continuous renal replacement therapy and the impact of dose prescription. Critical Care, 2012, 16, .	5.8	0
485	Ultrafiltration during continuous hemofiltration in stabilized ICU patients is not associated with microcirculatory perfusion derangements. Critical Care, 2012, 16, .	5.8	0
486	Plasmapheresis without apparatus in complex care of victims with crush syndrome during the first hours after extrication in a field hospital of EMERCOM of Russia in emergency areas. Critical Care, 2012, 16, .	5.8	0
487	Degree of impaired kidney function at hospital discharge has a major impact on long-term survival of critically ill patients recovered from renal failure. Critical Care, 2012, 16, .	5.8	0
488	Long-term survival for ICU patients with acute kidney injury. Critical Care, 2012, 16, .	5.8	0
489	Super high-flux continuous hemodialysis: an efficient compromise for blood purification in sepsis. Critical Care, 2012, 16, .	5.8	0
490	Efficacy of continuous haemodiafiltration using a polymethylmethacrylate membrane haemofilter in the treatment of sepsis and acute respiratory distress syndrome. Critical Care, 2012, 16, .	5.8	1
491	Possible adsorption mechanism of high mobility group box 1 protein on a polyacrylonitrile (AN69ST) membrane filter. Critical Care, 2012, 16, .	5.8	0
492	High mobility group box 1 levels in septic disseminated intravascular coagulation patients undergoing Polymixin-B immobilized fiber-direct hemoperfusion. Critical Care, 2012, 16, .	5.8	0
493	Polymyxin B-immobilized fiber column hemoperfusion has the ability of endotoxin removal during 24 hours. Critical Care, 2012, 16, .	5.8	0
494	Polymyxin B-direct hemoperfusion therapy could contribute to hemodynamics and outcomes in emergency surgical patients. Critical Care, 2012, 16, .	5.8	Ο

#	Article	IF	CITATIONS
495	Clinical impact of enhanced cytokine clearance with sustained high-efficiency daily diafiltration using a mediator-adsorbing membrane (SHEDD-fA) in patients with severe sepsis. Critical Care, 2012, 16, .	5.8	0
496	Mortality and priority level for ICU admission in the setting of limited critical care beds in El Salvador. Critical Care, 2012, 16, .	5.8	1
497	Mainz Emergency Evaluation Scoring in combination with capnometry predicts outcome in trauma patients. Critical Care, 2012, 16, .	5.8	0
498	Predicting outcome in the ICU: comparison of Ranson criteria and Ranson + CRP levels in acute pancreatitis. Critical Care, 2012, 16, .	5.8	1
499	Number of failed organs and response to therapy determine outcome in patients with acute pancreatitis requiring level 1 organ support. Critical Care, 2012, 16, .	5.8	0
500	Mortality predictors in acute pancreatitis admitted to the ICU. Critical Care, 2012, 16, .	5.8	0
501	System biology prediction model based on clinical data: highly accurate outcome prediction in patients with acute-on-chronic liver failure. Critical Care, 2012, 16, .	5.8	0
502	Prognostic relevance of arterial ammonia levels in different acute and acute-on-chronic liver diseases. Critical Care, 2012, 16, .	5.8	2
503	Liver failure secondary to alcoholic liver disease carries a worse prognosis than other aetiologies of liver failure: retrospective analysis of routine biochemical markers in critically ill patients with liver failure. Critical Care, 2012, 16, .	5.8	1
504	Incidence, morbidity and mortality of admissions related to alcohol consumption on critical care: a single-centre experience. Critical Care, 2012, 16, .	5.8	1
505	Changing outcomes in patients with chronic liver disease in intensive care: a decade of experience. Critical Care, 2012, 16, .	5.8	2
506	Multivariate regression analysis of outcomes following orthotopic liver transplantation in decompensated cirrhotics transplanted from the ICU. Critical Care, 2012, 16, .	5.8	0
507	Liver transplantation in the critically ill: a Canadian collaboration. Critical Care, 2012, 16, .	5.8	0
508	Acute respiratory distress syndrome: analysis of incidence and mortality in a university hospital critical care unit. Critical Care, 2012, 16, .	5.8	2
509	Epidemiology and outcome of sepsis syndromes in Italian ICUs: a regional multicenter observational cohort. Critical Care, 2012, 16, .	5.8	2
510	Outcome of faecal peritonitis in the ICU. Critical Care, 2012, 16, .	5.8	2
511	HIV patients in the ICU: our experience. Critical Care, 2012, 16, .	5.8	0
512	Impact of congestive heart failure on severe sepsis and septic shock survivors: outcomes and performance status after 1-year hospital discharge. Critical Care, 2012, 16, .	5.8	3

#	Article	IF	CITATIONS
513	Predictive value of N-terminal pro-brain natriuretic peptide among critically ill patients. Critical Care, 2012, 16, .	5.8	0
514	Low preoperative hepcidin concentration is a risk factor for mortality but not for acute kidney injury after cardiac surgery. Critical Care, 2012, 16, .	5.8	0
515	Outcomes and resource use for over 80 year olds admitted to a UK critical care unit after an emergency laparotomy over a 3-year period. Critical Care, 2012, 16, .	5.8	0
516	Correlation between APACHE II score and quality of life among patients discharged from the ICU. Critical Care, 2012, 16, .	5.8	1
517	Parameters that affect outcome in surgical ICU patients. Critical Care, 2012, 16, .	5.8	0
518	Relationship between illness severity scores in the ICU. Critical Care, 2012, 16, .	5.8	0
519	Predicting hospital mortality: comparing accuracy of SAPS II and clinical staff prognosis. Critical Care, 2012, 16, .	5.8	0
520	Predictors of mortality in patients from a hematological ICU in Brazil. Critical Care, 2012, 16, .	5.8	0
521	Retrospective study of the outcomes of patients admitted to the ICU with a hematological malignancy. Critical Care, 2012, 16, .	5.8	0
522	Six-month survival of patients with lung cancer admitted to a medical ICU: a retrospective study. Critical Care, 2012, 16, .	5.8	0
523	Health-related quality of life and survival of cancer patients admitted to ICUs: Results of the QALY study. Critical Care, 2012, 16, .	5.8	1
524	Characteristics, resource consumption and outcome of cancer patients admitted to ICUs. Critical Care, 2012, 16, .	5.8	0
525	Managing critically ill oncological patients in hospital: a survey across all ICUs in the UK. Critical Care, 2012, 16, .	5.8	0
526	Role of illness severity scores in predicting mortality in the coronary care unit. Critical Care, 2012, 16,	5.8	0
527	New severity score of acute respiratory failure. Critical Care, 2012, 16, .	5.8	0
528	Validity of six prognostic scoring systems for septic shock patients admitted to a medical ICU. Critical Care, 2012, 16, .	5.8	0
529	Risk factors of venous thrombosis in knee joint endoprosthesis. Critical Care, 2012, 16, .	5.8	0
530	Proximal and distal deep venous thrombosis in critically ill patients: incidence and prevalence. Critical Care, 2012, 16, .	5.8	1

#	Article	IF	CITATIONS
531	Saddle embolism is associated with the major adverse events in patients with nonhigh-risk pulmonary embolism. Critical Care, 2012, 16, .	5.8	1
532	Efficacy and safety of enoxaparin as deep vein thrombosis prophylaxis in critically ill patients. Critical Care, 2012, 16, .	5.8	Ο
533	Reducing the level of postoperative thrombotic complications by the combination of low molecular weight heparin and epidural anesthesia at the patients after total hysterectomy. Critical Care, 2012, 16,	5.8	0
534	Cost-effectiveness analysis of two thromboprophylactic strategies following major surgery. Critical Care, 2012, 16, .	5.8	0
535	Consequences of suspected heparin-induced thrombocytopenia in the ICU. Critical Care, 2012, 16, .	5.8	0
536	Evaluation of iron, transferrin and ferritin serum levels in patients with severe sepsis and septic shock. Critical Care, 2012, 16, .	5.8	3
537	Using angiogenic factors and their soluble receptors to predict organ dysfunction in patients with disseminated intravascular coagulation associated with severe trauma. Critical Care, 2012, 16, .	5.8	0
538	A simple blood-saving bundle reduces diagnostic blood loss in mechanically ventilated patients. Critical Care, 2012, 16, .	5.8	0
539	Comparative assessment of invasive and noninvasive Methods for detection of total hemoglobin in gynecological patients' blood. Critical Care, 2012, 16, .	5.8	4
540	Use of coagulation screening in the critical care unit. Critical Care, 2012, 16, .	5.8	1
541	Templating effect of clot structure can predict clot development and outcome in diluted blood: a comparison with thromboelastography. Critical Care, 2012, 16, .	5.8	5
542	Fractal analysis: a new biomarker for determining clot characteristics in critically ill patients. Critical Care, 2012, 16, .	5.8	1
543	Fractal dimension: a biomarker for detecting acute thromboembolic disease. Critical Care, 2012, 16, .	5.8	2
544	Thromboelastography (platelet contribution to clot strength) for the assessment of platelet residual function. Critical Care, 2012, 16, .	5.8	0
545	Measurement of hemoglobin in the operating room: what Methods can we trust?. Critical Care, 2012, 16, .	5.8	0
546	Retrospective comparison study of warfarinised trauma patients and an age-matched control group of nonwarfarinised patients. Critical Care, 2012, 16, .	5.8	0
547	In medical-surgical ICU patients, major bleeding is common but independent of heparin prophylaxis. Critical Care, 2012, 16, .	5.8	3
548	Reducing ICU blood draws with artificial intelligence. Critical Care, 2012, 16, .	5.8	2

#	Article	IF	CITATIONS
549	Hemostasis system condition in infectious complication development in severe burned patients. Critical Care, 2012, 16, .	5.8	0
550	Randomized comparison of fibrinogen concentrate versus cryoprecipitate for bleeding control in pediatric cardiac surgery (FICCS study). Critical Care, 2012, 16, .	5.8	6
551	Efficacy of tranexamic acid in decreasing blood loss during cesarean section. Critical Care, 2012, 16, .	5.8	2
552	Reduced EPO receptor expression may contribute to limited pleiotropic effects of EPO during critical illness. Critical Care, 2012, 16, .	5.8	1
553	Recognition and management of haemophagocytic lymphohistiocytosis on the ICU: a case series. Critical Care, 2012, 16, .	5.8	0
554	Blood transfusion is an independent predicting factor for poor outcome after cardiac surgery. Critical Care, 2012, 16, .	5.8	0
555	Red blood transfusion is a predictor of poor outcome in pediatric cardiac surgery. Critical Care, 2012, 16, .	5.8	1
556	No impact of a massive transfusion protocol on coagulopathy and mortality at a level 1 trauma center: why?. Critical Care, 2012, 16, .	5.8	0
557	Massive transfusion practice. Critical Care, 2012, 16, .	5.8	0
558	Red blood cell transfusion improves microdialysis-assessed interstitial lactate/pyruvate ratio in critically ill septic patients. Critical Care, 2012, 16, .	5.8	1
559	Blood transfusion after cardiac surgery increases the hospital length of stay in adult patients. Critical Care, 2012, 16, .	5.8	0
560	Transfusion of blood stored for longer periods of time does not alter the reactive hyperemia index in healthy volunteers. Critical Care, 2012, 16, .	5.8	1
561	Liberal use of platelet transfusions in the acute phase of trauma resuscitation: a systematic review. Critical Care, 2012, 16, .	5.8	0
562	Impact on early trauma mortality of the adoption of the Updated European Guidelines on the management of bleeding. Critical Care, 2012, 16, .	5.8	0
563	Hemodynamics in the severely injured patient with significant hemorrhage. Critical Care, 2012, 16, .	5.8	0
564	Critical older trauma patients. Critical Care, 2012, 16, .	5.8	0
565	Outcomes in older blunt chest wall trauma patients: a retrospective study. Critical Care, 2012, 16, .	5.8	3
566	Mortality trend alteration of thoracic injury after rapid response trauma team establishment. Critical Care, 2012, 16, .	5.8	0

#	ARTICLE	IF	CITATIONS
567	Trauma patients and cervical spine protection in critical care: the impact of a spinal checklist on clinical care and documentation. Critical Care, 2012, 16, .	5.8	0
568	Effect of instrumented spinal fixation on outcome in polytrauma patients in the ICU. Critical Care, 2012, 16, .	5.8	0
569	Whole body computed tomography scanning for severe blunt polytrauma: analysis of Trauma Audit and Research Network database 2005 to 2010. Critical Care, 2012, 16, .	5.8	1
570	Post-traumatic rhabdomyolysis: an observational study in seven patients. Critical Care, 2012, 16, .	5.8	0
571	Exertional rhabdomyolysis in female amateur triathletes. Critical Care, 2012, 16, .	5.8	1
572	Controlled mechanical ventilation tactics in patients with polytrauma during interhospital transportation to the specialized center. Critical Care, 2012, 16, .	5.8	11
573	Impact of fluid resuscitation volume on the severity of organ failures in severely burned patients. Critical Care, 2012, 16, .	5.8	0
574	Organ dysfunction in the resuscitation phase of critical burn patients. Critical Care, 2012, 16, .	5.8	0
575	Epidemiological study of critical burn patients in an ICU. Critical Care, 2012, 16, .	5.8	2
576	Fluid creep in burn resuscitation: the tide has not yet turned. Critical Care, 2012, 16, .	5.8	5
577	Early administration of parenteral estrogen suppresses the deleterious local and systemic inflammatory response in severe burns. Critical Care, 2012, 16, .	5.8	0
578	Reducing the indication of ventilatory support in the severely burnt patient and improving outcomes: Results of a new protocol approach within a regional burns centre. Critical Care, 2012, 16, .	5.8	0
579	Cardiopulmonary exercise testing and elective open abdominal aortic aneurysm surgery over a 6-year period in a UK teaching hospital. Critical Care, 2012, 16, .	5.8	1
580	Perioperative evaluation of elective surgical patients: is it possible to plan ICU admission?. Critical Care, 2012, 16, .	5.8	Ο
581	Cardiac-specific biomarkers and life-threatening complications of off-pump versus on-pump coronary bypass surgery in Egyptian patients. Critical Care, 2012, 16, .	5.8	0
582	Aortic aneurysm disease versus aortic occlusive disease: differences in postoperative ICU requirements after open elective abdominal aortic surgery. Critical Care, 2012, 16, .	5.8	1
583	High postoperative blood levels of macrophage migration inhibitory factor are associated with less organ dysfunction in patients after cardiac surgery. Critical Care, 2012, 16, .	5.8	0
584	Predictors of prolonged mechanical ventilation after heart transplantation. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
585	Atrial fibrillation following major noncardiac thoracic surgery: significance and impact on morbidity. Critical Care, 2012, 16, .	5.8	1
586	Oxygen delivery index during goal-directed therapy predicts complications and hospital length of stay in patients undergoing high-risk surgery. Critical Care, 2012, 16, .	5.8	0
587	Transfer delays in patients referred for neurosurgical intervention with traumatic brain injury. Critical Care, 2012, 16, .	5.8	1
588	Performances of ventilator at simulated altitude. Critical Care, 2012, 16, .	5.8	0
589	Impact of H1N1 influenza on critical care and dependent services in Wales during winter 2010/2011. Critical Care, 2012, 16, .	5.8	0
590	Effects of levels of clinical supervision during simulated ICU scenarios on resident learning and patient care: a qualitative study. Critical Care, 2012, 16, .	5.8	0
591	Virtual reality and live scenario simulation: options for training medical students in mass casualty incident triage. Critical Care, 2012, 16, .	5.8	3
592	Utilization of iPad in the system of emergency demand and acceptance. Critical Care, 2012, 16, .	5.8	0
593	Mass evacuation of victims from emergency areas by medical modules aboard the aircraft of EMERCOM of Russia. Critical Care, 2012, 16, .	5.8	0
594	Reliability and validity of an Italian four-level emergency triage system. Critical Care, 2012, 16, .	5.8	1
595	Coordination of emergency resources after Lorca's earthquakes. Critical Care, 2012, 16, .	5.8	0
596	Lightning injuries in a lightning city: a district hospital experience in Singapore. Critical Care, 2012, 16,	5.8	0
597	Satisfaction survey among medical staff involved in relief operations following the Great East Japan Earthquake and Tsunami. Critical Care, 2012, 16, .	5.8	0
598	Nuclear disaster and the medical problems during the earthquake in Japan, 2011. Critical Care, 2012, 16, .	5.8	0
599	Stressors in the ICU: different perceptions of patients, relatives and staff members. Critical Care, 2012, 16, .	5.8	0
600	Role of ICU nurses in the confrontation of post-traumatic stress disorder in relatives of ICU patients in a general hospital of Athens, Greece. Critical Care, 2012, 16, .	5.8	1
601	Family meetings and end-of-life decision-making in Thai critically ill patients. Critical Care, 2012, 16, .	5.8	0
602	Influence of burnout on attitudes of ICU doctors and nurses towards liberalization of visiting polices. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	Citations
603	Prevalence, risk factors and impact of severe burnout syndrome in 12 Uruguayan ICUs. Critical Care, 2012, 16, .	5.8	0
604	Opening the ICU: views of ICU doctors and nurses before and after liberalization of visiting policies. Critical Care, 2012, 16, .	5.8	3
605	A family-based satisfaction survey on the ICU. Critical Care, 2012, 16, .	5.8	1
606	Immediate needs and level of anxiety of families with traumatic brain injury patients admitted to ICUs. Critical Care, 2012, 16, .	5.8	0
607	Families: the newest members of the ICU multidisciplinary team. Critical Care, 2012, 16, .	5.8	0
608	Family satisfaction in an interdisciplinary ICU: a quality audit. Critical Care, 2012, 16, .	5.8	0
609	Incidence of post-traumatic stress, anxiety and depression symptoms in patients and relatives during the ICU stay and after discharge. Critical Care, 2012, 16, .	5.8	3
610	Application of a new German law as a basis for end-of life decisions in a medical ICU. Critical Care, 2012, 16, .	5.8	0
611	Effect of a full moon on mortality of patients admitted to the ICU. Critical Care, 2012, 16, .	5.8	0
612	Potential association of gender with mortality and withdrawal of life-sustaining therapies in patients with severe TBI: a Canadian multicentre cohort study. Critical Care, 2012, 16, .	5.8	0
613	Making drug delivery in the ICU safer: the implementation of advanced computerised intravenous infusion pumps. Critical Care, 2012, 16, .	5.8	2
614	Growing a positive culture in an ICU antimicrobial stewardship program. Critical Care, 2012, 16, .	5.8	0
615	Injectional anthrax: the inflammatory response. Critical Care, 2012, 16, .	5.8	0
616	Multicenter consensus development of a checklist for lung injury prevention. Critical Care, 2012, 16, .	5.8	2
617	Impact of the Paediatric Intensive Care Outreach Network service on mortality within intensive care. Critical Care, 2012, 16, .	5.8	0
618	In-hospital rapid response system: effects on outcome and workload. Critical Care, 2012, 16, .	5.8	1
619	Medical emergency team admittance to intensive care versus conventional admittance: characteristics and outcome. Critical Care, 2012, 16, .	5.8	0
620	Factors affecting critical care admission to a UK university hospital. Critical Care, 2012, 16, .	5.8	1

#	Article	IF	CITATIONS
621	Intensive care services in Hungary 2000 to 2010: an analysis of bed numbers, occupancy rates, case mix and economics. Critical Care, 2012, 16, .	5.8	0
622	Data acquisition for the UK Critical Care Minimum Data Set: validation of a computer model for automatic calculation from an electronic patient record. Critical Care, 2012, 16, .	5.8	0
623	To admit or not to admit? The suitability of critical care admission criteria. Critical Care, 2012, 16, .	5.8	2
624	Out-of-hours discharge from the ICU: defining the out-of-hours period and its effect on mortality. Critical Care, 2012, 16, .	5.8	3
625	Delayed discharges revisited: impact of a liaison post on patients' transition from ICU to ward care. Critical Care, 2012, 16, .	5.8	0
626	Assessing demand for intensive care services: the role of readmission rates. Critical Care, 2012, 16, .	5.8	0
627	Management of cardiac drugs in a critical care setting. Critical Care, 2012, 16, .	5.8	0
628	Pharmacists and fastidiousness improve compliance with guidelines for stress ulcer prophylaxis. Critical Care, 2012, 16, .	5.8	0
629	Healthcare workers' experience when using an electronic medical order entry and bar-code technology in an ICU. Critical Care, 2012, 16, .	5.8	0
630	Safer ICU trainee handover: a service improvement project. Critical Care, 2012, 16, .	5.8	1
631	ICU handover: are we forgetting something? A preliminary study. Critical Care, 2012, 16, .	5.8	1
632	Quality and value of intensive care discharge summaries for general practitioners. Critical Care, 2012, 16, .	5.8	5
633	Volume-outcome relationship in critical care: a systematic review. Critical Care, 2012, 16, .	5.8	1
634	Radiation doses in young ICU patients: a cause for concern?. Critical Care, 2012, 16, .	5.8	2
635	Accuracy of height and weight estimation by critical care staff. Critical Care, 2012, 16, .	5.8	0
636	Implementation of evidence-based care bundles in the ICU. Critical Care, 2012, 16, .	5.8	1
637	Awareness of difficult airway equipment on the ICU. Critical Care, 2012, 16, .	5.8	0
638	A new patient mobilization scoring system in the ICU: what is the degree of similarity in scores between assessors in daily use?. Critical Care, 2012, 16, .	5.8	0

		CITATION R	EPORT	
#	Article		IF	CITATIONS
639	Motor and respiratory intensive rehabilitation in bedridden patients. Critical Care, 2012	., 16, .	5.8	1
640	Severity of electrophysiological alterations correlates with severity of illness in the early critical illness polyneuropathy. Critical Care, 2012, 16, .	phase of	5.8	0
641	Muscle strength assessment of critically ill patients is associated with functional ability of life at hospital discharge. Critical Care, 2012, 16, .	and quality	5.8	1
642	Functional dependency in the direct post-ICU phase in patients with prolonged mechar Critical Care, 2012, 16, .	ical ventilation.	5.8	0
643	IL-17A rs1974226 GG genotype is associated with increased susceptibility to Gram-pos mortality of severe sepsis. Critical Care, 2012, 16, .	itive infection and	5.8	0
644	Prevalence of TLR4 single nucleotide polymorphisms (ASP299GLY, THR399ILE) in health septic patients, and association with outcome. Critical Care, 2012, 16, .	ny subjects and	5.8	0
645	Modelling immune responses in sepsis. Critical Care, 2012, 16, .		5.8	0
646	Decreased peripheral CD4+/CD8+ lymphocytes and poor prognosis in aged sepsis. Criti	cal Care, 2012, 16,	5.8	0
647	Homeostatic pulmonary microenvironment is responsible for alveolar macrophages res endotoxin tolerance. Critical Care, 2012, 16, .	istance to	5.8	0
648	In vivo natural killer and natural killer T-cell depletion affects mortality in a murine pneu pneumonia sepsis model. Critical Care, 2012, 16, .	mococcal	5.8	0
649	Mobilization of hematopoietic and nonhematopoietic stem cell subpopulations in seps report. Critical Care, 2012, 16, .	s: a preliminary	5.8	3
650	Blunted IL-17 responses early after advent of multiple injuries. Critical Care, 2012, 16, .		5.8	0
651	Apoptosis of neutrophils, expression of TREM-1 on neutrophils and IL-17 responses in e burn in injury are related to the type and time of burn exposure. Critical Care, 2012, 16		5.8	0
652	Insufficient autophagy relates to mitochondrial dysfunction, organ failure and adverse an animal model of critical illness. Critical Care, 2012, 16, .	butcome in	5.8	1
653	Modulation of mediators derived from whole blood or monocytic cells stimulated with lipopolysaccharide reduces endothelial cell activation. Critical Care, 2012, 16, .		5.8	1
654	A/H1N1 infection: immunological parameters in ICU patients. Critical Care, 2012, 16, .		5.8	0
655	Time of course CD64, a leukocyte activation marker, during extracorporeal circulation. 2012, 16, .	Critical Care,	5.8	0
656	Oral neutrophil quantitation in patients undergoing elective cardiopulmonary bypass. C 2012, 16, .	Critical Care,	5.8	0

ARTICLE IF CITATIONS # C13-pyruvate administration revealed differential metabolism between heart, liver and red blood cells 657 5.8 1 and improved heart function during endotoxemia. Critical Care, 2012, 16, . AMP-activated protein kinase controls liposaccharide-induced hyperpermeability. Critical Care, 2012, 5.8 16,. Reduced expression of PPAR- \hat{l}^2/\hat{l}^2 limits the potential beneficial effects of GW0742 during septic shock in 659 5.8 0 atherosclerotic swine. Critical Care, 2012, 16, . Effects of hexafluoro-2-propanol on inflammatory and hemodynamic responses in a rat model of 5.8 endotoxic shock. Critical Care, 2012, 16, . Effects of noradrenaline and lipopolysaccharide exposure on mitochondrial respiration in alveolar 661 5.8 1 macrophages. Critical Care, 2012, 16, . Effects of the anti-diabetic imeglimin in hyperglycemic mice with septic shock. Critical Care, 2012, 16, . 5.8 Adrenomedullin blockade improves catecholamine responsiveness and kidney function in resuscitated 663 5.8 0 murine septic shock. Critical Care, 2012, 16, . Activated protein C, severe sepsis and 28-day mortality. Critical Care, 2012, 16, . 664 5.8 Soluble usokinase plasminogen activator receptor as a useful biomarker to define advent of sepsis in 665 5.8 0 patients with multiple injuries. Critical Care, 2012, 16, . Role of serum biomarkers in the diagnosis of infection in patients undergoing extracorporeal 5.8 membrane oxygenation. Critical Care, 2012, 16, . Correlation of VAP diagnosis with parameters of critically ill patients in a general ICU. Critical Care, 667 5.8 0 2012, 16, . Usefulness of daily monitoring of procalcitonin and C-reactive protein in the early diagnosis of 668 5.8 infection after elective colonic surgery. Critical Care, 2012, 16,. Procalcitonin as a predictive marker for PCR test and blood culture results in suspected invasive 669 5.8 0 candidemia. Critical Care, 2012, 16, . Would procalcitonin measurement aid antimicrobial stewardship in a UK district general hospital 670 5.8 mixed adult critical care population?. Critical Care, 2012, 16, . Procalcitonin has a poor prognosis value in critically ill patients with candidemia. Critical Care, 2012, 671 5.80 16,. Assessment of the usefulness of presepsin (soluble CD14 subtype) in septic patients. Critical Care, 2012, 5.8 Circulating cell-free DNA levels measured by a novel simple fluorescent assay are predictive for 673 5.80 outcome of severe sepsis. Critical Care, 2012, 16, . 674 Clinical usefulness of measuring endotoxin activity on ICU admission. Critical Care, 2012, 16, . 5.8

#	Article	IF	CITATIONS
675	Prognostic value of serum galactomannan in mixed ICU patients: a retrospective observational study. Critical Care, 2012, 16, .	5.8	2
676	Analysis of (1→3) β-d-glucan as a diagnostic adjunct for invasive fungal infections in the ICU setting. Critical Care, 2012, 16, .	5.8	0
677	Impaired heart rate variability predicts clinical deterioration and progressive organ failure in emergency department sepsis patients. Critical Care, 2012, 16, .	5.8	6
678	Severe community-acquired pneumonia: risk factors for in-hospital mortality. Critical Care, 2012, 16, .	5.8	2
679	Systemic corticosteroids for community-acquired pneumonia in adults. Critical Care, 2012, 16, .	5.8	1
680	Characteristics of leptospirosis patients admitted to a tropical university hospital during the 2000 to 2010 period. Critical Care, 2012, 16, .	5.8	1
681	Prognostic impact of imported and newly-isolated methicillin-resistant Staphylococcus aureus in the ICU. Critical Care, 2012, 16, .	5.8	0
682	Necrotizing pneumonia due to methicillin-sensitive Staphylococcus aureus secreting Panton-Valentine leukocidin: a review of case reports. Critical Care, 2012, 16, .	5.8	0
683	Predicting methicillin-resistant Staphylococcus aureus in critically ill patients with pneumonia presenting to the hospital. Critical Care, 2012, 16, .	5.8	0
684	Predictors of multidrug-resistant Acinetobacter baumannii infections: a retrospective analysis in surgical ICU patients. Critical Care, 2012, 16, .	5.8	0
685	Risk factors for bronchial acquisition of resistant Gram-negative bacteria in critically ill patients and outcome. Critical Care, 2012, 16, .	5.8	0
686	Improved antibiotic stewardship resulting from a multifaceted strategy implemented after an outbreak of multiresistant Acinetobacter baumannii in a university ICU. Critical Care, 2012, 16, .	5.8	0
687	Empirical antifungal treatment in the critically ill patients: how does it impact on the outcome?. Critical Care, 2012, 16, .	5.8	1
688	Relationship between polyclonal immunoglobulin therapy and colonization by Candida spp Critical Care, 2012, 16, .	5.8	0
689	Predictive and prognostic factors of septic shock of nosocomial origin. Critical Care, 2012, 16, .	5.8	1
690	Catheter-related bloodstream infection: factors affecting incidence. Critical Care, 2012, 16, .	5.8	0
691	Prognostic factors of septic shock. Critical Care, 2012, 16, .	5.8	0
692	Severe sepsis in the United Sates: a 5-year analysis. Critical Care, 2012, 16, .	5.8	ο

\sim			<u> </u>	
CI	ITATI	ON	REPO	JRT

#	Article	IF	CITATIONS
693	District hospital experience of organ support requirements for H1N1-associated pneumonia. Critical Care, 2012, 16, .	5.8	0
694	Compliance with the sepsis resuscitation bundle in patients with severe sepsis and septic shock admitted to Scottish ICUs. Critical Care, 2012, 16, .	5.8	0
695	Improving early administration of antibiotics: a 'Plan Do Study Act' approach. Critical Care, 2012, 16, .	5.8	0
696	Source-directed antimicrobials: a shot in the dark?. Critical Care, 2012, 16, .	5.8	0
697	Relation between temperature in the initial 24 hours in patients with severe sepsis or septic shock with mortality and length of stay in the ICU. Critical Care, 2012, 16, .	5.8	0
698	Temperature management for patients without brain injury in Australia and New Zealand ICUs: a point prevalence study. Critical Care, 2012, 16, .	5.8	1
699	Impact of antifungal treatment in ICU patients with Candida colonization: analysis of the EPIC II study population. Critical Care, 2012, 16, .	5.8	0
700	Pharmacokinetics of micafungin in patients with severe burn injuries. Critical Care, 2012, 16, .	5.8	0
701	Bacteremia affects the mortality of septic patients with high serum procalcitonin level in the ICU. Critical Care, 2012, 16, .	5.8	0
702	Cases of tetanus after the Japan crisis 2011. Critical Care, 2012, 16, .	5.8	1
703	Does the day of the week predict the presence of microbiologically confirmed ventilator-associated pneumonia?. Critical Care, 2012, 16, .	5.8	0
704	Assessing perforation of acute appendicitis using the delta neutrophil index reflecting the peripheral immature granulocyte count. Critical Care, 2012, 16, .	5.8	0
705	Effects of a multifaceted quality improvement intervention in reducing mortality and bloodstream infection in ICUs: insights from the QUALITI initiative. Critical Care, 2012, 16, .	5.8	0
706	Ceftazidime dosage regimen recommendations in burn patients based on a Monolix population pharmacokinetic study. Critical Care, 2012, 16, .	5.8	0
707	Continuous versus intermittent vancomycin in children after cardiac surgery with delayed sternal closure. Critical Care, 2012, 16, .	5.8	1
708	Elimination of linezolid in patients undergoing low-flow continuous venovenous haemodiafiltration. Critical Care, 2012, 16, .	5.8	1
709	A post-authorisation survey to analyse the perioperative teicoplanin plasma concentrations in adult patients with chronic bone sepsis, who received loading doses of 12 mg/kg 12-hourly for 48 hours followed by 12 mg/kg once daily. Critical Care, 2012, 16, .	5.8	2
710	Pharmacokinetics of inhaled colistin in critically ill patients with ventilator-associated tracheobronchitis. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
711	Efficacy of inhaled tobramycin in severe nosocomial pneumonia. Critical Care, 2012, 16, .	5.8	1
712	Comparison of a bronchoscopic microsample probe with bronchoalveolar lavage to measure cytokine levels in critically ill patients. Critical Care, 2012, 16, .	5.8	1
713	Clinical and epidemiological risk factors for ventilator-associated pneumonia in a cohort of critically ill patients. Critical Care, 2012, 16, .	5.8	1
714	Use of a ventilator-associated pneumonia (VAP) bundle to decrease the VAP rate in Syria. Critical Care, 2012, 16, .	5.8	0
715	A strategy for prevention and control of catheter-related bloodstream infection of ICU patients in China (Prevent CRBSI): a prospective, multicenter, controlled study. Critical Care, 2012, 16, .	5.8	1
716	Wash your hands: simple measures save lives. Critical Care, 2012, 16, .	5.8	0
717	Comparison of hand hygiene in single-room versus open-plan ICUs. Critical Care, 2012, 16, .	5.8	1
718	Compliance for decontamination of bedside computer keyboards on an ICU. Critical Care, 2012, 16, .	5.8	0
719	Reduced air contamination in an ICU environment with a portable air purification system. Critical Care, 2012, 16, .	5.8	0
720	Effectiveness of an innovative system for the bio-decontamination of the ICU. Critical Care, 2012, 16, .	5.8	0
721	Massive hemoptysis in a respiratory ICU: causes, interventions and outcomes - Indian study. Critical Care, 2012, 16, .	5.8	1
722	Capnography use in Scottish ICUs. Critical Care, 2012, 16, .	5.8	0
723	Digitalized acoustic monitoring of lung congestion. Critical Care, 2012, 16, .	5.8	0
724	Usefulness of electrical activity of the diaphragm to detect intrinsic positive end-expiratory pressure during pressure support ventilation. Critical Care, 2012, 16, .	5.8	0
725	Adequate lung sliding identification is not influenced by the level of academic or ultrasound training. Critical Care, 2012, 16, .	5.8	0
726	Lung ultrasound can differentiate Pneumocystis jiroveci versus other etiologies among critically ill AIDS patients with pneumonia. Critical Care, 2012, 16, .	5.8	5
727	Difference in accuracy of lung sliding identification between the right and left hemithorax. Critical Care, 2012, 16, .	5.8	0
728	Trans-thoracic echo evaluation before and during noninvasive ventilation. Critical Care, 2012, 16, .	5.8	1

#	Article	IF	CITATIONS
729	Listen to PaO2/FiO2 ratios: they tell us about length of stay. Critical Care, 2012, 16, .	5.8	0
730	Worst Oxygenation Index during the first 24 hours of ventilation predicts mortality. Critical Care, 2012, 16, .	5.8	0
731	The Oxygenation Index compared with the P/F ratio in ALI/ARDS. Critical Care, 2012, 16, .	5.8	3
732	Do actual tidal volumes differ from prescribed tidal volumes?. Critical Care, 2012, 16, .	5.8	0
733	Intratracheal administration of siRNA targeting FAS reduces ischemia-reperfusion-induced lung injury. Critical Care, 2012, 16, .	5.8	0
734	Acute lung injury in mice associates with p44/42 and c-Jun N-terminal kinase activation and requires the function of TNFα receptor I. Critical Care, 2012, 16, .	5.8	0
735	Retrieval of patients with severe respiratory failure on venovenous extracorporeal membrane oxygenation: an intensivist-led model. Critical Care, 2012, 16, .	5.8	0
736	A new miniaturized extracorporeal membrane oxygenator with integrated rotary blood pump (Ilias): first results in a porcine model of lung injury. Critical Care, 2012, 16, .	5.8	0
737	ECMO in nonintubated patients as a bridge to lung transplant: our experience. Critical Care, 2012, 16, .	5.8	2
738	Extracorporeal life support in major trauma: case series from a tertiary referral trauma. Critical Care, 2012, 16, .	5.8	Ο
739	Two years' experience with bicaval dual lumen cannula for venovenous extracorporeal membrane oxygenation in adult refractory acute respiratory distress syndrome. Critical Care, 2012, 16, .	5.8	1
740	Resolution of organ functional scores to predict outcomes in severe acute respiratory distress syndrome patients receiving extracorporeal membrane oxygenation. Critical Care, 2012, 16, .	5.8	1
741	Corticosteroids for critically ill patients: an international survey of intensivists. Critical Care, 2012, 16, .	5.8	0
742	Effects of salbutamol on airway characteristics in mechanically ventilated adults without COPD. Critical Care, 2012, 16, .	5.8	1
743	Respiratory system elastance monitoring during PEEP titration. Critical Care, 2012, 16, .	5.8	4
744	Accuracy of the pressure-volume curve method compared to quantitative lung CT scan to assess the recruitable lung in patients with acute respiratory failure. Critical Care, 2012, 16, .	5.8	1
745	Flow-controlled expiration discloses PEEP-dependent dynamic hysteresis of the pressure-volume loop. Critical Care, 2012, 16, .	5.8	0
746	Feasibility of early spontaneous breathing in acute respiratory distress syndrome. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
747	A device for ventilation-analogue mechanostimulation in vitro. Critical Care, 2012, 16, .	5.8	0
748	Hemodynamics effects of recruitment maneuver. Critical Care, 2012, 16, .	5.8	2
749	Differential pulmonary and circulatory effects of preventive lung protective ventilation in an experimental postoperative sepsis model. Critical Care, 2012, 16, .	5.8	0
750	High NT-proBNP level is correlated with high PEEP, low PH and low PaO2/FiO2 in ARDS. Critical Care, 2012, 16, .	5.8	0
751	Early application of high-frequency oscillatory ventilation in H1N1 influenza-related severe ARDS is associated with better outcome. Critical Care, 2012, 16, .	5.8	0
752	Outcomes of early delivery in pregnant patients with acute respiratory distress syndrome. Critical Care, 2012, 16, .	5.8	4
753	Mechanical ventilation demographics between 1999 and 2009. Critical Care, 2012, 16, .	5.8	0
754	Mechanical ventilation in intensive and critical care units of Russia: RuVent national epidemiologic study. Critical Care, 2012, 16, .	5.8	3
755	Use of a fully closed-loop ventilation mode in long-term ventilated ICU patients: a prospective study. Critical Care, 2012, 16, .	5.8	0
756	Effects of low and high tidal volume and pentoxifylline on intestinal blood flow and leukocyte-endothelial interactions in mechanically ventilated rats. Critical Care, 2012, 16, .	5.8	0
757	A method for continuous noninvasive assessment of respiratory mechanics during spontaneous breathing. Critical Care, 2012, 16, .	5.8	0
758	Influence of catheter diameter, endotracheal tube diameter, suction pressure, and PEEP on the tracheal pressure and lung volume during endotracheal suctioning using a lung model. Critical Care, 2012, 16, .	5.8	0
759	Risk factors of mortality in severe cutaneous adverse reactions patients with pulmonary involvement. Critical Care, 2012, 16, .	5.8	0
760	During spontaneous breathing cardiac output lacks major effect on pulmonary shunting in porcine lungs with partial collapse. Critical Care, 2012, 16, .	5.8	0
761	Oxygenation correlates with lung aeration during unsupported spontaneous breathing in porcine lung collapse model. Critical Care, 2012, 16, .	5.8	0
762	Safety and effect of intermittent intrapulmonary percussive ventilation on oxygen saturation and hemodynamic functions. Critical Care, 2012, 16, .	5.8	0
763	Impact of an open lung approach on hemodynamic parameters after cardiac surgery. Critical Care, 2012, 16, .	5.8	0
764	A protective-ventilation strategy reduces pulmonary complications after cardiac surgery. Critical Care, 2012, 16, .	5.8	1

ARTICLE IF CITATIONS # A rule for predicting the new equilibrated carbon dioxide partial pressure after changes in the 765 5.8 0 ventilation frequency. Critical Care, 2012, 16, . Patient-ventilator asynchrony during conventional or automated pressure support ventilation in 5.8 difficult-to-wean patients. Critical Care, 2012, 16, . High levels of B-type natriuretic peptide predict weaning failure from mechanical ventilation in adult 767 5.8 0 patients after cardiac surgery. Critical Care, 2012, 16, . Case-control study of failed extubation. Critical Care, 2012, 16, . 5.8 Out-of-bed extubation: changing paradigms. Critical Care, 2012, 16, . 769 5.8 1 Prediction of post-extubation failure by portable ICU ultrasound. Critical Care, 2012, 16, . 5.8 771 Intermittent aspiration of pharyngeal secretion for re-intubation prevention. Critical Care, 2012, 16, . 5.8 0 Efficacy of biphasic cuirass ventilation in the critical care department. Critical Care, 2012, 16, . 5.8 Differences in neurophysiologic effects between CPAP and a novel high-flow therapy system. Critical 773 5.8 0 Care, 2012, 16, . Management of acute bronchospasm respiratory distress with CPAP ventilation associated with 774 5.8 nebulization in the prehospital emergency setting. Critical Care, 2012, 16, . Difference between continuous positive airway pressure via mask therapy plus chest physiotherapy (CPT) and incentive spirometry therapy plus CPT to treat or prevent acute atelectasis after cardiac 775 0 5.8surgery. Critical Care, 2012, 16, . Nasal high-flow oxygen in patients with hypoxic respiratory failure: effect on functional and subjective respiratory parameters compared to conventional oxygen therapy and noninvasive ventilation. Critical Care, 2012, 16, . 5.8 Short-term effect of humidified high nasal flow oxygen in critically ill patients. Critical Care, 2012, 16, 777 5.8 0 Good response on high nasal oxygen flow reduces the need for intubation in adult respiratory 778 5.8 failure. Critical Care, 2012, 16, . An audit of airway complications in a district general hospital ICU. Critical Care, 2012, 16, . 779 0 5.8 Multidisciplinary care for patients with tracheostomy shortened time to decannulation. Critical 5.8 Care, 2012, 16, . Influence of percutaneous tracheostomy on gas exchange in mechanically ventilated patients. Critical 781 5.8 0 Care, 2012, 16, . Bronchoscope-guided percutaneous dilatational tracheostomy performed by an experienced intensivist: a 26-month experience at a tertiary care center in United Arab Emirates. Critical Care, 2012, 5.8 16,.

#	Article	IF	Citations
783	Risk factors for poor outcome in patients with osmotic demyelination syndrome. Critical Care, 2012, 16, .	5.8	3
784	Is inappropriate secretion of anti-diuretic hormone (SIADH) the cause of hyponatremia in Legionella pneumonia?. Critical Care, 2012, 16, .	5.8	0
785	Fluctuations in serum sodium level are associated with an increased risk of death in surgical ICU patients. Critical Care, 2012, 16, .	5.8	0
786	Impact of ketogenesis and strong ion difference on acid-base in our CICU. Critical Care, 2012, 16, .	5.8	0
787	Buffer therapy in metabolic acidosis after surgery-associated hemorrhage in pediatric oncology. Critical Care, 2012, 16, .	5.8	0
788	An unusual cause of high anion gap metabolic acidosis: pyroglutamic acidosis. Critical Care, 2012, 16, .	5.8	1
789	Metabolic acid-base disturbances in patients in the emergency department. Critical Care, 2012, 16, .	5.8	0
790	Aberrant bone metabolism in critical illness. Critical Care, 2012, 16, .	5.8	0
791	Low serum 25-hydroxyvitamin D levels and acute kidney injury in the critically ill. Critical Care, 2012, 16, .	5.8	2
792	Concentration of major vitamins in critically ill patients. Critical Care, 2012, 16, .	5.8	0
793	No association between vitamin D deficiency at admission and outcome in a medical ICU. Critical Care, 2012, 16, .	5.8	0
794	Plasma levels of Coenzyme Q10 are reduced in critically ill patients as compared to healthy volunteers and correlate with age. Critical Care, 2012, 16, .	5.8	3
795	Reduced cortisol metabolism drives hypercortisolism in critical illness. Critical Care, 2012, 16, .	5.8	0
796	Effect of low-dose hydrocortisone on the expression of glucocorticoid receptor alpha of the septic kidney in rats and its protective effect on kidney injury. Critical Care, 2012, 16, .	5.8	0
797	Hydrocortisone increases the risk of dysglycemia in critically ill patients. Critical Care, 2012, 16, .	5.8	0
798	Nutritional status of patients occupying ICUs in the state of Rio de Janeiro. Critical Care, 2012, 16, .	5.8	0
799	Investigating diarrhoea on the ICU: a retrospective study. Critical Care, 2012, 16, .	5.8	0
800	Preliminary report of surface electrogastrography in critically ill septic patients after resuscitation. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
801	Frequency, determinants and impact of feed intolerance amongst the critically ill. Critical Care, 2012, 16, .	5.8	1
802	Gastric emptying assessment in critically ill patients with feed intolerance; comparison of 13C octanoic acid, paracetamol and 3-O-methylglucose absorption tests. Critical Care, 2012, 16, .	5.8	1
803	Early enteral nutrition in the critically ill: a single-centre study. Critical Care, 2012, 16, .	5.8	0
804	Preliminary experience with ketone-targeted treatment of diabetic ketoacidosis. Critical Care, 2012, 16,	5.8	0
805	Impact of blood glucose on blood lactate levels in a medical ICU: a retrospective cohort study. Critical Care, 2012, 16, .	5.8	8
806	Relationship between glycemic Lability Index, infections and outcome in critically ill patients. Critical Care, 2012, 16, .	5.8	2
807	Variability of insulin sensitivity during the first 4 days of critical illness. Critical Care, 2012, 16, .	5.8	5
808	Endogenous insulin secretion in critically ill patients. Critical Care, 2012, 16, .	5.8	0
809	Impact of the type of glucose monitoring on the assessment of glycemic variability in critical care patients. Critical Care, 2012, 16, .	5.8	2
810	Evaluation of a continuous blood glucose monitoring system using a central venous catheter with an integrated microdialysis function. Critical Care, 2012, 16, .	5.8	0
811	Variable and maximum blood glucose levels during the first week after ICU admission are related to the patients. Critical Care, 2012, 16, .	5.8	0
812	Pilot trial of STAR in the medical ICU. Critical Care, 2012, 16, .	5.8	0
813	Glucometer accuracy and implications for clinical studies. Critical Care, 2012, 16, .	5.8	1
814	Initial experience with continuous intra-arterial fluorescent glucose monitoring in patients in the ICU following cardiac surgery. Critical Care, 2012, 16, .	5.8	0
815	Preliminary ICU experience of a novel intravascular blood glucose sensor. Critical Care, 2012, 16, .	5.8	3
816	Does tight glycemic control positively impact on patient mortality?. Critical Care, 2012, 16, .	5.8	0
817	Glycaemic control in ICUs in large English hospitals: a follow-up telephone survey. Critical Care, 2012, 16, .	5.8	0
818	Model-based regulation of glucose in critical care. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
819	Perioperative glycemic control with a computerized algorithm versus conventional glycemic control. Critical Care, 2012, 16, .	5.8	2
820	Efficacy of the novel heart attack centre extension pathway: a pilot study. Critical Care, 2012, 16, .	5.8	0
821	Integral assistance process implantation for ST-elevated acute coronary syndrome. Critical Care, 2012, 16, .	5.8	0
822	Prognostic value of Killip classification in terms of health-related quality of life. Critical Care, 2012, 16, .	5.8	0
823	Modes of arrival, door to balloon time and its impact on morbidity and mortality for ST elevation myocardial infarct. Critical Care, 2012, 16, .	5.8	4
824	Next-generation, fast and accurate point-of-care test for NT-proBNP based on Magnotech technology. Critical Care, 2012, 16, .	5.8	0
825	Right ventricular apical versus septal pacing: impact on left ventricular synchrony and function. Critical Care, 2012, 16, .	5.8	2
826	Consecutive case series of Takotsubo cardiomyopathy: a disease potentially triggered by the Great East Japan Earthquake. Critical Care, 2012, 16, .	5.8	0
827	Stress cardiomyopathy after live donor liver transplantation: incidence, risk factors and mortality. Critical Care, 2012, 16, .	5.8	0
828	Short-term hemodynamic effects of nebivolol in acute decompensated heart failure: a randomized clinical trial. Critical Care, 2012, 16, .	5.8	0
829	Patients with infective endocarditis patients in the ICU: how are they?. Critical Care, 2012, 16, .	5.8	0
830	Malperfusion and branch compromise in acute type A aortic syndrome. Critical Care, 2012, 16, .	5.8	0
831	Prognostic value of the echocardiographic-derived calcium index in coronary artery disease. Critical Care, 2012, 16, .	5.8	0
832	Echocardiography in the ICU: an audit of 3 years practice. Critical Care, 2012, 16, .	5.8	1
833	Left ventriculum diastolic dysfunction in pediatric septic shock. Critical Care, 2012, 16, .	5.8	0
834	Existence of interference between the heart and respiratory sounds: preliminary report. Critical Care, 2012, 16, .	5.8	0
835	Effects of the intravenous administration of purine nucleosides guanosine or inosine against hemorrhagic shock in pigs. Critical Care, 2012, 16, .	5.8	0
836	Norepinephrine versus angiotensin II in septic shock: effects on isolated kidney, heart and liver mitochondrial respiration. Critical Care, 2012, 16, .	5.8	0

#	Article	IF	CITATIONS
837	Goal-directed hemodynamic resuscitation in high-risk patients undergoing cardiac surgery: a randomized controlled trial - preliminary data (GRICCS STUDY). Critical Care, 2012, 16, .	5.8	1
838	Economic evaluation of early-goal directed therapy for high-risk surgical patients. Critical Care, 2012, 16, .	5.8	0
839	What matters during a hypotensive episode: fluids, vasopressors, or both?. Critical Care, 2012, 16, .	5.8	0
840	Elevated central venous pressure in septic patients is associated with impairment of microcirculatory blood flow. Critical Care, 2012, 16, .	5.8	0
841	Human protein C concentrate to restore physiological values in adult septic shock patients: effects on microcirculation. Critical Care, 2012, 16, .	5.8	2
842	Heart rate reduction with esmolol in septic shock: effects on microcirculation. Critical Care, 2012, 16,	5.8	1
843	Microcirculation and blood transfusion: effects of three different types of concentrated red blood cells - preliminary results. Critical Care, 2012, 16, .	5.8	2
844	Peripheral perfusion is correlated to metabolic perfusion parameters and microvascular reactivity but not with hepatosplanchnic or microcirculatory flow parameters in hyperdynamic septic shock. Critical Care, 2012, 16, .	5.8	0
845	Hyperoxia affects peripheral tissue microcirculation in patients with pulmonary arterial hypertension. Critical Care, 2012, 16, .	5.8	2
846	Supraclavicular ultrasound-guided subclavian vein cannulation in infants under 5 kg. Critical Care, 2012, 16, .	5.8	0
847	Central venous catheter placement: where is the end of the line?. Critical Care, 2012, 16, .	5.8	0
848	Power-injectable peripherally inserted central catheters in intensive care patients. Critical Care, 2012, 16, .	5.8	1
849	Comparison of internal jugular and subclavian access for central venous catheterization in pediatric cardiac surgery. Critical Care, 2012, 16, .	5.8	2
850	Ultrasound-guided central venous line placement in critically ill patients: is chest X-ray needed to assess post-insertion pneumothorax?. Critical Care, 2012, 16, .	5.8	0
851	Errors in the arterial blood pressure measurement. Critical Care, 2012, 16, .	5.8	1
852	The T-Line TL-200 system for continuous noninvasive blood pressure measurement in medical ICU patients. Critical Care, 2012, 16, .	5.8	0
853	Reliability of radial arterial pressure monitoring after cardiac surgery. Critical Care, 2012, 16, .	5.8	1
854	Right/left ventricular area ratio does not correlate with right ventricular impedance. Critical Care, 2012, 16, .	5.8	1

#	Article	IF	CITATIONS
855	Role of mannose-binding lectin on pneumococcal infections. Critical Care, 2012, 16, .	5.8	0
857	Informing Shared Decisions about Advance Directives for Patients with Severe Chronic Obstructive Pulmonary Disease: A Modeling Approach. Value in Health, 2012, 15, 357-366.	0.3	6
858	Current Knowledge of Acute Lung Injury and Acute Respiratory Distress Syndrome. Critical Care Nursing Clinics of North America, 2012, 24, 377-401.	0.8	5
859	The transition from acute to chronic pain: might intensive care unit patients be at risk?. Annals of Intensive Care, 2012, 2, 36.	4.6	60
860	Qualidade de vida prévia à internação em unidade de terapia intensiva. Revista Brasileira De Terapia Intensiva, 2012, 24, 341-346.	0.3	8
861	Development and preliminary evaluation of a telephone-based coping skills training intervention for survivors of acute lung injury and their informal caregivers. Intensive Care Medicine, 2012, 38, 1289-1297.	8.2	48
862	Outcome of <scp>ICU</scp> survivors: a comprehensive review. The role of patientâ€reported outcome studies. Acta Anaesthesiologica Scandinavica, 2012, 56, 1092-1103.	1.6	41
863	A genotype-specific, randomized controlled behavioral intervention to improve the neuroemotional outcome of cardiac surgery: study protocol for a randomized controlled trial. Trials, 2013, 14, 89.	1.6	10
864	The PRESERVE mortality risk score and analysis of long-term outcomes after extracorporeal membrane oxygenation for severe acute respiratory distress syndrome. Intensive Care Medicine, 2013, 39, 1704-1713.	8.2	454
866	The pain, agitation, and delirium practice guidelines for adult critically ill patients: a post-publication perspective. Annals of Intensive Care, 2013, 3, 9.	4.6	34
867	Pupillary reflex measurement predicts insufficient analgesia before endotracheal suctioning in critically ill patients. Critical Care, 2013, 17, R161.	5.8	57
868	General anxiety symptoms after acute lung injury: Predictors and correlates. Journal of Psychosomatic Research, 2013, 75, 287-293.	2.6	33
869	A critical review and synthesis of qualitative research on patient experiences of critical illness. Intensive and Critical Care Nursing, 2013, 29, 147-157.	2.9	69
872	Determinants of Procedural Pain Intensity in the Intensive Care Unit. The Europain® Study. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 39-47.	5.6	259
874	Pain in Intensive Care: A Personalised Healthcare Approach. Journal of the Intensive Care Society, 2013, 14, 312-318.	2.2	5
875	The Pain, Agitation, and Delirium Care Bundle. Critical Care Medicine, 2013, 41, S99-S115.	0.9	116
876	Top 10 Myths Regarding Sedation and Delirium in the ICU. Critical Care Medicine, 2013, 41, S46-S56.	0.9	46
877	Surviving the ICU Does Not Mean That the War Is Over. Chest, 2013, 144, 1-3.	0.8	15

	CHAHON		
# 878	ARTICLE As You Tend to Tristan, Don't Ignore Iseult*. Critical Care Medicine, 2013, 41, 339-340.	IF 0.9	Citations
879	Clinical Practice Guidelines for the Management of Pain, Agitation, and Delirium in Adult Patients in the Intensive Care Unit. Critical Care Medicine, 2013, 41, 263-306.	0.9	3,066
880	Emotional sequelae among survivors of critical illness. European Journal of Anaesthesiology, 2013, 30, 111-118.	1.7	26
881	Children's Self-Reported Quality of Life After Intensive Care Treatment*. Pediatric Critical Care Medicine, 2013, 14, e85-e92.	0.5	73
882	Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit: Executive summary. American Journal of Health-System Pharmacy, 2013, 70, 53-58.	1.0	150
883	The endocannabinoid system as a possible target to treat both the cognitive and emotional features of post-traumatic stress disorder (PTSD). Frontiers in Behavioral Neuroscience, 2013, 7, 100.	2.0	69
885	Rehabilitation after critical illness. , 0, , 321-328.		0
886	Posttraumatic Stress Disorder in Patients Following Intensive Care Unit Treatment: A Review of Studies Regarding Prevalence and Risk Factors. Journal of Trauma & Treatment, 2014, 03, .	0.0	11
887	Japanese guidelines for the management of Pain, Agitation, and Delirium in intensive care unit (J-PAD). Journal of the Japanese Society of Intensive Care Medicine, 2014, 21, 539-579.	0.0	34
888	Accidental awareness during general anaesthesia in the United Kingdom and Ireland. Journal of the Royal College of Physicians of Edinburgh, The, 2014, 44, 289-290.	0.6	7
889	Transtornos de estresse pós-traumático após sepse grave ou choque séptico. , 2014, 93, 26.	0.1	1
890	Development and Preliminary Evaluation of a Telephone-based Mindfulness Training Intervention for Survivors of Critical Illness. Annals of the American Thoracic Society, 2014, 11, 173-181.	3.2	36
892	The role of glucocorticoids, catecholamines and endocannabinoids in the development of traumatic memories and posttraumatic stress symptoms in survivors of critical illness. Neurobiology of Learning and Memory, 2014, 112, 68-74.	1.9	43
893	Economic evaluation of nurse-led intensive care follow-up programmes compared with standard care: the PRaCTICaL trial. European Journal of Health Economics, 2014, 15, 243-252.	2.8	15
894	Efficacy and Safety of Analgosedation with Fentanyl Compared with Traditional Sedation with Propofol. Pharmacotherapy, 2014, 34, 643-647.	2.6	19
895	Increased co-morbidity of depression and post-traumatic stress disorder symptoms and common risk factors in intensive care unit survivors: A two-year follow-up study. International Journal of Psychiatry in Clinical Practice, 2014, 18, 25-31.	2.4	38
896	Costâ€effectiveness of blood donor screening for <i><scp>B</scp>abesia microti</i> in endemic regions of the <scp>U</scp> nited <scp>S</scp> tates. Transfusion, 2014, 54, 889-899.	1.6	36
897	Posttraumatic stress disorder among survivors of critical illness: creation of a conceptual model addressing identification, prevention, and management. Intensive Care Medicine, 2014, 40, 820-829.	8.2	49

ITATION R

#	Article	IF	Citations
898	Sleep in intensive care units. Current Respiratory Care Reports, 2014, 3, 35-41.	0.6	4
899	"Releasing a lot of poisons from my mindâ€i Patients' delusional memories of intensive care. Heart and Lung: Journal of Acute and Critical Care, 2014, 43, 427-431.	1.6	24
900	Maintaining comfort, cognitive function, and mobility in surgical intensive care unit patients. Journal of Trauma and Acute Care Surgery, 2014, 77, 364-375.	2.1	4
901	Physical, Cognitive, and Psychological Disability Following Critical Illness: What Is the Risk?. Seminars in Respiratory and Critical Care Medicine, 2015, 36, 943-958.	2.1	46
902	Presurgical Psychological and Neuroendocrine Predictors of Psychiatric Morbidity After Major Vascular Surgery. Psychosomatic Medicine, 2015, 77, 993-1005.	2.0	13
903	Ten Myths and Misconceptions Regarding Pain Management in the ICU. Critical Care Medicine, 2015, 43, 2468-2478.	0.9	48
904	Intrusive memories of hallucinations and delusions in traumatized intensive care patients: An interview study. British Journal of Health Psychology, 2015, 20, 613-631.	3.5	82
905	The Outcomes of Children With Pediatric Acute Respiratory Distress Syndrome. Pediatric Critical Care Medicine, 2015, 16, S118-S131.	0.5	84
906	Originalia. Prozessorientierte Begleitung von Menschen im Koma. Spiritual Care, 2015, 4, 38-50.	0.1	0
907	Prevalence of Posttraumatic Stress Disorder and Related Factors Among Patients Discharged From Critical Care Units in Kashan, Iran. Archives of Trauma Research, 2015, 4, e28466.	0.9	14
908	Sedation Options for Intubated Intensive Care Unit Patients. Critical Care Nursing Clinics of North America, 2015, 27, 131-145.	0.8	3
909	Psychological experience of patients 3 months after a stay in the intensive care unit: A descriptive and qualitative study. Journal of Critical Care, 2015, 30, 599-605.	2.2	97
910	Neuromuscular and Neuropsychological Assessments in Survivors of Acute Respiratory Distress Syndrome: Exploratory Comparisons with an At-Risk Cohort. Neurocritical Care, 2015, 22, 395-402.	2.4	0
911	Our paper 20Âyears later: 1-year survival and 6-month quality of life after intensive care. Intensive Care Medicine, 2015, 41, 605-614.	8.2	7
912	Extracorporeal gas exchange for acute respiratory failure in adult patients: a systematic review. Critical Care, 2015, 19, 99.	5.8	60
913	Psychometric evaluation of the Hospital Anxiety and Depression Scale 3 months after acute lung injury. Journal of Critical Care, 2015, 30, 793-798.	2.2	60
914	Postoperative delirium is an independent risk factor for posttraumatic stress disorder in the elderly patient. European Journal of Anaesthesiology, 2015, 32, 147-151.	1.7	53
915	Changes in healthâ€related quality of life in older patients one year after an intensive care unit stay. Journal of Clinical Nursing, 2015, 24, 3107-3117.	3.0	8

#	Article	IF	Citations
916	Development of a pain management algorithm for intensive care units. Heart and Lung: Journal of Acute and Critical Care, 2015, 44, 521-527.	1.6	20
917	Identification and prevalence of PTSD risk factors in ECMO patients: A single centre study. Australian Critical Care, 2015, 28, 31-36.	1.3	26
918	Sedation, Analgesia Delirium in the ECMO Patient. , 0, , .		5
919	Coping as a Multifaceted Construct: Associations With Psychological Outcomes Among Family Members of Mechanical Ventilation Survivors. Critical Care Medicine, 2016, 44, 1710-1717.	0.9	27
920	Outcome Measurement in ICU Survivorship Research From 1970 to 2013: A Scoping Review of 425 Publications*. Critical Care Medicine, 2016, 44, 1267-1277.	0.9	170
921	Patient Recollection of ICU Procedural Pain and Post ICU Burden: The Memory Study*. Critical Care Medicine, 2016, 44, 1988-1995.	0.9	36
922	Posttraumatic stress symptoms in intensive care patients: An exploration of associated factors Rehabilitation Psychology, 2016, 61, 141-150.	1.3	30
923	Recovery and outcomes after the acute respiratory distress syndrome (ARDS) in patients and their family caregivers. Intensive Care Medicine, 2016, 42, 725-738.	8.2	304
924	Application of Clinical Practice Guidelines for Pain, Agitation, and Delirium. Critical Care Nursing Clinics of North America, 2016, 28, 241-252.	0.8	2
925	What's Next After ARDS: Long-Term Outcomes. Respiratory Care, 2016, 61, 689-699.	1.6	76
926	One-year resource utilisation, costs and quality of life in patients with acute respiratory distress syndrome (ARDS): secondary analysis of a randomised controlled trial. Journal of Intensive Care, 2016, 4, 56.	2.9	40
927	A survey of psychology practice in critical-care settings Rehabilitation Psychology, 2016, 61, 201-209.	1.3	10
928	Validation of the Danish version of the Critical Care Pain Observation Tool. Acta Anaesthesiologica Scandinavica, 2016, 60, 1314-1322.	1.6	16
929	Is the intensive care unit traumatic? What we know and don't know about the intensive care unit and posttraumatic stress responses Rehabilitation Psychology, 2016, 61, 120-131.	1.3	44
930	Posttraumatic stress disorder (PTSD) after critical illness: A conceptual review of distinct clinical issues and their implications Rehabilitation Psychology, 2016, 61, 132-140.	1.3	31
931	Reduction of self-perceived discomforts in critically ill patients in French intensive care units: study protocol for a cluster-randomized controlled trial. Trials, 2016, 17, 87.	1.6	15
932	Therapeutic Approach to the Critically Poisoned Patient. , 2016, , 1-37.		0
934	What is the relationship between elements of ICU treatment and memories after discharge in adult ICU survivors?. Australian Critical Care, 2016, 29, 5-14.	1.3	33

#	Article	IF	CITATIONS
935	Early Psychological Therapy in Critical Illness. Seminars in Respiratory and Critical Care Medicine, 2016, 37, 136-142.	2.1	12
936	The RECOVER Program: Disability Risk Groups and 1-Year Outcome after 7 or More Days of Mechanical Ventilation. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 831-844.	5.6	272
937	Impact of Sedation on Cognitive Function in Mechanically Ventilated Patients. Lung, 2016, 194, 43-52.	3.3	37
938	Analgesia in intensive care: part 1. BJA Education, 2016, 16, 72-78.	1.4	18
939	Psychometric Analysis of Behavioral Pain Scale Brazilian Version in Sedated and Mechanically Ventilated Adult Patients: A Preliminary Study. Pain Practice, 2016, 16, 451-458.	1.9	12
940	Acute Hypoxemic Respiratory Failure and ARDS. , 2016, , 1740-1760.e7.		6
941	Postâ€ <scp>ICU</scp> symptoms, consequences, and followâ€up: an integrative review. Nursing in Critical Care, 2017, 22, 212-220.	2.3	69
942	Post-traumatic stress disorder and depression in survivors of thrombotic thrombocytopenic purpura. Thrombosis Research, 2017, 151, 51-56.	1.7	32
943	Depression and post-traumatic stress disorder in individuals with hereditary hemorrhagic telangiectasia: A cross-sectional survey. Thrombosis Research, 2017, 153, 14-18.	1.7	16
945	A novel method of optimizing patient- and family-centered care in the ICU. Journal of Trauma and Acute Care Surgery, 2017, 82, 582-586.	2.1	38
946	Effects of ketamine, dexmedetomidine and propofol anesthesia on emotional memory consolidation in rats: Consequences for the development of post-traumatic stress disorder. Behavioural Brain Research, 2017, 329, 215-220.	2.2	45
947	Posttraumatic Stress Disorder Phenomena After Critical Illness. Critical Care Clinics, 2017, 33, 649-658.	2.6	21
948	Stressing the Brain: The Immune System, Hypothalamic–Pituitary–Adrenal Axis, and Psychiatric Symptoms in Acute Respiratory Distress Syndrome Survivors. Annals of the American Thoracic Society, 2017, 14, 839-841.	3.2	6
950	A tailored multicomponent program to reduce discomfort in critically ill patients: a cluster-randomized controlled trial. Intensive Care Medicine, 2017, 43, 1829-1840.	8.2	20
951	Intensive Care Unit Delirium and Intensive Care Unit–Related Posttraumatic Stress Disorder. Surgical Clinics of North America, 2017, 97, 1215-1235.	1.5	47
952	Electronic audit and feedback intervention with action implementation toolbox to improve pain management in intensive care: protocol for a laboratory experiment and cluster randomised trial. Implementation Science, 2017, 12, 68.	6.9	22
953	Early psychological screening of intensive care unit survivors: a prospective cohort study. Critical Care, 2017, 21, 273.	5.8	35
954	Sedation and neuromuscular blocking agents in acute respiratory distress syndrome. Annals of Translational Medicine, 2017, 5, 291-291.	1.7	51

#	Article	IF	CITATIONS
955	Sleep in the Critically Ill Patient. , 2017, , 1329-1340.e5.		1
956	Prevalence, Risk Factors, and Outcomes of Financial Stress in Survivors of Critical Illness. Critical Care Medicine, 2018, 46, e530-e539.	0.9	59
957	Therapeutic Advances in the Management of Older Adults in the Intensive Care Unit: A Focus on Pain, Sedation, and Delirium. American Journal of Therapeutics, 2018, 25, e115-e127.	0.9	4
958	Common Practice and Guidelines for Sedation in Critically Ill Patients. , 2018, , 35-46.		0
959	Mechanical Ventilation in the Critically III Obese Patient. , 2018, , .		1
960	Long-Term Outcomes After Mechanical Ventilation. , 2018, , 287-306.		0
961	Association of Posttraumatic Stress Symptom Severity With Health-Related Quality of Life and Self-Reported Functioning Across 12 Months After Severe Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2018, 99, 1576-1583.	0.9	9
962	SPIRIT trial: A phase III pragmatic trial of an advance care planning intervention in ESRD. Contemporary Clinical Trials, 2018, 64, 188-194.	1.8	15
963	Sedation of the trauma patient in the intensive care unit. Journal of Emergency and Critical Care Medicine, 2018, 2, 8-8.	0.7	1
964	Acute Pain Management in Intensive Care Patients: Facts and Figures. , 0, , .		5
965	Pain management for trauma patients. Journal of the Japanese Society of Intensive Care Medicine, 2018, 25, 421-429.	0.0	0
966	Gaps in pain, agitation and delirium management in intensive care: Outputs from a nurse workshop. Intensive and Critical Care Nursing, 2018, 48, 52-60.	2.9	21
967	Measuring Acute Pain Over Time in the Critically III Using the Multidimensional Objective Pain Assessment Tool (MOPAT). Pain Management Nursing, 2018, 19, 277-287.	0.9	13
968	Supervised exercise rehabilitation in survivors of critical illness: A randomised controlled trial. Journal of the Intensive Care Society, 2019, 20, 18-26.	2.2	14
969	Analgesia, Sedation, and Paralysis in the Neurocritical Care Unit. , 2019, , 33-49.		1
970	Effects of continuous ketamine infusion on hemodynamics and mortality in critically ill children. PLoS ONE, 2019, 14, e0224035.	2.5	12
971	The relationship between self-report and performance-based measures of physical function following an ICU stay. Journal of Critical Care, 2019, 51, 19-23.	2.2	10
972	Tailored multicomponent program for discomfort reduction in critically ill patients may decrease post-traumatic stress disorder in general ICU survivors at 1Âyear. Intensive Care Medicine, 2019, 45, 223-235.	8.2	22

#	Article	IF	CITATIONS
973	Post-traumatic stress disorder (PTSD) related symptoms following an experience of delirium. Journal of Psychosomatic Research, 2019, 123, 109725.	2.6	18
974	Sleep and Pathological Wakefulness at the Time of Liberation from Mechanical Ventilation (SLEEWE). A Prospective Multicenter Physiological Study. American Journal of Respiratory and Critical Care Medicine, 2019, 199, 1106-1115.	5.6	46
975	Acute respiratory distress syndrome. Nature Reviews Disease Primers, 2019, 5, 18.	30.5	1,364
976	Inter-ICU transfer of patients with ventilator dependent respiratory failure: Qualitative analysis of family and physician perspectives. Patient Education and Counseling, 2019, 102, 1703-1710.	2.2	5
977	Effects of a Personalized Web-Based Decision Aid for Surrogate Decision Makers of Patients With Prolonged Mechanical Ventilation. Annals of Internal Medicine, 2019, 170, 285.	3.9	91
978	Historic review of long-term outcomes research. Current Opinion in Critical Care, 2019, 25, 523-529.	3.2	3
979	Complications and Outcomes of Acute Respiratory Distress Syndrome. Critical Care Nursing Quarterly, 2019, 42, 349-361.	0.8	29
980	Analgesics, Tranquilizers, and Sedatives. , 2019, , 421-431.e5.		1
982	Somatic Health Issues in Trauma-Related Disorders: Effects on Psychobiological Axes Affecting Mental and Physical Health. Integrating Psychiatry and Primary Care, 2019, , 177-216.	0.3	2
983	Projet de création d'un groupe de parole pour les anciens patients et les familles de proches ayant été hospitalisés dans le service de réanimation. Annales Medico-Psychologiques, 2019, 177, 961-966.	0.4	0
984	Psychometric Assessment of Physiologic and Behavioral Pain Indicators in Polish Versions of the Pain Assessment Scales. Pain Management Nursing, 2019, 20, 292-301.	0.9	6
985	The Effect of ARDS on Survival: Do Patients Die From ARDS or With ARDS?. Journal of Intensive Care Medicine, 2019, 34, 374-382.	2.8	18
986	Post-sepsis syndrome – an evolving entity that afflicts survivors of sepsis. Molecular Medicine, 2020, 26, 6.	4.4	80
987	Iron overload causes a mild and transient increase in acute lung injury. Physiological Reports, 2020, 8, e14470.	1.7	6
988	Considering the potential for an increase in chronic pain after the COVID-19 pandemic. Pain, 2020, 161, 1694-1697.	4.2	225
989	Reply to Ng et al.: Not all trauma is the same, but lessons can be drawn from commonalities. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 25201-25202.	7.1	3
990	Discomfort of the critically ill paediatric patient and correlated variables. Australian Critical Care, 2020, 33, 504-510.	1.3	4
991	Optimizing a self-directed mobile mindfulness intervention for improving cardiorespiratory failure survivors' psychological distress (LIFT2): Design and rationale of a randomized factorial experimental clinical trials, 2020, 96, 106119.	1.8	6

#	Article	IF	CITATIONS
992	Effect of nonâ€sedation on postâ€traumatic stress and psychological health in survivors of critical illness—A substudy of the NONSEDA randomized trial. Acta Anaesthesiologica Scandinavica, 2020, 64, 1136-1143.	1.6	9
993	The long-lasting effects of the acute respiratory distress syndrome. Expert Review of Respiratory Medicine, 2020, 14, 577-586.	2.5	34
994	Dyadic post-traumatic stress after intensive care: Case report of a sepsis patient and his wife. Intensive and Critical Care Nursing, 2020, 58, 102806.	2.9	9
995	Pain in intensive care unit patients—A longitudinal study. Nursing Open, 2021, 8, 224-231.	2.4	14
996	Dyspnea, Acute Respiratory Failure, Psychological Trauma, and Post-ICU Mental Health. Chest, 2021, 159, 749-756.	0.8	24
997	Optimal Sedation and Pain Management: A Patient- and Symptom-Oriented Paradigm. Seminars in Respiratory and Critical Care Medicine, 2021, 42, 098-111.	2.1	4
998	A Timely Call to Arms: COVID-19, the Circadian Clock, and Critical Care. Journal of Biological Rhythms, 2021, 36, 55-70.	2.6	22
999	Posttraumatic stress disorder prevalence in medical populations: A systematic review and meta-analysis. General Hospital Psychiatry, 2021, 69, 81-93.	2.4	11
1000	Twoâ€months quality of life of COVIDâ€19 invasively ventilated survivors; an Italian singleâ€center study. Acta Anaesthesiologica Scandinavica, 2021, 65, 912-920.	1.6	39
1001	Patient and Family Engagement in Critical Illness. Critical Care Medicine, 2021, 49, 1389-1401.	0.9	9
1002	Pain Management in Children During the COVID-19 Pandemic. Current Anesthesiology Reports, 2021, 11, 214-222.	2.0	6
1003	Selection strategy for sedation depth in critically ill patients on mechanical ventilation. BMC Medical Informatics and Decision Making, 2021, 21, 79.	3.0	3
1004	Intensive Care Unit-acquired Neuromuscular Weakness: A Prospective Study on Incidence, Clinical Course, and Outcomes. Indian Journal of Critical Care Medicine, 2021, 25, 1006-1012.	0.9	4
1005	Dyspnea in Patients Receiving Mechanical Ventilation. , 2022, , 478-500.		0
1006	Reduced Quality of Life in Survivors of Acute Respiratory Distress Syndrome Compared With Critically III Control Patients. JAMA - Journal of the American Medical Association, 1999, 281, 354.	7.4	380
1007	Acute Lung Injury in Pregnancy. , 2009, , 355-383.		2
1008	Sedation with Inhaled Anesthetics in Intensive Care. Yearbook of Intensive Care and Emergency Medicine, 2008, , 839-849.	0.1	3
1009	Post-traumatic Stress Disorder in Intensive Care Unit Survivors. Yearbook of Intensive Care and Emergency Medicine, 2008, , 891-905.	0.1	1

	CHANON	IKEPORT	
#		IF	CITATIONS
1010	Survival as an Outcome for ICU Patients. Update in Intensive Care Medicine, 2003, , 3-20.	0.0	3
1011	Measuring Health Status After Critical Illness: Where Are We and Where Do We Go From Here?. , 2003, , 181-196.		6
1012	How Should We Assess Neuropsychological Sequelae of Critical Illness?. , 2003, , 197-209.		2
1013	Morbidity and Functional Limitation in Survivors of ARDS. Update in Intensive Care Medicine, 2003, , 21-33.	0.0	2
1014	Health-related Quality of Life. , 2003, , 35-50.		1
1015	The Neuropsychological Consequences of Intensive Care. , 2003, , 51-61.		4
1017	Disturbed Dreaming in Medical Conditions. , 2005, , 936-945.		11
1018	Survivors, beware of posttraumatic stress disorder. Critical Care Medicine, 1998, 26, 634-635.	0.9	15
1019	The effect of stress doses of hydrocortisone during septic shock on posttraumatic stress disorder and health-related quality of life in survivors. Critical Care Medicine, 1999, 27, 2678-2683.	0.9	186
1020	Practice in the new millennium: Standardization to improve outcome. Critical Care Medicine, 1999, 27, 2824-2825.	0.9	11
1021	Health-related quality of life after acute lung injury. Critical Care Medicine, 1999, 27, 2825-2826.	0.9	2
1022	Beyond morbidity and mortality: Quality of life outcomes in critical care patients. Critical Care Medicine, 2001, 29, 1844-1846.	0.9	11
1023	Surviving intensive care*. Critical Care Medicine, 2002, 30, 703-705.	0.9	17
1024	Quality of life and related risk factors in a Taiwanese Village population 21 months after an earthquake. Australian and New Zealand Journal of Psychiatry, 2004, 38, 358-364.	2.3	8
1025	Research on the Development and Effectiveness of Nursing Support Program for Patients with Distorted Memory who Have been Discharged from ICU. Journal of Japan Academy of Critical Care Nursing, 2011, 7, 20-35.	0.1	5
1026	The Impact of High Versus Low Sedation Dosing Strategy on Cognitive Dysfunction in Survivors of Intensive Care Units: A Systematic Review and Meta-Analysis. Journal of Cardiovascular and Thoracic Research, 2015, 7, 43-48.	0.9	26
1027	Suggestive communication with the ventilated patient. European Journal of Mental Health, 2007, 2, 137-147.	0.4	12
1028	Effectiveness of psychological support based on positive suggestion with the ventilated patient. European Journal of Mental Health, 2007, 2, 149-170.	0.4	27

		ATION REPORT	
#	Article	IF	Citations
1029	Update on Sedation in the Critical Care Unit. Open Critical Care Medicine Journal, 2013, 6, 66-79.	0.2	2
1030	Long-term functional and psychological recovery in a population of acute respiratory distress syndrome patients treated with VV-ECMO and in their caregivers. Minerva Anestesiologica, 2019, 85, 971-980.	1.0	33
1031	Determinants of Quality of Life and Return to Work Following Acute Respiratory Distress Syndrome. Deutsches Ärzteblatt International, 2017, 114, 103-109.	0.9	16
1032	Outcome measures for adult critical care: a systematic review Health Technology Assessment, 2000, 4, .	2.8	87
1033	Symptoms of Acute Posttraumatic Stress Disorder After Intensive Care. American Journal of Critical Care, 2008, 17, 534-543.	1.6	28
1034	Evaluation of the psychological status of patients during and after weaning from mechanical ventilation. Egyptian Journal of Bronchology, 2014, 8, 160-166.	0.8	3
1035	Characteristics and Outcomes of Intensive Care Unit Survivors: Experience of a Multidisciplinary Outpatient Clinic in a Teaching Hospital. Clinics, 2017, 72, 764-772.	1.5	10
1036	Patterns and Clinical Significance of Abnormal Sleep EEG. , 2022, , 141-158.		0
1037	The Performance of an ICU., 2000, , 557-565.		0
1038	Has ARDS Epidemiology Changed in the Last 30 Years?. , 2000, , 109-112.		0
1039	Analgosedierung in der Intensivmedizin: Wann und wie?. , 2001, , 139-155.		2
1040	Analgesia and Sedation. , 2001, , 147-162.		0
1041	Epidemiology of Acute Respiratory Failure. Lung Biology in Health and Disease, 2001, , 1-35.	0.1	0
1042	Quality of Life and Longer Term Outcomes. , 2002, , 104-118.		Ο
1043	Neurocognitive Impairment in Survivors of ARDS. , 2002, , 765-773.		0
1044	Health-Related Quality of Life: During and Following Critical Care. , 2002, , 86-103.		Ο
1045	The Impact of Routine ICU Supportive Care on Long-term Outcomes of Critical Illness. , 2003, , 145-15	1.	0
1046	Outcome und Lebensqualitänach ARDS. , 2003, , 100-105.		Ο

ARTICLE IF CITATIONS ARDS: Current Concepts., 2004, , 138-151. 0 1047 Psychosoziale Situation und psychologische Betreuung in der Intensivmedizin., 2004, , 31-49. 1048 Psychological Effects of 'Weapons of Mass Disruption'. Psychiatric Annals, 2004, 34, 679-686. 0.1 3 1049 Psychological Factors in Patients and the Public., 2004,,. 1050 Sleep in the intensive care unit: Sleepy doctors and restless patients. Clinical Intensive Care: 1051 0.1 1 International Journal of Critical & Coronary Care Medicine, 2005, 16, 129-136. Post-traumatic stress disorder in the critically ill patients. Indian Journal of Critical Care Medicine, 2006, 10, 163-166. Epidemiology of Acute Respiratory Failure and Mechanical Ventilation. Yearbook of Intensive Care and 1053 0.1 1 Emergency Medicine, 2008, , 193-202. Successful Analgesia and Sedation for Patients with Acute Heart Failure Syndromes., 2008, , 655-670. 1054 1055 Psychische und psychosomatische StĶrungen bei Intensivpatienten., 2008,, 665-676. 0 Analgesia and Sedation., 2010, , 85-96. Improving the Intensive Care Unit., 2010, , 685-703. 1057 2 Respiratory Disorders: Effects on Neurocognitive and Brain Function., 2010, , 129-145. 1058 \tilde{A} ‰valuation de la douleur en r \tilde{A} ©animation., 2010, , 13-21. 1059 0 ICU退å®⋬¾Œã®ç¥žçµŒç²¾c¥žéšœå®3 —å¤å,後ã,¹ã∱^ã∱¬ã,¹éšœå®3ãëè°çŸ¥æ©Ÿèf½éšœå®3. Journal of the Japanese Socie 1060 1062 Sedatives and Hypnotics., 2011, , 1366-1373. 1 The Roles of Sedative/Analgesic Scores Associated with ICU Management Protocols in Mechanically Ventilated Patients. The Journal of Japan Society for Clinical Anesthesia, 2011, 31, 432-439. Troubles psychiques des malades pendant et aprà s leur sà ©jour en rà ©animation. Bulletin De L'Academie 1064 0.0 3 Nationale De Medecine, 2011, 195, 377-387. Royaume du Maroc. Présence Africaine, 1962, N° XLII, 147-151.

			0
# 1066	ARTICLE Survival is not Enough: Quality of Life After Intensive Care. Yearbook of Intensive Care and Emergency Medicine, 1999, , 661-668.	lF 0.1	CITATIONS
1067	Extracorporeal Gas Exchange for Acute Respiratory Failure in Adult Patients: A Systematic Review. Annual Update in Intensive Care and Emergency Medicine, 2015, , 179-205.	0.2	0
1068	Chapitre 17. Traumatisme psychique etÂcauchemars deÂréanimation. , 2015, , 141-150.		2
1069	Analgesia and Sedation. , 2016, , 119-130.		0
1070	Pain in Intensive Care. , 2016, , 63-74.		0
1071	The Classification of Patients' Intensive Care Experience in Relation to Anxiety and Depression. Journal of Japan Academy of Critical Care Nursing, 2016, 12, 1-9.	0.1	2
1072	THE EVOLUTION OF STRESS CONCEPTION: FROM HANS SELYE TO MODERN ACHIEVEMENTS. Proceedings of the Shevchenko Scientific Society Medical Sciences, 2016, 48, 27-40.	0.3	2
1073	Analgesie und Sedierung auf der Intensivstation. , 2017, , 755-775.		0
1074	Therapeutic Approach to the Critically Poisoned Patient. , 2017, , 43-78.		0
1075	Respiratory Disorders: Effects on Neurocognitive and Brain Function. , 2019, , 167-185.		0
1076	Functional Outcomes Following Critical Illness. Lessons From the ICU, 2020, , 73-99.	0.1	0
1077	Health-related Quality of Life Evaluated by MOS SF-36 in the Elderly Patients 1 Month before ICU Admission and 3 Months after ICU Discharge. Indian Journal of Critical Care Medicine, 2020, 24, 531-538.	0.9	5
1080	Post-traumatic Stress Disorder in Intensive Care Unit Survivors. , 2008, , 891-905.		0
1081	Health-Related Quality of Life: During and Following Critical Care. , 2002, , 86-103.		Ο
1082	Quality of Life and Longer Term Outcomes. , 2002, , 104-118.		0
1083	MISSING DATA IN REGRESSION MODELS FOR NON-COMMENSURATE MULTIPLE OUTCOMES. Revstat Statistical Journal, 2011, 9, 37-55.	0.0	1
1084	The clinical significance of delirium in the intensive care unit. Translational Medicine @ UniSa, 2012, 2, 1-9.	0.5	2
1085	Psychological symptoms and end-of-life decision making confidencein surrogate decision-makers of dialysis patients. Journal of Nephrology Social Work, 2012, 36, .	0.0	4

#	Article	IF	CITATIONS
1086	Dyspnea and Mechanical Ventilation: The Emperor Has No Clothes. American Journal of Respiratory and Critical Care Medicine, 2022, , .	5.6	1
1089	Characterization of Opioid Use in the Intensive Care Unit and Its Impact Across Care Transitions: A Prospective Study. Journal of Pharmacy Practice, 2024, 37, 343-350.	1.0	1
1090	Analgesia and sedation in critically ill patients. Swiss Medical Weekly, 0, , .	1.6	12
1091	Intensivmedizin. , 2022, , 993-1073.		0
1092	Influence of Deep Sedation in Intensive Care Medicine Memories of Critical COVID-19 Survivors. Journal of Intensive Care Medicine, 0, , 088506662311567.	2.8	0
1093	Outcomes after Critical Illness. New England Journal of Medicine, 2023, 388, 913-924.	27.0	63
1094	Dyspnea in Patients Receiving Invasive Mechanical Ventilation. Annual Update in Intensive Care and Emergency Medicine, 2023, , 191-205.	0.2	0
1095	Hospital Memories and Six-Month Psychological Outcome: A Prospective Study in Critical III Patients with COVID-19 Respiratory Failure. Journal of Clinical Medicine, 2023, 12, 3344.	2.4	2
1096	How Much is Too Much! The Prevalence of Post-traumatic Stress Disorder Symptoms in Critical Care Nurses of Tertiary Care Hospitals in South India: A Multicenter Cross-sectional Cohort Study. Indian Journal of Critical Care Medicine, 2023, 27, 330-334.	0.9	1
1098	Chronic pain characteristics in COVID-19 survivors after an ICU stay. A cross-sectional study. Anaesthesia, Critical Care & Pain Medicine, 2023, 42, 101267.	1.4	2
1099	Individualised analgesia, sedation, delirium and comfort management strategies in the ICU: a narrative review. Revista Española De AnestesiologÃa Y Reanimación (English Edition), 2023, , .	0.1	0
1100	Psychiatric Pharmacology and Acute Respiratory Failure. , 2023, , 167-180.		0
1101	Psychiatric Drugs. Toxicology: Respiratory Failure—Noninvasive Mechanical Ventilation. , 2023, , 191-204.		0
1102	Patients' Dreams and Unreal Experiences During Intensive Care Unit (ICU) Hospitalization. Cureus, 2024, , .	0.5	0
1103	How I manage acute respiratory failure in patients with hematological malignancies. Blood, 2024, 143, 971-982.	1.4	0
1104	Dyspnoea in acutely ill mechanically ventilated adult patients: an ERS/ESICM statement. Intensive Care Medicine, 2024, 50, 159-180.	8.2	0
1105	Dyspnoea in acutely ill mechanically ventilated adult patients: an ERS/ESICM statement. European Respiratory Journal, 2024, 63, 2300347.	6.7	0
1106	Pharmacological Mechanisms of Traditional Chinese Medicine against Acute Lung Injury: from Active Ingredients to Herbal Formulae. Phytomedicine, 2024, , 155562.	5.3	0