

# CITATION REPORT

List of articles citing

How to assess physical activity? How to assess physical fitness?

DOI: 10.1097/00149831-200504000-00004

European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 102-114.

**Source:** <https://exaly.com/paper-pdf/85550679/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 196 | Value of exercise capacity and physical activity in the prevention of cardiovascular diseases Brief review of the current literature. <b>2005</b> , 13, 313-317  |     | 3         |
| 195 | Exercise intensity: a matter of measuring or of talking?. <b>2006</b> , 26, 78-9   |     | 13        |
| 194 | A systematic review of randomized trials on the effectiveness of computer-tailored education on physical activity and dietary behaviors. <b>2006</b> , 31, 205-23  |     | 426       |
| 193 | Methodology of physical-activity and energy-expenditure assessment: a review. <b>2006</b> , 14, 58-65  |     | 31        |
| 192 | Recreational physical activity and risk of prostate cancer: A prospective population-based study in Norway (the HUNT study). <b>2006</b> , 119, 2943-7   |     | 97        |
| 191 | Intensity, but not duration, of physical activities is related to cognitive function. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 825-30                       |     | 71        |
| 190 | Exercise limitation in patients with Fontan circulation: a review. <b>2007</b> , 8, 775-81   |     | 37        |
| 189 | European guidelines on cardiovascular disease prevention in clinical practice: executive summary. <b>2007</b> , 194, 1-45  |     | 190       |
| 188 | Physical activity on prescription in primary health care: a follow-up of physical activity level and quality of life. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2008</b> , 18, 154-61 | 4.6 | 100       |
| 187 | Physical activity level in healthy free-living Japanese estimated by doubly labelled water method and International Physical Activity Questionnaire. <b>2008</b> , 62, 885-91                                  |     | 59        |
| 186 | Reliability and validity of two frequently used self-administered physical activity questionnaires in adolescents. <b>2008</b> , 8, 47   |     | 122       |
| 185 | Association of activity and chronic disease risk factors: utility and limitations of objectively measured physical activity data. <b>2008</b> , 108, 945-7   |     |           |
| 184 | Guías de práctica clínica sobre prevención de la enfermedad cardiovascular: versión resumida. <b>2008</b> , 61, 82.e1-82.e49   |     | 14        |
| 183 | Nutritional assessment and hepatic fatty acid composition in non-alcoholic fatty liver disease (NAFLD): a cross-sectional study. <b>2008</b> , 48, 300-7   |     | 169       |
| 182 | Worldwide variability in physical inactivity a 51-country survey. <b>2008</b> , 34, 486-94   |     | 344       |
| 181 | Assessment of exercise capacity and respiratory muscle oxygenation in healthy children and children with congenital heart diseases. <b>2008</b> , 33, 434-40   |     | 7         |
| 180 | Analysis of bedside entertainment services Effect on post cardiac surgery physical activity: a prospective, randomised clinical trial. <b>2008</b> , 34, 1022-6  |     | 11        |

|     |  |     |     |
|-----|--|-----|-----|
| 179 | Recreational physical activity and cancer risk in subsites of the colon (the Nord-Trøndelag Health Study). <b>2008</b> , 17, 183-8   |     | 45  |
| 178 | Estimating activity energy expenditure: how valid are physical activity questionnaires?. <b>2008</b> , 87, 279-91  |     | 149 |
| 177 | Treadmill testing of children who have spina bifida and are ambulatory: does peak oxygen uptake reflect maximum oxygen uptake?. <i>Physical Therapy</i> , <b>2009</b> , 89, 679-87                               | 3-3 | 27  |
| 176 | Physical activity and fertility in women: the North-Trøndelag Health Study. <b>2009</b> , 24, 3196-204   |     | 116 |
| 175 | Risk factors for aneurysmal subarachnoid hemorrhage in a prospective population study: the HUNT study in Norway. <b>2009</b> , 40, 1958-62   |     | 87  |
| 174 | Physical activity and childhood cancer. <i>Pediatric Blood and Cancer</i> , <b>2010</b> , 54, 501-10   | 3   | 66  |
| 173 | Clinical use of physical activity measures. <b>2009</b> , 21, 87-94  |     | 17  |
| 172 | . <b>2009</b> ,  |     | 15  |
| 171 | The effect of functional circuit training on physical frailty in frail older adults: a randomized controlled trial. <b>2010</b> , 18, 401-24   |     | 83  |
| 170 | Step activity monitoring in lumbar stenosis patients undergoing decompressive surgery. <b>2010</b> , 19, 1855-64   |     | 23  |
| 169 | Cardiovascular risk profile: cross-sectional analysis of motivational determinants, physical fitness and physical activity. <b>2010</b> , 10, 592  |     | 20  |
| 168 | Association between physical exercise, body mass index, and risk of fibromyalgia: longitudinal data from the Norwegian Nord-Trøndelag Health Study. <i>Arthritis Care and Research</i> , <b>2010</b> , 62, 611-7 | 4-7 | 124 |
| 167 | Factors associated with patients self-reported adherence to prescribed physical activity in routine primary health care. <b>2010</b> , 11, 38  |     | 29  |
| 166 | Influência do treinamento da musculatura respiratória e de membros inferiores no desempenho funcional de indivíduos com DPOC. <b>2010</b> , 17, 209-213  |     | 6   |
| 165 | Assessment of Physical Activity in Research and Clinical Practice. <b>2010</b> , 31-48   |     | 0   |
| 164 | Review of prediction models to estimate activity-related energy expenditure in children and adolescents. <b>2010</b> , 2010, 489304  |     | 13  |
| 163 | Commentary: Physical fitness: confounder or intermediary variable in the association of diet with health outcomes?. <b>2010</b> , 39, 211-3; author reply 213-4  |     | 1   |
| 162 | Testing an adaptation of the EPIC physical activity questionnaire in Portuguese adults: a validation study that assesses the seasonal bias of self-report. <b>2010</b> , 37, 185-97                              |     | 23  |

|     |   |         |
|-----|---|---------|
| 161 | Assessment of physical activity - a review of methodologies with reference to epidemiological research: a report of the exercise physiology section of the European Association of Cardiovascular Prevention and Rehabilitation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2010</b> , 17, 127-39 | 346     |
| 160 | Physical activity and 5-year cognitive decline in the Doetinchem cohort study. <b>2010</b> , 20, 473-9  | 29      |
| 159 | A review of accelerometry-based wearable motion detectors for physical activity monitoring. <i>Sensors</i> , <b>2010</b> , 10, 7772-88  | 3.8 649 |
| 158 | Percentile values for running sprint field tests in children ages 6-17 years: influence of weight status. <b>2010</b> , 81, 143-51  | 16      |
| 157 | Qualitative attributes and measurement properties of physical activity questionnaires: a checklist. <b>2010</b> , 40, 525-37  | 167     |
| 156 | Activity level classification algorithm using SHIMMER <sup>®</sup> wearable sensors for individuals with rheumatoid arthritis. <b>2011</b> , 2011, 3059-62  | 10      |
| 155 | Association of the metabolic syndrome with physical activity performance in patients with schizophrenia. <b>2011</b> , 37, 318-23   | 45      |
| 154 | Measures of exercise capacity in adults with congenital heart disease. <b>2011</b> , 153, 26-30   | 56      |
| 153 | Importance of frequency, intensity, time and type (FITT) in physical activity assessment for epidemiological research. <b>2011</b> , 102, 174-5   | 37      |
| 152 | Reprodutibilidade do questionário de avaliação de atividade física para crianças aplicado no Estudo Saúde: Vitória. <b>2011</b> , 11, 173-180   | 2       |
| 151 | Physical activity participation, functional exercise capacity and self-esteem in patients with schizophrenia. <b>2011</b> , 18, 222-229   | 6       |
| 150 | Relationships between obesity, functional exercise capacity, physical activity participation and physical self-perception in people with schizophrenia. <b>2011</b> , 123, 423-30   | 92      |
| 149 | Who is not adhering to physical activity referrals, and why?. <b>2011</b> , 29, 234-40  | 34      |
| 148 | Physical fitness in northern European youth: reference values from the Latvian Physical Health in Youth Study. <b>2011</b> , 39, 35-43  | 25      |
| 147 | Physical activity and age at menopause: the Nord-Trøndelag population-based health study. <b>2013</b> , 16, 78-87   | 10      |
| 146 | Eurofit test battery in patients with schizophrenia or schizoaffective disorder: reliability and clinical correlates. <b>2012</b> , 27, 416-21  | 24      |
| 145 | Activity classification using a state transition diagram and activity levels. <b>2012</b> ,   | 3       |
| 144 | Impact of cerebral palsy on health-related physical fitness in adults: systematic review. <b>2012</b> , 93, 871-81  | 30      |

|     |  |        |
|-----|--|--------|
| 143 | PWC 75%/kg, a fitness index not linked to resting heart rate: testing procedure and reference values. <b>2012</b> , 93, 1196-200   | 12     |
| 142 | Comportamiento de la actividad física cotidiana en pacientes con hipertensión arterial pulmonar en tratamiento con antagonistas de los receptores de la endotelina. <b>2012</b> , 15, 9-14                       |        |
| 141 | Malnutrition in childhood cancer patients: a review on its prevalence and possible causes. <b>2012</b> , 83, 249-75  | 82     |
| 140 | Physical activity in patients with systemic lupus erythematosus and matched controls. <b>2012</b> , 41, 290-7  | 27     |
| 139 | Endurance exercise intensity determination in the rehabilitation of coronary artery disease patients: a critical re-appraisal of current evidence. <b>2012</b> , 42, 11-30                                       | 47     |
| 138 | Gene-environment interactions in the development of type 2 diabetes: recent progress and continuing challenges. <b>2012</b> , 32, 245-59   | 75     |
| 137 | Physical fitness, rather than self-reported physical activities, is more strongly associated with low back pain: evidence from a working population. <b>2012</b> , 21, 1265-72                                   | 52     |
| 136 | The functional exercise capacity is correlated with global functioning in patients with schizophrenia. <b>2012</b> , 125, 382-7  | 64     |
| 135 | [Physical activity and obesity]. <b>2012</b> , 55, 24-34   | 6      |
| 134 | Cardiovascular Evaluation of Master Athletes and Middle-aged/Senior Individuals Engaged in Leisure-time Sport Activities. <b>2013</b> , 5, 33-42   |        |
| 133 | Functional capacity, physical activity and muscle strength assessment of individuals with non-small cell lung cancer: a systematic review of instruments and their measurement properties. <b>2013</b> , 13, 135 | 33     |
| 132 | An impaired health related muscular fitness contributes to a reduced walking capacity in patients with schizophrenia: a cross-sectional study. <b>2013</b> , 13, 5   | 24     |
| 131 | Social anxiety in physical activity participation in patients with mental illness: a cross-sectional multicenter study. <b>2013</b> , 30, 757-62   | 17     |
| 130 | A Non-invasive and Autonomous Physical Activity Measurement System for the Elderly. <b>2013</b> ,  | 2      |
| 129 | The modification of beat to beat algorithm and its application on the assessment of muscle flexibility. <b>2013</b> ,  |        |
| 128 | Actividad física en el tiempo libre y autopercepción del estado de salud en Colombia. <b>2013</b> , 48, 3-9  | 3      |
| 127 | Functioning and quality of life in adults with mild-to-moderate osteogenesis imperfecta. <i>Physiotherapy Research International</i> , <b>2013</b> , 18, 203-11  | 1.8 21 |
| 126 | Diabetes, physical activity participation and exercise capacity in patients with schizophrenia. <b>2013</b> , 67, 451-6  | 22     |

|     |   |     |    |
|-----|---|-----|----|
| 125 | Physical activity and cardiovascular risk factors at menopause: the Nord-Trøndelag health study. <b>2013</b> , 16, 438-46   |     | 15 |
| 124 | Insomnia symptoms and cardiorespiratory fitness in healthy individuals: the Nord-Trøndelag Health Study (HUNT). <b>2013</b> , 36, 99-108  |     | 34 |
| 123 | Benefits of selected physical exercise programs in detention: a randomized controlled study. <i>International Journal of Environmental Research and Public Health</i> , <b>2013</b> , 10, 5683-96 | 4.6 | 22 |
| 122 | A novel assessment of flexibility by microcirculatory signals. <i>Sensors</i> , <b>2013</b> , 14, 478-91  | 3.8 | 2  |
| 121 | Physical fitness among urban and rural Ecuadorian adolescents and its association with blood lipids: a cross sectional study. <b>2014</b> , 14, 106   |     | 23 |
| 120 | Accelerometer-determined physical activity and self-reported health in a population of older adults (65-85 years): a cross-sectional study. <b>2014</b> , 14, 284                                 |     | 79 |
| 119 | Long-term effect of different physical activity levels on subclinical atherosclerosis in middle-aged men: a 25-year prospective study. <i>PLoS ONE</i> , <b>2014</b> , 9, e85209                  | 3.7 | 22 |
| 118 | Agreement between activity-monitoring devices during home rehabilitation: a substudy of the AAA STOP trial. <b>2014</b> , 22, 87-95   |     | 4  |
| 117 | Evaluation of reliability and validity of the General Practice Physical Activity Questionnaire (GPPAQ) in 60-74 year old primary care patients. <b>2015</b> , 16, 113                             |     | 39 |
| 116 | Health in Adapted Youth Sports Study (HAYS): health effects of sports participation in children and adolescents with a chronic disease or physical disability. <b>2015</b> , 4, 796               |     | 11 |
| 115 | Health-related quality of life and aerobic fitness in people with schizophrenia. <b>2015</b> , 24, 394-402  |     | 29 |
| 114 | Prevalência de estilo de vida sedentário entre adolescentes. <b>2015</b> , 28, 166-171  |     | 0  |
| 113 | Physical Activity Measurement Accuracy in Individuals With Chronic Lung Disease: A Systematic Review With Meta-Analysis of Method Comparison Studies. <b>2015</b> , 96, 2079-88.e10               |     | 19 |
| 112 | Test-retest reliability, feasibility and clinical correlates of the Eurofit test battery in people with bipolar disorder. <i>Psychiatry Research</i> , <b>2015</b> , 228, 620-5                   | 9.9 | 15 |
| 111 | Personalized cardiorespiratory fitness and energy expenditure estimation using hierarchical Bayesian models. <b>2015</b> , 56, 195-204  |     | 7  |
| 110 | My patient wants to perform strenuous endurance exercise. What's the right advice?. <b>2015</b> , 197, 248-53   |     | 13 |
| 109 | Temporal patterns of physical activity and sedentary behavior in 10-14 year-old children on weekdays. <b>2015</b> , 15, 791   |     | 21 |
| 108 | The role of biological maturation intervention and anthropometric factors on cardiac reserve index (OUES) in Iranian teenage boys. <b>2015</b> , 50, 139-145                                      |     |    |

|     |   |     |    |
|-----|---|-----|----|
| 107 | Physical fitness and amount of asthma and asthma-like symptoms from childhood to adulthood. <b>2015</b> , 9, 314-21   |     | 12 |
| 106 | Patient Education, Motivation, Compliance, and Adherence to Physical Activity, Exercise, and Rehabilitation. <b>2016</b> , 1-24   |     | 0  |
| 105 | Effect of 24-week repeated short-time walking based training program on physical fitness of black Cameroonian obese women. <b>2016</b> , 12, 90-8   |     | 4  |
| 104 | Cardiorespiratory fitness estimation in free-living using wearable sensors. <b>2016</b> , 68, 37-46   |     | 18 |
| 103 | Cardiorespiratory fitness in outpatients with bipolar disorder versus matched controls: An exploratory study. <b>2016</b> , 199, 1-5  |     | 13 |
| 102 | Cardiorespiratory fitness estimation using wearable sensors: Laboratory and free-living analysis of context-specific submaximal heart rates. <b>2016</b> , 120, 1082-96   |     | 12 |
| 101 | Motor competence is associated with physical fitness in four- to six-year-old preschool children. <b>2016</b> , 24, 477-488   |     | 8  |
| 100 | The FitTrack Index as fitness indicator: A pilot study. <b>2016</b> , 21, 431-436   |     |    |
| 99  | [Analysis of the reliability and validity of three self-report questionnaires to assess physical activity among Spanish adolescents]. <b>2016</b> , 30, 333-8   |     | 2  |
| 98  | Influence of cardiorespiratory fitness and physical activity levels on cardiometabolic risk factors during menopause transition: A MONET study. <b>2016</b> , 4, 277-82   |     | 6  |
| 97  | Assessment of pedometer accuracy in capturing habitual types of physical activities in overweight and obese children. <b>2016</b> , 80, 686-692   |     | 1  |
| 96  | Behavioral Cardiovascular Risk Factors - Effect of Physical Activity and Cardiorespiratory Fitness on Cardiovascular Outcomes. <i>Circulation Journal</i> , <b>2016</b> , 80, 34-43   | 2.9 | 14 |
| 95  | Fitkids Treadmill Test: Age- and Sex-Related Normative Values in Dutch Children and Adolescents. <i>Physical Therapy</i> , <b>2016</b> , 96, 1764-1772  | 3.3 | 5  |
| 94  | Impact of physical fitness on salivary stress markers in sedentary to low-active young to middle-aged men. <i>Psychoneuroendocrinology</i> , <b>2016</b> , 68, 14-9   | 5   | 17 |
| 93  | Cardiopulmonary Exercise Testing in Pediatrics. <i>Annals of the American Thoracic Society</i> , <b>2017</b> , 14, S123-S128  | 4.7 | 56 |
| 92  | Motivational factors associated with physical activity and quality of life in people with severe mental illness. <i>Scandinavian Journal of Caring Sciences</i> , <b>2017</b> , 31, 914-921                                       | 2.3 | 14 |
| 91  | Higher cardio-respiratory fitness is associated with increased mental and physical quality of life in people with bipolar disorder: A controlled pilot study. <i>Psychiatry Research</i> , <b>2017</b> , 256, 219-224             | 9.9 | 11 |
| 90  | A Novel Physical Activity and Sedentary Behavior Classification and Its Relationship With Physical Fitness in Spanish Older Adults: The PHYSMED Study. <i>Journal of Physical Activity and Health</i> , <b>2017</b> , 14, 815-822 | 2.5 | 6  |

|    |   |     |    |
|----|---|-----|----|
| 89 | Lower cardiorespiratory fitness is associated with more time spent sedentary in first episode psychosis: A pilot study. <i>Psychiatry Research</i> , <b>2017</b> , 253, 13-17   | 9.9 | 5  |
| 88 | Reliability and concurrent validity of the International Physical Activity Questionnaire short form among pregnant women. <i>BMC Sports Science, Medicine and Rehabilitation</i> , <b>2017</b> , 9, 7                                       | 2.4 | 28 |
| 87 | Current Physical Activity Monitors in Hip and Knee Osteoarthritis: A Review. <i>Arthritis Care and Research</i> , <b>2017</b> , 69, 1460-1466   | 4.7 | 16 |
| 86 | How is rating of perceived capacity related to VO and what is VO at onset of training?. <i>BMJ Open Sport and Exercise Medicine</i> , <b>2017</b> , 3, e000232  | 3.4 | 8  |
| 85 | An evaluation of the validity of the pre-operative oxygen uptake efficiency slope as an indicator of cardiorespiratory fitness in elderly patients scheduled for major colorectal surgery. <i>Anaesthesia</i> , <b>2017</b> , 72, 1206-1216 | 6.6 | 7  |
| 84 | Measuring physical activity with accelerometers for individuals with intellectual disability: A systematic review. <i>Research in Developmental Disabilities</i> , <b>2017</b> , 67, 60-70  | 2.7 | 22 |
| 83 | A pilot study to determine the effect of one physical therapy session on physical activity levels for individuals with chronic low back pain. <i>BMC Research Notes</i> , <b>2017</b> , 10, 691   | 2.3 |    |
| 82 | Fit to Perform: An Investigation of Higher Education Music Students' Perceptions, Attitudes, and Behaviors toward Health. <i>Frontiers in Psychology</i> , <b>2017</b> , 8, 1558  | 3.4 | 40 |
| 81 | Lung function parameters improve prediction of VO <sub>2</sub> peak in an elderly population: The Generation 100 study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174058  | 3.7 | 3  |
| 80 | Correlates of physical activity among community-dwelling adults aged 50 or over in six low- and middle-income countries. <i>PLoS ONE</i> , <b>2017</b> , 12, e0186992   | 3.7 | 20 |
| 79 | Cardiorespiratory Fitness in Internal Medicine Residents: Are Future Physicians Becoming Deconditioned?. <i>Journal of Graduate Medical Education</i> , <b>2017</b> , 9, 97-101   | 1.6 | 8  |
| 78 | Leisure time physical activity and future psychological distress: A thirteen year longitudinal population-based study. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 101, 50-56  | 5.2 | 18 |
| 77 | An EWA framework for the probabilistic-based structural integrity assessment of offshore platforms. <i>Marine Structures</i> , <b>2018</b> , 59, 60-79  | 3.8 | 7  |
| 76 | Physical activity measurement accuracy in advanced chronic lung disease. <i>Canadian Journal of Respiratory, Critical Care, and Sleep Medicine</i> , <b>2018</b> , 2, 9-18  | 0.6 |    |
| 75 | How to assess physical activity in people with epilepsy?. <i>Epilepsy and Behavior</i> , <b>2018</b> , 82, 202-203  | 3.2 | 1  |
| 74 | Influence of a physical exercise program on VO <sub>max</sub> in adults with cardiovascular risk factors. <i>Clinica e Investigaci3n En Arteriosclerosis</i> , <b>2018</b> , 30, 95-101   | 1.4 | 1  |
| 73 | Substituting Sedentary Time With Light and Moderate to Vigorous Physical Activity is Associated With Better Cardiometabolic Health. <i>Journal of Physical Activity and Health</i> , <b>2018</b> , 15, 197-203                              | 2.5 | 16 |
| 72 | Relationship between objectively measured sedentary behavior and health outcomes in schizophrenia patients: The PsychiActive project. <i>Schizophrenia Research</i> , <b>2018</b> , 197, 87-92  | 3.6 | 8  |



|    |   |     |     |
|----|---|-----|-----|
| 71 | Estimation of Energy Expenditure in Wheelchair-Bound Spinal Cord Injured Individuals Using Inertial Measurement Units. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 478   | 4.1 | 8   |
| 70 | Difference in physical fitness in children with initially high and low gross motor competence: A ten-year follow-up study. <i>Human Movement Science</i> , <b>2018</b> , 62, 143-149  | 2.4 | 8   |
| 69 | The Effect of Physical Activity Interventions Comprising Wearables and Smartphone Applications on Physical Activity: a Systematic Review and Meta-analysis. <i>Sports Medicine - Open</i> , <b>2018</b> , 4, 42                                       | 6.1 | 92  |
| 68 | Research and Evaluation in Exercise and Mental Health. <b>2018</b> , 301-317  |     |     |
| 67 | Influence of a physical exercise programme on VO2max in adults with cardiovascular risk factors. <i>Clinica E Investigaci3n En Arteriosclerosis (English Edition)</i> , <b>2018</b> , 30, 95-101  | 0.3 | 0   |
| 66 | A systematic literature review of reviews on techniques for physical activity measurement in adults: a DEDIPAC study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2018</b> , 15, 15                               | 8.4 | 145 |
| 65 | Patient Preference and Physical Demand for Hands-Free Single Crutch vs Standard Axillary Crutches in Foot and Ankle Patients. <i>Foot and Ankle International</i> , <b>2019</b> , 40, 1203-1208   | 3.3 | 7   |
| 64 | Validity of Instrumented Insoles for Step Counting, Posture and Activity Recognition: A Systematic Review. <i>Sensors</i> , <b>2019</b> , 19,   | 3.8 | 11  |
| 63 | Medical History, Questionnaires and Physical Examination. <b>2019</b> , 21-36   |     |     |
| 62 | Heart Rate Response During Treadmill Exercise Test in Children and Adolescents With Congenital Heart Disease. <i>Frontiers in Pediatrics</i> , <b>2019</b> , 7, 65  | 3.4 | 14  |
| 61 | Objective evaluation of physical activity pattern using smart devices. <i>Scientific Reports</i> , <b>2019</b> , 9, 2006  | 4.9 | 5   |
| 60 | Use of accelerometer-based activity monitoring in orthopaedics: benefits, impact and practical considerations. <i>EFORT Open Reviews</i> , <b>2019</b> , 4, 678-685   | 5.5 | 9   |
| 59 | The Association Between Fitness Test Scores and Musculoskeletal Injury in Police Officers. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,   | 4.6 | 12  |
| 58 | Prevalence and Associations Between Related Factors and Defining Characteristics of the Nursing Diagnosis Sedentary Lifestyle in Patients with Acute Coronary Syndrome. <i>International Journal of Nursing Knowledge</i> , <b>2019</b> , 30, 234-238 | 1.1 | 2   |
| 57 | Test-retest reliability and clinical correlates of the Eurofit test battery in people with alcohol use disorders. <i>Psychiatry Research</i> , <b>2019</b> , 271, 208-213   | 9.9 | 8   |
| 56 | Evaluation of cardiopulmonary exercise testing, heart function, and quality of life in children after allogeneic hematopoietic stem cell transplantation. <i>Pediatric Blood and Cancer</i> , <b>2019</b> , 66, e27499                                | 3   | 9   |
| 55 | Sedentary Behavior and Quality of Life in People with Psychotic Disorders from a Low Income Country: A Study from Uganda. <i>Community Mental Health Journal</i> , <b>2019</b> , 55, 714-720  | 2.1 | 1   |
| 54 | The impact of physical activity and sex differences on intraindividual variability in inhibitory performance in older adults. <i>Aging, Neuropsychology, and Cognition</i> , <b>2019</b> , 26, 1-23   | 2.1 | 14  |

|    |  |     |    |
|----|--|-----|----|
| 53 | Validity and correlates of the International Physical Activity Questionnaire in first-episode psychosis. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 562-567  | 3.3 | 7  |
| 52 | Exercise testing protocol using a roller system for manual wheelchair users with spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , <b>2019</b> , 42, 288-297  | 1.9 | 3  |
| 51 | Extended steep ramp test normative values for 19-24-year-old healthy active young adults. <i>European Journal of Applied Physiology</i> , <b>2020</b> , 120, 107-115   | 3.4 | 0  |
| 50 | Mobile Apps to Quantify Aspects of Physical Activity: a Systematic Review on its Reliability and Validity. <i>Journal of Medical Systems</i> , <b>2020</b> , 44, 51  | 5.1 | 14 |
| 49 | Association between parent and child physical activity: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2020</b> , 17, 67   | 8.4 | 21 |
| 48 | Assessing the Effects of Kata and Kumite Techniques on Physical Performance in Elite Karatekas. <i>Sensors</i> , <b>2020</b> , 20,   | 3.8 | 5  |
| 47 | The Effects of Daily Sleep Condition on Performances of Physical Fitness among Taiwanese Adults: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,         | 4.6 | 2  |
| 46 | Active and Fit Communities. Associations between Neighborhood Walkability and Health-Related Fitness in Adults. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,                   | 4.6 | 4  |
| 45 | Effectiveness of Mobile Applications Running on Smartphones to Promote Physical Activity: A Systematic Review with Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17, | 4.6 | 4  |
| 44 | Adjusting work conditions to meet the declined health and functional capacity of older construction workers in Hong Kong. <i>Safety Science</i> , <b>2020</b> , 127, 104711  | 5.8 | 16 |
| 43 | Feasibility and reliability of the Spanish version of the Youth Activity Profile questionnaire (YAP-Spain) in children and adolescents. <i>Journal of Sports Sciences</i> , <b>2021</b> , 39, 801-807                          | 3.6 | 7  |
| 42 | International society of sports nutrition position stand: caffeine and exercise performance. <i>Journal of the International Society of Sports Nutrition</i> , <b>2021</b> , 18, 1   | 4.5 | 67 |
| 41 | Validity and reproducibility of VO max testing in a respiration chamber. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2021</b> , 31, 1259-1267   | 4.6 |    |
| 40 | Low birth weight and its relation to physical fitness parameters in children: Its negative effect on muscle strength and cardiorespiratory endurance. <i>American Journal of Human Biology</i> , <b>2021</b> , e23595          | 2.7 | 0  |
| 39 | Reliability and validity of physical fitness tests in people with mental disorders: A systematic review and meta-analysis. <i>Physiotherapy Research International</i> , <b>2021</b> , 26, e1904                               | 1.8 | 1  |
| 38 | What Intervention Techniques Are Effective in Changing Positive Affective Variables and Physical Activity? A Systematic Review and Meta-Analysis. <i>Frontiers in Psychology</i> , <b>2021</b> , 12, 628993                    | 3.4 | 1  |
| 37 | Physical Activity and its Influencing Factors in Community-Dwelling Older Adults With Dementia: A Path Analysis. <i>Clinical Nursing Research</i> , <b>2021</b> , 10547738211033928  | 1.7 |    |
| 36 | Physical Activity Epidemiology. <b>2014</b> , 1927-2002  |     | 1  |

|    |  |     |    |
|----|--|-----|----|
| 35 | Exercise and Schizophrenia. <i>Advances in Experimental Medicine and Biology</i> , <b>2020</b> , 1228, 317-332   | 3.6 | 8  |
| 34 | Physical activity: the missing prescription. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 85-86   |     | 18 |
| 33 | The Effect of Goal Moderation on the Achievement and Satisfaction of Physical Activity Goals. <b>2020</b> , 4, 1-18  |     | 4  |
| 32 | Income and Physical Activity among Adults: Evidence from Self-Reported and Pedometer-Based Physical Activity Measurements. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135651  | 3.7 | 37 |
| 31 | Physical Performance and Physical Activity in Older Adults: Associated but Separate Domains of Physical Function in Old Age. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144048  | 3.7 | 69 |
| 30 | Independent Associations between Sedentary Time, Moderate-To-Vigorous Physical Activity, Cardiorespiratory Fitness and Cardio-Metabolic Health: A Cross-Sectional Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0160166    | 3.7 | 24 |
| 29 | Objectively measured versus self-reported physical activity in children and adolescents with cancer. <i>PLoS ONE</i> , <b>2017</b> , 12, e0172216  | 3.7 | 14 |
| 28 | Effect of Different Types of Exercise in HIV + Mozambican Women Using Antiretroviral Therapy. <i>Open AIDS Journal</i> , <b>2015</b> , 9, 89-95  | 0.6 | 13 |
| 27 | Features, Behavioral Change Techniques, and Quality of the Most Popular Mobile Apps to Measure Physical Activity: Systematic Search in App Stores. <i>JMIR MHealth and UHealth</i> , <b>2018</b> , 6, e11281             | 5.5 | 17 |
| 26 | Sağ Bilimleri Öğrencilerinin Fiziksel Aktivite Düzeyinin Tanınması- <i>Ergoterapi Ve Rehabilitasyon Dergisi</i> , <b>2017</b> , 5, 169-178   | 0.3 | 1  |
| 25 | Pohybovā aktivitā a tēsnādatnost bērnu adolescentu kontekstā zastāvāho prostādā <b>2018</b> ,  |     | 7  |
| 24 | The Measurement of Energy Expenditure and Physical Activity. <i>Nutrition in Exercise and Sport</i> , <b>2007</b> , 159-189  |     |    |
| 23 | 8 Cardiovasculaire revalidatie en de vergrijzing: dienen we onze doelstellingen aan te passen?. <b>2008</b> , 122-134  |     |    |
| 22 | Interaction between diet and physical activity in older people. <b>2009</b> , 184-204  |     |    |
| 21 | Cardiac Rehabilitation in Patients with Implantable Cardioverter Defibrillator. <b>2010</b> , 207-222  |     |    |
| 20 | Reliability of the digital and printed format of a modified version of the International Physical Activity Questionnaire in college students. <i>Revista Facultad De Ciencias De La Salud UDES</i> , <b>2015</b> , 2, 97 |     |    |
| 19 | Exercise Blood Pressure Response and Cardiometabolic Risk Factors in Middle Aged Women: A MONET Group Study. <i>World Journal of Cardiovascular Diseases</i> , <b>2016</b> , 06, 157-165                                 | 0   |    |
| 18 | Movement activities in women and men in middle age - benefits and problems. <i>Studia Kinanthropologica</i> , <b>2016</b> , 17, 223-233  | 0   | 1  |

- 17 Cardiac Rehabilitation in Patients with Implantable Cardioverter Defibrillator. **2017**, 227-243
- 16 Regular Physical Exercise Effect on Well-being Levels of University Students. *Hacettepe Üniversitesi Sağlık Bilimleri Fakültesi Dergisi*,
- 15 Encyclopedia of Behavioral Medicine. **2020**, 1-4
- 14 Rehabilitation during congenital heart disease in pediatric patients. *Minerva Pediatrica*, **2019**, 71, 533-538.6
- 13 A prototype design of a smart shoe insole system for real-time monitoring of patients. **2020**, 1
- 12 Fiziksel Aktivite ve Bazal Metabolik Hız Değerleri Spor Bilimleri Özel Yetenek Sınavı Parkur Sırasında Ne Kadar Etkilidir?. *Spor Bilimleri Araştırmaları Dergisi*, 0
- 11 Association between body composition and aerobic capacity in karate athletes. *Revista Brasileira De Cineantropometria E Desempenho Humano*, 22, 0.1
- 10 Encyclopedia of Behavioral Medicine. **2020**, 1665-1670
- 9 Encyclopedia of Behavioral Medicine. **2020**, 1674-1677
- 8 Development of an integrated wristband for physical activity and pulse measurement. **2020**,
- 7 Kadınların Fiziksel Aktiviteleri Üzerindeki Engeller: Sistemik Derleme Çalışması
- 6 Mobility Disability and Exercise: Health Outcomes of an Accessible Community-Based Center. *Frontiers in Rehabilitation Sciences*, **2022**, 3, 1
- 5 Application of GPS and Accelerometers in Predicting Physical Activity Patterns. *Mathematical Problems in Engineering*, **2022**, 2022, 1-5 1.1
- 4 Sağlık Kadınlarda Bireysel Egzersiz ve Grup Egzersiz Eğitimlerinin Fiziksel Performans Üzerine Etkisi.
- 3 Assessment of the level of physical activity in the final year students of the faculty of medicine in relation to the students of the faculty of agriculture during the covid-19 epidemic. **2022**, 75, 31-38 0
- 2 Physical fitness and somatic structure in adolescent taekwondo athletes and untrained peers. **2023**, 15, 63-73 0
- 1 Relationships between cardiorespiratory fitness, physical activity practices, and functional outcomes one-year post-stroke in northern Benin: A case-control study. 1-12 0