

# Interconversion of Type C and D Strains of *Clostridium* Bacteriophages

Applied Microbiology

27, 251-258

DOI: [10.1128/am.27.1.251-258.1974](https://doi.org/10.1128/am.27.1.251-258.1974)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Persisting Bacteriophage Infections, Lysogeny, and Phage Conversions. Annual Review of Microbiology, 1974, 28, 265-300.	7.3	242
2	Interspecies Conversion of Clostridium botulinum Type C to Clostridium novyi Type A by Bacteriophage. Science, 1974, 186, 456-458.	12.6	122
3	Observations on Nonconverting Phage, c-n71, Obtained from a Nontoxigenic Strain of Clostridium botulinum Type C. Japanese Journal of Microbiology, 1975, 19, 167-172.	0.4	23
4	Taxonomy of the Clostridia: Ribosomal Ribonucleic Acid Homologies among the Species. Journal of General Microbiology, 1975, 88, 229-244.	2.3	217
5	Clostridium botulinum in aquatic environments in Great Britain and Ireland. The Journal of Hygiene, 1978, 80, 431-438.	0.9	27
6	Chapter I Bacteriocin, Bacteriophage and other Epidemiological Typing Methods for the Genus Clostridium. Methods in Microbiology, 1979, 13, 1-30.	0.8	9
7	Isolation of two inducible bacteriophages from Clostridium botulinum type A 190L. FEMS Microbiology Letters, 1980, 9, 23-27.	1.8	10
10	Genetic aspects of toxigenesis in bacteria. , 1981, 13, 205-217.		2
11	Characterization of Two Inducible Bacteriophages, $\phi$ 1 and $\phi$ 2, Isolated from Clostridium botulinum Type A 190L and Their Deoxyribonucleic Acids. Microbiology and Immunology, 1981, 25, 915-927.	1.4	6
12	Clostridium botulinum toxins. , 1982, 19, 165-194.		339
13	Differences and Similarities Among Proteolytic and Nonproteolytic Strains of Clostridium botulinum Types A, B, E and F: A Review. Journal of Food Protection, 1982, 45, 466-474.	1.7	49
14	Effect of a recA mutation on cholera toxin gene amplification and deletion events. Journal of Bacteriology, 1986, 165, 723-731.	2.2	126
15	Factors affecting the toxicity of rotting carcasses containing Clostridium botulinum type C. Epidemiology and Infection, 1987, 98, 345-351.	2.1	19
16	ADP-ribosylation by type C1 and D botulinum neurotoxins: Stimulation by guanine nucleotides and inhibition by guanidino-containing compounds. Biochemical and Biophysical Research Communications, 1987, 142, 1032-1038.	2.1	46
17	Factors affecting the toxicity of rotting carcasses containing Clostridium botulinum type E. Epidemiology and Infection, 1988, 100, 399-405.	2.1	10
18	Feasibility of a Heat-Pasteurization Process for the Inactivation of Nonproteolytic Clostridium botulinum types B and E in Vacuum-Packaged, Hot-Process (Smoked) Fish. Journal of Food Protection, 1988, 51, 720-726.	1.7	22
19	Recent advances in the genetics of the clostridia. FEMS Microbiology Letters, 1989, 63, 301-325.	1.8	104
20	Toxigenic clostridia. Clinical Microbiology Reviews, 1990, 3, 66-98.	13.6	709

#	ARTICLE	IF	CITATIONS
21	Clostridium botulinum toxins. International Journal of Food Microbiology, 1990, 10, 113-124.	4.7	8
22	Selection and evolution of virulence in bacteria: an ecumenical excursion and modest suggestion. Parasitology, 1990, 100, S103-S115.	1.5	142
23	Genetic Aspects of Clostridium Botulinum. , 1990, , 137-143.		0
24	Biological and Biophysical Characteristics of Phages Isolated from Clostridium botulinum Type C and D Strains, and Physicochemical Properties of the Phage DNAs.. Journal of Veterinary Medical Science, 1992, 54, 675-684.	0.9	9
25	The Complete Amino Acid Sequence of the Clostridium botulinum Type D Neurotoxin, Deduced by Nucleotide Sequence Analysis of the Encoding Phage d-16.PHI. Genome.. Journal of Veterinary Medical Science, 1992, 54, 905-913.	0.9	29
26	Comparative analysis of C3 and botulinum neurotoxin genes and their environment in Clostridium botulinum types C and D. Journal of Bacteriology, 1993, 175, 7260-7268.	2.2	35
27	Further Evidence for the Genetic Heterogeneity of Clostridium botulinum as Determined by 23S rDNA Oligonucleotide Probing. Systematic and Applied Microbiology, 1994, 17, 180-188.	2.8	3
28	Characterization of Nontoxic Nonhemagglutinin Component of the Two Types of Progenitor Toxin (M) Tj ETQq1 1 0.784314 rgBT /Ov 457-465.	1.4	55
29	Botulism. Veterinary Clinics of North America Equine Practice, 1997, 13, 107-128.	0.7	55
30	Water and Sediment Characteristics Associated with Avian Botulism Outbreaks in Wetlands. Journal of Wildlife Management, 1999, 63, 1249.	1.8	44
31	Phage conversion of exfoliative toxin A production in Staphylococcus aureus. Molecular Microbiology, 2000, 38, 694-705.	2.5	146
33	Clostridium botulinum types C and D and the closely related Clostridium novyi. Reviews in Medical Microbiology, 2002, 13, 75-90.	0.9	11
34	Control of Nonproteolytic Clostridium botulinum Types B and E in Crab Analogs by Combinations of Heat Pasteurization and Water Phase Salt. Journal of Food Protection, 2002, 65, 130-139.	1.7	9
35	Competitive Inhibition between Different Clostridium botulinum Types and Strains. Journal of Food Protection, 2004, 67, 2682-2687.	1.7	6
36	Susceptibility of coho salmon, Oncorhynchus kisutch (Walbaum), to different toxins of Clostridium botulinum. Aquaculture Research, 2004, 35, 594-600.	1.8	2
37	Organization and regulation of the neurotoxin genes in Clostridium botulinum and Clostridium tetani. Anaerobe, 2004, 10, 93-100.	2.1	40
38	Taxonomy and Systematics. , 2005, , 19-48.		14
39	Molecular characterization and comparison of Clostridium botulinum type C avian strains. Avian Pathology, 2010, 39, 511-518.	2.0	47

#	ARTICLE	IF	CITATIONS
40	Role of bacteriophage-encoded exotoxins in the evolution of bacterial pathogens. <i>Future Microbiology</i> , 2011, 6, 1461-1473.	2.0	45
41	Horizontal gene transfer of toxin genes in <i>Clostridium botulinum</i> . <i>Mobile Genetic Elements</i> , 2011, 1, 213-215.	1.8	55
42	Neurotoxin Gene Profiling of <i>Clostridium botulinum</i> Types C and D Native to Different Countries within Europe. <i>Applied and Environmental Microbiology</i> , 2012, 78, 3120-3127.	3.1	85
43	Genetic characteristics of toxigenic <i>Clostridia</i> and toxin gene evolution. <i>Toxicon</i> , 2013, 75, 63-89.	1.6	89
44	<i>Clostridium botulinum</i> . , 2014, , 185-212.		9
45	An Atypical <i>Clostridium</i> Strain Related to the <i>Clostridium botulinum</i> Group III Strain Isolated from a Human Blood Culture. <i>Journal of Clinical Microbiology</i> , 2014, 52, 339-343.	3.9	3
46	The Evolution of Bacterial Toxins. , 2014, , 167-188.		1
47	Evolutionary aspects of toxin-producing bacteria. , 2015, , 3-39.		3
48	Historical and current perspectives on <i>Clostridium botulinum</i> diversity. <i>Research in Microbiology</i> , 2015, 166, 290-302.	2.1	120
49	Genomics of <i>Clostridium botulinum</i> group III strains. <i>Research in Microbiology</i> , 2015, 166, 318-325.	2.1	11
50	Extrachromosomal and integrated genetic elements in <i>Clostridium difficile</i> . <i>Plasmid</i> , 2015, 80, 97-110.	1.4	16
51	Detection, differentiation, and identification of botulinum neurotoxin serotypes C, CD, D, and DC by highly specific immunoassays and mass spectrometry. <i>Analyst</i> , The, 2016, 141, 5281-5297.	3.5	20
52	Safety assessment of the <i>Clostridium butyricum</i> MIYAIRI 588 <sup>®</sup> probiotic strain including evaluation of antimicrobial sensitivity and presence of <i>Clostridium</i> toxin genes in vitro and teratogenicity in vivo. <i>Human and Experimental Toxicology</i> , 2016, 35, 818-832.	2.2	35
53	Botulinum Neurotoxins: Biology, Pharmacology, and Toxicology. <i>Pharmacological Reviews</i> , 2017, 69, 200-235.	16.0	506
54	Phage-mediated dissemination of virulence factors in pathogenic bacteria facilitated by antibiotic growth promoters in animals: a perspective. <i>Animal Health Research Reviews</i> , 2017, 18, 160-166.	3.1	11
55	The Contribution of Bacteriophages to the Biology and Virulence of Pathogenic <i>Clostridia</i> . <i>Advances in Applied Microbiology</i> , 2017, 101, 169-200.	2.4	35
56	Horizontal Gene Transfer Between Bacteriophages and Bacteria: Antibiotic Resistances and Toxin Production. , 2019, , 97-142.		8
57	Public Health Risk Associated with Botulism as Foodborne Zoonoses. <i>Toxins</i> , 2020, 12, 17.	3.4	54

#	ARTICLE	IF	CITATIONS
58	Are Phages Parasites or Symbionts of Bacteria?. , 2020, , 143-162.		2
59	The Distinctive Evolution of orfX Clostridium parabotulinum Strains and Their Botulinum Neurotoxin Type A and F Gene Clusters Is Influenced by Environmental Factors and Gene Interactions via Mobile Genetic Elements. <i>Frontiers in Microbiology</i> , 2021, 12, 566908.	3.5	11
60	Integration of Complete Plasmids Containing Bont Genes into Chromosomes of Clostridium parabotulinum, Clostridium sporogenes, and Clostridium argentinense. <i>Toxins</i> , 2021, 13, 473.	3.4	11
61	Clostridium botulinum Genomes and Genetic Diversity. , 2014, , 207-228.		2
62	Analysis of Antigenic Structure of Clostridium botulinum Type C1 and D Toxins by Monoclonal Antibodies. , 1985, , 159-184.		4
63	Observations on bacteriophages of Clostridium botulinum type C isolates from different sources and the role of certain phages in toxigenicity. <i>Applied and Environmental Microbiology</i> , 1976, 32, 145-158.	3.1	23
64	Plasmids in Clostridium botulinum and related Clostridium species. <i>Applied and Environmental Microbiology</i> , 1984, 48, 956-963.	3.1	61
65	Production of toxin by Clostridium botulinum type A strains cured by plasmids. <i>Applied and Environmental Microbiology</i> , 1986, 51, 52-56.	3.1	26
66	Characterization of bacteriophage nucleic acids obtained from Clostridium botulinum types C and D. <i>Applied and Environmental Microbiology</i> , 1988, 54, 69-73.	3.1	40
67	Evidence for plasmid-mediated toxin and bacteriocin production in Clostridium botulinum type G. <i>Applied and Environmental Microbiology</i> , 1988, 54, 1405-1408.	3.1	65
68	Inducible bacteriophages from ruminal bacteria. <i>Applied and Environmental Microbiology</i> , 1989, 55, 1630-1634.	3.1	70
69	Transfer of neurotoxigenicity from Clostridium butyricum to a nontoxigenic Clostridium botulinum type E-like strain. <i>Applied and Environmental Microbiology</i> , 1993, 59, 3825-3831.	3.1	54
70	Antigenicity of converting phages obtained from Clostridium botulinum types C and D. <i>Infection and Immunity</i> , 1976, 13, 855-860.	2.2	55
71	Phage conversion to hemagglutinin production in Clostridium botulinum types C and D. <i>Infection and Immunity</i> , 1976, 14, 597-602.	2.2	51
72	Relationship of bacteriophages to alpha toxin production in Clostridium novyi types A and B. <i>Infection and Immunity</i> , 1976, 14, 793-803.	2.2	57
73	Clostridium botulinum type D toxin: purification, molecular structure, and some immunological properties. <i>Infection and Immunity</i> , 1977, 17, 395-401.	2.2	83
74	Use of ganglioside affinity filters to identify toxigenic strains of Clostridium botulinum types C and D. <i>Infection and Immunity</i> , 1979, 26, 150-156.	2.2	4
75	Cloning and complete nucleotide sequence of the gene for the main component of hemagglutinin produced by Clostridium botulinum type C. <i>Infection and Immunity</i> , 1990, 58, 3173-3177.	2.2	70

#	ARTICLE	IF	CITATIONS
76	Identification of Clostridium botulinum, Clostridium argentinense, and related organisms by cellular fatty acid analysis. Journal of Clinical Microbiology, 1991, 29, 1114-1124.	3.9	55
77	Clostridium botulinum neurotoxin. Microbiological Reviews, 1980, 44, 419-448.	10.1	256
78	RELATIONSHIP OF BACTERIOPHAGES TO THE TOXIGENICITY OF CLOSTRIDIUM BOTULINUM AND CLOSELY RELATED ORGANISMS. , 1981,, 93-107.		2
94	Multi-dimensional nanoscale liquid chromatography and nano-electrospray ion-trap mass spectrometry for detection of Clostridium botulinum type C and the produced botulinum neurotoxin type C complex. Journal of Microbiological Methods, 2022, 193, 106397.	1.6	2
95	Endogenous CRISPR-Cas Systems in Group I Clostridium botulinum and Clostridium sporogenes Do Not Directly Target the Botulinum Neurotoxin Gene Cluster. Frontiers in Microbiology, 2021, 12, 787726.	3.5	8