

# Poliovirus 2C protein determinants of membrane binding to mammalian cells

Journal of Virology

71, 8962-8972

DOI: [10.1128/jvi.71.12.8962-8972.1997](https://doi.org/10.1128/jvi.71.12.8962-8972.1997)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Induction of Intracellular Membrane Rearrangements by HAV Proteins 2C and 2BC. <i>Virology</i> , 1997, 237, 66-77.	1.1	96
2	Two Types of Death of Poliovirus-Infected Cells: Caspase Involvement in the Apoptosis but Not Cytopathic Effect. <i>Virology</i> , 1998, 252, 343-353.	1.1	91
3	Membrane Permeability Induced by Hepatitis A Virus Proteins 2B and 2BC and Proteolytic Processing of HAV 2BC. <i>Virology</i> , 1998, 252, 218-227.	1.1	56
4	Genetics, Pathogenesis and Evolution of Picornaviruses. , 1999, , 287-343.		49
5	Characterization of the Nucleoside Triphosphatase Activity of Poliovirus Protein 2C Reveals a Mechanism by Which Guanidine Inhibits Poliovirus Replication. <i>Journal of Biological Chemistry</i> , 1999, 274, 6992-7001.	1.6	156
6	Semliki Forest virus mRNA capping enzyme requires association with anionic membrane phospholipids for activity. <i>EMBO Journal</i> , 1999, 18, 3164-3172.	3.5	152
7	Paradoxes of the replication of picornaviral genomes. <i>Virus Research</i> , 1999, 62, 129-147.	1.1	100
8	Echovirus 9 strain Barty non-structural protein 2C has NTPase activity. <i>Virus Research</i> , 1999, 65, 155-160.	1.1	24
9	MHC I-dependent antigen presentation is inhibited by poliovirus protein 3A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 13790-13795.	3.3	137
10	Evolution of the Sabin Strain of Type 3 Poliovirus in an Immunodeficient Patient during the Entire 637-Day Period of Virus Excretion. <i>Journal of Virology</i> , 2000, 74, 3001-3010.	1.5	152
11	A Cysteine-Rich Motif in Poliovirus Protein 2C <sup>ATPase</sup> Is Involved in RNA Replication and Binds Zinc In Vitro. <i>Journal of Virology</i> , 2000, 74, 334-343.	1.5	78
12	Formation of the Poliovirus Replication Complex Requires Coupled Viral Translation, Vesicle Production, and Viral RNA Synthesis. <i>Journal of Virology</i> , 2000, 74, 6570-6580.	1.5	152
13	Remodeling the Endoplasmic Reticulum by Poliovirus Infection and by Individual Viral Proteins: an Autophagy-Like Origin for Virus-Induced Vesicles. <i>Journal of Virology</i> , 2000, 74, 8953-8965.	1.5	456
14	Competing Death Programs in Poliovirus-Infected Cells: Commitment Switch in the Middle of the Infectious Cycle. <i>Journal of Virology</i> , 2000, 74, 5534-5541.	1.5	88
15	Perinuclear accumulation of hepatitis A virus proteins, RNA, and particles and ultrastructural alterations in infected cells. <i>Archives of Virology</i> , 2001, 146, 2291-2307.	0.9	10
16	Identification of Sequences in Brome Mosaic Virus Replicase Protein 1a That Mediate Association with Endoplasmic Reticulum Membranes. <i>Journal of Virology</i> , 2001, 75, 12370-12381.	1.5	107
17	Poliovirus Protein 3A Inhibits Tumor Necrosis Factor (TNF)-Induced Apoptosis by Eliminating the TNF Receptor from the Cell Surface. <i>Journal of Virology</i> , 2001, 75, 10409-10420.	1.5	119
18	Polypeptide p41 of a Norwalk-Like Virus Is a Nucleic Acid-Independent Nucleoside Triphosphatase. <i>Journal of Virology</i> , 2001, 75, 1611-1619.	1.5	68

#	ARTICLE	IF	CITATIONS
19	Cellular COPII Proteins Are Involved in Production of the Vesicles That Form the Poliovirus Replication Complex. <i>Journal of Virology</i> , 2001, 75, 9808-9818.	1.5	200
20	Requirements for Assembly of Poliovirus Replication Complexes and Negative-Strand RNA Synthesis. <i>Journal of Virology</i> , 2001, 75, 3841-3850.	1.5	71
21	Isolation of Enzymatically Active Replication Complexes from Feline Calicivirus-Infected Cells. <i>Journal of Virology</i> , 2002, 76, 8582-8595.	1.5	60
22	Aichi Virus Leader Protein Is Involved in Viral RNA Replication and Encapsidation. <i>Journal of Virology</i> , 2003, 77, 10799-10807.	1.5	32
23	Initiation of Poliovirus Negative-Strand RNA Synthesis Requires Precursor Forms of P2 Proteins. <i>Journal of Virology</i> , 2003, 77, 1075-1083.	1.5	21
24	Changes in Rhinovirus Protein 2C Allow Efficient Replication in Mouse Cells. <i>Journal of Virology</i> , 2003, 77, 4773-4780.	1.5	36
25	Amphipathic Helix-Dependent Localization of NS5A Mediates Hepatitis C Virus RNA Replication. <i>Journal of Virology</i> , 2003, 77, 6055-6061.	1.5	158
26	Strand-Specific RNA Synthesis Defects in a Poliovirus with a Mutation in Protein 3A. <i>Journal of Virology</i> , 2003, 77, 12679-12691.	1.5	23
27	Membrane Requirements for Uridylylation of the Poliovirus VPg Protein and Viral RNA Synthesis In Vitro. <i>Journal of Virology</i> , 2003, 77, 11408-11416.	1.5	31
28	Evidence for neuronal localisation of enteroviral sequences in motor neurone disease/amyotrophic lateral sclerosis by in situ hybridization. <i>European Journal of Histochemistry</i> , 2004, 48, 129.	0.6	16
29	Structure and Function of the Membrane Anchor Domain of Hepatitis C Virus Nonstructural Protein 5A. <i>Journal of Biological Chemistry</i> , 2004, 279, 40835-40843.	1.6	249
30	Regulation of Poliovirus 3C Protease by the 2C Polypeptide. <i>Journal of Virology</i> , 2004, 78, 9243-9256.	1.5	34
31	Intracellular Topology and Epitope Shielding of Poliovirus 3A Protein. <i>Journal of Virology</i> , 2004, 78, 5973-5982.	1.5	18
32	An N-Terminal Amphipathic Helix in Hepatitis C Virus (HCV) NS4B Mediates Membrane Association, Correct Localization of Replication Complex Proteins, and HCV RNA Replication. <i>Journal of Virology</i> , 2004, 78, 11393-11400.	1.5	148
33	Differential Rescue of Poliovirus RNA Replication Functions by Genetically Modified RNA Polymerase Precursors. <i>Journal of Virology</i> , 2004, 78, 13007-13018.	1.5	12
34	Avian encephalomyelitis virus nonstructural protein 2C induces apoptosis by activating cytochrome c/caspase-9 pathway. <i>Virology</i> , 2004, 318, 169-182.	1.1	31
35	Viral RNA Replication in Association with Cellular Membranes. <i>Current Topics in Microbiology and Immunology</i> , 2004, 285, 139-173.	0.7	308
36	Poliovirus, Pathogenesis of Poliomyelitis, and Apoptosis. , 2005, 289, 25-56.		22

#	ARTICLE	IF	CITATIONS
37	Wrapping Things up about Virus RNA Replication. <i>Traffic</i> , 2005, 6, 967-977.	1.3	223
38	Subversion of Cellular Autophagosomal Machinery by RNA Viruses. <i>PLoS Biology</i> , 2005, 3, e156.	2.6	717
39	Interactions Between Virus Proteins and Host Cell Membranes During the Viral Life Cycle. <i>International Review of Cytology</i> , 2005, 245, 171-244.	6.2	50
40	The Carboxy-Terminal Sequence of the Pestivirus Glycoprotein E rns Represents an Unusual Type of Membrane Anchor. <i>Journal of Virology</i> , 2005, 79, 11901-11913.	1.5	51
41	Effects of Foot-and-Mouth Disease Virus Nonstructural Proteins on the Structure and Function of the Early Secretory Pathway: 2BC but Not 3A Blocks Endoplasmic Reticulum-to-Golgi Transport. <i>Journal of Virology</i> , 2005, 79, 4382-4395.	1.5	117
42	Poliovirus Proteins Induce Membrane Association of GTPase ADP-Ribosylation Factor. <i>Journal of Virology</i> , 2005, 79, 7207-7216.	1.5	91
43	Amino Acid Changes in Proteins 2B and 3A Mediate Rhinovirus Type 39 Growth in Mouse Cells. <i>Journal of Virology</i> , 2005, 79, 5363-5373.	1.5	42
44	Poliovirus and poliomyelitis: A tale of guts, brains, and an accidental event. <i>Virus Research</i> , 2005, 111, 175-193.	1.1	110
45	Testing the modularity of the N-terminal amphipathic helix conserved in picornavirus 2C proteins and hepatitis C NS5A protein. <i>Virology</i> , 2006, 344, 453-467.	1.1	49
46	Evidence for Functional Protein Interactions Required for Poliovirus RNA Replication. <i>Journal of Virology</i> , 2006, 80, 5327-5337.	1.5	47
47	Characterization of Membrane Association Domains within the Tomato Ringspot Nepovirus X2 Protein, an Endoplasmic Reticulum-Targeted Polytopic Membrane Protein. <i>Journal of Virology</i> , 2006, 80, 10847-10857.	1.5	18
48	Activation of Cellular Arf GTPases by Poliovirus Protein 3CD Correlates with Virus Replication. <i>Journal of Virology</i> , 2007, 81, 9259-9267.	1.5	58
49	Involvement of Cellular Membrane Traffic Proteins in Poliovirus Replication. <i>Cell Cycle</i> , 2007, 6, 36-38.	1.3	55
50	Role of the Amphipathic Peptide of Semliki Forest Virus Replicase Protein nsP1 in Membrane Association and Virus Replication. <i>Journal of Virology</i> , 2007, 81, 872-883.	1.5	98
51	Poliovirus infection blocks ERGIC-to-Golgi trafficking and induces microtubule-dependent disruption of the Golgi complex. <i>Journal of Cell Science</i> , 2007, 120, 3207-3218.	1.2	47
52	Complete protein linkage map between the P2 and P3 non-structural proteins of poliovirus. <i>Journal of General Virology</i> , 2007, 88, 2259-2267.	1.3	34
53	Coxsackievirus B3 Proteins Directionally Complement Each Other To Downregulate Surface Major Histocompatibility Complex Class I. <i>Journal of Virology</i> , 2007, 81, 6785-6797.	1.5	60
54	Universal and mutation-resistant anti-enteroviral activity: potency of small interfering RNA complementary to the conserved cis-acting replication element within the enterovirus coding region. <i>Journal of General Virology</i> , 2007, 88, 2003-2012.	1.3	26

#	ARTICLE	IF	CITATIONS
55	Epidemics to eradication: the modern history of poliomyelitis. <i>Virology Journal</i> , 2007, 4, 70.	1.4	77
56	Coxsackievirus B RNA Replication: Lessons from Poliovirus. , 2008, 323, 89-121.		26
57	Dynamics of picornavirus RNA replication within infected cells. <i>Journal of General Virology</i> , 2008, 89, 485-493.	1.3	23
58	Characterization of pharmacologically active compounds that inhibit poliovirus and enterovirus 71 infectivity. <i>Journal of General Virology</i> , 2008, 89, 2518-2530.	1.3	87
59	Topology and Membrane Anchoring of the Coronavirus Replication Complex: Not All Hydrophobic Domains of nsp3 and nsp6 Are Membrane Spanning. <i>Journal of Virology</i> , 2008, 82, 12392-12405.	1.5	138
60	The Thiazolobenzimidazole TBZE-029 Inhibits Enterovirus Replication by Targeting a Short Region Immediately Downstream from Motif C in the Nonstructural Protein 2C. <i>Journal of Virology</i> , 2008, 82, 4720-4730.	1.5	71
61	Role of Microtubules in Extracellular Release of Poliovirus. <i>Journal of Virology</i> , 2009, 83, 6599-6609.	1.5	96
62	Conversion of VPg into VPgpUpU <sub>OH</sub> before and during Poliovirus Negative-Strand RNA Synthesis. <i>Journal of Virology</i> , 2009, 83, 12660-12670.	1.5	17
63	Poliovirus 2C Protein Forms Homo-oligomeric Structures Required for ATPase Activity. <i>Journal of Biological Chemistry</i> , 2009, 284, 22012-22021.	1.6	52
64	Biochemical Characterization of Recombinant Hepatitis C Virus Nonstructural Protein 4B: Evidence for ATP/GTP Hydrolysis and Adenylate Kinase Activity. <i>Biochemistry</i> , 2009, 48, 906-916.	1.2	46
65	Cis-active RNA elements (CREs) and picornavirus RNA replication. <i>Virus Research</i> , 2009, 139, 240-252.	1.1	102
66	Amino acid substitutions within the 2C coding sequence of Theiler's Murine Encephalomyelitis virus alter virus growth and affect protein distribution. <i>Virus Research</i> , 2009, 144, 74-82.	1.1	8
67	Localisation of Theiler's murine encephalomyelitis virus protein 2C to the Golgi apparatus using antibodies generated against a peptide region. <i>Journal of Virological Methods</i> , 2010, 168, 162-169.	1.0	6
68	Poliovirus replication requires the N-terminus but not the catalytic Sec7 domain of ArfGEF GBF1. <i>Cellular Microbiology</i> , 2010, 12, 1463-1479.	1.1	59
69	Direct Interaction between Two Viral Proteins, the Nonstructural Protein 2CATPase and the Capsid Protein VP3, Is Required for Enterovirus Morphogenesis. <i>PLoS Pathogens</i> , 2010, 6, e1001066.	2.1	111
70	Cytoplasmic Viral Replication Complexes. <i>Cell Host and Microbe</i> , 2010, 8, 77-85.	5.1	306
71	Overall linkage map of the nonstructural proteins of Aichi virus. <i>Virus Research</i> , 2010, 147, 77-84.	1.1	7
72	Organelle-Like Membrane Compartmentalization of Positive-Strand RNA Virus Replication Factories. <i>Annual Review of Microbiology</i> , 2010, 64, 241-256.	2.9	389

#	ARTICLE	IF	CITATIONS
73	Mechanistic Intersections Between Picornavirus Translation and RNA Replication. <i>Advances in Virus Research</i> , 2011, 80, 1-24.	0.9	24
74	Analysis of Poliovirus Protein 3A Interactions with Viral and Cellular Proteins in Infected Cells. <i>Journal of Virology</i> , 2011, 85, 4284-4296.	1.5	45
75	Alanine Scanning of Poliovirus 2C <sup>&lt;sup&gt;ATPase&lt;/sup&gt; Reveals New Genetic Evidence that Capsid Protein/2C <sup>&lt;sup&gt;ATPase&lt;/sup&gt; Interactions Are Essential for Morphogenesis. <i>Journal of Virology</i>, 2012, 86, 9964-9975.</sup></sup>	1.5	46
76	ACBD3-mediated recruitment of PI4KB to picornavirus RNA replication sites. <i>EMBO Journal</i> , 2012, 31, 754-766.	3.5	159
77	Evolution of Poliovirus Defective Interfering Particles Expressing Gaussia Luciferase. <i>Journal of Virology</i> , 2012, 86, 1999-2010.	1.5	12
78	Identification of domains in p27 auxiliary replicase protein essential for its association with the endoplasmic reticulum membranes in Red clover necrotic mosaic virus. <i>Virology</i> , 2012, 433, 131-141.	1.1	37
79	A critical role of N-myc and STAT interactor (Nmi) in foot-and-mouth disease virus (FMDV) 2C-induced apoptosis. <i>Virus Research</i> , 2012, 170, 59-65.	1.1	35
80	Role of host reticulon proteins in rearranging membranes for positive-strand RNA virus replication. <i>Current Opinion in Microbiology</i> , 2012, 15, 519-524.	2.3	52
81	Increased Long Chain acyl-Coa Synthetase Activity and Fatty Acid Import Is Linked to Membrane Synthesis for Development of Picornavirus Replication Organelles. <i>PLoS Pathogens</i> , 2013, 9, e1003401.	2.1	85
82	Polyprotein Context Regulates the Activity of Poliovirus 2C <sup>&lt;sup&gt;ATPase&lt;/sup&gt; Bound to Bilayer Nanodiscs. <i>Journal of Virology</i>, 2013, 87, 5994-6004.</sup>	1.5	10
83	The Nonstructural Protein 2C of a Picorna-Like Virus Displays Nucleic Acid Helix Destabilizing Activity That Can Be Functionally Separated from Its ATPase Activity. <i>Journal of Virology</i> , 2013, 87, 5205-5218.	1.5	26
84	Selective Serotonin Reuptake Inhibitor Fluoxetine Inhibits Replication of Human Enteroviruses B and D by Targeting Viral Protein 2C. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1952-1956.	1.4	81
85	Origin and Evolution of the <i>Picornaviridae</i> Proteome. , 0, , 253-270.		0
86	A critical role of interferon-induced protein IFP35 in the type I interferon response in cells induced by foot-and-mouth disease virus (FMDV) protein 2C. <i>Archives of Virology</i> , 2014, 159, 2925-2935.	0.9	21
87	A Complex Comprising Phosphatidylinositol 4-Kinase III $\beta$ , ACBD3, and Aichi Virus Proteins Enhances Phosphatidylinositol 4-Phosphate Synthesis and Is Critical for Formation of the Viral Replication Complex. <i>Journal of Virology</i> , 2014, 88, 6586-6598.	1.5	51
88	A C-terminal, cysteine-rich site in poliovirus 2CATPase is required for morphogenesis. <i>Journal of General Virology</i> , 2014, 95, 1255-1265.	1.3	23
89	Strategies for purifying variants of human rhinovirus 14 2C protein. <i>Protein Expression and Purification</i> , 2014, 95, 28-37.	0.6	4
90	Poliovirus-induced changes in cellular membranes throughout infection. <i>Current Opinion in Virology</i> , 2014, 9, 67-73.	2.6	37

#	ARTICLE	IF	CITATIONS
91	The Cucumber leaf spot virus p25 auxiliary replicase protein binds and modifies the endoplasmic reticulum via N-terminal transmembrane domains. <i>Virology</i> , 2014, 468-470, 36-46.	1.1	5
92	Picornavirus Morphogenesis. <i>Microbiology and Molecular Biology Reviews</i> , 2014, 78, 418-437.	2.9	180
93	Replication and Inhibitors of Enteroviruses and Parechoviruses. <i>Viruses</i> , 2015, 7, 4529-4562.	1.5	117
94	The Role of Electron Microscopy in Studying the Continuum of Changes in Membranous Structures during Poliovirus Infection. <i>Viruses</i> , 2015, 7, 5305-5318.	1.5	7
95	Coxsackievirus A16 Elicits Incomplete Autophagy Involving the mTOR and ERK Pathways. <i>PLoS ONE</i> , 2015, 10, e0122109.	1.1	39
96	Human Enterovirus Nonstructural Protein 2CATPase Functions as Both an RNA Helicase and ATP-Independent RNA Chaperone. <i>PLoS Pathogens</i> , 2015, 11, e1005067.	2.1	68
97	RNA chaperones encoded by RNA viruses. <i>Virologica Sinica</i> , 2015, 30, 401-409.	1.2	6
98	Initiation of protein-primed picornavirus RNA synthesis. <i>Virus Research</i> , 2015, 206, 12-26.	1.1	78
99	Ultrastructure of the replication sites of positive-strand RNA viruses. <i>Virology</i> , 2015, 479-480, 418-433.	1.1	130
100	Morphogenesis of Endoplasmic Reticulum Membrane-Invaginated Vesicles during Beet Black Scorch Virus Infection: Role of Auxiliary Replication Protein and New Implications of Three-Dimensional Architecture. <i>Journal of Virology</i> , 2015, 89, 6184-6195.	1.5	56
101	On the interaction and localization of the beet necrotic yellow vein virus replicase. <i>Virus Research</i> , 2015, 196, 94-104.	1.1	6
102	The Amino Acid Substitution Q65H in the 2C Protein of Swine Vesicular Disease Virus Confers Resistance to Golgi Disrupting Drugs. <i>Frontiers in Microbiology</i> , 2016, 7, 612.	1.5	1
103	A Single Amino Acid Substitution in Poliovirus Nonstructural Protein 2C <sup>ATPase</sup> Causes Conditional Defects in Encapsidation and Uncoating. <i>Journal of Virology</i> , 2016, 90, 6174-6186.	1.5	23
104	Involvement of a joker mutation in a polymerase-independent lethal mutagenesis escape mechanism. <i>Virology</i> , 2016, 494, 257-266.	1.1	29
105	Antiviral activities of peptide-based covalent inhibitors of the Enterovirus 71 3C protease. <i>Scientific Reports</i> , 2016, 6, 33663.	1.6	15
106	Biological function of Foot-and-mouth disease virus non-structural proteins and non-coding elements. <i>Virology Journal</i> , 2016, 13, 107.	1.4	82
107	T135I substitution in the nonstructural protein 2C enhances foot-and-mouth disease virus replication. <i>Virus Genes</i> , 2017, 53, 840-847.	0.7	6
108	Studies on Picornaviral Proteases and Their Inhibitors. , 2017, , 263-315.		0

#	ARTICLE	IF	CITATIONS
109	Model of OSBP-Mediated Cholesterol Supply to Aichi Virus RNA Replication Sites Involving Protein-Protein Interactions among Viral Proteins, ACBD3, OSBP, VAP-A/B, and SAC1. <i>Journal of Virology</i> , 2018, 92, .	1.5	48
110	Crystal structure of a soluble fragment of poliovirus 2CATPase. <i>PLoS Pathogens</i> , 2018, 14, e1007304.	2.1	28
111	Multiple poliovirus-induced organelles suggested by comparison of spatiotemporal dynamics of membranous structures and phosphoinositides. <i>PLoS Pathogens</i> , 2018, 14, e1007036.	2.1	19
112	Viral Discovery in the Invasive Australian Cane Toad ( <i>Rhinella marina</i> ) Using Metatranscriptomic and Genomic Approaches. <i>Journal of Virology</i> , 2018, 92, .	1.5	13
113	Fluoxetine Inhibits Enterovirus Replication by Targeting the Viral 2C Protein in a Stereospecific Manner. <i>ACS Infectious Diseases</i> , 2019, 5, 1609-1623.	1.8	50
114	Viral Generated Inter-Organelle Contacts Redirect Lipid Flux for Genome Replication. <i>Cell</i> , 2019, 178, 275-289.e16.	13.5	106
115	Viperin Inhibits Enterovirus A71 Replication by Interacting with Viral 2C Protein. <i>Viruses</i> , 2019, 11, 13.	1.5	21
116	Viperin inhibits classical swine fever virus replication by interacting with viral nonstructural 5A protein. <i>Journal of Medical Virology</i> , 2020, 92, 149-160.	2.5	20
117	The Structure, Function, and Mechanisms of Action of Enterovirus Non-structural Protein 2C. <i>Frontiers in Microbiology</i> , 2020, 11, 615965.	1.5	28
118	An Amphipathic Alpha-Helix Domain from Poliovirus 2C Protein Tubulate Lipid Vesicles. <i>Viruses</i> , 2020, 12, 1466.	1.5	9
119	Development of broad-spectrum enterovirus antivirals based on quinoline scaffold. <i>Bioorganic Chemistry</i> , 2020, 101, 103981.	2.0	19
120	Charged Residues in the Membrane Anchor of the Pestiviral Erns Protein Are Important for Processing and Secretion of Erns and Recovery of Infectious Viruses. <i>Viruses</i> , 2021, 13, 444.	1.5	4
121	A comparative analysis of parechovirus protein structures with other picornaviruses. <i>Open Biology</i> , 2021, 11, 210008.	1.5	2
122	Development of an experimental inactivated vaccine from Vero cell adapted Enterovirus D68. <i>Virus Research</i> , 2021, 304, 198528.	1.1	6
123	Poliovirus and Apoptosis. <i>Progress in Molecular and Subcellular Biology</i> , 2004, 36, 151-169.	0.9	3
124	The 3C Proteinases of Picornaviruses and Other Positive-Sense, Single-Stranded RNA Viruses. <i>Handbook of Experimental Pharmacology</i> , 2000, , 117-143.	0.9	2
125	Picornavirus Genome: an Overview. , 0, , 125-148.		17
126	Role of Cellular Structures in Viral RNA Replication. , 0, , 247-253.		13



#	ARTICLE	IF	CITATIONS
127	Poliovirus RNA-Dependent RNA Polymerase (3Dpol): Structure, Function, and Mechanism. , 0, , 255-267.		8
128	Effects of Viral Replication on Cellular Membrane Metabolism and Function. , 0, , 337-354.		6
129	Rescue of Defective Poliovirus RNA Replication by 3AB-Containing Precursor Polyproteins. Journal of Virology, 1998, 72, 7191-7200.	1.5	63
130	Brome Mosaic Virus RNA Replication Proteins 1a and 2a Colocalize and 1a Independently Localizes on the Yeast Endoplasmic Reticulum. Journal of Virology, 1999, 73, 10303-10309.	1.5	119
131	Open Reading Frame 1a-Encoded Subunits of the Arterivirus Replicase Induce Endoplasmic Reticulum-Derived Double-Membrane Vesicles Which Carry the Viral Replication Complex. Journal of Virology, 1999, 73, 2016-2026.	1.5	260
132	Rational design of highly potent broad-spectrum enterovirus inhibitors targeting the nonstructural protein 2C. PLoS Biology, 2020, 18, e3000904.	2.6	17
133	Deletion Mutants of VPg Reveal New Cytopathology Determinants in a Picornavirus. PLoS ONE, 2010, 5, e10735.	1.1	19
134	Membrane alterations induced by nonstructural proteins of human norovirus. PLoS Pathogens, 2017, 13, e1006705.	2.1	64
135	Picornaviral 2C proteins: A unique ATPase family critical in virus replication. The Enzymes, 2021, 49, 235-264.	0.7	3
136	Proteolytic Enzymes of the Viruses of the Family Picornaviridae. , 1999, , 139-163.		4
137	Remodeling Cellular Membranes. , 0, , 181-193.		1
138	Genome Replication I: the Players. , 0, , 105-125.		0
144	Development of Enterovirus Antiviral Agents That Target the Viral 2C Protein. ChemMedChem, 2023, 18, .	1.6	1