

CITATION REPORT

List of articles citing

Symptoms of depression, acute myocardial infarction,
and total mortality in a community sample

DOI: 10.1161/01.CIR.93.11.1976
Circulation, 1996, 93, 1976-80.

Source: <https://exaly.com/paper-pdf/86224755/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|----|-----------|
| 603 | Depression and long-term mortality risk in patients with coronary artery disease. 1996 , 78, 613-7 | | 397 |
| 602 | Depressive symptoms, social support, and lipid profile in healthy middle-aged women. 1997 , 59, 521-8 | | 82 |
| 601 | Depression and myocardial infarction. Implications for medical prognosis and options for treatment. 1997 , 11, 111-8 | | 10 |
| 600 | Mind-body therapies for primary care physicians. 1997 , 24, 787-807 | | 7 |
| 599 | Depression and coronary heart disease: observations and questions. 1997 , 43, 443-52 | | 49 |
| 598 | Personality, emotional distress and coronary heart disease. 1997 , 11, 343-357 | | 25 |
| 597 | Cardiovascular events and mortality in newly and chronically depressed persons > 70 years of age. 1998 , 81, 988-94 | | 180 |
| 596 | Depression and the risk of coronary heart disease in the Normative Aging Study. 1998 , 82, 851-6 | | 115 |
| 595 | Personality and coronary heart disease: the type-D scale-16 (DS16). 1998 , 20, 209-15 | | 138 |
| 594 | The social psychophysiology of cardiovascular response: An introduction to the special issue. 1998 , 20, 243-246 | | 29 |
| 593 | Role of psycho-social factors in CVD. 1998 , 2, 64-5 | | 5 |
| 592 | Are sleep complaints an independent risk factor for myocardial infarction?. 1998 , 8, 384-92 | | 100 |
| 591 | Mental Stress and the Cardiovascular System Part IV. Chronic Mental Stress and Cardiovascular Disease: Depression and Anxiety. 1998 , 3, 22-27 | | 4 |
| 590 | Depression in the Post-Myocardial Infarction Patient. 1998 , 3, 126-130 | | |
| 589 | Psychological distress in patients awaiting heart transplantation. 1998 , 45, 465-70 | | 55 |
| 588 | Platelet cytosolic calcium responses to serotonin in depressed patients and controls: relationship to symptomatology and medication. 1998 , 43, 327-34 | | 34 |
| 587 | Role of different determinants of psychological distress in acute coronary syndromes. 1998 , 32, 613-9 | | 43 |

| | | |
|-----|--|-----|
| 586 | Expanding Health Educators' Roles to Meet Critical Needs in Stress Management and Mental Health. 1998 , 29, 68-76 | 8 |
| 585 | A cross-sectional study on the relationship between depression and left ventricular hypertrophy. 1998 , 27, 787-91 | 5 |
| 584 | Prevention of coronary heart disease in clinical practice: recommendations of the Second Joint Task Force of European and other Societies on Coronary Prevention. 1998 , 140, 199-270 | 422 |
| 583 | Acupuncture and the Cardiovascular System: A Scientific Challenge. 1998 , 16, 2-9 | 3 |
| 582 | Exercise against depression. 1998 , 26, 55-60 | 10 |
| 581 | Psychological morbidity following critical illness - the rationale for care after intensive care. 1998 , 9, 199-205 | 41 |
| 580 | Group psychotherapy for patients with coronary heart disease. 1998 , 48, 187-214 | 17 |
| 579 | Diagnostic groups and depressed mood as predictors of 22-month mortality in medical inpatients. 1998 , 60, 570-7 | 105 |
| 578 | Depressive symptomatology and vital exhaustion are differentially related to behavioral risk factors for coronary artery disease. 1998 , 60, 752-8 | 151 |
| 577 | Depression Research Methodologies at the Social-Clinical Interface: Still Hazy After All These Years. 1999 , 18, 121-159 | 11 |
| 576 | Negative Affect and Health: The Importance of Being Earnest. 1999 , 13, 601-635 | 76 |
| 575 | Cardiac rehabilitation. 1999 , 8, 65-71 | 25 |
| 574 | Do negative emotions mediate the association between socioeconomic status and health?. 1999 , 896, 226-45 | 51 |
| 573 | Vital exhaustion as a risk factor of myocardial infarction: a case-control study in Venezuela. 1999 , 6, 279-90 | 13 |
| 572 | Sense of exhaustion and coronary heart disease among college alumni. 1999 , 84, 1401-5 | 50 |
| 571 | Association of mood disturbance and arrhythmia events in patients after cardioverter defibrillator implantation. 1999 , 9, 163-8 | 106 |
| 570 | Screening for cardiovascular disease. Concepts, conflicts, and consensus. 1999 , 83, 1339-73 | 3 |
| 569 | New gene targets related to schizophrenia and other psychiatric disorders: enzymes, binding proteins and transport proteins involved in phospholipid and fatty acid metabolism. 1999 , 60, 141-67 | 68 |

| | | |
|-----|---|-----|
| 568 | Depression and bipolar disorder: relationships to impaired fatty acid and phospholipid metabolism and to diabetes, cardiovascular disease, immunological abnormalities, cancer, ageing and osteoporosis. Possible candidate genes. 1999 , 60, 217-34 | 169 |
| 567 | Relation between myocardial infarction, depression, hostility, and death. 1999 , 138, 549-54 | 146 |
| 566 | An open-label preliminary trial of sertraline for treatment of major depression after acute myocardial infarction (the SADHAT Trial). Sertraline Anti-Depressant Heart Attack Trial. 1999 , 137, 1100-6 | 128 |
| 565 | The physical consequences of depressive illness. 1999 , 318, 826 | 32 |
| 564 | Persistence of depressive symptoms and cardiovascular death among patients with affective disorder. 1999 , 61, 755-61 | 18 |
| 563 | Psychosocial factors and heart rate variability in healthy women. 1999 , 61, 49-57 | 138 |
| 562 | Chronic and acute psychological risk factors for clinical manifestations of coronary artery disease. 1999 , 61, 476-87 | 162 |
| 561 | Depression and risk of sudden cardiac death after acute myocardial infarction: testing for the confounding effects of fatigue. 1999 , 61, 729-37 | 125 |
| 560 | Cardiac autonomic control buffers blood pressure variability responses to challenge: a psychophysiologic model of coronary artery disease. 1999 , 61, 58-68 | 89 |
| 559 | Psychological risk factors may moderate pharmacological treatment effects among ischemic heart disease patients. Canadian Amlodipine/Atenolol in Silent Ischemia Study (CASIS) Investigators. 1999 , 61, 834-41 | 13 |
| 558 | A systematic review of the mortality of depression. 1999 , 61, 6-17 | 477 |
| 557 | Psychological interventions for depression in heart failure. 2000 , | |
| 556 | Physical illness as an outcome of chronic anxiety disorders. 2000 , 45, 459-64 | 33 |
| 555 | A happy person, a healthy person?. 2000 , 48, 590-2 | 8 |
| 554 | Emotional well-being predicts subsequent functional independence and survival. 2000 , 48, 473-8 | 300 |
| 553 | Work strain and the post-discharge adjustment of patients following a heart attack. 2000 , 15, 609-623 | 16 |
| 552 | The protective effect of emotional vitality on adverse health outcomes in disabled older women. 2000 , 48, 1359-66 | 103 |
| 551 | Inflammation, depressive symptomatology, and coronary artery disease. 2000 , 62, 601-5 | 201 |

| | | |
|-----|---|-----|
| 550 | Platelet supersensitivity to thrombin stimulation in depression: a possible mechanism for the association with cardiovascular mortality. 2000 , 23, 182-5 | 23 |
| 549 | Psychoimmunology as a common pathogenetic pathway in myocardial infarction, depression and cardiac death. 2000 , 13, 661-664 | 8 |
| 548 | Symptoms of depression as a prospective risk factor for stroke. 2000 , 62, 463-71 | 217 |
| 547 | Relation of subjective and received social support to clinical and self-report assessments of depressive symptoms in an elderly population. 2000 , 61, 41-50 | 23 |
| 546 | Sexual activity and cardiac risk: is depression a contributing factor?. 2000 , 86, 38F-40F | 36 |
| 545 | Emotions and Heart Disease. 2000 , 789-796 | 6 |
| 544 | [Not Available]. 2000 , 46, 315-30 | 2 |
| 543 | Social, Personality, Clinical, and Health Psychology Tributaries: The Merging of a Scholarly River of Dreams□ 2000 , 4, 16-29 | 19 |
| 542 | Lack of correlation between psychological factors and subclinical coronary artery disease. 2000 , 343, 1298-304 | 98 |
| 541 | Treatment of depression in comorbid medical illness. 2000 , 1, 1367-84 | 31 |
| 540 | Alternative, Complementary, or Integrative Approaches to Treating Depression. 2000 , 6, 77-86 | 1 |
| 539 | Excess risk of myocardial infarction in patients treated with antidepressant medications: association with use of tricyclic agents. 2000 , 108, 2-8 | 403 |
| 538 | Antidepressant use and the risk of myocardial infarction. 2000 , 108, 87-8 | 34 |
| 537 | Association between depression and worse disease-specific functional status in outpatients with coronary artery disease. 2000 , 140, 105-10 | 118 |
| 536 | Introduction. 2000 , 140, 55-6 | 2 |
| 535 | Are platelets the link between depression and ischemic heart disease?. 2000 , 140, 57-62 | 147 |
| 534 | Depression and ischemic heart disease. 2000 , 140, 63-9 | 47 |
| 533 | Heart rate variability in depressive and anxiety disorders. 2000 , 140, 77-83 | 313 |

| | | |
|-----|---|-----|
| 532 | Depression really does hurt your heart: stress, depression, and cardiovascular disease. 2000 , 122, 43-59 | 29 |
| 531 | Psychological factors affecting a medical condition: ischemic coronary heart disease. 2000 , 48, 357-67 | 43 |
| 530 | Attachment and loss experiences during childhood are associated with adult hostility, depression, and social support. 2000 , 49, 85-91 | 53 |
| 529 | Type D personality. A potential risk factor refined. 2000 , 49, 255-66 | 236 |
| 528 | Effects of anxiety and depression on 5-year mortality in 5,057 patients referred for exercise testing. 2000 , 48, 455-62 | 150 |
| 527 | Going to the heart of the matter: do negative emotions cause coronary heart disease?. 2000 , 48, 323-37 | 312 |
| 526 | Depression in patients with cardiac disease: a practical review. 2000 , 48, 379-91 | 229 |
| 525 | Gender and psychosomatic aspects of ischemic heart disease. 2000 , 48, 417-23 | 51 |
| 524 | Gender differences in morbidity and mortality related to depression: a review of the literature. 2000 , 12, 407-16 | 10 |
| 523 | Why do men get more heart disease than women? An international perspective. 2000 , 48, 291-4 | 44 |
| 522 | The nature of the depressive symptomatology preceding myocardial infarction. 2000 , 26, 86-9 | 51 |
| 521 | Management of heart failure. 2000 , 27, 651-75;vi | 2 |
| 520 | Association between depressive symptoms and mortality in medical inpatients. 2000 , 41, 426-32 | 30 |
| 519 | Cushing's disease and melancholia. 2001 , 4, 91-119 | 8 |
| 518 | Cholesterol: an important but relatively overemphasized risk factor for ischemic heart disease. 2001 , 57, 593-601 | 5 |
| 517 | Sensitivity and specificity of observer and self-report questionnaires in major and minor depression following myocardial infarction. 2001 , 42, 423-8 | 200 |
| 516 | Clinical and treatment response characteristics of late-life depression associated with vascular disease: a pooled analysis of two multicenter trials with sertraline. 2001 , 25, 347-61 | 28 |
| 515 | Depressed mood, physician-rated prognosis, and comorbidity as independent predictors of 1-year mortality in consecutive medical inpatients. 2001 , 50, 295-301 | 31 |

| | | |
|-----|--|------|
| 514 | Relation between depression after coronary artery bypass surgery and 12-month outcome: a prospective study. 2001 , 358, 1766-71 | 376 |
| 513 | Detección de trastornos mentales por médicos no psiquiatras: utilidad del cuestionario PRIME-MD. 2001 , 116, 504-509 | 2 |
| 512 | Depression and dysthymia. 2001 , 85, 631-44 | 20 |
| 511 | Poly unsaturated fatty acids: the missing link between cardiac events and depression?. 2001 , 13, 38-45 | |
| 510 | Central nervous system serotonin function and cardiovascular responses to stress. 2001 , 63, 300-5 | 103 |
| 509 | History of treatment for depression: risk factor for myocardial infarction in hypertensive patients. 2001 , 63, 203-9 | 39 |
| 508 | . 2001 , 8, 175-183 | 37 |
| 507 | Mortality and quality of life 12 months after myocardial infarction: effects of depression and anxiety. 2001 , 63, 221-30 | 282 |
| 506 | Hopelessness predicts mortality in older Mexican and European Americans. 2001 , 63, 344-51 | 67 |
| 505 | A longitudinal study of gender differences in depressive symptoms from age 50 to 80.. 2001 , 16, 342-345 | 85 |
| 504 | Use of selective serotonin reuptake inhibitors and risk of developing first-time acute myocardial infarction. 2001 , 52, 179-84 | 77 |
| 503 | Guest Editorial: stress, depression and cardiovascular disease. 2001 , 17, 65-66 | 1 |
| 502 | Phospholipid metabolism and depression: the possible roles of phospholipase A2 and coenzyme A-independent transacylase. 2001 , 16, 45-52 | 37 |
| 501 | A psychosocial comparison of 35- and 55-year-old men and women in sweden and estonia: The swestonia cardiovascular risk factor study. 2001 , 8, 149-162 | 2 |
| 500 | Abnormal brachial artery flow-mediated vasodilation in young adults with major depression. 2001 , 88, 196-8, A7 | 186 |
| 499 | Psychological distress as a risk factor for coronary heart disease in the Whitehall II Study. 2002 , 31, 248-55 | 175 |
| 498 | Arterial endothelial function is impaired in treated depression. 2002 , 88, 521-3 | 122 |
| 497 | Organization of the stress system and its dysregulation in melancholic and atypical depression: high vs low CRH/NE states. 2002 , 7, 254-75 | 1000 |

| | | |
|-----|--|-----|
| 496 | Psychosocial risk factors for heart disease in France and Northern Ireland: the Prospective Epidemiological Study of Myocardial Infarction (PRIME). 2002 , 31, 1227-34 | 36 |
| 495 | The connection of depression and heart disease and its implications. 2002 , 11, 69-72 | |
| 494 | Depression and cardiac disease. 2002 , 15, 59-62 | 2 |
| 493 | Depression and Coronary Artery Atherosclerosis and Reactivity in Female Cynomolgus Monkeys. 2002 , 64, 699-706 | |
| 492 | . 2002 , 9, 153-160 | 62 |
| 491 | Depressive symptomatology and coronary heart disease in Type I diabetes mellitus: A study of possible mechanisms.. 2002 , 21, 542-552 | 55 |
| 490 | Psychosocial influences on the development and course of coronary heart disease: Current status and implications for research and practice.. 2002 , 70, 548-568 | 253 |
| 489 | Socioeconomic differences in children's health: how and why do these relationships change with age?. 2002 , 128, 295-329 | 528 |
| 488 | Depression, the bête noire of cardiology?. 2002 , 7, 17 | 2 |
| 487 | Effect of Depressive Symptoms on Survival After Heart Transplantation. 2002 , 64, 740-747 | 1 |
| 486 | Medical comorbidity and late life depression: what is known and what are the unmet needs?. 2002 , 52, 226-35 | 76 |
| 485 | Comorbidity of depression with other medical diseases in the elderly. 2002 , 52, 559-88 | 206 |
| 484 | Tricyclic antidepressants and cognitive decline. 2002 , 43, 31-5 | 21 |
| 483 | Depression and heart disease: evidence of a link, and its therapeutic implications. 2002 , 16, 111-27 | 102 |
| 482 | Common mental disorder and physical illness in the Renfrew and Paisley (MIDSPAN) study. 2002 , 53, 1163-70 | 10 |
| 481 | Depression and cardiac morbidity 5 years after coronary artery bypass surgery. 2002 , 43, 464-71 | 82 |
| 480 | Association of anxiety with reduced baroreflex cardiac control in patients after acute myocardial infarction. 2002 , 143, 460-6 | 106 |
| 479 | Treatment of depression after myocardial infarction and the effects on cardiac prognosis and quality of life: Rationale and outline of the Myocardial Infarction and Depression-Intervention Trial (MIND-IT). 2002 , 144, 219-225 | 48 |

| | | |
|-----|---|-----|
| 478 | Depression as a predictor for coronary heart disease. a review and meta-analysis. 2002 , 23, 51-61 | 813 |
| 477 | Socioeconomic and health status differences between depressed and nondepressed ED elders. 2002 , 20, 71-3 | 18 |
| 476 | Validation of a brief screening tool to detect depression in elderly ED patients. 2002 , 20, 99-102 | 32 |
| 475 | Insulin resistance: a metabolic link between depressive disorder and atherosclerotic vascular diseases. 2002 , 59, 537-51 | 73 |
| 474 | Relationship between major depression and heart rate variability. Clinical consequences and implications for antidepressive treatment. 2002 , 113, 139-49 | 223 |
| 473 | Sociodemographic and Clinical Predictors of Mortality in Geriatric Depression. 2002 , 10, 531-540 | 8 |
| 472 | Divergent endocrine abnormalities in melancholic and atypical depression: clinical and pathophysiologic implications. 2002 , 31, 37-62, vi | 85 |
| 471 | Depressive symptoms and mortality in a prospective study of 2,558 older adults. 2002 , 10, 521-30 | 53 |
| 470 | Commentary: The problem with stress: minds, hearts and disease. 2002 , 31, 1113-1116 | 17 |
| 469 | Cardiovascular effects of psychotropic drugs. 2002 , 27, 190-240 | 3 |
| 468 | Personality, health, and aging: prolegomenon for the next generation. 2002 , 36, 363-394 | 84 |
| 467 | Inflammation and coagulation factors in persons > 65 years of age with symptoms of depression but without evidence of myocardial ischemia. 2002 , 89, 419-24 | 272 |
| 466 | Clinical depression and inflammatory risk markers for coronary heart disease. 2002 , 90, 1279-83 | 345 |
| 465 | Platelet activation and secretion in patients with major depression, thoracic aortic atherosclerosis, or renal dialysis treatment. 2002 , 15, 91-101 | 32 |
| 464 | Depression, Hostility, and Social Isolation in Patients with Coronary Artery Disease. 2002 , 4, 77-85 | 8 |
| 463 | Biological mechanisms in the relationship between depression and heart disease. 2002 , 26, 941-62 | 178 |
| 462 | Biological risk factors for late life depression. 2003 , 18, 745-50 | 55 |
| 461 | Brain, behavior, mental stress, and the neurocardiac interaction. 2002 , 9, 650-62 | 20 |

| | | |
|-----|--|-----|
| 460 | Cynical hostility, depressive symptoms, and the expression of inflammatory risk markers for coronary heart disease. 2003 , 26, 501-15 | 55 |
| 459 | Depression and ischemic heart disease: overview of the evidence and treatment implications. 2003 , 5, 47-54 | 8 |
| 458 | Hospital admissions for cardiac events in New York City after September 11, 2001. 2003 , 92, 61-3 | 19 |
| 457 | Effect of smoking and sedentary behavior on the association between depressive symptoms and mortality from coronary heart disease. 2003 , 92, 529-32 | 70 |
| 456 | Effect of negative emotions on frequency of coronary heart disease (The Normative Aging Study). 2003 , 92, 901-6 | 72 |
| 455 | Underdiagnosis of depression in HIV: who are we missing?. 2003 , 18, 450-60 | 193 |
| 454 | Late-life depression is associated with arterial stiffness: a population-based study. 2003 , 51, 1105-10 | 69 |
| 453 | Hearts and minds. 2003 , 12, 1-2 | |
| 452 | Weight loss causes increased mortality: pros. 2003 , 4, 3-7 | 77 |
| 451 | Process of care and outcome after acute myocardial infarction for patients with mental illness in the VA health care system: are there disparities?. 2003 , 38, 41-63 | 65 |
| 450 | Niveles de ansiedad y depresi3n en enfermos hospitalizados y su relaci3n con la gravedad de la enfermedad. 2003 , 120, 370-375 | 3 |
| 449 | Depression and increased myocardial ischemic activity in patients with ischemic heart disease. 2003 , 146, 55-61 | 38 |
| 448 | Depression, mortality, and medical morbidity in patients with coronary heart disease. 2003 , 54, 241-7 | 280 |
| 447 | Depression and cardiovascular disease: mechanisms of interaction. 2003 , 54, 248-61 | 354 |
| 446 | Epidemiology of comorbid coronary artery disease and depression. 2003 , 54, 227-40 | 401 |
| 445 | Platelet surface glycoprotein expression in post-stroke depression: a preliminary study. 2003 , 118, 175-81 | 10 |
| 444 | Pathways linking depression, adiposity, and inflammatory markers in healthy young adults. 2003 , 17, 276-85 | 198 |
| 443 | Effect of selective serotonin reuptake inhibitors on platelet activation: can they prevent acute myocardial infarction?. 2003 , 3, 149-62 | 40 |

| | | |
|-----|---|-----|
| 442 | Vital exhaustion as a risk factor for ischaemic heart disease and all-cause mortality in a community sample. A prospective study of 4084 men and 5479 women in the Copenhagen City Heart Study. 2003 , 32, 990-7 | 109 |
| 441 | Temperament in young adulthood and later mortality: prospective observational study. 2003 , 57, 888-92 | 25 |
| 440 | Impact of a workplace stress reduction program on blood pressure and emotional health in hypertensive employees. 2003 , 9, 355-69 | 139 |
| 439 | Understanding the association between socioeconomic status and physical health: do negative emotions play a role?. 2003 , 129, 10-51 | 842 |
| 438 | Depression in patients with heart failure: physiologic effects, incidence, and relation to mortality. 2003 , 14, 3-12 | 27 |
| 437 | Positive affect predicts lower risk of AIDS mortality. 2003 , 65, 620-6 | 184 |
| 436 | Depressive symptoms and mortality two years after coronary artery bypass graft surgery (CABG) in men. 2003 , 65, 508-10 | 76 |
| 435 | Increased coronary events in depressed cardiovascular patients: 5-HT _{2A} receptor as missing link?. 2003 , 65, 729-37 | 55 |
| 434 | Hopelessness is associated with decreased heart rate variability during championship chess games. 2003 , 65, 658-61 | 36 |
| 433 | A twin study of depression symptoms, hypertension, and heart disease in middle-aged men. 2003 , 65, 548-57 | 126 |
| 432 | Cytokine mediation of experimental heart failure-induced anhedonia. 2003 , 284, R666-73 | 47 |
| 431 | Associations between psychological traits and endothelial function in postmenopausal women. 2003 , 65, 402-9 | 70 |
| 430 | Presurgical depression predicts medical morbidity 6 months after coronary artery bypass graft surgery. 2003 , 65, 111-8 | 143 |
| 429 | Depression and coronary heart disease in women with diabetes. 2003 , 65, 376-83 | 117 |
| 428 | Association between depression and elevated C-reactive protein. 2003 , 65, 347-56 | 245 |
| 427 | Cytokines in depression and heart failure. 2003 , 65, 181-93 | 111 |
| 426 | Cardiovascular effects of selective serotonin reuptake inhibitors and other novel antidepressants. 2003 , 5, 153-60 | 25 |
| 425 | Disasters and the heart: a review of the effects of earthquake-induced stress on cardiovascular disease. 2003 , 26, 355-67 | 157 |

| | | |
|-----|---|------|
| 424 | Lack of a close confidant, but not depression, predicts further cardiac events after myocardial infarction. 2004 , 90, 518-22 | 60 |
| 423 | Heart and mind: (1) relationship between cardiovascular and psychiatric conditions. 2004 , 80, 683-9 | 23 |
| 422 | Personality and mortality in old age. 2004 , 59, P110-6 | 118 |
| 421 | Platelet hyperactivity in clinical depression and the beneficial effect of antidepressant drug treatment: how strong is the evidence?. 2004 , 110, 163-77 | 79 |
| 420 | A study of lifetime prevalence of anxiety and depressive disorders in patients presenting with chest pain to emergency medicine. 2004 , 26, 470-4 | 18 |
| 419 | Depressive symptoms and cardiovascular reactivity to laboratory behavioral stress. 2004 , 11, 81-7 | 75 |
| 418 | On the Concept of Psychological. 2004 , 23, 177-186 | |
| 417 | Why is depression bad for the failing heart? A review of the mechanistic relationship between depression and heart failure. 2004 , 10, 258-71 | 153 |
| 416 | Current use of selective serotonin reuptake inhibitors and risk of acute myocardial infarction. 2004 , 27, 1157-65 | 66 |
| 415 | Characteristics of people aged 45 years or older with heart disease by frequent mental distress status, 2001. 2004 , 39, 191-6 | 19 |
| 414 | Positive life orientation as a predictor of 10-year outcome in an aged population. 2004 , 57, 409-14 | 105 |
| 413 | Whole blood serotonin and platelet activation in depressed post-myocardial infarction patients. 2004 , 76, 637-50 | 65 |
| 412 | Antidepressants and risk of first-time hospitalization for myocardial infarction: a population-based case-control study. 2004 , 117, 732-7 | 52 |
| 411 | Chronomic community screening reveals about 31% depression, elevated blood pressure and infradian vascular rhythm alteration. 2004 , 58 Suppl 1, S48-55 | 14 |
| 410 | One year cumulative incidence of depression following myocardial infarction and impact on cardiac outcome. 2004 , 56, 59-66 | 111 |
| 409 | Psychological distress, physical illness and mortality risk. 2004 , 57, 231-6 | 29 |
| 408 | Association of psychosocial risk factors with risk of acute myocardial infarction in 11119 cases and 13648 controls from 52 countries (the INTERHEART study): case-control study. 2004 , 364, 953-62 | 1504 |
| 407 | Depressive symptoms are related to higher ambulatory blood pressure in people with a family history of hypertension. 2004 , 66, 9-16 | 30 |

| | | |
|-----|--|-----|
| 406 | Psychological theories of depression: potential application for the prevention of acute coronary syndrome recurrence. 2004 , 66, 165-73 | 51 |
| 405 | Relationship between depression and C-reactive protein in a screening population. 2004 , 66, 679-83 | 75 |
| 404 | Is depression a major risk factor for coronary disease? A systematic review of the epidemiologic evidence. 2004 , 12, 79-93 | 53 |
| 403 | C-reactive protein is associated with psychological risk factors of cardiovascular disease in apparently healthy adults. 2004 , 66, 684-91 | 116 |
| 402 | Depression as a Risk Factor for Coronary Artery Disease: Evidence, Mechanisms, and Treatment. 2004 , 66, 305-315 | 21 |
| 401 | Psychosocial factors in outcomes of heart surgery: the impact of religious involvement and depressive symptoms. 2004 , 23, 227-38 | 123 |
| 400 | Psychological interventions for coronary heart disease. 2004 , CD002902 | 91 |
| 399 | Depression and Heart Disease. 2005 , 617-631 | |
| 398 | Depressive symptoms are associated with unhealthy lifestyles in hypertensive patients with the metabolic syndrome. 2005 , 23, 611-7 | 54 |
| 397 | Psychological distress as a predictor of CHD events in men: the effect of persistence and components of risk. 2005 , 67, 522-30 | 43 |
| 396 | Reflections on depression as a cardiac risk factor. 2005 , 67 Suppl 1, S19-25 | 165 |
| 395 | History of depression increases risk of type 2 diabetes in younger adults. 2005 , 28, 1063-7 | 91 |
| 394 | Depressive symptoms and carotid artery intima-media thickness in young adults: the Cardiovascular Risk in Young Finns Study. 2005 , 67, 561-7 | 68 |
| 393 | Prevalence of depressive disorders in men and women enrolled in cardiac rehabilitation. 2005 , 25, 71-5; quiz 76-7 | 29 |
| 392 | Psychological disorders and distress after adult cardiothoracic transplantation. 2005 , 20, S51-66 | 78 |
| 391 | Anger, anxiety, and depression as risk factors for cardiovascular disease: the problems and implications of overlapping affective dispositions. 2005 , 131, 260-300 | 632 |
| 390 | Depression, the perimenopause, and estrogen therapy. 2005 , 1052, 27-40 | 35 |
| 389 | Prolonged stress-related cardiovascular activation: Is there any?. 2005 , 30, 91-103 | 82 |

| | | |
|-----|--|-----|
| 388 | Negative impact of depression on outcomes in patients with coronary artery disease: mechanisms, treatment considerations, and future directions. 2005 , 3, 897-908 | 46 |
| 387 | Increased risk for pulmonary embolism in patients with bipolar disorder. 2005 , 7, 77-81 | 35 |
| 386 | Depressive Symptoms and Health Among Cardiovascular Disease Patients in Cardiac Rehabilitation Programs1. 2005 , 35, 2620-2642 | 2 |
| 385 | Depression in post-acute myocardial infarction patients. 2001 , 13, 364-7 | 12 |
| 384 | The neurobiology of stress and its relevance to psychotherapy. 2005 , 4, 315-324 | 12 |
| 383 | Depressive symptoms are independently predictive of carotid atherosclerosis. 2005 , 95, 547-50 | 48 |
| 382 | A tribute to Don Lipsitt, M.D., and renewal of GHP mission. 2005 , 27, 2-3 | |
| 381 | Negative affect states and cardiovascular disorders: a review and the proposal of a unifying biopsychosocial concept. 2005 , 27, 180-8 | 18 |
| 380 | The Darwinian concept of stress: benefits of allostasis and costs of allostatic load and the trade-offs in health and disease. 2005 , 29, 3-38 | 792 |
| 379 | Stress System Dysregulation in Depression: From Molecular Biology to New Treatment Opportunities. 2005 , 539-555 | |
| 378 | The relationship between depression and cardiovascular disease. 2005 , 9, 157-67 | 19 |
| 377 | Psychological distress, physical illness, and risk of coronary heart disease. 2005 , 59, 140-5 | 41 |
| 376 | Relation between psychological strain and carotid atherosclerosis in a general population. 2005 , 91, 460-4 | 23 |
| 375 | Black-white differences in depressive symptoms among older adults over time. 2005 , 60, P136-42 | 77 |
| 374 | Psychological and quality-of-life outcomes from a comprehensive stress reduction and lifestyle program in patients with coronary artery disease: results of a randomized trial. 2005 , 74, 344-52 | 65 |
| 373 | El optimismo de los profesionales sanitarios y su relación con la calidad de vida, el burnout y el clima organizacional. 2005 , 20, 370-376 | 0 |
| 372 | Depressive mood is independently related to stroke and cardiovascular events in a community. 2005 , 59 Suppl 1, S31-9 | 12 |
| 371 | General population based study of the impact of tricyclic and selective serotonin reuptake inhibitor antidepressants on the risk of acute myocardial infarction. 2005 , 91, 465-71 | 109 |

| | | |
|-----|--|-----|
| 370 | Depression, Cardiovascular Disease, Diabetes, and Two-Year Mortality Among Older, Primary-Care Patients. 2005 , 13, 748-755 | 68 |
| 369 | Cholesterol And Lipids In Depression: Stress, Hypothalamo-Pituitary-Adrenocortical Axis, And Inflammation/Immunity. 2005 , 39, 81-105 | 14 |
| 368 | A multivariate score objectively assessed health of depressed elderly. 2005 , 58, 1134-41 | 10 |
| 367 | A Cardiac Depression Visual Analogue Scale for the brief and rapid assessment of depression following acute coronary syndromes. 2005 , 59, 223-9 | 17 |
| 366 | Prevalence and patterns of anxiety and depression in patients undergoing elective percutaneous transluminal coronary angioplasty. 2005 , 34, 393-401 | 35 |
| 365 | Depressive symptoms and inflammation among heart failure patients. 2005 , 150, 132-6 | 78 |
| 364 | Positive emotions: exploring the other hemisphere in behavioral medicine. 2005 , 12, 50-8 | 45 |
| 363 | Mood disorders in the medically ill: scientific review and recommendations. 2005 , 58, 175-89 | 771 |
| 362 | Stressful life events, depression and demoralization as risk factors for acute coronary heart disease. 2005 , 74, 179-84 | 94 |
| 361 | Psychological interventions for depression in heart failure. 2005 , CD003329 | 28 |
| 360 | Exercise and psychobiological processes: implications for the primary prevention of coronary heart disease. 2006 , 36, 829-38 | 12 |
| 359 | Turning Up the Heat: Inflammation as a Mechanism Linking Chronic Stress, Depression, and Heart Disease. 2006 , 15, 269-272 | 76 |
| 358 | Personality and risk of physical illness. 2006 , 2, 435-67 | 179 |
| 357 | Effect of selective serotonin reuptake inhibitors on requirement for allogeneic red blood cell transfusion following coronary artery bypass surgery. 2006 , 6, 243-50 | 42 |
| 356 | The triple threat for chronic disease: obesity, race, and depression. 2006 , 47, 513-8 | 19 |
| 355 | Association of depressive symptoms with coagulation factors in young healthy individuals. 2006 , 186, 121-5 | 23 |
| 354 | The effects of chronic fluoxetine treatment on chronic mild stress-induced cardiovascular changes and anhedonia. 2006 , 59, 309-16 | 128 |
| 353 | High anxiety is associated with an increased risk of death in an older tri-ethnic population. 2006 , 59, 534-40 | 28 |

| | | |
|-----|---|------|
| 352 | Anti-depressive therapies after heart transplantation. 2006 , 25, 785-93 | 23 |
| 351 | Depression following acute coronary syndromes: a comparison between the Cardiac Depression Scale and the Beck Depression Inventory II. 2006 , 60, 13-20 | 51 |
| 350 | Low levels of docosahexaenoic acid identified in acute coronary syndrome patients with depression. 2006 , 141, 279-86 | 36 |
| 349 | Oxidation of apolipoprotein B-containing lipoproteins and serum paraoxonase/arylesterase activities in major depressive disorder. 2006 , 30, 1103-8 | 45 |
| 348 | Depression and the development of coronary heart disease. 53-86 | 8 |
| 347 | Loneliness as a specific risk factor for depressive symptoms: cross-sectional and longitudinal analyses. 2006 , 21, 140-51 | 1167 |
| 346 | Common genetic vulnerability to depressive symptoms and coronary artery disease: a review and development of candidate genes related to inflammation and serotonin. 2006 , 68, 187-200 | 143 |
| 345 | A national survey of cardiovascular physicians' beliefs and clinical care practices when diagnosing and treating depression in patients with cardiovascular disease. 2006 , 14, 164-9 | 53 |
| 344 | Phobic anxiety, depression, and risk of ventricular arrhythmias in patients with coronary heart disease. 2006 , 68, 651-6 | 72 |
| 343 | Do depression and anxiety mediate the link between educational attainment and CHD?. 2006 , 68, 25-32 | 57 |
| 342 | Depression and prehospital delay in the context of myocardial infarction. 2006 , 68, 51-7 | 54 |
| 341 | Psychosocial benefits of three formats of a standardized behavioral stress management program. 2006 , 68, 816-23 | 20 |
| 340 | Persistent depression affects adherence to secondary prevention behaviors after acute coronary syndromes. 2006 , 21, 1178-83 | 167 |
| 339 | Absence of association between depression and hypertension: results of a prospectively designed population-based study. 2006 , 20, 434-9 | 44 |
| 338 | Psychosocial characteristics and cardiovascular risk in African Americans with diabetes. 2006 , 20, 226-33 | 5 |
| 337 | Psychosocial and cultural influences on cardiovascular health and quality of life among Hispanic cardiac patients in South Florida. 2006 , 29, 255-68 | 31 |
| 336 | Increased risk of hypertension in patients with bipolar disorder and patients with anxiety compared to background population and patients with schizophrenia. 2006 , 95, 13-7 | 75 |
| 335 | Depressive symptoms among older adults in urban and rural areas. 2006 , 21, 1175-80 | 48 |

| | | |
|-----|--|-----|
| 334 | Tai chi chuan: mind-body practice or exercise intervention? Studying the benefit for cancer survivors. 2006 , 5, 192-201 | 48 |
| 333 | Is lower cognitive function in one spouse associated with depressive symptoms in the other spouse?. 2006 , 10, 621-30 | 9 |
| 332 | The cumulative effect of rural and regional residence on the health of older adults. 2006 , 18, 631-59 | 12 |
| 331 | Explicating links between acute coronary syndrome and depression: study design and methods. 2006 , 40, 245-52 | 12 |
| 330 | Impact of stress monitoring and lifestyle in the development of cardiovascular disease. 2007 , 30, 1005-6 | |
| 329 | Specific serotonin reuptake inhibition in major depressive disorder adversely affects novel markers of cardiac risk. 2007 , 30, 285-93 | 60 |
| 328 | Relation between major and minor depression and heart rate, heart-rate variability, and clinical characteristics of patients with acute coronary syndrome. 2007 , 100, 1245-54 | 15 |
| 327 | Estrogens and Depression in Women. 2007 , 307-320 | 1 |
| 326 | Depressive symptoms, race, and glucose concentrations: the role of cortisol as mediator. 2007 , 30, 2484-8 | 32 |
| 325 | Psychological distress, physical illness and risk of myocardial infarction in the Caerphilly study. 2007 , 37, 1305-13 | 16 |
| 324 | Survival rate and causes of mortality in the elderly with depression: a 15-year prospective study of a Japanese community sample, the Matsunoyama-Niigata suicide prevention project. 2007 , 55, 106-14 | 23 |
| 323 | Cardiac effects of momentary assessed worry episodes and stressful events. 2007 , 69, 901-9 | 116 |
| 322 | Brief screen to identify 5 of the most common forms of psychosocial distress in cardiac patients: validation of the screening tool for psychological distress. 2007 , 22, 525-34 | 34 |
| 321 | Hostility, anger, and depression predict increases in C3 over a 10-year period. 2007 , 21, 816-23 | 39 |
| 320 | Sex differences in cardiac vagal control in a depressed sample: implications for differential cardiovascular mortality. 2007 , 75, 32-6 | 24 |
| 319 | Clinically relevant depressive symptoms and peripheral arterial disease in elderly men and women. Results from a large cohort study in Southern China. 2007 , 63, 471-6 | 11 |
| 318 | The cardiovascular toll of stress. 2007 , 370, 1089-100 | 469 |
| 317 | Self-reported depression and cardiovascular risk factors in a community sample of women. 2007 , 48, 54-9 | 15 |

| | | |
|-----|---|-----|
| 316 | Major depressive disorder and comorbid cardiac disease: is there a depressive subtype with greater cardiovascular morbidity? Results from the STAR*D study. 2007 , 48, 418-25 | 24 |
| 315 | [Validity of vascular depression as a specific diagnostic: a review]. 2007 , 33, 39-48 | 8 |
| 314 | High frequency of anxiety and angina pectoris in depressed women with coronary heart disease. 2007 , 4, 146-56 | 7 |
| 313 | Treatment of minor depression in older adults: a pilot study comparing sertraline and exercise. 2007 , 11, 61-8 | 86 |
| 312 | Depressive symptoms and age-related macular degeneration in older people: the cardiovascular health study. 2007 , 14, 127-33 | 11 |
| 311 | Are microvascular abnormalities in the retina associated with depression symptoms? The Cardiovascular Health Study. 2007 , 15, 335-43 | 10 |
| 310 | Hospitalization for depression is associated with an increased risk for myocardial infarction not explained by lifestyle, lipids, coagulation, and inflammation: the SHEEP Study. 2007 , 62, 25-32 | 36 |
| 309 | Social isolation disrupts autonomic regulation of the heart and influences negative affective behaviors. 2007 , 62, 1162-70 | 134 |
| 308 | Depression and the risk for cardiovascular diseases: systematic review and meta analysis. 2007 , 22, 613-26 | 642 |
| 307 | Stronger symptoms of depression predict high coronary heart disease mortality in older men and women. 2007 , 22, 757-63 | 43 |
| 306 | Effects of expanded cardiac rehabilitation on psychosocial status in coronary artery disease with focus on type D characteristics. 2007 , 30, 253-61 | 56 |
| 305 | Depression after lung transplantation: causes and treatment. 2007 , 185, 55-65 | 26 |
| 304 | Hostility trait and vascular dilatory functions in healthy Taiwanese. 2008 , 31, 517-24 | 26 |
| 303 | Physical sequelae and depressive symptoms in gynecologic cancer survivors: meaning in life as a mediator. 2008 , 35, 275-84 | 68 |
| 302 | Psychogenic heart disease—stress and the heart: a historical perspective. 2008 , 24, 181-187 | 7 |
| 301 | Do chronic psychological stressors accelerate the progress of cardiovascular disease?. 2008 , 24, 203-212 | 4 |
| 300 | A multicenter study of major depressive disorder among emergency department patients in Latin-American countries. 2008 , 25, E199-204 | 11 |
| 299 | Raised CRP levels in obese patients: symptoms of depression have an independent positive association. 2008 , 16, 2010-5 | 27 |

| | | |
|-----|--|-----|
| 298 | Myocardial infarction: psychosocial aspects, gender differences and impact on pre-hospital delay. 2008 , 63, 148-54 | 18 |
| 297 | Living with incomprehensible fatigue after recent myocardial infarction. 2008 , 64, 459-68 | 28 |
| 296 | HPA-axis hyperactivity and mortality in psychotic depressive disorder: preliminary findings. 2008 , 33, 654-8 | 18 |
| 295 | Post-stroke depression. 2008 , 8, 75-92 | 88 |
| 294 | Timing is everything: the onset of depression and acute coronary syndrome outcome. 2008 , 64, 660-666 | 64 |
| 293 | Smoking behavior in men hospitalized with cardiovascular disease in Korea: a cross-sectional descriptive study. 2008 , 37, 366-79 | 4 |
| 292 | A secondary analysis of a duration response association between selective serotonin reuptake inhibitor use and the risk of acute myocardial infarction in the aging population. 2008 , 18, 316-21 | 24 |
| 291 | Temperament, health-related behaviors, and autonomic cardiac regulation: the cardiovascular risk in young Finns study. 2008 , 78, 204-10 | 27 |
| 290 | The multiple linkages of personality and disease. 2008 , 22, 668-75 | 99 |
| 289 | The impact of comorbidity burden on the cardiovascular risk in the Peripheral Arteriopathy and Cardiovascular Events study. 2008 , 101, 575-82 | 5 |
| 288 | Depression in Phase II, III, and IV Patients with Coronary Heart Disease. 2008 , 40, 86-90 | |
| 287 | Depression worsens outcomes in elderly patients with heart failure: an analysis of 48,117 patients in a community setting. 2008 , 10, 714-21 | 40 |
| 286 | Diabetes and psychological co-morbidity in children with a family history of early-onset type 2 diabetes. 2008 , 43, 937-42 | 4 |
| 285 | Predictive validity of the total health index for all-cause mortality assessed in the Komo-Ise cohort. 2008 , 18, 68-76 | 6 |
| 284 | Anxiety and depression in COPD: current understanding, unanswered questions, and research needs. 2008 , 134, 43S-56S | 455 |
| 283 | Early discharge in acute myocardial infarction after clinical and angiographic risk assessment. 2008 , 9, 858-61 | 3 |
| 282 | Depression and cardiovascular risk: does blood pressure play a role?. 2008 , 26, 1738-9 | 17 |
| 281 | Depression, posttraumatic stress disorder, and mortality. 2008 , 70, 20-6 | 32 |

| | | |
|-----|---|------|
| 280 | The many faces of geriatric depression. 2008 , 21, 540-5 | 34 |
| 279 | Depression following thrombotic cardiovascular events in elderly medicare beneficiaries: risk of morbidity and mortality. 2009 , 2009, 194528 | 1 |
| 278 | Cardiovascular disease and psychiatric comorbidity: the potential role of perseverative cognition. 2009 , 2009, 791017 | 40 |
| 277 | Hypertension in relation to posttraumatic stress disorder and depression in the US National Comorbidity Survey. 2009 , 34, 125-32 | 98 |
| 276 | Depression and the cardiovascular system: increasing evidence of a link and therapeutic implications. 2009 , 7, 1123-47 | 13 |
| 275 | Persistent versus transient depressive symptoms in relation to platelet hyperactivation: a longitudinal analysis of dementia caregivers. 2009 , 116, 80-7 | 24 |
| 274 | Ansiolíticos e hipnóticos en la insuficiencia respiratoria y cardíaca. 2009 , 16, 232-241 | 2 |
| 273 | Depression status as a reliable predictor of functional decline among Japanese community-dwelling older adults: a 12-year population-based prospective cohort study. 2009 , 24, 1192-200 | 40 |
| 272 | Antidepressants and cardiovascular outcomes in patients without known cardiovascular risk. 2009 , 65, 1131-8 | 20 |
| 271 | The association of depression with platelet activation: evidence for a treatment effect. 2009 , 7, 573-81 | 61 |
| 270 | Cardiovascular abnormalities in patients with major depressive disorder: autonomic mechanisms and implications for treatment. 2009 , 23, 583-602 | 75 |
| 269 | Associations of depression with C-reactive protein, IL-1, and IL-6: a meta-analysis. 2009 , 71, 171-86 | 1855 |
| 268 | Decreased nocturnal systolic blood pressure fall in older subjects with depression. 2009 , 21, 292-7 | 29 |
| 267 | Fatigue in cardiopulmonary disease. 2009 , 20, 389-404 | 9 |
| 266 | Do depressive symptoms predict mortality in older people?. 2009 , 13, 674-81 | 23 |
| 265 | Stress, depression and cardiovascular dysregulation: a review of neurobiological mechanisms and the integration of research from preclinical disease models. 2009 , 12, 1-21 | 300 |
| 264 | Joint modeling of longitudinal changes in depressive symptoms and mortality in a sample of community-dwelling elderly people. 2009 , 71, 704-14 | 21 |
| 263 | Hopelessness and its effect on cardiac rehabilitation exercise participation following hospitalization for acute coronary syndrome. 2009 , 29, 32-9 | 23 |

| | | |
|-----|---|-----|
| 262 | Manic/hypomanic symptom burden and cardiovascular mortality in bipolar disorder. 2009 , 71, 598-606 | 117 |
| 261 | The role of mood disorders in exercise-induced cardiovascular reactivity. 2009 , 71, 301-7 | 3 |
| 260 | [Mood disorders in patients with chronic kidney disease: significance, etiology and prevalence of depression]. 2009 , 150, 589-96 | 1 |
| 259 | Nighttime blood pressure in normotensive subjects with chronic insomnia: implications for cardiovascular risk. 2009 , 32, 760-6 | 129 |
| 258 | Mortality predictors in a 60-year follow-up of adolescent males: exploring delinquency, socioeconomic status, IQ, high-school drop-out status, and personality. 2010 , 72, 46-52 | 16 |
| 257 | Impact of depression on drug intake in hypertensive patients. 2010 , 28, 1804-5 | |
| 256 | Role of cardiac disease severity in the predictive value of anxiety for all-cause mortality. 2010 , 72, 9-15 | 56 |
| 255 | Genetic vulnerability and phenotypic expression of depression and risk for ischemic heart disease in the Vietnam era twin study of aging. 2010 , 72, 370-5 | 13 |
| 254 | Psychosocial factors in the development of heart disease in women: current research and future directions. 2010 , 72, 842-54 | 118 |
| 253 | Evaluation of the relationship between hyperinsulinaemia and myocardial ischaemia/reperfusion injury in a rat model of depression. 2009 , 118, 259-67 | 14 |
| 252 | Arterial baroreflex dysfunction in major depressive disorder. 2010 , 20, 235-40 | 7 |
| 251 | Depression after myocardial infarction. 2010 , 7, 185-93 | 7 |
| 250 | The Psychiatric Management of Patients with Cardiac Disease. 2010 , 303-322 | |
| 249 | Pathophysiological basis of cardiovascular disease and depression: a chicken-and-egg dilemma. 2010 , 32, 181-91 | 18 |
| 248 | Major life events increase the risk of stroke but not of myocardial infarction: results from the Copenhagen City Heart Study. 2010 , 17, 113-8 | 42 |
| 247 | Cardiovascular Diseases among Suiciders: A Population-Based Study in Northern Finland Population. 2010 , 2010, | 3 |
| 246 | Sex-specific associations of depressive symptoms and cardiovascular risk factors in older adults. 2010 , 14, 405-10 | 19 |
| 245 | Longitudinal association of vitamin B-6, folate, and vitamin B-12 with depressive symptoms among older adults over time. 2010 , 92, 330-5 | 141 |

| | | |
|-----|---|------|
| 244 | Antiplatelet effects of antidepressant treatment: a randomized comparison between escitalopram and nortriptyline. 2010 , 126, e83-7 | 20 |
| 243 | Anxiety disorders increase risk for incident myocardial infarction in depressed and nondepressed Veterans Administration patients. 2010 , 159, 772-9 | 109 |
| 242 | Cardiovascular disease and depression in women. 2011 , 7, 39-45 | 7 |
| 241 | Risk of coronary heart disease events over 15 years among older adults with depressive symptoms. 2011 , 19, 721-9 | 45 |
| 240 | Efficiency and applicability of comprehensive geriatric assessment in the emergency department: a systematic review. 2011 , 23, 244-54 | 68 |
| 239 | [Effects of training in emotional regulation strategies on the well-being of carers of Alzheimer patients]. 2011 , 46, 206-12 | 8 |
| 238 | 24-hour autonomic dysfunction and depressive behaviors in an animal model of social isolation: implications for the study of depression and cardiovascular disease. 2011 , 73, 59-66 | 39 |
| 237 | Symptom dimensions of depression and anxiety and the metabolic syndrome. 2011 , 73, 257-64 | 39 |
| 236 | The impact of depression on the pathogenesis of heart failure. 2011 , 6, 19-25 | |
| 235 | The effect of major depression on postexercise cardiovascular recovery. 2011 , 48, 1605-1610 | 12 |
| 234 | The Utility of Animal Models in Understanding Links between Psychosocial Processes and Cardiovascular Health. 2011 , 5, 164-179 | 20 |
| 233 | Moderating effect of indoleamine 2,3-dioxygenase (IDO) activation in the association between depressive symptoms and carotid atherosclerosis: evidence from the Young Finns study. 2011 , 133, 611-4 | 11 |
| 232 | The public health impact of major depression: a call for interdisciplinary prevention efforts. 2011 , 12, 361-71 | 83 |
| 231 | Hormones, heart disease, and health: individualized medicine versus throwing the baby out with the bathwater. 2011 , 28, 282-96 | 6 |
| 230 | Hormones, heart disease, and health: individualized medicine versus throwing the baby out with the bathwater. 2011 , 28, E1-E15 | 9 |
| 229 | Psychological risk factors and cardiovascular disease: is it all in your head?. 2011 , 123, 165-76 | 32 |
| 228 | Physical illness in patients with severe mental disorders. I. Prevalence, impact of medications and disparities in health care. 2011 , 10, 52-77 | 1288 |
| 227 | Mentally ill Medicare patients less likely than others to receive certain types of surgery. 2011 , 30, 1307-15 | 23 |

| | | |
|-----|--|----|
| 226 | Increased risk of myocardial infarction in depressed patients with type 2 diabetes. 2011 , 34, 1729-34 | 61 |
| 225 | Factors Influencing Risk of Premature Mortality in Community Cases of Depression: A Meta-Analytic Review. 2011 , 2011, 1-12 | 13 |
| 224 | Income and the midlife peak in common mental disorder prevalence. 2011 , 41, 1365-72 | 42 |
| 223 | Mental stress and ischemic heart disease: evolving awareness of a complex association. 2011 , 7, 425-37 | 25 |
| 222 | The advisory brought to practice: routine screening on depression (and anxiety) in coronary heart disease; consequences and implications. 2011 , 10, 228-33 | 21 |
| 221 | The Relationship Between Mentally Unhealthy Days and Depressive Symptoms Among Older Adults Over Time. 2011 , 30, 241-253 | 4 |
| 220 | Selectively bred rodents as models of depression and anxiety. 2012 , 12, 139-87 | 34 |
| 219 | Depression and cardiovascular disorders. 2012 , 106, 541-56 | |
| 218 | Palliative care in advanced cancer patients: how and when?. 2012 , 17, 267-73 | 65 |
| 217 | Do depressive traits and hostility predict age-related decline in general intelligence?. 2012 , 2012, 973121 | 6 |
| 216 | Psychiatric morbidity as a risk factor for hospital readmission for acute myocardial infarction: an 8-year follow-up study in Spain. 2012 , 44, 63-75 | 7 |
| 215 | Antidepressant use and risk of out-of-hospital cardiac arrest: a nationwide case-time-control study. 2012 , 92, 72-9 | 77 |
| 214 | The combination of depressive symptoms and smoking shorten life expectancy among the aged. 2012 , 24, 624-30 | 5 |
| 213 | Associations between psychologic symptoms and life satisfaction in women with polycystic ovary syndrome. 2012 , 21, 179-87 | 19 |
| 212 | The integration of depressive behaviors and cardiac dysfunction during an operational measure of depression: investigating the role of negative social experiences in an animal model. 2012 , 74, 612-9 | 31 |
| 211 | Co-occurrence of diabetes and depression: conceptual considerations for an emerging global health challenge. 2012 , 142 Suppl, S56-66 | 72 |
| 210 | Cognitive depressive symptoms associated with delayed heart rate recovery following interpersonal stress in healthy men and women. 2012 , 49, 1082-9 | 11 |
| 209 | Inverse associations between perceived racism and coronary artery calcification. 2012 , 22, 183-90 | 15 |

| | | |
|-----|--|----|
| 208 | Positive life orientation predicts good survival prognosis in old age. 2012 , 55, 133-7 | 28 |
| 207 | Environment, the Immune System, and Depression: An Integrative Review and Discussion of the Infection-Defense Hypothesis. 2012 , 345-385 | 3 |
| 206 | Predicting Comorbidities, Nutritional Status, and Neuropsychological Performance of Depressed and Nondepressed Geriatric Communities: A Comparative Study. 2012 , 6, 278-284 | 5 |
| 205 | Sociocultural Aspects of Health Psychology. 2012 , | 1 |
| 204 | Psychometric properties of the cardiac depression scale in patients with coronary heart disease. 2012 , 12, 216 | 13 |
| 203 | Cardiologic side effects of psychotropic drugs. 2011 , 8, 243-53 | 14 |
| 202 | Alterations on the morphology, nitric oxide synthesis and activity of platelets reproduced in rats as possible biomarkers for depression are reversed by fluoxetine. 2012 , 102, 349-56 | 5 |
| 201 | Stressed brain, diseased heart: a review on the pathophysiologic mechanisms of neurocardiology. 2013 , 166, 30-7 | 69 |
| 200 | Disturbance of serotonergic neurotransmission in patients with postmyocardial infarction and depression. 2013 , 28, 15-20 | 2 |
| 199 | Physiologic and laboratory correlates of depression, anxiety, and poor sleep in liver cirrhosis. 2013 , 13, 18 | 14 |
| 198 | Depressive symptoms and carotid artery intima-media thickness in police officers. 2013 , 86, 931-42 | 10 |
| 197 | Association between smoking and heart rate variability among individuals with depression. 2013 , 46, 73-80 | 9 |
| 196 | Associations of Depressive Symptoms and Brachial Artery Reactivity among Police Officers. 2013 , 4, 27-36 | 3 |
| 195 | Mortality of 403 patients with mood disorders 48 to 52 years after their psychiatric hospitalisation. 2013 , 263, 425-34 | 37 |
| 194 | Supportive and palliative care: a poorly understood science for the perioperative clinician. 2013 , 27, 563-73 | 7 |
| 193 | Lifetime manic spectrum episodes and all-cause mortality: 26-year follow-up of the NIMH Epidemiologic Catchment Area Study. 2013 , 151, 337-42 | 16 |
| 192 | A global perspective on psychosocial risk factors for cardiovascular disease. 2013 , 55, 574-81 | 47 |
| 191 | Increased neuroplasticity may protect against cardiovascular disease. 2013 , 123, 599-608 | 5 |

| | | |
|-----|--|-----|
| 190 | Does the association between broken partnership and first time myocardial infarction vary with time after break-up?. 2013 , 42, 1811-9 | 8 |
| 189 | Psychosocial outcomes of an exercise maintenance intervention after phase II cardiac rehabilitation. 2013 , 33, 91-8 | 14 |
| 188 | Sociodemographic correlates of depression and anxiety disorders among physically ill elderly patients. 2013 , 20, 73-79 | 1 |
| 187 | Mental illness, access to hospitals with invasive cardiac services, and receipt of cardiac procedures by Medicare acute myocardial infarction patients. 2013 , 48, 1076-95 | 13 |
| 186 | Gender differences in the relationship between symptoms of depression and high-sensitivity CRP. 2013 , 37 Suppl 1, S38-43 | 44 |
| 185 | Depression and the pathogenesis of heart failure. 2013 , 8, 198-203 | 2 |
| 184 | Disruptions in ovarian function are related to depression and cardiometabolic risk during premenopause. 2013 , 20, 631-9 | 16 |
| 183 | Good stress management capability is associated with lower body mass index and restful sleep in the elderly. 2013 , 229, 5-10 | 9 |
| 182 | Are AMI patients with comorbid mental illness more likely to be admitted to hospitals with lower quality of AMI care?. 2013 , 8, e60258 | 7 |
| 181 | Depression and the risk of coronary heart disease: a meta-analysis of prospective cohort studies. 2014 , 14, 371 | 237 |
| 180 | Evaluation of the Cardiac Depression Visual Analogue Scale in a medical and non-medical sample. 2014 , 19, 93-102 | 0 |
| 179 | Depressive symptoms linked to 1-h plasma glucose concentrations during the oral glucose tolerance test in men and women with the metabolic syndrome. 2014 , 31, 630-6 | 2 |
| 178 | Differential association of insulin resistance with cognitive and somatic symptoms of depression. 2014 , 31, 994-1000 | 11 |
| 177 | Comparative study on platelet aggregability in depression and healthy controls. 2014 , 21, 81-85 | |
| 176 | Impact of identification and treatment of depression in heart transplant patients. 2014 , 2014, 747293 | 17 |
| 175 | Establishing the bidirectional relationship between depression and subclinical arteriosclerosis--rationale, design, and characteristics of the BiDirect Study. 2014 , 14, 174 | 49 |
| 174 | [Gender-specific aspects of coronary heart disease]. 2014 , 57, 1083-91 | 5 |
| 173 | Depression and cardiovascular disease: a clinical review. 2014 , 35, 1365-72 | 569 |

| | | |
|-----|---|-----|
| 172 | Psychometric Developments in Psychosocial Assessment in Behavioral Medicine Settings. 2014 , 353-405 | 1 |
| 171 | Decreased risk of acute myocardial infarction in stroke patients receiving acupuncture treatment: a nationwide matched retrospective cohort study. 2015 , 15, 318 | 15 |
| 170 | Depressive symptoms impact health-promoting lifestyle behaviors and quality of life in healthy women. 2015 , 30, 360-72 | 12 |
| 169 | The interface of depression and cardiovascular disease: therapeutic implications. 2015 , 1345, 25-35 | 69 |
| 168 | Depressive Symptom Frequency and Prevalence of Cardiovascular Diseases-Analysis of Patients in the National Health and Nutrition Examination Survey. 2015 , 22, 382-7 | 5 |
| 167 | Clinical and biochemical manifestations of depression: relation to the neurobiology of stress. 2015 , 2015, 581976 | 116 |
| 166 | Cross Talk Between Brain and Inflammation. 2015 , 81-91 | 1 |
| 165 | Cerebral Small Vessel Disease and Association With Higher Incidence of Depressive Symptoms in a General Elderly Population: The AGES-Reykjavik Study. 2015 , 172, 570-8 | 69 |
| 164 | Effects of a 2-year behavioral weight loss intervention on sleep and mood in obese individuals treated in primary care practice. 2015 , 23, 558-64 | 26 |
| 163 | Autonomic dysfunction and heart rate variability in depression. 2015 , 18, 343-52 | 134 |
| 162 | Depression leads to incident vascular disease: evidence for the relevance to primary care. 2015 , 32, 147-51 | 11 |
| 161 | Single-item measures for depression and anxiety: Validation of the Screening Tool for Psychological Distress in an inpatient cardiology setting. 2015 , 14, 544-51 | 26 |
| 160 | Relative associations between depression and anxiety on adverse cardiovascular events: does a history of coronary artery disease matter? A prospective observational study. 2015 , 5, e006582 | 16 |
| 159 | The role of neutrophil gelatinase associated lipocalin (NGAL) as biological constituent linking depression and cardiovascular disease. 2015 , 46, 23-32 | 28 |
| 158 | Association of depression with common carotid artery intima media thickness and augmentation index in a large Urban South Indian population- The Chennai Urban Rural Epidemiology Study (CURES - 138). 2015 , 19, 136-42 | 8 |
| 157 | Depressive symptoms are associated with incident coronary heart disease or revascularization among blacks but not among whites in the Reasons for Geographical and Racial Differences in Stroke study. 2015 , 25, 426-32 | 24 |
| 156 | Impact of antidepressants use on risk of myocardial infarction: A systematic review and meta-analysis. 2015 , 47, 256-62 | 13 |
| 155 | Anxiety and depression scores in patients with coronary artery disease and coronary artery ectasia. 2015 , 186, 299-301 | 3 |

| | | |
|-----|--|-----|
| 154 | Even mild depression is associated with among-day blood pressure variability, including masked non-dipping assessed by 7-d/24-h ambulatory blood pressure monitoring. 2015 , 37, 426-32 | 9 |
| 153 | Role of peripheral vascular resistance for the association between major depression and cardiovascular disease. 2015 , 65, 299-307 | 9 |
| 152 | The association between diabetes and depression: a very disabling condition. 2015 , 48, 14-24 | 35 |
| 151 | Depression and the Link with Cardiovascular Disease. 2016 , 7, 33 | 165 |
| 150 | Effects of Ginseng Fruit Saponins on Serotonin System in Sprague-Dawley Rats with Myocardial Infarction, Depression, and Myocardial Infarction Complicated with Depression. 2016 , 129, 2913-2919 | 7 |
| 149 | Effects of Exercise and Sertraline on Measures of Coronary Heart Disease Risk in Patients With Major Depression: Results From the SMILE-II Randomized Clinical Trial. 2016 , 78, 602-9 | 17 |
| 148 | Stress and health. 2016 , 361-386 | 0 |
| 147 | Depression and the Risk of Myocardial Infarction and Coronary Death: A Meta-Analysis of Prospective Cohort Studies. 2016 , 95, e2815 | 89 |
| 146 | Coping, uncertainty and health-related quality of life as determinants of anxiety and depression on a sample of hospitalized cardiac patients in Southern Italy. 2016 , 25, 2941-2956 | 18 |
| 145 | The Risk Relationship Between Depression and CVD During Ageing. 2016 , 23-36 | 0 |
| 144 | Traumatic Stress From a Multilevel Developmental Psychopathology Perspective. 2016 , 1-39 | 2 |
| 143 | Self-reported depression in psoriasis is associated with subclinical vascular diseases. 2016 , 251, 219-225 | 20 |
| 142 | Is there a role for immune-to-brain communication in schizophrenia?. 2016 , 233, 1559-73 | 98 |
| 141 | Chronomic Community Screening: Depressive Mood, Heart Rate Variability, and Cardiovascular Outcomes in a Community. 2016 , 319-345 | |
| 140 | Use of antidepressants and the risk of myocardial infarction in middle-aged and older adults: a matched case-control study. 2016 , 72, 211-8 | 17 |
| 139 | Platelet haemostatic function in psychiatric disorders: Effects of antidepressants and antipsychotic drugs. 2017 , 18, 564-574 | 26 |
| 138 | Protein functionalized nanostructured zirconia based electrochemical immunosensor for cardiac troponin I detection. 2017 , 32, 2966-2972 | 25 |
| 137 | Impaired ability to grow colonies of endothelial stem cells could be the mechanism explaining the high cardiovascular morbidity and mortality of patients with depression. 2017 , 110, 501-506 | 5 |

| | | |
|-----|--|----|
| 136 | Depression as a systemic disease. 2017 , 1-2, 11-25 | 15 |
| 135 | Psychological sequelae of myocardial infarction. 2017 , 95, 487-496 | 9 |
| 134 | The prevalence of poor sleep quality and its association with depression and anxiety scores in patients admitted for cardiovascular disease: A cross-sectional designed study. 2017 , 228, 977-982 | 29 |
| 133 | Pre-transplant depression as a predictor of adherence and morbidities after orthotopic heart transplantation. 2017 , 12, 62 | 19 |
| 132 | Temperamental factors in remitted depression: The role of effortful control and attentional mechanisms. 2018 , 235, 499-505 | 7 |
| 131 | Improvement of depressive symptoms in patients with moderate-to-severe psoriasis treated with ustekinumab: an open label trial validated using beck depression inventory, Hamilton depression rating scale measures and fluorodeoxyglucose (FDG) positron emission tomography (PET). 2018 , 29, 761-768 | 9 |
| 130 | Heart rate variability in patients with bipolar disorder: From mania to euthymia. 2018 , 99, 33-38 | 3 |
| 129 | Effects of macrophage migration inhibitory factor on cardiac reperfusion injury in mice with depression induced by constant-darkness. 2018 , 229, 403-409 | 1 |
| 128 | SSRI-reduced platelet reactivity in non-responding patients with life-long Recurrent Depressive Disorder: Detection and involved mechanisms. 2018 , 165, 24-32 | 10 |
| 127 | Cerebrovascular burden and depressive symptomatology interrelate over 18 years: support for the vascular depression hypothesis. 2018 , 33, 66-74 | 9 |
| 126 | Prevalence of depression in cardiovascular patients in Iran: A systematic review and meta-analysis from 2000 to 2017. 2018 , 227, 149-155 | 15 |
| 125 | Impact of obesity and mood disorders on physical comorbidities, psychological well-being, health behaviours and use of health services. 2018 , 225, 381-388 | 31 |
| 124 | Psychology, Mental Health, and Quality of Life. 2018 , 941-984 | |
| 123 | A heartfelt message, estrogen replacement therapy: use it or lose it. 2018 , 315, H1765-H1778 | 8 |
| 122 | Impact of depression on change in coronary heart disease risk status: the Korean Genome and Epidemiology Study (KoGES). 2018 , 14, 121-128 | 5 |
| 121 | Does Inflammation Link Clinical Depression and Coronary Artery Disease?. 2018 , 393-409 | |
| 120 | Classical Risk Factors and Inflammatory Biomarkers: One of the Missing Biological Links between Cardiovascular Disease and Major Depressive Disorder. 2018 , 19, | 22 |
| 119 | Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. 2018 , 10, 363-379 | 27 |

| | | |
|-----|--|----|
| 118 | Excessive Daytime Sleepiness Is Associated With Depression Scores, But Not With Sleep-Disordered Breathing in Patients With Cardiovascular Diseases. 2018 , 82, 2175-2183 | 6 |
| 117 | Is Mental Illness a Risk Factor for Hospital Readmission?. 2018 , 45, 933-943 | 2 |
| 116 | Organisms and Freedom. 2018 , 261-289 | |
| 115 | Applying Precision Medicine to Healthy Living for the Prevention and Treatment of Cardiovascular Disease. 2018 , 43, 448-483 | 16 |
| 114 | Symptoms of Depression and Risk of Abdominal Aortic Aneurysm: A HUNT Study. 2019 , 8, e012535 | 7 |
| 113 | Effects of Online Care on Functional and Psychological Outcomes in Patients with Psoriasis: A Randomized Controlled Trial. 2019 , | 7 |
| 112 | Cardiac dysautonomia in depression - heart rate variability biofeedback as a potential add-on therapy. 2019 , 15, 1287-1310 | 17 |
| 111 | Screening and Management of Depression in Patients With Cardiovascular Disease: JACC State-of-the-Art Review. 2019 , 73, 1827-1845 | 79 |
| 110 | Depression and Cardiovascular Risk: Epidemiology, Mechanisms, and Implications. 2019 , 185-196 | |
| 109 | Platelet Serotonin Signaling in Patients With Cardiovascular Disease and Comorbid Depression. 2019 , 81, 352-362 | 8 |
| 108 | Higher plasma leptin and lower C-peptide levels are associated with depression: A cross-sectional study. 2019 , 243, 70-74 | 8 |
| 107 | Carotid Artery Stiffness and Incident Depressive Symptoms: The Paris Prospective Study III. 2019 , 85, 498-505 | 15 |
| 106 | Role of Late-Life Depression in the Association of Subclinical Cardiovascular Disease With All-Cause Mortality: Cardiovascular Health Study. 2019 , 31, 652-666 | 2 |
| 105 | Shared mechanisms between coronary heart disease and depression: findings from a large UK general population-based cohort. 2020 , 25, 1477-1486 | 86 |
| 104 | Depressive symptoms prospectively predict cardiovascular disease among older adults: Findings from the Maine-Syracuse Longitudinal Study. 2020 , 25, 2006-2016 | 2 |
| 103 | Vitamin D and Depression: A Critical Appraisal of the Evidence and Future Directions. 2020 , 42, 11-21 | 25 |
| 102 | Synergistic antidepressant-like effect of capsaicin and citalopram reduces the side effects of citalopram on anxiety and working memory in rats. 2020 , 237, 2173-2185 | 2 |
| 101 | Prevalence and new onset of depression and anxiety among participants with AMD in a European cohort. 2020 , 10, 4816 | 3 |

| | | |
|-----|---|---|
| 100 | Identifying long-term psychological distress from single measures: evidence from a nationally representative longitudinal survey of the Australian population. 2020 , 20, 55 | 4 |
| 99 | Association of Depression with Subclinical Coronary Atherosclerosis: a Systematic Review. 2021 , 14, 685-705 | 3 |
| 98 | Heart Rate Variability for the Prediction of Treatment Response in Major Depressive Disorder. 2020 , 11, 607 | 1 |
| 97 | Links Between Child and Adolescent Psychiatric Disorders and Cardiovascular Risk. 2020 , 36, 1394-1405 | 8 |
| 96 | Church attendance buffers against longer-term mental distress. 2021 , 11, 123-138 | 0 |
| 95 | Effects of selective TNFR1 inhibition or TNFR2 stimulation, compared to non-selective TNF inhibition, on (neuro)inflammation and behavior after myocardial infarction in male mice. 2021 , 93, 156-171 | 7 |
| 94 | Clinical and psychological aspects of insomnia associated with COVID-19 pandemic. 2021 , 27, 83-93 | |
| 93 | Depression and cardiovascular disease. 2021 , 32, 167-174 | 2 |
| 92 | Endocrine Factors in Key Structural and Intracellular Changes in Depression. 2021 , 32, 212-223 | 5 |
| 91 | Impact of history of depression on 1-year outcomes in patients with chronic coronary syndromes: An analysis of a contemporary, prospective, nationwide registry. 2021 , 331, 273-280 | 2 |
| 90 | Longitudinal association between cardiovascular risk factors and depression in young people: a systematic review and meta-analysis of cohort studies. 2021 , 1-11 | 1 |
| 89 | The emotional heart: prospective associations of anger, depression, and anxiety as risk factors for myocardial infarction in a 22-year follow-up of a working cohort of middle-aged men. 1 | |
| 88 | Microvascular Contribution to Late-Onset Depression: Mechanisms, Current Evidence, Association With Other Brain Diseases, and Therapeutic Perspectives. 2021 , 90, 214-225 | 7 |
| 87 | The PPAR γ System in Major Depression: Pathophysiologic and Therapeutic Implications. 2021 , 22, | 1 |
| 86 | Antidepressant Drugs Effects on Blood Pressure. 2021 , 8, 704281 | 4 |
| 85 | Direction of association between Cardiovascular risk and depressive symptoms during the first 18 years of life: A prospective birth cohort study. 2021 , 292, 508-516 | 1 |
| 84 | Potential biomarkers: differentially expressed proteins of the extrinsic coagulation pathway in plasma samples from patients with depression. 2021 , 12, 6318-6331 | 3 |
| 83 | Adult Development and Aging. 487 | 1 |

| | | |
|----|--|-----|
| 82 | Coping and Heart Disease: Implications for Prevention and Treatment. 2007 , 267-287 | 2 |
| 81 | Organisch depressive Störungen: Koronare Herzerkrankung, Diabetes mellitus, Krebs. 2002 , 65-86 | 6 |
| 80 | Eine Untersuchung der Zusammenhänge zwischen koronarer Herzkrankheit und Depression. 1999 , 319-333 | 3 |
| 79 | Prevalence of Depression in Chronic Heart Failure. 2006 , 99-108 | 1 |
| 78 | Organization of the stress system and its dysregulation in melancholic and atypical depression: high vs low CRH/NE states. | 9 |
| 77 | The endocrinology of melancholic and atypical depression: relation to neurocircuitry and somatic consequences. 1999 , 111, 22-34 | 219 |
| 76 | Self-Silencing and the Risk of Heart Disease and Death in Women: The Framingham Offspring Study. 2010 , 399-414 | 7 |
| 75 | Systematic review of prospective cohort studies of psychosocial factors in the aetiology and prognosis of coronary heart disease. 2005 , 363-413 | 9 |
| 74 | Mental disorders and quality of care among postacute myocardial infarction outpatients. 2002 , 190, 51-3 | 32 |
| 73 | Sympathetic nervous system activation in essential hypertension, cardiac failure and psychosomatic heart disease. 2000 , 35, S1-7 | 166 |
| 72 | Do depressive symptoms increase the risk for the onset of coronary disease? A systematic quantitative review. 2003 , 65, 201-10 | 510 |
| 71 | Exercise SBP response and incident depressive symptoms: The Maastricht Study. 2021 , 39, 494-502 | 1 |
| 70 | Shared mechanisms between coronary heart disease and depression: findings from a large UK general population-based cohort. | 2 |
| 69 | Depression, cardiovascular disease, diabetes, and two-year mortality among older, primary-care patients. 2005 , 13, 748-55 | 60 |
| 68 | The Association between Neuroticism and Heart Rate Variability Is Not Fully Explained by Cardiovascular Disease and Depression. 2015 , 10, e0125882 | 12 |
| 67 | The association between depressive symptoms and insulin resistance, inflammation and adiposity in men and women. 2017 , 12, e0187448 | 28 |
| 66 | EXISTENTIAL ISOLATION, LONELINESS, DEPRESSION, AND SUICIDE IDEATION IN YOUNG ADULTS. 2020 , 39, 641-674 | 9 |
| 65 | Depression in Adults with Congenital Heart Disease: Prevalence, Prognosis, and Intervention. 2018 , 3, 97-106 | 3 |

| | | |
|----|--|-----|
| 64 | Risk Factors for Ischemic Heart Disease. 2019 , 14, 86-94 | 4 |
| 63 | RELATION BETWEEN MAJOR AND MINOR DEPRESSION AND HEART RATE, HEART-RATE VARIABILITY, AND CLINICAL CHARACTERISTICS OF PATIENTS WITH ACUTE CORONARY SYNDROME. 2007 , 100, 1245 | 11 |
| 62 | Depression and associated physical diseases and symptoms. 2006 , 8, 259-65 | 54 |
| 61 | Influence of antidepressants on hemostasis. 2007 , 9, 47-59 | 132 |
| 60 | Depression and Heart Disease. 1997 , 27, 347-352 | 7 |
| 59 | Depression in Patients With Heart Failure: Prevalence, Pathophysiological Mechanisms, and Treatment. 2008 , 28, 40-55 | 42 |
| 58 | The Comorbidity of Major Depression and Anxiety Disorders: Recognition and Management in Primary Care. 2001 , 3, 244-254 | 377 |
| 57 | Paroxetine for somatic pain associated with physical illness: a review. 2006 , 8, 122-30 | 9 |
| 56 | Depression as a risk factor for coronary heart disease—how strong is the evidence?. 2012 , 02, 284-291 | 6 |
| 55 | Epidemiology of Depressive Disorder. 2003 , 46, 772 | 2 |
| 54 | Depression in Survivors of Acute Myocardial Infarction. 2019 , 31, 110-114 | 3 |
| 53 | Artificial neural network and decision tree models of post-stroke depression at 3 months after stroke in patients with BMI ≥ 24 . 2021 , 150, 110632 | 1 |
| 52 | Heart Disease and Cognitive/Neuropsychiatric Disorders. 2000 , 491-546 | |
| 51 | An Examination of the Linkage Between Ischemic Heart Disease and Depression. 2001 , 1307-1315 | |
| 50 | Depression in Forschung und Lehre. 2002 , 25-31 | |
| 49 | Coronary Atherosclerosis: Chronic Coronary Syndromes. 2002 , 779-820 | |
| 48 | Coronary Heart Disease and Hypertension. 339 | |
| 47 | Broken heart: depression in cardiovascular disease. 2003 , 5, 167-74 | 6 |

- 46 Gender Differences in the Role of Stress and Emotion in Cardiovascular Function and Disease. **2004**, 263-274
- 45 Hearts Sing the Blues Too: Depression in Elderly Cardiac Patients. **2004**, 27-67
- 44 Psychosomatik des Herzinfarktes. **2004**, 1269-1283 2
- 43 Depression. **2004**, 104, 49S-55S
- 42 Environmental and Psychosocial Stress in Hypertension Onset and Progression. **2005**, 77-88 0
- 41 Mental illness and coronary heart disease. **2005**, 414-431
- 40 Ischemische hart- en vaatziekten. **2006**, 95-114
- 39 Section I: General Aspects. **2007**, 129-148 1
- 38 La dpression co-morbide favorise-t-elle certains comportements ^ risque chez les personnes ayant des problmes de poids?. **2008**, 1, 49 1
- 37 Psychosomatic Medicine and the Mind-Body Relation. **2008**, 781-834 1
- 36 Literatur. **2009**, 491-497
- 35 Dpression et cardiopathies. **2010**, 157-187
- 34 Epidemiology of the Comorbidity Between Depression and Heart Disease. 1-37
- 33 Prognostic Implications of Depression in Ischemic Syndromes. **2012**, 147-167
- 32 Depressione e malattia cardiaca: il paradigma interpersonale. **2012**, 31-56
- 31 Psychosocial factors as predictors of early onset ischemic heart disease in a sample of Pakistani women. **2012**, 1,
- 30 Personality and Differences in Health and Longevity. 461-489
- 29 EVALUATION OF MENTAL STATUS AND ITS CORRECTION AGOMELATINE IN PATIENTS WITH ACUTE CORONARY SYNDROME. **2013**, 12, 48-53 1

| | | |
|----|--|-----|
| 28 | Depression in late life: psychiatric-medical comorbidity. 1999 , 1, 81-94 | 2 |
| 27 | Depression, metabolisches Syndrom und kardiovaskuläre Erkrankungen. 2015 , 6-17 | |
| 26 | Pathogenetic relationship between personality traits and mental derangement with coronary heart disease. 2015 , 8, 8 | 1 |
| 25 | Traumatic Stress from a Multiple-Levels-of-Analysis Perspective. 656-676 | 0 |
| 24 | Depression and Ischemic Heart Disease or Ischemic Heart Disease and Depression?. 2016 , 05, 29-39 | 1 |
| 23 | Malnutrition in Older Adults in the United States. 2018 , 1-20 | 1 |
| 22 | Malnutrition in Older Adults in the United States. 2019 , 851-870 | |
| 21 | Nationwide Trends in Cardiovascular and Cerebrovascular Diseases and Outcomes Among Young Adults (18-39 years) Hospitalized With Comorbid Depression. 2020 , 12, e10640 | |
| 20 | The relationship between coronary artery disease and depression and anxiety scores. 2020 , 7, 523-526 | 1 |
| 19 | Psychokardiologie: Vom Typ-A-Konzept zur Depressions-behandlung nach Herzinfarkt. 2005 , 73-89 | |
| 18 | Innovative Models for the Delivery Preventive Cardiovascular Care. 2006 , 325-338 | |
| 17 | Depression as a risk factor for ischaemic heart disease in men. Two other community studies show similar findings. 1998 , 317, 1450 | |
| 16 | Management of comorbid depression and heart disease: the time has (almost) come. 1997 , 22, 300-2 | 2 |
| 15 | The vital link between chronic disease and depressive disorders. 2005 , 2, A14 | 149 |
| 14 | Paclitaxel treatment article misleading. 2003 , 95, 1231-3 | |
| 13 | Depression and coronary artery disease: the association, mechanisms, and therapeutic implications. 2009 , 6, 38-51 | 47 |
| 12 | Anxiety, depression and psychosocial stress in patients with cardiac events. 2005 , 12, 57-63 | 2 |
| 11 | Frequency of depression among patients with acute coronary syndrome, eastern region, saudi arabia. 2004 , 11, 23-9 | 3 |

- 10 COVID-19 and Cardiometabolic Health: Lessons Gleaned from the Pandemic and Insights for the Next Wave. **2022**, 24, 607-617 ○
- 9 Sense of vitality is associated with cardiovascular events in type 2 diabetes independently of traditional risk factors and arterial stiffness. 1
- 8 Depression increased risk of coronary heart disease: A meta-analysis of prospective cohort studies. **2010**, 39, 191-196 ○
- 7 Lifestyle Medicine: An Antidote to Cardiovascular Diseases. 155982762211306 ○
- 6 Exploring the Potential Mechanism of Danshen in the Treatment of Concurrent Ischemic Heart Disease and Depression Using Network Pharmacology, Molecular Docking, and Molecular Dynamics Simulation. **2022**, 17, 1934578X2211436 ○
- 5 Research on Psychoneuroimmunology: Does Stress Influence Immunity and Cause Coronary Artery Disease?. **2010**, 39, 191-196 1
- 4 The WeChat platform-based health education improves health outcomes among patients with stable coronary artery disease. **2023**, 111, 107704 ○
- 3 Depressive symptoms, anxiety and social stress are associated with diminished cardiovascular reactivity in a psychological treatment-naive population. **2023**, 330, 346-354 ○
- 2 Association of Cardiovascular Health With Risk of Clinically Relevant Depressive Symptoms. **2023**, 80, 342 ○
- 1 Successful psychological treatment of depression and subsequent reduction in CVD events. ○