CITATION REPORT List of articles citing

Diagnosis and treatment of chronic arterial insufficiency of the lower extremities: a critical review

DOI: 10.1161/01.CIR.94.11.3026 Circulation, 1996, 94, 3026-49.

Source: https://exaly.com/paper-pdf/86225108/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
679	Role of revascularization in the treatment of claudication. 1997 , 2, 252-6		5
678	Thrombolysis in the Management of Lower Limb Peripheral Arterial Occlusion Consensus Document fn1fn1This study was supported in part by Abbott Laboratories, Abbott Park, Illinois; Behringweike AG, Marburg, Germany; Boehringer Ingelheim UK, Bracknell, Berkshire, United	3	108
677	Kingdom; Boehringer Mannheim AG, Mannheim, Germany; Genentech, Inc., South San Francisco, The role of screening blood tests in patients with arterial disease attending vascular outpatients. 1998,16,513-6 nal Radiological Society of Europe, Bruss. American Journal of Cardiology, 1998, 81, 207-	-218	2
676	Comparison of thrombolytic therapy of lower-extremity acute, subacute, and chronic arterial occlusions. 1998 , 44, 159-69		69
675	[Diagnostic and therapeutic stragegies in peripheral obliterative arteriopathy: non-drug treatment]. 1998 , 56 Suppl 3, 11-6		
674	[Quality of life and peripheral obliterative arteriopathy. Perspective for the future]. 1998 , 56 Suppl 3, 49-58		3
673	The Vascular Laboratory: A Critical Component Required for Successful Management of Peripheral Arterial Occlusive Disease. 1998 , 5, 146-158		
672	Noninvasive approaches to peripheral vascular disease. WhatMnew in evaluation and treatment?. 1999 , 106, 52-8, 62-64		12
671	Current status of medical therapy of peripheral arterial disease. 1999 , 22, 331-2		
670	Peripheral Arterial Disease. 1999 , 1, 27-34		5
669	Ankle brachial index as a predictor of outcomes in peripheral arterial disease. 1999 , 133, 33-40		52
668	[Arteriopathy of the lower limbs: toward a global medical care]. 1999, 20, 473-5		0
667	Impact of race on the treatment for peripheral arterial occlusive disease. 1999 , 30, 417-25		70
666	Aging and cardiovascular disease. Use of subclinical measurements. 1999 , 17, 51-65, viii		19
665	Outcome of Percutaneous lliac Intervention. 1999 , 10, 108-112		
664	Differential suppression of pressure-overload cardiac and aortic hypertrophy in rats by angiotensin-converting enzyme inhibitors. 1999 , 80, 333-42		4
663	Optimized diagnostic angiography in high-risk patients with severe peripheral vascular disease. 2000 , 20, 121-33		74

662	EPIDEMIOLOGIC DATA IN CLINICAL PRACTICE. 2000 , 48, 1157-1162	32
661	Never amputate without consultation of a vascular surgeon. 2000 , 16 Suppl 1, S27-32	41
660	Hyperhomocysteinaemia is not associated with isolated crural arterial occlusive disease: The Hoorn Study. 2000 , 247, 442-8	18
659	Wound infection after infrainguinal bypass operations: multivariate analysis of putative risk factors. 2000 , 1, 257-63	52
658	Effect of cloricromene on intermittent claudication. A randomized, double-blind, placebo-controlled trial in patients treated with aspirin: effect on claudication distance and quality of life. CRAMPS Investigator Group. Cloricromene Randomized Arteriopathy Multicenter Prospective Study. 2000, 5, 83-9	5
657	A comparison of cilostazol and pentoxifylline for treating intermittent claudication. 2000 , 109, 523-30	323
656	Lower ankle/brachial index, as calculated by averaging the dorsalis pedis and posterior tibial arterial pressures, and association with leg functioning in peripheral arterial disease. 2000 , 32, 1164-71	219
655	Functional status and walking ability after lower extremity bypass grafting or angioplasty for intermittent claudication: results from a prospective outcomes study. 2000 , 31, 93-103	61
654	Initial results of reteplase in the treatment of acute lower extremity arterial occlusions. 2000, 11, 289-94	49
653	Influence of hormone replacement therapy on graft patency after femoropopliteal bypass grafting. 2000 , 32, 506-16; 516-8	31
652	Therapeutic angiogenesis: time for the next phase. 2000 , 36, 1245-7	7
651	Efficacy of L-Propionyl Carnitine in the Treatment of Chronic Critical Limb Ischaemia. 2001 , 21, 555-561	4
650	Pressure measurements at rest and after heavy exercise to detect moderate arterial lesions in athletes. 2001 , 33, 721-7	49
649	The role of comorbidity in the assessment of intermittent claudication in older adults. 2001 , 54, 294-300	31
648	Legs For Life national screening program for peripheral vascular disease: addressing a major public health need. 2001 , 12, 312, 372	3
647	Predictors of long-term patency after femoropopliteal angioplasty: results from the STAR registry. 2001 , 12, 923-33	140
646	Are Infra-Inguinal Angioplasty and Surgery Comparable?. 2001 , 101, 6-10	12
645	Peripheral arterial disease of the lower extremity. 2001 , 15, 45-63; quiz 96-7	11

644	Intermittent Claudication. 2001, 3, 167-180		6
643	Exercise rehabilitation improves functional outcomes and peripheral circulation in patients with intermittent claudication: a randomized controlled trial. 2001 , 49, 755-62		180
642	New ulceration, new major amputation, and survival rates in diabetic subjects hospitalized for foot ulceration from 1990 to 1993: a 6.5-year follow-up. 2001 , 24, 78-83		146
641	Clinical evaluation and options for infrainguinal atherosclerosis therapy: when to intervene?. 2001 , 14, 529-32		3
640	Intermittent claudication: magnitude of the problem, patient evaluation, and therapeutic strategies. <i>American Journal of Cardiology</i> , 2001 , 87, 3D-13D	3	97
639	Intermittent claudication: effective medical management of a common circulatory problem. <i>American Journal of Cardiology</i> , 2001 , 87, 14D-18D	3	36
638	Comparative effects of cilostazol and other therapies for intermittent claudication. <i>American Journal of Cardiology</i> , 2001 , 87, 19D-27D	3	38
637	[Epidemiology of and risk factors for lower limb arteriopathy obliterans]. 2001 , 50, 119-27		1
636	Claudication does not always precede critical leg ischemia. 2001 , 6, 77-80		22
635	Impaired balance and higher prevalence of falls in subjects with intermittent claudication. 2001 , 56, Ma	154-8	64
634	Secondary prevention of coronary artery disease in patients undergoing elective surgery for peripheral arterial disease. 2001 , 6, 35-41		34
634 633			34
	peripheral arterial disease. 2001 , 6, 35-41 Lack of functional benefits following infrainguinal bypass in peripheral arterial occlusive disease		
633	peripheral arterial disease. 2001, 6, 35-41 Lack of functional benefits following infrainguinal bypass in peripheral arterial occlusive disease patients. 2001, 6, 9-14 Inpatient utilization of medical services associated with peripheral arterial disease-related		39
633 632	peripheral arterial disease. 2001, 6, 35-41 Lack of functional benefits following infrainguinal bypass in peripheral arterial occlusive disease patients. 2001, 6, 9-14 Inpatient utilization of medical services associated with peripheral arterial disease-related inpatient procedures in the Department of Defense. 2001, 6, 71-76		39
633 632 631	Lack of functional benefits following infrainguinal bypass in peripheral arterial occlusive disease patients. 2001, 6, 9-14 Inpatient utilization of medical services associated with peripheral arterial disease-related inpatient procedures in the Department of Defense. 2001, 6, 71-76 Exercise for patients with peripheral artery disease. 2001, 29, 25-35		39 2 1
633 632 631 630	Lack of functional benefits following infrainguinal bypass in peripheral arterial occlusive disease patients. 2001, 6, 9-14 Inpatient utilization of medical services associated with peripheral arterial disease-related inpatient procedures in the Department of Defense. 2001, 6, 71-76 Exercise for patients with peripheral artery disease. 2001, 29, 25-35 Peripheral arterial disease: epidemiology and drug therapy. 2002, 11, 258-66 Balloon angioplasty in chronic critical limb ischemia: factors affecting clinical and angiographic		39 2 1

626	Pharmacologic treatment for intermittent claudication. 2002 , 7, 301-9	17
625	Undertreatment of dyslipidemia in peripheral arterial disease and other high-risk populations: an opportunity for cardiovascular disease reduction. 2002 , 7, 323-31	33
624	Clinical manifestation of atherosclerotic peripheral arterial disease and the role of cilostazol in treatment of intermittent claudication. 2002 , 42, 1291-8	13
623	Effects of long-term exercise rehabilitation on claudication distances in patients with peripheral arterial disease: a randomized controlled trial. 2002 , 22, 192-8	106
622	Sex differences in claudication pain in subjects with peripheral arterial disease. 2002 , 34, 1695-8	47
621	Lower extremity nontraumatic amputation among veterans with peripheral arterial disease: is race an independent factor?. 2002 , 40, I106-16	59
620	A rational approach to diagnosis and treatment of intermittent claudication. 2002 , 323, 244-51	7
619	Current medical therapies for patients with peripheral arterial disease: a critical review. 2002, 112, 49-57	109
618	Peripheral arterial disease: medical care and prevention of complications. 2002 , 5, 119-30	19
617	Acute effect of exercise-induced leg ischemia on cutaneous vasoreactivity in patients with stage II peripheral artery disease. 2002 , 64, 14-20	16
616	Beraprost: a review of its pharmacology and therapeutic efficacy in the treatment of peripheral arterial disease and pulmonary arterial hypertension. 2002 , 62, 107-33	70
615	Cilostazol treatment of claudication in diabetic patients. 2002 , 18, 479-87	14
614	Evaluation of patients with peripheral vascular disease. 2002 , 106, V303-11	51
613	PAD. Epidemiology and pathophysiology. 2002 , 106, V295-301	51
612	Effect of postmenopausal hormone replacement on atherosclerosis in femoral arteries. 2002, 41, 51-60	21
611	Tratamiento mdico de la claudicacifi intermitente. 2002 , 54, 162-173	2
610	Evaluation of Legs For Life National Screening and Awareness Program for Peripheral Vascular Disease: results of a follow-up survey of screening participants. 2002 , 13, 25-35	10
609	Age at onset of smoking is an independent risk factor in peripheral artery disease development. 2002 , 35, 506-9	30

608	Position statement on the use of the ankle-brachial index in the evaluation of patients with peripheral vascular disease: a consensus statement developed by the standards division of the society of cardiovascular & interventional radiology. 2002 , 13, 353		53
607	Hipertensiß arterial y enfermedad vascular periffica de origen aterosclertico. 2002, 19, 17-27		
606	Cardiovascular disease prevention. 2002 , 29, 667-96		3
605	The importance of increasing public and physician awareness of peripheral arterial disease. 2002 , 13, 7-11		53
604	Management of intermittent claudication. 2002 , 20, 521-34		5
603	A clinical practice updateimplications for vascular nursing. 2002 , 20, 110-1		
602	The prevalence of peripheral arterial disease and medial arterial calcification in patients with chronic renal failure: requirements for diagnostics. 2002 , 40, 472-9		210
601	Epidemiology and pathophysiology of peripheral arterial disease. 2002 , 4, 1-15		20
600	Evaluation of tissue perfusion in a rat model of hind-limb muscle ischemia using dynamic contrast-enhanced magnetic resonance imaging. 2002 , 16, 277-83		36
599	Preventing atherothrombotic events in peripheral arterial disease: the use of antiplatelet therapy. 2002 , 251, 193-206		28
598	The effects of exercise training on walking function and perception of health status in elderly patients with peripheral arterial occlusive disease. 2002 , 252, 448-55		95
597	Atherosclerotic risk factor reduction in peripheral arterial diseasea: results of a national physician survey. 2002 , 17, 895-904		102
596	Evidence-based symptom relief of intermittent claudication: efficacy and safety of cilostazol. Diabetes, Obesity and Metabolism, 2002 , 4 Suppl 2, S20-5	6.7	5
595	Treating peripheral arterial disease in patients with diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2002 , 4 Suppl 2, S26-31	6.7	17
594	Relation between homocysteine and non-fatal stroke in peripheral arterial disease. 2002 , 9, 609-14		5
593	Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 219-24	2.3	50
592	The significance of lower extremity peripheral arterial disease. 2002 , 25, 3-10		53
591	Ethnicity and peripheral arterial disease. 2003 , 25, 505-12		28

(2003-2003)

590	Dynamic exercise imaging with an MR-compatible stationary cycle within the general electric open magnet. 2003 , 49, 581-5	19
589	Depressive symptoms and lower extremity functioning in men and women with peripheral arterial disease. 2003 , 18, 461-7	85
588	Position statement on the use of the ankle brachial index in the evaluation of patients with peripheral vascular disease. A consensus statement developed by the Standards Division of the Society of Interventional Radiology. 2003 , 14, S389	35
587	Current status of suture-mediated closure: what is the cost of comfort?. 2003, 14, 677-81	8
586	Thrombolysis in the management of lower limb peripheral arterial occlusiona consensus document. 2003 , 14, S337-49	67
585	PAD: Natural History and Epidemiology. 2003 , 14, P16-P19	1
584	Vascular evaluation and arterial reconstruction of the diabetic foot. 2003 , 20, 689-708	56
583	Comparison of beraprost and ticlopidine in Chinese patients with chronic peripheral arterial occlusion: a multicenter, single-blind, randomized, controlled study. 2003 , 64, 488-503	3
582	Requirements for growing tissue-engineered vascular grafts. 2003 , 12, 59-64	162
581	Peripheral arterial disease in people with diabetes. 2003 , 26, 3333-41	755
580	Cilostazol: a review of its use in intermittent claudication. 2003, 3, 117-38	84
579	Design of the START-trial: STimulation of ARTeriogenesis using subcutaneous application of GM-CSF as a new treatment for peripheral vascular disease. A randomized, double-blind, placebo-controlled trial. 2003 , 8, 191-6	12
578	The potential role of angiotensin-converting enzyme inhibition in peripheral arterial disease. 2003 , 8, 273-8	23
577	Adenoviral-mediated gene transfer of vascular endothelial growth factor in critical limb ischemia: safety results from a phase I trial. 2003 , 8, 9-13	58
576	Ischaemic outcomes assessment survey: A pilot study in patients with peripheral arterial disease. 2003 , 3, 424-430	
575	Adeno-associated viral vector-mediated gene transfer of VEGF normalizes skeletal muscle oxygen tension and induces arteriogenesis in ischemic rat hindlimb. 2003 , 7, 44-51	43
574	Prevalence and major risk factors of reduced flow volume in lower extremities with normal ankle-brachial index in Japanese patients with type 2 diabetes. 2003 , 26, 1764-9	14
573	Peripheral arterial disease and cognitive function. 2003 , 65, 757-63	38

572	Peripheral arterial disease rehabilitation: a review. 2003 , 23, 170-5	35
571	Current status of mind-body interventions for vascular complications of diabetes. 2003 , 26, 34-40	10
570	Assessment and management of patients with venous, arterial, and diabetic/neuropathic lower extremity wounds. 2003 , 14, 442-56; quiz 548-50	17
569	Process of care and outcomes in peripheral arterial disease. 2003 , 325, 125-34	14
568	[Lower extremity amputations in diabetic patients: a case-control study]. 2004, 38, 399-404	27
567	Tyrosine phosphatase inhibition augments collateral blood flow in a rat model of peripheral vascular disease. 2004 , 287, H268-76	28
566	Peripheral Arterial Disease in People With Diabetes. 2004 , 22, 181-189	8
565	Collateral growth in the peripheral circulation: a review. 2004 , 38, 291-313	14
564	Intermittent claudication in the patient with diabetes. 2004 , 4, 238-242	11
-6 2	Prevalence of lower-extremity disease in the US adult population >=40 years of age with and	6
563	without diabetes: 1999-2000 national health and nutrition examination survey. 2004 , 27, 1591-7	446
562	without diabetes: 1999-2000 national health and nutrition examination survey. 2004 , 27, 1591-7 Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening. 2004 , 22, 179-180	15
	Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening.	
562	Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening. 2004 , 22, 179-180	15
562 561	Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening. 2004 , 22, 179-180 Long-term outcome of infrainguinal percutaneous transluminal angioplasty. 2004 , 11, 287-93	15
562561560	Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening. 2004, 22, 179-180 Long-term outcome of infrainguinal percutaneous transluminal angioplasty. 2004, 11, 287-93 Gene therapy in the treatment of lower extremity wounds. 2004, 3, 69-79 Review: New antiplatelet guidelines for managing peripheral arterial disease [what are the	15 13 2
562561560559	Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening. 2004, 22, 179-180 Long-term outcome of infrainguinal percutaneous transluminal angioplasty. 2004, 11, 287-93 Gene therapy in the treatment of lower extremity wounds. 2004, 3, 69-79 Review: New antiplatelet guidelines for managing peripheral arterial disease @what are the implications for diabetes?. 2004, 4, 311-315	15 13 2 2
562561560559558	Peripheral Arterial Disease in People With Diabetes: Consensus Statement Recommends Screening. 2004, 22, 179-180 Long-term outcome of infrainguinal percutaneous transluminal angioplasty. 2004, 11, 287-93 Gene therapy in the treatment of lower extremity wounds. 2004, 3, 69-79 Review: New antiplatelet guidelines for managing peripheral arterial disease [what are the implications for diabetes?. 2004, 4, 311-315 Lipid-lowering therapy in patients with peripheral arterial disease. 2004, 9, 271-7 The factor II G20210A gene polymorphism, but not factor V Arg506Gln, is associated with	15 13 2 2

554	Speed rather than distance: a novel graded treadmill test to assess claudication. 2004 , 28, 303-9	25
553	Drug treatment of claudication. 2004 , 13, 16-20	
552	Wireless laser-assisted angioplasty of the superficial femoral artery in patients with critical limb ischemia who have failed conventional percutaneous revascularization. 2004 , 63, 7-12	22
551	Natural history of physical function in older men with intermittent claudication. 2004 , 40, 73-8	47
550	Serum total 8-iso-prostaglandin F2alpha: a new and independent predictor of peripheral arterial disease. 2004 , 40, 768-73	36
549	Medical treatment of peripheral arterial disease: a comprehensive review. 2004 , 15, 1197-207	69
548	C-reactive protein and microalbuminuria differ in their associations with various domains of vascular disease. 2004 , 172, 107-14	44
547	Optimal treatment of infected diabetic foot ulcers. 2004 , 21, 833-50	26
546	Drug treatment of intermittent claudication. 2004 , 64, 1657-70	45
545	The role of cilostazol in the treatment of intermittent claudication. 2004 , 20, 1661-70	18
544	Response to exercise rehabilitation in smoking and nonsmoking patients with intermittent claudication. 2004 , 39, 531-8	34
543	A decrease in effective diameter of rat mesenteric venules due to leukocyte margination after a bolus injection of pentoxifyllinedigital image analysis of an intravital microscopic observation. 2004 , 67, 237-44	8
542	The peripheral artery questionnaire: a new disease-specific health status measure for patients with peripheral arterial disease. 2004 , 147, 301-8	103
541	Infrapopliteal angioplasty. 2004 , 7, 33-9	30
540	Smoking and diabetes differ in their associations with subclinical atherosclerosis and coronary heart disease-the ARIC Study. 2004 , 172, 143-9	35
539	Peripheral Arterial Disease. 2004 , 46, 9-12	
538	Management of peripheral arterial disease of the lower extremities in elderly patients. 2004 , 59, 172-7	42
537	Foot ulceration due to arterial insufficiency: role of cilostazol. 2004 , 13, 45-7	3

536	Peripheral arterial disease: pathophysiology, risk factors, and role of antithrombotic therapy. 2004 , 44, S37-44; quiz S44-5		25
535	Experimental model of pain-free treadmill training in patients with claudication. 2005, 84, 756-62		49
534	Management of peripheral arterial disease. 2005 , 13, 61-8		54
533	Peripheral Arterial Disease in the Elderly. 2005 , 301-318		
532	Transcutaneous oxygen tension monitoring after successful revascularization in diabetic patients with ischaemic foot ulcers. 2005 , 22, 460-5		65
531	Swiss Atherothrombosis Survey: a field report on the occurrence of symptomatic and asymptomatic peripheral arterial disease. 2005 , 258, 238-43		30
530	Health-related quality of life after revascularization for peripheral arterial occlusive disease: long-term follow-up. 2005 , 51, 227-35		43
529	Rheopheresis in patients with critical limb ischemiaresults of an open label prospective pilot trial. 2005 , 9, 473-81		26
528	Excimer laser assisted angioplasty for critical limb ischemia: results of the LACI Belgium Study. 2005 , 29, 613-9		55
527	Stratgie de la conduite des examens chez le patient polyvasculaire. 2005 , 2, 303-316		
527 526	Stratgie de la conduite des examens chez le patient polyvasculaire. 2005, 2, 303-316 PatientsMexperiences of living with peripheral arterial disease awaiting intervention: a qualitative study. 2005, 42, 851-62		29
	PatientsMexperiences of living with peripheral arterial disease awaiting intervention: a qualitative	3	29
526	PatientsNexperiences of living with peripheral arterial disease awaiting intervention: a qualitative study. 2005, 42, 851-62 Safety of percutaneous transfemoral coronary and peripheral procedures via aortofemoral	3	
526 525	Patients Apperiences of living with peripheral arterial disease awaiting intervention: a qualitative study. 2005, 42, 851-62 Safety of percutaneous transfemoral coronary and peripheral procedures via aortofemoral synthetic vascular grafts. American Journal of Cardiology, 2005, 96, 382-5 Impact of C-reactive protein on the likelihood of peripheral arterial disease in United States adults with the metabolic syndrome, diabetes mellitus, and preexisting cardiovascular disease. American		5
526 525 524	PatientsNexperiences of living with peripheral arterial disease awaiting intervention: a qualitative study. 2005, 42, 851-62 Safety of percutaneous transfemoral coronary and peripheral procedures via aortofemoral synthetic vascular grafts. <i>American Journal of Cardiology</i> , 2005, 96, 382-5 Impact of C-reactive protein on the likelihood of peripheral arterial disease in United States adults with the metabolic syndrome, diabetes mellitus, and preexisting cardiovascular disease. <i>American Journal of Cardiology</i> , 2005, 96, 655-8 The importance of obtaining ankle-brachial indexes in older adults: the other vital sign. 2005, 23,		5
526525524523	PatientsNexperiences of living with peripheral arterial disease awaiting intervention: a qualitative study. 2005, 42, 851-62 Safety of percutaneous transfemoral coronary and peripheral procedures via aortofemoral synthetic vascular grafts. <i>American Journal of Cardiology</i> , 2005, 96, 382-5 Impact of C-reactive protein on the likelihood of peripheral arterial disease in United States adults with the metabolic syndrome, diabetes mellitus, and preexisting cardiovascular disease. <i>American Journal of Cardiology</i> , 2005, 96, 655-8 The importance of obtaining ankle-brachial indexes in older adults: the other vital sign. 2005, 23, 46-51; quiz 52-3 The morbidity and mortality following a diagnosis of peripheral arterial disease: long-term		5 51 9
526525524523522	PatientsMexperiences of living with peripheral arterial disease awaiting intervention: a qualitative study. 2005, 42, 851-62 Safety of percutaneous transfemoral coronary and peripheral procedures via aortofemoral synthetic vascular grafts. American Journal of Cardiology, 2005, 96, 382-5 Impact of C-reactive protein on the likelihood of peripheral arterial disease in United States adults with the metabolic syndrome, diabetes mellitus, and preexisting cardiovascular disease. American Journal of Cardiology, 2005, 96, 655-8 The importance of obtaining ankle-brachial indexes in older adults: the other vital sign. 2005, 23, 46-51; quiz 52-3 The morbidity and mortality following a diagnosis of peripheral arterial disease: long-term follow-up of a large database. 2005, 5, 14		5 51 9

(2005-2005)

518	Peripheral arterial disease: clinical assessment and indications for revascularization in the patient with diabetes. 2005 , 5, 24-9	29
517	Ethnicity and peripheral arterial disease. 2005 , 80, 48-54	17
516	Effective training for patients with intermittent claudication. 2005 , 39, 244-9	54
515	Systemic antiatherosclerotic treatment for the peripheral arterial occlusive disease patient. 2005 , 6, 2181-92	2
514	Asymptomatic cerebrovascular disease and systemic diagnosis in stroke, atherothrombosis as a disease of the vascular tree. 2005 , 20 Suppl 2, 1-10	10
513	Protocolo diagn§tico de isquemia arterial crBica. 2005 , 9, 2910-2912	
512	Endovascular therapies and Surgeons. 2005 , 21, 138-147	1
511	Effect on platelet function of cilostazol, clopidogrel, and aspirin, each alone or in combination. 2005 , 6, 13-9	27
510	Ethnicity and Peripheral Arterial Disease. 2005 , 80, 48-54	16
509	Lower extremity arterial and venous ulcers. 2005 , 40, 391-410	6
508	Medical Management of Claudication: Just Walk It Off!. 2005 , 16, P42-P44	
507	Physician supply, treatment, and amputation rates for peripheral arterial disease. 2005 , 42, 81-7	27
506	Lower extremity minor amputations: the roles of diabetes mellitus and timing of revascularization. 2005 , 42, 476-80	75
505	Costs and medical care consequences associated with the diagnosis of peripheral arterial disease. 2005 , 23, 733-42	18
504	The unsung perils of peripheral arterial disease: a malady in search of a patient. 2005 , 8, 108-13; quiz 114-5	4
503	Combined use of brachial-ankle pulse wave velocity and ankle-brachial index for fast assessment of arteriosclerosis and atherosclerosis in a community. 2005 , 98, 99-105	41
502	The effect of exercise intensity on the response to exercise rehabilitation in patients with	
	intermittent claudication. 2005 , 42, 702-9	90

500	A modified calculation of ankle-brachial pressure index is far more sensitive in the detection of peripheral arterial disease. 2006 , 44, 531-6	128
499	Estudio piloto de prevalencia de la enfermedad arterial periffica en atenciñ primaria. 2006 , 58, 119-125	6
498	Long-term increase in mVEGF164 in mouse hindlimb muscle mediated by phage phiC31 integrase after nonviral DNA delivery. <i>Human Gene Therapy</i> , 2006 , 17, 871-6	30
497	Spinal neuromodulation: a novel approach in the management of peripheral vascular disease. 2006 , 10, 3-6	0
496	Prevalence of arteriosclerosis and atherosclerosis in stable patients at a cardiovascular outpatient clinic: potential for better care. 2006 , 69, 14-20	4
495	Smoking, diabetes, and blood cholesterol differ in their associations with subclinical atherosclerosis: the Multiethnic Study of Atherosclerosis (MESA). 2006 , 186, 441-7	67
494	Intermittent claudication: an overview. 2006 , 187, 221-37	81
493	Metabolic syndrome impairs physical function, health-related quality of life, and peripheral circulation in patients with intermittent claudication. 2006 , 43, 1191-6; discussion 1197	42
492	[Prevention of major ischemic events in lower limb arterial disease: does aspirin play a role?]. 2006 , 31, 129-34	5
491	[Peripheral arteriopathy and the internist]. 2006, 127, 615-6	
490	Peripheral arterial disease in patients with diabetes. 2006 , 47, 921-9	328
489	ACC/AHA 2005 guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): executive summary a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for	831
488	Delayed calf muscle phosphocreatine recovery after exercise identifies peripheral arterial disease. 2006 , 47, 2289-95	52
487	ACC/AHA 2005 Guidelines for the Management of Patients With Peripheral Arterial Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic): A Collaborative Report from the American Association for Vascular Surgery/Society for Vascular Surgery,?Society for Cardiovascular	184
486	Protein kinase C beta/early growth response-1 pathway: a key player in ischemia, atherosclerosis, and restenosis. 2006 , 48, A47-55	50
485	The effects of oral anticoagulants in patients with peripheral arterial disease: rationale, design, and baseline characteristics of the Warfarin and Antiplatelet Vascular Evaluation (WAVE) trial, including a meta-analysis of trials. 2006 , 151, 1-9	144
484	The REduction of Atherothrombosis for Continued Health (REACH) Registry: an international, prospective, observational investigation in subjects at risk for atherothrombotic events-study design. 2006 , 151, 786.e1-10	177
483	A novel culture system shows that stem cells can be grown in 3D and under physiologic pulsatile conditions for tissue engineering of vascular grafts. 2006 , 132, 170-8	26

(2006-2006)

482	Relation between platelet microaggregates and ankle brachial index in patients with peripheral arterial disease. 2006 , 117, 263-9	12
481	Comparison of levels of inflammatory markers and hemostatic factors in the patients with and without peripheral arterial disease. 2006 , 117, 357-64	24
480	Vascular Problems in the Diabetic Foot. 2006 , 30, 203-212	
479	Therapeutic Angiogenesis. 2006,	
478	Peripheral Vascular Noninvasive Measurements. 2006 ,	1
477	Diagnosis and treatment of peripheral arterial disease compared with other atherosclerotic vascular diseases in a university primary care clinic. 2006 , 54, 255-61	4
476	A qualitative approach to developing a patient-derived intervention to increase exercise in peripheral arterial disease. 2006 , 26, 92-100	5
475	Red blood cell deformability in patients with claudication after pain-free treadmill training. 2006 , 16, 335-40	34
474	Stratgie de la conduite des examens chez le patient polyvasculaire. 2006 , 1, 1-10	
473	Effects of supervised treadmill-walking training on strength and endurance of the calf muscles of individuals with peripheral arterial disease. 2006 , 16, 397-400	13
472	Efficacy of concentrated autologous platelet-derived growth factors in chronic lower-extremity wounds. 2006 , 96, 482-8	22
471	Incidence of and factors associated with achieving target lipid levels in patients with peripheral arterial disease. 2006 , 21, 711-4	11
470	Clinical Examination of the Diabetic Foot and the Identification of the At-Risk Patient. 2006, 201-226	4
469	Increased prevalence of peripheral arterial disease in osteoporotic postmenopausal women. 2006 , 24, 125-31	36
468	[Chronic critical ischemia of the lower leg: pretherapeutic imaging and methods for revascularization]. 2006 , 46, 962-72	
467	Endovascular treatment of peripheral vascular disease. 2006 , 31, 711-60	11
466	First-year results of a community peripheral vascular screening program at an academic community hospital. 2006 , 24, 11-4; quiz 15-6	1
465	Sirolimus for below the knee lesions: mid-term results of SiroBTK study. 2006 , 68, 793-8	81

464	Diagnostic utility of the two methods of ankle brachial index in the detection of peripheral arterial disease of lower extremities. 2006 , 68, 788-92	57
463	Epidemiology and Pathophysiology of Lower Extremity Peripheral Arterial Disease. 2006 , 13, II-3-II-9	36
462	Identifying unrecognized peripheral arterial disease among asymptomatic patients in the primary care setting. 2006 , 57, 171-80	11
461	Increased pregnancy-associated plasma protein-A as a marker for peripheral atherosclerosis: results from the Linz Peripheral Arterial Disease Study. 2006 , 52, 1096-103	31
460	P19 progenitor cells progress to organized contracting myocytes after chemical and electrical stimulation: implications for vascular tissue engineering. 2006 , 13, 377-88	13
459	Masterclass series in peripheral arterial disease. Antiplatelet therapy for peripheral arterial disease and claudication. 2006 , 11, 55-60	22
458	Mortality and hospitalization in patients after amputation: a comparison between patients with and without diabetes. 2006 , 29, 2252-6	139
457	Limb salvage following laser-assisted angioplasty for critical limb ischemia: results of the LACI multicenter trial. 2006 , 13, 1-11	185
456	Predicting and modifying substance use in childhood cancer survivors: application of a conceptual model. 2006 , 33, 51-60	36
455	Contrast ultrasound perfusion imaging of lower extremities in peripheral arterial disease: a novel diagnostic method. 2006 , 27, 310-5	55
455 454		55 14
	diagnostic method. 2006 , 27, 310-5	
454	diagnostic method. 2006 , 27, 310-5 Skin-derived micro-organs induce angiogenesis in rabbits. 2006 , 43, 139-48 Age, hypertension, and lacunar stroke are the major determinants of the severity of age-related	14
454 453	diagnostic method. 2006, 27, 310-5 Skin-derived micro-organs induce angiogenesis in rabbits. 2006, 43, 139-48 Age, hypertension, and lacunar stroke are the major determinants of the severity of age-related white matter changes. The LADIS (Leukoaraiosis and Disability in the Elderly) Study. 2006, 21, 315-22 Increased serum lipoprotein(a) concentrations and low molecular weight phenotypes of	140
454 453 452	diagnostic method. 2006, 27, 310-5 Skin-derived micro-organs induce angiogenesis in rabbits. 2006, 43, 139-48 Age, hypertension, and lacunar stroke are the major determinants of the severity of age-related white matter changes. The LADIS (Leukoaraiosis and Disability in the Elderly) Study. 2006, 21, 315-22 Increased serum lipoprotein(a) concentrations and low molecular weight phenotypes of apolipoprotein(a) are associated with symptomatic peripheral arterial disease. 2007, 53, 1298-305	14 140 39
454 453 452 451	Age, hypertension, and lacunar stroke are the major determinants of the severity of age-related white matter changes. The LADIS (Leukoaraiosis and Disability in the Elderly) Study. 2006, 21, 315-22 Increased serum lipoprotein(a) concentrations and low molecular weight phenotypes of apolipoprotein(a) are associated with symptomatic peripheral arterial disease. 2007, 53, 1298-305 Risk assessment in the patient with established peripheral arterial disease. 2007, 12, 343-50 The effect of current cigarette smoking on calf muscle hemoglobin oxygen saturation in patients	14 140 39 24
454 453 452 451 450	Skin-derived micro-organs induce angiogenesis in rabbits. 2006, 43, 139-48 Age, hypertension, and lacunar stroke are the major determinants of the severity of age-related white matter changes. The LADIS (Leukoaraiosis and Disability in the Elderly) Study. 2006, 21, 315-22 Increased serum lipoprotein(a) concentrations and low molecular weight phenotypes of apolipoprotein(a) are associated with symptomatic peripheral arterial disease. 2007, 53, 1298-305 Risk assessment in the patient with established peripheral arterial disease. 2007, 12, 343-50 The effect of current cigarette smoking on calf muscle hemoglobin oxygen saturation in patients with intermittent claudication. 2007, 12, 167-73 Supervised exercise training combined with ginkgo biloba treatment for patients with peripheral	14 140 39 24 22

446	Genetic susceptibility to peripheral arterial disease: a dark corner in vascular biology. 2007, 27, 2068-78	49
445	Autoantibodies to the atheroma component beta2-glycoprotein I and risk of symptomatic peripheral artery disease. 2007 , 58, 295-302	13
444	The evaluation of cardiac and peripheral arterial disease in patients with diabetes mellitus. 2007 , 32, 109-42	3
443	The role of exercise training in peripheral arterial disease. 2007 , 12, 351-8	41
442	The influence of obesity on arterial compliance in adult men and women. 2007, 12, 183-8	44
441	The influence of obesity on calf blood flow and vascular reactivity in older adults. 2007, 6, 4	20
440	Patients at high risk for ischemic stroke: identification and actions. 2007 , 24 Suppl 1, 49-63	12
439	Peripheral Arterial Disease. 2007,	
438	Spinal Cord Stimulation for Refractory Angina Pectoris and Nonreconstructable Chronic Critical Leg Ischemia. 2007 , 17, 208-214	
437	Properties of the 15D and the Nottingham Health Profile questionnaires in patients with lower limb atherosclerotic disease. 2007 , 23, 385-91	3
436	Using ankle-brachial index to detect peripheral arterial disease: prevalence and associated risk factors in a random population sample. 2007 , 17, 41-9	34
435	Treatment practices and outcomes of patients with established peripheral arterial disease hospitalized with acute myocardial infarction in a community setting. 2007 , 153, 140-6	16
434	Association of adiponectin and amino terminal proBNP in peripheral arterial disease. 2007, 377, 192-7	15
433	Subintimal angioplasty for the treatment of claudication and critical limb ischemia: 3-year results. 2007 , 46, 959-64	50
432	Exercise performance in patients with peripheral arterial disease who have different types of exertional leg pain. 2007 , 46, 79-86	26
431	The Prognostic Significance of Diabetes in Patients Diagnosed With Peripheral Arterial Disease. 2007 , 31, 140-147	1
430	Therapy insight: peripheral arterial disease and diabetesfrom pathogenesis to treatment guidelines. 2007 , 4, 151-62	20
429	Atherosclerotic risk factors among ankle-brachial index and toe-brachial index in peritoneal dialysis patients. 2007 , 29, 835-41	3

428	Current state of endovascular treatment of femoro-popliteal artery disease. 2007, 12, 223-34	85
427	Duplex ultrasonography rarely changes management decisions in chronic lower extremity ischemia. 2007 , 21, 438-42	
426	Indagini radiologiche preoperatorie in chirurgia vascolare. 2007 , 12, 1-22	1
425	LMho-dppler modifie rarement les dcisions dans la prise en charge de lMschmie chronique des membres inffieurs. 2007 , 21, 42-47	
424	Intrinsic contribution of gender and ethnicity to normal ankle-brachial index values: the Multi-Ethnic Study of Atherosclerosis (MESA). 2007 , 45, 319-27	112
423	[Impact of the choice of an antiplatelet therapy for peripheral arterial disease: cost-effectiveness ratio and health economics assessment]. 2007 , 32, 8-14	1
422	Patterns of ambulatory activity in subjects with and without intermittent claudication. 2007, 46, 1208-14	102
421	Key role of insulin resistance in vascular injury among hemodialysis patients. 2007 , 56, 153-9	33
420	Recanalization of infrainguinal vessels: silverhawk, laser, and the remote superficial femoral artery endarterectomy. 2007 , 20, 29-36	18
419	Current treatment of peripheral arterial disease: role of percutaneous interventional therapies. 2007 , 50, 473-90	33
418	[Cardiovascular disease in diabetes mellitus: classical and non-classical risk factors]. 2007, 51, 257-67	7
417	Eletroestimula ß muscular: alternativa de tratamento coadjuvante para pacientes com doen ß arterial obstrutiva periffica. 2007 , 6, 156-162	4
416	Calf muscle perfusion at peak exercise in peripheral arterial disease: measurement by first-pass contrast-enhanced magnetic resonance imaging. 2007 , 25, 1013-20	65
415	Physiologic evaluation of translesion pressure gradients in peripheral arteries: comparison of pressure wire and catheter-derived measurements. 2007 , 20, 63-5	22
414	Contemporary percutaneous treatment of infrapopliteal arterial disease: a practical approach. 2007 , 20, 222-30	4
413	Influence of secondary infection on amputation in chronic critical limb ischemia. 2007 , 33, 605-9	14
412	Micro- and Macrovascular Disease in Diabetic Neuropathy. 2007 , 259-274	1
411	Management of peripheral arterial disease of the lower extremities. 2007 , 33, 247-56	7

410	Performance evaluation of a medical robotic 3D-ultrasound imaging system. 2008 , 12, 275-90	29
409	Plantar flexion: an effective training for peripheral arterial disease. 2008, 104, 749-56	33
408	Non-invasive cardiac assessment in high risk patients (The GROUND study): rationale, objectives and design of a multi-center randomized controlled clinical trial. 2008 , 9, 49	8
407	Optimal risk factor modification and medical management of the patient with peripheral arterial disease. 2008 , 71, 475-89	41
406	Drug eluting stents for below the knee lesions in patients with critical limb ischemia: long-term follow-up. 2008 , 72, 112-5	22
405	Cell therapy in peripheral arterial disease. 2008 , 59, 705-16	23
404	Peripheral arterial disease and the hospitalist: the rationale for early detection and optimal therapy. 2008 , 3 Suppl 2, S4-8	1
403	Arteriopată periffica y coronariopată asintom l ica concomitante: estrategia de tratamiento. 2008 , 22, 703-710	
402	Endovascular procedures for below the knee arteries in diabetics. 2008, 57, 352-8	5
401	Prevalence and risk factors of PAD among patients with elevated ABI. 2008, 35, 709-14	103
401	Prevalence and risk factors of PAD among patients with elevated ABI. 2008 , 35, 709-14 Which diabetics are at risk for lower-extremity problems and what preventive measures can be taken?. 2008 , 21, 154-9	103
	Which diabetics are at risk for lower-extremity problems and what preventive measures can be	
400	Which diabetics are at risk for lower-extremity problems and what preventive measures can be taken?. 2008 , 21, 154-9 Physical activity is a predictor of all-cause mortality in patients with intermittent claudication. 2008 ,	1
400	Which diabetics are at risk for lower-extremity problems and what preventive measures can be taken?. 2008 , 21, 154-9 Physical activity is a predictor of all-cause mortality in patients with intermittent claudication. 2008 , 47, 117-22 The effect of metabolic syndrome components on exercise performance in patients with	1 83
400 399 398	Which diabetics are at risk for lower-extremity problems and what preventive measures can be taken?. 2008, 21, 154-9 Physical activity is a predictor of all-cause mortality in patients with intermittent claudication. 2008, 47, 117-22 The effect of metabolic syndrome components on exercise performance in patients with intermittent claudication. 2008, 47, 1251-8 Calf muscle hemoglobin oxygen saturation characteristics and exercise performance in patients	1 83 43
400 399 398 397	Which diabetics are at risk for lower-extremity problems and what preventive measures can be taken?. 2008, 21, 154-9 Physical activity is a predictor of all-cause mortality in patients with intermittent claudication. 2008, 47, 117-22 The effect of metabolic syndrome components on exercise performance in patients with intermittent claudication. 2008, 47, 1251-8 Calf muscle hemoglobin oxygen saturation characteristics and exercise performance in patients with intermittent claudication. 2008, 48, 644-9 Association between daily ambulatory activity patterns and exercise performance in patients with	1 83 43 41
399 398 397 396	Which diabetics are at risk for lower-extremity problems and what preventive measures can be taken?. 2008, 21, 154-9 Physical activity is a predictor of all-cause mortality in patients with intermittent claudication. 2008, 47, 117-22 The effect of metabolic syndrome components on exercise performance in patients with intermittent claudication. 2008, 47, 1251-8 Calf muscle hemoglobin oxygen saturation characteristics and exercise performance in patients with intermittent claudication. 2008, 48, 644-9 Association between daily ambulatory activity patterns and exercise performance in patients with intermittent claudication. 2008, 48, 1238-44 Tibial artery calcification as a marker of amputation risk in patients with peripheral arterial disease.	1 83 43 41 24

392	Cilostazol and peripheral arterial disease. 2008 , 9, 2683-90	12
391	Impaired peripheral circulation in lower-leg arteries caused by higher arterial stiffness and greater vascular resistance associates with nephropathy in type 2 diabetic patients with normal ankle-brachial indices. 2008 , 80, 416-23	14
390	Managing preexisting diabetes for pregnancy: summary of evidence and consensus recommendations for care. 2008 , 31, 1060-79	349
389	Does percutaneous transluminal angioplasty improve quality of life?. 2008 , 19, 169-76	17
388	Association d M ne artfiopathie oblitfante des membres inffieurs et d M ne coronaropathie asymptomatique : stratgie de prise en charge. 2008 , 22, 704-712	
387	Concomitant peripheral artery disease and asymptomatic coronary artery disease: a management strategy. 2008 , 22, 649-56	14
386	Peripheral arterial disease, diabetes and postural balance among elderly Finns: a population-based study. 2008 , 20, 540-6	11
385	Reference data for distal blood pressure in healthy elderly and middle-aged individuals measured with the strain gauge technique. Part II: Distal blood pressure after exercise. 2008 , 68, 317-22	1
384	Association between lower-extremity function and arterial compliance in older adults. 2008, 59, 203-8	8
383	Patients with peripheral arterial disease in the CHARISMA trial. 2009 , 30, 192-201	225
383 382	Patients with peripheral arterial disease in the CHARISMA trial. 2009, 30, 192-201 Peripheral arterial disease: an underestimated aetiology of exercise intolerance in chronic obstructive pulmonary disease patients. 2008, 15, 270-7	225
	Peripheral arterial disease: an underestimated aetiology of exercise intolerance in chronic	
382	Peripheral arterial disease: an underestimated aetiology of exercise intolerance in chronic obstructive pulmonary disease patients. 2008 , 15, 270-7 The effect of hypercholestrolemia on calf muscle hemoglobin oxygen saturation in patients with	25
382	Peripheral arterial disease: an underestimated aetiology of exercise intolerance in chronic obstructive pulmonary disease patients. 2008 , 15, 270-7 The effect of hypercholestrolemia on calf muscle hemoglobin oxygen saturation in patients with intermittent claudication. 2008 , 59, 534-41	25 8
382 381 380	Peripheral arterial disease: an underestimated aetiology of exercise intolerance in chronic obstructive pulmonary disease patients. 2008, 15, 270-7 The effect of hypercholestrolemia on calf muscle hemoglobin oxygen saturation in patients with intermittent claudication. 2008, 59, 534-41 Supervised and home-based exercise training for patients with intermittent claudication. 2008, 17, 137-40	25 8
382 381 380 379	Peripheral arterial disease: an underestimated aetiology of exercise intolerance in chronic obstructive pulmonary disease patients. 2008, 15, 270-7 The effect of hypercholestrolemia on calf muscle hemoglobin oxygen saturation in patients with intermittent claudication. 2008, 59, 534-41 Supervised and home-based exercise training for patients with intermittent claudication. 2008, 17, 137-40 [Epidemiology and prognosis of peripheral artery diseases]. 2008, 97, 271-6	25
382 381 380 379 378	Peripheral arterial disease: an underestimated aetiology of exercise intolerance in chronic obstructive pulmonary disease patients. 2008, 15, 270-7 The effect of hypercholestrolemia on calf muscle hemoglobin oxygen saturation in patients with intermittent claudication. 2008, 59, 534-41 Supervised and home-based exercise training for patients with intermittent claudication. 2008, 17, 137-40 [Epidemiology and prognosis of peripheral artery diseases]. 2008, 97, 271-6 Critical review of the ankle brachial index. 2008, 4, 101-6 A Case of Peripheral Revascularization Via the Radial Artery Using Devices Designed for	25 8 2 77

(2009-2009)

374	Prevalficia e fatores de risco da doenfi arterial periffica sintomfica e assintomfica em hospital tercifio, Rio de Janeiro, Brasil. 2009 , 8, 125-132	2
373	Natural History and Medical Management of Chronic Lower Extremity Ischemia. 2009, 119-136	
372	Heparin cofactor II is an independent protective factor against peripheral arterial disease in elderly subjects with cardiovascular risk factors. 2009 , 16, 127-34	15
371	Photoplethysmography, an easy and accurate method for measuring ankle brachial pressure index: can photoplethysmography replace Doppler?. 2009 , 43, 578-82	15
370	Effects of supervised treadmill walking training on calf muscle capillarization in patients with intermittent claudication. 2009 , 60, 36-41	18
369	. 2009,	1
368	Amino-terminal pro-B-type natriuretic peptide as predictor of mortality in patients with symptomatic peripheral arterial disease: 5-year follow-up data from the Linz Peripheral Arterial Disease Study. 2009 , 55, 68-77	29
367	Peripheral arterial disease: considerations in risks, diagnosis, and treatment. 2009 , 101, 999-1008	26
366	Women and peripheral arterial disease. 2009 , 5, 669-83	41
365	Diabetic Foot Problems. 2009 , 215-228	
365 364	Diabetic Foot Problems. 2009, 215-228 Face-to-face interaction compared with video watching on use of physical activity in peripheral arterial disease: a pilot trial. 2009, 60, 21-30	7
	Face-to-face interaction compared with video watching on use of physical activity in peripheral	7
364	Face-to-face interaction compared with video watching on use of physical activity in peripheral arterial disease: a pilot trial. 2009 , 60, 21-30	
36 ₄ 36 ₃	Face-to-face interaction compared with video watching on use of physical activity in peripheral arterial disease: a pilot trial. 2009 , 60, 21-30 The transformation of vascular surgeons to vascular specialists: policy or necessity?. 2009 , 43, 233-7 An approach to cultural adaptation and validation: the Intermittent Claudication Questionnaire.	7
364 363 362	Face-to-face interaction compared with video watching on use of physical activity in peripheral arterial disease: a pilot trial. 2009 , 60, 21-30 The transformation of vascular surgeons to vascular specialists: policy or necessity?. 2009 , 43, 233-7 An approach to cultural adaptation and validation: the Intermittent Claudication Questionnaire. 2009 , 14, 117-22	7
364 363 362 361	Face-to-face interaction compared with video watching on use of physical activity in peripheral arterial disease: a pilot trial. 2009, 60, 21-30 The transformation of vascular surgeons to vascular specialists: policy or necessity?. 2009, 43, 233-7 An approach to cultural adaptation and validation: the Intermittent Claudication Questionnaire. 2009, 14, 117-22 Resting energy expenditure in subjects with and without intermittent claudication. 2009, 58, 1008-12 The relation of metabolic syndrome according to five definitions to cardiovascular risk factors—a	7 7 3
364 363 362 361 360	Face-to-face interaction compared with video watching on use of physical activity in peripheral arterial disease: a pilot trial. 2009, 60, 21-30 The transformation of vascular surgeons to vascular specialists: policy or necessity?. 2009, 43, 233-7 An approach to cultural adaptation and validation: the Intermittent Claudication Questionnaire. 2009, 14, 117-22 Resting energy expenditure in subjects with and without intermittent claudication. 2009, 58, 1008-12 The relation of metabolic syndrome according to five definitions to cardiovascular risk factorsa population-based study. 2009, 9, 484 Beneficios del ejercicio sobre la circulaciñ arterial periffica en pacientes diabticos tipo 2 con	7 7 3

356	Treatment strategies for peripheral artery disease. 2009 , 10, 1571-86	8
355	Value of adiponectin as predictor of 5-year all-cause mortality in patients with symptomatic peripheral arterial disease: results from the Linz Peripheral Arterial Disease (LIPAD) study. 2009 , 408, 87-91	21
354	Tissue plasminogen activator (tPA) activity is a novel and early marker of asymptomatic LEAD in type 2 diabetes. 2009 , 123, 701-6	10
353	Peripheral arterial disease in women. 2009 , 64, 204-11	16
352	Sex differences in calf muscle hemoglobin oxygen saturation in patients with intermittent claudication. 2009 , 50, 77-82	31
351	Efficacy of aspirin for secondary prevention in patients with peripheral artery disease. 2009 , 7, 1203-7	2
350	Cardiovascular risk factor control and outcomes in peripheral artery disease patients in the Reduction of Atherothrombosis for Continued Health (REACH) Registry. 2009 , 204, e86-92	169
349	Varīl de 65 a ô s con factores de riesgo, dolor y cianosis digital de tres semanas de evolucifl. 2009 , 10, 3045.e1-3045.e3	
348	Embracing the palliative care aspects of peripheral artery disease (PAD): the vascular surgeonM perspective. 2009 , 17, 237-244	1
347	Influence of the Duffy antigen on pharmacokinetics and pharmacodynamics of recombinant monocyte chemoattractant protein (MCP-1, CCL-2) in vivo. 2009 , 22, 615-25	19
346	Primary stenting versus balloon angioplasty for stenotic and occlusive lesions of the iliac artery 2009 ,	3
345	Racial disparity in amputation-free survival after infrainguinal bypass procedure: contribution of socioeconomic status. 2009 , 88, 986-94	8
344	Eicosapentaenoic acid as the gold standard for patients with peripheral artery disease? - subanalysis of the JELIS trial 2010 , 74, 1298-9	6
343	PTA of infrapopliteal arteries: long-term clinical follow-up and analysis of factors influencing clinical outcome. 2010 , 33, 720-5	73
342	Sex difference in the association of metabolic syndrome with high sensitivity C-reactive protein in a Taiwanese population. 2010 , 10, 429	25
341	Hemodynamic influences on abdominal aortic aneurysm disease: Application of biomechanics to aneurysm pathophysiology. 2010 , 53, 11-21	56
340	Liposome-based vascular endothelial growth factor-165 transfection with skeletal myoblast for treatment of ischaemic limb disease. 2010 , 14, 323-36	9
339	Aortic valve sclerosis in patients with peripheral and/or coronary arterial disease. 2010 , 27, 608-12	11

338	The prognostic impact of general and abdominal obesity in peripheral arterial disease. 2010 , 34, 280-6	16
337	High voltage electrical stimulation as an alternative treatment for chronic ulcers of the lower limbs. 2010 , 85, 567-9	7
336	Prevalficia da estenose aterosclerfica do tronco celfico e da artfia mesentfica superior na arteriopatia oclusiva dos membros inferiores. 2010 , 9, 4-13	
335	Arterial compliance in multiple sclerosis: a pilot study. 2010 , 61, 31-6	8
334	Primary use of sirolimus-eluting stents in the infrapopliteal arteries. 2010 , 17, 480-7	31
333	Reduced high-density lipoprotein level is linked to worse ankle brachial index and peak oxygen uptake in postmenopausal women with peripheral arterial disease. 2010 , 61, 698-704	2
332	Initial clinical encounter with the patient with established hypertension. 2010 , 28, 587-95	3
331	Management of diabetic foot problems. 2010 , 51, 476-86	44
330	Walking economy before and after the onset of claudication pain in patients with peripheral arterial disease. 2010 , 51, 628-33	26
329	Gender and ethnic differences in arterial compliance in patients with intermittent claudication. 2010 , 51, 610-5	32
328	Gender differences in daily ambulatory activity patterns in patients with intermittent claudication. 2010 , 52, 1204-10	43
327	Metabolic syndrome and cardiovascular risk prediction in peripheral arterial disease. 2010 , 20, 676-82	15
326	Office management of peripheral arterial disease. 2010 , 123, 790-2	18
325	Estudio de prevalencia de la enfermedad arterial periffica en las unidades màlicas de corta estancia en Espa â . Estudio UCEs. 2010 , 22, 85-91	2
324	Leukocyte count in peripheral arterial disease: A simple, reliable, inexpensive approach to cardiovascular risk prediction. 2010 , 210, 288-93	37
323	Does endothelial dysfunction contribute to the clinical status of patients with peripheral arterial disease?. <i>Canadian Journal of Cardiology</i> , 2010 , 26 Suppl A, 45A-50A	8 36
322	Validation of 3D reconstructions of a mimicked femoral artery with an ultrasound imaging robotic system. 2010 , 37, 3868-79	12
321	A review of simple, non-invasive means of assessing peripheral arterial disease and implications for medical management. 2010 , 42, 139-50	39

Traitement actuel des l'ions aortiques et des artlles iliaques communes et externes : Donnès de base pour la prise de d'ision clinique. **2011**, 25, 1056-1069

319	The current management of aortic, common iliac, and external iliac artery disease: basic data underlying clinical decision making. 2011 , 25, 990-1003	14
318	Peripheral artery disease. Part 1: clinical evaluation and noninvasive diagnosis. 2011 , 8, 405-18	59
317	Management of peripheral arterial disease: role of computed tomography angiography and magnetic resonance angiography. 2011 , 40, e437-52	11
316	Lower extremity peripheral artery disease in the absence of traditional risk factors. The Multi-Ethnic Study of Atherosclerosis. 2011 , 214, 169-73	56
315	Dynamic contrast-enhanced ultrasound for assessment of skeletal muscle microcirculation in peripheral arterial disease. 2011 , 46, 504-8	30
314	An arterial pulse examination is not sufficient for diagnosis of peripheral arterial disease in lumbar spinal canal stenosis: a prospective multicenter study. 2011 , 36, 1204-10	17
313	A plantar flexion device exercise programme for patients with peripheral arterial disease: a randomised prospective feasibility study. 2011 , 97, 244-9	17
312	Associations of symptomatic or asymptomatic peripheral arterial disease with all-cause mortality and cardiovascular mortality. 2011 , 63, 7-12	3
311	Peripheral arterial diseasewhat do we need to know?. 2011 , 34, 478-82	14
310	Dietary intake of participants with peripheral artery disease and claudication. 2011 , 62, 270-5	23
309	Sirolimus-eluting stents vs. bare-metal stents for treatment of focal lesions in infrapopliteal arteries: a double-blind, multi-centre, randomized clinical trial. 2011 , 32, 2274-81	140
308	Ultrahigh sensitive optical microangiography reveals depth-resolved microcirculation and its longitudinal response to prolonged ischemic event within skeletal muscles in mice. 2011 , 16, 086004	11
307	Silencing of int6 gene restores function of the ischaemic hindlimb in a rat model of peripheral arterial disease. 2011 , 92, 209-17	17
306	Cardiovascular responses to walking in patients with peripheral artery disease. 2011 , 43, 2017-23	19
305	Contemporary evaluation and management of the diabetic foot. 2012 , 2012, 435487	16
304	LDL lowering in peripheral arterial disease: are there benefits beyond reducing cardiovascular morbidity and mortality?. 2012 , 7, 141-149	7

(2013-2012)

302	An algorithmic approach to peripheral artery disease in hemophilia: extrapolation of management principles from noncoagulopathic patients. 2012 , 23, 23-9	3
301	Artfiopathie diabtique des membres inffieurs. 2012 , 9, 1-10	1
300	Clinical update on nursing home medicine: 2012. 2012 , 13, 581-94	3
299	Lower-limb ischemia in the young patient: management strategies in an endovascular era. 2012 , 26, 591-9	7
298	Elevated baseline hs-cTnT levels predict exercise-induced myocardial ischemia in patients with peripheral arterial disease. 2012 , 413, 1678-82	13
297	Preventive aspects in peripheral artery disease. 2012 , 6, 53-70	6
296	Treatment for intermittent claudication and the effects on walking distance and quality of life. 2012 , 20, 20-35	11
295	Lower Extremity Arterial Reconstruction in Patients with Diabetes Mellitus: Principles of Treatment. 2012 , 347-368	
294	Impaired integumentary integrity. 2012 , 354-381	
293	Diabetic Foot Ulceration and Management. 2012 , 63-91	1
292	Abdominal aortic aneurysm in patients affected by intermittent claudication: prevalence and clinical predictors. 2012 , 12 Suppl 1, S17	23
291	Endovascular treatment of lower extremity arteries is associated with an improved outcome in diabetic patients affected by intermittent claudication. 2012 , 12 Suppl 1, S19	10
290	Ankle/brachial index to everyone. 2012 , 12 Suppl 1, S18	7
289	Peripheral arterial disease of the lower extremities. 2012 , 8, 375-88	32
288	Age- and gender-related differences in the use of secondary medical prevention after primary vascular surgery: a nationwide follow-up study. 2012 , 43, 300-7	9
287	Clinical Implications of the Vascular Laboratory in the Diagnosis of Peripheral Arterial Disease. 2013 , 425-448	
286	Tissue engineering of vascular grafts. 2013 , 45, 187-193	16
285	Intermittent claudication: new targets for drug development. 2013 , 73, 999-1014	11

284	Far red/near infrared light treatment promotes femoral artery collateralization in the ischemic hindlimb. 2013 , 62, 36-42	17
283	Cell therapy of peripheral arterial disease: from experimental findings to clinical trials. 2013 , 112, 1288-302	168
282	Managing peripheral arterial disease and vascular ulcers. 2013 , 29, 425-31	5
281	Medical comorbidities but not interventions adversely affect survival in patients with intermittent claudication. 2013 , 58, 1540-6	4
280	Interpretation and significance of ankle-brachial systolic pressure index. 2013, 26, 86-94	27
279	The association of obesity with cardiovascular events in patients with peripheral artery disease. 2013 , 228, 316-23	25
278	Bilateral lower extremity arterial thromboembolism mimicking conversion disorder. <i>Artery Research</i> , 2013 , 7, 103	
277	Peripheral blood-derived autologous stem cell therapy for the treatment of patients with late-stage peripheral artery disease-results of the short- and long-term follow-up. 2013 , 15, 1245-52	28
276	Ethnic differences in ankle brachial index are present in middle-aged individuals without peripheral arterial disease. 2013 , 162, 228-33	11
275	Where there is smoke, there is fire. 2013 , 6, 1314-5	
274	The association of relative telomere length with symptomatic peripheral arterial disease: results from the CAVASIC study. 2013 , 229, 469-74	21
273	Clinical Application of NIRS. 2013 , 59-74	2
272	Overview of Peripheral Arterial Disease of the Lower Extremity. 2013 , 261-285	
271	Hepatocyte growth factor gene-modified bone marrow-derived mesenchymal stem cells transplantation promotes angiogenesis in a rat model of hindlimb ischemia. 2013 , 33, 511-519	8
270	DVC1-0101 to treat peripheral arterial disease: a Phase I/IIa open-label dose-escalation clinical trial. 2013 , 21, 707-14	38
269	Clinical application of vascular regenerative therapy for peripheral artery disease. 2013, 2013, 179730	13
268	Clinical significance of ankle systolic blood pressure following exercise in assessing calf muscle tissue ischemia in peripheral artery disease. 2013 , 64, 364-70	2
267	Quantitative optical imaging of vascular response in vivo in a model of peripheral arterial disease. 2013 , 305, H1168-80	16

266	A Review of Exercise Protocols for Patients With Peripheral Arterial Disease. 2013 , 29, 165-178	1
265	V.O2 Kinetics and clinical factors among patients with peripheral artery disease. 2013 , 33, 411-8	4
264	Secondary medical prevention after primary vascular surgery between 1996 and 2006: a shift towards more evidence-based treatment. 2013 , 20, 763-70	8
263	Methods of symptom evaluation and their impact on peripheral artery disease (PAD) symptom prevalence: a review. 2013 , 18, 95-111	23
262	Unacylated ghrelin promotes skeletal muscle regeneration following hindlimb ischemia via SOD-2-mediated miR-221/222 expression. 2013 , 2, e000376	55
261	Final results of the Chronic Total Occlusion Crossing With the Ocelot System II (CONNECT II) study. 2013 , 20, 770-81	32
260	Peripheral arterial stiffness is independently associated with a rapid decline in estimated glomerular filtration rate in patients with type 2 diabetes. 2013 , 2013, 309294	21
259	Epidemiology, risk factors & prognosis. 2013 , 8-17	
258	[Atherosclerosis: progress in diagnosis and treatments. Topics: IV. Progress in treatments of atherosclerosis; 5. Current management for patient with peripheral artery disease]. 2013 , 102, 392-8	
257	Low-intensity resistance exercise does not affect cardiac autonomic modulation in patients with peripheral artery disease. 2013 , 68, 632-7	8
256	Prevalence and risk factors of asymptomatic peripheral arterial disease in patients with COPD in Taiwan. 2013 , 8, e64714	17
255	Risks of decreased renal function and increased albuminuria for glycemic status and metabolic syndrome components: Taichung Community Health study. 2014 , 2014, 841497	2
254	Vascular quality of care pilot study: how admission to a vascular surgery service affects evidence-based pharmacologic risk factor modification in patients with lower extremity peripheral arterial disease. 2014 , 10, 333-40	7
253	Antimicrobial therapy in infectious complications of diabetic foot. 2014 , 21, 55-62	
252	Public private partnership in vascular surgery. 2014 , 12, 342-6	4
251	Effects of peroxynitrite on relaxation through the NO/sGC/cGMP pathway in isolated rat iliac arteries. 2014 , 51, 439-46	15
250	Association between serum fetuin-A levels, carotid artery stiffness, and intima-media thickness in patients with normotensive obstructive sleep apnea syndrome. 2014 , 65, 607-13	15
249	A single bout of resistance exercise does not modify cardiovascular responses during daily activities in patients with peripheral artery disease. 2014 , 19, 64-71	14

248	Prevalence, incidence and progression of peripheral arterial disease in Asian Indian type 2 diabetic patients. 2014 , 28, 627-31	18
247	Association of total white cell count with mortality and major adverse events in patients with peripheral arterial disease: a systematic review. 2014 , 47, 422-32	6
246	Mortality rates and mortality predictors in patients with symptomatic peripheral artery disease stratified according to age and diabetes. 2014 , 59, 1291-9	55
245	High-sensitivity cardiac troponin T in patients with intermittent claudication and its relation with cardiovascular events and all-cause mortalitythe CAVASIC Study. 2014 , 237, 711-7	14
244	Vildagliptin stimulates endothelial cell network formation and ischemia-induced revascularization via an endothelial nitric-oxide synthase-dependent mechanism. 2014 , 289, 27235-27245	44
243	Prevalence of asymptomatic peripheral arterial disease and related risk factors in younger and elderly patients in Taiwan. 2014 , 65, 396-401	20
242	Therapy for peripheral artery disease: gaps in treating patients with claudication. <i>Circulation</i> , 2014 , 130, 929-31	4
241	LOX-1, oxidant stress, mtDNA damage, autophagy, and immune response in atherosclerosis. 2014 , 92, 524-30	30
240	Diabetes and Health Care. 2014 , 1-129	1
239	Insights Into Microcirculation Underlying Critical Limb Ischemia by Single-Photon Emission Computed Tomography. 2015 , 94, e1075	2
238	Associations between metabolomic-identified changes of biomarkers and arterial stiffness in subjects progressing to impaired fasting glucose. 2015 , 83, 196-204	6
237	Is asymptomatic peripheral arterial disease associated with walking endurance in patients with COPD?. 2015 , 10, 1487-92	4
236	Peripheral artery disease in patients with diabetes: Epidemiology, mechanisms, and outcomes. 2015 , 6, 961-9	143
235	[Dilemmas of the reconstruction of the major pelvic artery due to infectious aortic graft complication]. 2015 , 68, 12-7	1
234	(2-Hydroxypropyl)-ECyclodextrin Is a New Angiogenic Molecule for Therapeutic Angiogenesis. 2015 , 10, e0125323	6
233	Vascular Problems in the Diabetic Foot. 2015 , 39, 39-48	1
232	Different influences of extracellular and intracellular superoxide on relaxation through the NO/sGC/cGMP pathway in isolated rat iliac arteries. 2015 , 65, 160-7	12
231	Outcomes of infrainguinal bypass determined by age in the Vascular Study Group of New England. 2015 , 62, 83-92	12

(2016-2015)

230	Community-based walking exercise for peripheral artery disease: An exploratory pilot study. 2015 , 20, 339-47		29
229	Vascular calcification in patients with nondialysis CKD over 3 years. 2015 , 10, 654-66		93
228	Clinical predictors of ventilatory threshold achievement in patients with claudication. 2015 , 47, 493-7		6
227	Angioplasty versus stenting for iliac artery lesions. 2015 , CD007561		8
226	Acute ischemic stroke associated with nephrotic syndrome: Incidence and significance - Retrospective cohort study. 2015 , 1, 47-50		5
225	Noncontrast MRA of pedal arteries in type II diabetes: effect of disease load on vessel visibility. 2015 , 22, 513-9		2
224	Correlation between digital palpation of pedal pulses and duplex Doppler ultrasonography in evaluating vascular status of the lower limbs in adult diabetics. 2015 , 35, 339-341		
223	A systematic review for the screening for peripheral arterial disease in asymptomatic patients. 2015 , 61, 42S-53S		68
222	Trend, Risk Factors, and Costs of Clostridium difficile Infections in Vascular Surgery. 2015 , 29, 792-800		10
221	Multiparametric assessment of vascular function in peripheral artery disease: dynamic measurement of skeletal muscle perfusion, blood-oxygen-level dependent signal, and venous oxygen saturation. 2015 , 8,		29
220	Effects of hydrogen peroxide on relaxation through the NO/sGC/cGMP pathway in isolated rat iliac arteries. 2015 , 49, 1479-87		7
219	Sensitivity and Specificity of the Toe-Brachial Index for Detecting Peripheral Arterial Disease: Initial Findings. 2015 , 34, 1737-43		26
218	A session of resistance exercise increases vasodilation in intermittent claudication patients. 2015 , 40, 59-64		6
217	Contemporary medical management of peripheral arterial disease: a focus on risk reduction and symptom relief for intermittent claudication. 2015 , 33, 111-37		13
216	The Use of ExoSeal Vascular Closure Device for Direct Antegrade Superficial Femoral Artery Puncture Site Hemostasis. 2015 , 38, 560-4		9
215	Unacylated ghrelin induces oxidative stress resistance in a glucose intolerance and peripheral artery disease mouse model by restoring endothelial cell miR-126 expression. 2015 , 64, 1370-82		65
214	Accurate evaluation of viscoelasticity of radial artery wall during flow-mediated dilation in ultrasound measurement. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 07KF11	1.4	5
213	Rationale and Design of Randomized Clinical Trial for the Assessment of Macitentan Efficiency as Coadjuvant Treatment to Open and Endovascular Revascularization in Critical Limb Ischemia. 2016 , 10, 181-185		1

212	Shape memory polymers in medical textiles. 2016 , 3-17	2
211	High Systolic and Diastolic Blood Pressure Variability Is Correlated with the Occurrence of Peripheral Arterial Disease in the First Decade following a Diagnosis of Type 2 Diabetes Mellitus: A New Biomarker from Old Measurement. 2016 , 2016, 9872945	2
210	Topical Administration of Pirfenidone Increases Healing of Chronic Diabetic Foot Ulcers: A Randomized Crossover Study. 2016 , 2016, 7340641	12
209	Clinical Applications of Aspirin. 2016 , 263-446	
208	Revascularization Surgery: Its Efficacy for Limb Salvage in Diabetic Foot. 2016 , 76 Suppl 1, S13-8	1
207	Evaluation of the clinical relevance and limitations of current pre-clinical models of peripheral artery disease. 2016 , 130, 127-50	34
206	Factors Associated with Sedentary Behavior in Patients with Intermittent Claudication. 2016, 52, 809-814	14
205	Use of multi-detector CT angiography in identification and classification of aorto-iliac diseases; clinical and surgical application. 2016 , 47, 169-178	1
204	Factors associated with lower extremity atherosclerotic disease in Chinese patients with type 2 diabetes mellitus: A case-control study. 2016 , 95, e5230	4
203	Position Statement on Noninvasive Imaging of Peripheral Arterial Disease by the Society of Interventional Radiology and the Canadian Interventional Radiology Association. 2016 , 27, 947-51	11
202	The role of kinesitherapy and electrotherapeutic procedures in non-operative management of patients with intermittent claudications. 2016 , 24, 246-53	1
201	Impact of lesion location on procedural and acute angiographic outcomes in patients with critical limb ischemia treated for peripheral artery disease with orbital atherectomy: A CONFIRM registries subanalysis. 2016 , 87, 440-5	6
200	Asthma Is Associated With a Subsequent Risk of Peripheral Artery Disease: A Longitudinal Population-Based Study. 2016 , 95, e2546	9
199	Vascular access in critical limb ischemia. 2016 , 17, 190-8	8
198	Vasoactive enzymes and blood flow responses to passive and active exercise in peripheral arterial disease. 2016 , 246, 98-105	22
197	Sedentary behavior is associated with impaired biomarkers in claudicants. 2016 , 63, 657-63	10
196	Long-Term Outcomes and Causes of Death in Patients With Renovascular Disease Undergoing Renal Artery Stenting. 2016 , 67, 657-63	2
195	Trimodal rescue of hind limb ischemia with growth factors, cells, and nanocarriers: fundamentals to clinical trials. 2017 , 95, 1125-1140	O

194	Relationship between walking capacity and ambulatory blood pressure in patients with intermittent claudication. 2017 , 22, 115-121	13
193	Primary Stenting of the Superficial Femoral Artery in Intermittent Claudication Improves Health Related Quality of Life, ABI and Walking Distance: 12 Month Results of a Controlled Randomised Multicentre Trial. 2017 , 53, 686-694	11
192	Peripheral Arterial Disease Genetics: Progress to Date and Challenges Ahead. 2017, 19, 131	3
191	New Innovations in Drug-Eluting Stents for Peripheral Arterial Disease. 2017 , 19, 117	1
190	Acute Limb Ischemia: An Emergency Medicine Approach. 2017 , 35, 889-909	14
189	Long-term survival and fate of the leg in de novo intermittent claudication. 2017 , 3, 208-215	18
188	The fate of patients with intermittent claudication in the 21st century revisited - results from the CAVASIC Study. 2017 , 8, 45833	22
187	Femoral Artery Atherosclerosis Is Associated With Physical Function Across the Spectrum of the Ankle-Brachial Index: The San Diego Population Study. 2017 , 6,	2
186	Medical Therapy of Peripheral Artery Disease. 2017 , 111-127	
185	Prediction of major cardiac events after vascular surgery. 2017 , 66, 1826-1835.e1	20
185	Prediction of major cardiac events after vascular surgery. 2017 , 66, 1826-1835.e1 A bioreducible N-oxide-based probe for photoacoustic imaging of hypoxia. 2017 , 8, 1794	20 131
184	A bioreducible N-oxide-based probe for photoacoustic imaging of hypoxia. 2017 , 8, 1794	
184	A bioreducible N-oxide-based probe for photoacoustic imaging of hypoxia. 2017 , 8, 1794 Peripheral Artery Disease. 2017 , 6, 397-412	
184 183 182	A bioreducible N-oxide-based probe for photoacoustic imaging of hypoxia. 2017, 8, 1794 Peripheral Artery Disease. 2017, 6, 397-412 Progression of Peripheral Artery Disease to Critical Limb Ischemia. 2017, 121-129 Increased risk of mortality after lower extremity bypass in individuals with acute kidney injury in	131
184 183 182	A bioreducible N-oxide-based probe for photoacoustic imaging of hypoxia. 2017, 8, 1794 Peripheral Artery Disease. 2017, 6, 397-412 Progression of Peripheral Artery Disease to Critical Limb Ischemia. 2017, 121-129 Increased risk of mortality after lower extremity bypass in individuals with acute kidney injury in the Vascular Quality Initiative. 2017, 65, 1055-1061 The burden and characteristics of peripheral arterial disease in patients undergoing amputation in	131
184 183 182 181	A bioreducible N-oxide-based probe for photoacoustic imaging of hypoxia. 2017, 8, 1794 Peripheral Artery Disease. 2017, 6, 397-412 Progression of Peripheral Artery Disease to Critical Limb Ischemia. 2017, 121-129 Increased risk of mortality after lower extremity bypass in individuals with acute kidney injury in the Vascular Quality Initiative. 2017, 65, 1055-1061 The burden and characteristics of peripheral arterial disease in patients undergoing amputation in Korle Bu Teaching Hospital, Accra, Ghana. 2017, 51, 108-114 Social, demographic and clinical characteristics of patients suffering from peripheral vascular	131 10 4

176	Toe-brachial index and exercise test can improve the exploration of peripheral artery disease. 2018 , 269, 151-158	8
175	Spinal Cord Stimulation Improves the Microvascular Perfusion Insufficiency Caused by Critical Limb Ischemia. 2018 , 21, 489-494	5
174	Subjecting the ankle-brachial index to timely scrutiny: is it time to say goodbye to the ABI?. 2018 , 78, 94-101	9
173	Recruitment and therapeutic application of macrophages in skeletal muscles after hind limb ischemia. 2018 , 67, 1908-1920.e1	19
172	[Neurolitic block of the lumbar sympathetic chain improves chronic pain in a patient with critical lower limb ischemia]. 2018 , 68, 100-103	0
171	Neurolitic block of the lumbar sympathetic chain improves chronic pain in a patient with critical lower limb ischemia. 2018 , 68, 100-103	1
170	Diet-induced early-stage atherosclerosis in baboons: Lipoproteins, atherogenesis, and arterial compliance. 2018 , 47, 3-17	13
169	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS): Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower	1274
168	EditorM Choice - 2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS). 2018 , 55, 305-368	449
167	Hidradenitis suppurativa is associated with myocardial infarction, but not stroke or peripheral arterial disease of the lower extremities. 2018 , 178, 790-791	3
166	Predictive Value of Underweight Status for Patients With Peripheral Artery Disease With Claudication. 2018 , 69, 513-522	6
165	Looking beyond the indication: Bone scan for trauma providing unsuspected initial diagnosis of acute critical lower limb arterial compromise. 2017 ,	1
164	Long Chronic Total Occlusions: Revascularization Strategies. 2018 , 35, 469-476	6
163	Photoacoustic Imaging: Contrast Agents and Their Biomedical Applications. 2019 , 31, e1805875	209
162	AORTIC POST-RESISTANCE EXERCISE HYPOTENSION IN PATIENTS WITH PERIPHERAL ARTERY DISEASE. 2018 , 24, 17-19	1
161	An Ultrasonic Probe to Measure Both Radial Arterial Pressure and Diameter at Identical Position for Early Diagnosis of Arteriosclerosis. 2018 ,	O
160	Single and combined effects of peripheral artery disease and of type 2 diabetes mellitus on the risk of cardiovascular events: A prospective cohort study. 2018 , 279, 32-37	8
159	Calf Muscle Oxygen Saturation during 6-Minute Walk Test and Its Relationship with Walking Impairment in Symptomatic Peripheral Artery Disease. 2018 , 52, 147-152	8

(2020-2018)

158	High Reintervention and Amputation Rates After Outpatient Atherectomy for Claudication. 2018 , 52, 427-433	12
157	Increased Expression of Y-Box-Binding Protein-1 in Hind-Limb Muscles During Regeneration from Ischemic Injury in Mice. 2018 , 244, 53-62	4
156	Color Doppler Ultrasonography Is a Useful Tool for Diagnosis of Peripheral Artery Disease in Type 2 Diabetes Mellitus Patients with Ankle-Brachial Index 0.91 to 1.40. 2018 , 42, 63-73	11
155	Frequency of foot ulcers in people with type 2 diabetes, presenting to specialist diabetes clinic at a Tertiary Care Hospital, Lahore, Pakistan. 2018 , 18, 53	15
154	The Ankle-Brachial Index Is Associated with Cerebral EAmyloid Deposition in Cognitively Normal Older Adults. 2019 , 74, 1141-1148	5
153	Quantification of Daily Physical Activity and Sedentary Behavior of Claudicating Patients. 2019 , 55, 112-121	12
152	Development of an ultrasonic probe to measure both radial arterial pressure and diameter change at the same position for early diagnosis of vascular endothelial function: Preliminary study. 2019 , 297, 111487	3
151	Comparative study of pressure (ankle-brachial pressure index) and flow (strain gauge plethysmography and reactive hyperaemia) measurements in diagnosis of peripheral arterial disease in patients with severe aortic stenosis. 2019 , 14, e0220510	O
150	Performance of a clinical/proteomic panel to predict obstructive peripheral artery disease in patients with and without diabetes mellitus. 2019 , 6, e000955	7
149	Perfusion Assessment and Treatment in the Diabetic Patient. 2019 , 36, 361-370	О
148	Central and peripheral pulse wave velocity and subclinical myocardial stress and damage in older adults. 2019 , 14, e0212892	9
147	[Gerontological evaluation benefits for very older people with cardiovascular disease]. 2019, 48, 120-126	O
146	Cellular Based Strategies for Microvascular Engineering. 2019 , 15, 218-240	10
145	Peripheral perfusion of lower limb after transcatheter aortic valve implantation (TAVI) in patients with peripheral artery disease. 2019 , 297, 36-42	
144	Blood pressure measurement using piezoelectric effect by an ultrasonic probe. 2019 , 286, 146-151	4
143	Aorta-iliac thrombosis, a challenging disease. 2019 , 31, 370-373	2
142	Patient specific characterization of artery and plaque material properties in peripheral artery disease. 2020 , 101, 103453	14
141	Functional and Cardiovascular Measurements in Patients With Peripheral Artery Disease: COMPARISON BETWEEN MEN AND WOMEN. 2020 , 40, 24-28	3

140	Successful Implementation of the Exercise First Approach for Intermittent Claudication in the Netherlands is Associated with Few Lower Limb Revascularisations. 2020 , 60, 881-887	7
139	Lin28a up-regulation is associated with the formation of restenosis via promoting proliferation and migration of vascular smooth muscle cells. 2020 , 24, 9682-9691	2
138	Angioplasty versus stenting for iliac artery lesions. 2020 , 12, CD007561	1
137	Fatty acid binding protein 3 is associated with peripheral arterial disease. 2020 , 1, 168-175	4
136	The TUDID Study - Background and Design of a Prospective Cohort. 2020 ,	
135	Are cardiovascular function and habitual physical activity levels similar in patients with classic and atypical claudication symptoms? A cross-sectional study. 2020 , 28, 360-367	2
134	Peripheral arterial disease and its correlates in patients with type 2 diabetes mellitus in a teaching hospital in northern Nigeria: a cross-sectional study. 2020 , 20, 102	9
133	In peripheral artery disease, diabetes is associated with reduced physical activity level and physical function and impaired cardiac autonomic control: A cross-sectional study. 2021 , 64, 101365	3
132	Resurrection of Chronically Occluded Prosthetic Bypass Grafts in a Single Stage with Suction Thrombectomy and Intervention. 2021 , 71, 96-100	1
131	A preliminary pilot study investigating the impact of endovascular treatment on leg muscle volume in peripheral artery disease and its relation to baseline glycemic control. 2021 , 31, 269-276	O
130	Overview of Peripheral Arterial Disease of the Lower Extremity. 2021, 1-40	
129	Outcomes of open treatment of infrainguinal peripheral artery disease in women. 2021 , 223-231	
128	[Amputation as an anticipated consequence of peripheral artery disease and ways to improve the prognosis of limb salvage]. 2021 , 27, 182-190	2
127	The prescription of best medical therapy following infrainguinal bypass grafting in Australia and New Zealand: a multicentre Australasian audit. 2021 , 91, 152-157	3
126	Vascular Surgery. 2021 , 209-218	
125	Treatment decisions for patients with peripheral artery disease and symptoms of claudication: Development process and alpha testing of the SHOW-ME PAD decision aid. 2021 , 26, 273-280	Ο
124	Pre-operative ankle-brachial index for cardiovascular risk assessment in simultaneous pancreas-kidney transplant recipients: a simple and elegant strategy!. 2021 , 21, 156	
123	Application of an Integrated Algorithm in the Diagnosis and Treatment of Peripheral Artery Disease in Patients with Diabetes. 2021 , 16, 133-139	

122	Evaluation of the role of peripheral artery plaque geometry and composition on stent performance. 2021 , 116, 104346	3
121	Complications of endovascular management of aortoiliac occlusive disease. 2021, 41-51	
120	Walking Training Improves Systemic and Local Pathophysiological Processes in Intermittent Claudication. 2021 , 61, 954-963	3
119	Diagnostic Performance of Ankle-Brachial Pressure Index in Lower Extremity Arterial Disease. 2021 , 7, e132-e137	O
118	Why Are We Forgetting Patients With Peripheral Arterial Disease?. 2021, 30, 939-942	О
117	A Study of Transcutaneous Oxygen Saturation by Pulse Oximetry in Symptomatic Ischaemic Lower Limb 🖪 Cross Sectional Analytical Study in a Tertiary Care Hospital in Tirupathi. 2021 , 8, 3018-3022	
116	Local and Systemic Inflammation and Oxidative Stress After a Single Bout of Maximal Walking in Patients With Symptomatic Peripheral Artery Disease. 2021 , 36, 498-506	2
115	Lipid profiles of patients with manifest coronary versus peripheral atherosclerosis - Is there a difference?. 2021 , 290, 1249-1263	O
114	Cardiac-derived stem cell engineered with constitutively active HIF-1 gene enhances blood perfusion of hindlimb ischemia. 2021 , 105, 210-210	О
113	[Detection of peripheral artery disease in patients with ischemic heart disease. A quick guide for medical practitioners]. 2021 , 60, 125-132	
112	Never amputate without consultation of a vascular surgeon. 2000 , 16, S27-S32	1
111	A novel approach to evaluate the vessel function determined by near infrared spectroscopy. 2010 , 662, 467-71	1
110	Cardiovascular Disease and Neurocognitive Function. 2010 , 69-99	4
109	Polyvascular Disease: Definition, Epidemiology, Relevance. 2015 , 4779-4810	4
108	Gene Therapy for Peripheral Arterial Disease Using Sendai Virus Vector: From Preclinical Studies to the Phase I/IIa Clinical Trial. 2013 , 185-199	2
107	Anesthesia for Vascular Surgery. 2010 , 1985-2044	2
106	Lower Extremity Ulceration. 2006 , 880-893	1
105	Effects of Isometric Handgrip Training in Patients With Peripheral Artery Disease: A Randomized Controlled Trial. 2020 , 9, e013596	7

104	Simultaneous photoacoustic imaging of intravascular and tissue oxygenation. 2019 , 44, 3773-3776	30
103	Angiogenic factor AGGF1 promotes therapeutic angiogenesis in a mouse limb ischemia model. 2012 , 7, e46998	34
102	The Role of Wearable Technologies and Telemonitoring in Managing Vascular Disease. 3,	2
101	Epidemiology and pathophysiology of lower extremity peripheral arterial disease. 2006 , 13 Suppl 2, II3-9	23
100	The vascular laboratory: a critical component required for successful management of peripheral arterial occlusive disease. 1998 , 5, 146-58	7
99	Balloon Angioplasty in Chronic Critical Limb Ischemia:Factors Affecting Clinical and Angiographic Outcome. 2002 , 9, 403-410	17
98	Associa® de comorbidades e h®itos n® saud©eis com a capacidade de caminhada em pacientes com claudica® intermitente. 2011 , 25, 277-284	0
97	Human tibia bone marrow: defining a model for the study of haemodynamics as a function of age by near infrared spectroscopy. 2003 , 22, 211-8	21
96	Epidemiology, classification, and modifiable risk factors of peripheral arterial disease. 2007 , 3, 229-34	190
95	Estimation of viscoelasticity of radial artery via simultaneous measurement of changes in pressure and diameter using a single ultrasound probe. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, SKKE04	6
94	Validity and reliability of the ankle-brachial index by oscillometric blood pressure and automated ankle-brachial index. 2017 , 22, 44	4
93	Peripheral arterial disease, type 2 diabetes and postprandial lipidaemia: Is there a link?. 2014 , 5, 577-85	14
92	Crossing chronic total occlusions with the Ocelot system: the initial European experience. 2013 , 9, 854-62	15
91	Reducing residual thrombotic risk in patients with peripheral artery disease: impact of the COMPASS trial. 2020 , 9,	2
90	Perfusion Patterns in Patients with Chronic Limb-Threatening Ischemia versus Control Patients Using Near-Infrared Fluorescence Imaging with Indocyanine Green. 2021 , 9,	1
89	Prevalence of lesions and risk factors in patients with lower extremities atherosclerosis referred for surgical intervention: gender differences. 2021 , 27, 415-426	
88	Depression among predictors of intermittent claudication: A cross-sectional study. 2021,	0
87	Clinical Implications of the Vascular Laboratory in the Diagnosis of Peripheral Arterial Disease. 2000 , 281-300	

86	Detection of Peripheral Arterial Occlusion in the Vascular Laboratory. 2001 , 188-199
85	Becken-und Beinarterien. 2002 , 118-135
84	Peripheral Artery Tomographic Imaging: Special Considerations. 2002 , 1341-1346
83	Problembeschreibung: Weit fortgeschrittene periphere Arteriosklerose. 2002 , 353-356
82	??????????????????. The Journal of Japanese Society of Lumbar Spine Disorders, 2003 , 9, 63-67
81	Arterial Occlusive Diseases of the Extremities. 2003 , 47-79
80	Non-invasive measures of preclinical coronary heart disease. 2005 , 688-705
79	Pharmacotherapy for global cardiovascular risk reduction. 2005 , 129-135
78	Tcnicas diagnEticas de las enfermedades vasculares. 2006 , 369-377
77	Lower Extremity Arterial Reconstruction in Patients With Diabetes Mellitus. 2006 , 473-492
76	Pelvic and Lower Extremity Arteries. 2006 , 127-181
75	Long-Term Increase in mVEGF164 in Mouse Hindlimb Muscle Mediated by Phage oC31 Integrase After Nonviral DNA Delivery. <i>Human Gene Therapy</i> , 2006 , 060801084750013
74	Preventing and detecting early vascular effects of diabetes: word of caution on peripheral arterial assessment. <i>BMJ, The</i> , 2006 , 333, 602
73	Peripheral Arterial Diseases. 2007 , 1681-1703
72	Exercise Rehabilitation for Patients with Peripheral Arterial Disease. 2007 , 221-230
71	Peripheral Arterial Disease. 2007 , 379-388
70	The study of the intermittent claudication-the distinction between peripheral arterial occlusive disease and lumbar spinal canal stenosis. <i>The Journal of Japanese Society of Lumbar Spine Disorders</i> , 2007 , 13, 155-160

68	Management of Peripheral Arterial Disease in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 749-768	
67	Pharmacological treatment in peripheral arterial disease. 2008 , 811-821	
66	Different Ankle Brachial Index Levels in Asymptomatic Hemodialysis Patients. <i>Macedonian Journal of Medical Sciences</i> , 2008 , 1, 44-49	
65	Percutaneous Management of Peripheral Arterial Disease. 2010 , 287-303	
64	Peripheral Angiography and Percutaneous Intervention. 2010 , 1157-1171	
63	Atherosclerotic Risk Factors. 2010 , 421-433	
62	Clinical Implications of the Vascular Laboratory in the Diagnosis of Peripheral Arterial Disease. 2010 , 149-168	
61	Overview of Peripheral Arterial Disease of the Lower Extremity. 2010, 1-14	
60	Diagnostic Techniques in Vascular Disease. 2010 , 389-396	
59	TASC II -??2 ????????????. The Journal of Japanese Society of Limb Salvage and Podiatric Medicine, 2010 , 2, 79-85	O
58	Peripheral Arterial Disease Assessment and Management. 2011 , 512-525	
57	Femoro-popliteale Gefüerschläse. 2011 , 253-272	
56	Upper Extremities and Aortic Arch. 2012 , 496-512	
55	Endovascular Femoropopliteal Interventions: Evolving Devices. 2013 , 221-227	
54	Leg Atherosclerosis in Japanese COPD Patients: Prevalence of Undiagnosed Peripheral Artery Disease and Association between Leg Atherosclerosis and Clinical Indices. <i>Open Journal of Respiratory Diseases</i> , 2013 , 03, 25-30	0.2
53	Arterielle Interventionen. 2013 , 83-223	
52	Lower-Extremity Ulceration. 2013, 727-738	
51	Hybrid Operation (Balloon, Stent Covered Stent and/with Bypass, Excise It!): When and How?. <i>Vascular Specialist International</i> , 2013 , 29, 46-51	1

34

33

, 349-368

Peripheral Vascular Disease: Epidemiology, Natural History, Risk Factors. 2014, 1-11 50 Above the Knee Peripheral Artery Intervention. 2014, 1-40 49 Polyvascular Disease: Definition, Epidemiology, and Relevance. 2014, 1-37 48 1 The Vascular System. International Journal of User-Driven Healthcare, 2014, 4, 34-42 47 Peripheral Vascular Disease-Epidemiology, Natural History, Risk Factors. 2015, 2973-2982 46 Interventional Treatment of the Above the Knee Peripheral Artery Disease. 2015, 3161-3194 45 The Study of BD-MSC Therapy against Critical Limb Ischemia. Korean Journal of Physical 44 Anthropology, 2016, 29, 61 Validation of a Brazilian Portuguese Version of the Walking Estimated-Limitation Calculated by 1.2 15 43 History (WELCH). Arquivos Brasileiros De Cardiologia, 2016, 106, 49-55 Overview of Peripheral Arterial Disease of the Lower Extremity. 2017, 291-318 42 Technologies Applied to Remote Supervision of Exercise in Peripheral Arterial Disease: A Literature 0.9 41 Review. Lecture Notes in Computer Science, 2018, 320-329 Cardiovascular Disease and Neurocognitive Function. 2019, 99-134 40 Prevention of Peripheral Arterial Disease. Contemporary Cardiology, 2021, 513-540 0.1 39 A Case of Peripheral Arterial Disease Presenting with Groin Pain after Surgery for Lumbar Canal 38 O Stenosis. Spinal Surgery, 2020, 34, 169-173 Die alte Frage Endarteriektomie oder Bypass bei Verschluss der Arteria femoralis superficialis?. 37 2008, 107-119 Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. Australian 36 2.3 and New Zealand Journal of Public Health, 2002, 26, 219-224 Arterielle Verschlusskrankheit (AVK). 2005, 146-149 35

Overview of Peripheral Arterial Disease of the Lower Extremity. 2007, 207-220

Clinical Implications of the Vascular Laboratory in the Diagnosis of Peripheral Arterial Disease. 2007

37

32	Femoro-popliteale Gefüerschläse. 2007 , 215-232		1
31	Theory of particle transport phenomena during fatigue and time-dependent fracture of materials based on mesoscale dynamics and their practical applications. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2020 , 96, 373-393	4	1
30	Lower Extremity Artery Disease and Cognitive Impairment. Artery Research,	2.2	
29	Targeted contrast agents and activatable probes for photoacoustic imaging of cancer <i>Chemical Society Reviews</i> , 2022 ,	58.5	8
28	Rivaroxaban with Aspirin Versus Aspirin for Peripheral Arterial Disease and Intermittent Claudication. Rationale and Design of the COMPASS CLAUDICATION Trial <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2022 , 28, 10760296211073922	3.3	
27	Accurate measurement of elasticity of the radial artery wall considering changes in cross-sectional shape of artery caused by pushing pressure applied by ultrasound probe. <i>Japanese Journal of Applied Physics</i> ,	1.4	0
26	Evaluation of Hyperspectral Imaging for Follow-Up Assessment after Revascularization in Peripheral Artery Disease <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	1
25	Inflammation as a mechanism and therapeutic target in peripheral artery disease <i>Canadian Journal of Cardiology</i> , 2022 ,	3.8	O
24	Overview of Peripheral Arterial Disease of the Lower Extremity. 2022, 449-488		
23	Cardiovascular and Renal Outcomes with Canagliflozin in Patients with Peripheral Artery Disease: Data from the CANVAS program and CREDENCE trials <i>Diabetes, Obesity and Metabolism</i> , 2022 ,	6.7	1
22	Medical risk factors for falls. 101-132		
21	Role of ankle brachial pressure index (ABI) in screening patients with risk factors for developing peripheral vascular disease. <i>Indian Journal of Vascular and Endovascular Surgery</i> , 2022 , 9, 139	0.1	
20	Comparison of Five Expressions of Handgrip Strength for Predicting Cardiovascular Disease Risk Factors in Chinese Middle-Aged Community Residents. <i>Frontiers in Public Health</i> , 10,	6	
19	Altered Peroxisome Proliferator-Activated Receptor Alpha Signaling in Variably Diseased Peripheral Arterial Segments. <i>Frontiers in Cardiovascular Medicine</i> , 9,	5.4	
18	Patient Age at Diagnosis of Peripheral Artery Disease and Its Impact on Cardiovascular and Limb Outcomes. <i>American Journal of Cardiology</i> , 2022 ,	3	
17	PREVALENCE OF ASYMPTOMATIC PERIPHERAL ARTERIAL DISEASE AND ITS ASSSOCIATION WITH AGE AND GENDER IN TYPE 2 DIABETES MELLITUS IN A TERTIARY CARE TEACHING HOSPITAL: A CROSS-SECTIONAL STUDY. 140-143		
16	Antithrombotic Therapy for Symptomatic Peripheral Arterial Disease: A Systematic Review and Network Meta-Analysis.		1
15	Magnetic resonance imaging based superficial femoral artery velocity measurements in peripheral artery disease. 2022 , 93, 128-134		

CITATION REPORT

14	Multi-institutional outcomes after femoropopliteal bypass in octogenarians. 170853812211259	0
13	Age-specific association between non-HDL-C and arterial stiffness in the Chinese population. 9,	1
12	Temporal analysis of skeletal muscle remodelling post hindlimb ischemia reveals intricate autophagy regulation.	0
11	Validating fatty acid binding protein 3 as a diagnostic and prognostic biomarker for peripheral arterial disease: A three-year prospective follow-up study. 2023 , 55, 101766	1
10	Characteristics, Antithrombotic Patterns, and Prognostic Outcomes in Claudication and Critical Limb-Threatening Ischemia Undergoing Endovascular Therapy. 152660282211348	0
9	Nagging Pain and Foot Ulcers Can be Treated into Remission. 2022,	О
8	High Prevalence of Lower Extremity Medial Arterial Calcification in HIV-infected Patients with and without Chronic Renal Disease: A Vascular Ultrasound Cross-sectional Study. 2022 , 16,	0
7	Peripheral Arterial Disease in Community-based Patients with Diabetes in Singapore: Results from a Primary Healthcare Study. 2010 , 39, 525-531	2
6	Vessel-by-vessel analysis of lower extremity 18F-NaF PET/CT imaging quantifies diabetes- and chronic kidney disease-induced active microcalcification in patients with peripheral arterial disease. 2023 , 13,	0
5	The Effect of Peripheral Layer Thickness on Pulsatile Flow of Blood in Human Femoral Artery. 2023 , 273-285	0
4	Detection of Intermittent Claudication from Smartphone Inertial Data in Community Walks Using Machine Learning Classifiers. 2023 , 23, 1581	0
3	Baseline inflammatory status affects the prognostic impact of statins in patients with peripheral arterial disease.	O
2	Low Ankle-Brachial Index Relates to Alzheimer-Signature Cerebral Glucose Metabolism in Cognitively Impaired Older Adults. 2023 , 1-9	0
1	Micro- and Macrovascular Disease in Diabetic Neuropathy. 2023 , 351-361	O