

Experimental liver cirrhosis induced by alcohol and iron

Journal of Clinical Investigation

96, 620-630

DOI: 10.1172/jci118077

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Transfusion and Iron Chelation Therapy in Thalassemia and Sickle Cell Disease. , 2009, , 689-744. | | 2 |
| 2 | Hepatotoxicity induced by iron overload and alcohol. Journal of Hepatology, 1996, 25, 538-546. | 1.8 | 52 |
| 3 | Alcohol Mediates Increases in Hepatic and Serum Nonheme Iron Stores in a Rat Model for Alcohol-Induced Liver Injury. Alcoholism: Clinical and Experimental Research, 1996, 20, 1352-1361. | 1.4 | 86 |
| 4 | Oxidative Stress in Alcoholic Liver Injury. Alcoholism: Clinical and Experimental Research, 1996, 20, 162a-167a. | 1.4 | 24 |
| 5 | Role of Kupffer Cell-Derived Reactive Oxygen Intermediates in Alcoholic Liver Disease in Rats In Vivo. Alcoholism: Clinical and Experimental Research, 1996, 20, 335A-339A. | 1.4 | 15 |
| 6 | Expression of intracellular adhesion molecule 1 by activated hepatic stellate cells. Hepatology, 1996, 24, 670-676. | 3.6 | 141 |
| 8 | Ethanol Cytotoxicity to a Transfected HepG2 Cell Line Expressing Human Cytochrome P4502E1. Journal of Biological Chemistry, 1996, 271, 23914-23919. | 1.6 | 182 |
| 9 | Roles of the Different Isozymes and Salivary Factors in the Maintenance of Optimal Conditions in the Gastrointestinal Canal. Scandinavian Journal of Gastroenterology, 1996, 31, 305-317. | 0.6 | 95 |
| 10 | Cytotoxicity and Apoptosis Produced by Arachidonic Acid in Hep G2 Cells Overexpressing Human Cytochrome P4502E1. Journal of Biological Chemistry, 1997, 272, 14532-14541. | 1.6 | 173 |
| 11 | Prooxidant-Initiated Lipid Peroxidation in Isolated Rat Hepatocytes:â€‰ Detection of 4-Hydroxynonenal- and Malondialdehyde-Protein Adducts. Chemical Research in Toxicology, 1997, 10, 895-905. | 1.7 | 121 |
| 12 | Haemochromatosis gene mutation in liver disease patients. Lancet, The, 1997, 349, 1025-1026. | 6.3 | 10 |
| 13 | Glutathione regulation in rat hepatic stellate cells. Biochemical Pharmacology, 1997, 53, 637-641. | 2.0 | 22 |
| 14 | Ethanol induces the expression of ± 1 (I) procollagen mRNA in a co-culture system containing a liver stellate cell-line and freshly isolated hepatocytes. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 1997, 1362, 135-144. | 1.8 | 31 |
| 15 | Oxidative damage and fibrogenesis. Free Radical Biology and Medicine, 1997, 22, 287-305. | 1.3 | 437 |
| 16 | Halofuginone, a specific inhibitor of collagen type I synthesis, prevents dimethylnitrosamine-induced liver cirrhosis. Journal of Hepatology, 1997, 27, 391-398. | 1.8 | 108 |
| 17 | Studies on genotoxic effects of iron overload and alcohol in an animal model of hepatocarcinogenesis. Journal of Hepatology, 1997, 27, 562-571. | 1.8 | 13 |
| 18 | Iron-Chelating Therapy and the Treatment of Thalassemia. Blood, 1997, 89, 739-761. | 0.6 | 971 |
| 19 | Co-Metabolism of Ethanol, Ethanol-Derived Acetaldehyde, and 4-Hydroxynonenal in Isolated Rat Hepatocytes. Alcoholism: Clinical and Experimental Research, 1997, 21, 298-304. | 1.4 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Iron Overload in the Rat Pancreas Following Portacaval Shunting and Dietary Iron Supplementation. <i>Experimental and Molecular Pathology</i> , 1997, 64, 90-102. | 0.9 | 10 |
| 21 | Desferrioxamine and vitamin E protect against iron and MPTP-induced neurodegeneration in mice. <i>Journal of Neural Transmission</i> , 1997, 104, 469-481. | 1.4 | 155 |
| 22 | Iron and chronic viral hepatitis. <i>Hepatology</i> , 1997, 25, 759-768. | 3.6 | 323 |
| 23 | Excess iron induces hepatic oxidative stress and transforming growth factor β 1 in genetic hemochromatosis. <i>Hepatology</i> , 1997, 26, 605-610. | 3.6 | 126 |
| 24 | Manipulation of glutathione stores in rat hepatic stellate cells does not alter collagen synthesis. <i>Hepatology</i> , 1997, 26, 618-623. | 3.6 | 35 |
| 25 | Acetaldehyde-modified and 4-hydroxynonenal-modified proteins in the livers of rats with alcoholic liver disease. <i>Hepatology</i> , 1997, 26, 650-657. | 3.6 | 83 |
| 26 | Alcohol and the pancreas. <i>Addiction Biology</i> , 1998, 3, 137-150. | 1.4 | 23 |
| 27 | Molecular Mechanism of Induced Hepatic Macrophage Cytokine Gene Expression in Experimental Alcoholic Liver Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 253S-254S. | 1.4 | 5 |
| 28 | ETHANOL-INDUCED OXIDATIVE LIVER PROTEIN ALTERATIONS. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 746-747. | 1.4 | 2 |
| 29 | MOLECULAR BASIS FOR THE ROLE OF IRON IN EXPERIMENTAL ALCOHOLIC LIVER INJURY. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 756-757. | 1.4 | 0 |
| 30 | CONTRIBUTION OF MR. GLEN LEDGER TO DEVELOPMENT OF THE INTRAGASTRIC ETHANOL INFUSION MODEL. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 765-766. | 1.4 | 0 |
| 31 | Early Alcoholic Liver Injury: Formation of Protein Adducts with Acetaldehyde and Lipid Peroxidation Products, and Expression of <i>CYP2E1</i> AND <i>CYP3A</i> . <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 2118-2124. | 1.4 | 97 |
| 32 | Hepatic steatosis: Innocent bystander or guilty party?. <i>Hepatology</i> , 1998, 27, 1463-1466. | 3.6 | 364 |
| 33 | Porphyria cutanea tarda, hepatitis C, and HFE gene mutations in north america. <i>Hepatology</i> , 1998, 27, 1661-1669. | 3.6 | 252 |
| 34 | Heterozygosity for hereditary hemochromatosis is associated with more fibrosis in chronic hepatitis C. <i>Hepatology</i> , 1998, 27, 1695-1699. | 3.6 | 205 |
| 35 | Appearance of cross linked proteins in human atheroma and rat pre-fibrotic liver detected by a new monoclonal antibody. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1998, 1406, 28-39. | 1.8 | 22 |
| 36 | Increased hepatic iron concentration in nonalcoholic steatohepatitis is associated with increased fibrosis. <i>Gastroenterology</i> , 1998, 114, 311-318. | 0.6 | 636 |
| 37 | Steatohepatitis: A tale of two "hits"?. <i>Gastroenterology</i> , 1998, 114, 842-845. | 0.6 | 3,644 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Non-alcoholic steatohepatitis (NASH): a disease of emerging identity and importance. Journal of Hepatology, 1998, 29, 495-501. | 1.8 | 340 |
| 39 | Differential effects of exogenous and endogenously generated H ₂ O ₂ on phagocytic activity and glucose release of normal and cirrhotic livers. Journal of Hepatology, 1998, 28, 461-470. | 1.8 | 6 |
| 40 | Iron, oxidative stress and liver fibrogenesis. Journal of Hepatology, 1998, 28, 8-13. | 1.8 | 176 |
| 41 | ANIMAL MODELS OF ALCOHOLIC LIVER INJURY. Clinics in Liver Disease, 1998, 2, 739-752. | 1.0 | 8 |
| 42 | Formation of liver microsomal MDA- α -protein adducts in mice with chronic dietary iron overload. Toxicology Letters, 1998, 98, 31-39. | 0.4 | 22 |
| 43 | Heterozygotes for <i>HFE</i> mutations have no increased risk of advanced alcoholic liver disease. Gut, 1998, 43, 262-266. | 6.1 | 86 |
| 44 | Oxidative Stress and Cytotoxicity Induced by Ferric-Nitrilotriacetate in HepG2 Cells That Express Cytochrome P450 2E1. Molecular Pharmacology, 1998, 54, 1024-1035. | 1.0 | 101 |
| 45 | HBED: A Potential Alternative to Deferoxamine for Iron-Chelating Therapy. Blood, 1998, 91, 1446-1452. | 0.6 | 63 |
| 46 | Alcohol-induced generation of lipid peroxidation products in humans. Journal of Clinical Investigation, 1999, 104, 805-813. | 3.9 | 216 |
| 47 | Iron primes hepatic macrophages for NF- κ B activation in alcoholic liver injury. American Journal of Physiology - Renal Physiology, 1999, 277, G1240-G1250. | 1.6 | 72 |
| 48 | IRON EXACERBATES ANILINE-ASSOCIATED SPLENIC TOXICITY. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1999, 57, 173-184. | 1.1 | 30 |
| 50 | Liver fibrosis. Seminars in Immunopathology, 1999, 21, 475-490. | 4.0 | 46 |
| 51 | The haemochromatosis gene: A co-factor for chronic liver diseases?. Journal of Gastroenterology and Hepatology (Australia), 1999, 14, 745-749. | 1.4 | 23 |
| 52 | Cytokine Regulation of Hepatic Stellate Cells in Liver Fibrosis. Alcoholism: Clinical and Experimental Research, 1999, 23, 911-916. | 1.4 | 139 |
| 53 | Putative Hemochromatosis Gene Mutations and Alcoholic Liver Disease With Iron Overload in Japan. Alcoholism: Clinical and Experimental Research, 1999, 23, 21S-23S. | 1.4 | 10 |
| 54 | Expression of testosterone-dependent enzyme, carbonic anhydrase III, and oxidative stress in experimental alcoholic liver disease. Digestive Diseases and Sciences, 1999, 44, 2205-2213. | 1.1 | 21 |
| 55 | Iron chelator deferoxamine reduces preneoplastic lesions in liver induced by choline-deficient L-amino acid-defined diet in rats. Digestive Diseases and Sciences, 1999, 44, 560-569. | 1.1 | 30 |
| 56 | Cholesterol-derived hydroperoxides in alcoholic liver disease. Lipids, 1999, 34, 557-561. | 0.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 57 | Role of HFE gene mutations in liver diseases other than hereditary hemochromatosis. Current Gastroenterology Reports, 1999, 1, 30-37. | 1.1 | 24 |
| 58 | Hepatic lipid peroxidation in hereditary hemochromatosis and alcoholic liver injury. Translational Research, 1999, 133, 451-460. | 2.4 | 78 |
| 59 | New concepts of dietary intervention in alcoholic liver disease. Translational Research, 1999, 134, 433-436. | 2.4 | 6 |
| 60 | Alcohol-induced pancreatic oxidative stress: protection by phospholipid repletion. Free Radical Biology and Medicine, 1999, 26, 609-619. | 1.3 | 33 |
| 61 | Effects of chronic ethanol administration on rat liver proteasome activities: Relationship with oxidative stress. Hepatology, 1999, 29, 14-20. | 3.6 | 103 |
| 62 | Formation of 4-hydroxynonenal adducts with cytochrome c oxidase in rats following short-term ethanol intake. Hepatology, 1999, 29, 1792-1798. | 3.6 | 56 |
| 63 | Induction of cytochrome P450 enzymes and generation of protein-aldehyde adducts are associated with sex-dependent sensitivity to alcohol-induced liver disease in micropigs. Hepatology, 1999, 30, 1011-1017. | 3.6 | 36 |
| 64 | Alcohol intake and porphyria cutanea tarda. Clinics in Dermatology, 1999, 17, 431-436. | 0.8 | 30 |
| 65 | Non-alcoholic steatohepatitis and iron: increased prevalence of mutations of the HFE gene in non-alcoholic steatohepatitis. Journal of Hepatology, 1999, 31, 421-429. | 1.8 | 343 |
| 66 | Antecedent liver disease and drug toxicity. Journal of Hepatology, 1999, 31, 1088-1097. | 1.8 | 78 |
| 67 | Different apolipoprotein B breakdown patterns in models of oxidized low density lipoprotein. Life Sciences, 1999, 65, 783-793. | 2.0 | 19 |
| 68 | Biliary fibrosis associated with altered bile composition in a mouse model of erythropoietic protoporphyria. Gastroenterology, 1999, 117, 696-705. | 0.6 | 91 |
| 69 | 4-Hydroxynonenal As a Biological Signal: Molecular Basis and Pathophysiological Implications. Antioxidants and Redox Signaling, 1999, 1, 255-284. | 2.5 | 237 |
| 70 | Hemochromatosis gene mutations in chronic hepatitis C patients with and without liver siderosis. Journal of Medical Virology, 2000, 60, 21-27. | 2.5 | 56 |
| 71 | Hydrogen peroxide: A link between acetaldehyde-elicited $\alpha 1(\text{i})$ collagen gene up-regulation and oxidative stress in mouse hepatic stellate cells. Hepatology, 2000, 31, 109-116. | 3.6 | 174 |
| 72 | Accumulation of copper in the liver and hepatic injury in chronic hepatitis C. Journal of Gastroenterology and Hepatology (Australia), 2000, 15, 786-791. | 1.4 | 66 |
| 73 | Combined phlebotomy and ursodeoxycholic acid treatment in the patients with chronic hepatitis C. Hepatology Research, 2000, 18, 54-62. | 1.8 | 11 |
| 74 | Formation of Malondialdehyde Adducts in Livers of Rats Exposed to Ethanol: Role in Ethanol-Mediated Inhibition of Cytochrome c Oxidase. Alcoholism: Clinical and Experimental Research, 2000, 24, 544-552. | 1.4 | 74 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 75 | Polyenylphosphatidylcholine Protects Against Alcohol but Not Iron-Induced Oxidative Stress in the Liver. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 196-206. | 1.4 | 22 |
| 76 | Dexamethasone Enhances Mallory Body Formation in Drug-Primed Mouse Liver. <i>Experimental and Molecular Pathology</i> , 2000, 69, 202-210. | 0.9 | 20 |
| 77 | Liver fibrosis. <i>Seminars in Immunopathology</i> , 2000, 21, 475-490. | 4.0 | 35 |
| 78 | Mechanisms of Alcoholic Liver Injury. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2000, 14, 327-332. | 1.8 | 51 |
| 79 | Iron and Liver Diseases. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2000, 14, 89D-92D. | 1.8 | 13 |
| 80 | Selective Activation of the c-Jun N-Terminal Protein Kinase Pathway during 4-Hydroxynonenal-Induced Apoptosis of PC12 Cells. <i>Molecular Pharmacology</i> , 2000, 58, 535-541. | 1.0 | 118 |
| 81 | Identification of 7 α -Hydroperoxycholesterol in Human Liver by Liquid Chromatography-Mass Spectrometry. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 21S. | 1.4 | 9 |
| 82 | Liver iron is predictive of death in alcoholic cirrhosis: a multivariate study of 229 consecutive patients with alcoholic and/or hepatitis C virus cirrhosis: a prospective follow up study. <i>Gut</i> , 2000, 46, 277-282. | 6.1 | 116 |
| 83 | Haemochromatosis gene mutations in idiopathic dilated cardiomyopathy. <i>British Heart Journal</i> , 2000, 84, 541-547. | 2.2 | 37 |
| 84 | Characterization of 4-hydroxy-2-nonenal metabolism in stellate cell lines derived from normal and cirrhotic rat liver. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1487, 222-232. | 1.2 | 31 |
| 85 | Pathogenesis of liver fibrosis: role of oxidative stress. <i>Molecular Aspects of Medicine</i> , 2000, 21, 49-98. | 2.7 | 555 |
| 86 | IRON-INDUCED LIVER INJURY. <i>Clinics in Liver Disease</i> , 2000, 4, 409-429. | 1.0 | 66 |
| 87 | Cytochromes P450 2A6, 2E1, and 3A and production of protein-aldehyde adducts in the liver of patients with alcoholic and non-alcoholic liver diseases. <i>Journal of Hepatology</i> , 2000, 33, 893-901. | 1.8 | 146 |
| 88 | Mallory bodies revisited. <i>Journal of Hepatology</i> , 2000, 32, 689-702. | 1.8 | 189 |
| 89 | Oxidative stress-related molecules and liver fibrosis. <i>Journal of Hepatology</i> , 2001, 35, 297-306. | 1.8 | 668 |
| 90 | Liver cancer risk is increased in patients with porphyria cutanea tarda in comparison to matched control patients with chronic liver disease. <i>Journal of Hepatology</i> , 2001, 35, 498-503. | 1.8 | 73 |
| 91 | Elucidation of Reaction Scheme Describing Malondialdehyde~Acetaldehyde~Protein Adduct Formation. <i>Chemical Research in Toxicology</i> , 2001, 14, 822-832. | 1.7 | 63 |
| 92 | Stearoyl coenzyme A desaturase 1 expression and activity are increased in the liver during iron overload. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2001, 1535, 275-284. | 1.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 93 | EXTRAHEPATIC MANIFESTATIONS OF INFECTION WITH HEPATITIS C VIRUS. Clinics in Liver Disease, 2001, 5, 979-1008. | 1.0 | 33 |
| 94 | Current concepts in the pathogenesis of alcoholic liver injury. FASEB Journal, 2001, 15, 1335-1349. | 0.2 | 343 |
| 96 | Increased severity of alcoholic liver injury in female rats: role of oxidative stress, endotoxin, and chemokines. American Journal of Physiology - Renal Physiology, 2001, 281, G1348-G1356. | 1.6 | 122 |
| 97 | Attenuation of CCl ₄ -induced hepatic fibrosis by GdCl ₃ treatment or dietary glycine. American Journal of Physiology - Renal Physiology, 2001, 281, G200-G207. | 1.6 | 146 |
| 98 | Destabilization of TNF- α mRNA by retinoic acid in hepatic macrophages: implications for alcoholic liver disease. American Journal of Physiology - Endocrinology and Metabolism, 2001, 281, E420-E429. | 1.8 | 37 |
| 99 | Use of rat models to mimic alterations in iron homeostasis during human alcohol abuse and cirrhosis. Alcohol, 2001, 23, 71-81. | 0.8 | 14 |
| 100 | Lipid peroxidation in hepatic steatosis in humans is associated with hepatic fibrosis and occurs predominately in acinar zone 3. Journal of Gastroenterology and Hepatology (Australia), 2001, 16, 599-606. | 1.4 | 134 |
| 101 | Induction of catalase, alpha, and microsomal glutathione S-transferase in CYP2E1 overexpressing HepG2 cells and protection against short-term oxidative stress. Hepatology, 2001, 33, 652-661. | 3.6 | 123 |
| 102 | Oxidized low-density lipoproteins bind to the scavenger receptor, CD36, of hepatic stellate cells and stimulate extracellular matrix synthesis. Hepatology, 2001, 34, 729-737. | 3.6 | 73 |
| 103 | Non-Transferrin-Bound Iron in Alcohol Abusers. Alcoholism: Clinical and Experimental Research, 2001, 25, 1494-1499. | 1.4 | 43 |
| 104 | Assays for Acetaldehyde-Derived Adducts in Blood Proteins Based on Antibodies Against Acetaldehyde/Lipoprotein Condensates. Alcoholism: Clinical and Experimental Research, 2001, 25, 1648-1653. | 1.4 | 8 |
| 105 | Effects of Alcohol Consumption on Indices of Iron Stores and of Iron Stores on Alcohol Intake Markers. Alcoholism: Clinical and Experimental Research, 2001, 25, 1037-1045. | 1.4 | 139 |
| 106 | The Chemistry and Biological Effects of Malondialdehyde-Acetaldehyde Adducts. Alcoholism: Clinical and Experimental Research, 2001, 25, 218S-224S. | 1.4 | 39 |
| 107 | Models of Alcoholic Liver Disease in Rodents: A Critical Evaluation. Alcoholism: Clinical and Experimental Research, 2001, 25, 254S-261S. | 1.4 | 84 |
| 108 | Ethanol enhances the formation of endogenously and exogenously derived adducts in rat hepatic DNA. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2001, 479, 81-94. | 0.4 | 44 |
| 109 | CYP2E1-dependent toxicity and oxidative stress in HepG2 cells,. Free Radical Biology and Medicine, 2001, 31, 1539-1543. | 1.3 | 190 |
| 110 | Distribution of ethanol-induced protein adducts in vivo: relationship to tissue injury,. Free Radical Biology and Medicine, 2001, 31, 1533-1538. | 1.3 | 159 |
| 111 | Sp1 and Sp3 Transcription Factors Mediate Malondialdehyde-induced Collagen $\alpha 1(I)$ Gene Expression in Cultured Hepatic Stellate Cells. Journal of Biological Chemistry, 2002, 277, 30551-30558. | 1.6 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 112 | Cocarcinogenic effects of alcohol in hepatocarcinogenesis. Gut, 2002, 51, 132-139. | 6.1 | 124 |
| 113 | Effect of Chronic Ethanol Feeding on Oxysterols in Rat Liver. Free Radical Research, 2002, 36, 661-666. | 1.5 | 18 |
| 114 | Adenovirus-Mediated Overexpression of Catalase in the Cytosolic or Mitochondrial Compartment Protects against Toxicity Caused by Glutathione Depletion in HepG2 Cells Expressing CYP2E1. Journal of Pharmacology and Experimental Therapeutics, 2002, 301, 111-118. | 1.3 | 22 |
| 115 | Iron activates NF- κ B in Kupffer cells. American Journal of Physiology - Renal Physiology, 2002, 283, G719-G726. | 1.6 | 105 |
| 116 | HEPATOCTE PROLIFERATION AND APOPTOSIS IN RELATION TO OXIDATIVE DAMAGE IN ALCOHOL-RELATED LIVER DISEASE. Alcohol and Alcoholism, 2002, 37, 43-48. | 0.9 | 37 |
| 117 | Acetaldehyde stimulates the activation of latent transforming growth factor- β 1 and induces expression of the type II receptor of the cytokine in rat cultured hepatic stellate cells. Biochemical Journal, 2002, 368, 683-693. | 1.7 | 76 |
| 118 | Hereditary hemochromatosis and alcohol: A fibrogenic cocktail. Gastroenterology, 2002, 122, 563-565. | 0.6 | 21 |
| 119 | The antioxidant (α)-epigallocatechin-3-gallate inhibits activated hepatic stellate cell growth and suppresses acetaldehyde-induced gene expression. Biochemical Journal, 2002, 368, 695-704. | 1.7 | 79 |
| 120 | Excess alcohol greatly increases the prevalence of cirrhosis in hereditary hemochromatosis. Gastroenterology, 2002, 122, 281-289. | 0.6 | 265 |
| 121 | Effect of iron depletion in carbohydrate-intolerant patients with clinical evidence of nonalcoholic fatty liver disease. Gastroenterology, 2002, 122, 931-939. | 0.6 | 225 |
| 122 | Redox Regulation of Cytokine Expression in Kupffer Cells. Antioxidants and Redox Signaling, 2002, 4, 741-748. | 2.5 | 72 |
| 123 | Molecular regulation of iron homeostasis and resistance to infection in alcoholics. Frontiers in Bioscience - Landmark, 2002, 7, d1396-1409. | 3.0 | 1 |
| 124 | Tolerable upper intakes for dietary iron set by the US Food and Nutrition Board. American Journal of Clinical Nutrition, 2002, 76, 499-500. | 2.2 | 14 |
| 125 | Generation of protein adducts with malondialdehyde and acetaldehyde in muscles with predominantly type I or type II fibers in rats exposed to ethanol and the acetaldehyde dehydrogenase inhibitor cyanamide. American Journal of Clinical Nutrition, 2002, 76, 668-674. | 2.2 | 15 |
| 126 | Effect of free iron on collagen synthesis, cell proliferation and MMP-2 expression in rat hepatic stellate cells. Biochemical Pharmacology, 2002, 64, 1139-1145. | 2.0 | 75 |
| 127 | Lipid peroxidation contributes to immune reactions associated with alcoholic liver disease. Free Radical Biology and Medicine, 2002, 32, 38-45. | 1.3 | 128 |
| 128 | Iron regulation of hepatic macrophage TNF α expression ^{1,2} 1Guest editor: Arthur Cederbaum 2This article is part of a series of reviews on "Alcohol, Oxidative Stress and Cell Injury." The full list of papers may be found on the homepage of the journal.. Free Radical Biology and Medicine, 2002, 32, 309-313. | 1.3 | 37 |
| 129 | Free radicals in alcoholic myopathy: indices of damage and preventive studies ¹ 1This article is part of a series of reviews on "Alcohol, Oxidative Stress, and Cell Injury." The full list of papers may be found on the home page of the journal.. Free Radical Biology and Medicine, 2002, 32, 683-687. | 1.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 130 | Antioxidant and pro-oxidant effects of a manganese porphyrin complex against CYP2E1-dependent toxicity. <i>Free Radical Biology and Medicine</i> , 2002, 33, 111-127. | 1.3 | 49 |
| 131 | Effect of Kupffer cell inactivation on ethanol-induced protein adducts in the liver. <i>Free Radical Biology and Medicine</i> , 2002, 33, 350-355. | 1.3 | 23 |
| 132 | CD8+CD28-T cells: Certainties and uncertainties of a prevalent human T-cell subset. <i>Immunology and Cell Biology</i> , 2002, 80, 1-13. | 1.0 | 63 |
| 133 | Interrelationships of alcohol and iron in liver disease with particular reference to the iron-binding proteins, ferritin and transferrin. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 14, 202-214. | 1.4 | 79 |
| 134 | Up-regulation of Transferrin Receptor Expression in Hepatocytes by Habitual Alcohol Drinking Is Implicated in Hepatic Iron Overload in Alcoholic Liver Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 26s-31s. | 1.4 | 58 |
| 135 | Iron-induced oxidant stress in nonparenchymal liver cells: mitochondrial derangement and fibrosis in acutely iron-dosed gerbils and its prevention by silybin. <i>Journal of Bioenergetics and Biomembranes</i> , 2002, 34, 67-79. | 1.0 | 36 |
| 136 | Interaction of non-alcoholic fatty liver disease with other liver diseases. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2002, 16, 767-781. | 1.0 | 47 |
| 137 | Risk factors of fibrosis in alcohol-induced liver disease. <i>Hepatology</i> , 2002, 35, 635-638. | 3.6 | 327 |
| 138 | Proteasome inhibition potentiates CYP2E1-mediated toxicity in HepG2 cells. <i>Hepatology</i> , 2003, 37, 1395-1404. | 3.6 | 22 |
| 139 | Alcohol-induced liver injury in mice lacking Cu, Zn-superoxide dismutase. <i>Hepatology</i> , 2003, 38, 1136-1145. | 3.6 | 98 |
| 140 | Adenovirus-mediated expression of Cu/Zn- or Mn-superoxide dismutase protects against CYP2E1-dependent toxicity. <i>Hepatology</i> , 2003, 38, 1146-1158. | 3.6 | 26 |
| 141 | Iron-dependent activation of NF- κ B in Kupffer cells: a priming mechanism for alcoholic liver disease. <i>Alcohol</i> , 2003, 30, 107-113. | 0.8 | 74 |
| 142 | Iron chelators and iron toxicity. <i>Alcohol</i> , 2003, 30, 151-158. | 0.8 | 46 |
| 143 | Hepatic iron overload in alcoholic liver disease: why does it occur and what is its role in pathogenesis?. <i>Alcohol</i> , 2003, 30, 103-106. | 0.8 | 39 |
| 144 | Iron and CYP2E1-dependent oxidative stress and toxicity. <i>Alcohol</i> , 2003, 30, 115-120. | 0.8 | 57 |
| 145 | Iron-induced oxidant stress in alcoholic liver fibrogenesis. <i>Alcohol</i> , 2003, 30, 121-129. | 0.8 | 63 |
| 146 | Iron as a co-morbid factor in nonhemochromatotic liver disease. <i>Alcohol</i> , 2003, 30, 137-144. | 0.8 | 93 |
| 147 | Hemochromatosis and alcoholic liver disease. <i>Alcohol</i> , 2003, 30, 131-136. | 0.8 | 101 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 149 | Effect of alcohol on iron storage diseases of the liver. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2003, 17, 663-677. | 1.0 | 19 |
| 150 | Advances in alcoholic liver disease. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2003, 17, 625-647. | 1.0 | 120 |
| 151 | Immunohistochemical Characterization of Hepatic Malondialdehyde and 4-Hydroxynonenal Modified Proteins During Early Stages of Ethanol-Induced Liver Injury. Alcoholism: Clinical and Experimental Research, 2003, 27, 1015-1022. | 1.4 | 54 |
| 152 | Oxidants and antioxidants in alcohol-induced liver disease. Gastroenterology, 2003, 124, 778-790. | 0.6 | 428 |
| 153 | A Critical Involvement of Oxidative Stress in Acute Alcohol-Induced Hepatic TNF- α Production. American Journal of Pathology, 2003, 163, 1137-1146. | 1.9 | 185 |
| 154 | Characterization of multidrug resistance-associated protein 2 in the hepatocellular disposition of 4-hydroxynonenal. Archives of Biochemistry and Biophysics, 2003, 411, 243-250. | 1.4 | 26 |
| 155 | Iron overload enhances the development of experimental liver cirrhosis in mice. International Journal of Biochemistry and Cell Biology, 2003, 35, 486-495. | 1.2 | 43 |
| 156 | Metal Contents in the Liver of Patients with Chronic Liver Disease Caused by Hepatitis C Virus. Oncology, 2003, 65, 323-330. | 0.9 | 45 |
| 157 | Immunohistochemical Characterization of Hepatic Malondialdehyde and 4-Hydroxynonenal Modified Proteins During Early Stages of Ethanol-Induced Liver Injury. Alcoholism: Clinical and Experimental Research, 2003, 27, 1015-1022. | 1.4 | 28 |
| 158 | Role of Aberrant Iron Homeostasis in the Upregulation of Transforming Growth Factor- β 1 in the Kidney of Angiotensin II-Induced Hypertensive Rats. Hypertension Research, 2004, 27, 599-607. | 1.5 | 32 |
| 159 | Mechanisms of hepatic fibrogenesis. , 2004, , 27-35. | | 3 |
| 160 | Oxidative stress induced by iron released from transferrin in low pH peritoneal dialysis solution. Nephrology Dialysis Transplantation, 2004, 19, 2592-2597. | 0.4 | 28 |
| 161 | Common heterozygous hemochromatosis gene mutations are risk factors for inflammation and fibrosis in chronic hepatitis C. Liver International, 2004, 24, 285-294. | 1.9 | 51 |
| 162 | Induction of Transferrin Receptor by Ethanol in Rat Primary Hepatocyte Culture. Alcoholism: Clinical and Experimental Research, 2004, 28, 98S-105S. | 1.4 | 12 |
| 164 | Green tea polyphenol epigallocatechin-3-gallate protects HepG2 cells against CYP2E1-dependent toxicity. Free Radical Biology and Medicine, 2004, 36, 359-370. | 1.3 | 51 |
| 165 | Reactions of 4-hydroxynonenal with proteins and cellular targets. Free Radical Biology and Medicine, 2004, 37, 937-945. | 1.3 | 349 |
| 166 | Alcoholic macrocytosis-is there a role for acetaldehyde and adducts?. Addiction Biology, 2004, 9, 3-10. | 1.4 | 35 |
| 167 | Effects of methanol extract of <i>Cirsium japonicum</i> var. <i>ussuriense</i> and its principle, hispidulin-7-O-neohesperidoside on hepatic alcohol-metabolizing enzymes and lipid peroxidation in ethanol-treated rats. Phytotherapy Research, 2004, 18, 19-24. | 2.8 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 168 | Early-Phase Alcoholic Liver Disease: An Update on Animal Models, Pathology, and Pathogenesis. International Journal of Toxicology, 2004, 23, 217-231. | 0.6 | 82 |
| 169 | The effect of alcohol consumption on the prevalence of iron overload, iron deficiency, and iron deficiency anemia. Gastroenterology, 2004, 126, 1293-1301. | 0.6 | 182 |
| 170 | OXIDATIVESTRESS, TOXICOLOGY, AND PHARMACOLOGY OF CYP2E1. Annual Review of Pharmacology and Toxicology, 2004, 44, 27-42. | 4.2 | 463 |
| 172 | Opinion of the Scientific Panel on Dietetic products, nutrition and allergies [NDA] related to the Tolerable Upper Intake Level of Iron. EFSA Journal, 2004, 2, 125. | 0.9 | 21 |
| 173 | Low Dose-Ethanol Modulates Toxic Effect of Iron-Overloading in the Liver. Journal of Nutritional Science and Vitaminology, 2004, 50, 78-86. | 0.2 | 4 |
| 174 | Exposure to ethanol induces oxidative damage in the pituitary gland. Alcohol, 2005, 35, 91-101. | 0.8 | 33 |
| 175 | Alcohol, iron-associated oxidative stress, and cancer. Alcohol, 2005, 35, 243-249. | 0.8 | 62 |
| 176 | Nonalcoholic steatohepatitis: recent advances from experimental models to clinical management. Clinical Biochemistry, 2005, 38, 203-217. | 0.8 | 85 |
| 177 | Metal-induced oxidative damage in cultured hepatocytes and hepatic lysosomal fraction: beneficial effect of a curcumin/absinthium compound. Chinese Journal of Digestive Diseases, 2005, 6, 31-36. | 1.1 | 25 |
| 178 | Iron Accumulation in Alcoholic Liver Diseases. Alcoholism: Clinical and Experimental Research, 2005, 29, 189S-193S. | 1.4 | 79 |
| 179 | Aqueous extract of Anoectochilus formosanus attenuate hepatic fibrosis induced by carbon tetrachloride in rats. Phytomedicine, 2005, 12, 453-460. | 2.3 | 37 |
| 180 | Steatohepatitis induced by intragastric overfeeding in mice. Hepatology, 2005, 42, 905-914. | 3.6 | 204 |
| 181 | The role of oxidative stress in NASH and fatty liver model. Hepatology Research, 2005, 33, 128-131. | 1.8 | 32 |
| 182 | Use of Isolated Cells in the Study of Ethanol-Induced Hepatotoxicity. , 2005, , 1559-1572. | | 0 |
| 183 | Administration of ANG II induces iron deposition and upregulation of TGF- β 1 mRNA in the rat liver. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2005, 288, R1063-R1070. | 0.9 | 29 |
| 184 | Iron chelation and a free radical scavenger suppress angiotensin II-induced upregulation of TGF- β 1 in the heart. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 288, H1836-H1843. | 1.5 | 34 |
| 185 | Protein Kinase C Signaling as a Survival Pathway against CYP2E1-Derived Oxidative Stress and Toxicity in HepG2 Cells. Journal of Pharmacology and Experimental Therapeutics, 2005, 312, 998-1006. | 1.3 | 8 |
| 186 | Fructose-Induced Fatty Liver Disease. Hypertension, 2005, 45, 1012-1018. | 1.3 | 188 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 187 | The Effect of CYP2E1-Dependent Oxidant Stress on Activity of Proteasomes in HepG2 Cells. Journal of Pharmacology and Experimental Therapeutics, 2005, 315, 304-312. | 1.3 | 26 |
| 188 | Effect of Alcohol on Viral Hepatitis and Other Forms of Liver Dysfunction. Clinics in Liver Disease, 2005, 9, 83-101. | 1.0 | 21 |
| 189 | CYP2E1-dependent oxidative stress and toxicity: role in ethanol-induced liver injury. Expert Opinion on Drug Metabolism and Toxicology, 2005, 1, 671-685. | 1.5 | 56 |
| 190 | Alcohol, oxidative stress and free radical damage. Proceedings of the Nutrition Society, 2006, 65, 278-290. | 0.4 | 565 |
| 191 | Involvement of phosphatidylinositol 3-kinase and extracellular-regulated kinase in hepatic stellate cell antioxidant response and myofibroblastic transdifferentiation. Archives of Biochemistry and Biophysics, 2006, 446, 111-118. | 1.4 | 15 |
| 193 | Alcohol-induced oxidative stress and cell responses. Journal of Gastroenterology and Hepatology (Australia), 2006, 21, S26-S29. | 1.4 | 105 |
| 194 | Effects of iron overload in a rat nutritional model of non-alcoholic fatty liver disease. Liver International, 2006, 26, 1258-1267. | 1.9 | 36 |
| 195 | Hepcidin Is Down-regulated in Alcoholic Liver Injury: Implications for the Pathogenesis of Alcoholic Liver Disease. Alcoholism: Clinical and Experimental Research, 2006, 30, 106-112. | 1.4 | 138 |
| 196 | Hepatocellular carcinoma caused by iron overload: A possible mechanism of direct hepatocarcinogenicity. Toxicology, 2006, 219, 41-52. | 2.0 | 79 |
| 197 | Alcohol and oxidative liver injury. Hepatology, 2006, 43, S63-S74. | 3.6 | 477 |
| 198 | Adenovirus-Mediated Expression of CYP2E1 Produces Liver Toxicity in Mice. Toxicological Sciences, 2006, 91, 365-371. | 1.4 | 40 |
| 199 | Overexpression of CYP2E1 in Mitochondria Sensitizes HepG2 Cells to the Toxicity Caused by Depletion of Glutathione. Journal of Biological Chemistry, 2006, 281, 5128-5136. | 1.6 | 69 |
| 200 | Ethanol-induced Modulation of Hepatocellular Extracellular Signal-regulated Kinase-1/2 Activity via 4-Hydroxynonenal. Journal of Biological Chemistry, 2007, 282, 1925-1937. | 1.6 | 57 |
| 201 | Hepatic Neutrophil Infiltration in the Pathogenesis of Alcohol-Induced Liver Injury. Toxicology Mechanisms and Methods, 2007, 17, 431-440. | 1.3 | 48 |
| 202 | Role of Neutrophils in the Pathogenesis of Acute Inflammatory Liver Injury. Toxicologic Pathology, 2007, 35, 757-766. | 0.9 | 284 |
| 203 | Iron preloading aggravates nutritional steatohepatitis in rats by increasing apoptotic cell death. Journal of Hepatology, 2007, 47, 851-859. | 1.8 | 37 |
| 204 | Treatment of Chronic Liver Injuries in Mice by Oral Administration of Ethanolic Extract of the Fruit of <i>Hovenia dulcis</i> . The American Journal of Chinese Medicine, 2007, 35, 693-703. | 1.5 | 26 |
| 205 | Relationship Between Transferrin-Iron Saturation, Alcohol Consumption, and the Incidence of Cirrhosis and Liver Cancer. Clinical Gastroenterology and Hepatology, 2007, 5, 624-629. | 2.4 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 206 | <i>HFE</i> gene in primary and secondary hepatic iron overload. World Journal of Gastroenterology, 2007, 13, 4673. | 1.4 | 38 |
| 207 | Role of alcohol in the regulation of iron metabolism. World Journal of Gastroenterology, 2007, 13, 4925. | 1.4 | 123 |
| 208 | Nutrition and alcoholic liver disease. Nutrition Bulletin, 2007, 32, 138-144. | 0.8 | 3 |
| 209 | Hemochromatosis gene mutations, liver function tests and iron status in alcohol-dependent patients admitted for detoxification. Journal of Gastroenterology and Hepatology (Australia), 2007, 22, 852-854. | 1.4 | 5 |
| 210 | Putative hepatoprotective effects of coffee. Alimentary Pharmacology and Therapeutics, 2008, 27, 90-91. | 1.9 | 9 |
| 211 | Hepcidin Is Down-Regulated in Alcohol Loading. Alcoholism: Clinical and Experimental Research, 2007, 31, S2-S8. | 1.4 | 88 |
| 212 | Acute ethanol pretreatment increases FAS-mediated liver injury in mice: Role of oxidative stress and CYP2E1-dependent and -independent pathways. Free Radical Biology and Medicine, 2007, 42, 971-984. | 1.3 | 26 |
| 213 | The Effects of N-Acetylcysteine on Bile Duct Ligationâ€“Induced Liver Fibrosis in Rats. Digestive Diseases and Sciences, 2007, 52, 3348-3354. | 1.1 | 39 |
| 214 | Synergistic interaction between excess hepatic iron and alcohol ingestion in hepatic mutagenesis. Toxicology, 2008, 254, 11-18. | 2.0 | 27 |
| 215 | Redox mechanisms in hepatic chronic wound healing and fibrogenesis. Fibrogenesis and Tissue Repair, 2008, 1, 5. | 3.4 | 328 |
| 216 | Ferroportin q248h, Dietary Iron, and Serum Ferritin in Community Africanâ€“Americans With Low to High Alcohol Consumption. Alcoholism: Clinical and Experimental Research, 2008, 32, 1947-1953. | 1.4 | 8 |
| 217 | Oxidative stress in alcoholic liver disease: Role of NADPH oxidase complex. Journal of Gastroenterology and Hepatology (Australia), 2008, 23, S98-103. | 1.4 | 110 |
| 218 | Dysregulation of systemic iron metabolism in alcoholic liver diseases. Journal of Gastroenterology and Hepatology (Australia), 2008, 23, S78-81. | 1.4 | 57 |
| 219 | Experimental schistosomal hepatitis: Protective effect of coenzyme-Q10 against the state of oxidative stress. Experimental Parasitology, 2008, 120, 147-155. | 0.5 | 19 |
| 220 | CYP2E1 and oxidative liver injury by alcohol. Free Radical Biology and Medicine, 2008, 44, 723-738. | 1.3 | 636 |
| 221 | CYP2E1 â€“ Biochemical and Toxicological Aspects and Role in Alcohol-Induced Liver Injury. , 2008, , 1-36. | | 27 |
| 222 | Concepto y epidemiolog?a del alcoholismo. Mecanismos de lesi?n y muerte celular hep?tica inducidos por el alcohol. Medicine, 2008, 10, 629-635. | 0.0 | 0 |
| 223 | How much iron is too much?. Expert Review of Gastroenterology and Hepatology, 2008, 2, 287-290. | 1.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 224 | In Vitro and in Silico Characterization of Peroxiredoxin 6 Modified by 4-Hydroxynonenal and 4-Oxononenal. Chemical Research in Toxicology, 2008, 21, 2289-2299. | 1.7 | 47 |
| 225 | Attenuation of acute and chronic liver injury in rats by iron-deficient diet. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2008, 294, R311-R320. | 0.9 | 30 |
| 226 | Monitoring oxidative stress across worsening child pugh class of cirrhosis. Indian Journal of Medical Sciences, 2008, 62, 444. | 0.1 | 18 |
| 227 | Hepatic macrophage iron aggravates experimental alcoholic steatohepatitis. American Journal of Physiology - Renal Physiology, 2008, 295, G512-G521. | 1.6 | 40 |
| 228 | Environmental and genetic modifiers of the progression to fibrosis and cirrhosis in hemochromatosis. Blood, 2008, 111, 4456-4462. | 0.6 | 88 |
| 229 | Effect of moderate alcohol consumption on liver enzymes increases with increasing body mass index. American Journal of Clinical Nutrition, 2008, 88, 1097-1103. | 2.2 | 104 |
| 230 | Oxidized Low-Density-Lipoprotein Accumulation is Associated with Liver Fibrosis in Experimental Cholestasis. Clinics, 2008, 63, 531-540. | 0.6 | 29 |
| 231 | THE Î ² THALASSEMIAS. , 2009, , 321-322. | | 0 |
| 232 | Clinical Aspects of Î ² Thalassemia and Related Disorders. , 2009, , 357-416. | | 10 |
| 233 | Stimulation of stellate cells by injured acinar cells: a model of acute pancreatitis induced by alcohol and fat (VLDL). American Journal of Physiology - Renal Physiology, 2009, 297, G1163-G1171. | 1.6 | 29 |
| 234 | â€œSecond Hitâ€•Models of Alcoholic Liver Disease. Seminars in Liver Disease, 2009, 29, 178-187. | 1.8 | 80 |
| 235 | Hepatic Iron Deposition in Patients With Liver Disease: Preliminary Experience With Breath-Hold Multiecho T2[*]-Weighted Sequence. American Journal of Roentgenology, 2009, 193, 1261-1267. | 1.0 | 60 |
| 236 | Chronic oxidative stress sensitizes hepatocytes to death from 4-hydroxynonenal by JNK/c-Jun overactivation. American Journal of Physiology - Renal Physiology, 2009, 297, G907-G917. | 1.6 | 58 |
| 237 | Biomarkers of Liver Status in Heavy Drinkers, Moderate Drinkers and Abstainers. Alcohol and Alcoholism, 2009, 44, 199-203. | 0.9 | 55 |
| 238 | Gender-dependent impacts of body mass index and moderate alcohol consumption on serum uric acidâ€”an index of oxidant stress status?. Free Radical Biology and Medicine, 2009, 46, 1233-1238. | 1.3 | 19 |
| 239 | The global burden of iron overload. Hepatology International, 2009, 3, 434-444. | 1.9 | 37 |
| 240 | Role of free radicals in liver diseases. Hepatology International, 2009, 3, 526-536. | 1.9 | 304 |
| 241 | Role of oxidative stress in alcohol-induced liver injury. Archives of Toxicology, 2009, 83, 519-548. | 1.9 | 499 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 242 | Hepcidin Regulation in Wild-Type and Hfe Knockout Mice in Response to Alcohol Consumption: Evidence for an Alcohol-Induced Hypoxic Response. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1391-1400. | 1.4 | 24 |
| 243 | Taurine enhances the metabolism and detoxification of ethanol and prevents hepatic fibrosis in rats treated with iron and alcohol. <i>Environmental Toxicology and Pharmacology</i> , 2009, 27, 120-126. | 2.0 | 36 |
| 244 | Saponins isolated from the root of <i>Platycodon grandiflorum</i> protect against acute ethanol-induced hepatotoxicity in mice. <i>Food and Chemical Toxicology</i> , 2009, 47, 530-535. | 1.8 | 58 |
| 245 | Protective effects of saponins from the root of <i>Platycodon grandiflorum</i> against fatty liver in chronic ethanol feeding via the activation of AMP-dependent protein kinase. <i>Food and Chemical Toxicology</i> , 2009, 47, 2749-2754. | 1.8 | 40 |
| 246 | NEW APPROACHES TO THE TREATMENT OF HEMOGLOBINOPATHIES AND THALASSEMIA. , 2009, , 687-688. | | 0 |
| 247 | Mitochondrial damage, cytotoxicity and apoptosis in iron-potentiated alcoholic liver fibrosis: amelioration by taurine. <i>Amino Acids</i> , 2010, 38, 869-879. | 1.2 | 46 |
| 248 | CYP2E1 potentiation of LPS and TNF α -induced hepatotoxicity by mechanisms involving enhanced oxidative and nitrosative stress, activation of MAP kinases, and mitochondrial dysfunction. <i>Genes and Nutrition</i> , 2010, 5, 149-167. | 1.2 | 47 |
| 249 | Regression of liver fibrosis by taurine in rats fed alcohol: Effects on collagen accumulation, selected cytokines and stellate cell activation. <i>European Journal of Pharmacology</i> , 2010, 647, 161-170. | 1.7 | 32 |
| 250 | Betaine Protects Chronic Alcohol and ω -3 PUFA-Mediated Down-Regulations of PON1 Gene, Serum PON1 and Homocysteine Thiolactonase Activities With Restoration of Liver GSH. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 424-431. | 1.4 | 30 |
| 251 | Laboratory Models Available to Study Alcohol-Induced Organ Damage and Immune Variations: Choosing the Appropriate Model. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 1489-1511. | 1.4 | 79 |
| 252 | Animal Models of Alcoholic Liver Disease. <i>Digestive Diseases</i> , 2010, 28, 729-736. | 0.8 | 32 |
| 253 | Quantification of Hepatic Iron Deposition in Patients With Liver Disease: Comparison of Chemical Shift Imaging With Single-Echo T2*-Weighted Imaging. <i>American Journal of Roentgenology</i> , 2010, 194, 1288-1295. | 1.0 | 28 |
| 254 | The Necdin-Wnt Pathway Causes Epigenetic Peroxisome Proliferator-activated Receptor β 3 Repression in Hepatic Stellate Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 30463-30471. | 1.6 | 46 |
| 255 | Pathophysiological Similarities and Synergisms in Alcoholic and Non-Alcoholic Steatohepatitis. <i>Digestive Diseases</i> , 2010, 28, 783-791. | 0.8 | 13 |
| 256 | Influence of vitamin E on alcohol-induced changes in antioxidant defenses in mice liver. <i>Toxicology Mechanisms and Methods</i> , 2010, 20, 82-89. | 1.3 | 34 |
| 257 | Mechanisms of 4-Hydroxy-2-nonenal Induced Pro- and Anti-Apoptotic Signaling. <i>Biochemistry</i> , 2010, 49, 6263-6275. | 1.2 | 95 |
| 258 | Oxidative and nitrosative stress in experimental rat liver fibrosis: Protective effect of taurine. <i>Environmental Toxicology and Pharmacology</i> , 2010, 29, 104-110. | 2.0 | 21 |
| 259 | Pathogenesis of alcoholic liver disease: the role of nuclear receptors. <i>Experimental Biology and Medicine</i> , 2010, 235, 547-560. | 1.1 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 260 | Biomarkers of alcohol consumption and related liver disease. Scandinavian Journal of Clinical and Laboratory Investigation, 2010, 70, 305-312. | 0.6 | 75 |
| 261 | Alcoholic liver disease: pathogenesis and new targets for therapy. Nature Reviews Gastroenterology and Hepatology, 2011, 8, 491-501. | 8.2 | 241 |
| 262 | Effects of alcohol consumption on iron metabolism. American Journal of Drug and Alcohol Abuse, 2011, 37, 68-73. | 1.1 | 19 |
| 263 | Nitric Oxide and Redox Regulation in the Liver: Part II. Redox Biology in Pathologic Hepatocytes and Implications for Intervention. Journal of Surgical Research, 2011, 167, 96-112. | 0.8 | 71 |
| 264 | Synergistic steatohepatitis by moderate obesity and alcohol in mice despite increased adiponectin and p-AMPK. Journal of Hepatology, 2011, 55, 673-682. | 1.8 | 137 |
| 265 | Liver MR imaging at 3T: challenges and opportunities. , 0, , 67-81. | | 0 |
| 266 | Accelerated CCl4-Induced Liver Fibrosis in H ₂ O ₂ -/- Mice, Associated with an Oxidative Burst and Precocious Profibrogenic Gene Expression. PLoS ONE, 2011, 6, e25138. | 1.1 | 24 |
| 267 | Pathogenesis of alcohol-induced liver disease: Classical concepts and recent advances. Journal of Gastroenterology and Hepatology (Australia), 2011, 26, 1089-1105. | 1.4 | 138 |
| 268 | Ethanol Effect on Cell Proliferation in the Human Hepatoma HepaRG Cell Line: Relationship With Iron Metabolism. Alcoholism: Clinical and Experimental Research, 2011, 35, 408-419. | 1.4 | 12 |
| 269 | A New Model of Interactive Effects of Alcohol and High-Fat Diet on Hepatic Fibrosis. Alcoholism: Clinical and Experimental Research, 2011, 35, 1361-1367. | 1.4 | 71 |
| 270 | Toll-Like Receptor 4 Mediates Alcohol-Induced Steatohepatitis Through Bone Marrow-Derived and Endogenous Liver Cells in Mice. Alcoholism: Clinical and Experimental Research, 2011, 35, no-no. | 1.4 | 112 |
| 271 | Alcoholic liver disease and exacerbation by malnutrition and infections: what animal models are currently available?. Annals of the New York Academy of Sciences, 2011, 1216, 41-49. | 1.8 | 6 |
| 272 | Overview of lipid peroxidation products and hepatic protein modification in alcoholic liver disease. Chemico-Biological Interactions, 2011, 192, 107-112. | 1.7 | 129 |
| 273 | Effect of epigallocatechin-3-gallate on iron overload in mice with alcoholic liver disease. Molecular Biology Reports, 2011, 38, 879-886. | 1.0 | 29 |
| 274 | Advances in Alcoholic Liver Disease. Current Gastroenterology Reports, 2011, 13, 56-64. | 1.1 | 77 |
| 275 | Phosphatase and Tensin Homolog Deleted on Chromosome 10 (PTEN) Inhibition by 4-Hydroxynonenal Leads to Increased Akt Activation in Hepatocytes. Molecular Pharmacology, 2011, 79, 941-952. | 1.0 | 45 |
| 276 | Role of Iron in Brain Injury After Intraventricular Hemorrhage. Stroke, 2011, 42, 465-470. | 1.0 | 141 |
| 277 | Alcohol Activates TGF-Beta but Inhibits BMP Receptor-Mediated Smad Signaling and Smad4 Binding to Hcpidin Promoter in the Liver. International Journal of Hepatology, 2012, 2012, 1-11. | 0.4 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 279 | Hepatic Pathobiology of Iron Overload. , 2012, , 357-383. | | 2 |
| 280 | Alcoholic liver disease and the potential role of plasminogen activator inhibitor-1 and fibrin metabolism. <i>Experimental Biology and Medicine</i> , 2012, 237, 1-9. | 1.1 | 38 |
| 281 | Liver hepcidin mRNA expression is inappropriately low in alcoholic patients compared with healthy controls. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 1158-1165. | 0.8 | 50 |
| 282 | Mouse intragastric infusion (iG) model. <i>Nature Protocols</i> , 2012, 7, 771-781. | 5.5 | 88 |
| 283 | Ecklonia cava polyphenol protects the liver against ethanol-induced injury in rats. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 978-988. | 1.1 | 22 |
| 284 | Preliminary characterization, antioxidant activity in vitro and hepatoprotective effect on acute alcohol-induced liver injury in mice of polysaccharides from the peduncles of <i>Hovenia dulcis</i> . <i>Food and Chemical Toxicology</i> , 2012, 50, 2964-2970. | 1.8 | 139 |
| 285 | Inhibition of NF- κ B Activation by 4-Hydroxynonenal Contributes to Liver Injury in a Mouse Model of Alcoholic Liver Disease. <i>American Journal of Pathology</i> , 2012, 181, 1702-1710. | 1.9 | 40 |
| 286 | Rodent models of alcoholic liver disease: Of mice and men. <i>Alcohol</i> , 2012, 46, 715-725. | 0.8 | 107 |
| 287 | Anti-inflammatory role of naringenin in rats with ethanol induced liver injury. <i>Toxicology Mechanisms and Methods</i> , 2012, 22, 568-576. | 1.3 | 88 |
| 288 | Alcohol Drinking Patterns and Nutrition in Alcoholic Liver Disease. , 0, , . | | 0 |
| 289 | Transcriptional regulation of methionine adenosyltransferase 2A by peroxisome proliferator-activated receptors in rat hepatic stellate cells. <i>Hepatology</i> , 2012, 55, 1942-1953. | 3.6 | 17 |
| 290 | P2X7 receptor-NADPH oxidase axis mediates protein radical formation and Kupffer cell activation in carbon tetrachloride-mediated steatohepatitis in obese mice. <i>Free Radical Biology and Medicine</i> , 2012, 52, 1666-1679. | 1.3 | 48 |
| 291 | CYP2E1, Oxidative Stress, Post-translational Modifications and Lipid Metabolism. <i>Sub-Cellular Biochemistry</i> , 2013, 67, 199-233. | 1.0 | 12 |
| 292 | Non-Hfe Iron Overload: Is Phlebotomy the Answer?. <i>Current Hepatitis Reports</i> , 2013, 12, 20-27. | 0.3 | 1 |
| 293 | Excess iron modulates endoplasmic reticulum stress-associated pathways in a mouse model of alcohol and high-fat diet-induced liver injury. <i>Laboratory Investigation</i> , 2013, 93, 1295-1312. | 1.7 | 89 |
| 294 | Yerba-mate (<i>Ilex paraguariensis</i>) extract prevents ethanol-induced liver injury in rats. <i>Journal of Functional Foods</i> , 2013, 5, 1714-1723. | 1.6 | 23 |
| 295 | Iron-mediated effect of alcohol on hepatocyte differentiation in HepaRG cells. <i>Chemico-Biological Interactions</i> , 2013, 206, 117-125. | 1.7 | 10 |
| 296 | Animal models of chronic liver diseases. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G449-G468. | 1.6 | 172 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 297 | Ethanol and Vitamin D Receptor in T Cell Apoptosis. Journal of NeuroImmune Pharmacology, 2013, 8, 251-261. | 2.1 | 15 |
| 298 | Roles of alcohol and tobacco exposure in the development of hepatocellular carcinoma. Life Sciences, 2013, 92, 3-9. | 2.0 | 64 |
| 299 | Individual and Joint Impacts of Ethanol Use, BMI, Age and Gender on Serum Gamma-Glutamyltransferase Levels in Healthy Volunteers. International Journal of Molecular Sciences, 2013, 14, 11929-11941. | 1.8 | 7 |
| 300 | Iron stores assessment in alcoholic liver disease. Scandinavian Journal of Gastroenterology, 2013, 48, 712-718. | 0.6 | 21 |
| 301 | The Effect of Diet on Protein Modification by Ethanol Metabolites. , 2013, , 111-130. | | 0 |
| 302 | A Corn Oilâ€Based Diet Protects Against Combined Ethanol and Ironâ€Induced Liver Injury in a Mouse Model of Hemochromatosis. Alcoholism: Clinical and Experimental Research, 2013, 37, 1619-1631. | 1.4 | 6 |
| 303 | Longâ€Term Binge and Escalating Ethanol Exposure Causes Necroinflammation and Fibrosis in Rat Liver. Alcoholism: Clinical and Experimental Research, 2013, 37, 213-222. | 1.4 | 24 |
| 304 | Disease and Therapy: A Role for Oxidants. , 0, , . | | 0 |
| 305 | Iron and Hepatic Carcinogenesis. Critical Reviews in Oncogenesis, 2013, 18, 391-407. | 0.2 | 32 |
| 306 | Catalytic activities of Werner protein are affected by adduction with 4-hydroxy-2-nonenal. Nucleic Acids Research, 2014, 42, 11119-11135. | 6.5 | 13 |
| 307 | Quercetin prevents ethanol-induced iron overload by regulating hepcidin through the BMP6/SMAD4 signaling pathway. Journal of Nutritional Biochemistry, 2014, 25, 675-682. | 1.9 | 37 |
| 308 | Animals Models of Gastrointestinal and Liver Diseases. Animal models of alcohol-induced liver disease: pathophysiology, translational relevance, and challenges. American Journal of Physiology - Renal Physiology, 2014, 306, G819-G823. | 1.6 | 108 |
| 309 | Hepatoprotective Effects of Yintian Granule on Experimental Liver Injury in Mice. Chinese Herbal Medicines, 2014, 6, 247-252. | 1.2 | 0 |
| 310 | Antioxidant and Hepatoprotective Effect of (âˆ)—Epigallocatechin 3- <i>O</i> -(3- <i>O</i> -Methyl) gallate (EGCG3â€Me) from Chinese Oolong Tea. Journal of Agricultural and Food Chemistry, 2014, 62, 10046-10054. | 2.4 | 48 |
| 311 | Effects of chronic alcohol and excessive iron intake on mitochondrial DNA damage in the rat liver. Journal of Nutrition and Health, 2015, 48, 390. | 0.2 | 1 |
| 312 | Insulin resistance in clinical and experimental alcoholic liver disease. Annals of the New York Academy of Sciences, 2015, 1353, 1-20. | 1.8 | 51 |
| 313 | CYP2E1- and TNFalpha/LPS-Induced Oxidative Stress and MAPK Signaling Pathways in Alcoholic Liver Disease. Current Pathobiology Reports, 2015, 3, 263-272. | 1.6 | 4 |
| 314 | Development of an Animal Model for Alcoholic Liver Disease in Zebrafish. Zebrafish, 2015, 12, 271-280. | 0.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 315 | Trends in the management and burden of alcoholic liver disease. <i>Journal of Hepatology</i> , 2015, 62, S38-S46. | 1.8 | 254 |
| 316 | The Role of Iron in Alcohol-Mediated Hepatocarcinogenesis. <i>Advances in Experimental Medicine and Biology</i> , 2015, 815, 89-112. | 0.8 | 33 |
| 317 | Alcoholic liver disease: mechanisms of injury and targeted treatment. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 231-242. | 8.2 | 643 |
| 318 | Metabolic reprogramming and cell fate regulation in alcoholic liver disease. <i>Pancreatology</i> , 2015, 15, S61-S65. | 0.5 | 9 |
| 319 | The Role of Oxidative Stress in Hepatocarcinogenesis. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015, , 479-503. | 0.4 | 1 |
| 320 | Determination of trace levels of iron in serum samples of hepatitis B and C patients using dispersive liquid-liquid microextraction. <i>Analytical Methods</i> , 2015, 7, 9211-9217. | 1.3 | 11 |
| 321 | Oxidative Stress in Alcoholic Liver Disease. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015, , 215-239. | 0.4 | 5 |
| 322 | Hepatoprotective effect of diffractaic acid on carbon tetrachloride-induced liver damage in rats. <i>Biotechnology and Biotechnological Equipment</i> , 2015, 29, 1011-1016. | 0.5 | 13 |
| 323 | Biomarker-Based Approaches for Assessing Alcohol Use Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 166. | 1.2 | 81 |
| 324 | Protective Effects of Hydrolyzed Nucleoproteins from Salmon Milt against Ethanol-Induced Liver Injury in Rats. <i>Marine Drugs</i> , 2016, 14, 232. | 2.2 | 17 |
| 325 | Hepatic Deficiency of Augmenter of Liver Regeneration Exacerbates Alcohol-Induced Liver Injury and Promotes Fibrosis in Mice. <i>PLoS ONE</i> , 2016, 11, e0147864. | 1.1 | 22 |
| 326 | The role of genetic factors in patients with hepatocellular carcinoma and iron overload – a prospective series of 234 patients. <i>Liver International</i> , 2016, 36, 746-754. | 1.9 | 13 |
| 327 | Melatonin role preventing steatohepatitis and improving liver transplantation results. <i>Cellular and Molecular Life Sciences</i> , 2016, 73, 2911-2927. | 2.4 | 15 |
| 328 | Alcoholic beverage consumption contributes to caloric and moisture intakes and body weight status. <i>Nutrition</i> , 2016, 32, 799-805. | 1.1 | 13 |
| 329 | Uncovering the liver's role in immunity through RNA co-expression networks. <i>Mammalian Genome</i> , 2016, 27, 469-484. | 1.0 | 12 |
| 330 | Pleiotropic effects of 4-hydroxynonenal on oxidative burst and phagocytosis in neutrophils. <i>Redox Biology</i> , 2016, 9, 57-66. | 3.9 | 31 |
| 331 | Decreased hepatic iron in response to alcohol may contribute to alcohol-induced suppression of hepcidin. <i>British Journal of Nutrition</i> , 2016, 115, 1978-1986. | 1.2 | 17 |
| 332 | Haemochromatosis. <i>Lancet</i> , The, 2016, 388, 706-716. | 6.3 | 223 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 333 | Genetic disruption of NRF2 promotes the development of necroinflammation and liver fibrosis in a mouse model of HFE-hereditary hemochromatosis. <i>Redox Biology</i> , 2017, 11, 157-169. | 3.9 | 35 |
| 334 | Cellular GABAergic Neuroactive Steroid (3 β ,5 α)-Hydroxy Δ^4 -Pregnan Δ^20 -One (3 β ,5 α -THP) Immunostaining Levels Are Increased in the Ventral Tegmental Area of Human Alcohol Use Disorder Patients: A Postmortem Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 299-311. | 1.4 | 14 |
| 335 | Sensitive and non-invasive assessment of hepatocellular iron using a novel room-temperature susceptometer. <i>Journal of Hepatology</i> , 2017, 67, 535-542. | 1.8 | 13 |
| 336 | Cell Death in Alcohol-Induced Liver Injury. , 2017, , 119-142. | | 2 |
| 337 | Malondialdehyde epitopes are sterile mediators of hepatic inflammation in hypercholesterolemic mice. <i>Hepatology</i> , 2017, 65, 1181-1195. | 3.6 | 53 |
| 338 | Establishment of an alcoholic fatty liver disease model in mice. <i>American Journal of Drug and Alcohol Abuse</i> , 2017, 43, 61-68. | 1.1 | 13 |
| 340 | Ginsenoside Rg1 inhibits inflammatory responses via modulation of the nuclear factor κ B pathway and inhibition of inflammasome activation in alcoholic hepatitis. <i>International Journal of Molecular Medicine</i> , 2017, 41, 899-907. | 1.8 | 24 |
| 341 | Animal Models of Liver Diseases. , 2017, , 313-339. | | 17 |
| 342 | Synergistic Interaction of Light Alcohol Administration in the Presence of Mild Iron Overload in a Mouse Model of Liver Injury: Involvement of Triosephosphate Isomerase Nitration and Inactivation. <i>PLoS ONE</i> , 2017, 12, e0170350. | 1.1 | 8 |
| 343 | Role of A-Kinase Anchoring Protein Phosphorylation in Alcohol-Induced Liver Injury and Hepatic Stellate Cell Activation. <i>American Journal of Pathology</i> , 2018, 188, 640-655. | 1.9 | 7 |
| 344 | Low hepcidin in liver fibrosis and cirrhosis; a tale of progressive disorder and a case for a new biochemical marker. <i>Molecular Medicine</i> , 2018, 24, 5. | 1.9 | 39 |
| 345 | RNA interference against stromal interacting molecule-1 (STIM1) ameliorates ethanol-induced hepatotoxicity. <i>Chemico-Biological Interactions</i> , 2018, 289, 47-56. | 1.7 | 1 |
| 346 | Alcoholic liver disease: Utility of animal models. <i>World Journal of Gastroenterology</i> , 2018, 24, 5063-5075. | 1.4 | 101 |
| 347 | Biological and Pharmacological Effects of Polyphenolic Compounds From <i>Ecklonia cava</i> . , 2018, , 41-52. | | 8 |
| 348 | Long-chain fatty acid activates hepatocytes through CD36 mediated oxidative stress. <i>Lipids in Health and Disease</i> , 2018, 17, 153. | 1.2 | 35 |
| 349 | Catalase and nonalcoholic fatty liver disease. <i>Pflugers Archiv European Journal of Physiology</i> , 2018, 470, 1721-1737. | 1.3 | 48 |
| 350 | Liver Disease in Iron Overload. , 2018, , 151-165. | | 2 |
| 351 | Computational and biological investigation of the soybean lecithin Δ -gallic acid complex for ameliorating alcoholic liver disease in mice with iron overload. <i>Food and Function</i> , 2019, 10, 5203-5214. | 2.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 352 | Chronic alcohol abuse may lead to high skin iron content, but not to hepatic siderosis. Forensic Science International, 2019, 304, 109851. | 1.3 | 0 |
| 353 | Impacts of unfavourable lifestyle factors on biomarkers of liver function, inflammation and lipid status. PLoS ONE, 2019, 14, e0218463. | 1.1 | 16 |
| 354 | Pathogenesis, Early Diagnosis, and Therapeutic Management of Alcoholic Liver Disease. International Journal of Molecular Sciences, 2019, 20, 2712. | 1.8 | 115 |
| 355 | Iron-Induced Liver Injury: A Critical Reappraisal. International Journal of Molecular Sciences, 2019, 20, 2132. | 1.8 | 51 |
| 356 | Deregulation of Hepatic Mek1/2“Erk1/2 Signaling Module in Iron Overload Conditions. Pharmaceuticals, 2019, 12, 70. | 1.7 | 6 |
| 357 | Laboratory test based assessment of WHO alcohol risk drinking levels. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 58-64. | 0.6 | 11 |
| 358 | 4-Hydroxy-Trans-2-Nonenal in the Regulation of Anti-Oxidative and Pro-Inflammatory Signaling Pathways. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-17. | 1.9 | 27 |
| 359 | Animal Models When Examining the Gut-Liver Axis. , 2019, , 235-264. | | 0 |
| 360 | Harnessing the Proteostasis Network in Alcohol-associated Liver Disease. Current Pathobiology Reports, 2020, 8, 47-59. | 1.6 | 0 |
| 361 | Reclassifying Hepatic Cell Death during Liver Damage: Ferroptosis“A Novel Form of Non-Apoptotic Cell Death?. International Journal of Molecular Sciences, 2020, 21, 1651. | 1.8 | 59 |
| 362 | Mallotus furetianus extract protects against ethanol“induced liver injury via the activation of the cAMP“PKA pathway. Food Science and Nutrition, 2020, 8, 3936-3946. | 1.5 | 2 |
| 364 | Combined effects of lifestyle risk factors on fatty liver index. BMC Gastroenterology, 2020, 20, 109. | 0.8 | 13 |
| 365 | Effects of long“term ethanol ingestion on hepatic iron metabolism in two mouse strains. Clinical and Experimental Pharmacology and Physiology, 2021, 48, 534-542. | 0.9 | 2 |
| 366 | The Role of IGF/IGF-1R Signaling in Hepatocellular Carcinomas: Stemness-Related Properties and Drug Resistance. International Journal of Molecular Sciences, 2021, 22, 1931. | 1.8 | 31 |
| 367 | Revisiting hemochromatosis: genetic vs. phenotypic manifestations. Annals of Translational Medicine, 2021, 9, 731-731. | 0.7 | 27 |
| 368 | A mini-review of the rodent models for alcoholic liver disease: shortcomings, application, and future prospects. Toxicology Research, 2021, 10, 523-530. | 0.9 | 10 |
| 369 | Orphan Nuclear Receptor ERR“3 Is a Transcriptional Regulator of CB1 Receptor-Mediated TFR2 Gene Expression in Hepatocytes. International Journal of Molecular Sciences, 2021, 22, 6021. | 1.8 | 1 |
| 370 | Iron depletion attenuates steatosis in a mouse model of non-alcoholic fatty liver disease: Role of iron-dependent pathways. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2021, 1867, 166142. | 1.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 372 | Iron Overload States. , 0, , 399-411. | | 1 |
| 373 | Mechanism of Iron Toxicity. Advances in Experimental Medicine and Biology, 2002, 509, 19-43. | 0.8 | 37 |
| 374 | Intragastric Ethanol Infusion Model in Rodents. Methods in Molecular Biology, 2008, 447, 33-48. | 0.4 | 50 |
| 375 | Interaction Between Aflatoxin B1 and Other Risk Factors in Hepatocarcinogenesis. , 2009, , 93-111. | | 1 |
| 376 | Coffea canephora. , 2013, , 680-709. | | 1 |
| 377 | Regulation of collagen gene expression. , 1998, , 430-450. | | 7 |
| 378 | Modification of Proteins by Reactive Ethanol Metabolites: Adduct Structure, Functional and Pathological Consequences. , 2005, , 1209-1222. | | 3 |
| 379 | Polyenylphosphatidylcholine Protects Against Alcohol but Not Iron-Induced Oxidative Stress in the Liver. Alcoholism: Clinical and Experimental Research, 2000, 24, 196-206. | 1.4 | 2 |
| 380 | Formation of Malondialdehyde Adducts in Livers of Rats Exposed to Ethanol: Role in Ethanol-Mediated Inhibition of Cytochrome c Oxidase. Alcoholism: Clinical and Experimental Research, 2000, 24, 544-552. | 1.4 | 1 |
| 381 | Models of Alcoholic Liver Disease in Rodents: A Critical Evaluation. Alcoholism: Clinical and Experimental Research, 2001, 25, 254S-261S. | 1.4 | 48 |
| 382 | Non-Transferrin-Bound Iron in Alcohol Abusers. Alcoholism: Clinical and Experimental Research, 2001, 25, 1494-1499. | 1.4 | 16 |
| 383 | Mechanisms of Hepatic Fibrosis. Journal of Pediatric Gastroenterology and Nutrition, 1998, 27, 75-85. | 0.9 | 47 |
| 384 | Induction of Transferrin Receptor by Ethanol in Rat Primary Hepatocyte Culture. Alcoholism: Clinical and Experimental Research, 2004, 28, 98S-105S. | 1.4 | 6 |
| 385 | HNE interacts directly with JNK isoforms in human hepatic stellate cells.. Journal of Clinical Investigation, 1998, 102, 1942-1950. | 3.9 | 280 |
| 386 | Ubiquinone, Oxidative Stress, and Liver Carcinogenesis. Modern Nutrition, 2000, , 317-329. | 0.1 | 6 |
| 387 | Iron Metabolism and Disease. , 2010, , 351-378. | | 2 |
| 388 | Rapid Induction of Liver Cirrhosis in Mini Rats by Thioacetamide.. Journal of Toxicologic Pathology, 1998, 11, 119-125. | 0.3 | 6 |
| 389 | Enhancement of Lipid Quality of Raw Guinea Corn (Sorghum Bicolor) Grains Through Germination and Steeping. Open Journal of Analytical Chemistry Research, 2013, 1, 5. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 390 | Characterization of 4-HNE Modified L-FABP Reveals Alterations in Structural and Functional Dynamics. PLoS ONE, 2012, 7, e38459. | 1.1 | 51 |
| 391 | Where should the safe limits of alcohol consumption stand in light of liver enzyme abnormalities in alcohol consumers?. PLoS ONE, 2017, 12, e0188574. | 1.1 | 18 |
| 392 | The Role of Nitric Oxide and Ferritin in the Pathogenesis of Alcoholic Liver Disease: a Controlled Clinical Study. Bosnian Journal of Basic Medical Sciences, 2009, 9, 204-209. | 0.6 | 4 |
| 393 | 4-Hydroxynonenal in the Pathogenesis and Progression of Human Diseases. Current Medicinal Chemistry, 2013, 21, 230-237. | 1.2 | 140 |
| 394 | Cytochrome P450S and Alcoholic Liver Disease. Current Pharmaceutical Design, 2018, 24, 1502-1517. | 0.9 | 76 |
| 395 | Alcoholic Liver Disease: from CYP2E1 to CYP2A5. Current Molecular Pharmacology, 2017, 10, 172-178. | 0.7 | 24 |
| 396 | The relevance of oxidative stress balance (Superoxide dismutase versus malondialdehyde) in spontaneous bacterial peritonitis. Archives of Biological Sciences, 2014, 66, 793-799. | 0.2 | 3 |
| 397 | Activation of hepatic stellate cells - a key issue in liver fibrosis. Frontiers in Bioscience - Landmark, 2002, 7, d808. | 3.0 | 370 |
| 398 | Noninvasive determination of iron cumulation in the rat liver with lead intoxication. Ukrainian Journal of Occupational Health, 2011, 2011, 43-47. | 0.3 | 2 |
| 399 | Protective Effects of Persimmon Leaf and Fruit Extracts against Acute Ethanol-Induced Hepatotoxicity. Preventive Nutrition and Food Science, 2007, 12, 202-208. | 0.7 | 10 |
| 400 | Iron homeostasis and H63D mutations in alcoholics with and without liver disease. World Journal of Gastroenterology, 2009, 15, 106. | 1.4 | 23 |
| 401 | Fatty liver in H63D homozygotes with hyperferritinemia. World Journal of Gastroenterology, 2006, 12, 1788. | 1.4 | 9 |
| 402 | Effect of hepatic iron concentration reduction on hepatic fibrosis and damage in rats with cholestatic liver disease. World Journal of Gastroenterology, 2006, 12, 240. | 1.4 | 11 |
| 403 | Non invasive fibrosis biomarkers reduce but not substitute the need for liver biopsy. World Journal of Gastroenterology, 2006, 12, 3682. | 1.4 | 220 |
| 404 | Iron overload and cofactors with special reference to alcohol, hepatitis C virus infection and steatosis/insulin resistance. World Journal of Gastroenterology, 2007, 13, 4699. | 1.4 | 81 |
| 405 | Role of iron in hepatic fibrosis: One piece in the puzzle. World Journal of Gastroenterology, 2007, 13, 4746. | 1.4 | 81 |
| 406 | Impacts of common factors of life style on serum liver enzymes. World Journal of Gastroenterology, 2014, 20, 11743. | 1.4 | 28 |
| 407 | TLR4 signaling and the inhibition of liver hepcidin expression by alcohol. World Journal of Gastroenterology, 2014, 20, 12161. | 1.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 408 | New advances in molecular mechanisms and emerging therapeutic targets in alcoholic liver diseases. World Journal of Gastroenterology, 2014, 20, 12908-12933. | 1.4 | 79 |
| 409 | Exacerbation of alcohol-induced oxidative stress in rats by polyunsaturated fatty acids and iron load. Indian Journal of Pharmaceutical Sciences, 2011, 73, 152. | 1.0 | 7 |
| 410 | Gender-related variations in iron metabolism and liver diseases. World Journal of Hepatology, 2010, 2, 302. | 0.8 | 74 |
| 411 | Non-alcoholic fatty liver disease: From insulin resistance to mitochondrial dysfunction. Revista Espanola De Enfermedades Digestivas, 2006, 98, 844-74. | 0.1 | 34 |
| 412 | Temporal Changes in the Hepatic Fatty Liver in Mice Receiving Standard Lieber-DeCarli Diet. Toxicological Research, 2008, 24, 113-117. | 1.1 | 5 |
| 414 | A Role for Coenzyme Q in Alcoholic Liver Disease?. Modern Nutrition, 2000, , 307-315. | 0.1 | 0 |
| 415 | Proteins modified by direct and indirect ethanol metabolites, and their associated antibodies, as markers of alcohol intake. , 2001, , 93-110. | | 0 |
| 416 | ã,çãf«ã,³ãf1/4ãf«æ€Sè,éšœã®³ã®ç™œç”Ÿæ©Ÿã°ã«é—çã™ã,æœœ€è;ã®çŸŸè ç. Acta Hepatologica Japonica, 2001, 42, 1-14. 1 | | 1 |
| 417 | The Role of Kupffer Cells in Alcoholic Liver Disease. , 2001, , 407-426. | | 0 |
| 418 | Alcoholic hepatitis. , 2002, , 21-59. | | 0 |
| 419 | The Effect of Diet on Protein Modification by Ethanol Metabolites in Tissues Damaged in Chronic Alcohol Abuse. , 2003, , 219-248. | | 0 |
| 420 | Nutritional Factors in the Pathogenesis of Alcoholic Liver Disease. , 2003, , 43-55. | | 0 |
| 421 | Animal Models of Chronic Alcohol-Induced Liver Damage. , 2005, , 1535-1549. | | 0 |
| 423 | Mechanisms of Alcoholic Steatosis/Steatohepatitis. , 2012, , 45-54. | | 0 |
| 424 | Iron and Liver Disease. , 2012, , 441-454. | | 0 |
| 425 | Protective effect of green tea on CCl4 induced hepatotoxicity in experimental rats. African Journal of Pharmacy and Pharmacology, 2012, 6, . | 0.2 | 1 |
| 426 | Lipid Composition of the Seeds of Three Types of Chillies Consumed in Nigeria. Open Journal of Analytical Chemistry Research, 2013, 1, 69. | 0.2 | 1 |
| 428 | Possible Role of Ethanol-Derived Free Radicals in the Pathogenesis of Alcohol-Induced Liver Damage. , 1996, , 48-55. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 429 | Molecular and Cellular Aspects of Iron-Mediated Liver Toxicity. , 1996, , 74-84. | | 0 |
| 430 | Role of Kupffer Cell-Derived Reactive Oxygen Intermediates in Alcoholic Liver Disease in Rats In Vivo. Alcoholism: Clinical and Experimental Research, 1996, 20, 335A-339A. | 1.4 | 0 |
| 431 | Alkohol und Leber. , 1999, , 226-269. | | 0 |
| 432 | Alcohol, Anesthetics, and Analgesics in Autoimmune Reactivity. , 1999, , 321-345. | | 1 |
| 433 | é%,,ã@ç°èfžæ¬æ€\$ã•Căž<æ...¢æ€\$è,ç,Žă\$ã@ă1/2¹ă%². Acta Hepatologica Japonica, 1999, 40, 427-435. | 0.0 | 0 |
| 434 | Oxidative Stress and Liver Fibrogenesis. Oxidative Stress in Applied Basic Research and Clinical Practice, 2015, , 171-196. | 0.4 | 2 |
| 435 | Chemical composition of the leaves of tea bush (Ocimum gratissium L.). Bangladesh Journal of Scientific and Industrial Research, 2015, 50, 93-108. | 0.1 | 1 |
| 436 | Animal Models of Alcoholic Liver Disease. , 2016, , 103-119. | | 0 |
| 437 | Protective Effect of Green Tea Extract and EGCG on Ethanol-induced Cytotoxicity and DNA Damage in NIH/3T3 and HepG2 Cells. Han'gug Sigpum Wi'saeng Anjeonseong Haghoeji, 2016, 31, 1-7. | 0.1 | 0 |
| 438 | THE METHOD OF MODELLING OF EXPERIMENTAL THIOACETAMIDE LIVER DAMAGE IN RATS. Hepatology and Gastroenterology, 2020, 4, 90-95. | 0.1 | 1 |
| 439 | The protection of Anthrodia camphorata against acute hepatotoxicity of alcohol in rats. Journal of Food and Drug Analysis, 2003, 11, . | 0.9 | 1 |
| 440 | Perspectives in liver redox imbalance: Toxicological and pharmacological aspects underlying iron overloading, nonalcoholic fatty liver disease, and thyroid hormone action. BioFactors, 2022, 48, 400-415. | 2.6 | 44 |
| 442 | In situ detection of lipid peroxidation by-products in chronic liver diseases. Hepatology, 1997, 26, 135-142. | 3.6 | 75 |
| 443 | Role of transforming growth factor-[beta]1 in inhibiting endothelial cell proliferation in experimental alcoholic liver disease. American Journal of Pathology, 1996, 148, 739-47. | 1.9 | 9 |
| 445 | Alcohol, oxidative stress, and free radical damage. Alcohol Research, 2003, 27, 277-84. | 1.0 | 193 |
| 446 | Animal models of alcoholic liver disease--focus on the intragastric feeding model. Alcohol Research, 2003, 27, 325-30. | 1.0 | 21 |
| 447 | Scarring in alcoholic liver disease: new insights and emerging therapies. Alcohol Health and Research World, 1997, 21, 310-6. | 0.2 | 3 |
| 448 | Iron overload in alcoholic liver disease: underlying mechanisms, detrimental effects, and potential therapeutic targets. Cellular and Molecular Life Sciences, 2022, 79, 201. | 2.4 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 449 | Oxidative Stress and Redox Signaling in the Pathophysiology of Liver Diseases. , 2022, 12, 3167-3192. | | 17 |
| 451 | Oxidative Stress, Genomic Integrity, and Liver Diseases. Molecules, 2022, 27, 3159. | 1.7 | 27 |
| 452 | Ferroptosis in Chronic Liver Diseases: Opportunities and Challenges. Frontiers in Molecular Biosciences, 2022, 9, . | 1.6 | 12 |
| 454 | Advancements in the Alcohol-Associated Liver Disease Model. Biomolecules, 2022, 12, 1035. | 1.8 | 2 |
| 455 | The Role of Praziquantel in the Prevention and Treatment of Fibrosis Associated with Schistosomiasis: A Review. Journal of Tropical Medicine, 2022, 2022, 1-8. | 0.6 | 6 |
| 457 | Predictive risk markers in alcoholism. Advances in Clinical Chemistry, 2023, , 113-181. | 1.8 | 1 |
| 460 | Hepatic Iron Overload in Heavy Drinkers: Molecular Mechanisms and Relation to Hemolysis and Enhanced Red Blood Cell Turnover. , 2023, , 1075-1106. | | 0 |