

CITATION REPORT

List of articles citing

Neutralisation of TGF-beta 1 and TGF-beta 2 or exogenous addition of TGF-beta 3 to cutaneous rat wounds reduces scarring

DOI: 10.1242/jcs.108.3.985

Journal of Cell Science, 1995, 108, 985-1002.

Source: <https://exaly.com/paper-pdf/86715375/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
904	Control of scarring: critique II. 1995 , 4, 431-432		
903	Review of classic research:Control of scarring. 1995 , 4, 430-431		1
902	Transforming growth factor-beta 3 is required for secondary palate fusion. 1995 , 11, 409-14		785
901	Development of the Face and Palate. 1995 , 32, 522-523		3
900	Immunological InterrelationshipsWound Healing to Fibrosis. 1996 , 89, 294P-296P		1
899	Scar formation: the spectral nature of fetal and adult wound repair. 1996 , 97, 854-60		142
898	Transforming growth factors beta1, beta2, and beta3 and their receptors are differentially regulated during normal and impaired wound healing. 1996 , 271, 10188-93		276
897	Function of the type V transforming growth factor beta receptor in transforming growth factor beta-induced growth inhibition of mink lung epithelial cells. 1997 , 272, 18891-5		36
896	The interaction of the transforming growth factor-betas with heparin/heparan sulfate is isoform-specific. 1997 , 272, 18000-6		214
895	Transforming growth factor beta peptide antagonists and their conversion to partial agonists. 1997 , 272, 27155-9		35
894	Growth factors and wound healing. 1997 , 3, 499-528		
893	Acute and chronic animal models for excessive dermal scarring: quantitative studies. 1997 , 100, 674-81		200
892	Induction of subcutaneous tissue fibrosis in newborn mice by transforming growth factor beta-simultaneous application with basic fibroblast growth factor causes persistent fibrosis. 1997 , 237, 292-6		70
891	Wound healing--aiming for perfect skin regeneration. 1997 , 276, 75-81		3663
890	Transforming growth factor-beta isoform expression in human ovarian tumours. 1997 , 33, 2397-403		42
889	Mechanisms of tissue repair: from wound healing to fibrosis. 1997 , 29, 5-17		354
888	Transforming growth factor beta s and wound healing. 1997 , 29, 63-78		553

887	Therapeutic approaches to organ fibrosis. 1997 , 29, 79-89	95
886	The differential regulation and secretion of proteinases from fetal and neonatal fibroblasts by growth factors. 1997 , 29, 241-50	21
885	Myofibroblast persistence in fetal sheep wounds is associated with scar formation. 1997 , 32, 1017-21; discussion 1021-2	56
884	Scar wars: implications of fetal wound healing for the pediatric burn patient. 1997 , 12, 484-9	30
883	Effects of transforming growth factors on dopaminergic neurons in culture. 1997 , 30, 393-9	10
882	Transforming Growth Factor β : Pharmacological Properties and Physiological Functions. 1997 , 17, 109-117	1
881	Inhibition of protein tyrosine kinases attenuates increases in expression of transforming growth factor-beta isoforms and their receptors following arterial injury. 1997 , 17, 2461-70	49
880	TGF-beta3 stimulates and regulates collagen synthesis through TGF-beta1-dependent and independent mechanisms. 1997 , 108, 258-62	78
879	A molecular approach to bone regeneration. 1997 , 50, 369-73	8
878	Transforming growth factor-beta. 1997 , 83, 25-30	12
877	Role of fibroblast migration in collagen fiber formation during fetal and adult dermal wound healing. 1997 , 59, 1077-100	29
876	Expression of alpha-smooth muscle actin, TGF-beta 1 and TGF-beta type II receptor during connective tissue contraction. 1997 , 33, 622-7	9
875	Cytoskeleton regulates expression of genes for transforming growth factor-beta 1 and extracellular matrix proteins in dermal fibroblasts. 1997 , 172, 192-9	34
874	Characterization of a 60-kDa cell surface-associated transforming growth factor-beta binding protein that can interfere with transforming growth factor-beta receptor binding. 1997 , 173, 447-59	23
873	Cellular localisation of transforming growth factor-beta 2 and -beta 3 (TGF-beta2, TGF-beta3) in damaged and regenerating skeletal muscles. 1997 , 208, 278-89	38
872	Transforming growth factor-beta3 regulates transdifferentiation of medial edge epithelium during palatal fusion and associated degradation of the basement membrane. 1997 , 209, 255-60	141
871	Rapid genotyping of transforming growth factor beta1 gene polymorphisms in a UK Caucasoid control population using the polymerase chain reaction and sequence-specific primers. 1998 , 52, 573-8	26
870	Transforming growth factor-beta expression in otitis media with effusion. 1998 , 108, 1066-70	25

869	Endogenous inflammatory response to dermal wound healing in the fetal and adult mouse. 1998 , 212, 385-93	164
868	Role of transforming growth factor beta3 in lymphatic metastasis in breast cancer. 1998 , 79, 455-9	22
867	Procollagen-positive fibroblasts predominantly express fibrogenic growth factors and their receptors in human encapsulation process against foreign body. 1998 , 186, 201-8	15
866	TGF-beta receptor expression on human keratinocytes: a 150 kDa GPI-anchored TGF-beta1 binding protein forms a heteromeric complex with type I and type II receptors. 1998 , 70, 573-86	17
865	Transforming growth factor-beta receptor expression on human skin fibroblasts: dimeric complex formation of type I and type II receptors and identification of glycosyl phosphatidylinositol-anchored transforming growth factor-beta binding proteins. 1998 , 176, 553-64	21
864	Semiquantitative reverse transcription-polymerase chain reaction analysis of mRNA for growth factors and growth factor receptors from normal and healing rabbit medial collateral ligament tissue. 1998 , 16, 429-37	109
863	Signal transduction in wound pharmacology. 1998 , 21, 487-95	14
862	Control of fibroblast activity in scars: a review. 1998 , 21, 1-7	5
861	Changes in histology and fibrogenic cytokines in irradiated colorectum of two murine strains. 1998 , 42, 169-78	39
860	Transforming growth factor-beta (TGF-beta). 1998 , 30, 293-8	235
859	The role of apoptosis in wound healing. 1998 , 30, 1019-30	311
858	Angiogenesis in pathological and surgical scars. 1998 , 29, 1273-8	35
857	Stimulation of transforming growth factor beta1 by enteric bacteria in the pathogenesis of rat intestinal fibrosis. 1998 , 114, 519-26	77
856	TGF-beta: a balancing act. 1998 , 16, 553-80	106
855	Immunolocalization of prolyl 4-hydroxylase subunits, alpha-smooth muscle actin, and extracellular matrix components in human lens capsules with lens implants. 1998 , 66, 283-94	106
854	Cellular sources of transforming growth factor-beta isoforms in early and chronic radiation enteropathy. 1998 , 153, 1531-40	83
853	Neutralizing antibody to TGFβ modulates stromal fibrosis but not regression of photoablative effect following PRK. 1998 , 17, 736-747	106
852	Genetic analysis of a mammalian wound-healing trait. 1998 , 95, 11792-7	140

851	Tissue morphogenesis and regeneration by bone morphogenetic proteins. 1998 , 101, 227-39	61
850	Modulation of the activity of transforming growth factor beta. 1998 , 8, 1479-1486	1
849	The use of silicone occlusive sheeting (Sil-K) and silicone occlusive gel (Epiderm) in the prevention of hypertrophic scar formation. 1998 , 102, 1962-72	115
848	Normal human colonic subepithelial myofibroblasts enhance epithelial migration (restitution) via TGF-beta3. 1999 , 276, G1087-93	51
847	Effects of TGFbeta2 on collagen synthesis in cultured normal and wounded fetal mouse palates. 1999 , 36, 425-33	1
846	Specificity, diversity, and regulation in TGF-βsuperfamily signaling. 1999 , 13, 2105-2124	685
845	Characterization of a model of hydrocephalus in transgenic mice. 1999 , 91, 978-88	19
844	An active site of transforming growth factor-beta(1) for growth inhibition and stimulation. 1999 , 274, 27754-8	21
843	Cellular changes in denervated tissue during wound healing in a rat model. 1999 , 140, 1093-9	42
842	Animal model of sclerotic skin. I: Local injections of bleomycin induce sclerotic skin mimicking scleroderma. 1999 , 112, 456-62	307
841	A fully human antibody neutralising biologically active human TGFbeta2 for use in therapy. 1999 , 227, 17-29	39
840	Mathematical modelling of extracellular matrix dynamics using discrete cells: fiber orientation and tissue regeneration. 1999 , 199, 449-71	90
839	Photodynamic modulation of wound healing with BPD-MA and CASP. 1999 , 24, 375-81	20
838	Factors promoting tumor angiogenesis. 1999 , 17, 594-623	90
837	Anti-sclerotic effect of transforming growth factor-beta antibody in a mouse model of bleomycin-induced scleroderma. 1999 , 92, 6-13	107
836	TGF-beta1 alters the healing of cutaneous fetal excisional wounds. 1999 , 34, 695-700	53
835	Elevated platelet-derived growth factor-B in congenital cystic adenomatoid malformations requiring fetal resection. 1999 , 34, 805-9; discussion 809-10	55
834	Interferon-gamma inhibits the myofibroblastic phenotype of rat palatal fibroblasts induced by transforming growth factor-beta1 in vitro. 1999 , 442, 61-4	37

833	Cutaneous wound healing. 1999 , 341, 738-46	4433
832	Expression of TGF-beta 1, -beta 2 and -beta 3 in localized and systemic scleroderma. 1999 , 21, 13-22	90
831	TGF-beta3, but not TGF-beta1, protects keratinocytes against 12-O-tetradecanoylphorbol-13-acetate-induced cell death in vitro and in vivo. 1999 , 274, 4213-9	23
830	Active transforming growth factor-beta in wound repair: determination using a new assay. 1999 , 154, 105-11	89
829	Role of elevated plasma transforming growth factor-beta1 levels in wound healing. 1999 , 154, 1115-24	124
828	TGF-beta2 activates proliferative scar fibroblasts. 1999 , 82, 319-23	72
827	Exogenous transforming growth factor beta(2) modulates collagen I and collagen III synthesis in proliferative scar xenografts in nude rats. 1999 , 87, 194-200	70
826	On the nature of hypertrophic scars and keloids: a review. 1999 , 104, 1435-58	667
825	Characterization of a model of hydrocephalus in transgenic mice. 1999 , 7, E12	
824	Widening of scars: foe coaxed into a friend? The Millard technique revisited. 2000 , 106, 1488-93	36
823	Cellular signaling by tyrosine phosphorylation in keloid and normal human dermal fibroblasts. 2000 , 106, 1532-40	24
822	Transforming growth factor-beta1 expression in cultured corneal fibroblasts in response to injury. 2000 , 77, 186-99	42
821	Regulation of intestinal regeneration: new insights. 2000 , 51, 129-37	25
820	Adhesion formation can be reduced by the suppression of transforming growth factor-beta1 activity. 2000 , 18, 212-9	63
819	Delayed wound healing in immunodeficient TGF-beta 1 knockout mice. 2000 , 115, 3-11	149
818	Delayed wound healing in CXCR2 knockout mice. 2000 , 115, 234-44	290
817	Transforming growth factor-beta isoforms and glomerular injury in nephrotoxic nephritis. 2000 , 57, 2434-44	20
816	Incisional wound healing in transforming growth factor-beta1 null mice. 2000 , 8, 179-91	78

815	Early alteration in TGF-beta mRNA expression in irradiated rat liver. 2000 , 46, 639-43	36
814	Increased expression of transforming growth factor-beta1, acidic fibroblast growth factor, and basic fibroblast growth factor in fetal versus adult fibroblast cell lines. 2000 , 110, 616-9	13
813	A hole in the head. 2000 , 24, 330-1	10
812	Secretory leukocyte protease inhibitor mediates non-redundant functions necessary for normal wound healing. 2000 , 6, 1147-53	334
811	Osteoarthritis-like changes in the murine knee joint resulting from intra-articular transforming growth factor-beta injections. 2000 , 8, 25-33	249
810	Unravelling the secrets of foetal wound healing: an insight into fracture repair in the mouse foetus and perspectives for clinical application. 2000 , 53, 337-41	9
809	WOUND REPAIR: BASIC BIOLOGY TO TISSUE ENGINEERING. 2000 , 857-878	15
808	Lack of Interferon- γ Production Despite the Presence of Interleukin-18 During Cutaneous Wound Healing. 2000 , 6, 1016-1027	30
807	Mechanisms of fibroblast growth factor-2 modulation of vascular endothelial growth factor expression by osteoblastic cells. 2000 , 141, 2075-83	68
806	Modulating conjunctival wound healing. 2000 , 14 (Pt 3B), 536-47	60
805	Influence of transforming growth factor-beta3 on fibrous capsule formation around microgrooved subcutaneous implants in vivo. 2000 , 6, 505-17	17
804	Induction of endochondral bone formation by recombinant human transforming growth factor-beta2 in the baboon (<i>Papio ursinus</i>). 2000 , 17, 269-85	67
803	Promoted bone healing at a rabbit skull gap between autologous bone fragment and the surrounding intact bone with biodegradable microspheres containing transforming growth factor-beta1. 2000 , 6, 331-40	49
802	Bone formation at a rabbit skull defect by autologous bone marrow cells combined with gelatin microspheres containing TGF-beta1. 2000 , 11, 891-901	38
801	Suppression of keratin 15 expression by transforming growth factor beta in vitro and by cutaneous injury in vivo. 2000 , 254, 80-90	46
800	Modulation of endogenous Smad expression in normal skin fibroblasts by transforming growth factor-beta. 2000 , 258, 374-83	93
799	Differential expression of fibromodulin, a transforming growth factor-beta modulator, in fetal skin development and scarless repair. 2000 , 157, 423-33	156
798	TGF-beta in blood: a complex problem. 2000 , 11, 133-45	153

797	The role of the immune system in conjunctival wound healing after glaucoma surgery. 2000 , 45, 49-68	157
796	Myofibroblast induction with transforming growth factor-beta1 and -beta3 in cutaneous fetal excisional wounds. 2000 , 35, 183-7; discussion 187-8	44
795	Advances in wound care and healing technology. 2000 , 1, 269-75	59
794	Molecular and cell biology of skin wound healing in a pig model. 2000 , 41, 195-211	89
793	The significance of CD105, TGFbeta and CD105/TGFbeta complexes in coronary artery disease. 2000 , 152, 249-56	40
792	Glucocorticoid-regulated gene expression during cutaneous wound repair. 2000 , 59, 217-39	76
791	The transcriptional corepressor NAB2 blocks Egr-1-mediated growth factor activation and angiogenesis. 2001 , 283, 480-6	45
790	Chondrogenic differentiation of mesenchymal stem cells from bone marrow: differentiation-dependent gene expression of matrix components. 2001 , 268, 189-200	784
789	Down-regulation of decorin, a transforming growth factor-beta modulator, is associated with scarless fetal wound healing. 2001 , 36, 1666-71	76
788	Experimental model for transplantation of a modified free myocutaneous gracilis flap to an irradiated neck region in rats. 2001 , 30, 63-9	12
787	Reduction in corneal haze and apoptosis by amniotic membrane matrix in excimer laser photoablation in rabbits. 2001 , 27, 310-9	94
786	Differences in mesenchymal tissue repair. 2001 , S124-41	12
785	Trabeculectomy, risk factors for failure and the preoperative state of the conjunctiva. 2001 , 10, 237-49	212
784	Cytokines, growth factors, and plastic surgery. 2001 , 108, 719-33	93
783	Transforming growth factor-beta and connective tissue growth factor: key cytokines in scleroderma pathogenesis. 2001 , 13, 505-11	178
782	Ontogeny of expression of transforming growth factor-beta 1 (TGF-beta 1), TGF-beta 3, and TGF-beta receptors I and II in fetal rat fibroblasts and skin. 2001 , 107, 1787-94; discussion 1795-6	85
781	Ontogeny of Expression of Transforming Growth Factor- β 1 (TGF- β 1), TGF- β 3, and TGF- β Receptors I and II in Fetal Rat Fibroblasts and Skin. 2001 , 107, 1795-1796	13
780	Expression of mast cell growth modulating and chemotactic factors and their receptors in human cutaneous scars. 2001 , 116, 387-93	26

779	Improved airway healing using transforming growth factor beta-3 in a rabbit model. 2001 , 9, 44-9	30
778	Modeling the effects of transforming growth factor-beta on extracellular matrix alignment in dermal wound repair. 2001 , 9, 278-86	52
777	Neonatal rat cartilage has the capacity for tissue regeneration. 2001 , 9, 531-6	13
776	Effect of healing on the expression of transforming growth factor beta(s) and their receptors in chronic venous leg ulcers. 2001 , 117, 1282-9	81
775	Keratinocyte-derived growth factors play a role in the formation of hypertrophic scars. 2001 , 194, 207-16	114
774	Angiogenesis in breast cancer: the role of transforming growth factor beta and CD105. 2001 , 52, 437-49	72
773	Expression of recombinant extracellular domain of the type II transforming growth factor-beta receptor: utilization in a modified enzyme-linked immunoabsorbent assay to screen TGF-beta agonists and antagonists. 2001 , 290, 272-6	1
772	Fetal and adult human skin fibroblasts display intrinsic differences in contractile capacity. 2001 , 188, 211-22	54
771	Expression of transforming growth factor beta(1), beta(3), and basic fibroblast growth factor in full-thickness skin wounds of equine limbs and thorax. 2001 , 30, 269-77	96
770	Wound healing: biologic features and approaches to maximize healing trajectories. 2001 , 38, 72-140	222
769	Identification of the high affinity binding site in transforming growth factor-beta involved in complex formation with alpha 2-macroglobulin. Implications regarding the molecular mechanisms of complex formation between alpha 2-macroglobulin and growth factors, cytokines, and hormones. 2001 , 276, 46212-8	25
768	Identification of wound healing/regeneration quantitative trait loci (QTL) at multiple time points that explain seventy percent of variance in (MRL/MpJ and SJL/J) mice F2 population. 2001 , 11, 2027-33	66
767	Transforming growth factor and neutralizing antibodies in subglottic stenosis. 2001 , 110, 393-400	18
766	Cellular, biochemical, and clinical aspects of wound healing. 2002 , 3 Suppl 1, S23-35	49
765	The cellular proliferative phase of the wound repair process. 2002 , 11, 253-61	33
764	Physiologically low oxygen concentrations in fetal skin regulate hypoxia-inducible factor 1 and transforming growth factor-beta3. 2002 , 16, 411-3	64
763	Synthetic TGF-beta antagonist accelerates wound healing and reduces scarring. 2002 , 16, 1269-70	81
762	alpha 2-HS glycoprotein/fetuin, a transforming growth factor-beta/bone morphogenetic protein antagonist, regulates postnatal bone growth and remodeling. 2002 , 277, 19991-7	164

761	Matrix metalloproteinases and the ontogeny of scarless repair: the other side of the wound healing balance. 2002 , 110, 801-11	33
760	Differential expression of TGF-beta isoforms by normal and inflammatory bowel disease intestinal myofibroblasts. 2002 , 282, C172-82	114
759	Craniosynostosis and altered patterns of fetal TGF-beta expression induced by intrauterine constraint. 2002 , 109, 2338-46; discussion 2347-54	49
758	Further evidence for the role of fibrosis in the pathobiology of rhinophyma. 2002 , 48, 641-5	18
757	Wound remodelling and scarring. 2002 , 11, 296-9	33
756	Tamoxifen decreases fibroblast function and downregulates TGF(beta2) in dupuytren's affected palmar fascia. 2002 , 103, 146-52	75
755	Expression of TGFbeta2 but not TGFbeta1 correlates with the deposition of scar tissue in the lesioned spinal cord. 2002 , 20, 69-92	110
754	TGF-beta-3 promotes scarless repair of cleft lip in mouse fetuses. 2002 , 81, 688-94	29
753	The temporal course of adenovirus-mediated gene transfer in the rat larynx. 2002 , 126, 281-9	
752	Keloidal scars: a review with a critical look at therapeutic options. 2002 , 46, S63-97	149
751	Theoretical models of wound healing: past successes and future challenges. 2002 , 325, 557-64	77
750	Release of bioactive transforming growth factor beta(3) from microtextured polymer surfaces in vitro and in vivo. 2002 , 8, 853-61	12
749	TGF-beta isoform release and activation during in vitro bronchial epithelial wound repair. 2002 , 282, L115-23	59
748	Differential Gene Expression of Fibroblasts: Keloid versus Normal. 2002 , 3, 1162-1176	3
747	Genetic susceptibility to keloid disease and transforming growth factor beta 2 polymorphisms. 2002 , 55, 283-6	37
746	Beyond Mitomycin: TGF-beta and wound healing. 2002 , 21, 75-89	59
745	Transforming growth factor beta1 and beta2 (TGFbeta2 / TGFbeta2) profile changes in previously irradiated free flap beds. 2002 , 24, 33-41	30
744	Transforming growth factor-beta 1, 2, and 3 can inhibit epithelial tissue outgrowth on smooth and microgrooved substrates. 2002 , 60, 445-51	4

743	Transforming growth factor-beta isoforms differently stimulate proalpha2 (I) collagen gene expression during wound healing process in transgenic mice. 2002 , 190, 375-81	17
742	Transforming growth factors beta1, beta2 and beta3 and their receptors are differentially expressed in human peritoneal fibroblasts in response to hypoxia. 2002 , 48, 387-93	26
741	Normal scarring: importance of myofibroblasts. 2002 , 10, 86-92	45
740	Calcium: a potential central regulator in wound healing in the skin. 2002 , 10, 271-85	237
739	Transforming growth factor-beta levels during second- intention healing are related to the different course of wound contraction in horses and ponies. 2002 , 10, 188-94	53
738	Metallothioneins: potential therapeutic aids for wound healing in the skin. 2002 , 10, 130-32	73
737	Differential expression of urokinase-type plasminogen activator and plasminogen activator inhibitor-1 in early and late gestational mouse skin and skin wounds. 2002 , 10, 387-96	21
736	Apoptosis is a feature of TGF beta-induced cataract. 2002 , 85, 76-82	51
735	Preliminary observations on expression of transforming growth factors beta1 and beta3 in equine full-thickness skin wounds healing normally or with exuberant granulation tissue. 2002 , 31, 266-73	58
734	Temporal localization of immunoreactive transforming growth factor beta1 in normal equine skin and in full-thickness dermal wounds. 2002 , 31, 274-80	18
733	Regulation of heat shock protein 47 and type I procollagen expression in avian tendon cells. 2003 , 311, 373-82	21
732	Rapid denaturing high-performance liquid chromatography (DHPLC) for mutation scanning of the transforming growth factor beta3 gene using a novel proof-reading polymerase. 2003 , 30, 335-40	2
731	Pulmonary fibrosis: cellular and molecular events. 2003 , 53, 133-45	67
730	Regeneration of the ear after wounding in different mouse strains is dependent on the severity of wound trauma. 2003 , 226, 388-97	60
729	On the structural origin of refractive instability and corneal haze after excimer laser keratectomy for myopia. 2003 , 81, 6-20	5
728	Deletion of the homeobox gene PRX-2 affects fetal but not adult fibroblast wound healing responses. 2003 , 120, 135-44	22
727	Neutralization of hepatocyte growth factor leads to retarded cutaneous wound healing associated with decreased neovascularization and granulation tissue formation. 2003 , 120, 335-43	75
726	TGF-beta isoforms in renal fibrogenesis. 2003 , 64, 844-56	124

725	From scarless fetal wounds to keloids: molecular studies in wound healing. 2003 , 11, 411-8	61
724	Significance of angiogenesis in cancer therapy. 1998 , 85, 1044-55	36
723	Novel antisense oligonucleotides targeting TGF-beta inhibit in vivo scarring and improve surgical outcome. 2003 , 10, 59-71	153
722	Paracrine secretion of transforming growth factor-beta1 in aneurysm healing and stabilization with endovascular smooth muscle cell therapy. 2003 , 37, 1301-9	39
721	Cytokine manipulation of the wound. 2003 , 30, 57-65	42
720	Acute wound healing: the biology of acute wound failure. 2003 , 83, 463-81	94
719	Tissue engineering of flexor tendons. 2003 , 30, 565-72	44
718	Proliferative scarring. 2003 , 83, 557-69	44
717	Expression of transforming growth factor beta isoform mRNA in injured peritoneum that healed with adhesions and without adhesions and in uninjured peritoneum. 2003 , 80 Suppl 2, 708-13	28
716	Ontogenetic transition in fetal wound transforming growth factor-beta regulation correlates with collagen organization. 2003 , 163, 2459-76	106
715	Expression and regulation of tissue inhibitor of metalloproteinase-1 and matrix metalloproteinases by intestinal myofibroblasts in inflammatory bowel disease. 2003 , 162, 1355-60	154
714	Growth factors in cystic fibrosis - when more is not enough. 2003 , 4, 120-7	27
713	Effects of pico-tesla electromagnetic field treatment on wound healing in rats. 2003 , 64, 845-54	8
712	Can thermal lasers promote skin wound healing?. 2003 , 4, 1-12	149
711	Oral fibroblast expression of wound-inducible transcript 3.0 (wit3.0) accelerates the collagen gel contraction in vitro. 2003 , 278, 51527-34	18
710	Adenovirus-mediated gene transfer of transforming growth factor-beta3, but not transforming growth factor-beta1, inhibits constrictive remodeling and reduces luminal loss after coronary angioplasty. 2003 , 108, 2819-25	38
709	TGF-beta 3 decreases type I collagen and scarring after labioplasty. 2003 , 82, 558-64	43
708	Fatty acids modulate transforming growth factor-beta activity and plasma clearance. 2003 , 17, 1559-61	9

707	Soft tissue reaction to microgrooved poly-L-lactic acid implants loaded with transforming growth factor beta(3). 2003 , 9, 117-26		9
706	Krppel-like factor 4 (KLF4/GKLF) is a target of bone morphogenetic proteins and transforming growth factor beta 1 in the regulation of vascular smooth muscle cell phenotype. 2003 , 278, 11661-9		97
705	Differential injury responses in oral mucosal and cutaneous wounds. 2003 , 82, 621-6		259
704	Frontiers in Wound Healing. 2003 , 20, 70-79		0
703	In utero surgery for cleft lip/palate: minimizing the "Ripple Effect" of scarring. 2003 , 14, 504-11		17
702	Genetic susceptibility to keloid disease and hypertrophic scarring: transforming growth factor beta1 common polymorphisms and plasma levels. 2003 , 111, 535-43; discussion 544-6		81
701	Decreased expression of fibroblast and keratinocyte growth factor isoforms and receptors during scarless repair. 2003 , 111, 1969-79		50
700	Differential expression of transforming growth factors-beta 1, -beta 2, -beta 3 and the type I, II, III receptors in the lining epithelia of inflamed gingiva. 2003 , 35, 384-92		15
699	Regulation of wound healing by growth factors and cytokines. 2003 , 83, 835-70		2436
698	Fibroblast heterogeneity: more than skin deep. <i>Journal of Cell Science</i> , 2004 , 117, 667-75	53	342
697	Isoform-specific changes in scleral transforming growth factor-beta expression and the regulation of collagen synthesis during myopia progression. 2004 , 279, 18121-6		93
696	Insulin-dependent diabetes impairs the inflammatory response and delays angiogenesis following Achilles tendon injury. 2004 , 286, R952-7		58
695	Dermal fibroblast-associated gene induction by asiaticoside shown in vitro by DNA microarray analysis. 2004 , 151, 571-8		43
694	Spatial and temporal expression of types I and II receptors for transforming growth factor beta in normal equine skin and dermal wounds. 2004 , 33, 70-6		18
693	The fibroblast-populated collagen matrix as a model of wound healing: a review of the evidence. 2004 , 12, 134-47		123
692	Complex epithelial-mesenchymal interactions modulate transforming growth factor-beta expression in keloid-derived cells. 2004 , 12, 546-56		76
691	Differential proliferative response of fetal and adult human skin fibroblasts to transforming growth factor-beta. 2004 , 12, 374-83		38
690	Essential role of Smad3 in the inhibition of inflammation-induced PPARbeta/delta expression. 2004 , 23, 4211-21		69

689	Tissue-engineered trachea from sheep marrow stromal cells with transforming growth factor beta2 released from biodegradable microspheres in a nude rat recipient. 2004 , 128, 147-53	64
688	Novel opportunities in the treatment and prevention of scarring. 2004 , 8 Suppl 3, 32-6	24
687	Transforming growth factor-beta3-loaded microtextured membranes for skin regeneration in dermal wounds. 2004 , 70, 402-11	7
686	Wound healing and inflammation: embryos reveal the way to perfect repair. 2004 , 359, 777-84	211
685	Scar-free healing: from embryonic mechanisms to adult therapeutic intervention. 2004 , 359, 839-50	596
684	Parallels between tissue repair and embryo morphogenesis. 2004 , 131, 3021-34	425
683	Update on wound repair. 2004 , 3, 110-122	9
682	Hammerhead ribozyme targeting connective tissue growth factor mRNA blocks transforming growth factor-beta mediated cell proliferation. 2004 , 78, 1127-36	24
681	Role of chymase on growth of cultured canine Tenon's capsule fibroblasts and scarring in a canine conjunctival flap model. 2004 , 79, 111-8	27
680	Snail family members and cell survival in physiological and pathological cleft palates. 2004 , 265, 207-18	98
679	Of mice and dogs: species-specific differences in the inflammatory response following myocardial infarction. 2004 , 164, 665-77	297
678	Local administration of hepatocyte growth factor gene enhances the regeneration of dermis in acute incisional wounds. 2004 , 120, 47-55	57
677	Clinical implications of growth factors in flexor tendon wound healing. 2004 , 29, 551-63	122
676	TGF-beta-induced SMAD signaling and gene regulation: consequences for extracellular matrix remodeling and wound healing. 2004 , 35, 83-92	339
675	Anti-TGFbeta1 antibody for modulation of expression of endogenous transforming growth factor beta 1 to prevent fibrosis after plastic surgery in rats. 2004 , 42, 112-9	18
674	Cytokines and wound healing: the role of cytokine and anticytokine therapy in the repair response. 2004 , 25, 149-60	98
673	Flexor tendon wound healing in vitro: lactate up-regulation of TGF-beta expression and functional activity. 2004 , 113, 625-32	32
672	Suppression of transforming growth factor beta/smud signaling in keloid-derived fibroblasts by quercetin: implications for the treatment of excessive scars. 2004 , 57, 1032-7	78

671	Basement membrane and extracellular matrix molecules in the skin. 2005 , 129-151	1
670	Stiffness After Anterior Cruciate Ligament Reconstruction With Quadruple Hamstrings Graft: Etiology, Prevention, and Treatment. 2005 , 20, 323-327	
669	Hypertrophic scar fibroblasts have increased connective tissue growth factor expression after transforming growth factor-beta stimulation. 2005 , 116, 1387-90; discussion 1391-2	111
668	How the cornea heals: cornea-specific repair mechanisms affecting surgical outcomes. 2005 , 24, S2-S11	175
667	Use of the transforming growth factor-beta1 inhibitor peptide in periprosthetic capsular fibrosis: experimental model with tetraglycerol dipalmitate. 2005 , 116, 1370-8	39
666	Harnessing wound healing and regeneration for tissue engineering. 2005 , 33, 413-7	39
665	Motogenic substrata and chemokinetic growth factors for human skin cells. 2005 , 207, 67-78	7
664	Wound healing ability of <i>Xenopus laevis</i> embryos. II. Morphological analysis of wound marginal epidermis. 2005 , 47, 563-72	12
663	Accelerated re-epithelialization in beta3-integrin-deficient- mice is associated with enhanced TGF-beta1 signaling. 2005 , 11, 167-74	121
662	Ageing, science and the cosmetics industry. The micro-inflammatory model serves as a basis for developing effective anti-ageing products for the skin. 2005 , 6 Spec No, S45-8	14
661	Postoperative Crohn's disease. 2005 , 11, 765-77	43
660	Pinealectomy exaggerates and melatonin treatment suppresses neuroma formation of transected sciatic nerve in rats: gross morphological, histological and stereological analysis. 2005 , 38, 284-91	31
659	Ontogeny of expression of transforming growth factor-beta and its receptors and their possible relationship with scarless healing in human fetal skin. 2005 , 13, 68-75	64
658	The temporal effects of anti-TGF-beta1, 2, and 3 monoclonal antibody on wound healing and hypertrophic scar formation. 2005 , 201, 391-7	148
657	Genetic susceptibility to keloid disease: mutation screening of the TGFbeta3 gene. 2005 , 58, 914-21	36
656	Synthesis and biological activity of M6-P and M6-P analogs on fibroblast and keratinocyte proliferation. 2005 , 60, 721-5	2
655	Diminished transforming growth factor beta2 production leads to increased expression of a profibrotic procollagen alpha2 type I messenger RNA variant in embryonic fibroblasts of UCD-200 chickens, a model for systemic sclerosis. 2005 , 52, 1804-11	20
654	Smad3 signalling plays an important role in keloid pathogenesis via epithelial-mesenchymal interactions. 2005 , 207, 232-42	76

- 653 Abrogation of transforming growth factor-beta signaling by SMAD7 inhibits collagen gel contraction of human dermal fibroblasts. **2005**, 280, 21570-6 79
- 652 Transforming Growth Factor- β Induces Pleurodesis in Rabbits and Collagen Production of Human Mesothelial Cells. **2005**, 127, 1335-1340
- 651 The pathophysiology of wound repair. **2005**, 21, 1-13 46
- 650 Advances in the modulation of cutaneous wound healing and scarring. **2005**, 19, 363-81 58
- 649 The role of hyaluronic acid in wound healing: assessment of clinical evidence. **2005**, 6, 393-402 145
- 648 Effects of topical tranilast on corneal haze after photorefractive keratectomy. **2005**, 31, 1065-73 15
- 647 Cytokine gene expression in a murine wound healing model. **2005**, 31, 429-38 62
- 646 The role of transforming growth factor beta1 in the vascular system. **2005**, 14, 28-36 48
- 645 Intracardiac fibroblasts, but not bone marrow derived cells, are the origin of myofibroblasts in myocardial infarct repair. **2005**, 14, 241-6 71
- 644 Comparative effects of TGF-beta 1 and TGF-beta 2 on extracellular matrix production, proliferation, migration, and collagen contraction of human Tenon's capsule fibroblasts in pseudoexfoliation and primary open-angle glaucoma. **2005**, 80, 121-34 73
- 643 Experimental manipulation of transforming growth factor-beta isoforms significantly affects adhesion formation in a murine surgical model. **2005**, 167, 1005-19 53
- 642 Tissue regeneration using macrophage migration inhibitory factor-impregnated gelatin microbeads in cutaneous wounds. **2005**, 167, 1519-29 41
- 641 Similarities and differences between induced organ regeneration in adults and early foetal regeneration. **2005**, 2, 403-17 60
- 640 Genetic- or transforming growth factor-beta 1-induced changes in epidermal peroxisome proliferator-activated receptor beta/delta expression dictate wound repair kinetics. **2005**, 280, 18163-70 32
- 639 Topical treatments in equine wound management. **2005**, 21, 77-89, vi-vii 22
- 638 Pro-Inflammatory Cytokines and Cardiac Extracellular Matrix: Regulation of Fibroblast Phenotype. **2005**, 57-81 4
- 637 Emerging new drugs for scar reduction. **2006**, 11, 39-47 46
- 636 Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor beta3. **2006**, 43, 142-9 16

635	Emerging new drugs for wound repair. 2006 , 11, 23-37	30
634	The transforming growth factor-beta (TGF- β) family and pulmonary fibrosis. 2006 , 3, 99-103	13
633	Experimental models and high-throughput diagnostics for tissue regeneration. 2006 , 6, 1071-86	6
632	Immunohistochemical profile of transforming growth factor-beta1 and basic fibroblast growth factor in sciatic nerve anastomosis following pinealectomy and exogenous melatonin administration in rats. 2006 , 13, 753-8	11
631	Differential transcriptional responses of keloid and normal keratinocytes to serum stimulation. 2006 , 135, 156-63	22
630	Transforming growth factor-beta gene polymorphisms in sarcoidosis patients with and without fibrosis. 2006 , 129, 1584-91	67
629	Keloid pathogenesis and treatment. 2006 , 117, 286-300	427
628	Fetal and adult fibroblasts have similar TGF-beta-mediated, Smad-dependent signaling pathways. 2006 , 117, 2277-83	32
627	Down-regulating causes of fibrosis with tamoxifen: a possible cellular/molecular approach to treat rhinophyma. 2006 , 56, 301-5	27
626	The molecular biology of chronic wounds and delayed healing in diabetes. 2006 , 23, 594-608	399
625	Characterizing regeneration in the vertebrate ear. 2006 , 209, 439-46	40
624	Skin wounds in the MRL/MPJ mouse heal with scar. 2006 , 14, 81-90	46
623	Transforming growth factor-beta: a promising target for anti-stenosis therapy. 2001 , 19, 329-44	20
622	The effect of antibodies to TGF-beta1 and TGF-beta2 at a site of sciatic nerve repair. 2006 , 11, 286-93	27
621	Healing of large midline wounds in infants: unlike in adults, does conservative approach give better results? Two case reports and review of the literature. 2006 , 3, 248-50	
620	Phenotypic differences between oral and skin fibroblasts in wound contraction and growth factor expression. 2006 , 14, 172-8	63
619	Transforming growth factor-beta3 affects plasminogen activator inhibitor-1 expression in fetal mice and modulates fibroblast-mediated collagen gel contraction. 2006 , 14, 516-25	26
618	Administration of prednisolone phosphate-liposomes reduces wound contraction in a rat partial-thickness wound model. 2006 , 14, 602-7	9

617	Lessons learned from psoriatic plaques concerning mechanisms of tissue repair, remodeling, and inflammation. 2006 , 11, 16-29	55
616	Ocular delivery of nucleic acids: antisense oligonucleotides, aptamers and siRNA. 2006 , 58, 1203-23	114
615	[Hyperplastic scars and keloids. Part I: basics and prevention]. 2006 , 54, 893-904; quiz 905	30
614	Mechanobiology of tendon. 2006 , 39, 1563-82	619
613	Growth factors and cytokines: Emphasis on their role in wound healing and atherosclerosis. 2006 , 17, 13-20	6
612	Sustained release of nanosized complexes of polyethylenimine and anti-TGF-beta 2 oligonucleotide improves the outcome of glaucoma surgery. 2006 , 112, 369-81	79
611	Increased transcriptional response to mechanical strain in keloid fibroblasts due to increased focal adhesion complex formation. 2006 , 206, 510-7	59
610	A novel 'sandwich' assay for quantifying chemo-regulated cell migration within 3-dimensional matrices: wound healing cytokines exhibit distinct motogenic activities compared to the transmembrane assay. 2006 , 63, 287-300	21
609	Characteristics of the rat supraspinatus tendon during tendon-to-bone healing after acute injury. 2006 , 24, 541-50	235
608	Regenerative Medicine of Skin, Hair, Dental Tissues, and Cornea. 2006 , 63-88	
607	Immediate inflammatory response and scar formation in wounded vocal folds. 2006 , 115, 921-9	75
606	Repair of Skin Wounds by Fibrosis. 2006 , 21-39	
605	Mouse TCRalpha+CD8alpha intraepithelial lymphocytes express genes that down-regulate their antigen reactivity and suppress immune responses. 2007 , 178, 4230-9	106
604	Early fetal healing as a model for adult organ regeneration. 2007 , 13, 1789-98	33
603	Effect of combination therapy with enalapril and the TGF-beta antagonist 1D11 in unilateral ureteral obstruction. 2007 , 292, F1291-301	49
602	Transforming growth factor beta1 gene polymorphism 509C/T in deep infiltrating endometriosis. 2007 , 14, 367-73	11
601	In Vivo Synthesis of Tissues and Organs. 2007 , 219-238	3
600	In vitro analysis of transforming growth factor-beta1 inhibition in novel transgenic SBE-luciferase mice. 2007 , 59, 207-13	4

599	Effect of heparin on production of basic fibroblast growth factor and transforming growth factor-beta1 by human normal skin and hyperplastic scar fibroblasts. 2007 , 28, 734-41	12
598	Tgfb1 expressed in the Tgfb3 locus partially rescues the cleft palate phenotype of Tgfb3 null mutants. 2007 , 312, 384-95	47
597	Pathophysiology of acute wound healing. 2007 , 25, 9-18	733
596	Identification of peptide inhibitors of transforming growth factor beta 1 using a phage-displayed peptide library. 2007 , 39, 106-15	58
595	Differential expression of matrix metalloproteinases and tissue-derived inhibitors of metalloproteinase in fetal and adult skins. 2007 , 39, 997-1005	25
594	Recombinant human decorin inhibits cell proliferation and downregulates TGF-beta1 production in hypertrophic scar fibroblasts. 2007 , 33, 634-41	87
593	Rapid closure of midgestational excisional wounds in a fetal mouse model is associated with altered transforming growth factor-beta isoform and receptor expression. 2007 , 42, 966-71; discussion 971-3	16
592	Transforming growth factor beta (TGFbeta) and keloid disease. 2007 , 5, 278-85	94
591	Immunomodulator FTY720 induces myofibroblast differentiation via the lysophospholipid receptor S1P3 and Smad3 signaling. 2007 , 170, 281-92	76
590	Wound Repair. 2007 , 1149-1166	4
589	Electroporation-mediated plasmid gene transfer in rat incisional wound. 2007 , 47, 161-4	6
588	Tissue engineering of replacement skin: the crossroads of biomaterials, wound healing, embryonic development, stem cells and regeneration. 2007 , 4, 413-37	531
587	Transforming growth factor: beta signaling is essential for limb regeneration in axolotls. 2007 , 2, e1227	105
586	Rosiglitazone suppresses cyclosporin-induced chronic transplant dysfunction and prolongs survival of rat cardiac allografts. 2007 , 83, 1602-10	7
585	Elevation of transforming growth factor beta (TGFbeta) and its downstream mediators in subcutaneous foreign body capsule tissue. 2007 , 82, 498-508	30
584	Topical delivery of silver nanoparticles promotes wound healing. 2007 , 2, 129-36	625
583	Development of the supraspinatus tendon-to-bone insertion: localized expression of extracellular matrix and growth factor genes. 2007 , 25, 1621-8	95
582	Bioengineering skin using mechanisms of regeneration and repair. 2007 , 28, 5100-13	179

581	The inflammation-fibrosis link? A Jekyll and Hyde role for blood cells during wound repair. 2007 , 127, 1009-17	187
580	A role for TGF-beta1-induced cellular responses during wound healing of the non-scarring early human fetus?. 2007 , 127, 2656-67	65
579	Consequences of excessive scar formation: dealing with the problem and aiming for the future. 2007 , 15 Suppl 1, S2-5	11
578	Expression profile of proteins involved in scar formation in the healing process of full-thickness excisional wounds in the porcine model. 2007 , 15, 482-90	31
577	Creating thick linear scar by inserting a gelatin sponge into rat excisional wounds. 2007 , 15, 595-606	8
576	Keratinocyte regulation of TGF-beta and connective tissue growth factor expression: a role in suppression of scar tissue formation. 2007 , 15, 748-55	39
575	Basic fibroblast growth factor reduces scar formation in acute incisional wounds. 2007 , 15, 617-23	77
574	Live imaging of Smad2/3 signaling in mouse skin wound healing. 2007 , 15, 762-6	11
573	Activation of latent TGF-beta1 by low-power laser in vitro correlates with increased TGF-beta1 levels in laser-enhanced oral wound healing. 2007 , 15, 866-74	99
572	Differential gene expression in response to transforming growth factor-beta1 by fetal and postnatal dermal fibroblasts. 2007 , 15, 897-906	41
571	Endogenous growth factors as cosmeceuticals. 2007 , 20, 350-9	52
570	Interleukin-10 reduces scarring and enhances regeneration at a site of sciatic nerve repair. 2007 , 12, 269-76	47
569	Imbalance between activin A and follistatin drives postburn hypertrophic scar formation in human skin. 2007 , 16, 600-10	40
568	Computational selection and prioritization of candidate genes for fetal alcohol syndrome. 2007 , 8, 389	35
567	Temporal expression of the transforming growth factor-Beta pathway in the rabbit ear model of wound healing and scarring. 2007 , 205, 78-88	63
566	Differential cytokine activity and morphology during wound healing in the neonatal and adult rat skin. 2007 , 11, 1342-51	33
565	Optimizing healing of the acute wound by minimizing complications. 2007 , 44, 691-763	106
564	Wound healing. 2007 , 578-595	8

563	The presence of B-type natriuretic peptide in burns and the responsiveness of fibroblasts to BNP: proof of principle. 2007 , 14, 503-7	5
562	Effect of adenoviral mediated overexpression of fibromodulin on human dermal fibroblasts and scar formation in full-thickness incisional wounds. 2007 , 85, 481-96	50
561	Effects of bio-active ceramic resources in cutaneous wound healing and the role of TGF-beta signaling. 2007 , 295, 137-44	1
560	Application of cultured dermal substitute for amelioration of maxillary bone growth suppression after cleft palate operation in rats. 2008 , 11, 216-20	3
559	Spatiotemporal protein distribution of TGF-betas, their receptors, and extracellular matrix molecules during embryonic tendon development. 2008 , 237, 1477-89	68
558	Stretching the limits: stem cells in regeneration science. 2008 , 237, 3648-71	58
557	Cytokines and Chemokines. 2008 , 3-16	2
556	Cancer as an overhealing wound: an old hypothesis revisited. 2008 , 9, 628-38	653
555	Inhibitors of dipeptidyl peptidase IV-like activity mediate antifibrotic effects in normal and keloid-derived skin fibroblasts. 2008 , 128, 855-66	62
554	The oral mucosa: a model of wound healing with reduced scarring. 2008 , 1, 11-21	15
553	Differential effects of hyaluronan and its fragments on fibroblasts: relation to wound healing. 2008 , 16, 274-87	155
552	Expression of transforming growth factor beta isoforms and their roles in tendon healing. 2008 , 16, 399-407	65
551	Growth factors and cytokines in wound healing. 2008 , 16, 585-601	2178
550	Antisense inhibition of connective tissue growth factor (CTGF/CCN2) mRNA limits hypertrophic scarring without affecting wound healing in vivo. 2008 , 16, 661-73	77
549	Wound-healing gene family expression differences between fetal and foreskin cells used for bioengineered skin substitutes. 2008 , 32, 509-18	27
548	Scar treatments: preclinical and clinical studies. 2008 , 206, 719-30	100
547	New therapeutics for the prevention and reduction of scarring. 2008 , 13, 973-81	62
546	Subpopulations of fetal-like gingival fibroblasts: characterisation and potential significance for wound healing and the progression of periodontal disease. 1996 , 2, 155-66	79

545	Novel therapies for scar reduction and regenerative healing of skin wounds. 2008 , 26, 173-80	169
544	Gene transfer and living release of transforming growth factor-beta3 for cartilage tissue engineering applications. 2008 , 14, 273-80	24
543	Prevention and reduction of scarring in the skin by Transforming Growth Factor beta 3 (TGFbeta3): from laboratory discovery to clinical pharmaceutical. 2008 , 19, 1047-63	105
542	Progressive pulmonary fibrosis is mediated by TGF-beta isoform 1 but not TGF-beta3. 2008 , 40, 484-95	116
541	The mechanism of skin graft contraction: an update on current research and potential future therapies. 2008 , 34, 153-63	119
540	Calreticulin enhances porcine wound repair by diverse biological effects. 2008 , 173, 610-30	77
539	Adenoviral overexpression and small interfering RNA suppression demonstrate that plasminogen activator inhibitor-1 produces elevated collagen accumulation in normal and keloid fibroblasts. 2008 , 173, 1311-25	32
538	Expression of transforming growth factor-beta1 and connective tissue growth factor in the capsule in a rat immobilized knee model. 2008 , 113, 221-34	30
537	Molecular mechanisms linking wound inflammation and fibrosis: knockdown of osteopontin leads to rapid repair and reduced scarring. 2008 , 205, 43-51	220
536	Collagen fibril formation. A new target to limit fibrosis. 2008 , 283, 25879-86	50
535	Avotermin: a novel antiscarring agent. 2008 , 7, 160-8	28
534	Collagen I promotes epithelial-to-mesenchymal transition in lung cancer cells via transforming growth factor-beta signaling. 2008 , 38, 95-104	189
533	TGF-beta3: A promising growth factor in engineered organogenesis. 2008 , 8, 1485-93	23
532	Scars: a review of emerging and currently available therapies. 2008 , 122, 1068-1078	92
531	Delayed wound healing in elderly people. 2009 , 19, 171-184	4
530	Loss of dioxin-receptor expression accelerates wound healing in vivo by a mechanism involving TGFbeta. <i>Journal of Cell Science</i> , 2009 , 122, 1823-33	53 53
529	Cutaneous scarring: a clinical review. 2009 , 2009, 625376	16
528	Light-Based Systems to Promote Wound Healing. 2009 , 369-380	

527	Increased oral fibroblast lifespan is telomerase-independent. 2009 , 88, 916-21	22
526	Expression of integrin alphavbeta6 and TGF-beta in scarless vs scar-forming wound healing. 2009 , 57, 543-57	85
525	TGF-beta's delay skeletal muscle progenitor cell differentiation in an isoform-independent manner. 2009 , 315, 373-84	58
524	Wound-healing modulation in upper airway stenosis-Myths and facts. 2009 , 31, 111-26	63
523	Distribution of TGF-beta isoforms and signaling intermediates in corneal fibrotic wound repair. 2009 , 108, 476-88	24
522	CD44 deficiency improves healing tendon mechanics and increases matrix and cytokine expression in a mouse patellar tendon injury model. 2009 , 27, 1386-91	29
521	Keloid scarring: bench and bedside. 2009 , 301, 259-72	152
520	Transforming growth factor-(beta)s and mammary gland involution; functional roles and implications for cancer progression. 2009 , 14, 131-44	60
519	[Bases and methods of suturing]. 2009 , 80, 437-44, 446-7	3
518	Troglitazone suppresses transforming growth factor-beta1-induced collagen type I expression in keloid fibroblasts. 2009 , 160, 762-70	34
517	Attenuation of Flightless I, an actin-remodelling protein, improves burn injury repair via modulation of transforming growth factor (TGF)-beta1 and TGF-beta3. 2009 , 161, 326-36	37
516	Adenovirus-mediated gene transfer of fibromodulin inhibits neointimal hyperplasia in an organ culture model of human saphenous vein graft disease. 2009 , 16, 1154-62	24
515	Cell permeant peptide analogues of the small heat shock protein, HSP20, reduce TGF-beta1-induced CTGF expression in keloid fibroblasts. 2009 , 129, 590-8	47
514	Accelerated closure of skin wounds in mice deficient in the homeobox gene Msx2. 2009 , 17, 639-48	25
513	Modulation of scarring in a liquid environment in the Yorkshire pig. 2009 , 17, 806-16	26
512	TGF-beta3 and cancer: a review. 2009 , 20, 305-17	64
511	Potential cellular and molecular causes of hypertrophic scar formation. 2009 , 35, 15-29	267
510	Prevention and curative management of hypertrophic scar formation. 2009 , 35, 463-75	184

509	Retinal and choroidal TGF-beta in the tree shrew model of myopia: isoform expression, activation and effects on function. 2009 , 88, 458-66	59
508	The linker region of Smad2 mediates TGF-beta-dependent ERK2-induced collagen synthesis. 2009 , 386, 289-93	41
507	Keloid scarring: new treatments ahead. 2009 , 100 Suppl 2, 75-83	32
506	Scar and contracture: biological principles. 2009 , 25, 511-28	54
505	Fetal skin wound healing. 2009 , 48, 137-61	75
504	Transforming growth factor beta1 signalling, wound healing and repair: a multifunctional cytokine with clinical implications for wound repair, a delicate balance. 2009 , 85, 9-14	99
503	Prophylactic administration of avotermin for improvement of skin scarring: three double-blind, placebo-controlled, phase I/II studies. 2009 , 373, 1264-74	224
502	Wound healing: from embryos to adults and back again. 2009 , 373, 1226-8	5
501	Regulation of scleral cell contraction by transforming growth factor-beta and stress: competing roles in myopic eye growth. 2009 , 284, 2072-9	32
500	Avotermin for the improvement of scar appearance: a new pharmaceutical in a new therapeutic area. 2009 , 18, 1231-9	26
499	A new approach for the prophylactic improvement of surgical scarring: avotermin (TGF beta 3). 2009 , 36, 307-13, viii	5
498	The connexin43 carboxyl-terminal peptide ACT1 modulates the biological response to silicone implants. 2009 , 123, 1440-1451	40
497	A novel TGF-beta antagonist speeds reepithelialization and reduces scarring of partial thickness porcine burns. 2009 , 30, 329-34	35
496	Discussion. 2009 , 123, 149-151	24
495	Artificial biomaterials for urological tissue engineering. 2009 , 243-254	3
494	Lessons from the Mexican axolotl: amphibian limb regeneration and its impact on plastic surgery. 2010 , 125, 260e-261e	1
493	Scarless fetal wound healing: a basic science review. 2010 , 126, 1172-1180	308
492	Surface modification of silicone breast implants by binding the antifibrotic drug halofuginone reduces capsular fibrosis. 2010 , 126, 266-274	39

491	Applying amphibian limb regeneration to human wound healing: a review. 2010 , 65, 504-10	11
490	Scar-improving efficacy of avotermin administered into the wound margins of skin incisions as evaluated by a randomized, double-blind, placebo-controlled, phase II clinical trial. 2010 , 126, 1604-1615	36
489	Differences in wound contraction between horses and ponies: the in vitro contraction capacity of fibroblasts. 2001 , 33, 499-505	29
488	Effect of the inhibitor peptide of the transforming growth factor beta (p144) in a new silicone pericapsular fibrotic model in pigs. 2010 , 34, 430-7	12
487	Genetics of keloid scarring. 2010 , 302, 319-39	175
486	Effect of transforming growth factor-beta1 antisense oligonucleotides on matrix metalloproteinases and their inhibitors in keloid fibroblasts. 2010 , 143, 66-71	4
485	Increased expression of collagens, transforming growth factor-beta1, and -beta3 in gluteal muscle contracture. 2010 , 11, 15	17
484	Endothelin 1 contributes to the effect of transforming growth factor beta1 on wound repair and skin fibrosis. 2010 , 62, 878-89	63
483	Continuous supply of TGFβ via adenoviral vector promotes type I collagen and viability of fibroblasts in alginate hydrogel. 2010 , 4, 497-504	9
482	Molecular dissection of abnormal wound healing processes resulting in keloid disease. 2010 , 18, 139-53	168
481	Occlusion regulates epidermal cytokine production and inhibits scar formation. 2010 , 18, 235-44	48
480	Fetal tendon wound size modulates wound gene expression and subsequent wound phenotype. 2010 , 18, 543-9	14
479	Induction of bone formation by transforming growth factor-beta2 in the non-human primate <i>Papio ursinus</i> and its modulation by skeletal muscle responding stem cells. 2010 , 43, 207-18	25
478	Attenuation of the transforming growth factor beta-signaling pathway in chronic venous ulcers. 2010 , 16, 92-101	103
477	The Fetal Wound. 2010 , 45-49	
476	The myofibroblast in connective tissue repair and regeneration. 2010 , 39-80	6
475	Therapies with emerging evidence of efficacy: avotermin for the improvement of scarring. 2010 , 2010,	12
474	Cellular and Molecular Characteristics of Scarless versus Fibrotic Wound Healing. 2010 , 2010, 790234	63

473	Effects of avotermin (transforming growth factor β) in a clinically relevant pig model of long, full-thickness incisional wounds. 2010 , 14, 223-32	5
472	Ternary complex of transforming growth factor-beta1 reveals isoform-specific ligand recognition and receptor recruitment in the superfamily. 2010 , 285, 14806-14	107
471	Twenty-five years of active laser prevention of scars: what have we learned?. 2010 , 12, 227-34	31
470	Recent advances in dermal wound healing: biomedical device approaches. 2010 , 7, 143-54	53
469	TGF- β in wound healing: a review. 2010 , 19, 403-6	37
468	Role of TGF-betas in normal human endometrium and endometriosis. 2010 , 25, 101-9	115
467	Breast augmentation: Part II--Adverse capsular contracture. 2010 , 63, 2098-107	55
466	Wound healing primer. 2010 , 90, 1133-46	46
465	Longitudinal changes in plasma Transforming growth factor beta-1 and post-burn scarring in children. 2010 , 36, 89-96	18
464	Translational lessons from scarless healing of cutaneous wounds and regenerative repair of the myocardium. 2010 , 48, 550-7	36
463	Peritoneal concentrations of transforming growth factor beta in horses with colic. 2010 , 42, 451-5	5
462	A review of tissue-engineered skin bioconstructs available for skin reconstruction. 2010 , 7, 229-58	460
461	Small cytoskeleton-associated molecule, fibroblast growth factor receptor 1 oncogene partner 2/wound inducible transcript-3.0 (FGFR1OP2/wit3.0), facilitates fibroblast-driven wound closure. 2010 , 176, 108-21	21
460	Wound Healing. 2010 , 1-27	10
459	[Thermal lasers and skin cicatrization]. 2010 , 26, 89-94	4
458	Topical delivery of mesenchymal stem cells and their function in wounds. 2010 , 1, 30	83
457	Calcium-phosphate matrix with or without TGF- β improves tendon-bone healing after rotator cuff repair. 2011 , 39, 811-9	124
456	Skin Tissue Engineering. 2011 , 467-499	8

455	Skin: histology and physiology of wound healing. 2011 , 19, 441-53	80
454	The Role of the Myofibroblast in Fibrosis and Cancer Progression. 2011 , 37-74	5
453	Biologic Foundations for Skeletal Tissue Engineering. 2011 , 3, 1-220	8
452	Inflammation and wound healing. 2011 , 24, 26-38	18
451	Cyclic mechanical stretch reduces myofibroblast differentiation of primary lung fibroblasts. 2011 , 404, 23-7	55
450	Wound-induced TGF- β 1 and TGF- β 2 enhance airway epithelial repair via HB-EGF and TGF- β 3 2011 , 412, 109-14	18
449	Macrophages in skin injury and repair. 2011 , 216, 753-62	484
448	A combined candidate therapy for the scar-free repair of cleft lip based on inhibitors of TGF- β 1 2011 , 76, 86-8	7
447	The role of transforming growth factor beta isoforms in tendon-to-bone healing. 2011 , 52, 87-98	73
446	MicroRNA epigenetics: a new avenue for wound healing research. 2011 , 25, 27-41	19
445	Inflammatory regulation of valvular remodeling: the good(?), the bad, and the ugly. 2011 , 2011, 721419	27
444	Materials in Tendon and Ligament Repair. 2011 , 257-279	5
443	Scarless Wound Healing. 2011 , 103-127	1
442	Avotermin for scar improvement following scar revision surgery: a randomized, double-blind, within-patient, placebo-controlled, phase II clinical trial. 2011 , 128, 163-172	79
441	Diathermy or surgical scalpel for abdominal skin incisions: what is the impact on clinical practice?. 2011 , 253, 14-5	
440	Laser treatment of facial scars. 2011 , 19, 283-8	7
439	Avotermin: emerging evidence of efficacy for the improvement of scarring. 2011 , 450-460	
438	Hypertrophic scarring and keloids: pathomechanisms and current and emerging treatment strategies. 2011 , 17, 113-25	797

437	A synthetic gene increases TGF β accumulation by 75-fold in tobacco chloroplasts enabling rapid purification and folding into a biologically active molecule. 2011 , 9, 618-28	27
436	Strategies for prevention of scars: what can we learn from fetal skin?. 2011 , 50, 85-93	104
435	A preliminary study on the effect of wounding on transforming growth factor- β and cartilage oligomeric matrix protein concentrations in the skin of horses. 2011 , 40, 59-65	1
434	Novel therapeutic approaches for pulmonary fibrosis. 2011 , 163, 141-72	140
433	New potential antiscarring approaches. 2011 , 19 Suppl 1, s22-31	7
432	Discovery and development of avotermin (recombinant human transforming growth factor beta 3): a new class of prophylactic therapeutic for the improvement of scarring. 2011 , 19 Suppl 1, s38-48	61
431	The use of noncellularized artificial dermis in the prevention of scar contracture and hypertrophy. 2011 , 19 Suppl 1, s49-58	12
430	The reinnervation and revascularisation pattern of scarless murine fetal wounds. 2011 , 218, 660-7	10
429	The evidence for the role of transforming growth factor-beta in the formation of abnormal scarring. 2011 , 8, 218-23	39
428	Modulatory effect of a complex fraction derived from colostrum on fibroblast contractibility and consequences on repair tissue. 2011 , 8, 280-90	5
427	Effects of enamel matrix derivative on periodontal wound healing in an inflammatory environment in vitro. 2011 , 38, 479-90	35
426	The novel use of decorin in prevention of the development of proliferative vitreoretinopathy (PVR). 2011 , 249, 1649-60	28
425	Low-level laser therapy (LLLT; 780 nm) acts differently on mRNA expression of anti- and pro-inflammatory mediators in an experimental model of collagenase-induced tendinitis in rat. 2011 , 26, 85-94	99
424	Transient supplementation of anabolic growth factors rapidly stimulates matrix synthesis in engineered cartilage. 2011 , 39, 2491-500	30
423	Advances in tenascin-C biology. 2011 , 68, 3175-99	224
422	Effect of transforming growth factor beta 1 (TGF-beta 1) on nitric oxide production and lipid peroxidation in oral mucosal wound healing. 2011 , 20, 23-28	15
421	Deconstructing fibrosis research: do pro-fibrotic signals point the way for chronic dermal wound regeneration?. 2011 , 5, 301-15	29
420	Ski, a modulator of wound healing and scar formation in the rat skin and rabbit ear. 2011 , 223, 659-71	41

419	Transforming growth factor- β regulates assembly of a non-fibrotic matrix in a 3D corneal model. 2011 , 5, e228-38	83
418	Prevention of buccal mucosa scarring with transforming growth factor β . 2011 , 121, 1404-9	15
417	Sustained delivery of transforming growth factor beta three enhances tendon-to-bone healing in a rat model. 2011 , 29, 1099-105	128
416	Cytokine expression in muscle following traumatic injury. 2011 , 29, 1613-20	44
415	The effect of melatonin and platelet gel on sciatic nerve repair: an electrophysiological and stereological study. 2011 , 31, 306-13	28
414	Looking proximally and distally: 100 years of limb regeneration and beyond. 2011 , 240, 943-68	95
413	Treatment of colitis with a commensal gut bacterium engineered to secrete human TGF- β under the control of dietary xylan 1. 2011 , 17, 1925-35	61
412	Effects of p-CREB-1 on transforming growth factor- β auto-regulation in hepatic stellate cells. 2011 , 112, 1046-54	13
411	Randomized phase II clinical trial of avotermin versus placebo for scar improvement. 2011 , 98, 925-34	33
410	Role of toll-like receptor 4 in the inflammation reaction surrounding silicone prosthesis. 2011 , 7, 2047-52	8
409	Lasers in the treatment of acne scars. 2011 , 6, 45-60	2
408	Long-term topical antiglaucoma medications cause enhanced Tenon's capsule fibroblast proliferation and abnormal TGF- β and MMP expressions: potential effects on glaucoma filtering surgery. 2011 , 36, 301-9	20
407	Modulation of collagen and keratin synthesis in co-cultures of fibroblasts and keratinocytes on hyaluronan-coated polysulfone membranes. 2011 , 26, 71-88	6
406	Role of growth factors in rotator cuff healing. 2011 , 19, 218-26	40
405	Photoactivated composite biomaterial for soft tissue restoration in rodents and in humans. 2011 , 3, 93ra67	77
404	Scarring and scarless wound healing. 2011 , 77-111	2
403	Diminished type III collagen promotes myofibroblast differentiation and increases scar deposition in cutaneous wound healing. 2011 , 194, 25-37	153
402	CARDINAL REGENERATIVE FEATURES OF THE MRL MOUSE [AN UPDATE]. 2011 , 06, 51-70	

401	The evolving role of avotermin in scar prevention. 2011 , 6, 149-152	
400	Biologicals and fetal cell therapy for wound and scar management. 2011 , 2011, 549870	18
399	Delayed wound closure in fibromodulin-deficient mice is associated with increased TGF- β signaling. 2011 , 131, 769-78	44
398	Regulation of focal adhesions by flightless i involves inhibition of paxillin phosphorylation via a Rac1-dependent pathway. 2011 , 131, 1450-9	32
397	Peptide and Protein Application in Tissue Repair and Regeneration. 2011 , 291-311	1
396	Differential expression of wound fibrotic factors between facial and trunk dermal fibroblasts. 2012 , 53, 349-54	3
395	Deep dermal fibroblasts refractory to migration and decorin-induced apoptosis contribute to hypertrophic scarring. 2012 , 33, 668-77	49
394	Fetal wound healing: implications for minimal scar formation. 2012 , 24, 371-8	77
393	Prospective ex-vivo study on thermal effects in human skin phototypes II, IV and VI: a comparison between the 808, 1064, 1210 and 1320-nm diode laser. 2012 , 14, 7-13	5
392	Update on Keloid Management: Clinical and Basic Science Advances. 2012 , 1, 200-206	17
391	A review of fetal scarless healing. 2012 , 2012, 698034	59
390	New strategies in clinical care of skin wound healing. 2012 , 49, 16-23	19
389	Acute and impaired wound healing: pathophysiology and current methods for drug delivery, part 2: role of growth factors in normal and pathological wound healing: therapeutic potential and methods of delivery. 2012 , 25, 349-70	123
388	Reduced decorin, fibromodulin, and transforming growth factor- β in deep dermis leads to hypertrophic scarring. 2012 , 33, 218-27	48
387	Repair of Skin by Fibrosis. 2012 , 21-42	4
386	Scarless integumentary wound healing in the mammalian fetus: molecular basis and therapeutic implications. 2012 , 96, 223-36	26
385	Elastin signaling in wound repair. 2012 , 96, 248-57	83
384	Wound healing in development. 2012 , 96, 213-22	23

383	Embryonic wound healing: a primer for engineering novel therapies for tissue repair. 2012 , 96, 258-70	25
382	Concise review: role of mesenchymal stem cells in wound repair. 2012 , 1, 142-9	500
381	The complex dialogue between (myo)fibroblasts and the extracellular matrix during skin repair processes and ageing. 2012 , 60, 20-7	63
380	Studies in flexor tendon reconstruction: biomolecular modulation of tendon repair and tissue engineering. 2012 , 37, 552-61	25
379	Cutaneous scarring: Pathophysiology, molecular mechanisms, and scar reduction therapeutics Part I. The molecular basis of scar formation. 2012 , 66, 1-10; quiz 11-2	141
378	Smad ubiquitination regulatory factor 2 expression is enhanced in hypertrophic scar fibroblasts from burned children. 2012 , 38, 236-46	22
377	Skin regeneration scaffolds: a multimodal bottom-up approach. 2012 , 30, 638-48	197
376	Scar-free wound healing and regeneration following tail loss in the leopard gecko, <i>Eublepharis macularius</i> . 2012 , 295, 1575-95	70
375	Wound healing. 2012 , 325-338	
374	Wound healing in mammals and amphibians: toward limb regeneration in mammals. 2013 , 367, 33-49	35
373	Skin: histology and physiology of wound healing. 2012 , 39, 85-97	78
372	Effect of orientation and density of nanotopography in dermal wound healing. 2012 , 33, 8782-92	102
371	The reinnervation pattern of wounds and scars after treatment with transforming growth factor β isoforms. 2012 , 65, e80-6	14
370	Initial attachment, subsequent cell proliferation/viability and gene expression of epithelial cells related to attachment and wound healing in response to different titanium surfaces. 2012 , 28, 1207-14	53
369	Tissue engineering for the oncologic urinary bladder. 2012 , 9, 561-72	38
368	The super super-healing MRL mouse strain. 2012 , 7, 522-538	49
367	Wound healing primer. 2012 , 24, 165-78	3
366	Regenerative Medicine of Epidermal Structures. 2012 , 261-284	

365	Transforming growth factor Beta 3 is required for excisional wound repair in vivo. 2012 , 7, e48040	51
364	Novel Model for Keratoconus Disease. 2012 , 3, 760-775	49
363	Transforming growth factor β for the prevention of vocal fold scarring. 2012 , 122, 583-9	27
362	Clinical and molecular effects on mature burn scars after treatment with a fractional CO(2) laser. 2012 , 44, 517-24	100
361	Impaired cutaneous wound healing in transforming growth factor- β inducible early gene1 knockout mice. 2012 , 20, 166-77	15
360	Common features of optimal collagen scaffolds that disrupt wound contraction and enhance regeneration both in peripheral nerves and in skin. 2012 , 33, 4783-91	99
359	Crocodile oil enhances cutaneous burn wound healing and reduces scar formation in rats. 2012 , 19, 265-73	24
358	Inhibition of collagen fibril formation. 2012 , 5, S29	20
357	Human dental pulp stem cells expressing transforming growth factor β transgene for cartilage-like tissue engineering. 2013 , 15, 712-25	30
356	Lessons from developmental biology for regenerative medicine. 2013 , 99, 149-59	6
355	Critical Role of Transforming Growth Factor Beta in Different Phases of Wound Healing. 2013 , 2, 215-224	291
354	Dynamics of Transforming Growth Factor Beta Signaling in Wound Healing and Scarring. 2013 , 2, 195-214	150
353	Transforming growth factor- β (TGF- β) knock-in ameliorates inflammation due to TGF- β deficiency while promoting glucose tolerance. 2013 , 288, 32074-92	26
352	The myofibroblast matrix: implications for tissue repair and fibrosis. 2013 , 229, 298-309	399
351	A Paradigm of Fibroblast Activation and Dermal Wound Contraction to Guide the Development of Therapies for Chronic Wounds and Pathologic Scars. 2013 , 2, 149-159	17
350	Structure-function relationships of postnatal tendon development: a parallel to healing. 2013 , 32, 106-16	76
349	Extract of <i>Aneilema keisak</i> inhibits transforming growth factor- β -dependent signalling by inducing Smad2 downregulation in keloid fibroblasts. 2013 , 22, 69-71	10
348	Cutaneous wound healing: recruiting developmental pathways for regeneration. 2013 , 70, 2059-81	284

347	Transdermal siRNA-TGF β -337 patch for hypertrophic scar treatment. 2013 , 32, 265-76	23
346	The molecular mechanism of hypertrophic scar. 2013 , 7, 239-52	90
345	Effects of resolvin D1 on cell survival and cytokine expression of human gingival fibroblasts. 2013 , 84, 1838-46	15
344	Inflammation and Wound Healing. 2013 , 39-56	1
343	Wound healing and the role of fibroblasts. 2013 , 22, 407-8, 410-12	261
342	Topical application of recombinant type VII collagen incorporates into the dermal-epidermal junction and promotes wound closure. 2013 , 21, 1335-44	44
341	TGF- β modulates the inflammatory environment and reduces scar formation following vocal fold mucosal injury in rats. 2014 , 7, 83-91	58
340	The principles of wound healing. 2013 , 8, 639-658	3
339	Modifying muscular dystrophy through transforming growth factor- β 2013 , 280, 4198-209	40
338	Regeneration and control of human fibroblast cell density by intermittently delivered pulsed electric fields. 2013 , 110, 1759-68	16
337	Transgenic mice overexpressing CD109 in the epidermis display decreased inflammation and granulation tissue and improved collagen architecture during wound healing. 2013 , 21, 235-46	19
336	Musculoskeletal regeneration and its implications for the treatment of tendinopathy. 2013 , 94, 293-303	23
335	Strategies Demonstrating Efficacy in Reducing Wound Contraction. 2013 , 2, 167-175	22
334	The role of wound healing and its everyday application in plastic surgery: a practical perspective and systematic review. 2013 , 1,	27
333	Superficial Dermal and Fascial Fibromatoses. 2014 , 1967-1981	
332	Fibromodulin-deficiency alters temporospatial expression patterns of transforming growth factor- β ligands and receptors during adult mouse skin wound healing. 2014 , 9, e90817	22
331	In Vivo Synthesis of Tissues and Organs. 2014 , 325-355	4
330	Pre- and post-operative management of dental implant placement. Part 2: management of early-presenting complications. 2014 , 217, 171-6	12

329	An application of embryonic skin cells to repair diabetic skin wound: a wound reparation trail. 2014 , 239, 1630-7	2
328	Wound healing process and mediators: Implications for modulations for hernia repair and mesh integration. 2014 , 102, 295-302	23
327	Mannose-6-phosphate facilitates early peripheral nerve regeneration in thy-1-YFP-H mice. 2014 , 279, 23-32	5
326	Macrophage depletion reduces cell proliferation and extracellular matrix accumulation but increases the ultimate tensile strength of injured Achilles tendons. 2014 , 32, 279-85	31
325	Altered TGF- β signaling in fetal fibroblasts: what is known about the underlying mechanisms?. 2014 , 22, 3-13	41
324	Topical photodynamic therapy following excisional wounding of human skin increases production of transforming growth factor- β and matrix metalloproteinases 1 and 9, with associated improvement in dermal matrix organization. 2014 , 171, 55-62	23
323	TGF- β expression in wound healing is acutely affected by experimental malnutrition and early enteral feeding. 2014 , 11, 533-9	13
322	Scar prevention and remodeling: a review of the medical, surgical, topical and light treatment approaches. 2014 , 53, 922-36	45
321	Momordica charantia ointment accelerates diabetic wound healing and enhances transforming growth factor- β expression. 2014 , 23, 400, 402, 404-7	17
320	The current 'state of play' of regenerative medicine in horses: what the horse can tell the human. 2014 , 9, 673-85	33
319	Biomedical implant capsule formation: lessons learned and the road ahead. 2014 , 73, 451-60	36
318	Upregulation of TGF- β in experimental proliferative vitreoretinopathy is accompanied by epithelial to mesenchymal transition. 2014 , 252, 11-6	31
317	Involvement of transforming growth factor- β and betaglycan in the cytoarchitecture of postoperative omental adhesions. 2014 , 187, 699-711	8
316	TLR4, rather than TLR2, regulates wound healing through TGF- β and CCL5 expression. 2014 , 73, 117-24	64
315	Evaluation of the effect of fractional CO2 laser on histopathological picture and TGF- β expression in hypertrophic scar. 2014 , 13, 169-79	36
314	New insights into vertebrate skin regeneration. 2014 , 310, 129-69	52
313	Effect of growth factors and pro-inflammatory cytokines by the collagen biocomposite dressing material containing Macrotyloma uniflorum plant extract-In vivo wound healing. 2014 , 121, 178-88	39
312	The growth factors involved in flexor tendon repair and adhesion formation. 2014 , 39, 60-70	43

311	Re-evaluating the induction of bone formation in primates. 2014 , 35, 9407-22	21
310	Role of IL-17 and TGF- β in peritoneal adhesion formation after surgical trauma. 2014 , 22, 631-9	24
309	Biological activity differences between TGF- α and TGF- β correlate with differences in the rigidity and arrangement of their component monomers. 2014 , 53, 5737-49	29
308	New molecular medicine-based scar management strategies. 2014 , 40, 539-51	33
307	Expressional difference, distributions of TGF- α in TGF- α knock down transgenic mouse, and its possible roles in injured spinal cord. 2014 , 239, 320-9	8
306	Transforming growth factor- α (TGF- α) expression is increased in the subsynovial connective tissues of patients with idiopathic carpal tunnel syndrome. 2014 , 32, 116-22	26
305	Conditioned medium derived from mesenchymal stem cells culture as a intravesical therapy for cystitis interstitials. 2014 , 82, 670-3	21
304	The induction of bone formation by the recombinant human transforming growth factor- β . 2014 , 35, 2773-88	33
303	Mechanotransduction and fibrosis. 2014 , 47, 1997-2005	118
302	Psoriasis as a model of exaggerated, not dysregulated, wound healing presents potential therapeutic targets for enhanced tissue repair integrity and diminished scaling. 2014 , 156, 15-9	3
301	Update on hypertrophic scar treatment. 2014 , 69, 565-73	132
300	Comparison of non-ablative and ablative fractional laser treatments in a postoperative scar study. 2014 , 46, 741-9	32
299	Adipose tissue-derived stromal cells inhibit TGF- α -induced differentiation of human dermal fibroblasts and keloid scar-derived fibroblasts in a paracrine fashion. 2014 , 134, 699-712	48
298	The effect of local rho-kinase inhibition on murine wound healing. 2014 , 72, S213-9	2
297	Immunopathogenesis of Myocarditis: The Interplay Between Cardiac Fibroblast Cells, Dendritic Cells, Macrophages and CD4+ T Cells. 2015 , 82, 1-9	21
296	Cellular and Molecular Mediators of Intestinal Fibrosis. 2017 , 11, 1491-1503	68
295	Scarless wound healing: chasing the holy grail. 2015 , 135, 907-917	97
294	Factors Expressed in an Animal Model of Anterior Inferior Glenohumeral Instability. 2015 , 3, 2325967115599733	4

293	Upregulation of interleukin-1 α , transforming growth factor- β and hypoxia relate to molecular mechanisms underlying immobilization-induced muscle contracture. 2015 , 52, 419-27	28
292	Single nucleotide polymorphisms in HIF-1 β gene and residual ridge resorption (RRR) of mandible in Korean population. 2015 , 16, 137-44	9
291	A review of research into second intention equine wound healing using manuka honey: Current recommendations and future applications. 2015 , 27, 658-664	8
290	Biomaterial Scaffolds for Tendon Tissue Engineering. 2015 , 349-380	2
289	The Axolotl Fibula as a Model for the Induction of Regeneration across Large Segment Defects in Long Bones of the Extremities. 2015 , 10, e0130819	4
288	Roles of Proteoglycans and Glycosaminoglycans in Wound Healing and Fibrosis. 2015 , 2015, 834893	97
287	Overproduction of recombinant human transforming growth factor beta 3 in Chinese hamster ovary cells. 2015 , 110, 102-6	1
286	Chemokines in Wound Healing and as Potential Therapeutic Targets for Reducing Cutaneous Scarring. 2015 , 4, 687-703	58
285	Effect of recombinant human epidermal growth factor on cutaneous scar quality in thyroidectomy patients. 2015 , 26, 159-64	13
284	Development and Regeneration of the Oral Cavity and the Pharynx. 2015 , 109-127	1
283	Mechanisms of tendon injury and repair. 2015 , 33, 832-9	253
282	Effect of medicinal plants on wound healing. 2015 , 23, 171-83	68
281	TGF- β Suppresses Plasmin and MMP Activity in Flexor Tendon Cells via PAI-1: Implications for Scarless Flexor Tendon Repair. 2015 , 230, 318-26	21
280	Transforming growth factor- β signaling in healthy human fetal skin: a descriptive study. 2015 , 78, 117-24	21
279	A mathematical model for lymphangiogenesis in normal and diabetic wounds. 2015 , 383, 61-86	21
278	The amniotic band syndrome in the rat is associated with the activation of transforming growth factor- β 2015 , 185, 2076-82	2
277	Prostaglandin E $_2$ and polyenylphosphatidylcholine protect against intestinal fibrosis and regulate myofibroblast function. 2015 , 60, 1603-16	5
276	Mesenchymal stem cells suppress fibroblast proliferation and reduce skin fibrosis through a TGF- β -dependent activation. 2015 , 14, 50-62	49

275	Paracrine action of mesenchymal stromal cells delivered by microspheres contributes to cutaneous wound healing and prevents scar formation in mice. 2015 , 17, 922-31	35
274	In vivo delivery of functional Flightless I siRNA using layer-by-layer polymer surface modification. 2015 , 30, 257-68	7
273	Inhibitory effect of TGF- β peptide antagonist on the fibrotic phenotype of human hypertrophic scar fibroblasts. 2016 , 54, 1189-97	19
272	Acute kidney injury and progression of renal failure after fetal programming in the offspring of diabetic rats. 2015 , 77, 440-6	3
271	Decorin-expressing adenovirus decreases collagen synthesis and upregulates MMP expression in keloid fibroblasts and keloid spheroids. 2015 , 24, 591-7	25
270	The non-detergent sulfobetaine-201 acts as a pharmacological chaperone to promote folding and crystallization of the type II TGF- β receptor extracellular domain. 2015 , 115, 19-25	3
269	Excess Linoleic Acid Increases Collagen I/III Ratio and "Stiffens" the Heart Muscle Following High Fat Diets. 2015 , 290, 23371-84	24
268	Neuroinflammatory Mechanisms of Connective Tissue Fibrosis: Targeting Neurogenic and Mast Cell Contributions. 2015 , 4, 137-151	15
267	A bioactive molecule in a complex wound healing process: platelet-derived growth factor. 2015 , 54, 972-7	23
266	Bioengineering Skin Constructs. 2015 , 703-719	1
265	Targeting the myofibroblast to improve wound healing. 2016 , 69-100	4
264	Growth factors in fetal and adult wound healing. 2016 , 41-68	1
263	Epigenetics and Regenerative Medicine: Neural and Skeletal Muscle Perspectives. 2016 , 859-876	
262	Liver fibrosis in bile duct-ligated rats correlates with increased hepatic IL-17 and TGF- α expression. 2016 , 15, 418-26	17
261	Quantitation of TGF- β proteins in mouse tissues shows reciprocal changes in TGF- β 1 and TGF- β 2 in normal vs neoplastic mammary epithelium. 2016 , 7, 38164-38179	8
260	Molecular and Cellular Biology of Wound Healing and Skin Regeneration. 2016 , 19-47	8
259	Signalling by Transforming Growth Factor Beta Isoforms in Wound Healing and Tissue Regeneration. 2016 , 4,	77
258	Transforming growth factor beta (TGF- β) isoforms in wound healing and fibrosis. 2016 , 24, 215-22	236

257	Revisiting the regulatory roles of the TGF- β family of cytokines. 2016 , 15, 917-22	63
256	The role of adult tissue-derived stem cells in chronic leg ulcers: a systematic review focused on tissue regeneration medicine. 2016 , 13, 1289-1298	9
255	The role of mesenchymal stromal cells in the management of musculoskeletal disorders. 2016 , 677-689	
254	The role of mesenchymal stromal cells in the management of skin wounds. 2016 , 841-844	
253	A Dermal Equivalent Engineered with TGF- β Expressing Bone Marrow Stromal Cells and Amniotic Membrane: Cosmetic Healing of Full-Thickness Skin Wounds in Rats. 2016 , 40, E266-E279	16
252	Effect of transforming growth factor- β on the expression of Smad3 and Smad7 in tenocytes. 2016 , 13, 3567-73	17
251	Evidence-Based Scar Management: How to Improve Results with Technique and Technology. 2016 , 138, 165S-178S	90
250	Flap Designs for Implant-Related Surgical Procedures: A Review. 2016 , 25, 845-854	4
249	TGF-beta-induced early gene-1 overexpression promotes oxidative stress protection and actin cytoskeleton rearrangement in human skin fibroblasts. 2016 , 1860, 1071-8	10
248	Molecular insights on the effect of TGF- β 1/- β 2 in human corneal fibroblasts. 2016 , 146, 233-241	27
247	Wound Healing Applications of Nanomaterials. 2016 , 87-117	2
246	Fibromodulin Is Essential for Fetal-Type Scarless Cutaneous Wound Healing. 2016 , 186, 2824-2832	29
245	Isoform-specific regulation of transforming growth factor- β 1 mRNA expression in macrophages in response to adrenoceptor stimulation. 2016 , 60, 56-63	6
244	Inhibitory Effect of Bone Morphogenetic Protein 4 in Retinal Pigment Epithelial-Mesenchymal Transition. 2016 , 6, 32182	12
243	Mesenchymal stromal cell injection promotes vocal fold scar repair without long-term engraftment. 2016 , 18, 1284-96	12
242	Updates on Keloidal Wound Healing. 2016 , 5, 252-259	
241	TGF- β 1 promotes scar fibroblasts proliferation and transdifferentiation via up-regulating MicroRNA-21. 2016 , 6, 32231	97
240	The molecular basis of hypertrophic scars. 2016 , 4, 2	69

239	Sorafenib exerts an anti-keloid activity by antagonizing TGF- β /Smad and MAPK/ERK signaling pathways. 2016 , 94, 1181-1194	35
238	Comparison of transforming growth factor beta expression in healthy and diseased human tendon. 2016 , 18, 48	28
237	Development of a nanofibrous wound dressing with an antifibrogenic properties in vitro and in vivo model. 2016 , 104, 2334-44	16
236	Prevention of Thyroidectomy Scars in Asian Adults With Low-Level Light Therapy. 2016 , 42, 526-34	11
235	Therapeutic potential of regulatory cytokines that target B cells. 2016 , 28, 189-95	6
234	Keloids: The paradigm of skin fibrosis - Pathomechanisms and treatment. 2016 , 51, 37-46	140
233	Regulation of collagen expression using nanoparticle mediated inhibition of TGF- β activation. 2016 , 40, 1091-1095	3
232	Muscle wound healing in rainbow trout (<i>Oncorhynchus mykiss</i>). 2016 , 48, 273-84	27
231	Flexor Tendon Repair: Healing, Biomechanics, and Suture Configurations. 2016 , 47, 219-26	15
230	Extracorporeal Shock Wave Therapy: An Emerging Treatment Modality for Retracting Scars of the Hands. 2016 , 42, 185-95	22
229	Myofibroblasts. 2016 , 142, 56-70	205
228	Neuronal Protein 3.1 Deficiency Leads to Reduced Cutaneous Scar Collagen Deposition and Tensile Strength due to Impaired Transforming Growth Factor- β to - β Translation. 2017 , 187, 292-303	12
227	A novel hydrogel of poloxamer 407 and chitosan obtained by gamma irradiation exhibits physicochemical properties for wound management. 2017 , 74, 36-46	20
226	Non-Coding RNAs: The New Insight on Hypertrophic Scar. 2017 , 118, 1965-1968	29
225	Methylene Blue Assay for Estimation of Regenerative Re-Epithelialization In Vivo. 2017 , 23, 113-121	5
224	Dual delivery of growth factors with coacervate-coated poly(lactic-co-glycolic acid) nanofiber improves neovascularization in a mouse skin flap model. 2017 , 124, 65-77	63
223	Residues of Alpha Helix H3 Determine Distinctive Features of Transforming Growth Factor β . 2017 , 121, 5483-5498	7
222	Msh homeobox 1 (β)- and -overexpressing bone marrow-derived mesenchymal stem cells resemble blastema cells and enhance regeneration in mice. 2017 , 292, 10520-10533	13

221	Cryopreserved cultured epithelial allografts for pediatric deep partial dermal burns: Early wound closure and suppression of scarring. 2017 , 6, 74-82	4
220	Keloids and Hypertrophic Scars: Pathophysiology, Classification, and Treatment. 2017 , 43 Suppl 1, S3-S18	247
219	Caffeine modulates glucocorticoid-induced expression of CTGF in lung epithelial cells and fibroblasts. 2017 , 18, 51	17
218	Biological Role and Therapeutic Targeting of TGF- β in Glioblastoma. 2017 , 16, 1177-1186	37
217	Indirect effects of immunological tolerance to a regular dietary protein reduce cutaneous scar formation. 2017 , 151, 314-323	9
216	Stress and Wound Healing. 2017 , 185-207	0
215	Fibromodulin reduces scar formation in adult cutaneous wounds by eliciting a fetal-like phenotype. 2017 , 2,	25
214	PTGER2 activation induces PTGS-2 and growth factor gene expression in endometrial epithelial cells of cattle. 2017 , 187, 54-63	8
213	Genome-wide DNA methylation profiling of the regenerative MRL/MpJ mouse and two normal strains. 2017 , 9, 1105-1122	2
212	Of Salamanders and Spiny Mice: Common Features of Regeneration and Stem Cells. 2017 , 3, 164-171	
211	Is Understanding Fetal Wound Repair the Holy Grail to Preventing Scarring?. 2017 , 225-237	
210	6.20 Skin Tissue Engineering ?. 2017 , 334-382	1
209	The spectrum of orofacial manifestations in systemic sclerosis: a challenging management. 2017 , 23, 424-439	31
208	Transforming growth factor beta 1 increases collagen content, and stimulates procollagen I and tissue inhibitor of metalloproteinase-1 production of dental pulp cells: Role of MEK/ERK and activin receptor-like kinase-5/Smad signaling. 2017 , 116, 351-358	25
207	Reduction of c-kit positive cardiac stem cells in patients with atrial fibrillation. 2017 , 69, 712-718	6
206	Effect of Pirfenidone on Vascular Proliferation, Inflammation and Fibrosis in an Abdominal Adhesion Rat Model. 2017 , 30, 26-32	15
205	Lower energy radial shock wave therapy improves characteristics of hypertrophic scar in a rabbit ear model. 2018 , 15, 933-939	12
204	Mesenchymal Stem Cells from Adipose Tissue in Clinical Applications for Dermatological Indications and Skin Aging. 2017 , 18,	99

203	Effects of Gelatin Hydrogel Containing Anti-Transforming Growth Factor- β Antibody in a Canine Filtration Surgery Model. 2017 , 18,	8
202	Current Therapeutic Approach to Hypertrophic Scars. 2017 , 4, 83	33
201	7.18 Materials in Tendon and Ligament Repair ?. 2017 , 314-340	1
200	Minimizing Skin Scarring through Biomaterial Design. 2017 , 8,	15
199	Glucocorticoids, genes and brain function. 2018 , 82, 136-168	58
198	Differential response of human dermal fibroblast subpopulations to visible and near-infrared light: Potential of photobiomodulation for addressing cutaneous conditions. 2018 , 50, 859-882	26
197	Effect of TGF α , TGF β and keratinocyte conditioned media on functional characteristics of dermal fibroblasts derived from reparative (Balb/c) and regenerative (Foxn1 deficient; nude) mouse models. 2018 , 374, 149-163	16
196	Serpine1 Knockdown Enhances MMP Activity after Flexor Tendon Injury in Mice: Implications for Adhesions Therapy. 2018 , 8, 5810	15
195	Regenerative potential of tonsil mesenchymal stem cells on surgical cutaneous defect. 2018 , 9, 183	15
194	Blood derivatives awaken in regenerative medicine strategies to modulate wound healing. 2018 , 129, 376-393	38
193	Assembly, maturation, and degradation of the supraspinatus enthesis. 2018 , 27, 739-750	27
192	Scarless wound healing: Transitioning from fetal research to regenerative healing. 2018 , 7, e309	50
191	Augmenting endogenous repair of soft tissues with nanofibre scaffolds. 2018 , 15,	16
190	The importance of targeting inflammation in skin regeneration. 2018 , 255-275	
189	Improved Wound Remodeling Correlates with Modulated TGF-beta Expression in Skin Diabetic Wounds Following Combined Red and Infrared Photobiomodulation Treatments. 2018 , 94, 775-779	20
188	Mechanical Forces in Cutaneous Wound Healing: Emerging Therapies to Minimize Scar Formation. 2018 , 7, 47-56	78
187	The contribution of leucocytes to the antimicrobial activity of platelet-rich plasma preparations: A systematic review. 2018 , 29, 9-20	19
186	Scar management in burn injuries using drug delivery and molecular signaling: Current treatments and future directions. 2018 , 123, 135-154	54

185	Enhancement of Equid Distal Limb Wounds Healing by Topical Application of Silver Nanoparticles. 2018 , 61, 76-87	14
184	Learning from regeneration research organisms: The circuitous road to scar free wound healing. 2018 , 433, 144-154	36
183	Enhanced diabetic wound healing by electrospun core-sheath fibers loaded with dimethylxalylglycine. 2018 , 6, 277-288	38
182	Updates in Fetal Wound Healing and Scar Prevention. 2018 , 45-58	2
181	Flexor Tendon Injuries. 2018 ,	1
180	Variation in Expression of Inflammation-Related Signaling Molecules with Profibrotic and Antifibrotic Effects in Cutaneous and Oral Mucosa Scars. 2018 , 2018, 5196023	2
179	Tendon healing in the context of complex fractures. 2018 , 16, 131-141	2
178	Healing effect of andiroba-based emulsion in cutaneous wound healing via modulation of inflammation and transforming growth factor beta 31. 2018 , 33, 1000-1015	3
177	Mesenchymal Stem Cells and Transforming Growth Factor- β to Enhance the Regenerative Ability of an Albumin Scaffold in Full Thickness Wound Healing. 2018 , 9,	11
176	Biologically produced silver chloride nanoparticles from <i>B. megaterium</i> modulate interleukin secretion by human adipose stem cell spheroids. 2018 , 70, 1655-1669	4
175	A Prospective Randomized, Controlled, Double-Blind Trial of the Efficacy Using Centella Cream for Scar Improvement. 2018 , 2018, 9525624	11
174	Co-opting Developmental Signaling Pathways to Promote Wound Healing. 2018 , 103-114	0
173	The effects of platelet-rich plasma on hypertrophic scars fibroblasts. 2018 , 15, 547-554	11
172	Reduction of Fibrosis and Scar Formation by Partial Reprogramming In Vivo. 2018 , 36, 1216-1225	24
171	Mesenchymal Stromal Cells and Cutaneous Wound Healing: A Comprehensive Review of the Background, Role, and Therapeutic Potential. 2018 , 2018, 6901983	91
170	Insect-Borne Pathogens and Skin Interface. 2018 , 193-238	
169	Stiffness: Prevention and Treatment. 2018 , 550-554.e1	1
168	Recent Understandings of Biology, Prophylaxis and Treatment Strategies for Hypertrophic Scars and Keloids. 2018 , 19,	124

167	Extracellular Matrix and Other Factors that Impact on Cutaneous Scarring. 2018 , 135-178	
166	Effects of quercetin on human oral keratinocytes during re-epithelialization: An in vitro study. 2018 , 95, 187-194	7
165	Profibrogenic effect of high-mobility group box protein-1 in human dermal fibroblasts and its excess in keloid tissues. 2018 , 8, 8434	17
164	The Mucosal Scarring Index: reliability of a new composite index for assessing scarring following oral surgery. 2019 , 23, 1209-1215	11
163	Scarless Wound Healing. 2019 , 65-92	
162	Safety and Efficacy of a Scar Cream Consisting of Highly Selective Growth Factors Within a Silicone Cream Matrix: A Double-Blinded, Randomized, Multicenter Study. 2019 , 39, 319-330	6
161	TGF- β -Induced fibrotic stress increases G-quadruplex formation in human fibroblasts. 2019 , 593, 3149-3161	3
160	Nanofiber scaffolds attenuate collagen synthesis of human dermal fibroblasts through TGF- β /TSG-6 pathway. 2019 , 2, 044001	6
159	Potential of Curcumin in Skin Disorders. 2019 , 11,	41
158	Correlation of transforming growth factor β 1 vitreous levels with clinical severity of proliferative vitreoretinopathy in patients with rhegmatogenous retinal detachment. 2019 , 94, 12-17	3
157	Regeneration of Dermis: Scarring and Cells Involved. 2019 , 8,	69
156	When Wounds Are Good for You: The Regenerative Capacity of Fractional Resurfacing and Potential Utility in Chronic Wound Prevention. 2019 , 8, 679-691	2
155	Cellular and physiological upregulation of inducible nitric oxide synthase, arginase, and inducible cyclooxygenase in wound healing. 2019 , 234, 23618-23632	10
154	Correlation of transforming growth factor β 1 vitreous levels with clinical severity of proliferative vitreoretinopathy in patients with rhegmatogenous retinal detachment. 2019 , 94, 12-17	
153	The Wound Healing Effect of in Scalded Rats. 2019 , 2019, 1860680	7
152	Achillea biebersteinni Afan may inhibit scar formation: In vitro study. 2019 , 7, e640	7
151	Coacervate-mediated exogenous growth factor delivery for scarless skin regeneration. 2019 , 90, 179-191	22
150	Regenerative Scar-Free Skin Wound Healing. 2019 , 25, 294-311	45

149	The Association Between Postburn Vitamin D Deficiency and the Biomechanical Properties of Hypertrophic Scars. 2019 , 40, 274-280	2
148	Physiology of Flexor Tendon Healing and Rationale for Treatment Protocols. 2019 ,	
147	A mechanistic evaluation of the angiogenic properties of a dehydrated amnion chorion membrane in vitro and in vivo. 2019 , 27, 609-621	6
146	P311 Promotes Lung Fibrosis via Stimulation of Transforming Growth Factor- α , - β , and - β Translation. 2019 , 60, 221-231	9
145	Limiting angiogenesis to modulate scar formation. 2019 , 146, 170-189	25
144	Scarless wound healing: From development to senescence. 2019 , 146, 325-343	21
143	A comparative analysis of the molecular basis of fibrosis between tissues. 2019 , 28, 865-878	
142	The IL-4/IL-13 axis in skin fibrosis and scarring: mechanistic concepts and therapeutic targets. 2020 , 312, 81-92	43
141	Biology of corneal fibrosis: soluble mediators, integrins, and extracellular vesicles. 2020 , 34, 271-278	7
140	Emerging evidence for the roles of peptide in hypertrophic scar. 2020 , 241, 117174	7
139	Transcriptional analysis of scar-free wound healing during early stages of tail regeneration in the green anole lizard, <i>Anolis carolinensis</i> . 2020 , 7, 100025	7
138	Biological approaches for hypertrophic scars. 2020 , 17, 405-418	14
137	Attenuation of Abnormal Scarring Using Spherical Nucleic Acids Targeting Transforming Growth Factor Beta 1. 2020 , 3, 8603-8610	1
136	TGF- β Pathway in Salivary Gland Fibrosis. 2020 , 21,	5
135	The Role of an IL-10/Hyaluronan Axis in Dermal Wound Healing. 2020 , 8, 636	16
134	The Role of Inflammation and Inflammasome in Myeloproliferative Disease. 2020 , 9,	11
133	Combination of Peroxisome Proliferator-Activated Receptor (PPAR) Alpha and Gamma Agonists Prevents Corneal Inflammation and Neovascularization in a Rat Alkali Burn Model. 2020 , 21,	3
132	Primary Ciliary Signaling in the Skin-Contribution to Wound Healing and Scarring. 2020 , 8, 578384	1

131	Association of and with pulmonary sarcoidosis in Greek population. 2020 , 14, 1065-1069	4
130	Pharmacological Treatment of Fibrosis: a Systematic Review of Clinical Trials. 2020 , 2, 531-550	4
129	Investigating the effect of antiseptic solution on the release of interleukin-6 and transforming growth factor beta 1 from human gingival fibroblasts using wound healing assays. 2020 , 62, 293-297	1
128	TGF- β suppresses melanogenesis in human melanocytes cocultured with UV-irradiated neighboring cells and human skin. 2020 , 99, 100-108	2
127	Role of TGF- β in Skin Chronic Wounds: A Keratinocyte Perspective. 2020 , 9,	52
126	Current concepts on how to optimise skin needling 2020: A personal experience. 2020 , 1, 5-9	
125	An Insight into Aging, Senescence, and Their Impacts on Wound Healing. 2021 , 3,	0
124	Ca-Alginate-PEGMA Hydrogels for In Situ Delivery of TGF- β Neutralizing Antibodies in a Mouse Model of Wound Healing. 2021 , 11, 1164	1
123	Post-intubation subglottic stenosis: aetiology at the cellular and molecular level. 2021 , 30,	3
122	Receptor mimicking TGF- β binding peptide for targeting TGF- β signaling. 2021 , 9, 645-652	1
121	Impairment of the Hif-1 β regulatory pathway in Foxn1-deficient (Foxn1 ^{-/-}) mice affects the skin wound healing process. 2021 , 35, e21289	1
120	A Short History of Skin Needling. 2021 , 10-21	
119	Approaches for Regenerative Healing of Cutaneous Wound with an Emphasis on Strategies Activating the Wnt/ β Catenin Pathway. 2022 , 11, 70-86	3
118	Assessment of various intralesional injections in keloid: Comparative analysis. 2021 , 1-30	2
117	Topical application of Jatyadi Ghrita and Jatyadi Taila accelerates wound healing in Sprague-Dawley rats: a study in gamma-radiation-induced skin wound model. 2021 , 97, 1003-1019	0
116	ROS-Degradable Polythioketal Urethane Foam Dressings to Promote Porcine Skin Wound Repair.	0
115	Adenosine and Cordycepin Accelerate Tissue Remodeling Process through Adenosine Receptor Mediated Wnt/ β Catenin Pathway Stimulation by Regulating GSK3 β Activity. 2021 , 22,	1
114	Microencapsulated rhEGF to facilitate epithelial healing and prevent scar formation of cesarean wound: A randomized controlled trial. 2021 , 60, 468-473	1

113	Finding Solutions for Fibrosis: Understanding the Innate Mechanisms Used by Super-Regenerator Vertebrates to Combat Scarring. 2021 , 8, e2100407	3
112	TGF beta -1, -2 and -3 in the modulation of fibrosis in the cornea and other organs. 2021 , 207, 108594	16
111	Myofibroblasts: Function, Formation, and Scope of Molecular Therapies for Skin Fibrosis. 2021 , 11,	12
110	Involvement of COL5A2 and TGF- β 1 in pathological scarring. 2021 , 22, 1067	1
109	Transforming growth factor β deficiency promotes defective lipid metabolism and fibrosis in murine kidney. 2021 , 14,	3
108	Regenerative Engineering Approaches to Scar-Free Skin Regeneration. 1	0
107	The complexity of TGF β /activin signaling in regeneration. 2021 , 15, 7-23	3
106	Molecular Changes Underlying Hypertrophic Scarring Following Burns Involve Specific Deregulations at All Wound Healing Stages (Inflammation, Proliferation and Maturation). 2021 , 22,	9
105	A new era of discovery in facial plastic surgery. 2000 , 2, 166-72	4
104	Scar Revision Review. 2012 , 14, 162-174	10
103	Update in Wound Healing in Facial Plastic Surgery. 2012 , 14, 387-393	3
102	An Eye on Repair. 2006 , 118-138	2
101	Wound Healing and Skin Substitutes. 2006 , 375-393	5
100	Fetal Wound Healing and the Development of Antiscarring Therapies for Adult Wound Healing. 1988 , 561-600	4
99	Transforming Growth Factor- β 1 1988 , 275-308	18
98	Contact-Guided Angiogenesis and Tissue Engineering. 2002 , 295-313	1
97	The Wound-Healing Process. 2006 , 59-82	4
96	Novel methods for the investigation of human hypertrophic scarring and other dermal fibrosis. 2013 , 1037, 203-31	19

95	TGF- β and macrophages in the rise and fall of inflammation. 2001 , 65-90	6
94	TGF- β superfamily cytokines in wound healing. 2001 , 173-198	5
93	Wounds: Biology, Pathology, and Management. 2001 , 221-239	1
92	Wound Repair. 2006 , 44-62	1
91	Mechanisms of Blastema Formation in Regenerating Amphibian Limbs. 2011 , 67-86	3
90	Wound Healing. 2005 , 97-115	4
89	Tissue Engineered Skin. 1998 , 664-677	5
88	Wound Healing, Including Fetal Skin Healing. 2009 , 9-26	1
87	Response To Tissue Injury. 2000 , 27, 489-500	27
86	Cellular, Biochemical, and Clinical Aspects of Wound Healing. 2002 , 3, 23-35	17
85	Microenvironmental regulators of tissue structure and function also regulate tumor induction and progression: the role of extracellular matrix and its degrading enzymes. 2005 , 70, 343-56	210
84	Cell Biology of Normal and Impaired Healing. 2010 , 151-186	1
83	The Role of Transforming Growth Factors β in Cutaneous Scarring. 2000 , 213-226	12
82	Characteristics of Fetal Wound Repair. 2000 , 239-262	15
81	Integrin Regulation in Wound Repair. 2000 , 63-97	2
80	Molecular Mechanisms in Keloid Biology. 2000 , 161-171	1
79	Pathogenesis of cleft palate in TGF- β 3 knockout mice. 1999 , 126, 3869-3879	255
78	Toward understanding scarless skin wound healing and pathological scarring. 2019 , 8,	56

77	Gene expression analysis of the pleiotropic effects of TGF- β 1 in an in vitro model of flexor tendon healing. 2012 , 7, e51411	67
76	A role for topographic cues in the organization of collagenous matrix by corneal fibroblasts and stem cells. 2014 , 9, e86260	55
75	Transforming growth factor- β 1 expression is increased in the subsynovial connective tissue in a rabbit model of carpal tunnel syndrome. 2014 , 9, e108312	2
74	The four-herb Chinese medicine ANBP enhances wound healing and inhibits scar formation via bidirectional regulation of transformation growth factor pathway. 2014 , 9, e112274	22
73	pGlcNAc Nanofiber Treatment of Cutaneous Wounds Stimulate Increased Tensile Strength and Reduced Scarring via Activation of Akt1. 2015 , 10, e0127876	9
72	TGF- β 1 Inhibits Antibody Production by Human B Cells. 2017 , 12, e0169646	18
71	Differences in Hypertrophic Scar Fibroblasts according to Scar Severity: Expression of Transforming Growth Factor beta1 at the mRNA and Protein Levels. 2015 , 21, 116	2
70	Biologic aspects of flexor tendon laceration and repair. 2003 , 85, 539-50	108
69	Fisiologĳ de la cicatrizaciĳ cutĳnea. 2010 , 2, 69-78	1
68	Effect of Relaxin Expression from an Alginate Gel-Encapsulated Adenovirus on Scar Remodeling in a Pig Model. 2019 , 60, 854-863	3
67	Structural and molecular features of intestinal strictures in rats with Crohn's-like disease. 2016 , 22, 5154-64	7
66	Regulation of Transforming Growth Factor β 1, Platelet-Derived Growth Factor, and Basic Fibroblast Growth Factor by Silicone Gel Sheeting in Early-Stage Scarring. 2015 , 42, 20-7	16
65	Perspective on Stem Cell Therapy in Organ Fibrosis: Animal Models and Human Studies. 2021 , 11,	2
64	Cationic, anionic and neutral polysaccharides for skin tissue engineering and wound healing applications. 2021 , 192, 298-322	15
63	Fetal Wound Healing Implications. 2002 , 31-42	
62	Cellular Interactions at Commercially Pure Titanium Implants. 2003 ,	
61	Wound Healing: Potential Therapeutic Modulation. 2004 , 126-136	
60	Surgery of Scars: Hypertrophic, Keloid and Aesthetic Sequellae. 2004 , 504-512	

- 59 Early Fetal Healing As a Model for Adult Organ Regeneration. **2007**, 070125101653001
- 58 Refractive surgery revealed through in vivo confocal microscopy. **2007**, 33-51
- 57 TGF- β -Related Antifibrotic Strategies in the Eye. **2008**, 663-673
- 56 Stiffness: Prevention and Treatment. **2008**, 565-571
- 55 Advances in Wound Healing. **2008**, 325-337
- 54 Strategies to Overcome Biological Barriers to Biosensing. 59-86 ○
- 53 Strategies for Skin Regeneration in Burn Patients. **2010**, 38-41
- 52 Wound Healing. **2010**, 95-113
- 51 Applications médicales du laser. **2010**, 65-69
- 50 Molecular Regulation of Skin Wound Healing. **2012**, 1-23 ○
- 49 Using Laboratory Models to Develop Molecular Mechanistic Treatments for Dupuytren's Disease. **2012**, 175-183 1
- 48 TGF- β in Skin Cancer and Fibrosis. **2013**, 209-233
- 47 T. **1990**, 263-321
- 46 Cytokines with Immunosuppressive Capacities. **1997**, 101-117
- 45 Comparative Tissue Repair. **1997**, 26-36
- 44 Endogenous Growth Factors and Nutrients in the Healing Wound. **1997**, 186-205 1
- 43 Contemporary concepts and progress in wound healing. **1999**, 7, 193
- 42 : Topical and Intralesional Therapies. **2014**, 139-156

- 41 Transforming Growth Factor- β Regulates Cell Metabolism in Corneal Keratocytes and Fibroblasts. **2015**, 83-97
- 40 Regenerative Medicine, the Induction of Bone Formation, Bone Tissue Engineering, and the Osteogenic Proteins of the Transforming Growth Factor- β Superfamily. **2015**, 15-46
- 39 One Cell, Two Phenotypes: Capturing Pluripotency for Corneal Regeneration. **2019**, 145-154
- 38 Induction of the Fetal Scarless Phenotype in Adult Wounds: Impossible?. **2019**, 3-17
- 37 Impairment of the Hif-1 β Regulatory pathway in Foxn1-deficient (Foxn1^{0/0}) mice affects the skin wound healing process.
- 36 Titanium Substratum Roughness as a Determinant of Human Gingival Fibroblast Fibronectin and Smooth Muscle Actin Expression. **2021**, 14, 0
- 35 Cartilage Repair Techniques. **2020**, 726-745 0
- 34 Botulinum Toxin Type A and Its Possible Mechanisms on Wound Healing. **2020**, 10, 38-55 0
- 33 Pathogenesis and Treatment of Keloids. **2020**, 16, 8-17
- 32 Effects of mesenchymal stem cell and amnion membrane transfer on prevention of pericardial adhesions. **2020**, 45, 405-414
- 31 Regeneration and control of human fibroblast cell density by intermittently delivered pulsed electric fields. **2013**, n/a-n/a 2
- 30 Connective tissue responses. 103-117
- 29 Effect of peripheral iridectomy on VEGF-A and TGF- β levels in rabbit aqueous humour.. **2022**, 22, 23
- 28 The impact of sensory neuropathy and inflammation on epithelial wound healing in diabetic corneas.. **2022**, 101039 5
- 27 Tissue regeneration: Fetal to adult transition. **2022**, 77-100
- 26 The interplay of fibroblasts, the extracellular matrix, and inflammation in scar formation.. **2021**, 101530 5
- 25 , and Approaches for Investigation of Skin Scarring: Human and Animal Models.. **2021**, 1
- 24 Cell-Biomaterial Constructs for Wound Healing and Skin Regeneration.. **2022**, 1-67

23 Stem Cells in Wound Healing and Scarring. **2022**, 1-25

22 Mesenchymal stem cells, secretome and biomaterials in in-vivo animal models: Regenerative medicine application in cutaneous wound healing. **2022**, 46, 1-12 0

21 Photobiomodulation-Activated Latent Transforming Growth Factor- β : A Critical Clinical Therapeutic Pathway and an Endogenous Optogenetic Tool for Discovery.. **2021**, 2

20 Evaluation of the Effects of Transforming Growth Factor-Beta 3 (TGF- β) Loaded Nanoparticles on Healing in a Rat Achilles Tendon Injury Model.. **2022**, 3635465211073148 0

19 A cyclodextrin-based macrocyclic oligosaccharide cavitand with a dual functionality limits the collagen fibrillogenesis: A possible carbohydrate-based therapeutic molecule for fibrotic diseases.. **2022**, 207, 222-231 0

18 Reactive oxygen species-degradable polythioketal urethane foam dressings to promote porcine skin wound repair.. **2022**, 14, eabm6586 5

17 Biomaterials-Based Regenerative Strategies for Skin Tissue Wound Healing.. **2022**, 1

16 OUP accepted manuscript.

15 Wound Healing Induced Hair Follicle Regeneration. **2022**, 277-290

14 Comparative studies on the effect of pig adipose-derived stem cells (pASCs) preconditioned with hypoxia or normoxia on skin wound healing in mice. **2022**, 113263

13 Effect of natural-based biological hydrogels combined with growth factors on skin wound healing. **2022**, 11, 2493-2512 1

12 Macrophage Phenotypes in Normal and Diabetic Wound Healing and Therapeutic Interventions. **2022**, 11, 2430 0

11 Application of 3DP & 3DBP for promoting cutaneous wound regeneration. **2022**, e00230 0

10 Skin biomechanics: a potential therapeutic intervention target to reduce scarring. **2022**, 10, 3

9 Biodegradable hydrogels with photodynamic antibacterial activity promote wound healing and mitigate scar formation. 1

8 Stem Cells in Wound Healing and Scarring. **2022**, 103-126 0

7 The Role of the Subacromial Bursa in Rotator Cuff Healing. Publish Ahead of Print, 0

6 In Vitro and In Vivo Effects of IGF-1 Delivery Strategies on Tendon Healing: A Review. **2023**, 24, 2370 0

- 5 Re-thinking osteoarthritis pathogenesis: what can we learn (and what do we need to unlearn) from mouse models about the mechanisms involved in disease development. **2023**, 25, ○
- 4 Influence of Transforming Growth Factors beta 1 and beta 3 in the Scar Formation Process. Publish Ahead of Print, ○
- 3 TGF- β Induces Different Effects from TGF- β 1 and -2 on Cellular Metabolism and the Spatial Properties of the Human Trabecular Meshwork Cells. **2023**, 24, 4181 ○
- 2 Melatonin influences the biological characteristics of keloid fibroblasts through the Erk and Smad signalling pathways. **2023**, 11, ○
- 1 The Role of TGF- β in Radiation Response. **2023**, 24, 7614 ○