Alien species in the Mediterranean Sea by 2010. A contr European Union‧™Marine Strategy Framework Direct

Mediterranean Marine Science

11,381

DOI: 10.12681/mms.87

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | <i>Naineris setosa</i> (Verrill) (Polychaeta, Orbiniidae), an American subtropical–tropical polychaete collected from an aquaculture facility in Brindisi (Adriatic Sea, Italy): A possible alien species. Italian Journal of Zoology, 2011, 78, 20-26. | 0.6 | 12 |
| 2 | Occurrence of the seagrass <i>Halophila stipulacea</i> (Hydrocharitaceae) in the southern Mediterranean Sea. Botanica Marina, 2011, 54, 575-582. | 0.6 | 68 |
| 3 | First record of the egg-carrying calanoid copepod Pseudodiaptomus marinus in the Adriatic Sea. Marine Biodiversity Records, $2011, 4, .$ | 1.2 | 23 |
| 4 | Ecosystem-based marine spatial management: Review of concepts, policies, tools, and critical issues. Ocean and Coastal Management, 2011, 54, 807-820. | 2.0 | 327 |
| 5 | First record of Seriola rivoliana (Osteichthyes: Carangidae) in the western Mediterranean. Marine Biodiversity Records, 2011, 4, . | 1.2 | 5 |
| 6 | Invading the Adriatic: spatial patterns of marine alien species across the Ionian–Adriatic boundary. Aquatic Biology, 2011, 13, 107-118. | 0.5 | 33 |
| 7 | Reestablishment of Notopygos megalops McIntosh, description of N. caribea sp. n. from the Greater Caribbean and barcoding of "amphiamerican―Notopygos species (Annelida, Amphinomidae). ZooKeys, 2012, 223, 69-84. | 0.5 | 11 |
| 8 | Morphology and natural history of the cryptogenic sponge associate <i>Polydora colonia</i> Moore, 1907 (Polychaeta: Spionidae). Journal of Natural History, 2012, 46, 1509-1528. | 0.2 | 10 |
| 9 | A new geographical record ofPolycera hedgpethiEr. Marcus, 1964 (Nudibranchia: Polyceridae) and evidence of its established presence in the Mediterranean Sea, with a review of its geographical distribution. Marine Biology Research, 2012, 8, 969-981. | 0.3 | 14 |
| 10 | Branching out: mapping the spatial expansion of the lessepsian invader mytilid Brachidontes pharaonis around the Maltese Islands. Marine Biodiversity Records, 2012, 5, . | 1.2 | 7 |
| 11 | The first record of Enchelycore anatina (Muraenidae: Pisces) in the Ionian Sea (Mediterranean basin). Marine Biodiversity Records, 2012, 5, . | 1.2 | 7 |
| 12 | Marginella glabella (Mollusca: Gastropoda: Marginellidae): a new alien species from tropical West Africa established in southern Mediterranean Spain through a new introduction pathway. Marine Biodiversity Records, 2012, 5, . | 1.2 | 9 |
| 13 | The Structure of Mediterranean Rocky Reef Ecosystems across Environmental and Human Gradients, and Conservation Implications. PLoS ONE, 2012, 7, e32742. | 1.1 | 275 |
| 14 | Effects of turf algae on recruitment and juvenile survival of gorgonian corals. Marine Ecology - Progress Series, 2012, 452, 81-88. | 0.9 | 38 |
| 15 | Spatio-temporal distributions of zoobenthos in Mersin Bay (Levantine Sea, eastern Mediterranean) and the importance of alien species in benthic communities. Marine Biology Research, 2012, 8, 954-968. | 0.3 | 40 |
| 16 | Seasonal rhythm in a Mediterranean coastal fish community as monitored by a cabled observatory. Marine Biology, 2012, 159, 2809-2817. | 0.7 | 24 |
| 17 | Exploring the effects of invasive algae on the persistence of gorgonian populations. Biological Invasions, 2012, 14, 2647-2656. | 1.2 | 66 |
| 18 | Truth and consequences: the bioinvasion of the Mediterranean Sea. Integrative Zoology, 2012, 7, 299-311. | 1.3 | 65 |

| # | Article | IF | CITATIONS |
|----|---|-------------------|-----------------------------------|
| 19 | "STRANGERS" IN PARADISE: MODELING THE BIOGEOGRAPHIC RANGE EXPANSION OF THE FORAMINIFERA AMPHISTEGINA IN THE MEDITERRANEAN SEA. Journal of Foraminiferal Research, 2012, 42, 234-244. | 0.1 | 59 |
| 20 | Ecology and diversity of Mediterranean hard-bottom Syllidae (Annelida): a community-level approach. Marine Ecology - Progress Series, 2012, 461, 107-119. | 0.9 | 24 |
| 21 | Spreading and autoecology of the invasive species Gracilaria vermiculophylla (Gracilariales,) Tj ETQq0 0 0 rgBT /O Coastal and Shelf Science, 2012, 114, 192-198. | verlock 10 0.9 | Tf 50 667 To 34 |
| 22 | Subtle Effects of Biological Invasions: Cellular and Physiological Responses of Fish Eating the Exotic Pest Caulerpa racemosa. PLoS ONE, 2012, 7, e38763. | 1.1 | 43 |
| 23 | Marine alien Mollusca in Italy: a critical review and state of the knowledge. Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 1357-1365. | 0.4 | 41 |
| 24 | Marine Invasion in the Mediterranean Sea: The Role of Abiotic Factors When There Is No Biological Resistance. PLoS ONE, 2012, 7, e31135. | 1.1 | 16 |
| 25 | Threats to Ultraoligotrophic Marine Ecosystems. , 0, , . | | 13 |
| 26 | The Ongoing Shift of Mediterranean Coastal Fish Assemblages and the Spread of Non-Indigenous Species., 0,,. | | 11 |
| 27 | Brachyuran crabs (Crustacea: Decapoda) in the Suez Canal, Egypt, and their associated epifauna. Scientific Research and Essays, 2012, 7, 3665-3672. | 0.1 | 3 |
| 28 | The decapod community from the Early Pliocene (Zanclean) of "La Serra―quarry (San Miniato, Pisa,) Tj ETQq Paleontologie, 2012, 98, 1-61. | 1 1 0.784: 0.1 | 314 rgBT / <mark>O</mark> v 20 |
| 29 | Non-indigenous species in Mediterranean fish assemblages: Contrasting feeding guilds of Posidonia oceanica meadows and sandy habitats. Estuarine, Coastal and Shelf Science, 2012, 96, 209-218. | 0.9 | 40 |
| 30 | A molecular phylogenetic appraisal of the systematics of the Aglaopheniidae (Cnidaria: Hydrozoa,) Tj ETQq1 1 0.7 Linnean Society, 2012, 164, 717-727. | '84314 rgl 1.0 | 3T /Overlock 20 |
| 31 | Parity and disparity between two <i>Chama</i> oysters: the reproductive biology of the Indoâ€Pacific <i>C.Âpacifica</i> Broderip, invasive to the Mediterranean Sea; and <i>C.Âsavignyi</i> Lamy, indigenous to the Red Sea. Marine Ecology, 2012, 33, 261-271. | 0.4 | 9 |
| 32 | Ecological traits and environmental affinity explain <scp>R</scp> ed <scp>S</scp> ea fish introduction into the <scp>M</scp> editerranean. Global Change Biology, 2013, 19, 1373-1382. | 4.2 | 66 |
| 33 | New and rare coastal fishes in the Azores islands: occasional events or tropicalization process?. Journal of Fish Biology, 2013, 83, 272-294. | 0.7 | 36 |
| 34 | Revealing polychaetes invasion patterns: Identification, reproduction and potential risks of the Korean ragworm, Perinereis linea (Treadwell), in the Western Mediterranean. Estuarine, Coastal and Shelf Science, 2013, 131, 117-128. | 0.9 | 26 |
| 35 | Annual growth and environmental relationships of the invasive species Sargassum muticum and Undaria pinnatifida in the lagoon of Venice. Estuarine, Coastal and Shelf Science, 2013, 129, 162-172. | 0.9 | 42 |
| 36 | The tropical caprellid amphipod Paracaprella pusilla: a new alien crustacean in the Mediterranean Sea. Helgoland Marine Research, 2013, 67, 675-685. | 1.3 | 23 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Cryptic diversity, intraspecific phenetic plasticity and recent geographical translocations in <i>Branchiomma</i> (Sabellidae, Annelida). Zoologica Scripta, 2013, 42, 637-655. | 0.7 | 22 |
| 38 | Alien polychaete species worldwide: current status and their impacts. Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 1257-1278. | 0.4 | 92 |
| 39 | Hydrozoan species richness in the <scp>M</scp> editerranean <scp>S</scp> ea: past and present. Marine Ecology, 2013, 34, 41-62. | 0.4 | 31 |
| 40 | <i>Paranthias furcifer</i> (Perciformes: Serranidae), a new alien fish in the Mediterranean Sea. Journal of Fish Biology, 2013, 82, 332-337. | 0.7 | 13 |
| 41 | The amphipod (Crustacea: Peracarida) fauna of the Aegean Sea, and comparison with those of the neighbouring seas. Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 1303-1327. | 0.4 | 19 |
| 42 | Identity and origin of a slender <i>Caulerpa taxifolia</i> strain introduced into the Mediterranean Sea. Botanica Marina, 2013, 56, 27-39. | 0.6 | 28 |
| 43 | The scientific strategy needed to promote a regional ecosystem-based approach to fisheries in the Mediterranean and Black Seas. Reviews in Fish Biology and Fisheries, 2013, 23, 415-434. | 2.4 | 30 |
| 44 | Alien molluscan species established along the Italian shores: an update, with discussions on someÂMediterranean "alien species―categories. ZooKeys, 2013, 277, 91-108. | 0.5 | 27 |
| 45 | Polychaetes (Annelida: Polychaeta) from the Aegean and Levantine coasts of Turkey, with descriptions of two new species. Journal of Natural History, 2013, 47, 911-947. | 0.2 | 23 |
| 46 | DNA barcoding reveals a cryptic nemertean invasion in Atlantic and Mediterranean waters. Helgoland Marine Research, 2013, 67, 599-605. | 1.3 | 29 |
| 47 | Physiological response of the sea urchin Paracentrotus lividus fed with the seagrass Posidonia oceanica and the alien algae Caulerpa racemosa and Lophocladia lallemandii. Marine Environmental Research, 2013, 83, 48-53. | 1.1 | 21 |
| 48 | Invasive macrophytes in a marine reserve (Columbretes Islands, NW Mediterranean): spread dynamics and interactions with the endemic scleractinian coral Cladocora caespitosa. Biological Invasions, 2014, 16, 1599. | 1.2 | 16 |
| 49 | Traveling through time: The past, present and future biogeographic range of the invasive foraminifera Amphistegina spp. in the Mediterranean Sea. Marine Micropaleontology, 2013, 105, 30-39. | 0.5 | 30 |
| 50 | Biogeographical homogeneity in the eastern Mediterranean Sea. II. Temporal variation in Lebanese bivalve biota. Aquatic Biology, 2013, 19, 75-84. | 0.5 | 21 |
| 51 | Microcosmus exasperatus (Ascidiacea: Pyuridae), current distribution in the Mediterranean Sea. Marine Biodiversity Records, 2013, 6, . | 1.2 | 11 |
| 52 | On the occurrence of the fireworm Eurythoe complanata complex (Annelida, Amphinomidae) in the Mediterranean Sea with an updated revision of the alien Mediterranean amphinomids. ZooKeys, 2013, 337, 19-33. | 0.5 | 16 |
| 54 | Activity of ethanolic extracts of Asparagopsis taxiformis against the major molecular types of Cryptococcus neoformans/C. gattii complex. African Journal of Microbiology Research, 2013, 7, 2662-2667. | 0.4 | 2 |
| 55 | Setting Priorities for Regional Conservation Planning in the Mediterranean Sea. PLoS ONE, 2013, 8, e59038. | 1.1 | 120 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------------|--------------|
| 56 | Molecular Evidence for Lessepsian Invasion of Soritids (Larger Symbiont Bearing Benthic) Tj ETQq0 0 0 rgBT /Ov | verlock 10 | Tf 50 742 Td |
| 57 | Tonicia atrata and Chiton cumingsii (Polyplacophora: Chitonidae): First records in European waters /strong>. Zootaxa, 2013, 3626, 593-596. | 0.2 | 8 |
| 58 | Hidden diversity within the polychaete Onuphis eremita em>sensu lato (Annelida: Onuphidae)â€"redescription of O. eremita Audouin & amp; Milne-Edwards, 1833 and reinstatement of Onuphis pancerii ClaparÃ"de, 1868Â . Zootaxa, 2014, 3861, 145. | 0.2 | 8 |
| 59 | Alien bryozoans in the eastern Mediterranean Seaâ€"new records from the coast of LebanonÂ. Zootaxa, 2014, 3893, 301-38. | 0.2 | 22 |
| 60 | The Zooplankton. , 2014, , 183-211. | | 20 |
| 61 | Checklist of Bryozoa on the coasts of Turkey. Turkish Journal of Zoology, 2014, 38, 880-891. | 0.4 | 10 |
| 62 | Tintinnids (Ciliophora: Choreotrichia) of the Suez Canal and their transmigration process between the Red Sea and the Mediterranean Sea. Aquatic Ecosystem Health and Management, 2014, 17, 454-462. | 0.3 | 1 |
| 63 | Unexpected abundance and long-term relative stability of the brown alga Cystoseira amentacea , hitherto regarded as a threatened species, in the north-western Mediterranean Sea. Marine Pollution Bulletin, 2014, 89, 305-323. | 2.3 | 47 |
| 64 | Interannual variations in Adriatic Sea zooplankton mirror shifts in circulation regimes in the Ionian Sea. Climate Research, 2014, 61, 231-240. | 0.4 | 59 |
| 65 | Alien Benthic Algae and Seagrasses in the Mediterranean Sea and Their Connection to Global Warming. , 2014, , 159-181. | | 17 |
| 66 | Zoobenthos. , 2014, , 213-236. | | 7 |
| 67 | Fabriciidae (Annelida, Sabellida) from a naturally acidified coastal system (Italy) with description of two new species. Journal of the Marine Biological Association of the United Kingdom, 2014, 94, 1417-1427. | 0.4 | 10 |
| 68 | Polycerella emertoni and Favorinus ghanensis: two new alien sea slug molluscs from the Moroccan Atlantic coasts. Marine Biodiversity Records, 2014, 7, . | 1.2 | 3 |
| 69 | Exploring trophic strategies of exotic caprellids (Crustacea: Amphipoda): Comparison between habitat types and native vsÂintroduced distribution ranges. Estuarine, Coastal and Shelf Science, 2014, 139, 88-98. | 0.9 | 11 |
| 70 | Fisheries and biodiversity of the beach seine catch from the Eastern Harbor, Alexandria, Egypt. Egyptian Journal of Aquatic Research, 2014, 40, 79-91. | 1.0 | 16 |
| 71 | Can Citizen Science Survey Non-indigenous Fish Species in the Eastern Mediterranean Sea?. Environmental Management, 2014, 53, 172-180. | 1.2 | 33 |
| 72 | Preliminary data on the genetic structure of a highly successful invading population of oyster suggesting its establishment dynamics in the Levant. Marine Biology Research, 2014, 10, 407-415. | 0.3 | 10 |
| 73 | Invasion history of Caprella scaura Templeton, 1836 (Amphipoda: Caprellidae) in the Iberian Peninsula: multiple introductions revealed by mitochondrial sequence data. Biological Invasions, 2014, 16, 2221-2245. | 1.2 | 32 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 74 | First occurrence of Caprella scaura Templeton, 1836 (Crustacea: Amphipoda) on off-coast fish farm cages in the Mediterranean Sea. Helgoland Marine Research, 2014, 68, 187-191. | 1.3 | 21 |
| 75 | Size at maturity of Mediterranean marine fishes. Reviews in Fish Biology and Fisheries, 2014, 24, 219-268. | 2.4 | 47 |
| 76 | The non-native turf-forming alga Caulacanthus ustulatus displaces space-occupants but increases diversity. Biological Invasions, 2014, 16, 2195-2208. | 1.2 | 22 |
| 77 | Species composition of Black Sea marine planktonic copepods. Journal of Marine Systems, 2014, 135, 44-52. | 0.9 | 26 |
| 78 | Distribution patterns of the invasive herbivore <i><scp>S</scp>iganus luridus</i> (<scp>R</scp> \tilde{A}_{p} ppell, 1829) and its relation to native benthic communities in the central <scp>A</scp> egean <scp>S</scp> ea, <scp>N</scp> ortheastern <scp>M</scp> editerranean. Marine Ecology, 2014, 35, 96-105. | 0.4 | 55 |
| 79 | First record of <i>Chrysiptera cyanea</i> (Quoy and Gaimard, 1825) (Perciformes: Pomacentridae) in the Mediterranean Sea. Journal of Applied Ichthyology, 2014, 30, 1053-1055. | 0.3 | 8 |
| 80 | Microbiological accumulation by the Mediterranean invasive alien species Branchiomma bairdi (Annelida, Sabellidae): Potential tool for bioremediation. Marine Pollution Bulletin, 2014, 86, 325-331. | 2.3 | 14 |
| 81 | The Panama Canal and the transoceanic dispersal of marine invertebrates: Evaluation of the introduced amphipod Paracaprella pusilla Mayer, 1890 in the Pacific Ocean. Marine Environmental Research, 2014, 99, 204-211. | 1.1 | 21 |
| 82 | Pseudodiaptomus marinus Sato, 1913, a new invasive copepod in Lake Faro (Sicily): observations on the swimming behaviour and the sex-dependent responses to food. Zoological Studies, 2014, 53, . | 0.3 | 24 |
| 83 | Biogeography of Atlantic and Mediterranean ascidians. Marine Biology, 2014, 161, 2023-2033. | 0.7 | 17 |
| 84 | Distribution patterns of alien coral Oculina patagonica De Angelis D'Ossat, 1908 in western Mediterranean Sea. Journal of Sea Research, 2014, 85, 372-378. | 0.6 | 17 |
| 85 | The first colonization of the Genus Amphistegina and other exotic benthic foraminifera of the Pelagian Islands and south-eastern Sicily (central Mediterranean Sea). Marine Micropaleontology, 2014, 111, 38-52. | 0.5 | 26 |
| 86 | Large-Scale Assessment of Mediterranean Marine Protected Areas Effects on Fish Assemblages. PLoS ONE, 2014, 9, e91841. | 1.1 | 146 |
| 87 | Experimental evidence of the synergistic effects of warming and invasive algae on a temperate reef-builder coral. Scientific Reports, 2015, 5, 18635. | 1.6 | 39 |
| 88 | What guides invasion success? Ecological correlates of arrival, establishment and spread of Red Sea bivalves in the Mediterranean Sea. Diversity and Distributions, 2015, 21, 1075-1086. | 1.9 | 14 |
| 89 | Climate change and warmâ€water species at the northâ€western boundary of the Mediterranean Sea. Marine Ecology, 2015, 36, 897-909. | 0.4 | 42 |
| 90 | 1H NMR Spectroscopy and MVA Analysis of Diplodus sargus Eating the Exotic Pest Caulerpa cylindracea. Marine Drugs, 2015, 13, 3550-3566. | 2.2 | 11 |
| 91 | A sea of worms: polychaete checklist of the Adriatic Sea . Zootaxa, 2015, 3943, 1. | 0.2 | 45 |

| # | Article | IF | Citations |
|-----|---|-------------|---------------|
| 93 | Predicting future thermal habitat suitability of competing native and invasive fish species: from metabolic scope to oceanographic modelling., 2015, 3, cou059. | | 81 |
| 94 | Neotypification of the widely distributed seagrass <i>Halophila stipulacea</i> (Hydrocharitaceae). Taxon, 2015, 64, 1031-1037. | 0.4 | 3 |
| 95 | Does GenBank provide a reliable DNA barcode reference to identify small alien oysters invading the Mediterranean Sea?. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 111-122. | 0.4 | 22 |
| 96 | First Report on the Distribution and Impact of Marine Alien Species in Coastal Benthic Assemblages Along the Catalan Coast. Handbook of Environmental Chemistry, 2015, , 249-270. | 0.2 | 4 |
| 97 | The presence of Alpheus lobidens De Haan, 1849 (Decapoda,ÂAlpheidae) on the Turkish Aegean Sea coast. Crustaceana, 2015, 88, 651-656. | 0.1 | 1 |
| 98 | Percnon gibbesi (H. Milne Edwards, 1853) (Decapoda, Percnidae): first substantiated record fromÂtheÂAdriaticÂSea. Crustaceana, 2015, 88, 733-740. | 0.1 | 0 |
| 99 | Niche shift can impair the ability to predict invasion risk in the marine realm: an illustration using Mediterranean fish invaders. Ecology Letters, 2015, 18, 246-253. | 3.0 | 121 |
| 100 | Diversity and temporal pattern of Pseudo-nitzschia species (Bacillariophyceae) through the molecular lens. Harmful Algae, 2015, 42, 15-24. | 2.2 | 59 |
| 101 | The future of the Mediterranean Sea Ecosystem: towards a different tomorrow. Rendiconti Lincei, 2015, 26, 3-12. | 1.0 | 32 |
| 102 | First reports of the red alga Hypoglossum caloglossoides from the Mediterranean and the Red Sea. Botanica Marina, 2015, 58, . | 0.6 | 3 |
| 103 | Suitability of the ALien Biotic IndEX (ALEX) for assessing invasion of macroalgae across different Mediterranean habitats. Marine Pollution Bulletin, 2015, 97, 234-240. | 2.3 | 12 |
| 104 | Introduction of the alien Xenostrobus securis (Bivalvia: Mytilidae) into Hong Kong, China: Interactions with and impacts upon native species and the earlier introduced Mytilopsis sallei (Bivalvia: Dreissenidae). Marine Pollution Bulletin, 2015, 92, 134-142. | 2.3 | 29 |
| 105 | Photosynthetic plasticity of the genus Asparagopsis (Bonnemaisoniales, Rhodophyta) in response to temperature: implications for invasiveness. Biological Invasions, 2015, 17, 1341-1353. | 1.2 | 22 |
| 106 | Biodiversity of sea slugs and shelled relatives (Mollusca: Gastropoda) of the Cretan Archipelago (Greece), with taxonomic remarks on selected species. Quaternary International, 2015, 390, 56-68. | 0.7 | 18 |
| 107 | Records of alien marine species of Indo-Pacific origin at Sigri Bay (Lesvos Island, north-eastern Aegean) Tj ETQq0 | 0 Q.;gBT /0 | Overlock 10 T |
| 108 | A Review of the Ecological Role of Chemical Defenses in Facilitating Biological Invasion by Marine Benthic Organisms. Studies in Natural Products Chemistry, 2015, 46, 1-26. | 0.8 | 2 |
| 109 | Recommendations on standardizing lists of marine alien species: Lessons from the Mediterranean Sea. Marine Pollution Bulletin, 2015, 101, 267-273. | 2.3 | 47 |
| 110 | Growth and population dynamics of the nonâ€indigenous species <i>Branchiomma luctuosum</i> Grube (Annelida, Sabellidae) in the Ionian Sea (Mediterranean Sea). Marine Ecology, 2015, 36, 517-529. | 0.4 | 14 |

| # | Article | IF | CITATIONS |
|-----|--|----------------|------------------------------------|
| 111 | From Tropical to Sub-Tropical: Prolonged Reproductive Activity of the Invasive Ascidian Microcosmus exasperatus in the Eastern Mediterranean. Frontiers in Ecology and Evolution, 2016, 4, . | 1.1 | 6 |
| 112 | Fish Species in a Changing World: The Route and Timing of Species Migration between Tropical and Temperate Ecosystems in Eastern Atlantic. Frontiers in Marine Science, 2016, 3, . | 1.2 | 13 |
| 113 | First record of the new alien sea jelly species Marivagia stellata Galil and Gershwin, 2010 off the Syrian coast. Marine Biodiversity Records, 2016, 9 , . | 1.2 | 5 |
| 114 | Preliminary Study on the In vitro and In vivo Effects of Asparagopsis taxiformis Bioactive Phycoderivates on Teleosts. Frontiers in Physiology, 2016, 7, 459. | 1.3 | 25 |
| 115 | On the occurrence of the bluefin driftfish Psenes pellucidus Lýtken 1880 (Perciformes, Nomeidae) in Tunisian waters (Mediterranean Sea). Journal of Applied Ichthyology, 2016, 32, 359-361. | 0.3 | 0 |
| 116 | Alien biodiversity in Mediterranean marine caves. Marine Ecology, 2016, 37, 239-256. | 0.4 | 32 |
| 117 | Long-term turnover of the sponge fauna in Faro Lake (North-East Sicily, Mediterranean Sea). Italian Journal of Zoology, 2016, 83, 579-588. | 0.6 | 8 |
| 118 | Deep-sea ichthyofauna from Eastern Mediterranean Sea, Egypt: Update and new records. Egyptian Journal of Aquatic Research, 2016, 42, 479-489. | 1.0 | 12 |
| 119 | Fate of two invasive or potentially invasive alien seaweeds in a central Mediterranean transitional water system: failure and success. Botanica Marina, 2016 , 59 , . | 0.6 | 13 |
| 120 | Adriatic â€~opisthobranchs' (Gastropoda, Heterobranchia): shedding light on biodiversity issues. Marine Ecology, 2016, 37, 1239-1255. | 0.4 | 16 |
| 121 | First record of the alien polychaete Naineris setosa (Scolecida; Orbiniidae) in Tyrrhenian Sea (Western) Tj ETQq(| 0 0 0 rgBT | /Ovgrlock 10 1 |
| 122 | High genetic diversity, phenotypic plasticity, and invasive potential of a recently introduced calcareous sponge, fast spreading across the Atlanto-Mediterranean basin. Marine Biology, 2016, 163, 123. | 0.7 | 27 |
| 123 | Characteristics of the Zoobenthos in Boka Kotorska Bay. Handbook of Environmental Chemistry, 2016, , 271-294. | 0.2 | 4 |
| 124 | Cnidarian Alien Species in Expansion. , 2016, , 139-160. | | 13 |
| 125 | Translocations of tropical and subtropical marine fish species into the Mediterranean. A case study based on Siganus virgatus (Teleostei: Siganidae). Biologia (Poland), 2016, 71, 952-959. | 0.8 | 3 |
| 126 | Otolith-based age and growth of the Lessepsian species <i>Fistularia commersonii</i> (Osteichtyes:) Tj ETQq1 3490-496. | 0.78431 0.6 | 4 rgBT /Over <mark>l</mark> o 6 |
| 127 | Phytobenthos in the Boka Kotorska Bay: State of Knowledge and Threats. Handbook of Environmental Chemistry, 2016, , 203-229. | 0.2 | 2 |
| 128 | Response of rocky shore communities to anthropogenic pressures in Albania (Mediterranean Sea): Ecological status assessment through the CARLIT method. Marine Pollution Bulletin, 2016, 109, 409-418. | 2.3 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|--------------------|--------------------|
| 129 | Settlement and population dynamics of the alien invasive <i>Branchiomma bairdi</i> (Annelida:) Tj ETQq0 0 0 rgB Biology Research, 2016, 12, 830-841. | T /Overlocl 0.3 | k 10 Tf 50 7 11 |
| 130 | "Opisthobranch―(mollusks) inventory of the Faro Lake: a Sicilian biodiversity hot spot. Italian Journal of Zoology, 2016, 83, 524-530. | 0.6 | 8 |
| 131 | Backdating the confirmed presence of Siphonaria pectinata (Gastropoda: Siphonariidae) along the northern Mediterranean shores, with a discussion on its status in the basin. Marine Biodiversity Records, $2016, 9, .$ | 1.2 | 4 |
| 132 | Ecosystem vulnerability to alien and invasive species: a case study on marine habitats along the Italian coast. Aquatic Conservation: Marine and Freshwater Ecosystems, 2016, 26, 392-409. | 0.9 | 55 |
| 134 | Stable populations in unstable habitats: temporal genetic structure of the introduced ascidian Styela plicata in North Carolina. Marine Biology, 2016 , 163 , 1 . | 0.7 | 20 |
| 135 | Benthic assemblages, biodiversity and invasiveness in marinas and commercial harbours: an investigation using a bioindicator group. Biofouling, 2016, 32, 465-475. | 0.8 | 24 |
| 136 | Role of ships' hull fouling and tropicalization process on European carcinofauna: new records in Galician waters (NW Spain). Biological Invasions, 2016, 18, 619-630. | 1.2 | 22 |
| 137 | Non-native Seaweeds Drive Changes in Marine Coastal Communities Around the World. , 2016, , 147-185. | | 32 |
| 138 | First record of the exotic caprellid amphipod Paracaprella pusilla Mayer, 1890 in the eastern Mediterranean. Marine Biodiversity, 2016, 46, 281-284. | 0.3 | 9 |
| 139 | <i>Chaetozone corona</i> (Polychaeta, Cirratulidae) in the Bay of Biscay: a new alien species for the North-east Atlantic waters?. Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 433-445. | 0.4 | 13 |
| 140 | Distribution of Eunicidae (Annelida: Polychaeta) along the Levantine coast of Turkey, with special emphasis on alien species. Marine Biodiversity, 2017, 47, 421-431. | 0.3 | 8 |
| 141 | Alien amphipods in a sea of troubles: cryptogenic species, unresolved taxonomy and overlooked introductions. Marine Biology, 2017, 164, 1. | 0.7 | 34 |
| 142 | Rapid assessment of non-indigenous species in the era of the eDNA barcoding: A Mediterranean case study. Estuarine, Coastal and Shelf Science, 2017, 188, 81-87. | 0.9 | 24 |
| 143 | Uncertainties and validation of alien species catalogues: The Mediterranean as an example. Estuarine, Coastal and Shelf Science, 2017, 191, 171-187. | 0.9 | 148 |
| 144 | Marine Alien Species at Pserimos Island (Greece): census with the help of citizen scientists. Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 629-634. | 0.4 | 4 |
| 145 | The spread of Caulerpa cylindracea in Calabria (Italy) and the effects of shipping activities. Ocean and Coastal Management, 2017, 144, 51-58. | 2.0 | 8 |
| 146 | Abundance patterns at the invasion front: the case of Siganus luridus in Linosa (Strait of Sicily,) Tj ETQq0 0 0 rgBT | /Oyerlock | 10 Tf 50 10 |
| 147 | Alien seaweeds from the Levant basin (Eastern Mediterranean Sea), with emphasis to the Israeli shores. Israel Journal of Plant Sciences, 0, , 1-12. | 0.3 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 148 | A global invader or a complex of regionally distributed species? Clarifying the status of an invasive calcareous tubeworm Hydroides dianthus (Verrill, 1873) (Polychaeta: Serpulidae) using DNA barcoding. Marine Biology, 2017, 164, 1. | 0.7 | 32 |
| 149 | Status of the â€ ⁻ Mangrove tunicateâ€ ^{-M} Ecteinascidia turbinata (Ascidiacea: Perophoridae) in the Mediterranean Sea. Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 369-376. | 0.4 | 2 |
| 150 | Climate change and body size shift in Mediterranean bivalve assemblages: unexpected role of biological invasions. Proceedings of the Royal Society B: Biological Sciences, 2017, 284, 20170357. | 1.2 | 12 |
| 151 | Macrophyte assemblage composition as a simple tool to assess global change in coastal areas. Freshwater impacts and climatic changes. Science of the Total Environment, 2017, 605-606, 559-568. | 3.9 | 4 |
| 152 | A non-native macroalga is less attractive for herbivores but more susceptible to light limitation and grazing stress than a comparable native species. Helgoland Marine Research, 2017, 70, . | 1.3 | 6 |
| 153 | An updated overview of the marine alien and cryptogenic species from the Egadi Islands Marine Protected Area (Italy). Marine Biodiversity, 2017, 47, 469-480. | 0.3 | 13 |
| 154 | New insights in the taxonomy of Mediterranean Diodora (Mollusca, Gastropoda, Fissurellidae). Journal of the Marine Biological Association of the United Kingdom, 2017, 97, 1527-1536. | 0.4 | 3 |
| 155 | Heavy metals in five Sabellidae species (Annelida, Polychaeta): ecological implications. Environmental Science and Pollution Research, 2017, 24, 3759-3768. | 2.7 | 20 |
| 156 | Non-indigenous species (NIS) of polychaetes (Annelida: Polychaeta) from the Atlantic and Mediterranean coasts of the Iberian Peninsula: an annotated checklist. Helgoland Marine Research, 2017, 71, . | 1.3 | 20 |
| 157 | Local Ecological Knowledge Indicates Temporal Trends of Benthic Invertebrates Species of the Adriatic Sea. Frontiers in Marine Science, 0, 4, . | 1.2 | 20 |
| 158 | Genetic diversity of Timarete punctata (Annelida: Cirratulidae): Detection of pseudo-cryptic species and a potential biological invader. Estuarine, Coastal and Shelf Science, 2017, 197, 214-220. | 0.9 | 14 |
| 160 | Polychaetes of Greece: an updated and annotated checklist. Biodiversity Data Journal, 2017, 5, e20997. | 0.4 | 20 |
| 161 | East is east and West is west? Management of marine bioinvasions in the Mediterranean Sea. Estuarine, Coastal and Shelf Science, 2018, 201, 7-16. | 0.9 | 125 |
| 162 | First Record of Doris verrucosa Linnaeus, 1758 (Mollusca: Heterobranchia: Nudibranchia) in the bay of Tunis, Tunisia (Central Mediterranean). Advances in Science, Technology and Innovation, 2018, , 1453-1454. | 0.2 | 0 |
| 163 | Mobile epifauna of the invasive bryozoan Tricellaria inopinata: is there a potential invasional meltdown?. Marine Biodiversity, 2018, 48, 1169-1178. | 0.3 | 23 |
| 164 | First record of Acanthurus monroviae (Osteichthyes: Perciformes: Acanthuridae) in southern Portugal, with notes on its recent distributional spread in the northeastern Atlantic and Mediterranean. Marine Biodiversity, 2018, 48, 1673-1681. | 0.3 | 2 |
| 165 | Alien Sipuncula species in the Mediterranean Sea. Journal of the Marine Biological Association of the United Kingdom, 2018, 98, 33-39. | 0.4 | 2 |
| 166 | Distribution and ecological relations among the alien crab, Percnon gibbesi (H. Milne-Edwards 1853) and autochthonous species, in and out of an SW Mediterranean MPA. Hydrobiologia, 2018, 806, 187-201. | 1.0 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|--------------------|
| 167 | First record of the invasive worm <i>Branchiomma bairdi</i> (Annelida: Sabellidae) in the Balearic Sea (Western Mediterranean). Journal of the Marine Biological Association of the United Kingdom, 2018, 98, 1955-1963. | 0.4 | 3 |
| 168 | Shellfish import and hull fouling as vectors for new red algal introductions in the Venice Lagoon. Estuarine, Coastal and Shelf Science, 2018, 215, 30-38. | 0.9 | 17 |
| 169 | Descriptions of two new genera, six new species and three new records of Anthozoa (Cnidaria) from the Sea of Marmara. Journal of Natural History, 2018, 52, 2243-2282. | 0.2 | 2 |
| 170 | A taxonomic revision helps to clarify differences between the Atlantic invasive Ptilohyale littoralis and the Mediterranean endemic Parhyale plumicornis (Crustacea, Amphipoda). ZooKeys, 2018, 754, 47-62. | 0.5 | 7 |
| 171 | The Apparently Relentless Spread of the Major Decapod Alien Species in the Mediterranean Basin and European Inland Waters. World Terraced Landscapes: History, Environment, Quality of Life Environmental History, 2018, , 51-86. | 0.2 | 8 |
| 172 | First records of the Red Sea alien mollusc <i>Haminoea cyanomarginata</i> (Gastropoda:) Tj ETQq1 1 0.784314 1817-1823. | rgBT /Ove 0.2 | rlock 10 Tf 5 9 |
| 173 | Zooplankton in Adriatic port environments: Indigenous communities and non-indigenous species. Marine Pollution Bulletin, 2019, 147, 133-149. | 2.3 | 21 |
| 174 | A molecular phylogeny of the Indo-West Pacific species of Haloa sensu lato gastropods (Cephalaspidea: Haminoeidae): Tethyan vicariance, generic diversity, and ecological specialization. Molecular Phylogenetics and Evolution, 2019, 139, 106557. | 1.2 | 19 |
| 175 | Species Interactions and Regime Shifts in Intertidal and Subtidal Rocky Reefs of the Mediterranean Sea. , 2019, , 190-213. | | 3 |
| 176 | An Alien Invader is the Cause of Homogenization in the Recipient Ecosystem: A Simulation-Like Approach. Diversity, 2019, 11, 146. | 0.7 | 21 |
| 177 | Macro-benthic invertebrates associated with the black sponge Sarcotragus foetidus (Porifera) in the Levantine and Aegean Seas, with special emphasis on alien species. Estuarine, Coastal and Shelf Science, 2019, 227, 106306. | 0.9 | 11 |
| 178 | Phytoplankton communities in the northwestern Adriatic Sea: Interdecadal variability over a 30-years period (1988–2016) and relationships with meteoclimatic drivers. Journal of Marine Systems, 2019, 193, 137-153. | 0.9 | 51 |
| 179 | The Copepod Acartia tonsa Dana in a Microtidal Mediterranean Lagoon: History of a Successful Invasion. Water (Switzerland), 2019, 11, 1200. | 1.2 | 11 |
| 180 | Bugulidae Species along the Aegean Coast of Turkey. Thalassas, 2019, 35, 663-673. | 0.1 | 1 |
| 181 | "Hidden invaders―conquer the Sicily Channel and knock on the door of the Western Mediterranean sea. Estuarine, Coastal and Shelf Science, 2019, 225, 106234. | 0.9 | 19 |
| 182 | The little Aplysia coming of age: from one species to a complex of species complexes in Aplysia parvula (Mollusca: Gastropoda: Heterobranchia). Zoological Journal of the Linnean Society, 2019, 187, 279-330. | 1.0 | 25 |
| 183 | A new species of Protodorvillea (Polychaeta: Dorvilleidae) from the Western Mediterranean Sea. , 2019, 86, 196-209. | | 1 |
| 184 | Biodiversity loss in a Mediterranean ecosystem due to an extreme warming event unveils the role of an engineering gorgonian species. Scientific Reports, 2019, 9, 5911. | 1.6 | 66 |

| # | Article | IF | CITATIONS |
|-----|---|--------------|-------------|
| 185 | Non-indigenous marine species in the Mediterranean Seaâ€"Myth and reality. Environmental Science and Policy, 2019, 96, 123-131. | 2.4 | 23 |
| 186 | The life history of the invasive mullet, Osteomugil engeli (Bleeker, 1858) in Hawaiian estuaries. Environmental Biology of Fishes, 2019, 102, 553-568. | 0.4 | 1 |
| 187 | Thermal tolerance and range expansion of invasive foraminifera under climate changes. Scientific Reports, 2019, 9, 4198. | 1.6 | 19 |
| 188 | Screening for alien and harmful planktonic species in the Gulf of Gabes (Tunisia, Southeastern) Tj ETQq1 1 0.7843 | 14 rgBT /0.4 | Oyerlock 10 |
| 189 | Macrozoobenthos in the Adriatic Sea ports: Soft-bottom communities with an overview of non-indigenous species. Marine Pollution Bulletin, 2019, 147, 159-170. | 2.3 | 10 |
| 190 | Blacktip reefshark (Carcharhinus melanopterus) individual's identification in Morotai waters using its fin's natural markings. AIP Conference Proceedings, 2019, , . | 0.3 | 1 |
| 191 | Zooplankton community structure before and after Mnemiopsis leidyi arrival. Journal of Plankton Research, 2019, 41, 803-820. | 0.8 | 6 |
| 192 | Marinas: An overlooked habitat for exploring the relation among polychaete assemblages and environmental factors. Marine Pollution Bulletin, 2019, 138, 584-597. | 2.3 | 13 |
| 193 | Climate change may have minor impact on zooplankton functional diversity in the Mediterranean Sea. Diversity and Distributions, 2019, 25, 568-581. | 1.9 | 26 |
| 194 | Risk assessment for ballast water management â€" Learning from the Adriatic Sea case study. Marine Pollution Bulletin, 2019, 147, 36-46. | 2.3 | 9 |
| 195 | Port Baseline Biological Surveys and seaweed bioinvasions in port areas: What's the matter in the Adriatic Sea?. Marine Pollution Bulletin, 2019, 147, 98-116. | 2.3 | 19 |
| 196 | Non-indigenous macrozoobenthic species on hard substrata of selected harbours in the Adriatic Sea. Marine Pollution Bulletin, 2019, 147, 150-158. | 2.3 | 26 |
| 197 | The Biological, Ecological, and Ecosystem Roles of Marine Amphipoda. , 2020, , 518-526. | | 2 |
| 198 | The seaweed resources of Israel in the Eastern Mediterranean Sea. Botanica Marina, 2020, 63, 85-95. | 0.6 | 10 |
| 199 | Tropicalization may invert trophic state and carbon budget of shallow temperate rocky reefs. Journal of Ecology, 2020, 108, 844-854. | 1.9 | 31 |
| 200 | Risk screening of the potential invasiveness of non-native jellyfishes in the Mediterranean Sea. Marine Pollution Bulletin, 2020, 150, 110728. | 2.3 | 29 |
| 201 | Spatial distribution pattern of macroinvertebrates associated with the black mussel Mytilus galloprovincialis (Mollusca: Bivalvia) in the Sea of Marmara. Journal of Marine Systems, 2020, 211, 103402. | 0.9 | 11 |
| 202 | Projected Rapid Habitat Expansion of Tropical Seagrass Species in the Mediterranean Sea as Climate Change Progresses. Frontiers in Plant Science, 2020, 11, 555376. | 1.7 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 203 | Species diversity, taxonomy and distribution of Chondrichthyes in the Mediterranean and Black Sea. , 2020, 87, 497-536. | | 64 |
| 204 | Systematic revision of the Indo-West Pacific colourful bubble-snails of the genus Lamprohaminoea Habe, 1952 (Cephalaspidea: Haminoeidae). Invertebrate Systematics, 2020, , . | 0.5 | 4 |
| 205 | Do Morphological Similarities and human-induced dispersal explain the non-native occurrence of Serpulidae (Annelida) in Southwest Atlantic? Taxonomic detailing is the key. Papeis Avulsos De Zoologia, 2020, 60, e20206005. | 0.4 | 2 |
| 206 | Mediterranean non indigenous species at the start of the 2020s: recent changes. Marine Biodiversity Records, 2020, 13, . | 1.2 | 80 |
| 207 | Diversity and Distribution Patterns of Hard Bottom Polychaete Assemblages in the North Adriatic Sea (Mediterranean). Diversity, 2020, 12, 408. | 0.7 | 12 |
| 208 | Species delineation in the speciation grey zoneâ€"The case of Diopatra (Annelida, Onuphidae). Zoologica Scripta, 2020, 49, 516-534. | 0.7 | 17 |
| 209 | Holocene fish assemblages provide baseline data for the rapidly changing eastern Mediterranean. Holocene, 2020, 30, 1438-1450. | 0.9 | 15 |
| 210 | Foraminiferal holobiont thermal tolerance under future warming – roommate problems or successful collaboration?. Biogeosciences, 2020, 17, 2341-2348. | 1.3 | 8 |
| 211 | New evidence of Melithaea erythraea colonization in the Mediterranean. Estuarine, Coastal and Shelf Science, 2020, 236, 106652. | 0.9 | 9 |
| 212 | Morphometric and genetic characterizations of blue swimming crab Portunus segnis, (Forskal, 1775) along the Iranian coasts of the Persian Gulf and Oman Sea. Regional Studies in Marine Science, 2020, 34, 101091. | 0.4 | 7 |
| 213 | WGEUROBUS – Working Group "Towards a EURopean OBservatory of the non-indigenous calanoid copepod Pseudodiaptomus marinUS― Biological Invasions, 2020, 22, 885-906. | 1.2 | 17 |
| 214 | Prioritizing marine invasive alien species in the European Union through horizon scanning. Aquatic Conservation: Marine and Freshwater Ecosystems, 2020, 30, 794-845. | 0.9 | 62 |
| 215 | Influence of Mediterranean Sea Temperature Increase on Gaeta Gulf (Tyrrhenian Sea) Biodiversity. Proceedings of the Zoological Society, 2021, 74, 91-103. | 0.4 | 11 |
| 216 | Numerous new records of tropical non-indigenous species in the Eastern Mediterranean highlight the challenges of their recognition and identification. ZooKeys, 2021, 1010, 1-95. | 0.5 | 12 |
| 217 | <i>Metasychis varicollaris</i> sp. nov. and report of <i>Metasychis gotoi</i> (Maldanidae, Annelida) from the China Seas. PeerJ, 2021, 9, e10608. | 0.9 | 0 |
| 218 | Invasive alien species in Mediterranean Marine Protected Areas: the Egadi Islands (Italy) case study. Biodiversity, 2021, 22, 13-23. | 0.5 | 10 |
| 219 | Fanworms: Yesterday, Today and Tomorrow. Diversity, 2021, 13, 130. | 0.7 | 14 |
| 220 | Still Digging: Advances and Perspectives in the Study of the Diversity of Several Sedentarian Annelid Families. Diversity, 2021, 13, 132. | 0.7 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 221 | THE EXPANSION OF THE BIVALVE <i>ANADARA KAGOSHIMENSIS</i> (TOKUNAGA, 1906) IN THE SEA OF AZOV. Rossijskij žurnal BiologiÄeskih Invazij, 2021, 14, 83-94. | 0.0 | 0 |
| 222 | A revision of the ctenostome bryozoan family Pherusellidae, with description of two new species. Journal of Zoological Systematics and Evolutionary Research, 2021, 59, 963-980. | 0.6 | 8 |
| 223 | The Family Mactridae Lamarck, 1809 (Bivalvia: Cardiida) in South African Waters. Malacologia, 2021, 63, . | 0.2 | 2 |
| 224 | Monitoring Extreme Impacts of Rugulopteryx okamurae (Dictyotales, Ochrophyta) in El Estrecho Natural Park (Biosphere Reserve). Showing Radical Changes in the Underwater Seascape. Frontiers in Ecology and Evolution, 2021, 9, . | 1.1 | 21 |
| 226 | The non-indigenous Oithona davisae in a Mediterranean transitional environment: coexistence patterns with competing species. Scientific Reports, 2021, 11, 8341. | 1.6 | 9 |
| 227 | Who's Next? Non-Indigenous Cnidarian and Ctenophoran Species Approaching to the Italian Waters. Water (Switzerland), 2021, 13, 1062. | 1.2 | 3 |
| 228 | Metazoan diversity and seasonality through eDNA metabarcoding at a Mediterranean long-term ecological research site. ICES Journal of Marine Science, 2021, 78, 3303-3316. | 1.2 | 19 |
| 229 | The Expansion of the Bivalve Mollusk Anadara kagoshimensis (Tokunaga, 1906) in the Sea of Azov. Russian Journal of Biological Invasions, 2021, 12, 192-202. | 0.2 | 4 |
| 230 | Current status (as of end of 2020) of marine alien species in Turkey. PLoS ONE, 2021, 16, e0251086. | 1.1 | 34 |
| 231 | The emergent fouling population after severe eutrophication in the Mar Menor coastal lagoon. Regional Studies in Marine Science, 2021, 44, 101720. | 0.4 | 3 |
| 232 | Inventory and Geographical Affinities of Algerian Cumacea, Isopoda, Mysida, Lophogastrida and Tanaidacea (Crustacea Peracarida). Diversity, 2021, 13, 221. | 0.7 | 0 |
| 233 | Temporal changes of a fouling community: Colonization patterns of the benthic epifauna in the shallow northern Adriatic Sea. Regional Studies in Marine Science, 2021, 45, 101818. | 0.4 | 7 |
| 234 | An updated inventory of sea slugs from Koh Tao, Thailand, with notes on their ecology and a dramatic biodiversity increase for Thai waters. ZooKeys, 2021, 1042, 73-188. | 0.5 | 11 |
| 235 | To the Mediterranean and beyond: An integrative approach to evaluate the spreading of Branchiomma luctuosum (Annelida: Sabellidae). Estuarine, Coastal and Shelf Science, 2021, 254, 107357. | 0.9 | 10 |
| 236 | Ecological status assessment and non-indigenous species in industrial and fishing harbours of the Gulf of GabÃ's (central Mediterranean Sea). Environmental Science and Pollution Research, 2021, 28, 65278-65299. | 2.7 | 3 |
| 237 | Non-indigenous species likely introduced by shipping into the Adriatic Sea. Marine Policy, 2021, 129, 104516. | 1.5 | 6 |
| 238 | Marine Seagrasses Transplantation in Confined and Coastal Adriatic Environments: Methods and Results. Water (Switzerland), 2021, 13, 2289. | 1.2 | 4 |
| 239 | A review of occurrence, distribution and alien status of Notodiaphana atlantica Ortea, Moro and Espinosa, 2013 and Liloa mongii (Audouin, 1826) (Mollusca: Heterobranchia) in the Mediterranean Sea. Oceanological and Hydrobiological Studies, 2021, 50, 259-268. | 0.3 | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 240 | Bivalves (Mollusca: Bivalvia) in Malaysian Borneo: status and threats. Journal of Threatened Taxa, 2021, 13, 19553-19565. | 0.1 | 6 |
| 241 | The Early Branching Group of Orbiniida Sensu Struck et al., 2015: Parergodrilidae and Orbiniidae. Diversity, 2021, 13, 29. | 0.7 | 4 |
| 242 | ChapitreÂ7., 2021, , 171-219. | | 2 |
| 244 | The Making of the Mediterranean Molluscan Biodiversity. , 2014, , 285-306. | | 32 |
| 245 | Future Trends of Mediterranean Biodiversity. , 2014, , 479-498. | | 36 |
| 246 | Interactions between angler movement behaviour and an invasive seaweed with ecosystem engineering properties in a marine recreational fishery. Fisheries Research, 2020, 230, 105624. | 0.9 | 3 |
| 247 | Further records of Callinectes sapidus (Rathbun, 1896) (Decapoda, Brachyura, Portunidae) in the Strait of Sicily. Marine Biodiversity Records, 2020, 13, . | 1.2 | 5 |
| 248 | Updated review of marine alien species and other †newcomers†recorded from the Maltese Islands (Central Mediterranean). Mediterranean Marine Science, 2015, 16, 225. | 0.6 | 32 |
| 249 | New Mediterranean Biodiversity Records (October, 2014). Mediterranean Marine Science, 2014, 15, 675. | 0.6 | 55 |
| 250 | Spreading factors of a globally invading coastal copepod. Mediterranean Marine Science, 2015, 16, 460. | 0.6 | 28 |
| 251 | Tracking the invasion of Hemiramphus far and Saurida undosquamis along the southern Mediterranean coasts: A Local Ecological Knowledge study. Mediterranean Marine Science, 2015, 16, 628. | 0.6 | 11 |
| 252 | New Mediterranean Biodiversity Records (April 2015). Mediterranean Marine Science, 2015, 16, 266. | 0.6 | 25 |
| 253 | Review of alien marine macrophytes in Tunisia. Mediterranean Marine Science, 2016, 17, 109. | 0.6 | 24 |
| 254 | First occurrence of knight rock shrimp, Sicyonia lancifer (Olivier, 1811) (Decapoda: Sicyoniidae) in the Mediterranean Sea Mediterranean Marine Science, 2016, 17, 144. | 0.6 | 2 |
| 255 | New Mediterranean Biodiversity Records (October 2015). Mediterranean Marine Science, 2015, 16, 682. | 0.6 | 79 |
| 256 | Inventory and new records of polychaete species from the Cap Bon Peninsula, north-east coast of Tunisia, Western Mediterranean Sea. Mediterranean Marine Science, 2012, 13, 36. | 0.6 | 6 |
| 257 | New records of alien polychaete species for the coasts of Turkey. Mediterranean Marine Science, 2012, 13, 103. | 0.6 | 7 |
| 258 | Description of a new species of Sphaerosyllis Claparède, 1863 (Polychaeta: Syllidae: Exogoninae) from the Alicante coast (W Mediterranean) and first reports of two other species of Syllidae for the Mediterranean Sea and the Iberian Peninsula. Mediterranean Marine Science, 2013, 13, 187. | 0.6 | 7 |

| # | Article | IF | CITATIONS |
|--------------------------|--|--------------------------|--------------------|
| 259 | On the occurrence of the tropical caprellid Paracaprella pusilla Mayer, 1890 (Crustacea: Amphipoda) in Europe. Mediterranean Marine Science, 2012, 13, 134. | 0.6 | 34 |
| 260 | State of the Art of the Marine Non-Indigenous Flora and Fauna in Slovenia. Mediterranean Marine Science, 2013, 13, 243. | 0.6 | 19 |
| 261 | First record of Aequorea globosa Eschscholtz, 1829 (Cnidaria: Hydrozoa) in the coast of Syria. Mediterranean Marine Science, 2013, 13, 259. | 0.6 | 5 |
| 262 | Sabellidae (Annelida) from the Faro coastal lake (Messina, Ionian Sea), with the first record of the invasive species Branchiomma bairdi along the Italian coast. Mediterranean Marine Science, 2013, 13, 283. | 0.6 | 34 |
| 263 | New Mediterranean Biodiversity Records (December 2012). Mediterranean Marine Science, 2013, 13, 312. | 0.6 | 40 |
| 264 | Alien species in the Mediterranean Sea by 2012. A contribution to the application of European Union's Marine Strategy Framework Directive (MSFD). Part 2. Introduction trends and pathways. Mediterranean Marine Science, 2013, 13, 328. | 0.6 | 386 |
| 265 | Biology and new records of the invasive species Branchiomma bairdi (Annelida: Sabellidae) in the Mediterranean Sea. Mediterranean Marine Science, 2013, 14, 162. | 0.6 | 39 |
| 266 | Introduced marine species in Croatian waters (Eastern Adriatic Sea). Mediterranean Marine Science, 2013, 14, 224. | 0.6 | 36 |
| 267 | Biogeographical homogeneity in the eastern Mediterranean Sea - I: the opisthobranchs (Mollusca:) Tj ETQq0 0 0 r | gBT/Overl | ock 10 Tf 5 |
| | | | |
| 268 | First occurrence of a Hymenosomatid crab Elamena mathoei (Desmarest, 1823) (Crustacea: Decapoda:) Tj ETQq1 | 10.7843 0.6 | 14 rgBT /O |
| 268 | First occurrence of a Hymenosomatid crab Elamena mathoei (Desmarest, 1823) (Crustacea: Decapoda:) Tj ETQq1 "Protected" marine shelled molluscs: thriving in Greek seafood restaurants. Mediterranean Marine Science, 2012, 12, 429. | 0.6 | 14 rgBT /C |
| | "Protected" marine shelled molluscs: thriving in Greek seafood restaurants. Mediterranean Marine | 0.0 | |
| 269 | "Protected" marine shelled molluscs: thriving in Greek seafood restaurants. Mediterranean Marine Science, 2012, 12, 429. Sertularia marginata (Cnidaria: Hydrozoa) in the Mediterranean: an alien species in expansion?. | 0.6 | 39 |
| 269 270 | "Protected" marine shelled molluscs: thriving in Greek seafood restaurants. Mediterranean Marine Science, 2012, 12, 429. Sertularia marginata (Cnidaria: Hydrozoa) in the Mediterranean: an alien species in expansion?. Mediterranean Marine Science, 2013, 14, 384. Aliens in Egyptian Mediterranean waters. A check-list of Erythrean fish with new records. | 0.6 | 39 |
| 269 270 271 | "Protected" marine shelled molluscs: thriving in Greek seafood restaurants. Mediterranean Marine Science, 2012, 12, 429. Sertularia marginata (Cnidaria: Hydrozoa) in the Mediterranean: an alien species in expansion?. Mediterranean Marine Science, 2013, 14, 384. Aliens in Egyptian Mediterranean waters. A check-list of Erythrean fish with new records. Mediterranean Marine Science, 2012, 12, 479. The spreading of the non-native caprellid (Crustacea: Amphipoda) Caprella scaura Templeton, 1836 into southern Europe and northern Africa: a complicated taxonomic history Mediterranean Marine | 0.6 | 39 6 37 |
| 269 270 271 272 | "Protected" marine shelled molluscs: thriving in Greek seafood restaurants. Mediterranean Marine Science, 2012, 12, 429. Sertularia marginata (Cnidaria: Hydrozoa) in the Mediterranean: an alien species in expansion?. Mediterranean Marine Science, 2013, 14, 384. Aliens in Egyptian Mediterranean waters. A check-list of Erythrean fish with new records. Mediterranean Marine Science, 2012, 12, 479. The spreading of the non-native caprellid (Crustacea: Amphipoda) Caprella scaura Templeton, 1836 into southern Europe and northern Africa: a complicated taxonomic history Mediterranean Marine Science, 2013, 15, 145. First record of Pontian Monkey Goby, Neogobius fluviatilis (Pallas, 1814) in the Evros River (Greece); Is | 0.6 0.6 0.6 | 39 6 37 8 |
| 269 270 271 272 273 | "Protected" marine shelled molluscs: thriving in Greek seafood restaurants. Mediterranean Marine Science, 2012, 12, 429. Sertularia marginata (Cnidaria: Hydrozoa) in the Mediterranean: an alien species in expansion?. Mediterranean Marine Science, 2013, 14, 384. Aliens in Egyptian Mediterranean waters. A check-list of Erythrean fish with new records. Mediterranean Marine Science, 2012, 12, 479. The spreading of the non-native caprellid (Crustacea: Amphipoda) Caprella scaura Templeton, 1836 into southern Europe and northern Africa: a complicated taxonomic history Mediterranean Marine Science, 2013, 15, 145. First record of Pontian Monkey Goby, Neogobius fluviatilis (Pallas, 1814) in the Evros River (Greece); Is it an alien species?. Mediterranean Marine Science, 2012, 12, 454. On the occurrence of Uronema marinum Womersley (Chaetophorales, Chlorophyta) in the north-western lagoons of the Adriatic Sea, Mediterranean Sea (Italy). Mediterranean Marine Science, | 0.6 0.6 0.6 0.6 | 39 6 37 8 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|---------------|
| 277 | ALIEN MARINE SPECIES OF LIBYA: FIRST INVENTORY AND NEW RECORDS IN EL-KOUF NATIONAL PARK (CYRENAICA) AND THE NEIGHBOURING AREAS. Mediterranean Marine Science, 2013, 14, 451. | 0.6 | 17 |
| 278 | An overlooked alien species present on the coasts of Greece (Eastern Mediterranean): the polychaete Polycirrus twisti Potts (Polychaeta: Terebellidae). Mediterranean Marine Science, 2012, 12, 239. | 0.6 | 3 |
| 279 | First record of the Spiny blaasop Tylerius spinosissimus (Regan, 1908) (Tetraodontidae) from the Turkish coasts. Mediterranean Marine Science, 2012, 12, 247. | 0.6 | 6 |
| 280 | New Mediterranean Marine biodiversity records (December, 2013). Mediterranean Marine Science, 2013, 14, 463. | 0.6 | 39 |
| 281 | First record of the Central Indo-Pacific reef coral Oulastrea crispata in the Mediterranean Sea. Mediterranean Marine Science, 2014, 15, 429. | 0.6 | 15 |
| 282 | First record of the twobar sea bream Acanthopagrus bifasciatus (Teleostei: Sparidae) in the Mediterranean Sea. Mediterranean Marine Science, 2014, 15, 437. | 0.6 | 5 |
| 284 | Global Diversity of Ascidiacea. PLoS ONE, 2011, 6, e20657. | 1.1 | 220 |
| 285 | Life-Cycle Traits of Paraleucilla magna, a Calcareous Sponge Invasive in a Coastal Mediterranean Basin. PLoS ONE, 2012, 7, e42392. | 1.1 | 25 |
| 286 | Rapid Northward Spread of a Zooxanthellate Coral Enhanced by Artificial Structures and Sea Warming in the Western Mediterranean. PLoS ONE, 2013, 8, e52739. | 1.1 | 47 |
| 287 | Marine Biodiversity - Warming vs. Biological Invasions and overfishing in the Mediterranean Sea: Take care, †One Train can hide another'. MOJ Ecology & Environmental Sciences, 2017, 2, . | 0.1 | 8 |
| 288 | Colonization's features of the Black Sea basin by recent invader Anadara kagoshimensis (Bivalvia:) Tj ETQq0 0 |) OrgBT /C |)verlock 10 T |
| 289 | Biomarker Approach in Marine Monitoring and Assessment: New Insights and Perspectives. Open Environmental Sciences, 2012, 6, 20-27. | 0.8 | 41 |
| 290 | A Checklist of the Non-indigenous Fishes in Turkish Marine Waters. Natural and Engineering Sciences, 2018, 3, 333-358. | 0.2 | 21 |
| 291 | The Spring Outbreak of the Invasive Scyphomedusa Rhopilema nomadica Galil, Spannier & Sp | 0.2 | 1 |
| 292 | Le territoire et son patrimoine. Geographie, Economie, Societe, 2005, 7, 83-107. | 0.1 | 11 |
| 293 | The role of two non-indigenous serpulid tube worms in shaping artificial hard substrata communities: case study of a fish farm in the central Mediterranean Sea. Aquaculture Environment Interactions, 2019, 11, 41-51. | 0.7 | 21 |
| 294 | Occupancy estimation of marine species: dealing with imperfect detectability. Marine Ecology - Progress Series, 2012, 453, 95-106. | 0.9 | 24 |
| 295 | Fast-spreading green beds of recently introduced Halimeda incrassata invade Mallorca island (NW) Tj ETQq $1\ 1\ 0.7$ | 784314 rg 0.9 | BŢ./Overlock |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 296 | Atlantic fishes in the Mediterranean: using biological traits to assess the origin of newcomer fishes. Marine Ecology - Progress Series, 2020, 643, 133-143. | 0.9 | 15 |
| 297 | An overlooked and unexpected introduction? Occurrence of the spotted scat Scatophagus argus (Linnaeus, 1766) (Osteichthyes: Scatophagidae) in the Maltese Islands. Aquatic Invasions, 2011, 6, S79-S83. | 0.6 | 15 |
| 298 | Rapid assessment of the marine alien megabiota in the shallow coastal waters of the Greek islands, Paros and Antiparos, Aegean Sea. Aquatic Invasions, 2011, 6, S133-S137. | 0.6 | 27 |
| 299 | First record of the invasive brackish water mytilid Limnoperna securis (Lamarck, 1819) in the Bay of Biscay. Aquatic Invasions, 2012, 7, 171-180. | 0.6 | 28 |
| 300 | Description of Bispira polyomma n. sp. (Annelida: Sabellidae): a probable introduction to The Netherlands. Aquatic Invasions, 2012, 7, 591-598. | 0.6 | 8 |
| 301 | Impacts of invasive alien marine species on ecosystem services and biodiversity: a pan-European review. Aquatic Invasions, 2014, 9, 391-423. | 0.6 | 469 |
| 302 | On the occurrence and identification of Abudefduf saxatilis (Linnaeus, 1758) in the easternmost Mediterranean Sea. Aquatic Invasions, 2015, 10, 101-105. | 0.6 | 16 |
| 303 | Further expansion of the alien seaweed Caulerpa taxifolia var. distichophylla (Sonder) Verlaque, Huisman & Procacini (Ulvophyceae, Bryopsidales) in the Eastern Mediterranean Sea. Aquatic Invasions, 2016, 11, 11-20. | 0.6 | 16 |
| 304 | First confirmed record of the Lessepsian migrant Pteragogus pelycus Randall, 1981 (Teleostei: Labridae) for the North African coasts. Biolnvasions Records, 2012, 1, 45-48. | 0.4 | 4 |
| 305 | The use of georeferenced underwater TV devices for the study of the exotic invasive species Branchiomma luctuosum (Grube, 1869) (Polychaeta, Sabellidae) in ports from the Eastern Iberian coast (Western Mediterranean Sea). BioInvasions Records, 2012, 1, 277-281. | 0.4 | 6 |
| 306 | Alien marine macrophytes in transitional water systems: new entries and reappearances in a Mediterranean coastal basin. BioInvasions Records, 2013, 2, 177-184. | 0.4 | 31 |
| 307 | The Australian feather-duster worm Laonome calida Capa, 2007 (Annelida: Sabellidae) introduced into European inland waters?. BioInvasions Records, 2014, 3, 1-11. | 0.4 | 11 |
| 308 | First records of the warm water shipworm Teredo bartschi Clapp, 1923 (Bivalvia, Teredinidae) in Mersin, southern Turkey and in Olhão, Portugal. BioInvasions Records, 2014, 3, 25-28. | 0.4 | 6 |
| 309 | First record of Abudefduf cfr saxatilis Linnaeus, 1758 (Perciformes: Pomacentridae) from the Maltese Islands (Central Mediterranean). BioInvasions Records, 2014, 3, 53-56. | 0.4 | 15 |
| 310 | First record of Naineris setosa (Verrill, 1900) (Annelida: Polychaeta: Orbiniidae) in the Western Mediterranean Sea. BioInvasions Records, 2014, 3, 83-88. | 0.4 | 15 |
| 311 | How many marine aliens in Europe?. Management of Biological Invasions, 2013, 4, 37-42. | 0.5 | 57 |
| 312 | Inventory of alien and cryptogenic species of the Dodecanese (Aegean Sea, Greece): collaboration through COST action training school. Management of Biological Invasions, 2015, 6, 351-366. | 0.5 | 18 |
| 313 | Time series and beyond: multifaceted plankton research at a marine Mediterranean LTER site. Nature Conservation, 0, 34, 273-310. | 0.0 | 48 |

| # | Article | IF | CITATIONS |
|-----|--|------------|----------------------|
| 314 | First record of Aequorea macrodactyla (Cnidaria, Hydrozoa) from the Israeli coast of the eastern Mediterranean Sea, an alien species indicating invasive pathways. NeoBiota, 0, 26, 55-70. | 1.0 | 6 |
| 315 | Combined morphological and molecular data unveils relationships of Pseudobranchiomma (Sabellidae, Annelida) and reveals higher diversity of this intriguing group of fan worms in Australia, including potentially introduced species. ZooKeys, 2016, 622, 1-36. | 0.5 | 9 |
| 316 | Checklist of the benthic marine macroalgae from Algeria. I. Phaeophyceae. Anales Del Jardin Botanico De Madrid, 2013, 70, 136-143. | 0.2 | 9 |
| 317 | Annotated checklist of brachyuran crabs (Crustacea: Decapoda) of the Iberian Peninsula (SW Europe). Scientia Marina, 2015, 79, 243-256. | 0.3 | 23 |
| 318 | A national checklist of marine Mollusca in Spanish waters. Scientia Marina, 2017, 81, 241. | 0.3 | 26 |
| 319 | Updating changes in the Iberian decapod crustacean fauna (excluding crabs) after 50 years. Scientia Marina, 2018, 82, 207. | 0.3 | 7 |
| 320 | Following the Phoenician example: western Mediterranean colonization by Spirobranchus cf. tetraceros (Annelida: Serpulidae). Scientia Marina, 2020, 84, 83. | 0.3 | 6 |
| 321 | Antioxidant and antiproliferative activity of Asparagopsis Taxiformis. Pharmacognosy Research (discontinued), 2017, 9, 238. | 0.3 | 14 |
| 322 | Impacts of Invasive Fishes on Fishery Dynamics of the Yamuna River, India. Agricultural Sciences, 2014, 05, 813-821. | 0.2 | 7 |
| 323 | The effects of decomposing invasive jellyfish on biogeochemical fluxes and microbial dynamics in an ultra-oligotrophic sea. Biogeosciences, 2020, 17, 5489-5511. | 1.3 | 14 |
| 324 | Marine exotic isopods from the Iberian Peninsula and nearby waters. PeerJ, 2018, 6, e4408. | 0.9 | 15 |
| 325 | Introduction of a New Potential Invader into the Mediterranean Sea: The Indo-PacificAvrainvillea amadelpha(Montagne) A. Gepp & E.S. Gepp (Dichotomosiphonaceae, Ulvophyceae). Cryptogamie, Algologie, 2017, 38, 267-281. | 0.3 | 6 |
| 326 | On Some New Recorded Syllidae (Polychaeta: Phyllodocida) for Mediterranean Waters. Annual Research & Review in Biology, 2014, 4, 4314-4335. | 0.4 | 1 |
| 327 | The joint influence of environmental and anthropogenic factors on the invasion of two alien caulerpae in northwestern Mediterranean. Biological Invasions, 0, , 1. | 1.2 | 1 |
| 328 | Preliminary study of macro-fouling community in Marina El-Alamein Resort, Egyptian Mediterranean Sea. Regional Studies in Marine Science, 2021, 48, 102053. | 0.4 | 0 |
| 329 | The transcriptomic signature of cold and heat stress in benthic foraminiferaâ€"Implications for range expansions of marine calcifiers. Functional Ecology, 2021, 35, 2679-2690. | 1.7 | 1 |
| 330 | The first record of the lessepsian migrant Pteragogus trispilus Randall 2013 (Osteichthyes: Labridae) off the Libyan coast, east Mediterranean Sea. Egyptian Journal of Aquatic Research, 2021, 47, 381-385. | 1.0 | 3 |
| 331 | A new alien gastropod Pseudorhaphitoma iodolabiata (Hornung & Mermod, 1928) (Mangeliidae,) Tj ETQq1 1 0.7 | 784314 rgl | BT <u>f</u> Overlock |

| # | Article | IF | Citations |
|-----|--|---------------------|-------------------------|
| 332 | Epistomaroides punctatus (Said, 1949) - a new alien foraminifera found at Akhziv - Rosh HaNikra, northern Israel, eastern Mediterranean Sea. Mediterranean Marine Science, 2013, 13, 294. | 0.6 | 2 |
| 333 | Effect of lessepsian immigrant species on demersal catches operating along the Egyptian Mediterranean waters. Egyptian Journal of Aquatic Biology and Fisheries, 2013, 17, 95-103. | 0.2 | 1 |
| 335 | Proximate Evaluation of some Economical Seafood as a Human Diet and as an Alternative Prospective Valuable of Fish Meal. Journal of Fisheries and Aquatic Science, 2015, 11, 12-27. | 0.1 | 1 |
| 336 | Checklist of the benthic marine macroalgae from Algeria, part II: Ulvophyceae . Anales Del Jardin Botanico De Madrid, 2019, 76, 087. | 0.2 | 1 |
| 337 | Widespread demographic explosion of a non-indigenous hydrozoan on an oceanic island. Scientia Marina, 2020, 84, . | 0.3 | 6 |
| 338 | Evaluation of the Use of Autonomous Reef Monitoring Structures (ARMS) for Describing the Species Diversity of Two Coral Reefs in the Yucatan Peninsula, Mexico. Diversity, 2021, 13, 579. | 0.7 | 9 |
| 339 | Revisiting <i>A monograph on the Polychaeta of southern Africa</i> à': establishing taxonomic research priorities in southern Africa. African Journal of Marine Science, 2022, 44, 83-100. | 0.4 | 10 |
| 340 | Distribution and Ecology of Decapod Crustaceans in Mediterranean Marine Caves: A Review. Diversity, 2022, 14, 176. | 0.7 | 7 |
| 341 | First Records of the Tanaid Species Zeuxo holdichi and Apseudopsis tridens (Crustacea: Peracarida) From the Venice Lagoon (Italy, Northern Adriatic Sea). Thalassas, 2022, 38, 417-430. | 0.1 | 1 |
| 342 | Preliminary Assessment of Invasive Lionfish <i>Pterois miles</i> Using Underwater Visual Census Method in the Northeastern Mediterranean. Ribarstvo, Croatian Journal of Fisheries, 2022, 80, 38-46. | 0.2 | 6 |
| 343 | An Analysis of Adriatic Ichthyofauna—Ecology, Zoogeography, and Conservation Status. Fishes, 2022, 7, 58. | 0.7 | 7 |
| 344 | The Sea Slug Doriopsilla areolata Bergh, 1880 (Mollusca, Gastropoda) in the Mediterranean Sea: Another Case of Cryptic Diversity. Diversity, 2022, 14, 297. | 0.7 | 4 |
| 346 | Marine macroalgal flora on the Aegean and the Levantine coasts of Turkey. Botanica Marina, 2022, . | 0.6 | 3 |
| 347 | ORMEF: a Mediterranean database of exotic fish records. Scientific Data, 2022, 9, . | 2.4 | 9 |
| 348 | Detection and prevention of biological invasions in marinas and ports: Epibionts and associated fauna of Mytilus galloprovincialis revisited. Estuarine, Coastal and Shelf Science, 2022, 274, 107943. | 0.9 | 9 |
| 349 | اختذØ\$ر ØØ³Ø\$سية ذكتيريا Pseudomonas aeruginosa Ù"ÙØ³ØªØ®Ù"صات Ø∙Ø | ù, ,ø ï Aspa | ara g opsis taxi |
| 350 | Sponge (Porifera) species from the Mediterranean coast of Turkey (Levantine Sea, eastern) Tj ETQq0 0 0 rgBT /O | verlock 10 0.4 |) Tf 50 107 Tc 3 |
| 351 | Seawater warming favours the northward range expansion of Lessepsian species in the Mediterranean Sea: the cephalaspidean <i>Lamprohaminoea ovalis</i> the United Kingdom, 2022, 102, 167-173. | 0.4 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 352 | Phenological segregation suggests speciation by time in the planktonic diatom <i>Pseudoâ€nitzschia allochrona</i> sp. nov Ecology and Evolution, 2022, 12, . | 0.8 | 7 |
| 353 | Alien Travel Companies: The Case of Two Sea Slugs and One Bryozoan in the Mediterranean Sea. Diversity, 2022, 14, 687. | 0.7 | 2 |
| 354 | Dynamics of polychaete communities in the intertidal soft bottom of Alexandria coast, Egypt. Regional Studies in Marine Science, 2022, 56, 102645. | 0.4 | 1 |
| 355 | Alleged Lessepsian foraminifera prove native and suggest Pleistocene range expansions into the Mediterranean Sea. Marine Ecology - Progress Series, 0, , . | 0.9 | 5 |
| 356 | Alien Taxa and Endangered Species in the \tilde{A}^{\ddagger} anakkale Strait and Bozcaada Coasts. \tilde{C} sanakkale Onsekiz Mart University Journal of Marine Sciences and Fisheries, $0,$ | 0.4 | 0 |
| 357 | The alien spreading of Chama pacifica Broderip, 1835 (Mollusca: Bivalvia: Chamidae) in the Mediterranean Sea. Turkish Journal of Zoology, 0 , , . | 0.4 | 6 |
| 359 | Rising seawater temperatures affect the fitness of Rhopilema nomadica polyps and podocysts and the expansion of this medusa into the western Mediterranean. Marine Ecology - Progress Series, 0, 728, 123-143. | 0.9 | 2 |
| 361 | Keystone Porgy Species (Sparidae) Overcome the Alien Randall's Threadfin Bream (Nemipterus randalli) for Catch Balance in Space on An Oligotrophic Levant Shelf or Vice Versa?. Cl§anakkale Onsekiz Mart University Journal of Marine Sciences and Fisheries, 0, , . | 0.4 | 1 |
| 362 | Invading bivalves replaced native Mediterranean bivalves, with little effect on the local benthic community. Biological Invasions, 0, , . | 1.2 | 1 |
| 363 | Testing the bottom-up hypothesis for the decline in size of anchovy and sardine across European waters through a bioenergetic modeling approach. Progress in Oceanography, 2023, 210, 102943. | 1.5 | 8 |
| 364 | Molecular Diversity and Biochemical Content in Two Invasive Alien Species: Looking for Chemical Similarities and Bioactivities. Marine Drugs, 2023, 21, 5. | 2.2 | 1 |
| 365 | Too late for regulatory management on Pacific oysters in European coastal waters?. Journal of Sea Research, 2023, 191, 102331. | 0.6 | 4 |
| 366 | Annual cycle of mesozooplankton at the coastal waters of Cyprus (Eastern Levantine basin). Journal of Plankton Research, 0, , . | 0.8 | 3 |
| 367 | Ecological Indicative Stressors of Native vs. Non-Native Fish in an Ultra-Oligotrophic Region of the Mediterranean Sea. Sustainability, 2023, 15, 2726. | 1.6 | 1 |
| 375 | Biodiversity of Seaweeds in the Mediterranean Sea. Earth and Environmental Sciences Library, 2023, , 1-104. | 0.3 | 0 |
| 376 | Protected Areas in Marine Ecosystem. Marine Ecology, 2023, , 109-154. | 0.1 | 0 |
| 381 | Non-Indigenous Marine Fish in Syria: Past, Present and Impact on Ecosystem, and Human Health. , 0, , . | | O |