CITATION REPORT List of articles citing

Presynaptically localized cyclic GMP-dependent protein kinase 1 is a key determinant of spinal synaptic potentiation and pain hypersensitivity

DOI: 10.1371/journal.pbio.1001283 PLoS Biology, 2012, 10, e1001283.

Source: https://exaly.com/paper-pdf/86958417/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
79	Non-Hebbian long-term potentiation of inhibitory synapses in the thalamus. <i>Journal of Neuroscience</i> , 2013 , 33, 15675-85	6.6	31
78	Nitric oxide synthesis and cGMP production is important for neurite growth and synapse remodeling after axotomy. <i>Journal of Neuroscience</i> , 2013 , 33, 5626-37	6.6	22
77	Direct intrathecal drug delivery in mice for detecting in vivo effects of cGMP on pain processing. <i>Methods in Molecular Biology</i> , 2013 , 1020, 215-21	1.4	21
76	cGMP-dependent protein kinases (cGK). Methods in Molecular Biology, 2013 , 1020, 17-50	1.4	31
75	Cellular, molecular, and epigenetic mechanisms in non-associative conditioning: implications for pain and memory. <i>Neurobiology of Learning and Memory</i> , 2013 , 105, 133-50	3.1	78
74	How to erase memory traces of pain and fear. <i>Trends in Neurosciences</i> , 2013 , 36, 343-52	13.3	58
73	Pain hypersensitivity mechanisms at a glance. <i>DMM Disease Models and Mechanisms</i> , 2013 , 6, 889-95	4.1	88
72	The C. elegans cGMP-dependent protein kinase EGL-4 regulates nociceptive behavioral sensitivity. <i>PLoS Genetics</i> , 2013 , 9, e1003619	6	19
71	Genome-wide identification and functional analyses of microRNA signatures associated with cancer pain. <i>EMBO Molecular Medicine</i> , 2013 , 5, 1740-58	12	42
70	Ionotropic glutamate receptors and voltage-gated Call+ channels in long-term potentiation of spinal dorsal horn synapses and pain hypersensitivity. <i>Neural Plasticity</i> , 2013 , 2013, 654257	3.3	18
69	Oxidant-induced activation of cGMP-dependent protein kinase Ill mediates neuropathic pain after peripheral nerve injury. <i>Antioxidants and Redox Signaling</i> , 2014 , 21, 1504-15	8.4	14
68	Identification of nitrated tyrosine residues of protein kinase G-IIby mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1387-96	4.4	1
67	Synaptic plasticity in pathological pain. <i>Trends in Neurosciences</i> , 2014 , 37, 343-55	13.3	134
66	Phosphodiesterase 2A localized in the spinal cord contributes to inflammatory pain processing. <i>Anesthesiology</i> , 2014 , 121, 372-82	4.3	10
65	Molecular variants of soluble guanylyl cyclase affecting cardiovascular risk. <i>Circulation Journal</i> , 2015 , 79, 463-9	2.9	10
64	Upregulation of Ih expressed in IB4-negative Alhociceptive DRG neurons contributes to mechanical hypersensitivity associated with cervical radiculopathic pain. <i>Scientific Reports</i> , 2015 , 5, 167	1 3 .9	12
63	Carbonic anhydrase-8 regulates inflammatory pain by inhibiting the ITPR1-cytosolic free calcium pathway. <i>PLoS ONE</i> , 2015 , 10, e0118273	3.7	24

(2017-2015)

62	A Novel Nitronyl Nitroxide with Salicylic Acid Framework Attenuates Pain Hypersensitivity and Ectopic Neuronal Discharges in Radicular Low Back Pain. <i>Neural Plasticity</i> , 2015 , 2015, 752782	3.3	8
61	Peripheral gene expression profile of mechanical hyperalgesia induced by repeated cold stress in SHRSP5/Dmcr rats. <i>Journal of Physiological Sciences</i> , 2015 , 65, 417-25	2.3	11
60	Network compensation of cyclic GMP-dependent protein kinase II knockout in the hippocampus by Ca2+-permeable AMPA receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 3122-7	11.5	30
59	A Functional Role for VEGFR1 Expressed in Peripheral Sensory Neurons in Cancer Pain. <i>Cancer Cell</i> , 2015 , 27, 780-96	24.3	65
58	Patent Highlights. Pharmaceutical Patent Analyst, 2015, 4, 141-146	0.6	
57	The serine protease inhibitor SerpinA3N attenuates neuropathic pain by inhibiting T cell-derived leukocyte elastase. <i>Nature Medicine</i> , 2015 , 21, 518-23	50.5	113
56	Role of sGC-dependent NO signalling and myocardial infarction risk. <i>Journal of Molecular Medicine</i> , 2015 , 93, 383-94	5.5	22
55	A role for Kalirin-7 in nociceptive sensitization via activity-dependent modulation of spinal synapses. <i>Nature Communications</i> , 2015 , 6, 6820	17.4	26
54	Nitric oxide-mediated pain processing in the spinal cord. <i>Handbook of Experimental Pharmacology</i> , 2015 , 227, 103-17	3.2	21
53	Spinal excitatory mechanisms of pathological pain. <i>Pain</i> , 2015 , 156 Suppl 1, S11-S17	8	33
		Ö	
52	[Pharmacological aspects of pain research in Germany]. <i>Schmerz</i> , 2015 , 29, 531-8	2.4	0
52 51			
	[Pharmacological aspects of pain research in Germany]. <i>Schmerz</i> , 2015 , 29, 531-8 Spinophilin-Targeted Protein Phosphatase-1 Alleviated Inflammatory Pain by Negative Control of	2.4 6.6	0
51	[Pharmacological aspects of pain research in Germany]. <i>Schmerz</i> , 2015 , 29, 531-8 Spinophilin-Targeted Protein Phosphatase-1 Alleviated Inflammatory Pain by Negative Control of MEK/ERK Signaling in Spinal Cord Dorsal Horn of Rats. <i>Journal of Neuroscience</i> , 2015 , 35, 13989-4001	2.4 6.6	0 30
51	[Pharmacological aspects of pain research in Germany]. <i>Schmerz</i> , 2015 , 29, 531-8 Spinophilin-Targeted Protein Phosphatase-1 Alleviated Inflammatory Pain by Negative Control of MEK/ERK Signaling in Spinal Cord Dorsal Horn of Rats. <i>Journal of Neuroscience</i> , 2015 , 35, 13989-4001 Selective activation of microglia facilitates synaptic strength. <i>Journal of Neuroscience</i> , 2015 , 35, 4552-70	2.4 6.6 06.6	0 30 111
51 50 49	[Pharmacological aspects of pain research in Germany]. <i>Schmerz</i> , 2015 , 29, 531-8 Spinophilin-Targeted Protein Phosphatase-1 Alleviated Inflammatory Pain by Negative Control of MEK/ERK Signaling in Spinal Cord Dorsal Horn of Rats. <i>Journal of Neuroscience</i> , 2015 , 35, 13989-4001 Selective activation of microglia facilitates synaptic strength. <i>Journal of Neuroscience</i> , 2015 , 35, 4552-70 Emerging Role of Spinal Cord TRPV1 in Pain Exacerbation. <i>Neural Plasticity</i> , 2016 , 2016, 5954890 Gastrodin protects against chronic inflammatory pain by inhibiting spinal synaptic potentiation.	2.4 6.6 06.6	0 30 111 27
51 50 49 48	[Pharmacological aspects of pain research in Germany]. <i>Schmerz</i> , 2015 , 29, 531-8 Spinophilin-Targeted Protein Phosphatase-1 Alleviated Inflammatory Pain by Negative Control of MEK/ERK Signaling in Spinal Cord Dorsal Horn of Rats. <i>Journal of Neuroscience</i> , 2015 , 35, 13989-4001 Selective activation of microglia facilitates synaptic strength. <i>Journal of Neuroscience</i> , 2015 , 35, 4552-70 Emerging Role of Spinal Cord TRPV1 in Pain Exacerbation. <i>Neural Plasticity</i> , 2016 , 2016, 5954890 Gastrodin protects against chronic inflammatory pain by inhibiting spinal synaptic potentiation. <i>Scientific Reports</i> , 2016 , 6, 37251	2.4 6.6 06.6 3.3 4.9	o 30 111 27 15

44	Chronic cervical radiculopathic pain is associated with increased excitability and hyperpolarization-activated current (I) in large-diameter dorsal root ganglion neurons. <i>Molecular Pain</i> , 2017, 13, 1744806917707127	3.4	3
43	Car8 dorsal root ganglion expression and genetic regulation of analgesic responses are associated with a cis-eQTL in mice. <i>Mammalian Genome</i> , 2017 , 28, 407-415	3.2	5
42	Cyclic GMP-dependent protein kinase-I localized in nociceptors modulates nociceptive cortical neuronal activity and pain hypersensitivity. <i>Molecular Pain</i> , 2017 , 13, 1744806917701743	3.4	7
41	Redox-guided axonal regrowth requires cyclic GMP dependent protein kinase 1: Implication for neuropathic pain. <i>Redox Biology</i> , 2017 , 11, 176-191	11.3	11
40	Structural plasticity and reorganisation in chronic pain. <i>Nature Reviews Neuroscience</i> , 2016 , 18, 20-30	13.5	235
39	A pathway from midcingulate cortex to posterior insula gates nociceptive hypersensitivity. <i>Nature Neuroscience</i> , 2017 , 20, 1591-1601	25.5	75
38	A central neural circuit for itch sensation. <i>Science</i> , 2017 , 357, 695-699	33.3	113
37	A novel inhibitor of active protein kinase G attenuates chronic inflammatory and osteoarthritic pain. <i>Pain</i> , 2017 , 158, 822-832	8	15
36	The plastic spinal cord: functional and structural plasticity in the transition from acute to chronic pain. <i>E-Neuroforum</i> , 2017 , 23, 137-143		1
35	Das plastische R\(\textit{l}\) kenmark: funktionelle und strukturelle Plastizit\(\textit{l}\) bei der Chronifizierung von Schmerzen. \(E-Neuroforum\), 2017, 23, 179-185		1
34	NO-GC in cells Toff the beaten trackT Nitric Oxide - Biology and Chemistry, 2018, 77, 12-18	5	12
33	Two isoforms of cyclic GMP-dependent kinase-I exhibit distinct expression patterns in the adult mouse dorsal root ganglion. <i>Molecular Pain</i> , 2018 , 14, 1744806918796409	3.4	3
32	Structural basis for selective inhibition of human PKG IIby the balanol-like compound N46. <i>Journal of Biological Chemistry</i> , 2018 , 293, 10985-10992	5.4	3
31	A concise discussion of the regulatory role of cGMP kinase I in cardiac physiology and pathology. <i>Basic Research in Cardiology</i> , 2018 , 113, 31	11.8	28
30	The Absence of Sensory Axon Bifurcation Affects Nociception and Termination Fields of Afferents in the Spinal Cord. <i>Frontiers in Molecular Neuroscience</i> , 2018 , 11, 19	6.1	11
29	Distinct functions of a cGMP-dependent protein kinase in nerve terminal growth and synaptic vesicle cycling. <i>Journal of Cell Science</i> , 2019 , 132,	5.3	10
28	Distinct functions of soluble guanylyl cyclase isoforms NO-GC1 and NO-GC2 in inflammatory and neuropathic pain processing. <i>Pain</i> , 2019 , 160, 607-618	8	4
27	Microglia Mediate HIV-1 gp120-Induced Synaptic Degeneration in Spinal Pain Neural Circuits. <i>Journal of Neuroscience</i> , 2019 , 39, 8408-8421	6.6	19

(2021-2019)

26	Associations between GUCY1A3 genetic polymorphisms and large artery atherosclerotic stroke risk in Chinese Han population: a case-control study. <i>Lipids in Health and Disease</i> , 2019 , 18, 233	4.4	1
25	Interleukin-17 Regulates Neuron-Glial Communications, Synaptic Transmission, and Neuropathic Pain after Chemotherapy. <i>Cell Reports</i> , 2019 , 29, 2384-2397.e5	10.6	33
24	An Overview of Epigenetic Correlates of Human Chronic Pain Conditions. 2019 , 183-228		
23	Nitric oxide mediated redox regulation of protein homeostasis. <i>Cellular Signalling</i> , 2019 , 53, 348-356	4.9	18
22	regulates a nociceptive-like escape behavior through a developmentally plastic sensory circuit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 23286-23291	11.5	20
21	The cGMP system: components and function. <i>Biological Chemistry</i> , 2020 , 401, 447-469	4.5	18
20	CCL2 facilitates spinal synaptic transmission and pain via interaction with presynaptic CCR2 in spinal nociceptor terminals. <i>Molecular Brain</i> , 2020 , 13, 161	4.5	3
19	SUMOylation of Enzymes and Ion Channels in Sensory Neurons Protects against Metabolic Dysfunction, Neuropathy, and Sensory Loss in Diabetes. <i>Neuron</i> , 2020 , 107, 1141-1159.e7	13.9	11
18	Comparison of Different In Vivo Animal Models of Brachial Plexus Avulsion and Its Application in Pain Study. <i>Neural Plasticity</i> , 2020 , 2020, 8875915	3.3	O
17	TRPC1/4/5 channels contribute to morphine-induced analgesic tolerance and hyperalgesia by enhancing spinal synaptic potentiation and structural plasticity. <i>FASEB Journal</i> , 2020 , 34, 8526-8543	0.9	5
16	Neuropathic and cAMP-induced pain behavior is ameliorated in mice lacking CNGB1. <i>Neuropharmacology</i> , 2020 , 171, 108087	5.5	2
15	Neuropathic Pain: From Mechanisms to Treatment. <i>Physiological Reviews</i> , 2021 , 101, 259-301	47.9	120
14	Deletion of MyD88 adaptor in nociceptor alleviates low-dose formalin-induced acute pain and persistent pain in mice. <i>NeuroReport</i> , 2021 , 32, 378-385	1.7	
13	The Isoform of cGMP-dependent protein kinase 1 (PKG1) is expressed and functionally important in intrinsic primary afferent neurons of the guinea pig enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14100	4	2
12	cGMP signalling in dorsal root ganglia and the spinal cord: Various functions in development and adulthood. <i>British Journal of Pharmacology</i> , 2021 ,	8.6	O
11	Expression of the gene in adult. <i>Journal of Neurogenetics</i> , 2021 , 35, 192-212	1.6	1
10	Tweety-Homolog 1 Facilitates Pain via Enhancement of Nociceptor Excitability and Spinal Synaptic Transmission. <i>Neuroscience Bulletin</i> , 2021 , 37, 478-496	4.3	3
9	Nociceptor-localized cGMP-dependent protein kinase I is a critical generator for central sensitization and neuropathic pain. <i>Pain</i> , 2021 , 162, 135-151	8	9

8	cGMP signaling and branching of sensory axons in the spinal cord. Future Neurology, 2012 , 7, 639-651	1.5	1
7	Presynaptic NMDARs on spinal nociceptor terminals state-dependently modulate synaptic transmission and pain <i>Nature Communications</i> , 2022 , 13, 728	17.4	О
6	Insulin/IGF Signaling Regulates Presynaptic Glutamate Release in Aversive Olfactory Learning.		0
5	Image1.tif. 2018 ,		
4	Image2.tif. 2018 ,		
3	Table1.docx. 2018 ,		
2	Genetics, molecular control and clinical relevance of habituation learning. 2022, 104883		О
1	Targeting the nitric oxide/cGMP signaling pathway to treat chronic pain. 2023 , 18, 996		O