## CITATION REPORT List of articles citing

The diverse distribution of risk factors between breast cancer subtypes of ER, PR and HER2: a 10-year retrospective multi-center study in China

DOI: 10.1371/journal.pone.0072175 PLoS ONE, 2013, 8, e72175.

Source: https://exaly.com/paper-pdf/86997215/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper Paper	IF	Citations
21	Family history of breast and ovarian cancer and triple negative subtype in hispanic/latina women. <i>SpringerPlus</i> , <b>2014</b> , 3, 727		8
20	HBXIP expression predicts patient prognosis in breast cancer. <i>Medical Oncology</i> , <b>2014</b> , 31, 210	3.7	13
19	Molecular insights into the association of obesity with breast cancer risk: relevance to xenobiotic metabolism and CpG island methylation of tumor suppressor genes. <i>Molecular and Cellular Biochemistry</i> , <b>2014</b> , 392, 273-80	4.2	12
18	Molecular portrait of breast cancer in China reveals comprehensive transcriptomic likeness to Caucasian breast cancer and low prevalence of luminal A subtype. <i>Cancer Medicine</i> , <b>2015</b> , 4, 1016-30	4.8	24
17	The 2014 Society of Surgical Oncology Susan G. Komen for the Cure Symposium: triple-negative breast cancer. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 874-82	3.1	74
16	Disparities in breast cancer and african ancestry: a global perspective. <i>Breast Journal</i> , <b>2015</b> , 21, 133-9	1.2	41
15	Nomograms to estimate long-term overall survival and breast cancer-specific survival of patients with luminal breast cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 20496-506	3.3	26
14	Increased Igf-I/Igfbp-3 Ratios in Postmenopausal Taiwanese with Breast Cancer, Irrespective of Er and Pr Statuses and Her2 Expression in a Case-Control Study. <i>Journal of Clinical Laboratory Analysis</i> , <b>2016</b> , 30, 58-64	3	3
13	Family History of Cancer in Relation to Breast Cancer Subtypes in African American Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2016</b> , 25, 366-73	4	13
12	BMI, reproductive factors, and breast cancer molecular subtypes: A case-control study and meta-analysis. <i>Journal of Epidemiology</i> , <b>2017</b> , 27, 143-151	3.4	37
11	Body mass index, age at breast cancer diagnosis, and breast cancer subtype: a cross-sectional study.  Breast Cancer Research and Treatment, <b>2018</b> , 168, 189-196	4.4	4
10	Distribution of CD4 and CD8 exhausted tumor-infiltrating lymphocytes in molecular subtypes of Chinese breast cancer patients. <i>OncoTargets and Therapy</i> , <b>2018</b> , 11, 6139-6145	4.4	6
9	Clinicopathologic and Prognostic Significance of Body Mass Index (BMI) among Breast Cancer Patients in Western China: A Retrospective Multicenter Cohort Based on Western China Clinical Cooperation Group (WCCCG). <i>BioMed Research International</i> , <b>2019</b> , 2019, 3692093	3	5
8	A Nomogram To Predict The Overall Survival Of Breast Cancer Patients And Guide The Postoperative Adjuvant Chemotherapy In China. <i>Cancer Management and Research</i> , <b>2019</b> , 11, 10029-100	o <del>3</del> 6	4
7	Insulin-like growth factor-1 positively associated with bone formation markers and creatine kinase in adults with general physical activity. <i>Journal of Clinical Laboratory Analysis</i> , <b>2021</b> , 35, e23799	3	1
6	Body mass index and breast cancer defined by biological receptor status in pre-menopausal and post-menopausal women: a multicenter study in China. <i>PLoS ONE</i> , <b>2014</b> , 9, e87224	3.7	5
5	Cross-Sectional Associations between Body Size, Circulating Sex-Steroid Hormones and IGF Components among Healthy Chinese Women. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137686	3.7	1

## CITATION REPORT

1	Molecular subtypes predict the preferential site of distant metastasis in advanced breast cancer: a nationwide retrospective study. 13,		O
2	Is There any Concordance between of IHC with FISH in HER2-Positive Breast Cancer Patients?. <i>International Journal of Hematology-Oncology and Stem Cell Research</i> , <b>2017</b> , 11, 43-48	0.5	5
3	Differential Association of the Lifestyle-Related Risk Factors Smoking and Obesity with Triple Negative Breast Cancer in a Brazilian Population. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2017</b> , 18, 1585-1593	1.7	6
4	STATISTICAL ANALYSIS OF 100 BREAST CANCER CASES WITH EVALUATION OF HER2/NEU STATUS IMMUNOHISTOCHEMISTRY CORRELATION WITH GENE AMPLIFICATION BY FLUORESCENCE IN SITU HYBRIDIZATION ASSAY. <i>Journal of Evolution of Medical and Dental Sciences</i> , <b>2018</b> , 7, 5298-5303	0.1	