

# CITATION REPORT

List of articles citing

Low physical activity level and short sleep duration are associated with an increased cardio-metabolic risk profile: a longitudinal study in 8-11 year old Danish children

DOI: 10.1371/journal.pone.0104677  
PLoS ONE, 2014, 9, e104677.

**Source:** <https://exaly.com/paper-pdf/87011019/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
99	Habitual Sleep Duration and Risk of Childhood Obesity: Systematic Review and Dose-response Meta-analysis of Prospective Cohort Studies. <i>Scientific Reports</i> , <b>2015</b> , 5, 16160	4.9	87
98	Diet, sleep and metabolic syndrome among a legal Amazon population, Brazil. <i>Clinical Nutrition Research</i> , <b>2015</b> , 4, 41-5	1.7	14
97	Sedentary time in late childhood and cardiometabolic risk in adolescence. <i>Pediatrics</i> , <b>2015</b> , 135, e1432-41	7.4	38
96	Markers of metabolic health in children differ between weekdays--the result of unhealthier weekend behavior. <i>Obesity</i> , <b>2015</b> , 23, 733-6	8	10
95	Role of sleep quality in the metabolic syndrome. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , <b>2016</b> , 9, 281-310	3.4	96
94	Systematic review of the relationships between objectively measured physical activity and health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, S197-239	3	860
93	Genetic risk clustering increases children's body weight at 2 years of age - the STEPS Study. <i>Pediatric Obesity</i> , <b>2016</b> , 11, 459-467	4.6	9
92	Normal weight children have higher cognitive performance - Independent of physical activity, sleep, and diet. <i>Physiology and Behavior</i> , <b>2016</b> , 165, 398-404	3.5	8
91	Metabolic consequences of snoring in adolescents and younger adults: a population study in Chile. <i>International Journal of Obesity</i> , <b>2016</b> , 40, 1510-1514	5.5	6
90	An evidence-update on the prospective relationship between childhood sedentary behaviour and biomedical health indicators: a systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2016</b> , 17, 833-49	10.6	108
89	Sleep duration and dietary macronutrient consumption can modify the cardiovascular disease for Korean women but not for men. <i>Lipids in Health and Disease</i> , <b>2016</b> , 15, 17	4.4	6
88	Systematic review of sedentary behaviour and health indicators in school-aged children and youth: an update. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, S240-65	3	566
87	Systematic review of the relationships between sleep duration and health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, S266-82	3	348
86	Combinations of physical activity, sedentary behaviour and sleep: relationships with health indicators in school-aged children and youth. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, S283-93	3	219
85	Sleep duration modifies effects of free ad libitum school meals on adiposity and blood pressure. <i>Applied Physiology, Nutrition and Metabolism</i> , <b>2016</b> , 41, 33-40	3	12
84	Objectively measured sedentary behaviour and health and development in children and adolescents: systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2016</b> , 17, 330-44	10.6	185
83	Sleep and cardiometabolic risk in children and adolescents. <i>Sleep Medicine Reviews</i> , <b>2016</b> , 29, 76-100	10.2	65

82	Impacts of playing after school on academic performance: a propensity score matching approach. <i>Education Economics</i> , <b>2017</b> , 25, 575-589	0.7	2
81	Inadequate sleep as a contributor to type 2 diabetes in children and adolescents. <i>Nutrition and Diabetes</i> , <b>2017</b> , 7, e266	4.7	41
80	Relationship Between Meeting 24-Hour Movement Guidelines and Cardiometabolic Risk Factors in Children. <i>Journal of Physical Activity and Health</i> , <b>2017</b> , 14, 779-784	2.5	29
79	Longitudinal Analysis of Sleep Duration and Cardiometabolic Risk in Young Children. <i>Childhood Obesity</i> , <b>2017</b> , 13, 291-299	2.5	20
78	Associations among physical activity, screen time, and sleep in low socioeconomic status urban girls. <i>Preventive Medicine Reports</i> , <b>2017</b> , 5, 275-278	2.6	11
77	Moderate-to-vigorous physical activity, but not sedentary time, predicts changes in cardiometabolic risk factors in 10-y-old children: the Active Smarter Kids Study. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 105, 1391-1398	7	33
76	Health associations with meeting new 24-hour movement guidelines for Canadian children and youth. <i>Preventive Medicine</i> , <b>2017</b> , 95, 7-13	4.3	110
75	Relationship between sleep duration and childhood obesity: Systematic review including the potential underlying mechanisms. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2017</b> , 27, 751-761	4.5	99
74	Association of sleep duration and quality with blood lipids: a systematic review and meta-analysis of prospective studies. <i>BMJ Open</i> , <b>2017</b> , 7, e018585	3	29
73	A school-based physical activity promotion intervention in children: rationale and study protocol for the PREVIENE Project. <i>BMC Public Health</i> , <b>2017</b> , 17, 748	4.1	25
72	Sedentary Behaviour and Cardiovascular Disease. <i>Springer Series on Epidemiology and Public Health</i> , <b>2018</b> , 215-243	0.4	3
71	Total volume versus bouts: prospective relationship of physical activity and sedentary time with cardiometabolic risk in children. <i>International Journal of Obesity</i> , <b>2018</b> , 42, 1733-1742	5.5	11
70	Compositional data analysis for physical activity, sedentary time and sleep research. <i>Statistical Methods in Medical Research</i> , <b>2018</b> , 27, 3726-3738	2.3	167
69	Regular Practice of Competitive Sports Does Not Impair Sleep in Adolescents: DADOS Study. <i>Pediatric Exercise Science</i> , <b>2018</b> , 30, 229-236	2	8
68	Association of sleep duration with metabolic syndrome and its components in children and adolescents; a propensity score-matched analysis: the CASPIAN-V study. <i>Diabetology and Metabolic Syndrome</i> , <b>2018</b> , 10, 78	5.6	10
67	Objectively Measured Sedentary Behavior, Physical Activity, and Cardiometabolic Risk in Hispanic Youth: Hispanic Community Health Study/Study of Latino Youth. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 3289-3298	5.6	7
66	Continuous cardiometabolic risk score definitions in early childhood: a scoping review. <i>Obesity Reviews</i> , <b>2018</b> , 19, 1688-1699	10.6	23
65	The Joint Association of Small for Gestational Age and Nighttime Sleep with Blood Pressure in Childhood. <i>Scientific Reports</i> , <b>2018</b> , 8, 9632	4.9	3

64	Relationship between Sedentary Time, Physical Activity and Multiple Lifestyle Factors in Children. <i>Journal of Functional Morphology and Kinesiology</i> , <b>2018</b> , 3, 15	2.4	10
63	Associations between activity patterns and cardio-metabolic risk factors in children and adolescents: A systematic review. <i>PLoS ONE</i> , <b>2018</b> , 13, e0201947	3.7	27
62	Objective Sleep Characteristics and Cardiometabolic Health in Young Adolescents. <i>Pediatrics</i> , <b>2018</b> , 142,	7.4	39
61	Association of Sleep Duration with Obesity and Cardiometabolic Risk Factors in Children and Adolescents: A Population-Based Study. <i>Scientific Reports</i> , <b>2019</b> , 9, 9463	4.9	24
60	Physical activity in adolescents and children and relationship to metabolic health. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , <b>2019</b> , 26, 25-31	4	21
59	Privation de sommeil, syndrome d'apnées obstructives du sommeil et obésité de l'adolescent : place des APA dans la prévention et le traitement de ces troubles. <i>Movement and Sports Sciences - Science Et Motricite</i> , <b>2019</b> , 45-54	0.5	
58	Skipping breakfast is associated with adiposity markers especially when sleep time is adequate in adolescents. <i>Scientific Reports</i> , <b>2019</b> , 9, 6380	4.9	11
57	Associations between active commuting to school, sleep duration, and breakfast consumption in Ecuadorian young people. <i>BMC Public Health</i> , <b>2019</b> , 19, 85	4.1	5
56	Sleep and Obesity in Children and Adolescents. <b>2019</b> , 147-178		7
55	Longitudinal Changes in Sitting Patterns, Physical Activity, and Health Outcomes in Adolescents. <i>Children</i> , <b>2018</b> , 6,	2.8	12
54	Sleep, Abdominal Obesity, and Metabolic Syndrome. <b>2019</b> , 3-18		
53	The prospective association between objectively measured sedentary time, moderate-to-vigorous physical activity and cardiometabolic risk factors in youth: a systematic review and meta-analysis. <i>Obesity Reviews</i> , <b>2019</b> , 20, 55-74	10.6	54
52	Longitudinal associations of physical activity and sedentary time with cardiometabolic risk factors in children. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2019</b> , 29, 113-123	4.6	24
51	Obesity, Pediatric. <b>2020</b> , 728-736		
50	Heavy Screen Use on Weekends in Childhood Predicts Increased Body Mass Index in Adolescence: A Three-Year Follow-Up Study. <i>Journal of Adolescent Health</i> , <b>2020</b> , 66, 559-566	5.8	11
49	U.S. Children Meeting Physical Activity, Screen Time, and Sleep Guidelines. <i>American Journal of Preventive Medicine</i> , <b>2020</b> , 59, 513-521	6.1	16
48	Association between short sleep duration and metabolic syndrome in Chinese children and adolescents. <i>Sleep Medicine</i> , <b>2020</b> , 74, 343-348	4.6	3
47	Prevalence and correlates of adherence to the combined movement guidelines among Czech children and adolescents. <i>BMC Public Health</i> , <b>2020</b> , 20, 1692	4.1	7

46	The Association Between Sleep Duration and Sleep Timing and Insulin Resistance Among Adolescents in Mexico City. <i>Journal of Adolescent Health</i> , <b>2021</b> , 69, 57-63	5.8	2
45	Evaluation of Health-Habits with the S.M.A.R.T. Questionnaire: An Observational Study. <i>Education Sciences</i> , <b>2020</b> , 10, 285	2.2	3
44	Association of screen time and cardiometabolic risk in school-aged children. <i>Preventive Medicine Reports</i> , <b>2020</b> , 20, 101183	2.6	1
43	Adiposity and High Blood Pressure during Childhood: A Prospective Analysis of the Role of Physical Activity Intensity and Sedentary Time in the GECKO Drenthe Cohort. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
42	Associations between sleep duration and insulin resistance in European children and adolescents considering the mediating role of abdominal obesity. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235049	3.7	4
41	The relationship between subjective happiness and sleep problems in Japanese adolescents. <i>Sleep Medicine</i> , <b>2020</b> , 69, 120-126	4.6	7
40	The immune-sleep crosstalk in inflammatory bowel disease. <i>Sleep Medicine</i> , <b>2020</b> , 73, 38-46	4.6	5
39	Differences in Lifestyle Behaviours of Students between Inner Urban and Peri-urban High Schools: A Cross-Sectional Study in Chongqing, China. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	0
38	The Digital Media Environment and Cardiovascular Risk in Children. <i>Canadian Journal of Cardiology</i> , <b>2020</b> , 36, 1440-1447	3.8	1
37	Adherence to the 24-hour movement guidelines and adiposity in a cohort of at risk youth: A longitudinal analysis. <i>Pediatric Obesity</i> , <b>2021</b> , 16, e12730	4.6	2
36	Effect of maternal sleep in late pregnancy on leptin and lipid levels in umbilical cord blood. <i>Sleep Medicine</i> , <b>2021</b> , 77, 376-383	4.6	2
35	Sleep and physical activity in healthy 8-9-year-old children are affected by oily fish consumption in the FiSK Junior randomized trial. <i>European Journal of Nutrition</i> , <b>2021</b> , 60, 3095-3106	5.2	
34	Associations Between Meeting the 24-Hour Movement Guidelines and Cardiometabolic Risk in Young Children. <i>Pediatric Exercise Science</i> , <b>2021</b> , 33, 112-119	2	1
33	Association between Home Environment in Infancy and Child Movement Behaviors. <i>Childhood Obesity</i> , <b>2021</b> , 17, 100-109	2.5	2
32	Household chaos, family routines, and young child movement behaviors in the U.S. during the COVID-19 outbreak: a cross-sectional study. <i>BMC Public Health</i> , <b>2021</b> , 21, 860	4.1	8
31	Sedentary behavior moderates the relationship between physical activity and cardiometabolic risk in young Latino children. <i>Translational Behavioral Medicine</i> , <b>2021</b> , 11, 1517-1526	3.2	
30	Impact of the COVID-19 pandemic on elementary schoolers' physical activity, sleep, screen time and diet: A quasi-experimental interrupted time series study. <i>Pediatric Obesity</i> , <b>2022</b> , 17, e12846	4.6	12
29	Childhood diabetes and sleep. <i>Pediatric Pulmonology</i> , <b>2021</b> ,	3.5	1

28	Associations of sleep with food cravings and loss-of-control eating in youth: An ecological momentary assessment study. <i>Pediatric Obesity</i> , <b>2021</b> , e12851	4.6	0
27	Sleep duration and cardiovascular risk factors in children and adolescents: A systematic review. <i>Sleep Medicine Reviews</i> , <b>2020</b> , 53, 101338	10.2	7
26	Association of Physical Activity and Cardiometabolic Risk in Children 3-12 Years. <i>Journal of Physical Activity and Health</i> , <b>2020</b> , 1-7	2.5	0
25	The association between screen time and cardiometabolic risk in young children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2020</b> , 17, 41	8.4	4
24	Physical Activity, Blood Glucose and C-Peptide in Healthy School-Children, a Longitudinal Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156401	3.7	8
23	A longitudinal study of the associations of children's body mass index and physical activity with blood pressure. <i>PLoS ONE</i> , <b>2017</b> , 12, e0188618	3.7	11
22	Sleep patterns and cardiometabolic risk in schoolchildren from Cuenca, Spain. <i>PLoS ONE</i> , <b>2018</b> , 13, e0191637	3.7	7
21	Sleep duration and risk of hyperlipidemia: a systematic review and meta-analysis of prospective studies. <i>Sleep and Breathing</i> , <b>2021</b> , 1	3.1	1
20	Longitudinal and cross-sectional associations of adherence to 24-hour movement guidelines with cardiometabolic risk. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2021</b> ,	4.6	0
19	Relationship between Physical Activity and Body Composition in Young Children. <i>Rigakuryoho Kagaku</i> , <b>2019</b> , 34, 367-370	0.1	
18	Asia-Pacific Consensus Statement on integrated 24-hour activity guidelines for children and adolescents. <i>British Journal of Sports Medicine</i> , <b>2021</b> ,	10.3	2
17	Efficacy of school-based interventions for improving muscular fitness outcomes in children: A systematic review and meta-analysis.. <i>European Journal of Sport Science</i> , <b>2022</b> , 1-34	3.9	2
16	COVID-19 and screen-based sedentary behaviour: Systematic review of digital screen time and metabolic syndrome in adolescents.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0265560	3.7	3
15	Association between sleep duration and cardiometabolic factors in adolescents.. <i>BMC Public Health</i> , <b>2022</b> , 22, 686	4.1	0
14	Sleep deficiency as a driver of cellular stress and damage in neurological disorders.. <i>Sleep Medicine Reviews</i> , <b>2022</b> , 63, 101616	10.2	0
13	Self-Reported Sedentary Behavior and Metabolic Syndrome among Children Aged 6-14 Years in Beijing, China.. <i>Nutrients</i> , <b>2022</b> , 14,	6.7	0
12	Influence of Sit-Stand Tables in Classrooms on Children's Sedentary Behavior and Teacher's Acceptance and Feasibility: A Mixed-Methods Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2022</b> , 19, 6727	4.6	
11	Meeting 24-Hour Movement and Dietary Guidelines: Prevalence, Correlates and Association with Weight Status among Children and Adolescents: A National Cross-Sectional Study in China. <i>Nutrients</i> , <b>2022</b> , 14, 2822	6.7	0

10	Longitudinal association between moderate to vigorous physical activity and lipid profile indicators in adolescents. <i>European Journal of Sport Science</i> , 1-21	3.9	
9	Adherence to Combined Healthy Movement Behavior Guidelines among Adolescents: Effects on Cardiometabolic Health Markers. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8798	4.6	○
8	Screen time and the risk of metabolic syndrome among children and adolescents: a systematic review and dose-response meta-analysis. 2022,		1
7	Twenty-four-hour movement guidelines during middle adolescence and their association with glucose outcomes and type 2 diabetes mellitus in adulthood. 2022,		○
6	Associations between sleep and metabolic outcomes in preadolescent children.		○
5	Sedentary behavior. 2022,		○
4	Sedentary patterns and cardiometabolic risk factors in Mexican children and adolescents: analysis of longitudinal data. 2022, 19,		1
3	Proportion of Chinese Children and Adolescents Meeting 24-Hour Movement Guidelines and Associations with Overweight and Obesity. 2023, 20, 1408		○
2	Sleep duration and timing are prospectively linked with insulin resistance during late adolescence. 2023, 31, 912-922		○
1	Physical Activity, Sedentary Behaviour and Cardiovascular Risk Factors in Overweight Low-Income Schoolchildren: A Complex System Perspective. 2023, 3, 86-96		○