Postnatal Depression among Rural Women in South Ind Obstetric and Pregnancy Outcome Have a Role to Play?

PLoS ONE 10, e0122079

DOI: 10.1371/journal.pone.0122079

Citation Report

#	Article	IF	Citations
1	Risk of Depressive Symptoms Associated with Morbidity in Postpartum Women in Rural Bangladesh. Maternal and Child Health Journal, 2017, 21, 1890-1900.	0.7	12
2	Cross-National Differences in Psychosocial Factors of Perinatal Depression: A Systematic Review of India and Japan. Healthcare (Switzerland), 2017, 5, 91.	1.0	16
3	Postpartum depression in India: a systematic review and meta-analysis. Bulletin of the World Health Organization, 2017, 95, 706-717C.	1.5	180
4	Study protocol on criterion validation of Edinburgh Postnatal Depression Scale (EPDS), Patient Health Questionnaire (PHQ-9) and Centre for Epidemiological Studies-Depression (CES-D) screening tools among rural postnatal women; a cross-sectional study. BMJ Open, 2018, 8, e019085.	0.8	13
5	Characteristics of perinatal depression in rural central, India: a cross-sectional study. International Journal of Mental Health Systems, 2018, 12, 68.	1.1	16
6	Prevalence and Factors Associated with Postpartum Depression Among Mothers Attending Public Health Centers of Addis Ababa, Ethiopia, 2016. Clinical Practice and Epidemiology in Mental Health, 2018, 14, 196-206.	0.6	28
7	Review of the prevalence of postnatal depression across cultures. AIMS Public Health, 2018, 5, 260-295.	1.1	71
8	Perinatal Depression and Associated Factors among Mothers in Southern Ethiopia: Evidence from Arba Minch Zuria Health and Demographic Surveillance Site. Psychiatry Journal, 2018, 2018, 1-12.	0.7	10
9	Postpartum depressive symptoms in the context of high social adversity and reproductive health threats: a population-based study. International Journal of Mental Health Systems, 2018, 12, 42.	1.1	29
10	The prevalence and determinants of depression among HIV-positive perinatal women receiving antiretroviral therapy in India. Archives of Women's Mental Health, 2019, 22, 399-404.	1.2	6
11	Postpartum depression among women with pre-eclampsia and eclampsia in Tanzania; a call for integrative intervention. BMC Pregnancy and Childbirth, 2019, 19, 270.	0.9	20
12	Association between unintended births and risk of postpartum depression: Evidence from Ethiopia, India, Peru and Vietnam. SSM - Population Health, 2019, 9, 100495.	1.3	9
13	Gestational route to healthy birth (GaRBH): protocol for an Indian prospective cohort study. BMJ Open, 2019, 9, e025395.	0.8	1
14	Prevalence and factors associated with postpartum depression at a primary healthcare facility in Eswatini. South African Journal of Psychiatry, 2019, 25, 1404.	0.2	12
15	Prevalence and predictors of postpartum depression among mothers in the rural areas of Udupi Taluk, Karnataka, India: A cross-sectional study. Clinical Epidemiology and Global Health, 2019, 7, 342-345.	0.9	11
16	Clinical and Obstetric Risk Factors for Postnatal Depression in HIV Positive Women: A Cross Sectional Study in Health Facilities in Rural KwaZulu-Natal. International Journal of Environmental Research and Public Health, 2020, 17, 8425.	1.2	1
17	Postnatal depression and its association with adverse infant health outcomes in low- and middle-income countries: a systematic review and meta-analysis. BMC Pregnancy and Childbirth, 2020, 20, 416.	0.9	65
18	Causal mechanisms of postnatal depression among women in Gondar town, Ethiopia: application of a stress-process model with generalized structural equation modeling. Reproductive Health, 2020, 17, 63.	1.2	16

#	Article	IF	CITATIONS
19	Systematic Review and Meta-Analysis of the Prevalence of the Maternity Blues in the Postpartum Period. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2020, 49, 127-136.	0.2	47
20	Factors Associated with Postpartum Depressive Symptoms in Community of Central Nepal. Psychiatry Journal, 2020, 2020, 1-7.	0.7	6
21	Three spirals: Breastfeeding problems, growth spurts, and postpartum depression. Perspectives in Psychiatric Care, 2021, 57, 770-776.	0.9	2
22	Assessment of magnitude and predictors of postpartum depression among mothers attending immunization clinics in Bihar, India. Journal of Family Medicine and Primary Care, 2021, 10, 312.	0.3	2
23	Postnatal Depression: Frequency, Demographic Characteristics and Risk Factors. Journal of Gandhara Medical and Dental Science, 2021, 8, 7-13.	0.1	0
24	Prevalence and risk factors of perinatal depression among women in rural Bihar: A community-based cross-sectional study. Asian Journal of Psychiatry, 2021, 56, 102552.	0.9	11
25	Incidence of Postpartum Depression and Its Association With Antenatal Psychiatric Symptoms: A Longitudinal Study in 25 Villages of Rural South Karnataka. Indian Journal of Psychological Medicine, 2022, 44, 37-44.	0.6	6
26	Is physical activity in pregnancy associated with prenatal and postnatal depressive symptoms?: Results from MAASTHI cohort study in South India. Journal of Psychosomatic Research, 2021, 144, 110390.	1.2	9
27	Prevalence and risk factors of postpartum depression in the Middle East: a systematic review and metaâ€"analysis. BMC Pregnancy and Childbirth, 2021, 21, 542.	0.9	45
28	Assessment of difference in postpartum depression among caesarean and vaginally delivered women at 6-week follow-up in hospitals in Pune District, India: an observational cohort study. BMJ Open, 2021, 11, e052008.	0.8	11
29	Evaluation of peripartum depression in females. International Journal of Applied & Basic Medical Research, 2019, 9, 201.	0.2	16
30	A study on postpartum depression and its association with infant feeding practices and infant nutritional status among mothers attending the anganwadi centers of Valsad district, Gujarat, India. Indian Journal of Community Medicine, 2020, 45, 299.	0.2	3
31	Maternal depression and its association with responsive feeding and nutritional status of infants. Journal of Postgraduate Medicine, 2019, 65, 212-218.	0.2	5
32	Depression among Women during Post-Partum Period: A Cross Sectional Study. Research Journal of Medical and Allied Health Sciences, 2018, 01, 19-22.	0.0	0
33	Prevalence of Postnatal Depression and its risk factors among postnatal women in rural area of Srikakulam district National Journal of Community Medicine, 2020, , $1.$	0.1	0
34	Early detection of mental illness for women suffering high-risk pregnancies: an explorative study on self-perceived burden during pregnancy and early postpartum depressive symptoms among Chinese women hospitalized with threatened preterm labour. BMC Psychiatry, 2020, 20, 250.	1.1	12
35	Pain, stress, analgesia and postpartum depression: Revisiting the controversy with a randomized controlled trial. Saudi Journal of Anaesthesia, 2020, 14, 473.	0.2	4
36	The Prevalence of Postpartum Depression and Its Association with Food Insecurity among Mothers Referring to Community Health Centers. Iranian Journal of Psychiatry, 2018, 13, 280-287.	0.4	7

#	Article	IF	CITATIONS
37	A community-based cross-sectional study to assess the prevalence of post-partum depression: Why are the mothers depressed?. Journal of Family Medicine and Primary Care, 2021, 10, 4536.	0.3	3
38	STUDY OF GENERALISED ANXIETY DISORDER AND FACTORS AFFECTING IT DURING POSTNATAL PERIOD Asian Journal of Pharmaceutical and Clinical Research, 0, , 90-93.	0.3	1
39	Prevalence and Associated Risk Factors of Antenatal Depression among Pregnant Women Attending Tertiary Care Hospitals in South India. Depression Research and Treatment, 2022, 2022, 1-7.	0.7	0
40	Association between gestational diabetes mellitus and postpartum depression among women in Eastern India: A cohort study. Indian Journal of Community Medicine, 2023, 48, 351.	0.2	1
41	Postpartum Mood Disorders: A Short Review. Journal of SAFOG, 2023, 15, 102-107.	0.1	1
43	Postnatal Mental Distress. Advances in Psychology, Mental Health, and Behavioral Studies, 2023, , 159-181.	0.1	0