Sex- and Time-Dependent Patterns in Risk Factors of En Austrian Cohort with up to 20 Years of Follow-Up

PLoS ONE 10, e0135052

DOI: 10.1371/journal.pone.0135052

Citation Report

#	Article	IF	CITATIONS
1	The dual roles of obesity in chronic kidney disease. Current Opinion in Nephrology and Hypertension, 2016, 25, 208-216.	1.0	87
2	Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. Clinical Science, 2016, 130, 1147-1163.	1.8	167
3	Associations of mitochondrial haplogroups and mitochondrial DNA copy numbers with end-stage renal disease in a Han population. Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2017, 28, 725-731.	0.7	21
4	Increased body mass index is a risk factor for end-stage renal disease in the Chinese Singapore population. Kidney International, 2017, 92, 979-987.	2.6	16
5	Chronic Kidney Disease, Gender, and Access to Care: A Global Perspective. Seminars in Nephrology, 2017, 37, 296-308.	0.6	65
6	Cigarette smoking and chronic kidney disease in the general population: a systematic review and meta-analysis of prospective cohort studies. Nephrology Dialysis Transplantation, 2017, 32, 475-487.	0.4	156
7	A new plasma biomarker enhance the clinical prediction of postoperative acute kidney injury in patients with hepatocellular carcinoma. Clinica Chimica Acta, 2017, 475, 128-136.	0.5	5
8	Metabolically Healthy Obesity and Risk of Kidney Function Decline. Obesity, 2018, 26, 762-768.	1.5	19
9	Relationship between body mass index and renal function deterioration among the Taiwanese chronic kidney disease population. Scientific Reports, 2018, 8, 6908.	1.6	22
10	Influence of Sex on the Progression of Chronic Kidney Disease. Mayo Clinic Proceedings, 2019, 94, 1339-1356.	1.4	79
12	Smoking and risk of incident end-stage kidney disease in general population: A Nationwide Population-based Cohort Study from Korea. Scientific Reports, 2019, 9, 19511.	1.6	18
13	Sex-specific analysis of haemodialysis prevalence, practices and mortality over time: the Austrian Dialysis Registry from 1965 to 2014. Nephrology Dialysis Transplantation, 2019, 34, 1026-1035.	0.4	18
14	Gender Issues in Chronic Kidney Disease. , 2020, , 91-109.		0
15	Predictive performance of lipid accumulation product and visceral adiposity index for renal function decline in non-diabetic adults, an 8.6-year follow-up. Clinical and Experimental Nephrology, 2020, 24, 225-234.	0.7	15
16	The impact of hypertension on chronic kidney disease and end-stage renal disease is greater in men than women: a systematic review and meta-analysis. BMC Nephrology, 2020, 21, 506.	0.8	45
17	Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. Scientific Reports, 2020, 10, 11668.	1.6	11
18	Modifiable Lifestyle Factors for Primary Prevention of CKD: A Systematic Review and Meta-Analysis. Journal of the American Society of Nephrology: JASN, 2021, 32, 239-253.	3.0	115
19	Anthropometric and Metabolic Risk Factors for ESRD Are Disease-Specific: Results from a Large Population-Based Cohort Study in Austria. PLoS ONE, 2016, 11, e0161376.	1.1	11

#	Article	IF	CITATIONS
20	Obesity Association with Chronic Renal Disease in Patients attended at ClÃnica de la Costa. Barranquilla, Colombia. 2005-2014. Revista Colombiana De NefrologÃa, 2016, 3, 14-19.	0.1	1
21	The Association of Excess Body Weight with Risk of ESKD Is Mediated Through Insulin Resistance, Hypertension, and Hyperuricemia. Journal of the American Society of Nephrology: JASN, 2022, 33, 1377-1389.	3.0	17
22	Sex-Based Differences in Risk Factors and Complications of Chronic Kidney Disease. Seminars in Nephrology, 2022, 42, 153-169.	0.6	11