

# CITATION REPORT

List of articles citing

## The Value of In Vitro Diagnostic Testing in Medical Practice: A Status Report

DOI: 10.1371/journal.pone.0149856  
PLoS ONE, 2016, 11, e0149856.

**Source:** <https://exaly.com/paper-pdf/87029832/citation-report.pdf>

**Version:** 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
105	The Real Value of Laboratory Medicine. <b>2016</b> , 1, 101-103		2
104	Correction: The Value of In Vitro Diagnostic Testing in Medical Practice: A Status Report. <i>PLoS ONE</i> , <b>2016</b> , 11, e0154008	3.7	1
103	La contribuci3 del laboratorio cl3nico a la salud poblacional. <b>2016</b> , 9, 145-146		
102	Laboratory economics. Risk or opportunity?. <b>2016</b> , 54, 1701-1703		7
101	Improving diagnosis and reducing diagnostic errors: the next frontier of laboratory medicine. <b>2016</b> , 54, 1117-8		19
100	Prospective applications of ultrahigh resolution proteomics in clinical mass spectrometry. <b>2016</b> , 13, 1063-1071	10	
99	Improving American Healthcare Through "Clinical Lab 2.0": A Project Santa Fe Report. <b>2017</b> , 4, 2374289517701067		10
98	Diagnostic laboratories in Asia Pacific region: Investigation on quality characteristics and time of reporting. <b>2017</b> , 50, 625-631		4
97	Designed Microdevices for In Vitro Diagnostics. <b>2017</b> , 1, 1700196		35
96	The Cost-effective Laboratory: Implementation of Economic Evaluation of Laboratory Testing. <b>2017</b> , 36, 238-242		6
95	PDTA e Medicina di Laboratorio. <b>2017</b> , 13, 65-71		1
94	Point-of-care testing: applications of 3D printing. <b>2017</b> , 17, 2713-2739		90
93	A guide to aid the selection of diagnostic tests. <b>2017</b> , 95, 639-645		219
92	The Clinical and Economic Impact of Inaccurate EGFR Mutation Tests in the Treatment of Metastatic Non-Small Cell Lung Cancer. <b>2017</b> , 7,		9
91	Frequency that Laboratory Tests Influence Medical Decisions. <b>2017</b> , 1, 410-414		26
90	That '70%' claim again ¶ <b>2018</b> , 55, 517-518		8
89	Call for more transparency in manufacturers declarations on serum indices: On behalf of the Working Group for Preanalytical Phase (WG-PRE), European Federation of Clinical Chemistry and Laboratory Medicine (EFLM). <b>2018</b> , 484, 328-332		24

88	Metabolic Fingerprinting on a Plasmonic Gold Chip for Mass Spectrometry Based Diagnostics. <b>2018</b> , 4, 223-229	83
87	Access to pathology and laboratory medicine services: a crucial gap. <b>2018</b> , 391, 1927-1938	138
86	Effectiveness of Practices to Support Appropriate Laboratory Test Utilization: A Laboratory Medicine Best Practices Systematic Review and Meta-Analysis. <b>2018</b> , 149, 197-221	33
85	Improving the Delivery of Healthcare through Clinical Diagnostic Insights: A Valuation of Laboratory Medicine through "Clinical Lab 2.0". <b>2018</b> , 3, 487-497	6
84	Engineered Noble-Metal Nanostructures for in Vitro Diagnostics. <b>2018</b> , 30, 8391-8414	26
83	Synthetic biology-based portable in vitro diagnostic platformsPeer review under responsibility of Alexandria University Faculty of Medicine.View all notesAvailable online 13 December 2018View all notes. <b>2018</b> , 54, 423-428	5
82	Bioanalytical Requirements and Regulatory Guidelines for Immunoassays. <b>2018</b> , 81-95	10
81	Plasmonic Janus hybrids for the detection of small metabolites. <b>2018</b> , 6, 7280-7287	34
80	Cancer of unknown primary-Epidemiological trends and relevance of comprehensive genomic profiling. <b>2018</b> , 7, 4814-4824	22
79	Functionalized gold and persistent luminescence nanoparticle-based ratiometric absorption and TR-FRET nanoplatform for high-throughput sequential detection of l-cysteine and insulin. <b>2018</b> , 10, 14931-14937	16
78	Doubling immunochemistry laboratory testing efficiency with the cobas e 801 module while maintaining consistency in analytical performance. <b>2018</b> , 58, 86-93	2
77	The Model List of Essential In Vitro Diagnostics: nuisance or opportunity?. <b>2019</b> , 6, 187-188	1
76	Heparin and citrate additive carryover during blood collection. <b>2019</b> , 57, 1888-1896	1
75	Variation, errors, and quality in the clinical laboratory. <b>2019</b> , 3-9	
74	Road map to best practices. <b>2019</b> , 241-273	0
73	Multi-site performance evaluation and Sigma metrics of 20 assays on the Atellica chemistry and immunoassay analyzers. <b>2019</b> , 58, 59-68	7
72	Pathology Services in Nigeria: Cross-Sectional Survey Results From Three Cancer Consortia. <b>2019</b> , 5, 1-9	2
71	Kidney Injury Biomarkers in an Academic Hospital Setting: Where Are We Now?. <b>2019</b> , 40, 79-97	12

70	Comparison of precision and operational performances across six immunochemistry analyzers. <b>2019</b> , 57, e248-e252	1
69	Cost, profitability and value of laboratory diagnostics: in God we trust, all others bring data. <b>2019</b> , 43, 1-3	6
68	Point-of-care testing based on smartphone: The current state-of-the-art (2017-2018). <b>2019</b> , 132, 17-37	142
67	Unmet Diagnostics Needs for the Developing World. <b>2019</b> , 1-21	2
66	Documenting metrological traceability as intended by ISO 15189:2012: A consensus statement about the practice of the implementation and auditing of this norm element. <b>2019</b> , 57, 459-464	8
65	Autoantibody Assays: Performance, Interpretation, and Standardization. <b>2020</b> , 1369-1389	
64	Clinical Applications of Visual Plasmonic Colorimetric Sensing. <b>2020</b> , 20,	21
63	Field-effect transistor bioassay for ultrasensitive detection of folate receptor 1 by ligand-protein interaction. <b>2020</b> , 187, 637	0
62	Precision health: A pragmatic approach to understanding and addressing key factors in autoimmune diseases. <b>2020</b> , 19, 102508	15
61	Nucleic Acid Detection Using CRISPR/Cas Biosensing Technologies. <b>2020</b> , 9, 1226-1233	105
60	Environmental exposure scenario for reagents used in in-vitro diagnostics. <b>2020</b> , 173, 115521	
59	The Value Proposition for Pathologists: A Population Health Approach. <b>2020</b> , 7, 2374289519898857	7
58	Pathology and Laboratory Medicine in cancer care: A global analysis of national cancer control plans. <b>2021</b> , 148, 1938-1947	2
57	Biopolymeric systems for diagnostic applications. <b>2021</b> , 705-722	1
56	Laboratorio Unico Metropolitano: innovazione e alta tecnologia per un nuovo paradigma di medicina di laboratorio. <b>2021</b> , 79-94	0
55	The Impact of a Standardized Pre-visit Laboratory Testing Panel in the Internal Medicine Outpatient Clinic: a Controlled "On-Off" Trial. <b>2021</b> , 36, 1914-1920	0
54	Laboratory medicine: The exemplar for value-based healthcare. <b>2021</b> , 34, 175-180	
53	Using clinical guidelines to assess the potential value of laboratory medicine in clinical decision-making. <b>2021</b> , 31, 010703	1

52	Indirect estimation of reference intervals using first or last results and results from patients without repeated measurements. <b>2021</b> , 45, 103-109	2
51	A model to establish autoverification in the clinical laboratory. <b>2021</b> , 93, 90-98	0
50	Ultra-Fast Label-Free Serum Metabolic Diagnosis of Coronary Heart Disease via a Deep Stabilizer. <b>2021</b> , 8, e2101333	17
49	Systematic Evolution of Ligands by Exponential Enrichment Technologies and Aptamer-Based Applications: Recent Progress and Challenges in Precision Medicine of Infectious Diseases. <b>2021</b> , 9, 704077	4
48	Preparing Laboratories for Interconnected Health Care. <b>2021</b> , 11,	1
47	Programmable receptors enable bacterial biosensors to detect pathological biomarkers in clinical samples. <b>2021</b> , 12, 5216	6
46	Integrating quality control and external quality assurance. <b>2021</b> , 95, 15-27	2
45	CRISPR based development of RNA editing and the diagnostic platform. <b>2021</b> , 179, 117-159	
44	Manganese Metal-Organic Framework: Chemical Stability, Photoluminescence Studies, and Biosensing Application. <b>2021</b> , 31, 1726-1737	8
43	High-Quality Diagnosis: An Essential Pathology Package. <b>2017</b> , 215-234	4
42	Influence of exogenous and endogenous factors on the quality of the preanalytical stage of laboratory tests (review of literature). <b>2020</b> , 65, 778-784	1
41	Inappropriateness in laboratory medicine: an elephant in the room?. <b>2017</b> , 5, 82	17
40	Current Progresses of Functional Nanomaterials for Imaging Diagnosis and Treatment of Melanoma. <b>2019</b> , 19, 2494-2506	2
39	Atellica CH 930 chemistry analyzer versus Cobas 6000 c501 and Architect ci4100 - a multi-analyte method comparison. <b>2021</b> , 29, 421-438	1
38	Streamlining laboratory expenditures through direct to consumer testing and reference prices: first do not harm. <b>2016</b> , 4, 424	
37	Erros relacionados ao laboratório. <b>2019</b> , 237-262	
36	Il valore della Medicina di Laboratorio. <b>2019</b> , 15,	
35	Current Status of Specialized Clinical Laboratory and its Role in Facilitating a Transition Towards Personalized Medicine. <b>2020</b> , 9, 16	

34	[The value of in vitro diagnostic testing in the provision of medical care to patients with cardiovascular diseases.]. <b>2020</b> , 65, 191-196		
33	Utilisation of laboratory test results for patient management by clinicians at two large referral hospitals in Zambia.		
32	Benchmarking diagnostic laboratory performance: Survey results for Germany, Austria, and Switzerland. <b>2021</b> , 1		0
31	Paediatric Reference Intervals: Current Status, Gaps, Challenges and Future Considerations. <b>2020</b> , 41, 43-52		6
30	Cost, profitability and value of laboratory diagnostics: in God we trust, all others bring data. <b>2018</b> ,		
29	Assessment of regulation on vitamin D test requesting in terms of the rational laboratory use. <b>2021</b> , 46, 173-181		
28	Enhancing the Clinical Value of Medical Laboratory Testing. <b>2017</b> , 38, 107-114		18
27	A National Assessment of Diagnostic Test Use for Patients with Advanced NSCLC and Factors Influencing Physician Decision-Making. <b>2020</b> , 13, 110-119		
26	Data mining of pediatric reference intervals. <b>2021</b> , 45, 311-317		4
25	Recent Advances of Point-of-Care Devices Integrated with Molecularly Imprinted Polymers-Based Biosensors: From Biomolecule Sensing Design to Intraoral Fluid Testing.. <b>2022</b> , 12,		6
24	Benchmarking medical laboratory performance: survey validation and results for Europe, Middle East, and Africa.. <b>2022</b> ,		
23	Effectiveness of a Mobile App in Reducing Therapeutic Turnaround Time and Facilitating Communication between Caregivers in a Pediatric Emergency Department: A Randomized Controlled Pilot Trial.. <b>2022</b> , 12,		0
22	Reporting of diagnostic and laboratory tests by general hospitals as an indication of access to diagnostic laboratory services in Kenya.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0266667	3.7	0
21	Indirectly determined hematology reference intervals for pediatric patients in Berlin and Brandenburg.. <b>2021</b> ,		2
20	Pathologists' professional lifestyle: Excellence in practice, ethics, education, health promotion, and personal life.. <b>2022</b> , 11, 97		
19	Returning Individual Research Results to Vulnerable Individuals. <b>2022</b> ,		
18	Mixture density networks for the indirect estimation of reference intervals. <b>2022</b> , 23,		
17	Simplifying the complex: accessible microfluidic solutions for contemporary processes within in vitro diagnostics. <b>2022</b> , 22, 3340-3360		1

16	COST-EFFECTIVENESS OF LABORATORY TESTING IN AL ZAHRAA TEACHING HOSPITAL, AL NAJAF AL-ASHRAF, IRAQ. <b>2022</b> , 75, 1734-1740	0
15	What implementation strategies and outcome measures are used to transform healthcare organizations into learning health systems? A mixed-methods review protocol. <b>2022</b> , 20,	0
14	Using a learning health system framework to examine COVID-19 pandemic planning and response at a Canadian Health Centre. <b>2022</b> , 17, e0273149	0
13	Fluorescence Signal-Readout of CRISPR/Cas Biosensors for Nucleic Acid Detection. <b>2022</b> , 12, 779	3
12	Effectiveness of a Mobile App (PIMPmyHospital) in Reducing Therapeutic Turnaround Times in an Emergency Department: Protocol for a Pre-Post Study (Preprint).	0
11	Image-based real-time feedback control of magnetic digital microfluidics by artificial intelligence-empowered rapid object detector for automated in vitro diagnostics.	1
10	Central role of laboratory medicine in public health and patient care. <b>2022</b> ,	0
9	Estado actual y retos futuros de la medicina de laboratorio en España: un análisis de la Sociedad Española de Medicina de Laboratorio (SEQCML). <b>2022</b> ,	0
8	Principles of ideal diagnostic regulation and the IVDR. <b>2022</b> ,	0
7	Surface modification for improving immunoassay sensitivity.	0
6	Indirectly determined reference intervals for automated white blood cell differentials of pediatric patients in Berlin and Brandenburg. <b>2023</b> ,	0
5	Construction of a ternary component chip with enhanced desorption efficiency for laser desorption/ionization mass spectrometry based metabolic fingerprinting. 11,	0
4	Laboratory Decision System, Much Needed Platform to Automate Laboratory Test Utilization, Medical Necessity Verification and Payment Processing (Preprint).	0
3	Effectiveness of a Mobile App (PIMPmyHospital) in Reducing Therapeutic Turnaround Times in an Emergency Department: Protocol for a Pre-Post Study (Preprint).	0
2	State of affairs and future challenges in laboratory medicine in Spain: an analysis of the Spanish Society of Laboratory Medicine (SEQCML). <b>2023</b> , 4, 70-80	0
1	Potentials and pitfalls of ChatGPT and natural-language artificial intelligence models for the understanding of laboratory medicine test results. An assessment by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) Working Group on Artificial Intelligence (WG-AI). <b>2023</b> ,	0