Citation Report
List of articles citing

Progress with Scale-Up of HIV Viral Load Monitoring - Seven Sub-Saharan African Countries, January 2015-June 2016

DOI: 10.15585/mmwr.mm6547a2
Morbidity and Mortality Weekly Report, 2016, 65, 1332-1335.

Source: https://exaly.com/paper-pdf/87391115/citation-report.pdf
Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
90	Development of an algorithm for determination of the likelihood of virological failure in HIV-positive adults receiving antiretroviral therapy in decentralized care. *Global Health Action*, **2017** , 10, 1371961	3	2
89	Returning HIV-1 viral load results to participant-selected health facilities in national Population-based HIV Impact Assessment (PHIA) household surveys in three sub-Saharan African Countries, 2015 to 2016. *Journal of the International AIDS Society*, **2017**, 20 Suppl 7, e25004	5.4	15
88	Realizing the potential of routine viral load testing in sub-Saharan Africa. *Journal of the International AIDS Society*, **2017**, 20 Suppl 7, e25010	5.4	14
87	Selecting a viral load threshold for routine monitoring in resource-limited settings: optimizing individual health and population impact. *Journal of the International AIDS Society*, **2017**, 20 Suppl 7, e25007	5.4	19
86	Scaling up HIV viral load - lessons from the large-scale implementation of HIV early infant diagnosis and CD4 testing. *Journal of the International AIDS Society*, **2017**, 20 Suppl 7, e25008	5.4	32
85	Specimen origin, type and testing laboratory are linked to longer turnaround times for HIV viral load testing in Malawi. *PLoS ONE*, **2017**, 12, e0173009	3.7	19
84	Association of HIV/AIDS Clinician Warm Line Utilization with Diagnosis and Management of Antiretroviral Treatment Failure in Mozambique: A Retrospective Analysis of Program Data. *Journal of the International Association of Providers of AIDS Care*, **2017**, 16, 396-404	1.7	1
83	Time to Switch to Second-line Antiretroviral Therapy in Children With Human Immunodeficiency Virus in Europe and Thailand. *Clinical Infectious Diseases*, **2018**, 66, 594-603	11.6	9
82	Factors associated with recent unsuppressed viral load in HIV-1-infected patients in care on first-line antiretroviral therapy in South Africa. *International Journal of STD and AIDS*, **2018**, 29, 603-610	1.4	27
81	Serum Albumin as a Prognostic Marker for Serious Non-AIDS Endpoints in the Strategic Timing of Antiretroviral Treatment (START) Study. *Journal of Infectious Diseases*, **2018**, 217, 405-412	7	10
80	Multimonth Prescription of Antiretroviral Therapy Among Children and Adolescents: Experiences From the Baylor International Pediatric AIDS Initiative in 6 African Countries. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2018**, 78 Suppl 2, S71-S80	3.1	14
79	Impact of a borderless sample transport network for scaling up viral load monitoring: results of a geospatial optimization model for Zambia. *Journal of the International AIDS Society*, **2018**, 21, e25206	5.4	12
78	Achieving UNAIDS 90-90-90 targets for pregnant and postpartum women in sub-Saharan Africa: progress, gaps and research needs. *Journal of Virus Eradication*, **2018**, 4, 33-39	2.8	26
77	A Markov Model to Estimate Mortality Due to HIV/AIDS Using Viral Load Levels-Based States and CD4 Cell Counts: A Principal Component Analysis Approach. *Infectious Diseases and Therapy*, **2018**, 7, 457-471	6.2	6
76	Adoption of routine virologic testing and predictors of virologic failure among HIV-infected children on antiretroviral treatment in western Kenya. *PLoS ONE*, **2018**, 13, e0200242	3.7	14
75	Diagnosis of Human Immunodeficiency Virus Infection. *Clinical Microbiology Reviews*, **2019**, 32,	34	31
74	Results of Early Virologic Monitoring May Facilitate Differentiated Care Monitoring Strategies for Clients on ART, Rakai, Uganda. *Open Forum Infectious Diseases*, **2018**, 5, ofy212	1	1

73	Low Case Finding Among Men and Poor Viral Load Suppression Among Adolescents Are Impeding Namibia's Ability to Achieve UNAIDS 90-90-90 Targets. *Open Forum Infectious Diseases*, **2018**, 5, ofy200	1	7
72	Racing for results: lessons learnt in improving the efficiency of HIV viral load and early infant diagnosis result delivery from laboratory to clinic. *Expert Review of Molecular Diagnostics*, **2018**, 18, 789-795	3.8	2
71	Pretreatment HIV drug resistance in low- and middle-income countries. *Future Virology*, **2019**, 14, 427-440	2.4	2
70	Cost implications of HIV retesting for verification in Africa. *PLoS ONE*, **2019**, 14, e0218936	3.7	4
69	Monitoring viral load for the last mile: what will it cost?. *Journal of the International AIDS Society*, **2019**, 22, e25337	5.4	10
68	Quantifying pediatric patient need for second- and third-line HIV treatment: A tool for decision-making in resource-limited settings. *PLoS ONE*, **2019**, 14, e0224226	3.7	
67	Viral load detection and management on first line ART in rural Rwanda. *BMC Infectious Diseases*, **2019**, 19, 8	4	9
66	Role of public-private partnerships in achieving UNAIDS HIV treatment targets. *BMC Health Services Research*, **2019**, 19, 46	2.9	4
65	Low detectable postpartum viral load is associated with HIV transmission in Malawi's prevention of mother-to-child transmission programme. *Journal of the International AIDS Society*, **2019**, 22, e25290	5.4	12
64	Point-of-Care HIV Viral Load Testing: an Essential Tool for a Sustainable Global HIV/AIDS Response. *Clinical Microbiology Reviews*, **2019**, 32,	34	34
63	The role of point-of-care viral load monitoring in achieving the target of 90% suppression in HIV-infected patients in Nigeria: study protocol for a randomized controlled trial. *BMC Infectious Diseases*, **2019**, 19, 368	4	6
62	Curbing the rise of HIV drug resistance in low-income and middle-income countries: the role of dolutegravir-containing regimens. *Lancet Infectious Diseases, The*, **2019**, 19, e246-e252	25.5	19
61	Prevalence and Clinical Outcomes of Poor Immune Response Despite Virologically Suppressive Antiretroviral Therapy Among Children and Adolescents With Human Immunodeficiency Virus in Europe and Thailand: Cohort Study. *Clinical Infectious Diseases*, **2020**, 70, 404-415	11.6	5
60	Uptake of routine viral load testing among people living with HIV and its implementation challenges in Yangon region of Myanmar: a mixed-methods study. *BMJ Open*, **2019**, 9, e032678	3	3
59	Field Suitability and Diagnostic Accuracy of the Biocentric Open Real-Time PCR Platform for Dried Blood Spot-Based HIV Viral Load Quantification in Eswatini. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2019**, 82, 96-104	3.1	2
58	Validation of the Viral Load Testing Criteria - an algorithm for targeted viral load testing in HIV-positive adults receiving antiretroviral therapy. *Tropical Medicine and International Health*, **2019** , 24, 356-362	2.3	3
57	Retention and viral suppression of newly diagnosed and known HIV positive pregnant women on Option B+ in Western Kenya. *AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV*, **2019**, 31, 333-339	2.2	7
56	Human Immunodeficiency Virus Infection. **2020**, 232-266		1

55	Temporary disengagement and re-engagement in human immunodeficiency virus care in a rural county serving pastoralist communities in Kenya: a retrospective cohort study. *International Health*, **2020**, 12, 95-100	2.4	2
54	Non-uptake of viral load testing among people receiving HIV treatment in Gomba district, rural Uganda. *BMC Infectious Diseases*, **2020**, 20, 727	4	1
53	Impact of Viral Load Monitoring on Retention and Viral Suppression: A Regression Discontinuity Analysis of South Africa's National Laboratory Cohort. *American Journal of Epidemiology*, **2020**, 189, 1492-1501	3.8	1
52	Adherence to recommendations for ART and targeted PrEP use among HIV serodiscordant couples in East Africa: the "PrEP as a bridge to ART" strategy. *BMC Public Health*, **2020**, 20, 1621	4.1	5
51	Optimizing viral load suppression in Kenyan children on antiretroviral therapy (Opt4Kids). *Contemporary Clinical Trials Communications*, **2020**, 20, 100673	1.8	2
50	Determinants of virological failure among adults on first-line highly active antiretroviral therapy at public health facilities in Kombolcha town, Northeast, Ethiopia: a case-control study. *BMJ Open*, **2020**, 10, e036223	3	7
49	Delays in repeat HIV viral load testing for those with elevated viral loads: a national perspective from South Africa. *Journal of the International AIDS Society*, **2020**, 23, e25542	5.4	7
48	Access to HIV Viral Load Testing and Antiretroviral Therapy Switch Practices: A Multicountry Prospective Cohort Study in Sub-Saharan Africa. *AIDS Research and Human Retroviruses*, **2020**, 36, 918-926	1.6	1
47	Trends in CD4 and viral load testing 2005 to 2018: multi-cohort study of people living with HIV in Southern Africa. *Journal of the International AIDS Society*, **2020**, 23, e25546	5.4	7
46	Exploring barriers to sexual transmitted infections (STIs) and HIV testing among young black sub-Sahara African (BSSA) communities in diaspora, UK. *Journal of Public Mental Health*, **2020**, 19, 281-289	0.7	
45	Early access to antiretroviral therapy versus standard of care among HIV-positive participants in Eswatini in the public health sector: the MaxART stepped-wedge randomized controlled trial. *Journal of the International AIDS Society*, **2020**, 23, e25610	5.4	9
44	Prevalence of nonsuppressed viral load and associated factors among HIV-positive adults receiving antiretroviral therapy in Eswatini, Lesotho, Malawi, Zambia and Zimbabwe (2015 to 2017): results from population-based nationally representative surveys. *Journal of the International AIDS Society*, **2020**, 23, e25631	5.4	13
43	Modelling immune deterioration, immune recovery and state-specific duration of HIV-infected women with viral load adjustment: using parametric multistate model. *BMC Public Health*, **2020**, 20, 416	4.1	4
42	Getting to 90-90-90: Experiences from the MaxART Early Access to ART for All (EAAA) Trial in Eswatini. *Current HIV/AIDS Reports*, **2020**, 17, 324-332	5.9	5
41	High levels of viral load monitoring and viral suppression under Treat All in Rwanda - a cross-sectional study. *Journal of the International AIDS Society*, **2020**, 23, e25543	5.4	8
40	Zimbabwe's national third-line antiretroviral therapy program: Cohort description and treatment outcomes. *PLoS ONE*, **2020**, 15, e0228601	3.7	5
39	HIV treatment in Guinea-Bissau: room for improvement and time for new treatment options. *AIDS Research and Therapy*, **2020**, 17, 3	3	1
38	Utility of CD4 count measurement in the era of universal antiretroviral therapy: an analysis of routine laboratory data in Botswana. *HIV Medicine*, **2021**, 22, 1-10	2.7	7

37	Combining Geospatial Analysis with HIV Care Continuum to Identify Differential HIV/AIDS Treatment Indicators in Uganda. *Professional Geographer*, **2021**, 73, 213-229	1.7	1
36	Long Turnaround Times in Viral Load Monitoring of People Living with HIV in Resource-Limited Settings. *Journal of Global Infectious Diseases*, **2021**, 13, 85-90	2.8	1
35	Performance of a True Point-of-Care Assay for HIV-1/2 Viral Load Measurement at Antenatal and Postpartum Services. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2021**, 87, 693-699	3.1	1
34	Time to first viral load testing among pregnant women living with HIV initiated on option B+ at 5 government clinics in Kampala city, Uganda: Retrospective cohort study. *International Journal of Infectious Diseases*, **2021**, 104, 526-531	10.5	
33	Cost-effectiveness of point-of-care testing with task-shifting for HIV care in South Africa: a modelling study. *Lancet HIV,the*, **2021**, 8, e216-e224	7.8	6
32	HIV Viral Load Monitoring Among Patients Receiving Antiretroviral Therapy - Eight Sub-Saharan Africa Countries, 2013-2018. *Morbidity and Mortality Weekly Report*, **2021**, 70, 775-778	31.7	0
31	Predictors of Current CD4+ T-Cell Count Among Women of Reproductive Age on Antiretroviral Therapy in Public Hospitals, Southwest Ethiopia. *HIV/AIDS - Research and Palliative Care*, **2021**, 13, 667-679	1.2	0
30	Maintaining routine HIV and tuberculosis testing services in sub-Saharan African countries in the context of COVID-19: Lessons learnt and opportunities for improvement. *African Journal of Laboratory Medicine*, **2021**, 10, 1413	0.9	0
29	Coverage of maternal viral load monitoring during pregnancy in South Africa: Results from the 2019 national Antenatal HIV Sentinel Survey. *HIV Medicine*, **2021**, 22, 805-815	2.7	0
28	Feasibility and impact of near-point-of-care integrated tuberculosis/HIV testing in Malawi and Zimbabwe. *Aids*, **2021**, 35, 2531-2537	3.5	0
27	Regression discontinuity analysis demonstrated varied effect of Treat-All on CD4 testing among Southern African countries. *Journal of Clinical Epidemiology*, **2021**, 140, 101-110	5.7	
26	Provision of HIV viral load testing services in Zimbabwe: Secondary data analyses using data from health facilities using the electronic Patient Monitoring System. *PLoS ONE*, **2021**, 16, e0245720	3.7	1
25	Costs of Point-of-Care Viral Load Testing for Adults and Children Living with HIV in Kenya. *Diagnostics*, **2021**, 11,	3.8	1
24	Near Point-of-Care HIV Viral Load: Targeted Testing at Large Facilities. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2021**, 86, 258-263	3.1	4
23	Prevalence of Nonsuppressed Viral Load and Associated Factors Among Adults Receiving Antiretroviral Therapy in Eswatini, Lesotho, Malawi, Zambia, and Zimbabwe (2015-2017): Results from Population-Based Nationally-Representative Surveys.		2
22	Evaluation of the Management of Patients with Detectable Viral Load after the Implementation of Routine Viral Load Monitoring in an Urban HIV Clinic in Uganda. *AIDS Research and Treatment*, **2019**, 2019, 9271450	2.3	2
21	Predictors of loss to follow-up among patients on ART at a rural hospital in KwaZulu-Natal, South Africa. *PLoS ONE*, **2017**, 12, e0177168	3.7	26
20	Supporting Quality Data Systems: Lessons Learned from Early Implementation of Routine Viral Load Monitoring at a Large Clinic in Lilongwe, Malawi. **2017**, 3,		4

19	Rolling out HIV antiretroviral therapy in sub-Saharan Africa: 2003-2017. *Canada Communicable Disease Report*, **2018**, 44, 68-70	3.1	8
18	The network approach to laboratory procurement and supply chain management: Addressing the system issues to enhance HIV viral load scale-up. *African Journal of Laboratory Medicine*, **2020**, 9,	0.9	1
17	Characterization of HIV-1 drug resistance among patients with failure of second-line combined antiretroviral therapy in central Ethiopia. *HIV Medicine*, **2021**,	2.7	0
16	HIV-1 Treatment Failure, Drug Resistance and Clinical Outcomes in Perinatally-Infected Children and Adolescents Failing 1st-Line Antiretroviral Therapy in Western Kenya. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2021**,	3.1	2
15	Brief Report: Time to Repeat Viral Load Testing Among Unsuppressed Adolescents and Young Adults Living With HIV in Kenya. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2020**, 85, 606-611	3.1	0
14	Urgent need to improve programmatic management of patients with HIV failing first-line antiretroviral therapy. *Public Health Action*, **2020**, 10, 163-168	0.9	0
13	Achieving UNAIDS 90-90-90 targets for pregnant and postpartum women in sub-Saharan Africa: progress, gaps and research needs. *Journal of Virus Eradication*, **2018**, 4, 33-39	2.8	22
12	Global estimates of viral suppression in children and adolescents and adults on antiretroviral therapy adjusted for missing viral load measurements: a multiregional, retrospective cohort study in 31 countries. *Lancet HIV,the*, **2021**, 8, e766-e775	7.8	3
11	A two-stage approach for rapid assessment of the proportion achieving viral suppression using routine clinical data. *Epidemiology*, **30**, Publish Ahead of Print,	3.1	
10	Improving viral load testing using a quality improvement approach in Blantyre, Malawi. *PLoS ONE*, **2022**, 17, e0269062	3.7	
9	Adherence to viral load testing guidelines, barriers, and associated factors among persons living with HIV on ART in Southwestern Uganda: a mixed-methods study. *BMC Public Health*, **2022**, 22,	4.1	
8	Point-of-care HIV viral load and targeted drug resistance mutation testing versus standard care for Kenyan children on antiretroviral therapy (Opt4Kids): an open-label, randomised controlled trial. **2022**,		0
7	Low-level viraemia: An emerging concern among people living with HIV in Uganda and across sub-Saharan Africa. **2022**, 11,		0
6	Viral load testing among pregnant women living with HIV in Mutare district of Manicaland province, Zimbabwe. **2022**, 19,		0
5	After viral load testing, I get my results so I get to know which path my life is taking me qualitative insights on routine centralized and point-of-care viral load testing in western Kenya from the Opt4Kids and Opt4Mamas studies. **2022**, 22,		0
4	Potential for High Dynamic Range Sedia Limiting Antigen Antibody Assay to Support Viral Load monitoring during Antiretroviral Therapy.		0
3	Progress in scale up of HIV viral load testing in select sub-Saharan African countries 2016 2018. **2023**, 18, e0282652		0
2	Service delivery models that promote linkages to PrEP for adolescent girls and young women and men in sub-Saharan Africa: a scoping review. **2023**, 13, e061503		0

1	Decentralization of viral load testing to improve HIV care and treatment cascade in rural Tanzania: observational study from the Kilombero and Ulanga Antiretroviral Cohort. **2023**, 23,	0