

Worldwide Ethnic Distribution of the G Protein β_3 Subunit with Obesity in Caucasian, Chinese, and Black African Individuals

Journal of the American Society of Nephrology: JASN
10, 1921-1930

DOI: [10.1681/asn.v1091921](https://doi.org/10.1681/asn.v1091921)

Citation Report

#	ARTICLE	IF	CITATIONS
1	G-Protein β_3 subunit gene (GNB3) polymorphism 825C>T in patients with hypertensive crisis. <i>Critical Care Medicine</i> , 2000, 28, 3203-3206.	0.9	20
2	Molecular genetics of human hypertension. <i>Current Opinion in Nephrology and Hypertension</i> , 2000, 9, 259-266.	2.0	27
3	The Human Obesity Gene Map: The 1999 Update. <i>Obesity</i> , 2000, 8, 89-117.	4.0	123
4	Human genomics and obesity: finding appropriate drug targets. <i>European Journal of Pharmacology</i> , 2000, 410, 131-145.	3.5	82
5	Nutritional interventions in cardiovascular disease: New challenges and opportunities. <i>Current Atherosclerosis Reports</i> , 2000, 2, 515-520.	4.8	8
7	Interaction of the <i>ACE D</i> Allele and the <i>GNB3 825T</i> Allele in Myocardial Infarction. <i>Hypertension</i> , 2000, 36, 986-989.	2.7	58
8	G Protein β_3 Gene. <i>Hypertension</i> , 2000, 36, 33-41.	2.7	112
9	G protein β_3 subunit variant and essential hypertension in Taiwan – a case-control study. <i>International Journal of Cardiology</i> , 2000, 73, 191-195.	1.7	21
10	The G protein β_3 subunit polymorphism in human hypertension. <i>International Journal of Cardiology</i> , 2000, 73, 197-198.	1.7	8
11	A Short Tandem Repeat-Based Phylogeny for the Human Y Chromosome. <i>American Journal of Human Genetics</i> , 2000, 67, 182-196.	6.2	124
12	G-protein polymorphisms and maternal/neonatal metabolism: still a weight for the answer. <i>Lancet</i> , The, 2000, 355, 1201-1202.	13.7	10
13	G protein β_3 subunit 825 TT genotype and post-pregnancy weight retention. <i>Lancet</i> , The, 2000, 355, 1240-1241.	13.7	84
14	Analysis of 825C/T Polymorphism of G Protein β_3 Subunit in Obese/Diabetic Japanese. <i>Biochemical and Biophysical Research Communications</i> , 2001, 286, 678-680.	2.1	20
15	Association between a polymorphism in the G protein β_3 subunit gene (GNB3) with arterial hypertension but not with myocardial infarction. <i>Cardiovascular Research</i> , 2001, 49, 820-827.	3.8	75
16	Molecular Basis of Ethnic Differences in Drug Disposition and Response. <i>Annual Review of Pharmacology and Toxicology</i> , 2001, 41, 815-850.	9.4	552
17	G protein β_3 subunit gene 825T allele is associated with increased left ventricular mass in young subjects with mild hypertension. <i>American Journal of Hypertension</i> , 2001, 14, 1191-1195.	2.0	32
18	Genetic determinants of coronary vasomotor tone in humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001, 281, H1465-H1468.	3.2	11
19	Haemodynamic characterization of young normotensive men carrying the 825T-allele of the G-protein β_3 subunit. <i>Pharmacogenetics and Genomics</i> , 2001, 11, 461-470.	5.7	28

#	ARTICLE	IF	CITATIONS
20	Hypertension in black people: study of specific genotypes and phenotypes will provide a greater understanding of interindividual and interethnic variability in blood pressure regulation than studies based on race. <i>Pharmacogenetics and Genomics</i> , 2001, 11, 95-110.	5.7	30
21	C825T Polymorphism of the G Protein β_3 -Subunit and Antihypertensive Response to a Thiazide Diuretic. <i>Hypertension</i> , 2001, 37, 739-743.	2.7	199
22	G-protein β_3 subunit C825T polymorphism: no association with risk for hypertension and obesity. <i>Journal of Hypertension</i> , 2001, 19, 2149-2155.	0.5	45
23	G-Protein β_3 Subunit and α_1 -Adducin Polymorphisms and Risk of Subclinical and Clinical Stroke. <i>Stroke</i> , 2001, 32, 822-829.	2.0	83
24	Development of genetic hypotheses in essential hypertension. <i>Journal of Human Genetics</i> , 2001, 46, 299-306.	2.3	26
25	Human G protein β_3 subunit variant does not alter hypercarbic or hypoxic ventilatory response. <i>Clinical Physiology</i> , 2001, 21, 612-620.	0.7	1
26	A step in another direction: Looking for maternal genetic and environmental effects on racial differences in birth weight. <i>Demography</i> , 2001, 38, 573-576.	2.5	14
27	The Human Obesity Gene Map: The 2000 Update. <i>Obesity</i> , 2001, 9, 135-169.	4.0	97
28	G-protein β_3 subunit gene splice variant in obesity and overweight. <i>International Journal of Obesity</i> , 2001, 25, 777-780.	3.4	42
29	Genetic bottlenecks, perceived racism, and hypertension risk among African Americans and first-generation African immigrants. <i>Journal of Human Hypertension</i> , 2001, 15, 341-351.	2.2	33
30	The human G-protein β_3 subunit C825T polymorphism is associated with coronary artery vasoconstriction. <i>European Heart Journal</i> , 2001, 22, 845-848.	2.2	37
31	Physical activity does not mitigate G-protein-related genetic risk for obesity in individuals of African descent. <i>Eating and Weight Disorders</i> , 2002, 7, 68-71.	2.5	14
32	Effect of the (C825T) β_3 Polymorphism on Adrenoceptor-Mediated Lipolysis in Human Fat Cells. <i>Diabetes</i> , 2002, 51, 1601-1608.	0.6	63
33	Positive Association of Maternal G Protein β_3 Subunit 825T Allele with Reduced Head Circumference at Birth. <i>Pediatric Research</i> , 2002, 52, 687-691.	2.3	18
34	Human inward rectifier potassium channels in chronic and postoperative atrial fibrillation. <i>Cardiovascular Research</i> , 2002, 54, 397-404.	3.8	121
35	Enhanced vasoconstriction to endothelin-1, angiotensin II and noradrenaline in carriers of the GNB3 825T allele in the skin microcirculation. <i>Pharmacogenetics and Genomics</i> , 2002, 12, 489-495.	5.7	48
36	Identification and ethnic distribution of major haplotypes in the gene GNB3 encoding the G-protein β_3 subunit. <i>Pharmacogenetics and Genomics</i> , 2002, 12, 209-220.	5.7	86
37	ASSOCIATION OF THE G PROTEIN β_3 SUBUNIT T ALLELE WITH INSULIN RESISTANCE IN ESSENTIAL HYPERTENSION. <i>Clinical and Experimental Hypertension</i> , 2002, 24, 345-353.	1.3	36

#	ARTICLE	IF	CITATIONS
38	Assessment of clinically silent atherosclerotic disease and established and novel risk factors for predicting myocardial infarction and cardiac death in healthy middle-aged subjects: Rationale and design of the Heinz Nixdorf RECALL Study. <i>American Heart Journal</i> , 2002, 144, 212-218.	2.7	516
39	Frequencies of the G-protein β_3 subunit C825T polymorphism and the β_3 32 mutation of the chemokine receptor-5 in patients with multiple sclerosis. <i>Neuroscience Letters</i> , 2002, 330, 293-295.	2.1	21
40	G-Protein Beta-3-Subunit and eNOS Gene Polymorphism in Transplant Recipients with Long-Term Renal Graft Function. <i>Kidney and Blood Pressure Research</i> , 2002, 25, 245-249.	2.0	7
41	Association study of C825T polymorphism of the G-protein β_3 subunit gene with schizophrenia and mood disorders. <i>Journal of Neural Transmission</i> , 2002, 109, 213-218.	2.8	31
42	Genetic analysis of African populations: human evolution and complex disease. <i>Nature Reviews Genetics</i> , 2002, 3, 611-621.	16.3	310
43	The Human Obesity Gene Map: The 2001 Update. <i>Obesity</i> , 2002, 10, 196-243.	4.0	134
44	G-protein β_3 subunit 825T allele and hypertension. <i>Current Hypertension Reports</i> , 2003, 5, 47-53.	3.5	70
45	Lack of association between the G protein β_3 subunit gene and essential hypertension in Chinese: a case-control and a family-based study. <i>Journal of Molecular Medicine</i> , 2003, 81, 729-735.	3.9	35
46	Interaction of β_3 s, a splice variant of the G-protein β_3 , with β_1 - and β_2 -proteins. <i>Cellular Signalling</i> , 2003, 15, 479-488.	3.6	45
47	Characterization of the splice variant β_3v of the human G-protein β_3 subunit. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2003, 1626, 33-42.	2.4	8
48	Metabolic and haemodynamic effects of oral glucose loading in young healthy men carrying the 825T-allele of the G protein β_3 subunit. <i>Cardiovascular Diabetology</i> , 2003, 2, 7.	6.8	7
49	Cardiovascular pharmacogenetics: On the way toward individually tailored drug therapy. <i>Kidney International</i> , 2003, 63, S168-S171.	5.2	12
50	Association of African Genetic Admixture with Resting Metabolic Rate and Obesity Among Women. <i>Obesity</i> , 2003, 11, 904-911.	4.0	96
51	The Human Obesity Gene Map: The 2002 Update. <i>Obesity</i> , 2003, 11, 313-367.	4.0	188
52	Ambulatory blood pressure and left ventricular structure and function in relation to the G-protein β_3 -subunit polymorphism C825T in White Europeans. <i>Journal of Human Hypertension</i> , 2003, 17, 325-332.	2.2	11
53	Sildenafil Response is Influenced by the G Protein β_3 Subunit Gnb3 C825t Polymorphism: A Pilot Study. <i>Journal of Urology</i> , 2003, 169, 1048-1051.	0.4	42
54	G protein β_3 subunit 825T allele carriage and risk of coronary artery disease. <i>Atherosclerosis</i> , 2003, 167, 135-139.	0.8	28
55	Genetic Risk Factors for Erectile Dysfunction and Genetic Determinants of Drug Response “ on the Way to Improve Drug Safety?. <i>Herz</i> , 2003, 28, 304-313.	1.1	16

#	ARTICLE	IF	CITATIONS
56	Pharmacogenomics of diuretic drugs: data on rare monogenic disorders and on polymorphisms and requirements for further research. <i>Pharmacogenomics</i> , 2003, 4, 701-734.	1.3	20
57	G-Protein β_3 Subunit Gene 825T Allele and Hypertension. <i>Hypertension</i> , 2003, 42, 909-914.	2.7	58
58	G Protein β_3 Gene Variant, Vascular Function, and Insulin Sensitivity in Type 2 Diabetes. <i>Hypertension</i> , 2003, 41, 124-129.	2.7	27
59	Essential Hypertension: Genes and Dreams. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 834-44.	2.3	20
60	Associations of a Human G Protein β_3 Subunit Dimorphism With Insulin Resistance and Carotid Atherosclerosis. <i>Stroke</i> , 2003, 34, 605-609.	2.0	40
61	Role of the eNOS Glu298Asp variant on the GNB3825T allele dependent determination of α_1 -adrenergic coronary constriction. <i>Pharmacogenetics and Genomics</i> , 2003, 13, 279-284.	5.7	12
62	G-protein β_3 subunit 825 C/T polymorphism is associated with weight gain during pregnancy. <i>Pharmacogenetics and Genomics</i> , 2003, 13, 241-242.	5.7	27
63	An epidemiological study of blood pressure and metabolic phenotypes in relation to the β_3 C825T polymorphism. <i>Journal of Hypertension</i> , 2003, 21, 729-737.	0.5	71
64	Prediction of successful weight reduction under sibutramine therapy through genotyping of the G-protein β_3 subunit gene (GNB3) C825T polymorphism. <i>Pharmacogenetics and Genomics</i> , 2003, 13, 453-459.	5.7	96
65	Genetic association studies on gender- and age-related phenotypes. <i>Journal of Hypertension</i> , 2003, 21, 683-685.	0.5	5
66	Identification and characterization of Gbeta3s2, a novel splice variant of the G-protein beta3 subunit. <i>Biochemical Journal</i> , 2003, 371, 223-232.	3.7	43
67	Association Study of Adrenergic β_3 Receptor (Trp64Arg) and G-Protein β_3 Subunit Gene (C825T) Polymorphisms and Weight Change during Clozapine Treatment. <i>Neuropsychobiology</i> , 2004, 50, 37-40.	1.9	43
68	Evidence for a Gene on Chromosome 13 Influencing Postural Systolic Blood Pressure Change and Body Mass Index. <i>Hypertension</i> , 2004, 43, 780-784.	2.7	26
69	Relation of type 2 diabetes to individual admixture and candidate gene polymorphisms in the Hispanic American population of San Luis Valley, Colorado. <i>Journal of Medical Genetics</i> , 2004, 41, e116-e116.	3.2	40
70	G protein β_3 subunit C825T polymorphism in primary IgA nephropathy. <i>Kidney International</i> , 2004, 66, 322-328.	5.2	10
71	GNB3 gene C825T and ACE gene I/D polymorphisms in essential hypertension in a Kazakh genetic isolate. <i>Journal of Human Hypertension</i> , 2004, 18, 663-668.	2.2	16
72	Lack of Association between Human G-protein β_3 Subunit Variant and Overweight in Japanese Workers*. <i>Obesity</i> , 2004, 12, 4-8.	4.0	18
73	The Human Obesity Gene Map: The 2003 Update. <i>Obesity</i> , 2004, 12, 369-439.	4.0	247

#	ARTICLE	IF	CITATIONS
74	C825T Polymorphism of the G Protein β_3 Subunit Is Associated with Obesity but Not with Insulin Sensitivity. <i>Obesity</i> , 2004, 12, 679-683.	4.0	25
75	Association between a G-protein β_3 subunit gene polymorphism and the symptomatology and treatment responses of major depressive disorders. <i>Pharmacogenomics Journal</i> , 2004, 4, 29-33.	2.0	103
76	Using Genetic Admixture to Study the Biology of Obesity Traits and to Map Genes in Admixed Populations. <i>Nutrition Reviews</i> , 2004, 62, S69-S74.	5.8	25
77	G-protein β_3 subunit gene C825T polymorphism in patients with vesico-ureteric reflux. <i>Annales De G�n�tologie</i> , 2004, 47, 209-216.	0.4	7
78	G protein polymorphisms do not predict weight loss and improvement of hypertension in severely obese patients. <i>Journal of Gastrointestinal Surgery</i> , 2004, 8, 862-868.	1.7	14
79	Effects of systemic endothelin A receptor antagonism in various vascular beds in men: In vivo interactions of the major blood pressure-regulating systems and associations with the C825T polymorphism. <i>Clinical Pharmacology and Therapeutics</i> , 2004, 76, 396-408.	4.7	14
80	G-Protein β_3 -Subunit Gene C825T Polymorphism and Cardiovascular Risk. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2004, 11, 107-112.	2.2	1
81	Present status of genetic mechanisms in hypertension. <i>Medical Clinics of North America</i> , 2004, 88, 1-18.	2.5	40
82	G-protein β_3 subunit 825 CC genotype is associated with unexplained (functional) dyspepsia. <i>Gastroenterology</i> , 2004, 126, 971-979.	1.3	225
83	Association of GNB3 gene with pulse pressure and clustering of risk factors for cardiovascular disease in Japanese. <i>Biochemical and Biophysical Research Communications</i> , 2004, 316, 744-748.	2.1	31
84	C825T polymorphism of the G-protein β_3 subunit gene and atrial fibrillation: Association of the TT genotype with a reduced risk for atrial fibrillation. <i>American Heart Journal</i> , 2004, 148, 545-550.	2.7	66
85	Melanocortin-4 Receptor Gene Variant I103 Is Negatively Associated with Obesity. <i>American Journal of Human Genetics</i> , 2004, 74, 572-581.	6.2	202
86	Methods for High-Density Admixture Mapping of Disease Genes. <i>American Journal of Human Genetics</i> , 2004, 74, 979-1000.	6.2	437
87	Obesity reveals an association between blood pressure and the G-protein β_3 -subunit gene. <i>Pharmacogenetics and Genomics</i> , 2004, 14, 419-427.	5.7	34
88	Lack of association of human G-protein β_3 subunit variant with hypertension in Japanese workers. <i>Journal of Hypertension</i> , 2004, 22, 493-500.	0.5	15
89	Association between the GNB3 Polymorphism and Blood Pressure in Young Korean Men. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1138-1143.	0.4	6
90	Genetic determinants of blood pressure regulation. <i>Journal of Hypertension</i> , 2005, 23, 2127-2143.	0.5	94
91	C825T polymorphism in the human G protein β_3 subunit gene is associated with long-term clozapine treatment-induced body weight change in the Chinese population. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 743-748.	1.5	56

#	ARTICLE	IF	CITATIONS
92	A Comparison of Twin Birthweight Data From Australia, the Netherlands, the United States, Japan, and South Korea: Are Genetic and Environmental Variations in Birthweight Similar in Caucasians and East Asians?. <i>Twin Research and Human Genetics</i> , 2005, 8, 638-648.	0.6	25
93	Insulin-mediated venodilation is impaired in young, healthy carriers of the 825T allele of the G-protein β_2 subunit gene (<i>G</i>). <i>Clinical Pharmacology and Therapeutics</i> , 2005, 77, 495-502.	4.7	19
94	Does weight loss prognosis depend on genetic make-up?. <i>Obesity Reviews</i> , 2005, 6, 155-168.	6.5	70
95	The Human Obesity Gene Map: The 2004 Update. <i>Obesity</i> , 2005, 13, 381-490.	4.0	245
96	The 825C/T polymorphism of G-protein β_3 subunit gene and risk of ischaemic stroke. <i>Journal of Human Hypertension</i> , 2005, 19, 709-714.	2.2	16
97	The pharmacogenetics of antidepressant treatments for depressive disorders. <i>Drug Development Research</i> , 2005, 65, 170-178.	2.9	5
98	Association study of the G-protein β_3 subunit C825T polymorphism with disease progression in patients with bladder cancer. <i>World Journal of Urology</i> , 2005, 23, 279-286.	2.2	22
99	Relevance of the NOS3 β -786C and G894T variants for cholinergic and adrenergic coronary vasomotor responses in man. <i>Basic Research in Cardiology</i> , 2005, 100, 453-460.	5.9	13
100	Different genotype distribution of the GNB3 C825T polymorphism of the G protein β_3 subunit in adenomas and differentiated thyroid carcinomas of follicular cell origin. <i>Journal of Pathology</i> , 2005, 207, 430-435.	4.5	15
101	Identification of genetic markers for fat deposition and meat tenderness on bovine chromosome 5: Development of a low-density single nucleotide polymorphism map 1,2. <i>Journal of Animal Science</i> , 2005, 83, 2280-2288.	0.5	31
102	<i>GNAS1</i> T393C Polymorphism and Survival in Patients with Sporadic Colorectal Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 5071-5077.	7.0	64
103	Sympathetic Nervous System, Genes and Human Essential Hypertension. <i>Current Neurovascular Research</i> , 2005, 2, 303-317.	1.1	22
104	Genetic Influences on Health. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 937.	7.4	154
105	Suggestive association between the C825T polymorphism of the G-protein β_3 subunit gene (<i>GNB3</i>) and clinical improvement with antipsychotics in schizophrenia. <i>European Neuropsychopharmacology</i> , 2005, 15, 525-531.	0.7	59
106	Human <i>G</i> -protein β_3 subunit C825T polymorphism is associated with serum total cholesterol and LDL cholesterol levels in Koreans. <i>Animal Cells and Systems</i> , 2005, 9, 95-100.	0.2	0
107	<i>GNB3</i> C825T polymorphism and response to interferon- α /ribavirin treatment in patients with hepatitis C virus genotype 1 (HCV-1) infection. <i>Journal of Hepatology</i> , 2005, 43, 388-393.	3.7	27
108	G-protein β_3 subunit gene C825 T polymorphism: Influence on plasma sodium and potassium concentrations in essential hypertensive patients. <i>Life Sciences</i> , 2005, 77, 2879-2886.	4.3	13
109	Association of C825T polymorphism of G protein β_3 subunit with the autonomic nervous system in young healthy Japanese individuals. <i>American Journal of Hypertension</i> , 2005, 18, 523-529.	2.0	19

#	ARTICLE	IF	CITATIONS
110	G Protein Polymorphisms in Hypertension, Atherosclerosis, and Diabetes. <i>Annual Review of Medicine</i> , 2005, 56, 17-28.	12.2	110
111	Differential Susceptibility to Hypertension Is Due to Selection during the Out-of-Africa Expansion. <i>PLoS Genetics</i> , 2005, 1, e82.	3.5	208
112	Clinical application of pharmacogenetics in gastrointestinal diseases. <i>Expert Opinion on Pharmacotherapy</i> , 2006, 7, 1857-1869.	1.8	7
113	G-protein β 3 Subunit Gene Variant (C825T) is Unlikely to Have a Significant Influence on Serum Total Cholesterol Level in Japanese Workers. <i>Clinical and Experimental Hypertension</i> , 2006, 28, 47-56.	1.3	3
114	Metabolic syndrome in aboriginal Canadians: Prevalence and genetic associations. <i>Atherosclerosis</i> , 2006, 184, 121-129.	0.8	83
115	Is There an Association Between GNB3 C825T Genotype and Lower Functional Gastrointestinal Disorders?. <i>Gastroenterology</i> , 2006, 130, 1985-1994.	1.3	56
116	Genetic determinants of the metabolic syndrome. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2006, 3, 482-489.	3.3	138
117	The CC genotype of the GNAS T393C polymorphism is associated with obesity and insulin resistance in women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2006, 155, 763-770.	3.7	16
118	G-protein β 3 subunit polymorphism C1429T and low-density lipoprotein receptor-related protein 5 polymorphism A1330V are risk factors for hypercholesterolemia in Japanese males—a prospective study over 5 years. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 751-757.	3.4	25
119	Effects of lifestyle modification on the progression of coronary atherosclerosis, autonomic function, and angina—The role of GNB3 C825T polymorphism. <i>American Heart Journal</i> , 2006, 151, 870-877.	2.7	23
120	G-Protein β 3 Subunit Gene Variant is Unlikely to Have a Significant Influence on Serum Uric Acid Level in Japanese Workers. <i>Tohoku Journal of Experimental Medicine</i> , 2006, 209, 149-157.	1.2	3
121	HYPERTENSION, OBESITY AND GNB3 GENE VARIANTS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 248-252.	1.9	41
122	Obesity in South Africa. <i>Obesity Reviews</i> , 2006, 7, 315-322.	6.5	64
123	G-Protein β 3 Subunit Variant C825T is a Risk Factor for Hypertension in Japanese Females -A Prospective Cohort Study Over 5 Years. <i>Annals of Human Genetics</i> , 2006, 70, 767-777.	0.8	4
124	The Human Obesity Gene Map: The 2005 Update. <i>Obesity</i> , 2006, 14, 529-644.	3.0	962
125	Lack of association between the C825T polymorphism in G-protein beta-3 subunit and arterial blood pressure levels in cardiovascular disease free individuals: the ATTICA epidemiological study. <i>Journal of Human Hypertension</i> , 2006, 20, 303-305.	2.2	1
126	The angiotensin II receptor antagonist valsartan inhibits endothelin 1-induced vasoconstriction in the skin microcirculation in humans in vivo: Influence of the G-protein β 3 subunit (GNB3) C825T polymorphism. <i>Clinical Pharmacology and Therapeutics</i> , 2006, 79, 274-281.	4.7	19
127	Studies of the association of the GNB3 825C>T polymorphism with components of the metabolic syndrome in white Danes. <i>Diabetologia</i> , 2006, 49, 75-82.	6.3	43

#	ARTICLE	IF	CITATIONS
128	GNB3 C825T and ACE I/D Polymorphisms on the Sodium-Proton Exchanger and the Prevalence of Essential Hypertension in Males. Archives of Medical Research, 2006, 37, 150-157.	3.3	12
129	The G protein β 3 subunit 825C allele is associated with sudden infant death due to infection. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 1129-1132.	1.5	8
130	Clinical and genetic associations with hypertriglyceridemic waist in a Canadian aboriginal population. International Journal of Obesity, 2006, 30, 484-491.	3.4	39
131	Mutation in the Guanine Nucleotide-Binding Protein β -3 Causes Retinal Degeneration and Embryonic Mortality in Chickens. , 2006, 47, 4714.		41
132	The <i>GNAS1</i> T393C Polymorphism Predicts Survival in Patients with Clear Cell Renal Cell Carcinoma. Clinical Cancer Research, 2006, 12, 759-763.	7.0	45
133	Polymorphisms in four candidate genes in young patients with essential hypertension. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 353-358.	1.5	6
134	The <i>GNAS1</i> T393C Polymorphism Is Associated with Disease Progression and Survival in Chronic Lymphocytic Leukemia. Clinical Cancer Research, 2006, 12, 5686-5692.	7.0	42
135	Role of C825T Polymorphism of <i>GNβ3</i> Gene in Preeclampsia. Hypertension in Pregnancy, 2006, 25, 93-101.	1.1	3
136	Interaction between GNB3 C825T and ACE I/D polymorphisms in essential hypertension in Koreans. Journal of Human Hypertension, 2007, 21, 159-166.	2.2	35
137	ACE I/D but not AGT (-6)A/G polymorphism is a risk factor for mortality in ARDS. European Respiratory Journal, 2007, 29, 482-488.	6.7	95
138	G-protein β 3 subunit (GNB3) gene polymorphisms and cardiovascular disease: The Ludwigshafen Risk and Cardiovascular Health (LURIC) study. Atherosclerosis, 2007, 192, 108-112.	0.8	19
139	Genetic predisposition to essential hypertension in a Mongolian population Detecting the C825T polymorphism of the G-protein beta 3 subunit gene. Neural Regeneration Research, 2007, 2, 146-150.	3.0	1
140	<i>GNAS1</i> T393C Polymorphism Is Associated with Clinical Course in Patients with Intrahepatic Cholangiocarcinoma. Neoplasia, 2007, 9, 159-165.	5.3	32
141	Association of the C825T polymorphism of the G-protein β 3 subunit gene with hypertension, obesity, hyperlipidemia, insulin resistance, diabetes, diabetic complications, and diabetic therapies among Japanese. Metabolism: Clinical and Experimental, 2007, 56, 44-48.	3.4	44
142	A genetic association study of 5-HTT LPR and <i>GNβ3</i> C825T polymorphisms with irritable bowel syndrome. Neurogastroenterology and Motility, 2007, 19, 465-470.	3.0	71
143	The C allele of the GNB3 C825T polymorphism of the G protein β 3-subunit is associated with an increased risk for the development of oncocyctic thyroid tumours. Journal of Pathology, 2007, 211, 60-66.	4.5	23
144	G Protein β 3 Polymorphism and Triptan Response in Cluster Headache. Clinical Pharmacology and Therapeutics, 2007, 82, 396-401.	4.7	44
145	Association of a beta-2 adrenoceptor (ADRB2) gene variant with a blunted in vivo lipolysis and fat oxidation. International Journal of Obesity, 2007, 31, 813-819.	3.4	33

#	ARTICLE	IF	CITATIONS
146	Gene-environment interaction and the GNB3 gene in the Atherosclerosis Risk in Communities Study. <i>International Journal of Obesity</i> , 2007, 31, 919-926.	3.4	30
147	Possible association between G-protein $\beta 3$ subunit C825T polymorphism and antipsychotic-induced restless legs syndrome in schizophrenia. <i>Acta Neuropsychiatrica</i> , 2007, 19, 351-356.	2.1	12
148	APOC3 Promoter Polymorphisms C-482T and T-455C Are Associated with the Metabolic Syndrome. <i>Archives of Medical Research</i> , 2007, 38, 444-451.	3.3	73
149	Polymorphisms in four candidate genes in young patients with essential hypertension. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 353-358.	1.5	0
150	Association of GNB3 gene C825T polymorphism with coronary heart disease. <i>Russian Journal of Genetics</i> , 2007, 43, 937-941.	0.6	1
151	Genetics of arterial hypertension and hypotension. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2007, 374, 429-469.	3.0	34
152	The T393C polymorphism in the gene GNAS1 of G protein is associated with survival of patients with invasive breast carcinoma. <i>Breast Cancer Research and Treatment</i> , 2007, 105, 311-317.	2.5	31
153	Combination of the C1429T polymorphism in the G-protein beta-3 subunit gene and the A1330V polymorphism in the low-density lipoprotein receptor-related protein 5 gene is a risk factor for hypercholesterolaemia. <i>Clinical and Experimental Medicine</i> , 2007, 7, 108-114.	3.6	6
154	The GNB3 C825T polymorphism and depression among subjects with alcohol dependence. <i>Journal of Neural Transmission</i> , 2007, 114, 469-472.	2.8	9
155	Association study on GNB3 gene polymorphism with essential hypertension in Xinjiang Uygur group. <i>Frontiers of Medicine in China</i> , 2007, 1, 230-233.	0.1	0
156	Genetic factors for human obesity. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 1086-1098.	5.4	56
157	Distribution of the GNB3 825C>T polymorphism among Brazilians: impact of population structure. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 253-256.	1.9	18
158	C825T G-protein $\beta 3$ subunit gene polymorphism, tilt test results and point score in syncopal patients. <i>Clinical Autonomic Research</i> , 2008, 18, 158-161.	2.5	9
159	Prevalence of common disease-associated variants in Asian Indians. <i>BMC Genetics</i> , 2008, 9, 13.	2.7	38
160	G protein $\beta 3$ subunit C825T polymorphism modifies the presentation of temporal lobe epilepsy. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 62-66.	2.1	1
161	The <i>GNAS1</i> T393C Polymorphism Predicts Survival in Patients With Advanced Squamous Cell Carcinoma of the Larynx. <i>Laryngoscope</i> , 2008, 118, 2172-2176.	2.0	19
162	ORIGINAL RESEARCH-BASIC SCIENCE: The Associations among <i>GNB3</i> C825T Polymorphism, Erectile Dysfunction, and Related Risk Factors. <i>Journal of Sexual Medicine</i> , 2008, 5, 2061-2068.	0.6	12
163	Association of insulin sensitivity and glucose tolerance with the c.825C>T variant of the G protein beta-3 subunit gene. <i>Journal of Diabetes and Its Complications</i> , 2008, 22, 205-209.	2.3	5

#	ARTICLE	IF	CITATIONS
165	Association of antipsychotic induced weight gain and body mass index with GNB3 gene: A meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1848-1853.	4.8	32
166	G-protein gene 825C>T polymorphism is associated with response to clozapine in Brazilian schizophrenics. <i>Pharmacogenomics</i> , 2008, 9, 1429-1436.	1.3	39
167	Pathophysiology of Primary Hypertension. , 2008, , 794-895.		3
168	Characterization of the GNAQ promoter and association of increased Gq expression with cardiac hypertrophy in humans. <i>European Heart Journal</i> , 2008, 29, 888-897.	2.2	33
169	A novel approach to syncopal patients: association analysis of polymorphisms in G-protein genes and tilt outcome. <i>Europace</i> , 2009, 11, 89-93.	1.7	21
170	The â€”1019 C/G polymorphism of the 5-HT1A receptor gene is associated with negative symptom response to risperidone treatment in schizophrenia patients. <i>Journal of Psychopharmacology</i> , 2008, 22, 904-909.	4.0	69
171	African Genetic Diversity: Implications for Human Demographic History, Modern Human Origins, and Complex Disease Mapping. <i>Annual Review of Genomics and Human Genetics</i> , 2008, 9, 403-433.	6.2	625
172	Interaction of G-protein Î³ Subunit and Nitric Oxide Synthase Gene Polymorphisms on Carotid Artery Intima-media Thickness in Young Adults: The Bogalusa Heart Study. <i>American Journal of Hypertension</i> , 2008, 21, 917-921.	2.0	3
173	Effects of the C825T polymorphism of the GNB3 gene on body adiposity and blood pressure in fertile and menopausal women: a population-based study. <i>Journal of Hypertension</i> , 2008, 26, 238-243.	0.5	23
174	Pharmacogenetics of ethnic populations. , 0, , 62-86.		2
175	Gastroesophageal Reflux Disease Is Associated With the C825T Polymorphism in the G-Protein Î²3 Subunit Gene (GNB3). <i>American Journal of Gastroenterology</i> , 2009, 104, 281-285.	0.4	49
176	The C825T Polymorphism in the G-protein Beta 3 Subunit Gene in Chinese Patients with Preeclampsia. <i>Hypertension in Pregnancy</i> , 2009, 28, 156-167.	1.1	5
177	The regulatory BCL2 promoter polymorphism (-938C>A) is associated with relapse and survival of patients with oropharyngeal squamous cell carcinoma. <i>Annals of Oncology</i> , 2009, 20, 1094-1099.	1.2	39
178	Genetic Variation in Female BMI Increases with Number of Children Born but Failure to Replicate Association betweenGNI²3Variants and Increased BMI in Parous Females. <i>Twin Research and Human Genetics</i> , 2009, 12, 276-285.	0.6	0
179	A novel functional haplotype in the human GNAS gene alters GÎ±s expression, responsiveness to Î²2-adrenoceptor stimulation, and peri-operative cardiac performance. <i>European Heart Journal</i> , 2009, 30, 1402-1410.	2.2	18
180	A Field Synopsis and Meta-Analysis of Genetic Association Studies in Peripheral Arterial Disease: The CUMAGAS-PAD Database. <i>American Journal of Epidemiology</i> , 2009, 170, 1-11.	3.4	38
181	The guanine nucleotide binding protein Î² polypeptide 3 gene C825T polymorphism is associated with elite endurance athletes. <i>Experimental Physiology</i> , 2009, 94, 344-349.	2.0	23
182	Genetic insight into syncopal tilted population with severe clinical presentation. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2009, 147, 97-100.	2.8	12

#	ARTICLE	IF	CITATIONS
183	Intensity of opiate withdrawal in relation to the 825C>T polymorphism of the G-protein beta 3 subunit gene. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 663-667.	4.8	4
184	Hunger and Mood during Extended Fasting Are Dependent on the <i>GNB3</i> C825T Polymorphism. <i>Annals of Nutrition and Metabolism</i> , 2009, 54, 184-188.	1.9	21
185	Pharmacogenetics and pharmacogenomics of sexual dysfunction: current status, gaps and potential applications. <i>Pharmacogenomics</i> , 2009, 10, 1625-1644.	1.3	9
186	A functional GNAQ promoter haplotype is associated with altered Gq expression and with insulin resistance and obesity in women with polycystic ovary syndrome. <i>Pharmacogenetics and Genomics</i> , 2010, 20, 476-484.	1.5	11
187	C825T Polymorphism of the GNB3 Gene on Valproate-Related Metabolic Abnormalities in Bipolar Disorder Patients. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 512-517.	1.4	24
188	GNAS1 T393C polymorphism and disease progression in patients with malignant melanoma. <i>European Journal of Medical Research</i> , 2010, 15, 422.	2.2	15
189	Association of the GNB3 825T-allele with better survival in patients with glioblastoma multiforme. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 1423-1429.	2.5	9
190	G-Protein Î²3 subunit Polymorphism and Bleeding in the Orbofiban in Patients with Unstable Coronary Syndromes-Thrombolysis In Myocardial Infarction (OPUS-TIMI) 16 Trial. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 934-41.	3.8	5
191	G protein Î²3 subunit, interleukin-10, and tumor necrosis factor-Î± gene polymorphisms in Koreans with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2010, 22, 758-763.	3.0	35
192	A Preliminary Candidate Genotypeâ€œIntermediate Phenotype Study of Satiety and Gastric Motor Function in Obesity. <i>Obesity</i> , 2010, 18, 1201-1211.	3.0	15
193	Nutrigenomics: where are we with genetic and epigenetic markers for disposition and susceptibility?. <i>Nutrition Reviews</i> , 2010, 68, S38-S47.	5.8	42
194	Association Between the G Protein Î²3 Subunit C825T Polymorphism and the Occurrence of Cardiovascular Disease in Hypertensives: The Nord-Trondelag Health Study (HUNT). <i>American Journal of Hypertension</i> , 2010, 23, 1121-1127.	2.0	10
195	The G Protein Î²3 Subunit C825T Polymorphism Is Associated With Microalbuminuria in Hypertensive Women and Cardiovascular Disease in Hypertensive Men. <i>American Journal of Hypertension</i> , 2010, 23, 1114-1120.	2.0	3
196	Vascular Tone and the Genomics of Hypertension. <i>Heart Failure Clinics</i> , 2010, 6, 45-53.	2.1	7
197	Management of antipsychotic-related weight gain. <i>Expert Review of Neurotherapeutics</i> , 2010, 10, 1175-1200.	2.8	95
198	Prognostic Assessment of Three Single-Nucleotide Polymorphisms (GNB3825C>T,BCL2-938C>A,MCL1-386C>G) in Extrahepatic Cholangiocarcinoma. <i>Cancer Investigation</i> , 2010, 28, 472-478.	1.3	28
199	Why Research On the Pharmacogenetics of Atypical Antipsychotic-Induced Weight Gain in Individuals With Intellectual Disabilities Is Warranted. <i>Journal of Mental Health Research in Intellectual Disabilities</i> , 2011, 4, 65-78.	2.0	2
200	Effects of C825T polymorphism of the GNB3 gene on availability of dopamine transporter in healthy volunteers â€œ A SPECT study. <i>NeuroImage</i> , 2011, 56, 1526-1530.	4.2	20

#	ARTICLE	IF	CITATIONS
201	The Interaction Between Genetic Variation and Exercise and Physical Activity in the Determination of Body Composition and Obesity Status. , 2011, , 101-128.		1
202	Association of GNB3 C825T polymorphism with plasma electrolyte balance and susceptibility to hypertension. Genetics and Molecular Biology, 2011, 34, 553-556.	1.3	9
203	Reduced Prevalence of the C825T Polymorphism of the G-Protein Beta Subunit Gene in Women with Breast Cancer. International Journal of Biological Markers, 2011, 26, 234-240.	1.8	2
204	The GNB3 C825T polymorphism as a pharmacogenetic marker in the treatment of hypertension, obesity, and depression. Pharmacogenetics and Genomics, 2011, 21, 594-606.	1.5	57
205	Genetic Variation in Gs.ALPHA. Protein as a New Indicator in Screening Test for Vasovagal Syncope. Circulation Journal, 2011, 75, 2182-2186.	1.6	7
206	Clinically silent adrenal adenomas – their relation to the metabolic syndrome and to GNB3 C825T gene polymorphism. Wiener Klinische Wochenschrift, 2011, 123, 618-622.	1.9	9
208	SNPs in genes encoding G proteins in pharmacogenetics. Pharmacogenomics, 2011, 12, 633-654.	1.3	21
209	The prevalence of the c-kit exon 10 variant, M541L, in aggressive fibromatosis does not differ from the general population. Journal of Clinical Pathology, 2011, 64, 1021-1024.	2.0	11
210	Lack of Association of the Genotype in the GNAS Fok I Polymorphism and Prostate Cancer. Urologia Internationalis, 2011, 87, 80-86.	1.3	5
211	Variation in GNB3 predicts response and adverse reactions to antidepressants. Journal of Psychopharmacology, 2011, 25, 867-874.	4.0	44
212	Notice of Retraction: Polymorphism Analysis G Protein beta3 Subunit in Population of Essential Hypertension in the Mudanjiang Region of China. , 2011, , .		0
213	The Role of G Protein β 3 Subunit Polymorphisms C825T, C1429T, and G5177A in Turkish Subjects with Essential Hypertension. Clinical and Experimental Hypertension, 2011, 33, 202-208.	1.3	9
214	The -308G/A of Tumor Necrosis Factor (TNF)- β and 825C/T of Guanidine Nucleotide Binding Protein 3 (GNB3) are Associated with the Onset of Acute Myocardial Infarction and Obesity in Taiwan. International Journal of Molecular Sciences, 2012, 13, 1846-1857.	4.1	19
215	The Carotid Artery Atherosclerosis Burden and Its Relation to Cardiovascular Risk Factors in Black and White Africans with Established Rheumatoid Arthritis: A Cross-sectional Study. Journal of Rheumatology, 2012, 39, 1798-1806.	2.0	24
216	The -1364A/C Aquaporin 5 Gene Promoter Polymorphism Is Not Associated with Meni \tilde{r} e \tilde{a} ™s Disease. ISRN Otolaryngology, 2012, 2012, 1-4.	0.9	3
217	A Two-Stage Matched Case \tilde{a} Control Study on Multiple Hypertensive Candidate Genes in Han Chinese. American Journal of Hypertension, 2012, 25, 804-811.	2.0	5
218	The GNB3 C825T polymorphism influences platelet aggregation in human whole blood. Pharmacogenetics and Genomics, 2012, 22, 43-49.	1.5	8
219	The Role of 5-HTT LPR and GN β 3 825C \tilde{a} T Polymorphisms and Gene \tilde{a} Environment Interactions in Irritable Bowel Syndrome (IBS). Digestive Diseases and Sciences, 2012, 57, 2650-2657.	2.3	26

#	ARTICLE	IF	CITATIONS
220	Pharmacogenomics of Beta-Blockers and Statins: Possible Implications for Perioperative Cardiac Complications. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012, 26, 1101-1114.	1.3	5
221	Pharmacogenetics of antipsychotic-induced weight gain: review and clinical implications. <i>Molecular Psychiatry</i> , 2012, 17, 242-266.	7.9	225
222	Obesity and carotid atherosclerosis in African black and Caucasian women with established rheumatoid arthritis: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2012, 14, R67.	3.5	31
223	Candidate Genes in Hypertension. , 0, , .		0
224	The role of G protein gene GNB3 C825T Polymorphism in HIV-1 acquisition, progression and immune activation. <i>Retrovirology</i> , 2012, 9, 1.	2.0	32
225	Association between the G-protein $\beta 3$ subunit C825T polymorphism with essential hypertension: a meta-analysis in Han Chinese population. <i>Molecular Biology Reports</i> , 2012, 39, 8937-8944.	2.3	8
226	Association of the C825T polymorphism in the GNB3 gene with obesity and metabolic phenotypes in a Taiwanese population. <i>Genes and Nutrition</i> , 2013, 8, 137-144.	2.5	36
227	G-protein $\beta 3$ subunit gene 825C/T polymorphism and its association with the presence, severity, and duration of vasculogenic erectile dysfunction. <i>Fertility and Sterility</i> , 2013, 99, 69-75.e5.	1.0	9
228	Frequency of C825T G protein $\beta 3$ subunit gene polymorphism and its association with obesity in the Kyrgyz population. <i>Family Medicine and Community Health</i> , 2013, 1, 23-29.	1.6	1
229	Association of Genetic Variants in GN $\beta 3$ with Functional Dyspepsia: A Meta-Analysis. <i>Digestive Diseases and Sciences</i> , 2014, 59, 1823-1830.	2.3	14
230	Progression of coronary artery calcification seems to be inevitable, but predictable - results of the Heinz Nixdorf Recall (HNR) study. <i>European Heart Journal</i> , 2014, 35, 2960-2971.	2.2	80
231	GNB3 gene 825 TT variant predicts hard coronary events in the population-based Heinz Nixdorf Recall study. <i>Atherosclerosis</i> , 2014, 237, 437-442.	0.8	13
232	Pharmacogenetics of erectile dysfunction: navigating into uncharted waters. <i>Pharmacogenomics</i> , 2014, 15, 1519-1538.	1.3	30
233	G-Protein Beta-3 Subunit Genotype Predicts Enhanced Benefit of Fixed-Dose Isosorbide Dinitrate and Hydralazine. <i>JACC: Heart Failure</i> , 2014, 2, 551-557.	4.1	40
234	Assessing urology and nephrology research activity in Arab countries using ISI web of science bibliometric database. <i>BMC Research Notes</i> , 2014, 7, 258.	1.4	30
235	GNB3 gene c.825C>T polymorphism and performance parameters in professional basketball players. <i>Acta Physiologica Hungarica</i> , 2014, 101, 176-184.	0.9	1
236	Influence of P2Y12 polymorphisms on platelet activity but not ex-vivo antiplatelet effect of ticagrelor in healthy Chinese male subjects. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 874-881.	1.0	12
237	Genetic association studies of obesity in Africa: a systematic review. <i>Obesity Reviews</i> , 2015, 16, 259-272.	6.5	22

#	ARTICLE	IF	CITATIONS
239	<i>GNB3</i> and <i>FTO</i> Polymorphisms and Pregnancy Weight Gain in Black Women. <i>Biological Research for Nursing</i> , 2015, 17, 405-412.	1.9	15
240	G-Protein β 3-Subunit Gene C825T Polymorphism and Cardiovascular Risk: An Updated Review. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2015, 22, 225-232.	2.2	12
241	Prediction of the Risk for Essential Hypertension among Carriers of C825T Genetic Polymorphism of G Protein β 3 (GNB3) Gene. <i>Biomarker Insights</i> , 2016, 11, BMI.S38321.	2.5	9
242	Correction of the Pathogenic Alternative Splicing, Caused by the Common GNB3 c.825C>T Allele, Using a Novel, Antisense Morpholino. <i>Nucleic Acid Therapeutics</i> , 2016, 26, 257-265.	3.6	1
243	Biallelic Mutations in GNB3 Cause a Unique Form of Autosomal-Recessive Congenital Stationary Night Blindness. <i>American Journal of Human Genetics</i> , 2016, 98, 1011-1019.	6.2	49
244	Association between GNB3 c.825C > T polymorphism and the risk of overweight and obesity: A meta-analysis. <i>Meta Gene</i> , 2016, 9, 18-25.	0.6	10
245	GNB3 C825T Polymorphism and Myocardial Recovery in Peripartum Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2016, 9, e002683.	3.9	35
246	Hypertension-associated C825T polymorphism impairs the function of $G\beta$ 3 to target GRK2 ubiquitination. <i>Cell Discovery</i> , 2016, 2, 16005.	6.7	13
247	Pharmacogenomics of heart failure: a systematic review. <i>Pharmacogenomics</i> , 2016, 17, 1817-1858.	1.3	10
249	Estimation of the relationship between the polymorphisms of selected genes: ACE, AGTR1, TGF β 1 and GNB3 with the occurrence of primary vesicoureteral reflux. <i>International Urology and Nephrology</i> , 2017, 49, 387-397.	1.4	3
250	A longitudinal study of the association between the GNB3 C825T polymorphism and metabolic disturbance in bipolar II patients treated with valproate. <i>Pharmacogenomics Journal</i> , 2017, 17, 155-161.	2.0	9
251	Obesity candidate genes, gestational weight gain, and body weight changes in pregnant women. <i>Nutrition</i> , 2018, 48, 61-66.	2.4	9
252	Machine Learning-Based Method for Obesity Risk Evaluation Using Single-Nucleotide Polymorphisms Derived from Next-Generation Sequencing. <i>Journal of Computational Biology</i> , 2018, 25, 1347-1360.	1.6	23
253	Genetic and environmental factors affecting birth size variation: a pooled individual-based analysis of secular trends and global geographical differences using 26 twin cohorts. <i>International Journal of Epidemiology</i> , 2018, 47, 1195-1206.	1.9	19
254	Multi-ethnic Chinese facial characterization and analysis. <i>Multimedia Tools and Applications</i> , 2018, 77, 30311-30329.	3.9	4
255	A variante genética c825t da subunidade β 3 da proteína G associa-se com a hipertensão arterial numa população portuguesa. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 499-507.	0.5	5
256	The genetic variant C825T of the beta 3 subunit of G protein is associated with hypertension in a Portuguese population. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2018, 37, 499-507.	0.2	3
257	The <i><sc>GRK</sc>2</i> Promoter Is Regulated by Early Growth Response Transcription Factor <sc>EGR</sc>. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 660-669.	2.5	6

#	ARTICLE	IF	CITATIONS
258	Single Nucleotide Polymorphisms in Chemosensory Pathway Genes GNB3, TAS2R19, and TAS2R38 Are Associated with Chronic Rhinosinusitis. <i>International Archives of Allergy and Immunology</i> , 2019, 180, 72-78.	2.1	25
259	Adrenergic Polymorphisms and Survival in African Americans With Heart Failure: Results From A-HeFT. <i>Journal of Cardiac Failure</i> , 2019, 25, 553-560.	1.7	5
260	The relationship among GNB3 rs5443, PNPLA3 rs738409, GCKR rs780094 gene polymorphisms, type of maternal gestational weight gain and neonatal outcomes (STROBE-compliant article). <i>Medicine (United States)</i> , 2019, 98, e16414.	1.0	5
261	Genetics of Obesity in East Asians. <i>Frontiers in Genetics</i> , 2020, 11, 575049.	2.3	19
262	Platelet reactivity in response to aspirin and ticagrelor in African-Americans and European-Americans. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, 51, 249-259.	2.1	6
264	Under the skin: On the impartial treatment of genetic and environmental hypotheses of racial differences.. <i>American Psychologist</i> , 2005, 60, 60-70.	4.2	38
265	Hypertension as a complex genetic trait. <i>Seminars in Nephrology</i> , 2002, 22, 115-126.	1.6	43
266	Genetics of Human Obesity. , 2007, , 833-745.		1
267	Further Evidence Supporting a Role for Gs Signal Transduction in Severe Malaria Pathogenesis. <i>PLoS ONE</i> , 2010, 5, e10017.	2.5	14
268	The D153del Mutation in GNB3 Gene Causes Tissue Specific Signalling Patterns and an Abnormal Renal Morphology in Rge Chickens. <i>PLoS ONE</i> , 2011, 6, e21156.	2.5	11
269	The C825T Polymorphism of the G-Protein β_3 Subunit Gene and Its Association with Hypertension and Stroke: An Updated Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e65863.	2.5	12
270	Ethnic differences in genetic polymorphism associated with irritable bowel syndrome. <i>World Journal of Gastroenterology</i> , 2020, 26, 2049-2063.	3.3	12
271	G-protein β_3 Subunit Gene 825C/T Polymorphism Is Not Associated with Olanzapine-Induced Weight Gain in Korean Schizophrenic Patients. <i>Psychiatry Investigation</i> , 2009, 6, 39.	1.6	12
272	The coronary calcium score for risk prediction. <i>Cardiovascular Medicine(Switzerland)</i> , 2015, 18, 75-82.	0.0	2
273	G Protein β_3 Subunit Polymorphism and Long-Term Prognosis of Functional Dyspepsia. <i>Gut and Liver</i> , 2014, 8, 271-276.	2.9	6
274	G Protein β_3 Subunit Gene C825T and Angiotensin Converting Enzyme Gene Insertion/Deletion Polymorphisms in Hypertensive Tunisian Population. <i>Clinical Laboratory</i> , 2013, 59, 85-92.	0.5	18
275	Genetics of Hypertension. <i>Developments in Cardiovascular Medicine</i> , 2001, , 35-49.	0.1	0
276	G-Protein β_3 -Subunit Polymorphism and Atrial Fibrillation. <i>Developments in Cardiovascular Medicine</i> , 2002, , 213-222.	0.1	0

#	ARTICLE	IF	CITATIONS
277	Heterotrimeric G Protein GTPases. , 2007, , 1-4.		0
278	Cell Membranes (Blood Cell and Platelet Membranes in Human Essential Hypertension). , 2007, , 191-203.		0
280	Genetics and Pathophysiology of Essential Hypertension. , 2012, , .		3
281	Overweight and Obesity Categories of Residents in A Local Urban Area. IOSR Journal of Environmental Science, Toxicology and Food Technology, 2014, 8, 77-81.	0.1	1
282	Validation of G-protein beta-3 subunit gene C825T polymorphism as predictor of obesogenic epidemics in overweight/obese Korean children. Journal of Nutrition and Health, 2016, 49, 223.	0.8	2
283	Cardiovascular disease and diabetes in patients with African or Asian background. Tidsskrift for Den Norske Laegeforening, 2017, 137, .	0.2	2
284	Clinical features of gastroesophageal reflux disease in children with different genotypes of C825T polymorphic loci of GNB3 gene. Journal of Medical Science, 2017, 86, 207-212.	0.7	0
285	G-protein beta 3 subunit polymorphisms and essential hypertension: a case-control association study in northern Han Chinese. Journal of Geriatric Cardiology, 2015, 12, 127-34.	0.2	6
286	Cataloging the potential SNPs (single nucleotide polymorphisms) associated with quantitative traits, viz. BMI (body mass index), IQ (intelligence quotient) and BP (blood pressure): an updated review. Egyptian Journal of Medical Human Genetics, 2022, 23, .	1.0	5
287	Metabolic syndrome and underlying genetic determinants-A systematic review. Journal of Diabetes and Metabolic Disorders, 2022, 21, 1095-1104.	1.9	6
288	Pathophysiological Role of Genetic Factors Associated With Gestational Diabetes Mellitus. Frontiers in Physiology, 2022, 13, 769924.	2.8	7
289	Polymorphic Variants in the GRK5 Gene Promoter Are Associated With Diastolic Dysfunction in Coronary Artery Bypass Graft Surgery Patients. Anesthesia and Analgesia, 2022, 134, 858-868.	2.2	2
292	A Comparison of Twin Birthweight Data From Australia, the Netherlands, the United States, Japan, and South Korea: Are Genetic and Environmental Variations in Birthweight Similar in Caucasians and East Asians?. Twin Research and Human Genetics, 2005, 8, 638-648.	0.6	14
293	GNB3 c.825C>T (rs5443) Polymorphism and Risk of Acute Cardiovascular Events after Renal Allograft Transplant. International Journal of Molecular Sciences, 2022, 23, 9783.	4.1	2
294	Association polymorphism of guanine nucleotide-binding protein β 3 subunit (GNB3) C825T and insertion/deletion of the angiotensin-converting enzyme (ACE) gene with peripartum cardiomyopathy. Frontiers in Cardiovascular Medicine, 0, 10, .	2.4	1