Hydrogen peroxide induces 21-aminosteroid-inhibitable F2-isoprostane production and cytolysis in renal tubular epithelial cells

DOI: 10.1681/ASN.V641300
Journal of the American Society of Nephrology: JASN, 1995, 6, 1300-3.

#	Paper	IF	Citations
32	Comparative study of the effect of 21-aminosteroid and alpha-tocopherol on models of acute oxidative renal injury. *Free Radical Biology and Medicine*, **1996**, 21, 691-7	7.8	9
31	Evidence against peroxisome proliferation-induced hepatic oxidative damage. *Biochemical Pharmacology*, **1997**, 53, 1369-74	6	21
30	Altered nitric oxide metabolism and increased oxygen free radical activity in lead-induced hypertension: effect of lazaroid therapy. *Kidney International*, **1997**, 52, 1042-6	9.9	97
29	Role of increased oxygen free radical activity in the pathogenesis of uremic hypertension. *Kidney International*, **1998**, 53, 1748-54	9.9	149
28	A novel mechanism for vasoconstrictor action of 8-isoprostaglandin F2 alpha on retinal vessels. *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, **1998**, 274, R1406-16	3.2	38
27	Vitamin E ameliorates enhanced renal lipid peroxidation and accumulation of F2-isoprostanes in aging kidneys. *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, **1998**, 274, R767-74	3.2	26
26	Loss of the ataxia-telangiectasia gene product causes oxidative damage in target organs. *Proceedings of the National Academy of Sciences of the United States of America*, **1999**, 96, 9915-9	11.5	211
25	Cold storage induces time-dependent F2-isoprostane formation in renal tubular cells and rat kidneys. *Kidney International*, **1999**, 55, 1759-62	9.9	28
24	Vitamin E suppresses cyclosporine A-induced increase in the urinary excretion of arachidonic acid metabolites including F2-isoprostanes in the rat model. *Transplantation Proceedings*, **1999**, 31, 1724-8	1.1	8
23	Isoprostanes induce plasma extravasation in rat skin. *Prostaglandins and Other Lipid Mediators*, **2000**, 62, 335-42	3.7	4
22	Effect of isoprostanes on sympathetic neurotransmission in the human isolated iris-ciliary body. *Neurochemical Research*, **2000**, 25, 491-6	4.6	14
21	Eicosanoid regulation of the renal vasculature. *American Journal of Physiology - Renal Physiology*, **2000**, 279, F965-81	4.3	128
20	Augmented vasoconstriction and thromboxane formation by 15-F(2t)-isoprostane (8-iso-prostaglandin F(2alpha)) in immature pig periventricular brain microvessels. *Stroke*, **2000**, 31, 516-24; discussion 525	6.7	68
19	Lazaroid compounds prevent early but not late stages of oxidant-induced cell injury: potential explanation for the lack of efficacy of lazaroids in clinical trials. *Pharmacological Research*, **2001**, 43, 55-61	10.2	12
18	Potentiation of sympathetic neurotransmission in bovine isolated irides by isoprostanes. *Free Radical Research*, **2001**, 35, 257-64	4	13
17	Cisplatin up-regulates the adenosine A(1) receptor in the rat kidney. *European Journal of Pharmacology*, **2002**, 442, 251-64	5.3	26
16	Antioxidant effect of a new calcium antagonist, azelnidipine, in cultured human arterial endothelial cells. *Journal of International Medical Research*, **2004**, 32, 170-5	1.4	34

15	Molecular pharmacology of isoprostanes in vascular smooth muscle. *Chemistry and Physics of Lipids*, **2004**, 128, 69-73	3.7	14
14	Arachidonic acid metabolites and peroxide-induced inhibition of [3H]D-aspartate release from bovine isolated retinae. *Current Eye Research*, **2004**, 28, 367-72	2.9	10
13	Pharmacological consequences of oxidative stress in ocular tissues. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, **2005**, 579, 22-36	3.3	105
12	Isoprostanes and the kidney. *Antioxidants and Redox Signaling*, **2005**, 7, 236-43	8.4	34
11	Oxidative stress in obstructive sleep apnoea. *European Heart Journal*, **2005**, 26, 2435-9	9.5	115
10	Pyridoxamine analogues scavenge lipid-derived gamma-ketoaldehydes and protect against H2O2-mediated cytotoxicity. *Biochemistry*, **2006**, 45, 15756-67	3.2	54
9	Protective effect of the ethanol extract of the roots of Brassica rapa on cisplatin-induced nephrotoxicity in LLC-PK1 cells and rats. *Biological and Pharmaceutical Bulletin*, **2006**, 29, 2436-41	2.3	64
8	Rationale for routine and immediate administration of intravenous estrogen for all critically ill and injured patients. *Critical Care Medicine*, **2010**, 38, S620-9	1.4	25
7	The redox activity of hemoglobins: from physiologic functions to pathologic mechanisms. *Antioxidants and Redox Signaling*, **2010**, 13, 1087-123	8.4	136
6	Protective effects of 6-hydroxy-1-methylindole-3-acetonitrile on cisplatin-induced oxidative nephrotoxicity via Nrf2 inactivation. *Food and Chemical Toxicology*, **2013**, 62, 159-66	4.7	12
5	Neuronal tumour necrosis factor-α and interleukin-1β expression in a porcine model of intracerebral haemorrhage: Modulation by U-74389G. *Brain Research*, **2015**, 1615, 98-105	3.7	6
4	The Effect of the Antioxidant Drug "U-74389G" on Creatinine Levels during Ischemia Reperfusion Injury in Rats. *Current Urology*, **2016**, 9, 73-8	1.7	2
3	Isoprostanes as Markers of Lipid Peroxidation in Atherosclerosis. **1999**, 141-163		9
2	Antioxidant lazaroid U-74006F improves renal function and reduces the expression of cytokines, inducible nitric oxide synthase, and MHC antigens in a syngeneic renal transplant model. Partial support for the response-to-injury hypothesis. *Transplantation*, **1996**, 62, 1628-33	1.8	31
1	Role of urinary H2O2, 8-iso-PGF2α and serum oxLDL/β2GP1 complex in the diabetic kidney disease.. *PLoS ONE*, **2022**, 17, e0263113	3.7	0