

Functional and molecular aspects of renal prostaglandin

Journal of the American Society of Nephrology: JASN  
7, 8-17

DOI: 10.1681/asn.v718

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Second Extracellular Loop of the Prostaglandin EP3 Receptor Is an Essential Determinant of Ligand Selectivity. <i>Journal of Biological Chemistry</i> , 1997, 272, 13475-13478.	3.4	53
2	THE KIDNEY IN BLOOD PRESSURE REGULATION AND DEVELOPMENT OF HYPERTENSION. <i>Medical Clinics of North America</i> , 1997, 81, 1165-1198.	2.5	73
3	Expression of peroxisome proliferator-activated receptors in urinary tract of rabbits and humans. <i>American Journal of Physiology - Renal Physiology</i> , 1997, 273, F1013-F1022.	2.7	118
4	Receptors for bradykinin and prostaglandin E coupled to Ca <sup>2+</sup> signalling in rat cortical collecting duct. <i>Cell Calcium</i> , 1997, 22, 269-275.	2.4	22
5	G Protein-Coupled Receptor Signalling in the Kidney. <i>Cellular Signalling</i> , 1998, 10, 313-320.	3.6	15
6	Regulation of renal function by prostaglandin E receptors. <i>Kidney International</i> , 1998, 54, S88-S94.	5.2	78
7	Cyclooxygenase Regulates Angiogenesis Induced by Colon Cancer Cells. <i>Cell</i> , 1998, 93, 705-716.	28.9	2,151
8	Cyclooxygenase in biology and disease. <i>FASEB Journal</i> , 1998, 12, 1063-1073.	0.5	2,208
9	Urinary concentrating function in mice lacking EP <sub>3</sub> receptors for prostaglandin E <sub>2</sub> . <i>American Journal of Physiology - Renal Physiology</i> , 1998, 275, F955-F961.	2.7	63
10	Prostanoid signaling, localization, and expression of IP receptors in rat thick ascending limb cells. <i>American Journal of Physiology - Renal Physiology</i> , 1998, 275, F904-F914.	2.7	14
11	A primer in radiocontrast-induced nephropathy. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 2830-2834.	0.7	36
12	Activation of an apical Cl <sup>-</sup> conductance by extracellular ATP in <i>Necturus</i> gallbladder is mediated by cAMP and not by [Ca <sup>2+</sup> ] <sub>i</sub> . <i>Pflügers Archiv European Journal of Physiology</i> , 1999, 438, 486-496.	2.8	4
13	Insight into prostaglandin, leukotriene, and other eicosanoid functions using mice with targeted gene disruptions. <i>Prostaglandins and Other Lipid Mediators</i> , 1999, 58, 231-252.	1.9	34
14	Augmented Expression of Cyclooxygenase-2 in Human Atherosclerotic Lesions. <i>American Journal of Pathology</i> , 1999, 155, 1281-1291.	3.8	371
15	Chapter 8 Regulation of Amiloride-Sensitive Na <sup>+</sup> Channels in the Renal Collecting Duct. <i>Current Topics in Membranes</i> , 1999, 47, 109-131.	0.9	0
16	Nonendothelial paracrine regulation of the renal microcirculation. <i>Advances in Organ Biology</i> , 2000, 9, 219-233.	0.1	1
17	Changes of the thromboxane A <sub>2</sub> /prostacyclin balance in the urine of patients with renal diseases analyzed by gas chromatography/selected ion monitoring. <i>Prostaglandins and Other Lipid Mediators</i> , 2000, 60, 1-8.	1.9	5
18	Prostaglandin E receptors and the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F12-F23.	2.7	233

#	ARTICLE	IF	CITATIONS
19	Regulation of renal epithelial cell affinity for calcium oxalate monohydrate crystals. American Journal of Physiology - Renal Physiology, 2000, 278, F130-F137.	2.7	34
20	Eicosanoid regulation of the renal vasculature. American Journal of Physiology - Renal Physiology, 2000, 279, F965-F981.	2.7	151
21	Synthetic Modification of Prostaglandin F <sub>2</sub> ±Indicates Different Structural Determinants for Binding to the Prostaglandin F Receptor Versus the Prostaglandin Transporter. Molecular Pharmacology, 2000, 58, 1511-1516.	2.3	25
22	The mechanisms of aquaporin control in the renal collecting duct. , 2000, 141, 33-95.		90
23	Unresolved Issues in the Role of Cyclooxygenase-2 in Normal Physiologic Processes and Disease. Archives of Internal Medicine, 2000, 160, 913.	3.8	136
24	Renal Changes Induced by a Cyclooxygenase-2 Inhibitor During Normal and Low Sodium Intake. Hypertension, 2000, 36, 276-281.	2.7	92
25	Cyclopentenone Prostaglandins as Potential Inducers of Phase II Detoxification Enzymes. Journal of Biological Chemistry, 2000, 275, 11291-11299.	3.4	94
26	Characterization of Temporal and Cell-Specific Changes in Transcripts for Prostaglandin E2 Receptors in Pseudopregnant Rat Endometrium1. Biology of Reproduction, 2000, 62, 1515-1525.	2.7	28
27	Altered growth response to prostaglandin E2 and its receptor signaling in mesangial cells from stroke-prone spontaneously hypertensive rats. Journal of Hypertension, 2001, 19, 1095-1103.	0.5	9
28	Cell Signaling Pathways Mediating Epidermal Growth Factor Stimulation of Na:K:2Cl Cotransport Activity in Rabbit Corneal Epithelial Cells. Journal of Membrane Biology, 2001, 183, 93-101.	2.1	36
29	Regulation of cyclo-oxygenase-2. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2001, 15, 787-800.	2.4	18
30	G Protein±Coupled Prostanoid Receptors and the Kidney. Annual Review of Physiology, 2001, 63, 579-605.	13.1	218
31	Interaction of Antibodies to Proteinase 3 (Classic Anti-Neutrophil Cytoplasmic Antibody) with Human Renal Tubular Epithelial Cells: Impact on Signaling Events and Inflammatory Mediator Generation. Journal of Immunology, 2002, 168, 3057-3064.	0.8	10
32	Prevention of Diabetic Nephropathy in Rats by Prostaglandin E Receptor EP1-Selective Antagonist. Journal of the American Society of Nephrology: JASN, 2002, 13, 1757-1765.	6.1	105
33	Prostaglandins that increase renin production in response to ACE inhibition are not derived from cyclooxygenase-1. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2002, 283, R638-R646.	1.8	41
34	Contribution of prostaglandin EP <sub>2</sub> receptors to renal microvascular reactivity in mice. American Journal of Physiology - Renal Physiology, 2002, 283, F415-F422.	2.7	50
35	Cyclooxygenase-2: A Therapeutic Target. Annual Review of Medicine, 2002, 53, 35-57.	12.2	587
36	The endocrine disruptor nonylphenol preferentially blocks cyclooxygenase-1. Life Sciences, 2002, 70, 2209-2214.	4.3	44

#	ARTICLE	IF	CITATIONS
37	Role of Prostaglandin E Receptor EP 1 Subtype in the Development of Renal Injury in Genetically Hypertensive Rats. <i>Hypertension</i> , 2003, 42, 1183-1190.	2.7	54
38	Short-Term Regulation of Basolateral Organic Anion Uptake in Proximal Tubular Opossum Kidney Cells: Prostaglandin E2 Acts via Receptor-Mediated Activation of Protein Kinase A. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 3017-3026.	6.1	35
39	The prostaglandin E2 analogue sulprostone antagonizes vasopressin-induced antidiuresis through activation of Rho. <i>Journal of Cell Science</i> , 2003, 116, 3285-3294.	2.0	101
40	Role of Monocytes in Atherogenesis. <i>Physiological Reviews</i> , 2003, 83, 1069-1112.	28.8	355
41	Effects on the kidney: role of COX-2 inhibitors. , 2004, , 179-194.		0
42	Action of EGF and PGE2 on basolateral organic anion uptake in rabbit proximal renal tubules and hOAT1 expressed in human kidney epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F774-F783.	2.7	42
43	THE CIRCADIAN RHYTHM OF URINE PRODUCTION, AND URINARY VASOPRESSIN AND PROSTAGLANDIN E2 EXCRETION IN HEALTHY CHILDREN. <i>Journal of Urology</i> , 2004, 171, 2571-2575.	0.4	44
44	Prostaglandin E2 Affects Proliferation and Collagen Synthesis by Human Patellar Tendon Fibroblasts. <i>Clinical Journal of Sport Medicine</i> , 2004, 14, 232-236.	1.8	80
45	Genetic analysis of 22 candidate genes for hypertension in the Japanese population. <i>Journal of Hypertension</i> , 2004, 22, 1119-1126.	0.5	50
46	Captopril effect on prostaglandin E2, thromboxane B2 and proteinuria in lupus nephritis patients. <i>Prostaglandins and Other Lipid Mediators</i> , 2005, 78, 194-201.	1.9	13
47	Dominant Role of Prostaglandin E2 EP4 Receptor in Furosemide-Induced Salt-Losing Tubulopathy: A Model for Hyperprostaglandin E Syndrome/Antenatal Bartter Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2354-2362.	6.1	52
49	Effects of PGF2 $\alpha$ on human melanocytes and regulation of the FP receptor by ultraviolet radiation. <i>Experimental Cell Research</i> , 2005, 304, 407-416.	2.6	56
50	Prostaglandin-dependent activation of ERK mediates cell proliferation induced by transforming growth factor $\beta$ in mouse osteoblastic cells. <i>Bone</i> , 2005, 36, 93-100.	2.9	35
51	Effects of endocrine disruptors on the formation of prostaglandin and arachidonoyl-CoA formed from arachidonic acid in rabbit kidney medulla microsomes. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2005, 73, 447-452.	2.2	7
52	Metabolism of eicosanoids and their action on renal function during ischaemia and reperfusion: The effect of alprostadil. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2006, 75, 403-411.	2.2	15
53	Role of EP2 and EP4 receptor-selective agonists of prostaglandin E2 in acute and chronic kidney failure. <i>Kidney International</i> , 2006, 70, 1099-1106.	5.2	60
54	Nitric oxide stimulates COX-2 expression in cultured collecting duct cells through MAP kinases and superoxide but not cGMP. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, F891-F895.	2.7	36
55	Expression and function of COX isoforms in renal medulla: evidence for regulation of salt sensitivity and blood pressure. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, F542-F549.	2.7	69

#	ARTICLE	IF	CITATIONS
56	Role of Microsomal Prostaglandin E Synthase 1 in the Kidney. Journal of the American Society of Nephrology: JASN, 2007, 18, 1466-1475.	6.1	59
57	Downregulation of the V2 vasopressin receptor in dehydration: mechanisms and role of renal prostaglandin synthesis. American Journal of Physiology - Renal Physiology, 2007, 292, F1274-F1282.	2.7	26
58	Pulmonary and Cardiorenal Cyclooxygenase-1 (COX-1), -2 (COX-2), and Microsomal Prostaglandin E Synthase-1 (mPGES-1) and -2 (mPGES-2) Expression in a Hypertension Model. Mediators of Inflammation, 2007, 2007, 1-8.	3.0	15
59	Endothelin A Receptor Blockade Reduces Diabetic Renal Injury via an Anti-Inflammatory Mechanism. Journal of the American Society of Nephrology: JASN, 2007, 18, 143-154.	6.1	177
60	Human skin pigmentation: melanocytes modulate skin color in response to stress. FASEB Journal, 2007, 21, 976-994.	0.5	746
61	Mouse Models and the Urinary Concentrating Mechanism in the New Millennium. Physiological Reviews, 2007, 87, 1083-1112.	28.8	171
62	Secretory phospholipases A2 isolated from Bothrops asper and from Crotalus durissus terrificus snake venoms induce distinct mechanisms for biosynthesis of prostaglandins E2 and D2 and expression of cyclooxygenases. Toxicon, 2008, 52, 428-439.	1.6	42
64	The Renal Microcirculation. , 2008, , 550-683.		27
65	Renal Effects of Prostaglandins and Cyclooxygenase-2 Inhibitors. Electrolyte and Blood Pressure, 2008, 6, 35.	1.8	59
66	Safety and Performance of Targeted Renal Therapy: The Be-RITe! Registry. Journal of Endovascular Therapy, 2009, 16, 1-12.	1.5	87
67	Effects of Lipids on ENaC Activity in Cultured Mouse Cortical Collecting Duct Cells. Journal of Membrane Biology, 2009, 227, 77-85.	2.1	16
68	Dual modulation of urinary bladder activity and urine flow by prostanoid EP <sub>3</sub> receptors in the conscious rat. British Journal of Pharmacology, 2009, 158, 372-381.	5.4	24
69	Understanding inflammatory pain: ion channels contributing to acute and chronic nociception. Pflugers Archiv European Journal of Physiology, 2010, 459, 657-669.	2.8	104
70	Prostaglandin E2 is crucial in the response of podocytes to fluid flow shear stress. Journal of Cell Communication and Signaling, 2010, 4, 79-90.	3.4	30
71	Há uma associação entre anti-inflamatórios não-esteroides e nefropatia induzida por contraste?. Arquivos Brasileiros De Cardiologia, 2010, 95, 726-731.	0.8	10
72	Interleukin-6 Is an Essential Determinant of On-Time Parturition in the Mouse. Endocrinology, 2010, 151, 3996-4006.	2.8	114
73	The Relationship Between Prostaglandin E Receptor 1 and Cyclooxygenase I Expression in Guinea Pig Bladder Interstitial Cells: Proposition of a Signal Propagation System. Journal of Urology, 2011, 185, 315-322.	0.4	19
74	A phospholipase A2 from Bothrops asper snake venom activates neutrophils in culture: Expression of cyclooxygenase-2 and PGE2 biosynthesis. Toxicon, 2011, 57, 288-296.	1.6	16

#	ARTICLE	IF	CITATIONS
75	Indomethacin abolishes core temperature, but not cardiovascular or renal, responses to lipopolysaccharide in conscious lambs. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2011, 38, 494-500.	1.9	2
76	Interaction of prostanoid EP <sub>3</sub> and TP receptors in guinea pig isolated aorta: contractile self-synergism of 11-deoxy-16-dimethyl PGE <sub>2</sub> . <i>British Journal of Pharmacology</i> , 2011, 162, 5.4 521-531.	5.4	12
77	Prostaglandin E <sub>2</sub> mediates proliferation and chloride secretion in ADPKD cystic renal epithelia. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F1425-F1434.	2.7	21
78	The Relationship between the Level of Progesterone Secreted from Cumulus Cells and Oocyte Developmental Competence in In Vitro Matured Human Cumulus Oocyte Complexes. <i>Journal of Mammalian Ova Research</i> , 2012, 29, 41-47.	0.1	0
79	Identification of prostaglandin receptors in human ureters. <i>BMC Urology</i> , 2012, 12, 35.	1.4	5
80	Cyclooxygenase 2 and prostaglandin E <sub>2</sub> regulate the attachment of calcium oxalate crystals to renal epithelial cells. <i>International Journal of Urology</i> , 2012, 19, 936-943.	1.0	6
81	Impact of hematopoietic cyclooxygenase-1 deficiency on obesity-linked adipose tissue inflammation and metabolic disorders in mice. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1673-1685.	3.4	23
82	PTGER1 Deletion Attenuates Renal Injury in Diabetic Mouse Models. <i>American Journal of Pathology</i> , 2013, 183, 1789-1802.	3.8	18
83	Fluid flow shear stress upregulates prostanoid receptor EP2 but not EP4 in murine podocytes. <i>Prostaglandins and Other Lipid Mediators</i> , 2013, 104-105, 49-57.	1.9	22
84	Rationale for the Use of Prostaglandins and Phosphodiesterase Inhibitors in the Treatment of Functional Bladder Disorders. <i>Nephro-Urology Monthly</i> , 2013, 5, 949-954.	0.1	0
85	Potassium Channels in Peripheral Pain Pathways: Expression, Function and Therapeutic Potential. <i>Current Neuropharmacology</i> , 2013, 11, 621-640.	2.9	103
86	Prostaglandin E2 induces chloride secretion through crosstalk between cAMP and calcium signaling in mouse inner medullary collecting duct cells. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 306, C263-C278.	4.6	19
87	Berberine regulates the expression of E-prostanoid receptors in diabetic rats with nephropathy. <i>Molecular Biology Reports</i> , 2014, 41, 3339-3347.	2.3	22
88	The prostaglandin EP1 receptor potentiates kainate receptor activation via a protein kinase C pathway and exacerbates status epilepticus. <i>Neurobiology of Disease</i> , 2014, 70, 74-89.	4.4	31
89	Calcium Rapidly Down-Regulates Human Renal Epithelial Sodium Channels Via a W-7-Sensitive Mechanism. <i>Journal of Membrane Biology</i> , 2014, 247, 729-737.	2.1	2
90	The biology of hyperpigmentation syndromes. <i>Pigment Cell and Melanoma Research</i> , 2014, 27, 512-524.	3.3	52
91	Lipid Mediators Are Critical in Resolving Inflammation: A Review of the Emerging Roles of Eicosanoids in Diabetes Mellitus. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	53
92	Role of the prostaglandin E2 receptor agonists in TGF- $\beta$ 1-induced mesangial cell damage. <i>Bioscience Reports</i> , 2016, 36, .	2.4	9

#	ARTICLE	IF	CITATIONS
93	PGC1 $\alpha$ drives NAD biosynthesis linking oxidative metabolism to renal protection. <i>Nature</i> , 2016, 531, 528-532.	27.8	395
94	Physiology and Pathophysiology of the Intrarenal Renin-Angiotensin System: An Update. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1040-1049.	6.1	176
95	Prostaglandin E2 Induces Prorenin-Dependent Activation of (Pro)renin Receptor and Upregulation of Cyclooxygenase-2 in Collecting Duct Cells. <i>American Journal of the Medical Sciences</i> , 2017, 354, 310-318.	1.1	13
96	Prostaglandin E2 inhibits matrix mineralization by human bone marrow stromal cell-derived osteoblasts via Epac-dependent cAMP signaling. <i>Scientific Reports</i> , 2017, 7, 2243.	3.3	26
97	PGE <sub>2</sub> upregulates renin through E-prostanoid receptor 1 via PKC/cAMP/CREB pathway in M-1 cells. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F1038-F1049.	2.7	15
98	An EP4 Receptor Agonist Inhibits Cardiac Fibrosis Through Activation of PKA Signaling in Hypertrophied Heart. <i>International Heart Journal</i> , 2017, 58, 107-114.	1.0	32
99	Intermittent hypoxia alters dose dependent caffeine effects on renal prostanoids and receptors in neonatal rats. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 134, 57-65.	1.9	3
100	M $\alpha$ type K <sup>+</sup> channels in peripheral nociceptive pathways. <i>British Journal of Pharmacology</i> , 2018, 175, 2158-2172.	5.4	53
101	Maternal Protein Restriction Alters the Renal Ptger1 DNA Methylation State in SHRSP Offspring. <i>Nutrients</i> , 2018, 10, 1436.	4.1	7
102	Pharmacological properties of ASP7657, a novel, potent, and selective prostaglandin EP4 receptor antagonist. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 1319-1326.	3.0	3
103	Attributes of alternatively activated (M2) macrophages. <i>Life Sciences</i> , 2019, 224, 222-231.	4.3	77
104	Inhibition of 15-PGDH prevents ischemic renal injury by the PGE <sub>2</sub> /EP <sub>4</sub> signaling pathway mediating vasodilation, increased renal blood flow, and increased adenosine/A <sub>2A</sub> receptors. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F1054-F1066.	2.7	12
105	The pathophysiological effects of Russell's viper ( <i>Daboia siamensis</i> ) venom and its fractions in the isolated perfused rabbit kidney model: A potential role for platelet activating factor. <i>Toxicon: X</i> , 2020, 7, 100046.	2.9	6
106	Post-transcriptional Regulation of Prostaglandin Biosynthesis. , 2016, , 181-219.		1
107	Prostaglandin E2 inhibits renal collecting duct Na <sup>+</sup> absorption by activating the EP1 receptor.. <i>Journal of Clinical Investigation</i> , 1998, 102, 194-201.	8.2	127
108	Activated endothelial cells elicit paracrine induction of epithelial chloride secretion. 6-Keto-PGF1 $\alpha$ is an epithelial secretagogue.. <i>Journal of Clinical Investigation</i> , 1998, 102, 1161-1172.	8.2	20
109	Increased renal vasodilator prostanoids prevent hypertension in mice lacking the angiotensin subtype-2 receptor. <i>Journal of Clinical Investigation</i> , 1999, 104, 181-188.	8.2	66
110	COX-2 but Not mPGES-1 Contributes to Renal PGE2 Induction and Diabetic Proteinuria in Mice with Type-1 Diabetes. <i>PLoS ONE</i> , 2014, 9, e93182.	2.5	23

#	ARTICLE	IF	CITATIONS
111	Characterization of Prostanoid Receptors in Podocytes. Journal of the American Society of Nephrology: JASN, 1999, 10, 2084-2093.	6.1	51
112	Immunolocalization of the Four Prostaglandin E2 Receptor Proteins EP1, EP2, EP3, and EP4 in Human Kidney. Journal of the American Society of Nephrology: JASN, 1999, 10, 1851-1860.	6.1	98
113	Cyclooxygenase-2 Inhibitors: A Painful Lesson. Cardiovascular & Hematological Disorders Drug Targets, 2006, 6, 83-98.	0.7	59
114	Renal Vascular Diseases. , 2002, , 1751-1786.		0
115	Prostaglandins and renal damage.. Journal of the American Society of Nephrology: JASN, 1996, 7, 1245-1246.	6.1	0
116	Role of eicosanoids in sepsis-induced acute renal failure. , 1998, , 551-556.		0
117	EP <sub>1</sub> receptor antagonism mitigates early and late stage renal fibrosis. Acta Physiologica, 2022, 234, e13780.	3.8	6
118	Glomerular Biomechanical Stress and Lipid Mediators during Cellular Changes Leading to Chronic Kidney Disease. Biomedicines, 2022, 10, 407.	3.2	3
119	Comparative compositional and functional venom profiles among venom specimens from juvenile, subadult and adult Russell's viper ( Daboia siamensis ): correlation with renal pathophysiology in experimental rabbits. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2022, 28, 20210111.	1.4	0
120	Hormone-dependent regulation of renin and effects on prorenin receptor signaling in the collecting duct. Current Hypertension Reviews, 2022, 18, .	0.9	0