

Tumorigenesis and peritoneal colonization from fallopi

Oncotarget

6, 20500-20512

DOI: [10.18632/oncotarget.3985](https://doi.org/10.18632/oncotarget.3985)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Impact of oviductal versus ovarian epithelial cell of origin on ovarian endometrioid carcinoma phenotype in the mouse. <i>Journal of Pathology</i> , 2016, 240, 341-351.	2.1	59
2	Activin A stimulates migration of the fallopian tube epithelium, an origin of high-grade serous ovarian cancer, through non-canonical signaling. <i>Cancer Letters</i> , 2017, 391, 114-124.	3.2	61
3	(+)-Streptolisin-Induced Cytotoxicity in Ovarian Cancer Cells Is Mediated through Cardiac Glycoside Signaling Networks. <i>Journal of Natural Products</i> , 2017, 80, 659-669.	1.5	33
4	PAX2 function, regulation and targeting in fallopian tube-derived high-grade serous ovarian cancer. <i>Oncogene</i> , 2017, 36, 3015-3024.	2.6	14
5	Prognostic significance of MAPK, Topo II α and E-cadherin immunoreexpression in ovarian serous carcinomas. <i>Neoplasia</i> , 2017, 64, 289-298.	0.7	6
6	PTEN loss in the fallopian tube induces hyperplasia and ovarian tumor formation. <i>Oncogene</i> , 2018, 37, 1976-1990.	2.6	54
7	Methods for the visualization and analysis of extracellular matrix protein structure and degradation. <i>Methods in Cell Biology</i> , 2018, 143, 79-95.	0.5	34
8	Ubiquitin Signaling in Ovarian Cancer: From Potential to Challenges. , 2018, , .		2
9	Imaging Mass Spectrometry Reveals Crosstalk between the Fallopian Tube and the Ovary that Drives Primary Metastasis of Ovarian Cancer. <i>ACS Central Science</i> , 2018, 4, 1360-1370.	5.3	19
10	Role of Lgr5-Expressing Stem Cells in Epithelial Renewal and Cancer in the Reproductive Tract. , 2018, , 45-59.		0
11	Ageing Increases Susceptibility to Ovarian Cancer Metastasis in Murine Allograft Models and Alters Immune Composition of Peritoneal Adipose Tissue. <i>Neoplasia</i> , 2018, 20, 621-631.	2.3	20
13	UnPAXing the Divergent Roles of PAX2 and PAX8 in High-Grade Serous Ovarian Cancer. <i>Cancers</i> , 2018, 10, 262.	1.7	25
14	Proteomic analysis reveals a role for PAX8 in peritoneal colonization of high grade serous ovarian cancer that can be targeted with micelle encapsulated thiostrepton. <i>Oncogene</i> , 2019, 38, 6003-6016.	2.6	22
15	Loss of PTEN in Fallopian Tube Epithelium Results in Multicellular Tumor Spheroid Formation and Metastasis to the Ovary. <i>Cancers</i> , 2019, 11, 884.	1.7	22
16	Exposure of the extracellular matrix and colonization of the ovary in metastasis of fallopian-tube-derived cancer. <i>Carcinogenesis</i> , 2019, 40, 41-51.	1.3	15
17	Early embryo-maternal communication in the oviduct: A review. <i>Molecular Reproduction and Development</i> , 2020, 87, 650-662.	1.0	29
18	Fallopian tube initiation of high grade serous ovarian cancer and ovarian metastasis: Mechanisms and therapeutic implications. <i>Cancer Letters</i> , 2020, 476, 152-160.	3.2	18
19	Paraben exposure alters cell cycle progression and survival of spontaneously immortalized secretory murine oviductal epithelial (MOE) cells. <i>Reproductive Toxicology</i> , 2021, 100, 7-16.	1.3	7

#	ARTICLE	IF	CITATIONS
20	Cellular models of development of ovarian high-grade serous carcinoma: A review of cell of origin and mechanisms of carcinogenesis. <i>Cell Proliferation</i> , 2021, 54, e13029.	2.4	22
21	Fallopian Tube-Derived Tumor Cells Induce Testosterone Secretion from the Ovary, Increasing Epithelial Proliferation and Invasion. <i>Cancers</i> , 2021, 13, 1925.	1.7	3
22	Silencing PTEN in the fallopian tube promotes enrichment of cancer stem cell-like function through loss of PAX2. <i>Cell Death and Disease</i> , 2021, 12, 375.	2.7	6
23	Host CYP27A1 expression is essential for ovarian cancer progression. <i>Endocrine-Related Cancer</i> , 2019, 26, 659-675.	1.6	30
24	Cadherin-6 type 2, K-cadherin (CDH6) is regulated by mutant p53 in the fallopian tube but is not expressed in the ovarian surface. <i>Oncotarget</i> , 2016, 7, 69871-69882.	0.8	13
25	Loss of PAX8 in high-grade serous ovarian cancer reduces cell survival despite unique modes of action in the fallopian tube and ovarian surface epithelium. <i>Oncotarget</i> , 2016, 7, 32785-32795.	0.8	38
26	Establishment and characterization of epithelial and fibroblast cell lines from the bovine endometrium. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2022, 58, 8-13.	0.7	1
27	In Vivo and Ex Vivo Analysis of Omental Adhesion in Ovarian Cancer. <i>Methods in Molecular Biology</i> , 2022, 2424, 199-216.	0.4	1
28	The Tumor Immune Profile of Murine Ovarian Cancer Models: An Essential Tool for Ovarian Cancer Immunotherapy Research. <i>Cancer Research Communications</i> , 2022, 2, 417-433.	0.7	8
29	Versican secreted by the ovary links ovulation and migration in fallopian tube derived serous cancer. <i>Cancer Letters</i> , 2022, 543, 215779.	3.2	4
31	Increased Local Testosterone Levels Alter Human Fallopian Tube mRNA Profile and Signaling. <i>Cancers</i> , 2023, 15, 2062.	1.7	1
32	Discovery and development of botanical natural products and their analogues as therapeutics for ovarian cancer. <i>Natural Product Reports</i> , 2023, 40, 1250-1270.	5.2	3