

Electrophoretic Identification of *Agrostis palustris* and

Crop Science

12, 833-834

DOI: [10.2135/cropsci1972.0011183x001200060036x](https://doi.org/10.2135/cropsci1972.0011183x001200060036x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Biochemical characterization of six trisomics of grain sorghum, <i>Sorghum bicolor</i> (L.) Moench. <i>Biochemical Genetics</i> , 1977, 15, 611-620.	1.7	10
2	Identification of broad bean cultivars based on isozyme patterns. <i>Euphytica</i> , 1977, 26, 279-286.	1.2	33
3	Enzyme polymorphism as an aid to identification of <i>Rhizobium</i> strains. <i>Soil Biology and Biochemistry</i> , 1978, 10, 79-80.	8.8	15
4	Seed protein electrophoresis in taxonomic and evolutionary studies. <i>Theoretical and Applied Genetics</i> , 1979, 54, 145-151.	3.6	165
5	THE USE OF SEED ISOENZYMES AS AN AID TO THE BREEDING OF FIELD BEANS (<i>VICIA FABA</i> L.). <i>New Phytologist</i> , 1979, 83, 783-791.	7.3	27
6	Nitrogen regime and isoenzyme changes in <i>Vicia faba</i> . <i>Phytochemistry</i> , 1979, 18, 1789-1791.	2.9	3
7	The characterisation and identification of crop cultivars by electrophoresis. <i>Electrophoresis</i> , 1984, 5, 59-72.	2.4	101
8	Distinguishing among white seeded bean cultivars by means of allozyme genotypes. <i>Euphytica</i> , 1984, 33, 199-208.	1.2	79
9	Chromosome number and isoenzyme variation in Kentucky bluegrass cultivars and plants regenerated from tissue culture.. <i>Cytologia</i> , 1986, 51, 125-132.	0.6	26
10	Field bean (<i>Phaseolus vulgaris</i> L.) cultivar identification by electrophoregrams of cotyledon storage proteins. <i>Euphytica</i> , 1986, 35, 729-732.	1.2	18
11	Fingerprinting Crop Varieties. <i>Advances in Agronomy</i> , 1992, , 85-140.	5.2	119
12	Biochemical and isoenzyme analyses of elephant grass, <i>Pennisetum purpureum</i> (Schum) varieties. <i>Scientia Agricola</i> , 1995, 52, 528-533.	1.2	4
13	Title is missing!. <i>Genetic Resources and Crop Evolution</i> , 2000, 47, 455-459.	1.6	12
14	Development of Species-Specific SCAR Markers in Bentgrass. <i>Crop Science</i> , 2003, 43, 345.	1.8	37
15	Application of Isozyme Data in Fingerprinting Napier Grass (<i>Pennisetum purpureum</i> Schum.) for Germplasm Management. <i>Genetic Resources and Crop Evolution</i> , 2006, 53, 253-264.	1.6	30
16	Scandinavian colonial bentgrass diversity described by RAPD, variable chlorophyll fluorescence, and collecting site ecogeography. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2007, 57, 23-34.	0.6	1
17	Comparison of Agronomic Characters, Total Seed Storage Proteins and their use for Genotypes Discrimination in the Kentucky Bluegrass (<i>Poa Pratensis</i> L.). <i>Biotechnology and Biotechnological Equipment</i> , 2010, 24, 1573-1576.	1.3	5
18	New Challenges Confronting Plant Breeders. <i>Developments in Plant Genetics and Breeding</i> , 1983, 1, 25-58.	0.6	16

#	ARTICLE	IF	CITATIONS
19	Identifying Buffalograss [<i>Buchloe dactyloides</i> (Nutt.) Engelm.] Cultivar Breeding Lines Using Random Amplified Polymorphic DNA (RAPD) Markers. <i>Journal of the American Society for Horticultural Science</i> , 1994, 119, 126-130.	1.0	24