

Evidence and consensus-based German guidelines for the use of sedation and delirium in intensive care--short version

GMS German Medical Science

8, Doc02

DOI: 10.3205/000091

Citation Report

#	ARTICLE	IF	CITATIONS
3	Preoperative regional cerebral oxygen saturation is a predictor of postoperative delirium in on-pump cardiac surgery patients: a prospective observational trial. <i>Critical Care</i> , 2011, 15, R218.	2.5	169
4	Management pÃ©riopÃ©ratoire des patients alcoolo-dÃ©pendants. <i>Praticien En Anesthesie Reanimation</i> , 2011, 15, 339-346.	0.0	0
5	Sedation with dexmedetomidine in the intensive care setting. <i>Open Access Emergency Medicine</i> , 2011, 3, 77.	0.6	8
6	A speedy recovery: amphetamines and other therapeutics that might impact the recovery from brain injury. <i>Current Opinion in Anaesthesiology</i> , 2011, 24, 144-153.	0.9	6
10	A prospective, randomized, double-blind, multicenter study comparing remifentanyl with fentanyl in mechanically ventilated patients. <i>Intensive Care Medicine</i> , 2011, 37, 469-476.	3.9	44
11	Association between hospital volume and network membership and an analgesia, sedation and delirium order set quality score: a cohort study. <i>Critical Care</i> , 2012, 16, R106.	2.5	5
14	Volatile isoflurane sedation in cerebrovascular intensive care patients using AnaConDa®: effects on cerebral oxygenation, circulation, and pressure. <i>Intensive Care Medicine</i> , 2012, 38, 1955-1964.	3.9	67
15	Efficiency and safety of inhalative sedation with sevoflurane in comparison to an intravenous sedation concept with propofol in intensive care patients: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 135.	0.7	19
16	Delirium in Critically Ill Patients. <i>Drugs</i> , 2012, 72, 1457-1471.	4.9	92
17	Sedation for Critically Ill or Injured Adults in the Intensive Care Unit. <i>Drugs</i> , 2012, 72, 1881-1916.	4.9	84
18	Improving Trauma Care in the ICU. <i>Surgical Clinics of North America</i> , 2012, 92, 893-901.	0.5	2
19	Sedation in the intensive care setting. <i>Clinical Pharmacology: Advances and Applications</i> , 2012, 4, 53.	0.8	58
21	Influence of algorithm-based analgesia and sedation in patients after sudden cardiac arrest. <i>Clinical Research in Cardiology</i> , 2012, 101, 175-183.	1.5	6
22	Enteral vs. intravenous ICU sedation management: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 92.	0.7	16
23	The pain, agitation, and delirium practice guidelines for adult critically ill patients: a post-publication perspective. <i>Annals of Intensive Care</i> , 2013, 3, 9.	2.2	34
25	Intensive care sedation: the past, present and the future. <i>Critical Care</i> , 2013, 17, 322.	2.5	56
26	Administration of isoflurane-controlled dysknetic movements caused by anti-NMDAR encephalitis. <i>Neurology</i> , 2013, 80, 1997-1998.	1.5	11
27	Sedation and Paralysis. <i>Respiratory Care</i> , 2013, 58, 1024-1037.	0.8	11

#	ARTICLE	IF	CITATIONS
28	Perceptions of Nurses and Physicians of Their Communication at Night About Intensive Care Patients' Pain, Agitation, and Delirium. <i>American Journal of Critical Care</i> , 2013, 22, e49-e61.	0.8	18
29	Influence of clinical practice guidelines on pain management in German intensive care units – A state wide survey. <i>Clinical Nursing Studies</i> , 2013, 2, .	0.1	0
30	Current practices and barriers impairing physicians' and nurses' adherence to analgo-sedation recommendations in the intensive care unit - a national survey. <i>Critical Care</i> , 2014, 18, 655.	2.5	55
31	Current practices of mobilization, analgesia, relaxants and sedation in Indian ICUs: A survey conducted by the Indian Society of Critical Care Medicine. <i>Indian Journal of Critical Care Medicine</i> , 2014, 18, 575-584.	0.3	30
32	A novel device for target controlled administration and reflection of desflurane – the Mirus [®] . <i>Anaesthesia</i> , 2014, 69, 1241-1250.	1.8	41
33	Daily sedation interruption versus no daily sedation interruption for critically ill adult patients requiring invasive mechanical ventilation. <i>The Cochrane Library</i> , 2018, 2018, CD009176.	1.5	69
35	Analgesic, sedative, antipsychotic, and neuromuscular blocker use in Canadian intensive care units: a prospective, multicentre, observational study. <i>Canadian Journal of Anaesthesia</i> , 2014, 61, 619-630.	0.7	73
39	The implausibility of "usual care" in an open system: sedation and weaning practices in Paediatric Intensive Care Units (PICUs) in the United Kingdom (UK). <i>Trials</i> , 2015, 16, 325.	0.7	14
40	Early deep sedation is associated with decreased in-hospital and two-year follow-up survival. <i>Critical Care</i> , 2015, 19, 197.	2.5	111
41	Dexmedetomidine versus standard care sedation with propofol or midazolam in intensive care: an economic evaluation. <i>Critical Care</i> , 2015, 19, 67.	2.5	56
42	Clinical Practice Guideline of Acute Respiratory Distress Syndrome. <i>Tuberculosis and Respiratory Diseases</i> , 2016, 79, 214.	0.7	49
43	Pharmacological interventions for delirium in intensive care patients: a protocol for an overview of reviews. <i>Systematic Reviews</i> , 2016, 5, 211.	2.5	20
45	Impact of harmful use of alcohol on the sedation of critical patients on mechanical ventilation: A multicentre prospective, observational study in 8 Spanish intensive care units. <i>Medicina Intensiva</i> , 2016, 40, 230-237.	0.4	5
46	Quality of clinical practice guidelines in delirium: a systematic appraisal. <i>BMJ Open</i> , 2017, 7, e013809.	0.8	37
47	The CLOSED trial; CLONidine compared with midazolam for SEDation of paediatric patients in the intensive care unit: study protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e016031.	0.8	12
48	Analysis of trends in usage of analgesics and sedatives in intensive care units of South Korea. <i>Medicine (United States)</i> , 2018, 97, e12126.	0.4	9
50	A hospital-wide evaluation of delirium prevalence and outcomes in acute care patients - a cohort study. <i>BMC Health Services Research</i> , 2018, 18, 550.	0.9	115
51	A national survey on routines regarding sedation in Swedish intensive care units. <i>Uppsala Journal of Medical Sciences</i> , 2019, 124, 199-202.	0.4	8

#	ARTICLE	IF	CITATIONS
52	Pharmacological interventions for prevention and management of delirium in intensive care patients: a systematic overview of reviews and meta-analyses. <i>BMJ Open</i> , 2019, 9, e024562.	0.8	27
53	The German version of the Critical-Care Pain Observation Tool for critically ill adults. <i>Der Anaesthetist</i> , 2019, 68, 836-842.	0.5	6
54	Caring for Critically Ill Patients with the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. <i>Critical Care Medicine</i> , 2019, 47, 3-14.	0.4	637
56	Mechanical Ventilation, Sedation and Neuromonitoring of Patients with Aneurysmal Subarachnoid Hemorrhage in Germany: Results of a Nationwide Survey. <i>Neurocritical Care</i> , 2021, 34, 236-247.	1.2	14
57	Sedation in the Intensive Care Unit. <i>Current Anesthesiology Reports</i> , 2021, 11, 92-100.	0.9	8
58	Delirium, Sedation and Analgesia in the Intensive Care Unit: A Multinational, Two-Part Survey among Intensivists. <i>PLoS ONE</i> , 2014, 9, e110935.	1.1	89
59	Age related inverse dose relation of sedatives and analgesics in the intensive care unit. <i>PLoS ONE</i> , 2017, 12, e0185212.	1.1	7
60	Peer reviewing critical care: a pragmatic approach to quality management. <i>GMS German Medical Science</i> , 2010, 8, Doc23.	2.7	22
61	The German quality indicators in intensive care medicine 2013--second edition. <i>GMS German Medical Science</i> , 2013, 11, Doc09.	2.7	24
62	Quality indicators in intensive care medicine for Germany - third edition 2017. <i>GMS German Medical Science</i> , 2017, 15, Doc10.	2.7	40
63	Alpha-2 agonists for sedation of mechanically ventilated adults in intensive care units: a systematic review. <i>Health Technology Assessment</i> , 2016, 20, 1-118.	1.3	62
64	Delirium in the elderly: Current problems with increasing geriatric age. <i>Indian Journal of Medical Research</i> , 2015, 142, 655.	0.4	56
65	The benefit of benzodiazepine reduction: Improving sedation in surgical intensive care. <i>Indian Journal of Critical Care Medicine</i> , 2017, 21, 274-280.	0.3	1
66	Impact of Delirium on Clinical Outcomes in Intensive Care Unit Patients: An Observational Study in a Korean General Hospital. <i>Journal of Korean Neuropsychiatric Association</i> , 2014, 53, 418.	0.2	7
67	Sedation Practices and Preferences of Turkish Intensive Care Physicians: A National Survey. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019, 47, 220-227.	0.2	5
68	Wake up your patients!. <i>Revista Brasileira De Terapia Intensiva</i> , 2014, 26, 333-4.	0.1	2
69	Sedation in Intensive Care: A review of the State-of-the-Art. <i>Obshchaya Reanimatologiya</i> , 2012, 8, 56.	0.2	1
70	Analgesedierung. , 2013, , 628-638.		0

#	ARTICLE	IF	CITATIONS
71	Schmerz, Sedierung und Delir. , 2015, , 511-520.		0
72	Schmerz, Sedierung und Delir. , 2015, , 1-17.		0
73	Long-term Effect of Optimized Sedation and Pain Management after Sudden Cardiac Arrest. Open Cardiovascular Medicine Journal, 2015, 9, 91-95.	0.6	0
74	The paediatric Confusion Assessment Method for the Intensive Care Unit (pCAM-ICU): translation and cognitive debriefing for the German-speaking area. GMS German Medical Science, 2012, 10, Doc07.	2.7	3
75	The validation and inter-rater reliability of the Serbian translation of the Richmond agitation and sedation scale in post anesthesia care unit patients. Hippokratia, 2016, 20, 50-54.	0.3	2
77	Ultrasound performance using the EU-TIRADS score in the diagnosis of thyroid cancer in Congolese hospitals. Scientific Reports, 2022, 12, .	1.6	2
78	Schmerz, Sedierung und Delir. Springer Reference Medizin, 2022, , 1-13.	0.0	0