

Stage migration*vs*immunology: The lymph node

World Journal of Gastroenterology

21, 12218

DOI: 10.3748/wjg.v21.i43.12218

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | A nomogram improves AJCC stages for colorectal cancers by introducing CEA, modified lymph node ratio and negative lymph node count. <i>Scientific Reports</i> , 2016, 6, 39028. | 1.6 | 24 |
| 2 | A new simple morphology-based risk score is prognostic in stage I/II colon cancers. <i>Cancer Medicine</i> , 2016, 5, 1492-1501. | 1.3 | 3 |
| 3 | Analysis of histological and immunological parameters of metastatic lymph nodes from colon cancer patients reveals that T-helper 1 type immune response is associated with improved overall survival. <i>Medicine (United States)</i> , 2016, 95, e5340. | 0.4 | 11 |
| 4 | Clinical Significance of International Union Against Cancer pN Staging and Lymph Node Ratio in Node-Positive Colorectal Cancer after Advanced Lymph Node Dissection. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 386-395. | 0.7 | 8 |
| 5 | Regarding the Clinical Practice Guidelines for the Surgical Treatment of Patients With Lynch Syndrome. <i>Diseases of the Colon and Rectum</i> , 2017, 60, e595-e596. | 0.7 | 3 |
| 6 | Population-based study to re-evaluate optimal lymph node yield in colonic cancer. <i>British Journal of Surgery</i> , 2017, 104, 1087-1096. | 0.1 | 17 |
| 7 | Overexpression of LncRNA PVT1 Predicts Advanced Clinicopathological Features and Serves as an Unfavorable Risk Factor for Survival of Patients with Gastrointestinal Cancers. <i>Cellular Physiology and Biochemistry</i> , 2017, 43, 1077-1089. | 1.1 | 21 |
| 8 | The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2017, 60, e594-e595. | 0.7 | 0 |
| 9 | Lymph node retrieval after dissolution of surrounding adipose tissue for pathological examination of colorectal cancer. <i>Oncology Letters</i> , 2017, 15, 2495-2500. | 0.8 | 3 |
| 10 | Assessing the adequacy of lymph node yield for different tumor stages of colon cancer by nodal staging scores. <i>BMC Cancer</i> , 2017, 17, 498. | 1.1 | 13 |
| 11 | High Variability in Lymph Node Counts Among an International Cohort of Pathologists: Questioning the Scientific Validity of Node Counts. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 395-401. | 2.3 | 12 |
| 12 | Effect of pathologist's dedication on lymph node detection rate and postoperative survival in colorectal cancer. <i>Colorectal Disease</i> , 2018, 20, O173-O180. | 0.7 | 3 |
| 13 | A Population-based Study on Lymph Node Retrieval in Patients with Esophageal Cancer: Results from the Dutch Upper Gastrointestinal Cancer Audit. <i>Annals of Surgical Oncology</i> , 2018, 25, 1211-1220. | 0.7 | 39 |
| 14 | The Number of Natural Killer Cells in the Largest Diameter Lymph Nodes Is Associated with the Number of Retrieved Lymph Nodes and Lymph Node Size, and Is an Independent Prognostic Factor in Patients with Stage II Colon Cancer. <i>Oncology</i> , 2018, 95, 288-296. | 0.9 | 15 |
| 15 | Biology-Based Surgery: The Extent of Lymphadenectomy in Cancer of the Colon. <i>European Surgical Research</i> , 2018, 59, 371-379. | 0.6 | 7 |
| 16 | Survival Contradiction Between Stage IIA and Stage IIIA Rectal Cancer: A Retrospective Study. <i>Journal of Cancer</i> , 2018, 9, 1466-1475. | 1.2 | 15 |
| 17 | The prognostic significance of lymph node size in node-positive colon cancer. <i>PLoS ONE</i> , 2018, 13, e0201072. | 1.1 | 20 |
| 18 | Examining the relationship between lymph node harvest and survival in patients undergoing colectomy for colon adenocarcinoma. <i>Surgery</i> , 2019, 166, 639-647. | 1.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | The Current Status of Nodal Staging in Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2019, 15, 143-148. | 1.0 | 10 |
| 20 | The relation between oncologic outcomes and metastatic lymph node location following laparoscopic resection of stage III colon cancer. <i>International Journal of Colorectal Disease</i> , 2019, 34, 667-673. | 1.0 | 2 |
| 21 | Deficient mismatch repair as a prognostic marker in stage II colon cancer patients. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1854-1861. | 0.5 | 12 |
| 22 | Immunologic Biomarkers and Biomarkers for Immunotherapies in Gastrointestinal Cancer. <i>Visceral Medicine</i> , 2019, 35, 3-10. | 0.5 | 11 |
| 24 | Comment on "A Roadmap for Aspiring Surgeon-Scientists in Today's Healthcare Environment". <i>Annals of Surgery</i> , 2019, 270, e114-e115. | 2.1 | 1 |
| 25 | Comment on "Prognostic Value of Lymph Node Yield on Overall Survival in Esophageal Cancer Patients: A Systematic Review and Meta-analysis". <i>Annals of Surgery</i> , 2019, 270, e114. | 2.1 | 0 |
| 26 | How Many Nodes Need to be Removed to Make Esophagectomy an Adequate Cancer Operation, and Does the Number Change When a Patient has Chemoradiotherapy Before Surgery?. <i>Annals of Surgical Oncology</i> , 2020, 27, 1227-1232. | 0.7 | 20 |
| 27 | Pathways of spread in rectal cancer: a reappraisal of the true routes to distant metastatic disease. <i>European Journal of Cancer</i> , 2020, 128, 1-6. | 1.3 | 22 |
| 28 | Nomogram predicting cancer-specific mortality in early-onset rectal cancer: a competing risk analysis. <i>International Journal of Colorectal Disease</i> , 2020, 35, 795-804. | 1.0 | 17 |
| 29 | Tumor proportion in colon cancer: results from a semiautomatic image analysis approach. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 185-193. | 1.4 | 9 |
| 30 | Metastasis to lymph nodes around the vascular tie worsens long-term oncological outcomes following complete mesocolic excision and conventional colectomy for right-sided colon cancer. <i>Techniques in Coloproctology</i> , 2021, 25, 309-317. | 0.8 | 3 |
| 31 | Prognostic impact of tumour sidedness in patients with stage II colon cancer: a single-centre retrospective study. <i>ANZ Journal of Surgery</i> , 2021, 91, E196-E202. | 0.3 | 0 |
| 32 | Effects of a high body mass index on the short-term outcomes and prognosis after radical gastrectomy. <i>Surgery Today</i> , 2021, 51, 1169-1178. | 0.7 | 3 |
| 33 | Importance of lymph node immune responses in MSI-H/dMMR colorectal cancer. <i>JCI Insight</i> , 2021, 6, . | 2.3 | 17 |
| 34 | Stage II colon cancer staging using the number of retrieved lymph nodes may be superior to current TNM staging for prognosis stratification: the Japanese study group for postoperative follow-up of colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2021, 36, 2205-2214. | 1.0 | 0 |
| 35 | Magnetic resonance imaging-radiomics evaluation of response to chemotherapy for synchronous liver metastasis of colorectal cancer. <i>World Journal of Gastroenterology</i> , 2021, 27, 6465-6475. | 1.4 | 8 |
| 36 | Anatomical and temporal patterns of lymph node metastasis in colorectal cancer. , 2022, , 131-151. | | 0 |
| 37 | The importance of MRI for rectal cancer evaluation. <i>Surgical Oncology</i> , 2022, 43, 101739. | 0.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 38 | In-House Validated Map of Lymph Node Stations in a Prospective Cohort of Colorectal Cancer: A Tool for a Better Preoperative Staging. <i>Journal of Oncology</i> , 2022, 2022, 1-10. | 0.6 | 1 |
| 39 | Analysis of the risk factor of insufficient examined lymph nodes in stage II colon cancer from the perspective of stage migration: A retrospective study combined with external validation. <i>International Journal of Surgery</i> , 2022, 101, 106628. | 1.1 | 5 |
| 40 | Lymph Nodes as Anti-Tumor Immunotherapeutic Tools: Intranodal-Tumor-Specific Antigen-Pulsed Dendritic Cell Vaccine Immunotherapy. <i>Cancers</i> , 2022, 14, 2438. | 1.7 | 6 |
| 41 | The Role of Surgery in Managing Primary and Metastatic Colorectal Cancer. , 2022, , 407-419. | | 1 |
| 42 | Circulating Lymphocytes Reflect the Local Immune Response in Patients with Colorectal Carcinoma. <i>Diagnostics</i> , 2022, 12, 1408. | 1.3 | 1 |
| 43 | Retrospective Cohort Analysis of the Effect of Age on Lymph Node Harvest, Positivity, and Ratio in Colorectal Cancer. <i>Cancers</i> , 2022, 14, 3817. | 1.7 | 5 |
| 44 | Survival Contradiction in Stage II, IIIA, And IIIB Colon Cancer: A Surveillance, Epidemiology, and End Result-Based Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-8. | 0.5 | 0 |
| 46 | Radiological lymph node size improves the prognostic value of systemic inflammation index in rectal cancer with pathologically negative nodes. <i>Cancer Medicine</i> , 0, , . | 1.3 | 1 |
| 47 | The effect of preoperative endoscopic tattooing using India ink on lymph node yield in laparoscopic colectomy for stage I right-sided colon cancer. <i>International Journal of Colorectal Disease</i> , 2023, 38, . | 1.0 | 1 |