CITATION REPORT List of articles citing

High-risk symptoms and quantitative faecal immunochemical test accuracy: Systematic review and meta

DOI: 10.3748/wjg.v25.i19.2383 World Journal of Gastroenterology, 2019, 25, 2383-2401.

Source: https://exaly.com/paper-pdf/89172998/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
31	Diagnosing colorectal cancer in primary care: cohort study in Sweden of qualitative faecal immunochemical tests, haemoglobin levels, and platelet counts. <i>British Journal of General Practice</i> , 2020 , 70, e843-e851	1.6	7
30	Predictive Value of Carcinoembryonic Antigen in Symptomatic Patients without Colorectal Cancer: A Post-Hoc Analysis within the COLONPREDICT Cohort. <i>Diagnostics</i> , 2020 , 10,	3.8	1
29	Not so FAST. Commentary on the article "Appraisal of the faecal haemoglobin, age and sex test (FAST) score in assessment of patients with lower bowel symptoms: an observational study". <i>BMC Gastroenterology</i> , 2020 , 20, 231	3	O
28	Colorectal Cancer Survival in 50- to 69-Year-Olds after Introducing the Faecal Immunochemical Test. <i>Cancers</i> , 2020 , 12,	6.6	3
27	Impact of the faecal immunochemical test on colorectal cancer survival. <i>BMC Cancer</i> , 2020 , 20, 616	4.8	5
26	Bringing fecal immunochemical test into play in symptomatic population: Exploring the feasibility of fecal immunochemical test-symptom combined approach. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 911-912	4	
25	Optimal diagnostic accuracy of quantitative faecal immunochemical test positivity thresholds for colorectal cancer detection in primary health care: A community-based cohort study. <i>United European Gastroenterology Journal</i> , 2021 , 9, 256-267	5.3	8
24	Service evaluation of faecal immunochemical testing introduced for use in North East London for patients at low risk of colorectal cancer. <i>Journal of Clinical Pathology</i> , 2021 , 74, 163-166	3.9	9
23	Faecal immunochemical test is superior to symptoms in predicting pathology in patients with suspected colorectal cancer symptoms referred on a 2WW pathway: a diagnostic accuracy study. <i>Gut</i> , 2021 , 70, 1130-1138	19.2	47
22	Performance evaluation of stool DNA methylation tests in colorectal cancer screening: a systematic review and meta-analysis. <i>Colorectal Disease</i> , 2021 , 23, 1030-1042	2.1	4
21	Colorectal cancer screening and diagnosis: omics-based technologies for development of a non-invasive blood-based method. <i>Expert Review of Anticancer Therapy</i> , 2021 , 21, 723-738	3.5	1
20	Using the faecal immunochemical test in patients with rectal bleeding: evidence from the NICE FIT study. <i>Colorectal Disease</i> , 2021 , 23, 1630-1638	2.1	4
19	Faecal immunochemical testing in symptomatic patients to prioritize investigation: diagnostic accuracy from NICE FIT Study. <i>British Journal of Surgery</i> , 2021 , 108, 804-810	5.3	5
18	A Review of Colorectal Cancer in Terms of Epidemiology, Risk Factors, Development, Symptoms and Diagnosis. <i>Cancers</i> , 2021 , 13,	6.6	52
17	Faecal immunochemical tests safely enhance rational use of resources during the assessment of suspected symptomatic colorectal cancer in primary care: systematic review and meta-analysis. <i>Gut</i> , 2021 ,	19.2	3
16	The Value of Quantitative Faecal Immunochemical Testing as a Prioritisation Tool for the Endoscopic Investigation of Patients With Iron Deficiency. <i>Frontiers in Medicine</i> , 2021 , 8, 700753	4.9	1
15	Diagnostic accuracy of point of care faecal immunochemical testing using a portable high-speed quantitative analyser for diagnosis in 2-week wait patients. <i>Colorectal Disease</i> , 2021 , 23, 2376-2386	2.1	2

CITATION REPORT

14	Prediction of the severity of colorectal lesion by fecal hemoglobin concentration observed during previous test in the French screening program. <i>World Journal of Gastroenterology</i> , 2021 , 27, 5272-5287	5.6	1
13	Risk of gastrointestinal cancer in a symptomatic cohort after a complete colonoscopy: Role of faecal immunochemical test. <i>World Journal of Gastroenterology</i> , 2020 , 26, 70-85	5.6	6
12	Faecal immunochemical test for suspected colorectal cancer symptoms: patient survey of usability and acceptability. <i>BJGP Open</i> , 2021 ,	3.1	1
11	Impact of a colorectal cancer screening program implantation on delays and prognosis of non-screening detected colorectal cancer. <i>World Journal of Gastroenterology</i> , 2021 , 27, 6689-6700	5.6	O
10	Faecal immunochemical test outside colorectal cancer screening?. World Journal of Gastroenterology, 2021 , 27, 6415-6429	5.6	3
9	Faecal immunochemical test to triage patients with possible colorectal cancer symptoms: meta-analysis <i>British Journal of Surgery</i> , 2021 ,	5.3	1
8	Alternative diagnoses and demographics associated with a raised quantitative faecal immunochemical test in symptomatic patients <i>Annals of Clinical Biochemistry</i> , 2022 , 45632221076771	2.2	O
7	Replicate and Repeat FIT in Symptomatic Patients: A Systematic Review <i>Annals of Clinical Biochemistry</i> , 2022 , 45632221096036	2.2	1
6	Combining the quantitative faecal immunochemical test and full blood count reliably rules out colorectal cancer in a symptomatic patient referral pathway <i>International Journal of Colorectal Disease</i> , 2021 , 37, 457	3	1
5	Faecal immunochemical test for patients with <code>Wigh-risk</code> owel symptoms: a large prospective cohort study and updated literature review <i>British Journal of Cancer</i> , 2021 ,	8.7	3
4	A cohort study of duplicate faecal immunochemical testing in patients at risk of colorectal cancer from North-West England <i>BMJ Open</i> , 2022 , 12, e059940	3	2
3	Prevalence of repeat faecal immunochemical testing in symptomatic patients attending primary care. <i>Colorectal Disease</i> ,	2.1	1
2	Faecal immunochemical testing (FIT) in patients with signs or symptoms of suspected colorectal cancer (CRC): a joint guideline from the Association of Coloproctology of Great Britain and Ireland (ACPGBI) and the British Society of Gastroenterology (BSG). <i>Gut</i> , gutjnl-2022-327985	19.2	4
1	Role of the faecal immunochemical test in patients with risk-stratified suspected colorectal cancer symptoms: A systematic review and meta-analysis to inform the ACPGBI/BSG guidelines. 2022 , 23, 1005	518	2