

CITATION REPORT

List of articles citing

Adding Clonidine or Dexmedetomidine to Lidocaine During Bier's Block: A Comparative Study

DOI: 10.3923/jms.2008.660.664

Journal of Medical Sciences (Faisalabad, Pakistan),
2008, 8, 660-664.

Source: <https://exaly.com/paper-pdf/89351230/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
23	Dexmedetomidine added to levobupivacaine prolongs axillary brachial plexus block. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1548-51	3.9	220
22	Comparison of dexmedetomidine and clonidine (α_2 agonist drugs) as an adjuvant to local anaesthesia in supraclavicular brachial plexus block: A randomised double-blind prospective study. <i>Indian Journal of Anaesthesia</i> , 2012 , 56, 243-9	1.5	121
21	Effects of adding dexmedetomidine to levobupivacaine in axillary brachial plexus block. <i>Current Therapeutic Research</i> , 2012 , 73, 103-11	2.4	60
20	Facilitatory effects of perineural dexmedetomidine on neuraxial and peripheral nerve block: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2013 , 110, 915-25	5.4	186
19	Dermatological allergic reaction caused by dexmedetomidine in a patient administered intravenous regional anesthesia with dexmedetomidine-lignocaine combination Available online 29 March 2014 View all notes. <i>Egyptian Journal of Anaesthesia</i> , 2014 , 30, 319-321	0.6	0
18	The Analgesic Efficacy of Dexmedetomidine as an Adjunct to Local Anesthetics in Supraclavicular Brachial Plexus Block: A Randomized Controlled Trial. <i>Anesthesia and Analgesia</i> , 2015 , 121, 1655-60	3.9	48
17	Dexmedetomidine decreases the required amount of bupivacaine for ultrasound-guided transversus abdominis plane block in pediatric patients: a randomized study. <i>Journal of Clinical Anesthesia</i> , 2017 , 37, 55-60	1.9	12
16	DEXMEDETOMIDINE PROLONGS THE EFFECT OF 0.5% ISOBARIC LEVOBUPIVACAIN IN AXILLARY BRACHIAL PLEXUS BLOCK. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2015 , 04, 1015-1022	0.1	3
15	DEXMEDETOMIDINE AND CLONIDINE AS ADJUVANTS TO LEVOBUPIVACAIN IN SUPRACLAVICULAR BRACHIAL PLEXUS BLOCK: A COMPARATIVE RANDOMISED PROSPECTIVE CONTROLLED STUDY. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2015 , 04, 3207-3221	0.1	4
14	ULTRASOUND-GUIDED SUPRACLAVICULAR BRACHIAL PLEXUS BLOCK WITH OR WITHOUT DEXMEDETOMIDINE AS AN ADJUVANT TO 0.5% LEVOBUPIVACAIN- A COMPARATIVE STUDY. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2017 , 6, 3376-3379	0.1	1
13	Comparison of clonidine and dexmedetomidine as adjuncts to intravenous regional anaesthesia. <i>Indian Journal of Anaesthesia</i> , 2015 , 59, 733-8	1.5	10
12	Ultrasound-guided femoro-sciatic nerve block for post-operative analgesia after below knee orthopaedic surgeries under subarachnoid block: Comparison between clonidine and dexmedetomidine as adjuvants to levobupivacaine. <i>Indian Journal of Anaesthesia</i> , 2016 , 60, 484-90	1.5	2
11	A comparative study of clonidine and dexmedetomidine as an adjunct to bupivacaine in supraclavicular brachial plexus block. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2016 , 32, 344-8	1.3	12
10	Post-operative analgesic effect of dexmedetomidine administration in wound infiltration for abdominal hysterectomy: A randomised control study. <i>Indian Journal of Anaesthesia</i> , 2017 , 61, 494-498	1.5	13
9	Effects of Midazolam or Midazolam-Fentanyl on Sedation and Analgesia Produced by Intramuscular Dexmedetomidine in Dogs. <i>Asian Journal of Animal Sciences</i> , 2011 , 5, 302-316	0.2	3
8	Effect of Increased Dose of Dexmedetomidine Vis-À-Vis Addition of Fentanyl on Clinical and Cardio-respiratory Actions of Dexmedetomidine-midazolam-ketamine Anaesthesia in Dogs. <i>Asian Journal of Animal Sciences</i> , 2012 , 6, 51-64	0.2	
7	COMPARATIVE EVALUATION OF ADDING CLONIDINE V/S DEXMEDETOMIDINE TO LIGNOCAINE DURING BIER'S BLOCK IN UPPER LIMB ORTHOPEDIC SURGERIES. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2014 , 3, 15511-15520	0.1	2

6	A COMPARATIVE STUDY BETWEEN DEXMEDETOMIDINE AND CLONIDINE AS AN ADJUVANT TO ROPIVACAINE IN SUPRACLAVICULAR BRACHIAL PLEXUS BLOCK: A PROSPECTIVE STUDY. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2016 , 5, 433-437	0.1	0
5	EFFECT OF DEXMEDETOMIDINE AS AN ADJUVANT WITH LEVOBUPIVACAINE IN AXILLARY BRACHIAL PLEXUS BLOCK. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2018 , 7, 1974-1977	0.1	1
4	A Comparative Study of Effect of 0.25% Levobupivacaine with Dexmedetomidine versus 0.25% Levobupivacaine in Ultrasound-Guided Supraclavicular Brachial Plexus Block.. <i>Anesthesia: Essays and Researches</i> , 2021 , 15, 443-447	0.9	
3	COMPARISON OF EFFICACY OF DEXMEDETOMIDINE VS CLONIDINE AS AN ADJUVANT TO BUPIVACAINE IN ULTRASOUND GUIDED SUPRACLAVICULAR BRACHIAL PLEXUS BLOCK. 2022 , 57-58		
2	A sequential allocation study to determine the ED50 of Dexmedetomidine as an adjuvant to lidocaine intravenous regional anesthesia. <i>BMC Anesthesiology</i> , 2022 , 22,	2.4	0
1	Preemptive analgesia with wound infiltration using bupivacaine with dexmedetomidine and bupivacaine alone for postoperative analgesia in abdominal hysterectomy: A prospective randomized analytical study. 2022 , 36, 147		0