

Mammals of New Mexico

North American Fauna

53, 1-412

DOI: [10.3996/nafa.53.0001](https://doi.org/10.3996/nafa.53.0001)

Citation Report

#	ARTICLE	IF	CITATIONS
1	TWO PARAPATRIC SPECIES OF POCKET GOPHERS. Evolution; International Journal of Organic Evolution, 1967, 21, 148-158.	2.3	29
2	Relationships of latitude, altitude, and body size to litter size and mean annual production of offspring in <i>Peromyscus</i> . Researches on Population Ecology, 1968, 10, 115-126.	0.9	44
3	Summer Food Habits of <i>Microtus Ochrogaster</i> and <i>Sigmodon Hispidus</i> . Journal of Mammalogy, 1969, 50, 475-486.	1.3	60
4	Reproductive Characteristics of the Mexican Woodrat at the Northern Limit of Its Range in Colorado. Journal of Mammalogy, 1969, 50, 536-541.	1.3	2
5	Geographic Variation in the Least Chipmunk, <i>Eutamias Minimus</i> , in New Mexico and Eastern Arizona. Journal of Mammalogy, 1970, 51, 695-702.	1.3	7
6	PATTERNS OF GEOGRAPHIC VARIATION IN KARYOTYPE IN THE POCKET GOPHER, <i>THOMOMYS BOTTAE</i> (EYDOUX AND GERVAIS). Evolution; International Journal of Organic Evolution, 1972, 26, 574-586.	2.3	34
7	Analysis of Habitats of Two Woodrats in Southern New Mexico. Journal of Mammalogy, 1973, 54, 529-535.	1.3	6
8	An Experimental Study of Some Factors Affecting the Spatial and Temporal Activity of <i>Microtus pennsylvanicus</i> . Journal of Mammalogy, 1973, 54, 79-110.	1.3	14
9	Late Anasazi Farming and Hunting Strategies: One Example of a Problem in Congruence. American Antiquity, 1977, 42, 449-461.	1.1	15
10	Species diversity patterns in some present and prehistoric rodent communities. Oecologia, 1979, 44, 355-367.	2.0	16
11	MORPHOLOGICAL SHIFTS OF SOME ISOLATED POPULATIONS OF <i>EUTAMIAS</i> (RODENTIA: SCIURIDAE) IN DIFFERENT CONGENERIC ASSEMBLAGES. Evolution; International Journal of Organic Evolution, 1981, 35, 53-66.	2.3	14
12	The central role of Clark's nutcracker in the dispersal and establishment of whitebark pine. Oecologia, 1982, 55, 192-201.	2.0	179
13	A functional-morphometric analysis of forelimbs in bipedal and quadrupedal heteromyid rodents. Biological Journal of the Linnean Society, 1993, 50, 339-360.	1.6	32
14	Distribution and conservation status of prairie dogs <i>Cynomys mexicanus</i> and <i>Cynomys ludovicianus</i> in Mexico. Biological Conservation, 1993, 63, 105-112.	4.1	40
15	Bison and elk in the American Southwest: In search of the pristine. Environmental Management, 1996, 20, 195-206.	2.7	25
16	Microfungi associated with the banner-tailed kangaroo rat, <i>Dipodomys spectabilis</i> . Mycologia, 1999, 91, 735-741.	1.9	6
17	<i>Mephitis macroura</i> . Mammalian Species, 2001, 686, 1-3.	0.7	9
18	Small mammals: consequences of stochastic data variation for modeling indicators of habitat suitability for a well-studied resource. Ecological Indicators, 2002, 1, 313-321.	6.3	13

#	ARTICLE	IF	CITATIONS
19	RECENT STATUS AND DISTRIBUTION OF RED FOXES (<i>VULPES VULPES</i>) IN NORTHEASTERN ARIZONA AND SOUTHEASTERN UTAH. <i>Southwestern Naturalist</i> , 2003, 48, 624-634.	0.1	2
20	<i>Zapus princeps</i> . <i>Mammalian Species</i> , 2004, 749, 1-7.	0.7	10
21	<i>Chaetodipus eremicus</i> . <i>Mammalian Species</i> , 2005, 768, 1-3.	0.7	1
22	<i>Chaetodipus penicillatus</i> . <i>Mammalian Species</i> , 2005, 767, 1-7.	0.7	4
23	RANGE EXPANSION OF RED FOXES IN NORTHWESTERN TEXAS AND NORTHEASTERN NEW MEXICO. <i>Southwestern Naturalist</i> , 2005, 50, 100-101.	0.1	3
24	VARIATION IN DIET OF THE MEXICAN FREE-TAILED BAT (<i>TADARIDA BRASILIENSIS MEXICANA</i>). <i>Journal of Mammalogy</i> , 2005, 86, 599-605.	1.3	16
25	SNOWSHOE HARE (<i>LEPUS AMERICANUS</i>) AND MOUNTAIN COTTONTAIL (<i>SYLVILAGUS NUTTALLII</i>) BIOGEOGRAPHY AT THEIR SOUTHERN RANGE LIMIT. <i>Journal of Mammalogy</i> , 2006, 87, 1175-1182.	1.3	11
26	Inferring species distributions in the absence of occurrence records: An example considering wolverine (<i>Gulo gulo</i>) and Canada lynx (<i>Lynx canadensis</i>) in New Mexico. <i>Biological Conservation</i> , 2006, 130, 16-24.	4.1	19
27	Diets of Free-Ranging Mexican Gray Wolves in Arizona and New Mexico. <i>Wildlife Society Bulletin</i> , 2006, 34, 1127-1133.	1.6	22
28	Summer Habitat Use by Snowshoe Hare and Mountain Cottontail at Their Southern Zone of Sympatry. <i>Journal of Wildlife Management</i> , 2006, 70, 877-883.	1.8	13
29	CHARACTERIZATION OF THE DORSAL SKIN GLAND OF THE TEXAS KANGAROO RAT, <i>DIPODOMYS ELATOR</i> (RODENTIA: HETEROMYIDAE). <i>Western North American Naturalist</i> , 2006, 66, 462-472.	0.4	0
30	THERE IS NO VALID RECORD OF CLIFF CHIPMUNK (<i>TAMIAS DORSALIS</i>) IN THE SANDIA MOUNTAINS, NEW MEXICO. <i>Western North American Naturalist</i> , 2007, 67, 611-612.	0.4	0
31	Response of plant and rodent communities to removal of prairie dogs (<i>Cynomys gunnisoni</i>) in Arizona. <i>Journal of Arid Environments</i> , 2007, 68, 422-437.	2.4	2
32	Reintroduction and Genetic Structure: Rocky Mountain Elk in Yellowstone and the Western States. <i>Journal of Mammalogy</i> , 2007, 88, 129-138.	1.3	46
33	Distribution and Broad-scale Habitat Relations of the Wolverine in the Contiguous United States. <i>Journal of Wildlife Management</i> , 2007, 71, 2147.	1.8	88
34	Mammals in Mechanically Thinned and Non-Thinned Mixed-Coniferous Forest in the Sacramento Mountains, New Mexico. <i>Southwestern Naturalist</i> , 2008, 53, 431-443.	0.1	6
35	New Distributional Records of the Red Squirrel (<i>Tamiasciurus hudsonicus</i>) in Western New Mexico and Evidence for Its Extirpation from the Zuni Mountains. <i>Western North American Naturalist</i> , 2008, 68, 530-535.	0.4	0
36	Distribution and Habitat of the Arizona Gray Squirrel (<i>Sciurus arizonensis</i>) in New Mexico. <i>Southwestern Naturalist</i> , 2008, 53, 248-255.	0.1	6

#	ARTICLE	IF	CITATIONS
37	<i>Conepatus leuconotus</i> (Carnivora: Mephitidae). <i>Mammalian Species</i> , 2009, 827, 1-8.	0.7	22
38	<i>Peromyscus boylii</i> (Rodentia: Cricetidae). <i>Mammalian Species</i> , 2009, 838, 1-14.	0.7	15
39	Genetics of Allopatric Populations of the Montane Vole (<i>Microtus montanus</i>) and Mogollon Vole (<i>Microtus mogollonensis</i>) in the American Southwest. <i>Western North American Naturalist</i> , 2009, 69, 215-222.	0.4	3
40	Records of the Yellow-Nosed Cotton Rat (<i>Sigmodon ochrognathus</i>) in Southwestern New Mexico. <i>Western North American Naturalist</i> , 2009, 69, 548-550.	0.4	1
41	Capture Locations of Two Endangered Rodents During a 1902 Exploration of the Sacramento Mountains, New Mexico. <i>Western North American Naturalist</i> , 2009, 69, 267-271.	0.4	1
42	Trophic Ecology of the Free-tailed Bats <i>Nyctinomops femorosaccus</i> and <i>Tadarida brasiliensis</i> (Chiroptera: Molossidae) in Big Bend National Park, Texas. <i>Southwestern Naturalist</i> , 2010, 55, 340-346.	0.1	7
43	Revision of the subspecies of the American pika, <i>Ochotona princeps</i> (Lagomorpha: Ochotonidae). <i>Journal of Mammalogy</i> , 2010, 91, 401-417.	1.3	34
44	The Banner-Tailed Kangaroo Rat, <i>Dipodomys spectabilis</i> (Rodentia: Heteromyidae), in Utah. <i>Western North American Naturalist</i> , 2011, 70, 562-566.	0.4	1
45	The history of arid-land fox discoveries in North America. <i>Archives of Natural History</i> , 2011, 38, 300-312.	0.3	1
46	Status of Red Squirrels in Guadalupe Mountains National Park, Texas. <i>Southwestern Naturalist</i> , 2011, 56, 24-28.	0.1	0
47	Sex-specific effects of size and condition on timing of natal dispersal in kangaroo rats. <i>Behavioral Ecology</i> , 2011, 22, 776-783.	2.2	14
48	Large Flea Larvae of <i>Hystrichopsylla dippiei</i> ¹ Reveal Breeding in Red Squirrel ² Nest with Adult <i>H. occidentalis sylvaticus</i> ¹ Confirming Sympatry in New Mexico. <i>Southwestern Entomologist</i> , 2012, 37, 151-157.	0.2	0
49	Importance of Burrow-Entrance Mounds of Gunnison's Prairie Dogs (<i>Cynomys gunnisoni</i>) for Vigilance and Mixing of Soil. <i>Southwestern Naturalist</i> , 2012, 57, 100-104.	0.1	5
50	Geographic and Elevational Distribution of Fringed Myotis (<i>Myotis thysanodes</i>) in Colorado. <i>Western North American Naturalist</i> , 2014, 74, 446-455.	0.4	4
51	Evidence for two subspecies of Gunnison's prairie dogs (<i>Cynomys gunnisoni</i>), and the general importance of the subspecies concept. <i>Biological Conservation</i> , 2014, 174, 1-11.	4.1	36
52	The history of "laundry lists" in North American zooarchaeology. <i>Journal of Anthropological Archaeology</i> , 2015, 39, 42-50.	1.6	28
53	Livestock grazing limits beaver restoration in northern New Mexico. <i>Restoration Ecology</i> , 2016, 24, 646-655.	2.9	31
54	High gene flow in the American badger overrides habitat preferences and limits broadscale genetic structure. <i>Molecular Ecology</i> , 2016, 25, 6055-6076.	3.9	22

#	ARTICLE	IF	CITATIONS
55	Distribution of a Boreal Rodent Linked to a Lobe of the Wisconsinan Glaciation. <i>American Midland Naturalist</i> , 2017, 177, 29-43.	0.4	0
56	Sacral Variability in Tailless Species: <i>Homo sapiens</i> and <i>Ochotona princeps</i> . <i>Anatomical Record</i> , 2017, 300, 798-809.	1.4	6
57	Clarifying historical range to aid recovery of the Mexican wolf. <i>Journal of Wildlife Management</i> , 2017, 81, 766-777.	1.8	14
58	The Effects of Physical Landscape Variables on Burrow-Site Selection in the Kuwaiti Desert by Lesser Egyptian Jerboa (<i>Jaculus jaculus</i>). <i>Papers in Applied Geography</i> , 2017, 3, 44-51.	1.4	0
59	Effect of spatial resolution, algorithm and variable set on the estimated distribution of a mammal of concern: the squirrel <i>Sciurus aberti</i> . <i>Ecoscience</i> , 2020, 27, 195-207.	1.4	3
60	Population ecology and survivorship of San Joaquin antelope squirrels in grazed and control plots in the San Joaquin Desert of California. <i>California Fish and Wildlife Journal</i> , 2021, , 329-344.	0.6	2
62	Ecology of New World Marsupials. , 1977, , 95-156.		34
63	Genetic Characteristics of Red Foxes In Northeastern Oregon. <i>Northwestern Naturalist</i> , 2017, 98, 73-81.	0.4	2
64	Anthropogenic water sources and the effects on Sonoran Desert small mammal communities. <i>PeerJ</i> , 2017, 5, e4003.	2.0	7
65	Landscape Scale and Microhabitat of the Endangered New Mexico Meadow Jumping Mouse in the White Mountains, Arizona. <i>Journal of Fish and Wildlife Management</i> , 2017, 8, 39-58.	0.9	2
66	Discovery of the Yellow-Bellied Marmot (<i>Marmota flaviventris</i>) in the Jemez Mountains, New Mexico: Examining Competing Hypotheses for Range Extension. <i>Western North American Naturalist</i> , 2019, 79, 285.	0.4	0
67	A Review of the Ongoing Decline of the White-Tailed Jackrabbit. <i>Journal of Fish and Wildlife Management</i> , 2020, 11, 341-352.	0.9	5
68	The Distribution of the Land Mammals of Sonora, Mexico. <i>Journal of the Arizona-Nevada Academy of Science</i> , 2019, 48, 40.	0.1	0
69	LATE PLEISTOCENE BIGHORN SHEEP DUNG FROM EAGLE CAVE, LOWER PECOS RIVER, TEXAS. <i>Southwestern Naturalist</i> , 2021, 65, .	0.1	3
71	Mammalian Mycophagy: a Global Review of Ecosystem Interactions Between Mammals and Fungi. <i>Fungal Systematics and Evolution</i> , 2022, 9, 99-159.	2.2	14
72	An Annotated Checklist of the Terrestrial Mammals of Los Angeles County Part II: Eulipotyphla, Carnivora, Artiodactyla, and Chiroptera. <i>Bulletin (Southern California Academy of Sciences)</i> , 2022, 121, .	0.1	0
73	Wagering with an incomplete deckâ€”refining conservation plans for the New Mexico Meadow Jumping Mouse (<i>Zapus luteus luteus</i>). <i>Journal of Mammalogy</i> , 0, , .	1.3	0
74	Contemporary hybridization between female mule deer and male white-tailed deer in west Texas differs from the hypothesized sex mating patterns recovered from ancient hybridization events. <i>Canadian Journal of Zoology</i> , 2024, 102, 239-252.	1.0	0

#	ARTICLE	IF	CITATIONS
75	MERRIAM'S PINYON MOUSE, PEROMYSCUS GRATUS, IN THE UNITED STATES: DISTRIBUTION AND RECOGNITION. <i>Southwestern Naturalist</i> , 2024, 67, .	0.1	0