Vitamin D deficiency and lower urinary tract symptoms in males above 50 years of age

DOI: 10.4103/0974-7796.204192
Urology Annals, 2017, 9, 170-173.

#	Paper	IF	Citations
17	A randomized, multicenter, controlled study, comparing efficacy and safety of a new complementary and alternative medicine (CAM) versus Solifenacin Succinate in women with overactive bladder syndrome. *Archivio Italiano Di Urologia Andrologia*, **2017**, 89, 296-300	1.6	5
16	Impact of serum 25-OH vitamin D level on lower urinary tract symptoms in men: a step towards reducing overactive bladder. *BJU International*, **2018**, 122, 667-672	5.6	6
15	Vitamin D Deficiency and Lower Urinary Tract Symptoms in Women. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 228, 48-52	2.4	6
14	Overactive bladder and associated psychological symptoms: A possible link to vitamin D and calcium. *Neurourology and Urodynamics*, **2019**, 38, 1160-1167	2.3	13
13	Tamsulosin plus a new complementary and alternative medicine in patients with lower urinary tract symptoms suggestive of benign prostatic hyperplasia: Results from a retrospective comparative study. *Archivio Italiano Di Urologia Andrologia*, **2020**, 92,	1.6	2
12	Effects of an oral supplement based on cucurbita maxima and capsicum annum on symptoms of overactive bladder in female population: an observational study. *Advances in Integrative Medicine*, **2020**, 7, 158-162	1.6	1
11	Beneficial relevance of vitamin D concentration and urine flow rate. *Clinical Nutrition*, **2021**, 40, 2121-2127	5.9	
10	Vitamin D sufficiency enhances differentiation of patient-derived prostate epithelial organoids. *IScience*, **2021**, 24, 101974	6.1	5
9	Low Serum 25-Hydroxyvitamin D Level as a Potential Risk Factor of Erectile Dysfunction in Elderly Men with Moderate to Severe Lower Urinary Tract Symptoms. *World Journal of Men?s Health*, **2021**,	6.8	2
8	An investigation on the relevance of prolactin, insulin-like growth factor-1 and 25-hydroxyvitamin D (25-OHD) in canine benign prostatic hyperplasia in a predisposed breed model. *Veterinary Medicine and Science*, **2021**, 7, 1493-1503	2.1	1
7	Nutritional supplementation of the pharmacotherapy of prostate diseases. *Research Results in Pharmacology*, **2021**, 7, 1-14	0.5	
6	Reviewing the Evidence on Vitamin D Supplementation in the Management of Testosterone Status and Its Effects on Male Reproductive System (Testis and Prostate): Mechanistically Dazzling but Clinically Disappointing. *Clinical Therapeutics*, **2020**, 42, e101-e114	3.5	2
5	Vitamin D Sufficiency Enhances Differentiation of Patient-Derived Prostate Epithelial Organoids.		
4	The Relationship between Vitamin D Level and Lower Urinary Tract Symptoms in Women. *Sisli Etfal Hastanesi Tip Bulteni*, **2020**, 54, 405-410	0.8	
3	Çocuklarda D vitamini eksikliğinin üriner inkontinans üzerine etkileri. *Bozok Tıp Dergisi*,	0	
2	Outcomes of a complementary and alternative medicine based on vitamins, herbal products, and amino acid as a first line treatment in idiopathic overactive bladder syndrome in men and women without bladder outlet obstruction.. *Urologia*, **2022**, 3915603221077599	1.2	0
1	The effect of vitamin D deficiency in children with overactive bladder related urinary incontinence.. *International Braz J Urol: Official Journal of the Brazilian Society of Urology*, **2022**, 48, 316-325	2	0