

STRUCTURES OF DUNES AT WHITE SANDS NATIONAL

Sedimentology

7, 3-69

DOI: [10.1111/j.1365-3091.1966.tb01579.x](https://doi.org/10.1111/j.1365-3091.1966.tb01579.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A desert glossary. <i>Earth-Science Reviews</i> , 1967, 3, 211-268.	9.1	48
2	SPACE PHOTOGRAPHY: A NEW ANALYTICAL TOOL FOR THE SEDIMENTOLOGIST. <i>Sedimentology</i> , 1967, 9, 265-317.	3.1	9
3	DELTAIC SEDIMENTATION UNITS IN THE UPPER CARBONIFEROUS OF NORTHERN ENGLAND. <i>Sedimentology</i> , 1968, 10, 233-254.	3.1	34
4	A Classification of Paleocurrent Models. <i>Journal of Geology</i> , 1968, 76, 99-110.	1.4	57
5	Environmental studies using earth orbital photography. <i>Photogrammetria</i> , 1969, 24, 107-165.	0.2	4
6	Coastal dune structures from ParanÃ¡ (Brazil). <i>Marine Geology</i> , 1969, 7, 5-55.	2.1	74
8	Sedimentation in the meandering River Endrick. <i>Scottish Journal of Geology</i> , 1971, 7, 93-138.	0.1	206
9	The sediment on the floor of the southern Irish Sea. <i>Marine Geology</i> , 1971, 11, 27-69.	2.1	46
10	Petrology of the Weissliegendes sandstones in the Harz and Werra-Fulda areas, Germany. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1971, 60, 524-552.	1.3	16
11	Aeolian cross-stratification in the Devonian of the Dingle Peninsula, County Kerry, Ireland. <i>Geological Magazine</i> , 1971, 108, 151-158.	1.5	11
12	Location, Morphology and Orientation of Inland Dunes in Northern Sweden. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1972, 54, 85-104.	1.5	23
13	AEOLIAN BEDFORMS-THEIR DEVELOPMENT AND ORIGINS. <i>Sedimentology</i> , 1972, 19, 173-210.	3.1	309
14	AN INTERPRETATION AND ANALYSIS OF RECUMBENT-FOLDED DEFORMED CROSS-BEDDING. <i>Sedimentology</i> , 1972, 19, 257-283.	3.1	179
15	Ergs. <i>Sedimentary Geology</i> , 1973, 10, 77-106.	2.1	216
16	Features of cross-stratified units due to random and other changes in bed forms. <i>Sedimentology</i> , 1973, 20, 189-202.	3.1	68
18	Dinosaur- and mammal-bearing aeolian and associated deposits of the Upper Cretaceous in the Gobi Desert (Mongolia). <i>Sedimentary Geology</i> , 1974, 12, 249-278.	2.1	55
19	Reaction, relaxation and lag in natural sedimentary systems: General principles, examples and lessons. <i>Earth-Science Reviews</i> , 1974, 10, 263-342.	9.1	154
20	Eolian deposits of the ice-free Victoria Valley, Southern Victoria Land, Antarctica. <i>New Zealand Journal of Geology, and Geophysics</i> , 1974, 17, 543-562.	1.8	69

#	ARTICLE	IF	CITATIONS
21	Structures developed by dissipation of dune and beach ridge deposits. <i>Catena</i> , 1975, 2, 107-152.	5.0	28
23	Discussion: The Hawkesbury Sandstone: A critical review of proposed environmental models. <i>Journal of the Geological Society of Australia</i> , 1977, 24, 117-119.	0.6	7
24	Sedimentology of cross-stratified sandstones in Arikaree group, Miocene, southeastern Wyoming. <i>Sedimentary Geology</i> , 1977, 19, 165-184.	2.1	12
25	The origin of bounding surfaces in ancient aeolian sandstones. <i>Sedimentology</i> , 1977, 24, 303-332.	3.1	325
26	Basic types of stratification in small eolian dunes. <i>Sedimentology</i> , 1977, 24, 361-387.	3.1	675
27	Terrestrial analogs of the hellespontus dunes, Mars. <i>Icarus</i> , 1977, 30, 326-340.	2.5	39
28	Sand transport model of barchan dune equilibrium. <i>Sedimentology</i> , 1978, 25, 307-338.	3.1	151
29	Revision of the stratigraphy of Permian and supposed Permian rocks of Southern Scotland. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1978, 67, 110-149.	1.3	33
30	Erosion of fixed dunes in the Sahel, Central Niger. <i>Earth Surfaces Processes</i> , 1978, 3, 107-113.	0.7	59
31	Alternating aeolian, sabkha and shallow-lake deposits from the Middle Triassic Gipsdalen Formation, Scoresby Land, East Greenland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1978, 24, 111-135.	2.3	34
32	Distinctive sedimentary features of cold-climate eolian deposits, North Park, Colorado. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1978, 25, 327-351.	2.3	60
33	Anatomy of a Lower Permian aeolian sandstone complex, Southern Scotland. <i>Scottish Journal of Geology</i> , 1979, 15, 81-96.	0.1	23
34	Die tertiäre und quartäre Entwicklung im Bereich der Kufrah-Oasen (Zentrale Sahara) unter besonderer Berücksichtigung aktualistischer Vorgänge. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1979, 68, 584-621.	1.3	2
35	Triassic lacustrine red-beds and palaeoclimate: The "Buntsandstein" of Helgoland and the malmros Klint member of East Greenland. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1979, 68, 748-774.	1.3	46
36	Reflected irradiance indicatrices of natural surfaces and their effect on albedo. <i>Applied Optics</i> , 1979, 18, 994.	2.1	75
37	Morphology and distribution of common "sand" dunes on Mars: Comparison with the Earth. <i>Journal of Geophysical Research</i> , 1979, 84, 8183-8204.	3.3	141
38	Sedimentary structures in Quaternary ironsands at Waikato North Head, New Zealand. <i>New Zealand Journal of Geology, and Geophysics</i> , 1979, 22, 213-226.	1.8	3
41	Permian intermontane basin sedimentation in southern Scotland. <i>Sedimentary Geology</i> , 1980, 27, 167-194.	2.1	26

#	ARTICLE	IF	CITATIONS
42	Sedimentary facies in the Archean Timiskaming Group and their tectonic implications, abitibi greenstone belt, Northeastern Ontario, Canada. <i>Precambrian Research</i> , 1980, 12, 161-195.	2.7	96
43	ERG reconstruction: The entrada sandstone (Jurassic) of northern Utah and Colorado. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1981, 36, 125-153.	2.3	90
44	The Middle Proterozoic eastern Bangemall basin, Western Australia. <i>Precambrian Research</i> , 1981, 16, 11-29.	2.7	20
45	Central Australian sandridges. <i>Journal of Arid Environments</i> , 1981, 4, 91-101.	2.4	8
46	Significance of interdune deposits and bounding surfaces in aeolian dune sands. <i>Sedimentology</i> , 1981, 28, 753-780.	3.1	305
47	Genesis of the buntsandstein (lower triassic) in the Western Eifel (Germany). <i>Sedimentary Geology</i> , 1981, 29, 1-30.	2.1	15
48	Arid geomorphology. <i>Progress in Physical Geography</i> , 1981, 5, 420-428.	3.2	52
51	The plant ecology of inland dunes in western North America. <i>Journal of Arid Environments</i> , 1982, 5, 199-220.	2.4	60
52	Recent and Pleistocene beach/dune sequences, western Australia. <i>Sedimentary Geology</i> , 1982, 32, 301-328.	2.1	31
53	Aeolian sands in continental red beds of the Middle Buntsandstein (Lower Triassic) at the western margin of the German Basin. <i>Sedimentary Geology</i> , 1982, 31, 191-230.	2.1	40
54	Proterozoic aeolian quartz arenites from the Hornby Bay Group, Northwest Territories, Canada: Implications for Precambrian aeolian processes. <i>Precambrian Research</i> , 1983, 20, 149-160.	2.7	26
55	Reconstructing Bedform Assemblages from Compound Crossbedding. <i>Developments in Sedimentology</i> , 1983, , 407-427.	0.5	44
56	Proterozoic Aeolian Quartz Arenites from the Hornby Bay Group, Northwest Territories, Canada: Implications for Precambrian Aeolian Processes. <i>Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana</i> , 1983, 7, 41-52.	0.2	0
57	Eolian Dune, Interdune, Sand Sheet, and Siliciclastic Sabkha Sediments of an Offshore Prograding Sand Sea, Dhahran Area, Saudi Arabia. <i>AAPG Bulletin</i> , 1983, 67, .	1.5	32
58	Interdune areas of the back-island dune field, North Padre Island, Texas. <i>Sedimentary Geology</i> , 1984, 39, 1-26.	2.1	50
59	Wind sedimentation in the Jafurah sand sea, Saudi Arabia. <i>Sedimentology</i> , 1984, 31, 413-431.	3.1	120
60	The size characteristics of the drifting sand grains in al-Hasa oasis, Saudi Arabia. <i>Geo Journal</i> , 1985, 11, 131-135.	3.1	4
61	Age and Paleoclimatic Significance of Holocene Sand Dunes in Northeastern Colorado. <i>Annals of the American Association of Geographers</i> , 1985, 75, 566-582.	3.0	93

#	ARTICLE	IF	CITATIONS
62	Migration, modification and merging in aeolian systems and the significance of the depositional mechanisms in Permian and Triassic dune sands of Europe and North America. <i>Sedimentary Geology</i> , 1985, 43, 85-218.	2.1	44
63	Triassic aeolian sedimentation in the Auranga Gondwana Basin, Bihar, India. <i>Sedimentary Geology</i> , 1985, 43, 277-300.	2.1	3
64	Aeolian sedimentation in the middle buntsandstein in the eifel north-south depression zone. , 1985, , 90-126.		3
65	Chapter 4 Information on Sedimentary Structure. <i>Developments in Petroleum Science</i> , 1986, 15, 137-180.	0.2	1
66	Chapter 6 Information on Depositional Sedimentary Environments. <i>Developments in Petroleum Science</i> , 1986, , 215-339.	0.2	0
67	Depositional environments of the Triassic system in central Saudi Arabia. <i>Geological Journal</i> , 1986, 21, 403-420.	1.3	15
68	Tectonic and climatic controls on continental depositional facies in the Karoo Basin of northern Natal, South Africa. <i>Sedimentary Geology</i> , 1986, 46, 231-257.	2.1	32
69	The statistical analysis of the sand grain size distribution of Al- Ubay-lah barchan dunes, Northwestern Ar-Rub-Alkhali desert, Saudi Arabia. <i>Geo Journal</i> , 1986, 13, 103-109.	3.1	11
70	Continental sabkha pans and associated nebkhas in southern Kuwait, Arabian Gulf. <i>Geological Society Special Publication</i> , 1987, 35, 187-203.	1.3	28
71	Complex star dunes and associated aeolian bedforms, Hopeman Sandstone (Permo-Triassic), Moray Firth Basin, Scotland. <i>Geological Society Special Publication</i> , 1987, 35, 213-231.	1.3	20
72	Fluvial architecture of the Upper Permian Raniganj coal measure in the Damodar basin, Eastern India. <i>Sedimentary Geology</i> , 1987, 51, 181-213.	2.1	29
73	Sedimentology of an ancient erg margin: the Lower Jurassic Aztec Sandstone, southern Nevada and southern California. <i>Sedimentology</i> , 1987, 34, 661-680.	3.1	33
74	Formation and age of desert dunes in the Lake Eyre depocentres in central Australia. <i>International Journal of Earth Sciences</i> , 1988, 77, 815-834.	1.8	57
75	Stokes surfaces and the effects of near-surface groundwater-table on Aeolian deposition. <i>Sedimentology</i> , 1988, 35, 21-41.	3.1	122
76	A preliminary study of the dynamics of a modern draa, Algodones, southeastern California, USA. <i>Sedimentology</i> , 1988, 35, 649-669.	3.1	61
77	Algodones dune field of southeastern California: case history of a migrating modern dune field. <i>Sedimentology</i> , 1988, 35, 939-952.	3.1	72
78	Eolian dune types preserved in the Tensleep Sandstone (Pennsylvanian-Permian), north-central Wyoming. <i>Sedimentary Geology</i> , 1988, 56, 383-402.	2.1	27
79	Morphology, dynamics and internal stratification of some established foredunes in southeast Australia. <i>Sedimentary Geology</i> , 1988, 55, 17-41.	2.1	114

#	ARTICLE	IF	CITATIONS
80	Early diagenesis of eolian dune and interdune sands at White Sands, New Mexico. <i>Sedimentary Geology</i> , 1988, 55, 109-120.	2.1	46
81	Petrology of the Sedimentary Rocks. , 1988, , .		46
82	Convergent mud drapes on some planar cross-beds in the fluvial Turonian sandstones of the Makurdi formation, Benue Trough, Nigeria. <i>Journal of African Earth Sciences (and the Middle East)</i> , 1988, 7, 113-120.	0.2	5
83	Principles and Elements of Monitoring in Mountain Catchment Areas: Soils and Erosion. <i>South African Forestry Journal</i> , 1988, 144, 47-51.	0.1	0
84	Ellipsoidal parabolic dune patches in the southern Kalahari Desert. <i>Journal of Arid Environments</i> , 1989, 16, 111-124.	2.4	33
85	Star dunes. <i>Progress in Physical Geography</i> , 1989, 13, 67-91.	3.2	58
86	An empirical model of aeolian dune lee-face airflow. <i>Sedimentology</i> , 1990, 37, 1023-1038.	3.1	98
87	Late-Pleistocene Eolian Sand Sheets in Alaska. <i>Quaternary Research</i> , 1990, 34, 269-281.	1.7	71
88	The morphology of Permian palaeodunes—a reinterpretation of the Bridgnorth Sandstone around Bridgnorth, England, in the light of modern dune studies. <i>Sedimentary Geology</i> , 1990, 69, 59-75.	2.1	18
89	Holocene paleoclimatic fluctuations revealed from dune and interdune strata in Wyoming. <i>Journal of Arid Environments</i> , 1990, 18, 123-138.	2.4	39
90	LES DUNES DU QUEBEC MERIDIONAL: CONTRIBUTION A L'ETUDE DES VENTS DOMINANTS DURANT L'HOLOCÈNE. <i>Canadian Geographer / Géographie Canadien</i> , 1990, 34, 49-62.	1.5	6
91	Sedimentology and development of parabolic dunes, Grande Prairie dune field, Alberta. <i>Canadian Journal of Earth Sciences</i> , 1990, 27, 1762-1772.	1.3	20
92	Eolian landscape evolution and soil formation in the Chaco dune field, southern Colorado Plateau, New Mexico. <i>Geomorphology</i> , 1990, 3, 517-546.	2.6	50
93	Chapter 3 Depositional Environments of Non-Marine Evaporites. <i>Developments in Sedimentology</i> , 1991, 50, 189-347.	0.5	144
94	Unusual sedimentary structures in the Oregon coastal dunes. <i>Journal of Arid Environments</i> , 1991, 21, 131-150.	2.4	8
95	Subglacially Formed Dunes with Bimodal and Graded Gravel in the Trenton Drumlin Field, Ontario. <i>Canadian Journal of Earth Sciences / Géographie Physique Et Quaternaire</i> , 1991, 45, 21-34.	0.2	41
96	Tectonic controls on the development of a semi-arid alluvial basin as reflected in the stratigraphy of the Purilactis Group (upper cretaceous-eocene), northern Chile. <i>Journal of South American Earth Sciences</i> , 1992, 5, 275-296.	1.4	38
97	Delta plain coal deposits from the Than Formation of the Early Cretaceous Saurashtra basin, Gujarat, western India. <i>Sedimentary Geology</i> , 1992, 81, 181-193.	2.1	12

#	ARTICLE	IF	CITATIONS
98	Thin eolianites interbedded within a fluvial and marine succession: early proterozoic whitworth formation, mount isa inlier, australia. <i>Sedimentary Geology</i> , 1993, 87, 39-62.	2.1	36
99	Studies on the role of salt-tolerant plants in the formation and stabilization of coastal dunes of the deltaic Sunderbans, North-East coast of India. <i>Tasks for Vegetation Science</i> , 1993, , 363-370.	0.6	0
100	A review of aeolian bounding surfaces, with examples from the Permian Minnelusa Formation, USA. <i>Geological Society Special Publication</i> , 1993, 73, 167-197.	1.3	35
101	Genesis and sedimentary structures of late Holocene aeolian drift sands in northwest Europe. <i>Geological Society Special Publication</i> , 1993, 72, 247-267.	1.3	21
102	Aeolian Sediment Transport. , 1994, , 447-473.		5
103	Dune Morphology and Dynamics. , 1994, , 474-505.		24
104	Soils of an Eolian Analog of the Leasburg Surface, Southern New Mexico. <i>Quaternary Research</i> , 1994, 41, 191-199.	1.7	6
105	Sedimentary Structures. , 1994, , 89-113.		0
106	Soil moisture and dry bulk density patterns in bare dune sands. <i>Journal of Hydrology</i> , 1994, 154, 107-131.	5.4	80
107	Aeolian-climatic thresholds and sand dunes at the Hanford site, south-central Washington, U.S.A.. <i>Journal of Arid Environments</i> , 1994, 28, 95-116.	2.4	41
108	Geomorphology, Sedimentary Structures, and Genesis of Dome Dunes in Western Canada. <i>Géographie Physique Et Quatenaire</i> , 1994, 48, 97-105.	0.2	11
109	Evolution of a dune from crescentic to parabolic form in response to short-term climatic changes: RÅbjerg Mile, Skagen Odde, Denmark. <i>Geomorphology</i> , 1996, 17, 63-77.	2.6	77
110	Airflow up the stoss slope of sand dunes: limitations of current understanding. <i>Geomorphology</i> , 1996, 17, 47-54.	2.6	105
111	Impact of increased aridity on sand dune activity in the Canadian Prairies. <i>Journal of Arid Environments</i> , 1997, 36, 421-432.	2.4	66
112	Radar facies of unconsolidated sediments in The Netherlands: A radar stratigraphy interpretation method for hydrogeology. <i>Journal of Applied Geophysics</i> , 1998, 40, 1-18.	2.1	160
113	Aeolian system sediment state: theory and Mojave Desert Kelso dune field example. <i>Sedimentology</i> , 1999, 46, 505-515.	3.1	400
114	The effect of wind speed and bed slope on sand transport. <i>Sedimentology</i> , 1999, 46, 723-731.	3.1	161
115	Bright dunes on Mars. <i>Nature</i> , 1999, 397, 592-594.	27.8	73

#	ARTICLE	IF	CITATIONS
116	The airflow field and dynamic processes of pyramid dunes. <i>Journal of Arid Environments</i> , 2000, 45, 357-368.	2.4	19
117	Transportation and Sedimentation. , 2000, , 89-129.		0
118	BARCHAN DUNES ON THE KUISEB RIVER DELTA, NAMIBIA. <i>Southern African Geographical Journal</i> , 2001, 83, 283-292.	1.8	16
119	Internal structure of a trough blowout, determined from migrated ground-penetrating radar profiles. <i>Sedimentology</i> , 2001, 48, 791-810.	3.1	45
120	Internal structure and development of an aeolian river dune in The Netherlands, using 3-D interpretation of ground-penetrating radar data. <i>Geologie En Mijnbouw/Netherlands Journal of Geosciences</i> , 2002, 81, 27-37.	0.9	13
122	Geomorphic response to Late Holocene climate variation and anthropogenic pressure, northeastern Prince Edward Island, Canada. <i>Quaternary International</i> , 2002, 87, 101-117.	1.5	19
123	Stratigraphic evolution and preservation of aeolian dune and damp/wet interdune strata: an example from the Triassic Helsby Sandstone Formation, Cheshire Basin, UK. <i>Sedimentology</i> , 2002, 49, 805-833.	3.1	163
124	Parabolic halite dunes on the Salar de Uyuni, Bolivia. <i>Sedimentary Geology</i> , 2003, 155, 147-156.	2.1	7
125	The Holocene history of the White Sands dune field and influences on eolian deflation and playa lakes. <i>Quaternary International</i> , 2003, 104, 31-39.	1.5	96
126	Quaternary evolution of the coastal dunes between Lake Hlabane and Cape St Lucia, KwaZulu-Natal. <i>South African Journal of Geology</i> , 2004, 107, 355-376.	1.2	17
127	Use of a three-dimensional laser scanner to digitally capture the topography of sand dunes in high spatial resolution. <i>Earth Surface Processes and Landforms</i> , 2004, 29, 391-398.	2.5	65
128	Mineralogical maturity in dunefields of North America, Africa and Australia. <i>Geomorphology</i> , 2004, 59, 247-269.	2.6	118
129	Characterization of the aeolian terrain facies in Wadi Araba Desert, southwestern Jordan. <i>Geomorphology</i> , 2004, 62, 63-87.	2.6	41
130	The dynamic characteristics and migration of a pyramid dune. <i>Sedimentology</i> , 2005, 52, 429-440.	3.1	16
131	Coarse aeolianites: sand sheets and zibarâ€™interzibar facies from the Mesoproterozoic Cuddapah Basin, India. <i>Sedimentary Geology</i> , 2005, 174, 149-160.	2.1	37
132	15. Conclusions. <i>Developments in Sedimentology</i> , 2005, , 449-502.	0.5	0
133	Stratigraphy, sedimentology, and environmental significance of late mid-Holocene dunes, Lauder Sand Hills, glacial Lake Hind Basin, southwestern Manitoba. <i>Canadian Journal of Earth Sciences</i> , 2005, 42, 847-863.	1.3	10
134	Aeolian dune field self-organization â€™implications for the formation of simple versus complex dune-field patterns. <i>Geomorphology</i> , 2005, 72, 94-105.	2.6	197

#	ARTICLE	IF	CITATIONS
135	Stratigraphy and sedimentology of a dry to wet eolian depositional system, Burns formation, Meridiani Planum, Mars. <i>Earth and Planetary Science Letters</i> , 2005, 240, 11-72.	4.4	496
136	Spatial grain size sorting in eolian ripples and estimation of wind conditions on planetary surfaces: Application to Meridiani Planum, Mars. <i>Journal of Geophysical Research</i> , 2006, 111, n/a-n/a.	3.3	137
137	Cracks and fins in sulfate sand: Evidence for recent mineral-atmospheric water cycling in Meridiani Planum outcrops?. <i>Geology</i> , 2006, 34, 229.	4.4	31
138	Seafloor character and sedimentary processes in eastern Long Island Sound and western Block Island Sound. <i>Geo-Marine Letters</i> , 2006, 26, 59-68.	1.1	9
139	Pattern analysis of dune-field parameters. <i>Earth Surface Processes and Landforms</i> , 2006, 31, 1176-1191.	2.5	153
140	Ground penetrating radar (GPR) imaging of the internal structure of an active parabolic sand dune. , 2007, , 35-45.		10
141	Eolian dunes and deposits in the western United States as analogs to wind-related features on Mars. , 2007, , 232-264.		5
142	On the origin of gypsum in the Mars north polar region. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	103
143	Air permeameter investigation of surficial dune structures in the Nebraska Sand Hills. <i>AAPG Bulletin</i> , 2007, 91, 645-652.	1.5	5
144	Introduction: Geochemical Sediments in Landscapes. , 0, , 1-9.		1
146	Exploration of hydrothermal targets on Mars. <i>Icarus</i> , 2007, 189, 308-324.	2.5	140
147	White Sands Dune Field, New Mexico: Age, dune dynamics and recent accumulations. <i>Sedimentary Geology</i> , 2007, 197, 313-331.	2.1	145
148	Formation of aeolian dunes on Anholt, Denmark since AD 1560: A record of deforestation and increased storminess. <i>Sedimentary Geology</i> , 2007, 199, 171-187.	2.1	57
149	Hydrogen content of sand dunes within Olympia Undae. <i>Icarus</i> , 2008, 196, 422-432.	2.5	49
150	Aeolian sand sea development along the mid-Cretaceous western Tethyan margin (Spain): erg sedimentology and palaeoclimate implications. <i>Sedimentology</i> , 2008, 55, 1253-1292.	3.1	83
151	Last Interglacial fossil elephant trackways dated by OSL/AAR in coastal aeolianites, Still Bay, South Africa. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 257, 261-279.	2.3	91
152	Late Cretaceous aeolian dunes and reconstruction of palaeo-wind belts of the Xinjiang Basin, Jiangxi Province, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 257, 58-66.	2.3	42
153	Geomorphology and palaeoecology of the Mark valley (southern Netherlands): geomorphological valley development during the Weichselian and Holocene. <i>Boreas</i> , 1987, 16, 55-67.	2.4	41

#	ARTICLE	IF	CITATIONS
154	Recent aeolian dune change on Mars. <i>Geomorphology</i> , 2008, 94, 247-255.	2.6	145
155	On the origin and age of the Great Sand Dunes, Colorado. <i>Geomorphology</i> , 2008, 99, 99-119.	2.6	39
156	Inland aeolian deposits of the Iberian Peninsula: Sand dunes and clay dunes of the Duero Basin and the Manchega Plain. Palaeoclimatic considerations. <i>Geomorphology</i> , 2008, 102, 207-220.	2.6	28
157	Effects of sand supply on the morphodynamics and stratigraphy of active parabolic dunes, Bigstick Sand Hills, southwestern Saskatchewan Geological Survey of Canada Contribution 20060654.. <i>Canadian Journal of Earth Sciences</i> , 2008, 45, 321-335.	1.3	34
158	Quaternary Geology and Sedimentary Processes in the Vicinity of Six Mile Reef, Eastern Long Island Sound. <i>Journal of Coastal Research</i> , 2008, 241, 255-266.	0.3	4
159	Ground Penetrating Radar in Aeolian Dune Sands. , 2009, , 271-297.		25
160	Chronology of Aeolian Events Recorded in the Karczmyska Dune (Lublin Upland) in the Light of Lithofacial Analysis, ¹⁴ C and TL Dating. <i>Geochronometria</i> , 2009, 33, 9-17.	0.8	8
161	Validation of the North American ASTER Land Surface Emissivity Database (NAALSED) version 2.0 using pseudo-invariant sand dune sites. <i>Remote Sensing of Environment</i> , 2009, 113, 2224-2233.	11.0	76
162	Evolution of a rift basin dominated by subaerial deposits: The Guaritas Rift, Early Cambrian, Southern Brazil. <i>Sedimentary Geology</i> , 2009, 217, 30-51.	2.1	44
163	Sedimentology of an intra-montane rift-controlled fluvial dominated succession: The Upper Triassic Oukaimeden Sandstone Formation, Central High Atlas, Morocco. <i>Sedimentary Geology</i> , 2009, 218, 103-140.	2.1	44
164	Historical Dune Pattern Dynamics: White Sands Dune Field, New Mexico. <i>Physical Geography</i> , 2009, 30, 64-78.	1.4	16
165	Groundwater salinity as a control on development of eolian landscape: An example from the White Sands of New Mexico. <i>Geomorphology</i> , 2009, 105, 39-49.	2.6	27
166	Dune Morphology and Dynamics. , 2009, , 557-595.		31
167	Barchan dune asymmetry: Observations from Mars and Earth. <i>Icarus</i> , 2010, 205, 183-197.	2.5	83
168	Aeolian dune interactions and dune-field pattern formation: White Sands Dune Field, New Mexico. <i>Sedimentology</i> , 2010, 57, 1199.	3.1	103
169	Determining soil moisture and sediment availability at White Sands Dune Field, New Mexico, from apparent thermal inertia data. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	62
170	Barchanâ€parabolic dune pattern transition from vegetation stability threshold. <i>Geophysical Research Letters</i> , 2010, 37, .	4.0	73
171	Parabolic dune reactivation and migration at Napeague, NY, USA: Insights from aerial and GPR imagery. <i>Geomorphology</i> , 2010, 114, 530-541.	2.6	51

#	ARTICLE	IF	CITATIONS
172	Constructing hydrocarbon reservoir analogues with rapid acquisition long-range GPR. , 2010, , .		1
173	Reconstruction of eolian bed forms and paleocurrents from cross-bedded strata at Victoria Crater, Meridiani Planum, Mars. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	38
174	Sorting out abrasion in a gypsum dune field. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	58
175	Origin and evolution of polygonal cracks in hydrous sulphate sands, White Sands National Monument, New Mexico. <i>Sedimentology</i> , 2011, 58, 407-423.	3.1	15
176	Sediment II: Modification and Provenance. <i>Geography Compass</i> , 2011, 5, 494-516.	2.7	2
177	Stratigraphic position of fluvial and aeolian deposits in the Å»abinko site (W Poland) based on TL dating. <i>Geochronometria</i> , 2011, 38, 64-71.	0.8	16
178	High albedo dune features suggest past dune migration and possible geochemical cementation of aeolian sediments on Mars. <i>Icarus</i> , 2011, 212, 590-596.	2.5	6
179	Geomorphological evolution revealed by aeolian sedimentary structure in Badain Jaran Desert on Alxa Plateau, Northwest China. <i>Chinese Geographical Science</i> , 2011, 21, 267-278.	3.0	13
180	Pleistocene calcareous aeolian alluvial deposition in a steep relief karstic coastal belt (island of Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	2.1	17
181	Microbial Nitrogen and Sulfur Cycles at the Gypsum Dunes of White Sands National Monument, New Mexico. <i>Geomicrobiology Journal</i> , 2012, 29, 733-751.	2.0	11
182	Constructing hydrocarbon reservoir analogues of aeolian systems using ground penetrating radar. <i>Journal of Applied Geophysics</i> , 2012, 81, 21-28.	2.1	12
183	Internal boundary layer model for the evolution of desert dune fields. <i>Nature Geoscience</i> , 2012, 5, 206-209.	12.9	76
184	Methodology for reconstructing wind direction, wind speed and duration of wind events from aeolian cross-strata. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	61
185	Geology of Arid Lands. <i>Environmental Science and Engineering</i> , 2012, , 43-94.	0.2	0
186	Controls on marine margin cycle variability: aeolian marine interaction in the mid-Cretaceous Iberian Desert System, Spain. <i>Sedimentology</i> , 2012, 59, 466-501.	3.1	46
187	11.13 Aeolian Stratigraphy. , 2013, , 246-268.		10
188	14.16 Ground Penetrating Radar. , 2013, , 183-194.		7
189	Dunes on Saturn's moon Titan as revealed by the Cassini Mission. <i>Aeolian Research</i> , 2013, 11, 23-41.	2.7	24

#	ARTICLE	IF	CITATIONS
190	Validation of Thermal Infrared (TIR) Emissivity Spectra Using Pseudo-invariant Sand Dune Sites. Remote Sensing and Digital Image Processing, 2013, , 515-527.	0.7	3
191	Deviations from self-similarity in barchan form and flux: The case of the Salton Sea dunes, California. Journal of Geophysical Research F: Earth Surface, 2013, 118, 2406-2420.	2.8	14
192	Topography controlling the wind regime on the karstic coast: late Pleistocene coastal calcareous sands of eastern mid-Adriatic, Croatia. Facies, 2014, 60, 843-863.	1.4	11
193	Regional variability of ground penetrating radar response - A case study from the dune fields of the United Arab Emirates (UAE). , 2014, , .		2
194	Definition and origin of the dune-field pattern at White Sands, New Mexico. Aeolian Research, 2014, 15, 269-287.	2.7	41
195	Periglacial structures within fluvio-aeolian successions of the end of the last glacialiation - examples from SE Poland and NW Ukraine. Boreas, 2014, 43, 712-721.	2.4	24
196	Archean to Recent aeolian sand systems and their sedimentary record: Current understanding and future prospects. Sedimentology, 2014, 61, 1487-1534.	3.1	100
197	Groundwater influence on the aeolian sequence stratigraphy of the Mechertate "Chrita" Sidi El Hani system, Tunisian Sahel: Analogies to the wet-dry aeolian sequence stratigraphy at Meridiani Planum, Terby crater, and Gale crater, Mars. Planetary and Space Science, 2014, 95, 56-78.	1.7	15
199	Automated measurement of sand dune migration using multi-temporal lidar data and GIS. International Journal of Remote Sensing, 2015, 36, 5426-5447.	2.9	23
200	Controls on the large-scale spatial variations of dune field properties in the barchanoid portion of White Sands dune field, New Mexico. Journal of Geophysical Research F: Earth Surface, 2015, 120, 453-473.	2.8	15
201	Dune deformation in a multi-directional wind regime: White Sands Dune Field, New Mexico. Earth Surface Processes and Landforms, 2015, 40, 925-941.	2.5	26
202	Impact of continental motion and dynamic glaciations on low-latitude climate during the Carboniferous: The record of the Wyoming Shelf (Western United States). Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 436, 214-230.	2.3	8
203	Analyzing the anisotropy of thermal infrared emissivity over arid regions using a new MODIS land surface temperature and emissivity product (MOD21). Remote Sensing of Environment, 2015, 169, 212-221.	11.0	29
204	Deposition, exhumation, and paleoclimate of an ancient lake deposit, Gale crater, Mars. Science, 2015, 350, aac7575.	12.6	471
205	Parabolic dunes and their transformations under environmental and climatic changes: Towards a conceptual framework for understanding and prediction. Global and Planetary Change, 2015, 124, 123-148.	3.5	48
206	The depositional conditions of the fluvio-aeolian succession during the last climate minimum based on the examples from Poland and NW Ukraine. Quaternary International, 2015, 386, 30-41.	1.5	45
207	Sequence stratigraphic framework for mixed aeolian, peritidal and marine environments: Insights from the Pennsylvanian subtropical record of Western Pangaea. Sedimentology, 2016, 63, 1929-1970.	3.1	9
208	Climatic data and satellite imagery for assessing the aeolian sand deposit and barchan migration, as a major risk sources in the region of In-Salah (Central Algerian Sahara). Arabian Journal of Geosciences, 2016, 9, 1.	1.3	23

#	ARTICLE	IF	CITATIONS
209	The climate-archive dune: Sedimentary record of annual wind intensity. <i>Geology</i> , 2016, 44, 711-714.	4.4	16
210	Transport and mixing of eolian sand from local sources resulting in variations in grain size in a gypsum dune field, White Sands, New Mexico, USA. <i>Sedimentary Geology</i> , 2016, 333, 184-197.	2.1	16
211	Environmental controls, morphodynamic processes, and ecogeomorphic interactions of barchan to parabolic dune transformations. <i>Geomorphology</i> , 2017, 278, 209-237.	2.6	28
212	Mid-Cretaceous desert system in the Simao Basin, southwestern China, and its implications for sea-level change during a greenhouse climate. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 468, 529-544.	2.3	33
213	Late-Holocene wind-field evolution at the southern Baltic coast as revealed by GPR data from the MrzeÅyno dunefield, NW Poland. <i>Boreas</i> , 2017, 46, 470-485.	2.4	2
214	Stratigraphic architecture resulting from dune interactions: White Sands Dune Field, New Mexico. <i>Sedimentology</i> , 2017, 64, 686-713.	3.1	27
215	Martian sand sheet characterization and implications for formation: A case study. <i>Aeolian Research</i> , 2017, 29, 1-11.	2.7	11
216	Sedimentary differentiation of aeolian grains at the White Sands National Monument, New Mexico, USA. <i>Aeolian Research</i> , 2017, 26, 117-136.	2.7	10
217	Late Cretaceous climbing erg systems in the western Xinjiang Basin: Palaeoatmosphere dynamics and East Asia margin tectonic forcing on desert expansion and preservation. <i>Marine and Petroleum Geology</i> , 2018, 93, 539-552.	3.3	21
218	Determining mineralogical variations of aeolian deposits using thermal infrared emissivity and linear deconvolution methods. <i>Aeolian Research</i> , 2018, 30, 54-96.	2.7	7
219	Modern sedimentary facies, depositional environments, and major controlling processes on an arid siliciclastic coast, Al qahmah, SE Red Sea, Saudi Arabia. <i>Journal of African Earth Sciences</i> , 2018, 140, 9-28.	2.0	9
220	The transitional depositional environment and sequence stratigraphy of Chasma Boreale. <i>Icarus</i> , 2018, 308, 27-41.	2.5	6
221	High-energy flood events recorded in the Mesoproterozoic Meall Dearg Formation, NW Scotland; their recognition and implications for the study of pre-vegetation alluvium. <i>Journal of the Geological Society</i> , 2018, 175, 13-32.	2.1	18
222	Morphodynamics of barchan and dome dunes under variable wind regimes. <i>Geology</i> , 2018, 46, 743-746.	4.4	21
223	Transformation of parabolic dunes into mobile barchans triggered by environmental change and anthropogenic disturbance. <i>Earth Surface Processes and Landforms</i> , 2018, 43, 1001-1018.	2.5	6
224	Aerodynamic grain-size distribution of blown sand. <i>Sedimentology</i> , 2019, 66, 590-603.	3.1	20
225	Hydrological Cycle and Lake Water Source Indicated by Microrelief-Evaporite-Vegetation-Runoff Assemblage of Badain Jaran Desert. <i>Water (Switzerland)</i> , 2019, 11, 1350.	2.7	3
227	Timing and development of sand dunes in the Golestan Province, northern Iran—Implications for the Late-Pleistocene history of the Caspian Sea. <i>Aeolian Research</i> , 2019, 41, 100538.	2.7	14

#	ARTICLE	IF	CITATIONS
228	Establishment of digital 3D map based on discrete elevation point data measured in the field. <i>Journal of Earth System Science</i> , 2019, 128, 1.	1.3	0
229	Imaging the structure and reconstructing the development of a barchan dune using ground-penetrating radar. <i>Geomorphology</i> , 2019, 341, 192-202.	2.6	16
230	Bounding Surfaces in a Barchan Dune: Annual Cycles of Deposition? Seasonality or Erosion by Superimposed Bedforms?. <i>Remote Sensing</i> , 2019, 11, 965.	4.0	12
231	Rapid In Situ Characterization of Soil Erodibility With a Field Deployable Robot. <i>Journal of Geophysical Research F: Earth Surface</i> , 2019, 124, 1261-1280.	2.8	9
232	Revisiting the age and palaeoenvironments of the Upper Jurassic–Lower Cretaceous dinosaur-bearing sedimentary record of eastern Spain: implications for Iberian palaeogeography. <i>Journal of Iberian Geology</i> , 2019, 45, 471-510.	1.3	27
233	Carbonate-clastic sedimentation in the Parnaiba Basin, northern Brazil: Record of carboniferous epeiric sea in the Western Gondwana. <i>Journal of South American Earth Sciences</i> , 2019, 91, 188-202.	1.4	10
234	Low-angle eolian deposits formed by protodune migration, and insights into slipface development at White Sands Dune Field, New Mexico. <i>Aeolian Research</i> , 2019, 36, 9-26.	2.7	22
235	Genetic units and facies architecture of a Lower Cretaceous fluvial-aeolian succession, São Sebastião Formation, Jatobá Basin, Brazil. <i>Journal of South American Earth Sciences</i> , 2019, 89, 158-172.	1.4	17
236	Sedimentological analysis of a Late Quaternary coastal dune system: An example from Gopnath, south-east Saurashtra, Western India. <i>Sedimentology</i> , 2019, 66, 435-458.	3.1	3
237	Shallow-marine depositional sequences in a transgressive mixed siliciclastic-carbonate system: The Early Jurassic Marrat Formation from central Saudi Arabia. <i>Journal of African Earth Sciences</i> , 2020, 167, 103429.	2.0	11
238	Morphological and sedimentary characteristics of dome dunes in the northeastern Qaidam Basin, China. <i>Geomorphology</i> , 2020, 350, 106923.	2.6	8
239	Macroscopic Flow Disequilibrium Over Aeolian Dune Fields. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088773.	4.0	7
240	Spatial and Temporal Development of Incipient Dunes. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088919.	4.0	18
241	Eustatic, Climatic and Tectonic Controls on the Evolution of a Middle to Late Holocene Coastal Dune System in Shimokita, Northeast Japan. <i>Geosciences (Switzerland)</i> , 2020, 10, 410.	2.2	0
242	Late Cretaceous plateau deserts in the South China Block, and Quaternary analogues; sedimentology, dune reconstruction and wind-water interactions. <i>Marine and Petroleum Geology</i> , 2020, 120, 104504.	3.3	10
243	Microbial influence on the accumulation of Precambrian aeolian deposits (Neoproterozoic, Venkatpur) Tj ETQq1 1 0,784314 rgBT /Over	2.7	18
244	Eolian deposits of the northern margin of the South China (Jiangnan Basin): Reconstruction of the Late Cretaceous East Asian landscape in central China. <i>Marine and Petroleum Geology</i> , 2020, 117, 104390.	3.3	14
245	Characterization of hard-to-differentiate dune stratification types in the Permian Coconino Sandstone (Arizona, USA). <i>Sedimentology</i> , 2021, 68, 238-265.	3.1	2

#	ARTICLE	IF	CITATIONS
246	Upper Pleistocene parabolic ridges (i.e. "chevrons"™) from the Bahamas: Storm-wave sediments or aeolian deposits? A quantitative approach. <i>Sedimentology</i> , 2021, 68, 1255-1288.	3.1	4
247	Modern Sedimentary Systems of Qinghai Lake. <i>Syntheses in Limnogeology</i> , 2021, , 513-548.	0.4	0
248	Understanding Polydirectional Aeolian Cross-Strata Architecture in a Coastal Unidirectional Wind Regime. <i>Journal of Coastal Research</i> , 2021, 37, .	0.3	1
249	Eolian Landscapes Eolian Stratigraphy. , 2021, , .		0
250	The distribution and nature of star dunes: A global analysis. <i>Aeolian Research</i> , 2021, 50, 100685.	2.7	14
251	Aeolian dunes morphodynamics and wind regime reconstruction in mid-latitudes of the Gondwana during Early Permian, Aracar Formation, Sergipe-Alagoas Basin, Brazil. <i>Aeolian Research</i> , 2021, 50, 100672.	2.7	5
252	Loess-Like Dust Appearance at 40Ma in Central China. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2020PA003993.	2.9	13
253	Dome dunes: Distribution and morphology. <i>Aeolian Research</i> , 2021, 51, 100713.	2.7	6
254	Migration of Reversing Dunes Against the Sand Flow Path as a Singular Expression of the Speed-Up Effect. <i>Journal of Geophysical Research F: Earth Surface</i> , 2021, 126, e2020JF005913.	2.8	8
255	A database of Aeolian Sedimentary Architecture for the characterization of modern and ancient sedimentary systems. <i>Marine and Petroleum Geology</i> , 2021, 127, 104983.	3.3	9
256	A New Method for Automated Measurement of Sand Dune Migration Based on Multi-Temporal LiDAR-Derived Digital Elevation Models. <i>Remote Sensing</i> , 2021, 13, 3084.	4.0	4
257	Sedimentary facies of the Mesoproterozoic Srisailam Formation, Cuddapah basin, India: Implications for depositional environment and basin evolution. <i>Marine and Petroleum Geology</i> , 2021, 133, 105242.	3.3	6
258	Dune-Field Patterns. , 2022, , 481-495.		1
259	Multiscale bed form interactions and their implications for the abruptness and stability of the downwind dune field margin at White Sands, New Mexico, USA. <i>Journal of Geophysical Research F: Earth Surface</i> , 2014, 119, 2396-2411.	2.8	11
260	Aeolian Geomorphic Response to Climate Change: An Example from the Estancia Valley, Central New Mexico, USA. <i>Advances in Global Change Research</i> , 2000, , 171-192.	1.6	3
261	Barchan Dunes of the Salton Sea Region, California. , 1995, , 153-177.		12
262	A classification of dunes based on aeolian dynamics and the sand budget. , 1984, , 31-58.		20
264	White Sands National Monument, New Mexico. , 0, , 451-454.		1

#	ARTICLE	IF	CITATIONS
288	Introduction to Inland Dunes of North America. <i>Dunes of the World</i> , 2020, , 1-10.	0.5	0
289	White Sands. <i>Dunes of the World</i> , 2020, , 207-237.	0.5	3
290	Trickle-Down and Trickle-Up Boundary Conditions in Eolian Dune-Field Pattern Formation. , 2017, , 18-39.		3
291	The lithified aeolian dune field adjacent to the Apollinaris Sulci, Mars: Geological history and paleo-wind record. <i>Icarus</i> , 2022, 373, 114788.	2.5	5
292	Where humid and arid meet: Sedimentology of coastal siliciclastic successions deposited in apparently contrasting climates. <i>Sedimentology</i> , 2022, 69, 975-1027.	3.1	3
293	Lake dynamics in an Early Jurassic desert: Evidence from the Clarens Formation in southern Africa. <i>Sedimentology</i> , 2023, 70, 865-894.	3.1	2
294	Paleocurrent and paleowind direction reconstruction research progress and perspectives: a review. <i>Australian Journal of Earth Sciences</i> , 2023, 70, 603-626.	1.0	2
295	Spatial and temporal variation in the evolution of ancient aeolian dune-field. The Pennsylvanian PiauÃ-Formation (ParnaÃba Basin), Brazil. <i>Sedimentary Geology</i> , 2023, 451, 106398.	2.1	1
296	Onset of dune construction based on archaeological evidence, White Sands, New Mexico. <i>Quaternary Research</i> , 0, , 1-9.	1.7	0
297	Precambrian aeolian systems: A unique record?. <i>Precambrian Research</i> , 2023, 392, 107075.	2.7	1
298	The edge of a Permian erg: Eolian facies and provenance of the Lyons Sandstone in northern Colorado. <i>Rocky Mountain Geology</i> , 2023, 58, 57-82.	0.9	0
300	Signatures of Pleistocene Marine Transgression Preserved in Lithified Coastal Dune Morphology of The Bahamas. <i>Geosciences (Switzerland)</i> , 2023, 13, 367.	2.2	0
301	Gypsum lakes, sandflats and soils revealed from the Triassic Red Peak Formation of the Chugwater Group, northâ€central Wyoming. <i>Depositional Record</i> , 2024, 10, 260-278.	1.7	0
302	Trace fossil zonation in interdune Lakes: example from the neogene of Eastern Patagonia, Argentina. <i>Ichnos</i> , 2023, 30, 303-337.	0.5	0
303	Structure and chronology of a star dune at Erg Chebbi, Morocco, reveals why star dunes are rarely recognised in the rock record. <i>Scientific Reports</i> , 2024, 14, .	3.3	0