

Risk of Pre- and Post-Operative Delirium and the Deliri Fracture Patients

Canadian Geriatrics Journal

18, 212-216

DOI: [10.5770/cgj.18.185](https://doi.org/10.5770/cgj.18.185)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Risk Factors for In-Hospital Complications of Fall-Related Fractures among Older Chinese: A Retrospective Study. <i>BioMed Research International</i> , 2016, 2016, 1-11.	0.9	23
2	Prevalence and Characteristics of Pre-Operative Delirium in Hip Fracture Patients. <i>Gerontology</i> , 2016, 62, 396-400.	1.4	18
3	Prevalence and risk factors of postoperative delirium in elderly hip fracture patients. <i>Journal of International Medical Research</i> , 2016, 44, 317-327.	0.4	78
5	Predicting the post-operative length of stay for the orthopaedic trauma patient. <i>International Orthopaedics</i> , 2017, 41, 859-868.	0.9	26
6	Multimodal Pain Management in Older Elective Arthroplasty Patients. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2017, 8, 151-154.	0.6	14
7	Translating Delirium Prevention Strategies for Elderly Adults with Hip Fracture into Routine Clinical Care: A Pragmatic Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 567-573.	1.3	37
8	Autologous Stem Cell Transplantation: The Predictive Value of the Morse Fall Scale in Hospitalized Patients. <i>Clinical Journal of Oncology Nursing</i> , 2017, 21, 599-603.	0.3	5
9	Association between baseline cognitive impairment and postoperative delirium in elderly patients undergoing surgery for adult spinal deformity. <i>Journal of Neurosurgery: Spine</i> , 2018, 28, 103-108.	0.9	51
10	Systematic review of prediction models for delirium in the older adult inpatient. <i>BMJ Open</i> , 2018, 8, e019223.	0.8	137
11	A Complex Case of Delirium: From Theory to Clinical Management. , 2018, , 15-22.		2
12	Surgical delay is a risk factor of delirium in hip fracture patients with mild to moderate cognitive impairment. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 41-47.	1.4	20
13	Postoperative delirium: perioperative assessment, risk reduction, and management. <i>British Journal of Anaesthesia</i> , 2020, 125, 492-504.	1.5	251
14	Management of Common Postoperative Complications. <i>Mayo Clinic Proceedings</i> , 2020, 95, 2540-2554.	1.4	8
15	Cognitive impairment assessment and interventions to optimize surgical patient outcomes. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2020, 34, 225-253.	1.7	15
16	Incidence and risk factors for acute delirium in older patients with a hip fracture: A retrospective cohort study. <i>Australian Journal of Cancer Nursing</i> , 2020, 22, 958-966.	0.8	7
17	Development and validation of the delirium risk assessment score (DRAS). <i>European Geriatric Medicine</i> , 2020, 11, 307-314.	1.2	7
18	Estimates of Geriatric Delirium Frequency in Noncardiac Surgeries and Its Evaluation Across the Years: A Systematic Review and Meta-Analysis. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 613-620.e9.	1.2	20
19	Post-operative delirium in older hip fracture patients: a new onset or was it already there?. <i>European Geriatric Medicine</i> , 2021, 12, 777-785.	1.2	5

#	ARTICLE	IF	CITATIONS
20	A narrative review of preventive measures for postoperative delirium in older adults. <i>British Journal of Nursing</i> , 2021, 30, 367-373.	0.3	1
21	Winter Issue 2015. <i>Canadian Geriatrics Journal</i> , 2015, 18, 211.	0.7	0
22	Relationship between Delirium and Clinical Prognosis among Older Patients underwent Femur Fracture Surgery. <i>Journal of the Korea Academia-Industrial Cooperation Society</i> , 2016, 17, 649-656.	0.0	1
23	Delirium screening instruments administered by nurses for hospitalized patients - literature review. <i>Central European Journal of Nursing and Midwifery</i> , 2019, 10, 1167-1178.	0.2	2
24	What is the impact of a fast-track pathway on length of stay for adult patients with a hip fracture? A systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 3803-3816.	1.3	2
25	Does the SORG Orthopaedic Research Group Hip Fracture Delirium Algorithm Perform Well on an Independent Intercontinental Cohort of Patients With Hip Fractures Who Are 60 Years or Older?. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 2205-2213.	0.7	6
26	Association between multidimensional prognostic index (MPI) and pre-operative delirium in older patients with hip fracture. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
27	Predisposing and Precipitating Factors Associated With Delirium. <i>JAMA Network Open</i> , 2023, 6, e2249950.	2.8	41
28	Intraoperative allogeneic transfusion is associated with postoperative delirium in older patients after total knee and hip arthroplasty. <i>Frontiers in Surgery</i> , 0, 9, .	0.6	0
29	Development and validation of a delirium risk prediction model using a modified version of the Delirium Elderly at Risk (mDEAR) screen in hospitalized patients aged 65 and older: A medical record review. <i>Geriatric Nursing</i> , 2023, 51, 150-155.	0.9	0
32	Delirium and Other Altered Cognitive States. <i>Perspectives in Nursing Management and Care for Older Adults</i> , 2024, , 191-209.	0.1	0