

CITATION REPORT

List of articles citing

A Powder Technique for the Evaluation of Nonlinear Optical Materials

DOI: 10.1063/1.1656857

Journal of Applied Physics, 1968, 39, 3798-3813.

Source: <https://exaly.com/paper-pdf/9383670/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2301	HgCuPS4: An Exceptional Infrared Nonlinear Optical Material with Defect Diamond-like Structure.		
2300	Crystallographic Investigations into Properties of Acentric Hybrid Perovskite Single Crystals NH(CH3)3SnX3 (X = Cl, Br).		
2299	Bi3OF3(IO3)4: Metal Oxyiodate Fluoride Featuring a Carbon-Nanotube-like Topological Structure with Large Second Harmonic Generation Response.		
2298	BaB2S4: An Efficient and Air-Stable Thioborate as Infrared Nonlinear Optical Material with High Laser Damage Threshold.		
2297	Y2(CO3)3H2O and (NH4)2Ca2Y4(CO3)9H2O: Partial Aliovalent Cation Substitution Enabling Evolution from Centrosymmetry to Noncentrosymmetry for Nonlinear Optical Response.		
2296	Bridging the Salt-Inclusion and Open-Framework Structures: The Case of Acentric Ag4B4O7X2 (X = Br, I) Borate Halides.		
2295	KInSi1.32Sn0.68Se6: An Infrared Nonlinear Optical Material Containing Three Types of Tetrahedral Units.		
2294	Strong Nonlinear-Optical Response in the Pyrophosphate CsLiCdP2O7 with a Short Cutoff Edge.		
2293	Na8MB21O36 (M = Rb and Cs): Noncentrosymmetric Borates with Unprecedented [B21O36]9 Fundamental Building Blocks.		
2292	A Langbeinite-Type Yttrium Phosphate LiCs2Y2(PO4)3.		
2291	Abrupt Structural Transformation in Asymmetric ABPO4F (A = K, Rb, Cs).		
2290	Pb4B6O13: A Polar Lead Oxyborate with Uncommon (B6O12)6 Layers Exhibiting a Large Second Harmonic Generation Response.		
2289	.		
2288	Hexagonal In2Se3: A Defect Wurtzite-Type Infrared Nonlinear Optical Material with Moderate Birefringence Contributed by Unique InSe5 Unit.		
2287	.		
2286	Finding the Next Deep-Ultraviolet Nonlinear Optical Material: NH4B4O6F.		
2285	M2B10O14F6 (M = Ca, Sr): Two Noncentrosymmetric Alkaline Earth Fluorooxoborates as Promising Next-Generation Deep-Ultraviolet Nonlinear Optical Materials.		

2284 Correction to M2B10O14F6 (M = Ca, Sr): Two Noncentrosymmetric Alkaline Earth Fluorooxoborates as Promising Next-Generation Deep-Ultraviolet Nonlinear Optical Materials.

2283 Chiroptical Activity from an Achiral Biological MetalOrganic Framework.

2282 Pb2GaF2(SeO3)2Cl: Band Engineering Strategy by Aliovalent Substitution for Enlarging Bandgap while Keeping Strong Second Harmonic Generation Response.

2281 Rational Design of the First Lead/Tin Fluorooxoborates MB2O3F2 (M = Pb, Sn), Containing Flexible Two-Dimensional [B6O12F6] Single Layers with Widely Divergent Second Harmonic Generation Effects.

2280 KLi(HC3N3O3)2H2O: Solvent-drop Grinding Method toward the Hydro-isocyanurate Nonlinear Optical Crystal.

2279 Ba2Si3P6: 1D Nonlinear Optical Material with Thermal Barrier Chains.

2278 How To Maximize Birefringence and Nonlinearity of Conjugated Cyanurates.

2277 High-Dielectric-Permittivity Layered Nitride CaTiN2.

2276 Sn2Ga2S5: A Polar Semiconductor with Exceptional Infrared Nonlinear Optical Properties Originating from the Combined Effect of Mixed Asymmetric Building Motifs.

2275 Infrared Nonlinear Optical Polymorphs - and SrCu2SnS4 Exhibiting Large Second Harmonic Generation Responses with Requisite Phase-Matching Behavior.

2274 Construction of a Dual-Function MetalOrganic Framework: Detection of Fe3+, Cu2+, Nitroaromatic Explosives, and a High Second-Harmonic Generation Response.

2273 A Polar TitaniumOrganic Chain with a Very Large Second-Harmonic-Generation Response.

2272 Strong Infrared Nonlinear Optical Efficiency and High Laser Damage Threshold Realized in Quaternary Alkali Metal Sulfides Na2Ga2MS6 (M = Ge, Sn) Containing Mixed Nonlinear Optically Active Motifs.

2271 Verfahren zur Mikrobestimmung von Phosphor, Lecithin und Eiweißm Blut. **1963**, 193, 233-234

2270 New nonlinear optical materials. **1968**, 4, 578-584

39

2269 Relative measurement of the optical nonlinearities of KDP, ADP, LiNbO3, and BiBO3. **1968**, 4, 970-972

42

2268 Optical Nonlinearities in LiIO3. *Journal of Applied Physics*, **1969**, 40, 5201-5206

2.5

142

2267 EPR Study of the Structure of CsPbCl3. *Journal of Applied Physics*, **1969**, 40, 5001-5005

2.5

52

2266	OPTICAL SECOND- AND THIRD-HARMONIC GENERATION IN CHOLESTERYL NONANOATE LIQUID CRYSTAL. 1969 , 14, 306-308		15
2265	Crystal structure of Bi ₂ WO ₆ . 1969 , 7, 1797-1801		140
2264	New Nonlinear Optical Materials: Metal Oxides with Nonbonded Electrons. <i>Journal of Applied Physics</i> , 1969 , 40, 2860-2863	2.5	107
2263	OPTICAL SECOND-HARMONIC GENERATION IN CRYSTALS OF ORGANIC DYES. 1969 , 15, 393-396		39
2262	. 1969 , 57, 2096-2113		283
2261	Higher order non linear effects in some organic compounds. 1970 , 2, 343-348		3
2260	Nonlinear optical materials. 1970 , 5, 235-250		27
2259	Statistical phenomena in nonlinear optics. 1970 , 13, 619-648		1
2258	Optical harmonic generation and laser light frequency mixing processes in nonlinear media. 1970 , 2, 125-151		16
2257	Mercury-thiocyanate-complexes: Efficient phase-matchable optical shg in crystal class 10. 1970 , 32, 539-540		35
2256	OPTICAL NONLINEAR SUSCEPTIBILITIES OF LITHIUM IODATE. 1970 , 16, 298-299		68
2255	Piezoelectric and Photoelastic Properties of Lithium Iodate. 1970 , 47, 791-794		44
2254	OPTICAL MIXING IN CADMIUM TELLURIDE USING THE PULSED WATER VAPOR LASER. 1970 , 16, 452-454		6
2253	Nonlinear optical properties of CdHg(SCN) ₄ and ZnHg(SCN) ₄ . 1970 , 5, 913-917		51
2252	Maker Fringes: A Detailed Comparison of Theory and Experiment for Isotropic and Uniaxial Crystals. <i>Journal of Applied Physics</i> , 1970 , 41, 1667-1681	2.5	664
2251	Optical properties of KNbO ₃ . 1970 , 1, 141-148		74
2250	Phase Transitions in CsPbCl ₃ . <i>Journal of Applied Physics</i> , 1971 , 42, 5267-5272	2.5	40
2249	ANOMALOUSLY HIGH NONLINEAR OPTICAL EFFECTS IN m-NITROANILINE. 1971 , 18, 456-458		69

2248	OPTICAL NONLINEAR SUSCEPTIBILITIES OF BERYLLIUM OXIDE. 1971 , 18, 245-247		32
2247	Optical second-harmonic generation in isocyclic and heterocyclic organic compounds. 1971 , 7, 42-43		76
2246	Effect of molecular structure on optical second-harmonic generation from organic crystals. 1971 , 4, 116-123		38
2245	Nonlinear Optical Properties of Hexagonal Silicon Carbide. 1971 , 19, 53-56		53
2244	Structural and phase relationships among trivalent tungstates and molybdates. 1971 , 3, 411-419		120
2243	Nonlinear Optical Properties of KNbO ₃ Single Crystals. 1971 , 10, 507-507		15
2242	Refractive indices and electro-optic coefficients of the eulitities Bi ₄ Ge ₃ O ₁₂ and Bi ₄ Si ₃ O ₁₂ . <i>Journal of Applied Physics</i> , 1972 , 43, 5110-5111	2.5	66
2241	Nonlinear Optical Properties of Ferroelectric Lead Titanate. 1972 , 20, 135-137		66
2240	Optics at bell laboratories-lasers in science. 1972 , 11, 2435-49		1
2239	Crystal structure of Bi ₃ TiNbO ₉ . 1972 , 3, 1-7		45
2238	Nonlinear Optical Susceptibility of 5-Nitrouracil. 1972 , 20, 21-23		41
2237	Etude comparative des propri��s cristallographiques, di��lectriques et d'optique non lin��aire des phases ABCNb ₅ O ₁₅ (A = Ca, Sr, Ba, B = Ca, Sr, Ba, C = Na, K) de type Bronzes oxyg��n��s de tungst��ne quadratiques. 1972 , 5, 239-246		33
2236	Ferroelastic effect in RbFeF ₄ and CsFeF ₄ . 1972 , 7, 715-720		50
2235	Measurement of the refractive indices of lithium-sodium formate, HCOOLi _{0.9} Na _{0.1} H ₂ O and sodium formate, HCOONa crystals. 1973 , 5, 551-555		7
2234	Phase synchronism in organic single crystals with nonlinear susceptibility. 1973 , 18, 120-121		1
2233	Definition of some parameters of ferroelectric crystals by the SHG method. 1973 , 20, K49-K52		27
2232	The crystal structure of triclinic BiNbO ₄ . 1973 , 8, 159-165		74
2231	Synchronism in molecular biaxial single crystals of methanitraoaniline and anesthesin single crystals. 1973 , 16, 270-274		

2230	Domain structures in orthorhombic KNbO ₃ and characterisation of single domain crystals. 1973 , 23, 91-99	73
2229	Crystal structure of (Sr, Ba)Bi ₂ Ta ₂ O ₉ . 1973 , 8, 1183-1195	153
2228	New phase-matchable nonlinear optical crystals of the formate family. 1973 , 9, 701-702	2
2227	Nonlinear optical crystals and their applications. 1973 , 36, 497-540	27
2226	Crystal structure, linear and nonlinear optical properties of Ca(IO ₃) ₂ ·6H ₂ O. 1973 , 29, 1067-1072	25
2225	N-Methyl dipropylacamide. 1973 , 29, 1149-1151	5
2224	Ferroelasticity in isopropyl ammonium chloroplatinate and chlorostannate. 1973 , 23, 115-116	3
2223	Nonlinear Optical Property of Sodium Nitrite. I. Second Harmonic Generation at Room Temperature. 1973 , 34, 138-147	22
2222	New phase-matchable nonlinear optical crystals of the formate family. 1974 , 10, 247-252	26
2221	The first electronic absorption system in polarized light of the highly nonlinear optical single crystal of P-nitrophenylhydrazine. 1974 , 28, 231-235	2
2220	Etude des propriétés cristallographiques, diélectriques et d'optique non linéaire de quelques nouvelles phases de composition Ba _x Li _{5-2x} Nb ₅ (1-x)Ta _{5-y} O ₁₅ et de structure bronzes oxygènes de tungstène quadratiques. 1974 , 10, 274-281	20
2219	Temperature effects on second harmonic generation in p-nitrophenylhydrazine. 1974 , 12, 14-16	3
2218	Untersuchungen über das wachstum von silberorthophosphat-kristallen aus silicagel. 1974 , 26, 197-199	3
2217	Pyroelectric Vidicon Target Materials. 1974 , 10, 208-221	34
2216	A survey of ABX ₃ halides for optical second harmonic generation. 1975 , 10, 753-759	7
2215	Relation entre le rendement harmonique en optique non linéaire et la température de curie ferroélectrique pour les phases de structure bronzes oxygènes de tungstène quadratiques. 1975 , 10, 201-204	5
2214	Nonlinear optical phenomena in oxides and application to a tunable coherent spectrometer. 1975 , 12, 156-171	1
2213	Theory of second-order optical susceptibilities of benzene substitutes. 1975 , 13, 164-168	110

2212	Origin of the second-order optical susceptibilities of crystalline substituted benzene. 1975 , 12, 4534-4546	172
2211	Generalized study on angular dependence of induced second-order nonlinear optical polarizations and phase matching in biaxial crystals. <i>Journal of Applied Physics</i> , 1975 , 46, 3992-3998	2.5 92
2210	Linear and nonlinear optical properties of lithium perchlorate trihydrate $\text{LiClO}_4 \cdot 3\text{H}_2\text{O}$. 1975 , 26, 571-572	8
2209	Second and third order hyperpolarizabilities of organic molecules. 1975 , 63, 2666-2682	491
2208	Second harmonic generation in organic crystals. 1976 , 11, 2165-2169	4
2207	A second harmonic analyzer for the detection of non-centrosymmetry. 1976 , 9, 145-158	249
2206	Reliability of second-harmonic generation in crystalline powders at optical frequencies as a test of absence of centrosymmetry. 1976 , 9, 193-198	13
2205	A comprehensive study of disordered and ordered scheelite-related $\text{Bi}_3(\text{FeO}_4)(\text{MoO}_4)_2$. 1976 , 32, 1163-1170	54
2204	New compounds with icosahedral structures of the type $\text{Cd}_{14-x}\text{P}_4\text{S}_{24-2x}\text{I}_2\text{x}$. 1976 , 11, 1169-1177	11
2203	Synthesis, characterization and optical properties of bismuth germanate doped with trivalent europium. 1976 , 11, 731-738	18
2202	Second harmonic generation in organic crystals. 1976 , 11, 2165-2169	11
2201	Spectroscopic properties and stimulated emission in the $4F_{3/2} - 4I_{11/2}$ and $4F_{3/2} - 4I_{13/2}$ transitions of Nd^{3+} ions from cubic $\text{Bi}_4\text{Ge}_3\text{O}_{12}$ crystals. 1976 , 33, 737-753	73
2200	A simple technique to measure optical SHG in powder samples by means of electronic integration. 1976 , 37, 105-108	1
2199	Evolution de quelques proprietes physiques de phases de structure Bronzes de tungstene quadratiques par remplacement de l'element Alcalino-Terreux par le plomb. 1976 , 37, 949-952	11
2198	Determination of the point group of BiGa_2O_3 from morphology and physical properties. 1976 , 16, 377-383	22
2197	The crystal structure of $\text{M-LiTa}_3\text{O}_8$ and its relationship to the mineral wodginite. 1976 , 18, 1-7	23
2196	Solution growth and characterization of L(+) glutamic acid hydrochloride single crystals. 1976 , 36, 267-272	33
2195	Phase transitions in $\text{Cs}(\text{D}_x\text{H}_{1-x})_2\text{AsO}_4$. 1976 , 14, 761-765	17

2194	I Theory of Optical Parametric Amplification and Oscillation. 1977 , 1-75	4
2193	Temperature dependence of second harmonic generation signal in SrBi ₂ Ta ₂ O ₉ and BaBi ₄ Ti ₄ O ₁₅ . 1977 , 17, 405-407	10
2192	Hyperpolarizabilities of the nitroanilines and their relations to the excited state dipole moment. 1977 , 66, 2664-2668	1824
2191	An efficient organic crystal for nonlinear optics: methyl- (2,4-dinitrophenyl) -aminopropanoate. <i>Journal of Applied Physics</i> , 1977 , 48, 2699-2704	2.5 194
2190	Nonlinear optical susceptibilities of triphenylbenzene, resorcinol, and metanitroaniline. 1977 , 66, 3803-3805	42
2189	Nonlinear optical properties of some m-disubstituted benzene derivatives. 1977 , 66, 3806-3813	108
2188	Nonlinear light scattering on defects of crystalline structures. 1977 , 23, 128-130	1
2187	On the structure of β -Ga ₂ O ₃ . 1977 , 20, 209-210	24
2186	Phase-matched second harmonic generation in urea. 1977 , 42, K119-K121	45
2185	Preparation and electro-optic properties of 1-formyl 2(4-nitrophenyl) hydrazine. 1977 , 12, 743-746	1
2184	Optical second harmonic signals from clay minerals. 1977 , 1, 379-384	4
2183	New non-linear crystals in the A ₂ B ₂ O ₇ series. 1978 , 50, K13-K16	17
2182	Optical second harmonic generation in organic crystals: urea and ammonium-malate. 1978 , 47, 393-396	64
2181	The growth and properties of crystalline rubidium and cesium niobates. 1978 , 43, 115-119	1
2180	The description of the physical properties of condensed matter using irreducible tensors. 1978 , 27, 609-650	183
2179	A comprehensive optical second harmonic generation study of the non-centrosymmetric character of biological structures. 1978 , 6, 105-117	8
2178	Second-harmonic generation (SHG) in metal phosphorus sulphide halides having icosahedral structures. 1978 , 11, 152-153	3
2177	Evidence of non-cubic lattice distortions around vacant sites in Co ₃ O ₄ phases. 1978 , 11, 153-155	16

2176	Magnetoferroelectricity in Cr ₂ BeO ₄ . <i>Journal of Applied Physics</i> , 1978 , 49, 6088-6091	2.5	71
2175	Nonlinear Spectroscopy. 1978 , 29, 421-440		27
2174	Methods for the Detection of Noncentrosymmetry in Solids. 1978 , 269-342		16
2173	A Comprehensive Optical Second Harmonic Generation Study of the Non-Centrosymmetric Character of Biological Structures. 1979 , 52, 271-284		35
2172	The electro-optic coefficients of urea. 1979 , 71, 5063		47
2171	Near-infrared noncritically phase-matched second-harmonic generation in KNbO ₃ . 1979 , 34, 650-652		53
2170	Nonlinear optical properties of urea. 1979 , 29, 243-246		98
2169	Mise en evidence d'une transition de phase au sein de la solution solide (0,33 ? x ? 0,50). 1979 , 29, 815-819		17
2168	Les transitions de phases de Na ₅ W ₃ O ₉ F ₅ . 1979 , 32, 111-113		21
2167	Ionic conductivity in sodium magnesium silicates. 1979 , 4, 139-148		13
2166	The structures of thallium cadmium triiodide and dirubidium iron tetraiodide. 1979 , 35, 1425-1427		43
2165	Etude cristallographique du di-o-thymotide C ₂₂ H ₂₄ O ₄ . 1979 , 12, 247-248		3
2164	An organic crystal with an exceptionally large optical second-harmonic coefficient: 2-methyl-4-nitroaniline. <i>Journal of Applied Physics</i> , 1979 , 50, 2523-2527	2.5	406
2163	Origin of the nonlinear second-order optical susceptibilities of organic systems. 1979 , 20, 1179-1194		351
2162	Efficient phase-matched second-harmonic generation and sum-frequency mixing in urea. 1979 , 15, 1176-1180		159
2161	Second harmonic generation in collagen. 1979 , 70, 1637-1643		183
2160	Phase transition in cadmium nitrate, Cd(NO ₃) ₂ . 1980 , 25, 461-463		2
2159	Non-linear optical properties of condensed matter. 1980 , 43, 1191-1262		41

2158	Zirconolite-fluorite-related superstructure. 1980 , 283, 282-283	120
2157	Approximate nonlinear optical susceptibility of cubic boracites. <i>Journal of Applied Physics</i> , 1980 , 51, 2264-5	7
2156	High-efficiency high-power UV generation at 2128 nm in urea. 1980 , 16, 810-811	42
2155	Evaluation of the phase-matching properties of nonlinear optical materials in the powder form. 1981 , 17, 513-517	19
2154	Measurements of molecular second order optical susceptibilities using dc induced second harmonic generation. 1981 , 75, 3572-3580	319
2153	Demonstration of efficient nonlinear optical crystals with vanishing molecular dipole moment: Second-harmonic generation in 3-methyl-4-nitropyridine-1-oxide. 1981 , 74, 4800-4811	323
2152	Optically non-linear organic materials. 1981 , 13, 297-301	34
2151	Les materiaux a proprietes non lineaires du systeme Sr3WO6 - Ba3WO6. 1981 , 37, 139-143	6
2150	Brillouin and Rayleigh studies of urea single crystals. 1982 , 77, 5319-5326	22
2149	Structural dependence of nonlinear-optical properties of methyl-(2,4-dinitrophenyl)-aminopropanoate crystals. 1982 , 26, 2016-2027	225
2148	Nonlinear optical properties of organic crystals with hydrogen-bonded molecular units: The case of urea. 1982 , 77, 3635-3653	141
2147	New organic molecular materials for nonlinear optics. 1982 , 47, 211-225	87
2146	Second harmonic generation and orientational order in connective tissue: a mosaic model for fibril orientational ordering in rat-tail tendon. 1982 , 15, 72-78	22
2145	Non-centrosymmetry tests for potassium feldspars: an application of the second-harmonic generator technique. 1982 , 15, 540-541	1
2144	Die Kristallstruktur des Bleisilicats Pb11Si3O17. 1982 , 38, 57-62	17
2143	Phase transitions in a Cs2-xK1+xBiCl6 solid solution. 1982 , 42, 130-135	16
2142	Nonlinear polariton effects in the phenanthrene crystal. 1982 , 64, 83-93	8
2141	Influence of the molecular environment in solution measurements of the Second-order optical susceptibility for urea and derivatives. 1982 , 73, 203-213	246

2140	Twyman-Green interferometry for semi-quantitative analysis of homogeneity and nonlinearity of a mixing crystal. 1983 , 16, 57-61	1
2139	Dielectric and thermal properties, expansion, and high-temperature plastic deformation of $Cd_4Na(VO_4)_3$. 1983 , 16, 133-135	2
2138	Reinvestigation of the structure of tetracadmium sodium orthovanadate, $Cd_4Na(VO_4)_3$. 1983 , 39, 680-683	7
2137	New pulsed laser data-acquisition system. 1983 , 54, 97-99	2
2136	Electrostrictive and electro-optic properties of urea. 1983 , 163, 307-309	4
2135	Noncentric Layer Silicates: An Optical Second Harmonic Generation, Chemical, and X-Ray Study. 1983 , 31, 251-260	15
2134	$CsEuNaNb_5O_{15}$: Premier membre d'une nouvelle famille ferroelectrique. 1984 , 53, 422-429	5
2133	Diameter controlled Czochralski growth of bismuth germanate single crystals. 1984 , 55, 105-110	7
2132	Organic Polymeric and Non-Polymeric Materials with Large Optical Nonlinearities. 1984 , 23, 690-703	795
2131	Organische polymere und nichtpolymere Materialien mit guten nichtlinearen optischen Eigenschaften. 1984 , 96, 637-651	107
2130	Second harmonic generation in inclusion complexes. 1984 , 2, 885-890	8
2129	Evaluation of second-harmonic generation of various sugars in the powder form. 1984 , 20, 334-336	22
2128	A new ferroelectric phosphate family. 1984 , 56, 17-20	42
2127	Crystallographic aspects of the linear electro-optic effect. 1984 , 166,	17
2126	Chirality and hydrogen bonding in molecular crystals for phase-matched second-harmonic generation: N-(4-nitrophenyl)-(L)-prolinol (NPP). 1984 , 81, 4160-4167	428
2125	Irreducible tensor analysis of sum- and difference-frequency generation in partially oriented samples. 1985 , 96, 199-215	81
2124	Crystal growth of rhodanomercurates: $AHg(SCN)_4$ with $A = Cd^{2+}, Zn^{2+}, Cu^{2+}, C,$ and Fe^{2+} from Gels. 1985 , 20, K100-K102	1
2123	X-ray induced luminescence, photoluminescence and thermoluminescence of $Bi_4Ge_3O_{12}$. 1985 , 18, 4777-4783	46

2122	Optical parametric interactions in 3-methyl-4-nitropyridine-1-oxide (POM) single crystals. 1985 , 21, 1286-1295	43
2121	Thermal characterization of KClO ₃ KBrO ₃ and KIO ₃ . 1985 , 4, 27-29	7
2120	Growth of organic crystals in a microgravity environment. 1986 , 76, 673-680	16
2119	Polymorphism and nonlinear optical activity in organic crystals. 1986 , 79, 745-751	65
2118	Structure de la phase quadratique de PbTeO ₃ . 1986 , 42, 1688-1690	13
2117	Te ₂ O ₅ : Crystal growth and optical properties. 1986 , 21, 421-428	0
2116	Organic - inorganic double halides for second harmonic generation. 1986 , 21, 1397-1399	1
2115	Nonlinear Optical and Electro-optical Properties of Biopolymers. 1987 , 110-130	4
2114	Recrystallization solvent effects on second-order nonlinear optical organic materials. 1987 , 50, 1855-1857	23
2113	Second Harmonic Generation by Polymer Composites. 1987 , 109, 357	5
2112	Organic SHG Powder Test Data. 1987 , 221-254	10
2111	Design and Synthesis of Organic Molecular Compounds for Efficient Second-Harmonic Generation. 1987 , 227-296	53
2110	Quadratic Nonlinear Optics and Optimization of the Second-Order Nonlinear Optical Response of Molecular Crystals. 1987 , 23-191	95
2109	Growth and Characterization of Molecular Crystals. 1987 , 297-356	5
2108	Properties and Applications of Urea. 1987 , 385-404	10
2107	Nonlinear Optical Properties of Guest/Host Polymer Structures. 1987 , 405-435	35
2106	Second-order nonlinear polarizability of various biphenyl derivatives. 1987 , 4, 945	57
2105	Generation of high-peak-power tunable infrared femtosecond pulses in an organic crystal: application to time resolution of weak infrared signals. 1987 , 4, 987	109

2104	Second-harmonic generation in aromatic organic compounds. 1987 , 4, 1899		85
2103	Designing organic crystals. 1987 , 17, 295-353		17
2102	Second-harmonic generation by composite materials. 1987 , 6, 167-170		9
2101	Equilibrium geometry and electrical polarizability of formic acid, formamide and their cyclic hydrogen-bonded pairs. 1987 , 32, 85-103		13
2100	Growth and characterization of Bi ₄ Ge ₃ O ₁₂ single crystals. 1987 , 15, 145-186		34
2099	Optical second-harmonic generation as an orientational probe in poled polymers. 1987 , 152, 295-304		31
2098	A New Intramolecular Charge Transfer Material for Nonlinear Optics: Piperonal Derivatives. 1987 , 109, 345		5
2097	Orthorhombic perovskite CaTiO ₃ and CdTiO ₃ : structure and space group. 1987 , 43, 1668-1674		152
2096	Two-photon spectra of inductively perturbed naphthalenes. 1988 , 144, 158-164		20
2095	A new method of assessing the efficiency of second harmonic generation by small samples of organic crystals. 1988 , 47, 83-86		11
2094	Crystal chemistry of phosphates with the eulytine structure. 1988 , 13, 211-218		5
2093	Highly Efficient Second Harmonic Generation in p-Nitroaniline/Poly(lactone) Systems. 1988 , 27, L1724-L1725		17
2092	Bi ₄ Ge ₃ O ₁₂ :Cr: a new photorefractive material. 1988 , 5, 1737		44
2091	. 1988 , 24, 1201-1203		15
2090	A novel organic electro-optic crystal: 3-(1,1-dicyanoethenyl)-1-phenyl-4,5-dihydro-1H-pyrazole. <i>Journal of Applied Physics</i> , 1988 , 64, 2583-2590	2.5	48
2089	A power-squared sensor for two-photon spectroscopy and dispersion of second-order coherence. <i>Journal of Applied Physics</i> , 1988 , 64, 4301-4305	2.5	16
2088	Second Harmonic Generation in Crystals of Benzofurazan Derivatives. 1988 , 27, 2082-2084		5
2087	Influence of the Ring-Substitution on the Second Harmonic Generation of Chalcone Derivatives. 1988 , 27, L429-L430		85

2086	Luminescence of Mn-doped Bi ₄ Ge ₃ O ₁₂ . 1988 , 21, 1299-1305	5
2085	Molecular Engineering and the All-Optical Computer. 1988 , T23, 275-280	5
2084	Organic, Organometallic and Polymeric Materials with Nonlinear Optical Properties. 1989 , 175, 101	5
2083	Linear and nonlinear optical properties of flux-grown KTiOAsO ₄ . 1989 , 54, 783-785	119
2082	Temperature gradient transport growth of potassium tantalate niobate, KTa _{1-x} Nb _x O ₃ , single crystals. 1989 , 92, 89-97	14
2081	Design, Characterization, and Optical Properties of Phosphazene-Based Polymers. 1989 , 175, 95	3
2080	A new nonlinear optical material-organometallic complex tri-allylthiourea cadmium chloride. 1989 , 6, 280-283	23
2079	Efficiency of Second Harmonic Generation from Amino Acids, Peptides, and Polypeptides Carrying Polarizable Aromatic Groups. 1989 , 170, 245-257	2
2078	Non-linear optical studies of ferroelectric composites. 1989 , 92, 11-14	2
2077	Second harmonic generation from organic nonlinear materials of N-alkyl-4-nitroaniline. 1989 , 69, 425-428	11
2076	Synthesis of organic salts with large second-order optical nonlinearities. 1989 , 245, 626-8	580
2075	Pyroelectric and dielectric properties of hemimorphite, Zn ₂ Si ₂ O ₇ (OH) ₂ H ₂ O. 1989 , 8, 179-181	5
2074	Optical absorption properties of potassium iodate single crystals. 1989 , 100, 213-221	4
2073	Nonlinear optical properties of 4-nitroaniline mercuric derivatives and 4-amino-4'-nitrodiphenyl sulfide (ANDS) analogues. 1989 , 28, D231-D236	4
2072	Direct Measurements Of Phase Matching Properties In Small Single Crystals Of New Nonlinear Materials. 1989 , 28,	20
2071	Efficient Second Harmonic Generation in Hydrazone, Derivatives of Substituted Aromatic Aldehydes. 1989 , 173, 697	
2070	Molecular nonlinear optical materials. 1990 , 330, 127-140	20
2069	Structures of (methyl)phenylhydrazone derivatives and their nonlinear optical properties. 1990 , 46, 414-417	1

2068	Crystal structure and nonlinear optical properties of KSnOPO ₄ and their comparison with KTiOPO ₄ . 1990 , 46, 333-343	102
2067	Correlation entre structure et generation de second harmonique dans les composes MITiOAsO ₄ . 1990 , 25, 1193-1202	9
2066	New organic non-linear optical crystals of benzylidene-aniline derivative. 1990 , 166, 353-357	42
2065	Recent developments in the growth and nonlinear optical applications of KNbO ₃ crystals. 1990 , 20, 161-174	15
2064	Organic second-order non-linear optical materials and devices. 1990 , 22, 297-318	23
2063	Second-harmonic generation from non-dipolar non-centrosymmetric aromatic charge-transfer molecules. 1990 , 172, 440-444	157
2062	Nonlinear optical properties of triptycene derivatives. 1990 , 165, 41-44	13
2061	Two-photon excitation spectroscopy of thylakoid membranes from <i>Phaeodactylum tricornutum</i> : Evidence for an in vivo two-photon-allowed carotenoid state. 1990 , 170, 51-56	54
2060	Growth and characterization of nonlinear optical crystals suitable for frequency conversion. 1990 , 20, 9-57	33
2059	Progress in nonlinear optical materials for high power lasers. 1990 , 20, 59-113	44
2058	Second-order nonlinear optical properties and polymorphism of benzophenone derivatives. 1990 , 75, 451-453	4
2057	Large second harmonic generation from mixtures of para-nitroaniline and its N-alkyl derivatives. 1990 , 74, 421-424	12
2056	Third-order nonlinear optical properties of cyanine dyes and polymer films containing these dyes. 1990 , 76, 147-150	22
2055	Crystal growth of 4-Br-4'-methoxychalcone and its characterization. 1990 , 100, 411-416	48
2054	Syntheses and reactivity of p-substituted benzonitrile complexes derived from dicyclopentadienyl-molybdenum and -tungsten. Oxidative electrochemistry. The crystal structure of [Mo(η-C ₅ H ₅) ₂ (SC ₆ H ₅)(p-(CH ₃) ₂ NC ₆ H ₄ CN)][PF ₆]. 1990 , 395, 279-292	11
2053	An electron paramagnetic resonance study of Mn-doped Bi ₄ Ge ₃ O ₁₂ . 1990 , 2, 10123-10130	11
2052	Polymorphism and crystal-crystal transformations of the highly optically nonlinear organic compound π [(4-methoxyphenyl)methylene]-4-nitro-benzeneacetonitrile. 1990 , 56, 307-309	21
2051	Second-harmonic generation of a new chalcone-type crystal. 1990 , 57, 221-223	18

2050	The polarization-reversal and nonlinear properties of optoelectronic ceramics. 1990 , 109, 143-148	3
2049	Optical absorption properties of potassium iodate single crystals. 1990 , 101, 303-311	4
2048	Thermal hysteresis of optical second harmonic in paraelectric BaTiO ₃ . 1990 , 9, 284-288	15
2047	Three coordinate phosphorus and boron as donor and acceptor moieties respectively, in conjugated organic molecules for nonlinear optics: crystal and molecular structures of E-Ph(CH ₂ CH ₂ B(mes) ₂ , E-4-MeO(CH ₂) ₆ H ₄ (CH ₂ CH-B(mes) ₂ , and E-Ph ₂ P(CH ₂ CH ₂ B(mes) ₂ [mes = 2,4,6-Me ₃ C ₆ H ₂]. 1990 , 1489-1492	171
2046	What Is Materials Chemistry?. 1991 , 410-433	2
2045	SHG-Active Polymorphism of p-Nitroaniline Mixed with Its N-Alkyl Derivatives. 1991 , 30, 296-300	6
2044	Relationship between second-harmonic generation and electric-field-induced second-harmonic generation. 1991 , 43, 507-514	17
2043	Nonlinear optical materials. 1991 , 253, 281-7	587
2042	Sol-Gel Derived Barium Sodium Niobate and Bismuth Titanate Films. 1991 , 243, 303	4
2041	Synthesis, Characterization, and Optical Properties of Inorganic Polymer Films. 1991 , 244, 269	2
2040	Growth of bulk single crystals of organic materials for nonlinear optical devices: An overview. 1991 , 22, 19-51	71
2039	Nonlinear optical properties of asymmetric polyphenyls: Efficiency versus transparency trade-off. 1991 , 150, 117-123	57
2038	Synthesis and nonlinear optical properties of some substituted ruthenium(II) [5-cyclopentadienyl] [5- or [6-arene salts. 1991 , 403, 365-372	21
2037	Second harmonic generation and crystal growth of substituted thienyl chalcone. 1991 , 108, 688-698	178
2036	Growth perfection and properties of organic non-linear materials. 1991 , 47, 145-155	44
2035	Enzymatic preparation of organometallic compounds with second-order optical nonlinearities. 1991 , 38, 1218-22	13
2034	Organometallic materials for nonlinear optics. 1991 , 5, 349-377	278
2033	Approaches to understanding structure-property relationships in nonlinear optical materials. 1991 , 109, 353-360	11

2032	Second-harmonic generation in derivatives and analogs of benzophenone and chalcone. 1991 , 53, 275-278	26
2031	Large Second-Order Optical Nonlinearity of New Organic Materials of Bis(benzylidene)cycloalkanone Derivatives. 1991 , 30, L1496-L1497	1
2030	A Potential Diode Laser Second Harmonic Generation Organic Crystal MHBA. 1991 , 8, 271-273	4
2029	Perovskite-type ferroelectrics: part II. 1991 , 163-215	2
2028	Static and dynamic properties of optical second harmonic generation in ferroelectric liquid crystal. 1991 , 121, 259-274	28
2027	Linear and Nonlinear Optical Properties of 2-Cyano-3-(2-Methoxyphenyl)-2-Propenoic Acid Methyl Ester. 1992 , 31, 1802-1806	6
2026	The low-energy, charge-transfer excited states of 4-amino-4'-nitrodiphenyl sulfide. 1992 , 97, 4018-4028	4
2025	New Organic Material of Bis(benzylidene)cycloalkanone Derivatives for Efficient Optical Second-Harmonic Generation. 1992 , 31, 254-258	18
2024	Properties of the Optically Nonlinear Organic Material Densely Doped in Matrices. 1992 , 217, 31-36	1
2023	New molecular design approach for noncentrosymmetric crystal structures: Lambda (λ)-shaped molecules for frequency doubling. 1992 , 60, 935-937	48
2022	Novel organic molecular second harmonic generation crystal: 3-methoxy-4-hydroxy-benzaldehyde. 1992 , 60, 1415-1417	48
2021	Nonlinear Optical Properties of Carbohydrazono-Pyrazole Derivatives with Excellent Transparency. 1992 , 31, L1068-L1070	4
2020	Second harmonic generation from PbTiO ₃ -based ferroelectric thin films. 1992 , 147-148, 799-802	5
2019	New method of measuring second harmonic generation efficiency using powder crystals. 1992 , 60, 1933-1935	33
2018	Organic salts of L-tartaric acid: materials for second harmonic generation with a crystal structure governed by an anionic hydrogen-bonded network. 1992 , 553-555	82
2017	Guest-Host Molecular Ensembles for Nonlinear Optics. 1992 , 211, 125-133	
2016	Accurate calculation of the optimum phase-matching parameters in three-wave interactions with biaxial nonlinear-optical crystals. 1992 , 9, 891	45
2015	Second-harmonic generation in the crystalline complex antimony triiodide-sulfur. 1992 , 9, 1819	29

2014	5-BENZYLIDENEOXAZOLIDINE-2, 4-DIONES AS NEW ORGANIC NLO COMPOUNDS. 1992 , 243-248	
2013	Second Harmonic Generation in Chalcone Derivatives. 1992 , 225-230	6
2012	Second-order non-linear optical properties of diironalkenylidyne complexes; crystal structure of $\{(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2(\text{CO})_2(\text{ECO})(\text{E})\text{C}^+\text{CH}^-\text{CH}^-\text{C}_6\text{H}_4^-(\text{p})\text{-NMe}_2\} + \text{BF}_4^-$ 1992 , 11, 1429-1435	36
2011	The synthesis of ferrocenyl compounds with second-order optical non-linearities. 1992 , 11, 1489-1499	49
2010	Formation of alkoxy-derived $\text{Bi}_4\text{Ge}_3\text{O}_{12}$. 1992 , 11, 802-804	1
2009	Ferroelectric liquid crystals from achiral molecules. 1992 , 359, 621-623	139
2008	Enhancement of the second-order hyperpolarizability of a stilbene dye by molecular interactions. 1992 , 217, 161-166	6
2007	Molecular rearrangement in heat-treated Langmuir-Blodgett films of mixtures of N-acyl-p-nitroaniline and fatty acid monitored by second-harmonic generation. 1992 , 208, 62-66	4
2006	Second harmonic generation in some donor-acceptor ethylenes \square 1992 , 48, 1647-1656	5
2005	The noncentrosymmetric orthoborate $\text{BaZn}_2(\text{BO}_3)_2$. 1992 , 100, 325-330	37
2004	Growth and characterization of methyl p-hydroxybenzoate (p-MHB). 1992 , 121, 516-518	8
2003	Measurement of quadratic hyperpolarizabilities of unsymmetrical donor-acceptor bi- and polyaryls: effect of size and torsion angle of aryl units. 1992 , 160, 467-475	19
2002	Molecular hyperpolarizabilities of new bimetallic ferrocenyl derivatives. 1992 , 167, 369-375	29
2001	Structure of 4'-methoxychalcone. 1992 , 48, 751-752	
2000	Structure-Property Investigation of TAMP, TAMS, and TAMM Crystals. 1992 , 27, 79-81	
1999	Quasi-perfect polar alignment of nonlinear chromophores in a crystalline H-bonded guest/host structure: 2-Amino-5-nitropyridinium-L-monohydrogentartrate. 1993 , 5, 120-124	66
1998	Novel colorless composite materials for nonlinear optics. 1993 , 5, 364-367	3
1997	Materials science of organic compounds. 1993 , 226, 311-316	6

- 1996 New organic nonlinear optical crystals of indole-3-aldehyde. **1993**, 130, 444-446 7
- 1995 Synthesis and second-order nonlinear optical properties of three coordinate organoboranes with diphenylphosphino and ferrocenyl groups as electron donors: crystal and molecular structures of (E)-D⁺CH₂CH₂B(mes)₂ and D⁺C⁺C⁺B(mes)₂ [D⁺ P(C₆H₅)₂, (C₅H₅)Fe(C₅H₄); mes = 2,4,6-(CH₃)₃C₆H₂]. **1993**, 449, 27-37 165
- 1994 Polarizable stilbazole-based organometallic complexes and polymers. **1993**, 451, 213-220 16
- 1993 High electron-acceptability of a 2,2-bis(alkyl- or arylsulfonyl)ethenyl group. **1993**, 34, 2649-2652 9
- 1992 Thiophene chalcone. **1993**, 49, 1075-1077 5
- 1991 Structure of ethyl 2-cyano-3-(3-hydroxy-4-methoxyphenyl)propenoate. **1993**, 49, 1432-1434
- 1990 Verfeinerung der Kristallstruktur des Tetraethylammoniumheptaiodids. **1993**, 49, 2042-2045 5
- 1989 3-Aminoxanthene-9-one. **1993**, 49, 2041-2042
- 1988 Synthesis and crystal structure of guanidinium L-monohydrogentartrate: encapsulation of an optically nonlinear octupolar cation. **1993**, 49, 334-342 74
- 1987 Structure of bis(2-amino-5-nitropyridinium) dichromate as a step towards the design of efficient organic/organic non-linear optical crystals. **1993**, 49, 277-282 31
- 1986 Crystal engineering and structural investigations of the 2-amino-5-nitropyridinium salts C₅H₆N₃O₂ +.HSO₄ and C₅H₆N₃O₂ +.H₂AsO₄ □ **1993**, 49, 535-541 65
- 1985 Crystal structures and polymorphism in aliphatic p-amidobenzoic acids. **1993**, 49, 541-546 7
- 1984 One-dimensional coordination polymers: Applications to material science. **1993**, 128, 293-322 465
- 1983 Crystal growth, and characterization of a new organic nonlinear-optical material: l-N-(5-nitro-2-pyridyl)leucinol. **1993**, 10, 1372 19
- 1982 Inorganic Crystals for Nonlinear Optical Frequency Conversion. **1993**, 23, 321-379 102
- 1981 Binary salts of substituted pyridines and L-tartaric acid as nonlinear optical organic materials: crystal structure of L-tartaric acid-β-dimethylaminopyridine (1:1) dihydrate salt. **1993**, 2419-2422 33
- 1980 Synthesis, characterization and crystal structure of 2-dicyanomethylene-1,3-bis(ferrocenylmethyl)-1,3-diazolidine. **1993**, 1999-2003 18
- 1979 Studies on acceptor molecules containing the dicyanomethylene group. X-Ray crystal structure of the charge-transfer complex of tetramethyltetrathiafulvalene and 2,3-dicyano-1,4-naphthoquinone: (TMTTF)₃(DCNQ)₂. **1993**, 313-319 14

1978	Synthesis and non-linear optical properties of substituted styrylpyridinium MPS3 intercalation compounds (M = Mn, Cd). 1993 , 3, 499-503		31
1977	Crystal engineering: hydrogen-bonded salts of hydroxybenzoic acids for second harmonic generation. 1993 , 152-156		29
1976	Structural evidence in 2-amino-5-nitropyridinium halides (Cl, Br) of herringbone motifs favourable to efficient quadratic non-linear optical properties. 1993 , 3, 999-1003		40
1975	Anchorage of 4-nitropyridine N-oxide, an optically non-linear entity, onto CdCl ₂ and CdI ₂ host matrices. 1993 , 3, 333-338		17
1974	The linear and nonlinear optical properties of the organic nonlinear material 4-nitro-4-methylbenzylidene aniline. <i>Journal of Applied Physics</i> , 1993 , 73, 1591-1597	2.5	33
1973	A New Measurement of Second-Harmonic Generation Efficiency. 1993 , 227, 133-142		5
1972	The Linear Optical Properties of the Organic Molecular Crystal (+)2-(4-Methylbenzylamino)-5-Nitropyridine (MBA-NP). 1993 , 231, 223-229		14
1971	Linear and Nonlinear Optical Properties of New Organic Materials. 1993 , 224, 45-52		7
1970	Assessment of optically nonlinear organic crystals. 1993 , 26, B208-B216		21
1969	Synthesis of polyphilic compounds Evidence for ferroelectricity in a non-chiral mesophase. 1993 , 14, 405-414		38
1968	Measurement of second-harmonic generation from colored powders. 1993 , 63, 2165-2167		9
1967	Second harmonic generation in ferroelectric liquid crystals and their mixtures. 1993 , 14, 1021-1032		13
1966	An electron paramagnetic resonance study of Er ³⁺ in Bi ₄ Ge ₃ O ₁₂ single crystals. 1993 , 99, 4952-4959		37
1965	Principles and Applications of Nonlinear Optical Materials. 1993 ,		86
1964	KNB (KNbB ₂ O ₆) and its isomorphs: a new family of nonlinear optical materials. 1993 , 1863, 54		1
1963	Preparation and Optical Properties of Transparent TeO ₂ -Based Glasses Containing BaTiO ₃ Crystals. 1993 , 101, 48-52		27
1962	Second-Order Optical Nonlinearities of Substituted Stilbenes and the Related Compounds Containing a Trifluoromethyl as the Electron-Withdrawing Group. 1993 , 66, 687-691		5
1961	New Second-Order Nonlinear Optical Materials with a Cutoff Wavelength of 350 nm. 3-Benzylidene-D-camphor Derivatives. 1993 , 22, 921-924		6

1960	Nonlinear Optical Properties of Substituted Stilbazolium-MPS3 Intercalation Compounds. 1993 , 328, 613	1
1959	Novel Molecular Design for Enhanced Second-Order Nonlinear Optical Response with Wide Transparency: Cyanovinyl Aromatics. 1994 , 255, 113-120	13
1958	The Nonlinear Optical Characteristic of Cyano-(3-methoxy-4-hydroxy-5-bromo)methylcinnamate (CMHB). 1994 , 33, L1189-L1191	
1957	Structural Properties of Some Cyanoethenes with Optical Nonlinearity. 1994 , 33, 5755-5758	10
1956	Linear and Nonlinear Optical Properties of Molecule and Crystal of N-(2,4-Dinitrophenyl)-1-Chloro-3-Phenyl-2-Propanamine. 1994 , 33, 6185-6189	5
1955	Optical Second-Harmonic Generation of Tetrazole Derivatives. 1994 , 33, 169-170	2
1954	Simultaneous generation of sum, difference, and harmonics of two laser frequencies by spread spectrum phase matching. 1994 , 65, 679-681	7
1953	Experimental study of second harmonic generation by dipolar configurations in pure and Li-doped KTaO ₃ and its variation under electric field. 1994 , 55, 853-869	39
1952	X-ray diffraction and second harmonic generation studies on KTiOPO ₄ . 1994 , 91, 757-759	1
1951	Size driven phase transition in nanocrystalline BaTiO ₃ . 1994 , 91, 883-887	144
1950	Single crystal growth and characterization of a new organic nonlinear optical material: 8-(4'-acetylphenyl)-1,4-dioxo-8-azaspiro[4.5]decane (APDA). 1994 , 139, 309-318	21
1949	Growth and characterization of a new organic nonlinear optical crystal: 1-(3-thienyl)-3-(4-chlorophenyl)-propene-1-one. 1994 , 141, 389-392	2
1948	Growth behavior of L-pyrrolidone-2-carboxylic acid (L-PCA) single crystals. 1994 , 141, 425-436	5
1947	Synthesis and characterization of π -monocyclopentadienyl (p-nitrobenzotrile)ruthenium(II) salts: Second harmonic generation powder efficiencies. 1994 , 475, 241-245	34
1946	Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinyldene) ruthenium complexes; X-ray structure of [Ru(C [?] CPhN [?] NC ₆ H ₄ OMe-4)(PPh ₃) ₂ (η -C ₅ H ₅)] [BF ₄] [CH ₂ Cl ₂]. 1994 , 471, 193-199	22
1945	Structure of 4-chlorochalcone. 1994 , 50, 126-127	3
1944	RbTi ₂ (PO ₄) ₃ . 1994 , 50, 1525-1527	15
1943	Rb ₃ Ti ₂ (TiO)(PO ₄) ₃ P ₂ O ₇ : A new non-centrosymmetric titanyl phosphate. 1994 , 50, 1523-1525	4

1942	Technique for evaluating second-order nonlinear optical materials in powder form. <i>Journal of Applied Physics</i> , 1994 , 75, 4332-4339	2.5	35
1941	Stilbazolium-MPS3 Nanocomposites with Large Second-Order Optical Nonlinearity and Permanent Magnetization. 1994 , 263, 658-60		264
1940	Second harmonic generation in transparent barium borate glass-ceramics. 1994 , 167, 247-254		74
1939	Inorganic materials for anomalous-dispersion phase-matched second-harmonic generation: rubidium titanyl arsenate isomorphs, Rb[Ti _{1-x} Ln _x Nbx]OAsO ₄ . 1994 , 178, 120-128		5
1938	Polar configurations in pure and Li-doped KTaO ₃ studied by second harmonic generation and its variation under electric field. 1994 , 157, 239-244		10
1937	Optimization of Materials for Second-Order Nonlinear Optical Applications. 1994 , 179-222		1
1936	Crystal structures, magnetic and non-linear optical properties of methoxyphenyl nitronyl nitroxide radicals. 1994 , 4, 1047-1053		21
1935	Second harmonic in reflection in material science of ferroelectrics.		9
1934	2-Amino-5-nitropyridinium acetophosphonate: a deliberately engineered non-linear optical crystal. 1994 , 4, 1851-1854		24
1933	Phase transition and shg effect of ferroelectric nano-powders. 1994 , 156, 153-158		
1932	Second-Harmonic Generation from Single and Mixed Crystals of p-Nitroaniline and Its Derivatives. 1994 , 67, 1479-1482		1
1931	2-(1-Pyrrolyl, Diazolyl, and Triazolyl)-Substituted 5-Nitropyridines for Nonlinear Optical Materials. 1994 , 67, 1936-1940		3
1930	Optical properties of PMACB and PMABB crystals. 1994 , 152, 367-372		4
1929	Theoretical Evaluation of Hyperpolarizability of L-2-Pyrrolidone-5-carboxylic Acid (L-PCA). 1995 , 68, 2215-2224		
1928	1,3-Di(2-thienyl)propen-1-one. 1995 , 51, 681-683		2
1927	3-(4-Methylphenyl)-1-(3-thienyl)-2-propen-1-one. 1995 , 51, 989-991		1
1926	3-(4-Bromophenyl)-1-(3-thienyl)-2-propen-1-one (BTC). 1995 , 51, 1167-1168		2
1925	The Influence of Hydrogen Bonding on the Structure of 1-Methylimidazolium D-Tartrate. 1995 , 51, 1680-1683		4

- 1924 Metallorganische Verbindungen für die nichtlineare Optik Ein Hoffnungstreif am Horizont. **1995**, 107, 37-56 130
- 1923 Substituted imidazolium phenylphosphonate salts for nonlinear optical applications. **1995**, 25, 129-136 10
- 1922 Subsolidus Phase Equilibria of the CaO-B₂O₃-BaO System. **1995**, 78, 765-768 2
- 1921 Pentamethylcyclopentadienyl ruthenium complexes as potential optically non-linear materials. **1995**, 14, 1765-1770 6
- 1920 Novel nonlinear optical crystal of methyl-p-hydroxy benzoate. **1995**, 153, 60-62 13
- 1919 New organic nonlinear optical crystals of 1-(3-thienyl)-3-(4-bromophenyl)-propene-1-one. **1995**, 154, 415-417
- 1918 A high resolution powder neutron diffraction study of the novel layered oxide BiMo₂O₇OD \square 2D₂O. **1995**, 56, 1339-1343 1
- 1917 CsLiB₆O₁₀: A noncentrosymmetric polyborate. **1995**, 30, 209-215 158
- 1916 Second Harmonic Generation in Bis Typed Organic Compounds. **1995**, 2, 334-338
- 1915 Crystal structure of 1-ethyl-2,6-dimethyl-4(1 H)-pyridinone, trihydrate: a potential nonlinear optical crystalline organic material transparent till the near ultraviolet range. **1995**, 210, 856-860 39
- 1914 Size driven phase transition and thermodynamic properties of nanocrystalline batio₃. **1995**, 173, 351-369 31
- 1913 Structural study on chalcone derivatives. **1995**, 71, 1705-1706 14
- 1912 Quadratic non-linear optical properties of some donor-acceptor substituted thiophenes. **1995**, 171-176 27
- 1911 Charge transport through polymer thin films for second order nonlinear optics.
- 1910 Novel amino acid crystals for phase-matched second-harmonic generation: L-pyrrolidone-2-carboxylic acid. *Journal of Applied Physics*, **1995**, 78, 709-717 2.5 13
- 1909 Salt-based approach for frequency conversion materials. **1996**, 5, 667-680 34
- 1908 From Intercalation to Aggregation: Nonlinear Optical Properties of Stilbazolium Chromophores in MPS₃ Layered Hybrid Materials. **1996**, 8, 2153-2158 81
- 1907 Systematic Crystallographic Investigation of Hydrogen-Bonded Networks Involving Monohydrogen Tartrate-Amine Complexes: Potential Materials for Nonlinear Optics?. **1996**, 8, 2313-2323 17

1906	Crystal Engineering of Noncentrosymmetric Structures Based on 2-Amino-5-nitropyridine and n-Chloroacetic Acid Assemblies. 1996 , 8, 68-75	52
1905	The Ionic Auxiliary Concept in Solid State Organic Photochemistry. 1996 , 29, 203-209	161
1904	Hydridotris(3,5-dimethylpyrazolyl)borate Tungsten Alkyne Complexes for Nonlinear Optics. 1996 , 8, 93-99	9
1903	A Novel Optical Complex between an Organic Substrate and a Polyoxometalate. Crystal and Molecular Structure of α -H(4)SiW(12)O(40).4HMPA.2H(2)O (HMPA = Hexamethylphosphoramide). 1996 , 35, 4211-4217	118
1902	Optical and structural characterization of triallyl thiourea cadmium chloride (ATCC). 1996 , 35, 903-6	9
1901	Linear and nonlinear optical properties of a new organic crystal, N-(4-aminobenzenesulfonyl)acetamide. 1996 , 13, 837	11
1900	Grain-size effect on structure and phase transformations for barium titanate. 1996 , 54, 3158-3168	734
1899	Recent progress of organic nonlinear optics in Japan. 1996 , 81, 99-115	15
1898	New Crystal Form of an Organic Nonlinear Optical Material, 8-(4-Acetylphenyl)-1,4-dioxo-8-azaspiro[4.5]decane (APDA). 1996 , 8, 2622-2627	9
1897	Composition Space of the (CuO, (1)/(2)Nb(2)O(5))/(HF)(x)().pyridine/H(2)O System. Structure and Synthesis of [pyH(+)](2)[CuNb(2)(py)(4)O(2)F(10)](2-) and CuNb(py)(4)OF(5). 1996 , 35, 1367-1371	82
1896	Synthesis and characterisation of some donor-acceptor substituted butadienes for second harmonic generation. 1996 , 731-736	9
1895	Solvate-switchable powder second harmonic generation in a push-pull quinonoid system. 1996 , 6, 1853-1855	15
1894	Investigation of Second Harmonic Generation in Glutamic Acid-Metal Complexes. 1996 , 435, 655	1
1893	Molecular Design and Crystal Engineering of a New Series of Inorganic Polymers Separated by Organic Spacers: Structures of [(18C6)K][Cd(SCN)3] and [(18C6)2Na2(H2O)2]1/2[Cd(SCN)3]. 1996 , 118, 11813-11821	85
1892	Synthesis of ferrocenylarylethylenes and their cyclodextrin complexes, which are potential materials for nonlinear optics. 1996 , 45, 2243-2244	
1891	Synthesis and characterization of various Schiff bases for non-linear optical applications. 1996 , 44, 261-266	37
1890	Nonlinearity of the complex crystals with O-H bond. 1996 , 57, 1321-1328	28
1889	Structure and optical non-linearity of PbO.2B2O3. 1996 , 52, 260-265	57

- 1888 Second harmonic generation in push-pull ethylenes: Influence of chirality and hydrogen bonding. **1996**, 378, 177-188 2
- 1887 Growth and Properties of the Organometallic Nonlinear Optical Crystal: Semicarbazide Cadmium Chloride (SCCC). **1996**, 31, 421-428 6
- 1886 Relationship between Crystal Structure and Properties in Substituted Thienyl Chalcones. **1996**, 31, 935-938 1
- 1885 Preparation and Characterization of 3-Acetamide-4-N-Cyclooctylamino-Nitrobenzene Crystals: A New Organic Material for Nonlinear Optics. **1996**, 31, 1033-1038
- 1884 Five-membered heteroaromatic hydrazone derivatives for second-order nonlinear optics. **1996**, 8, 416-420 43
- 1883 Kristallisation supramolekularer Materialien: Perhydrotriphenylen(PHTP)-Einschlussverbindungen mit nichtlinearen optischen Eigenschaften. **1996**, 108, 1774-1776 8
- 1882 Large second-harmonic generation coefficients of bis(benzylidene) cycloalkanones estimated by the second-harmonic wave generated with the evanescent wave technique. **1996**, 249, 29-34 43
- 1881 Temperature-dependent second harmonic generation in 6LiRbSO₄ and 7LiRbSO₄. **1996**, 98, 241-244 4
- 1880 Synthesis of sulfone-substituted thiophene chromophores for second-order nonlinear optics. **1996**, 37, 7279-7282 33
- 1879 Second harmonic generation in push-pull ethylenes: Influence of chirality and hydrogen bonding. **1996**, 378, 177-188 23
- 1878 Organometallic complexes for nonlinear optics VI: syntheses of rigid-rod ruthenium π -acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of trans-[Ru(C \equiv CC₆H₄NO₂-4)₂(dppm)₂] and trans-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,4')₂(dpppm)₂]. **1996**, 523, 33-40 57
- 1877 Nonlinear Optical Study of ER Fluids. **1996**, 7, 565-568
- 1876 Electron paramagnetic resonance of tetrahedral Fe³⁺ in Bi₄Ge₃O₁₂ single crystals. **1996**, 54, 12915-12920 12
- 1875 90° phase-matched ultraviolet generation at 0.2660 μ m in LiClO₄·3H₂O. *Journal of Applied Physics*, **1996**, 80, 6097-6098 2.5
- 1874 Prominent Second-Order Nonlinear Optical Properties of Novel Ketone Derivatives. **1996**, 278, 117-124 8
- 1873 SHG thermal imaging in ferroelectric media.
- 1872 Engineering of polar molecular crystals with optimized chromophoric orientation for nonlinear optics. **1997**, 202, 51-64 5
- 1871 Frequency doubling in gallium-lanthanum-sulphide optical glass with microcrystals. **1997**, 70, 155-157 11

- 1870 Combination of Maker fringe and total reflection technique: Nonlinear optical properties of 4-nitro-2-ethoxyamide-4'-benzyloxytolane. *Journal of Applied Physics*, **1997**, 81, 550-553 2.5 3
- 1869 Generation of the second harmonic of laser radiation and the linear electro-optical effect in 4-aminostilbene single crystals. **1997**, 27, 1001-1003
- 1868 Physical vapor transport experiments onboard the Space Shuttle Endeavour. **1997**, 3123, 110 2
- 1867 Structural Characterization of 4-Cyanoimidazolium-5-olate, 4,4-Diphenyl-5-imidazolinone, and 4,5-Dicyanoimidazole. A Novel Mesoionic Compound and Decoding of Intermolecular Hydrogen Bonds. **1997**, 62, 7037-7043 14
- 1866 Synthesis, Crystal Structure, and Second-Order Optical Nonlinearity of Bis(2-chlorobenzaldehyde thiosemicarbazone)cadmium Halides (CdL(2)X(2); X = Br, I). **1997**, 36, 1247-1252 167
- 1865 PushPull Quinonoid Compounds: Enhanced Powder SHG Utilizing the Effect of Chiral Centers on the Dipole Alignment. **1997**, 9, 830-837 33
- 1864 Theoretical Study of Hyperpolarizabilities in Crystalline m-Nitroaniline. **1997**, 101, 3762-3768 12
- 1863 Layered MPS3 (M = Mn, Cd) Thin Films as Host Matrixes for Nonlinear Optical Material Processing. **1997**, 9, 2004-2012 72
- 1862 Second-Order Nonlinearity of Mixtures Including p-Nitroaniline Derivatives. **1997**, 101, 8856-8859 14
- 1861 Second-Harmonic Generation from Single Crystals of N-Substituted 4-Nitroanilines. **1997**, 36, 6754-6760 52
- 1860 A highly efficient organic second-order nonlinear optical crystal based on a donor-acceptor substituted 4-nitrophenylhydrazone. **1997**, 71, 2064-2066 11
- 1859 A novel class of phenolpyridine co-crystals for secondharmonic generation. **1997**, 7, 713 127
- 1858 New nonlinear-optical organic crystal: 4-dimethyl-aminobenzaldehyde- 4-nitrophenyl-hydrazone. **1997**, 14, 593 25
- 1857 Organic crystal isopropyl-4-acetylphenylurea and waveguide second-harmonic generation. **1997**, 14, 1099 4
- 1856 Theoretical and experimental study of the second-order polarizabilities of Schiff's bases for nonlinear optical applications. **1997**, 8, 309-316 4
- 1855 Vapor deposited organic thin film in microgravity. **1997**, 174, 130-138 6
- 1854 Syntheses, X-ray structures and second harmonic generation efficiencies of fused ring heterocycles. **1997**, 32, 1127-1136 6
- 1853 Estimation of SHG properties on polycrystalline Ba(B_{1-x}M_x)₂O₄ (M: Al or Ga). **1997**, 16, 1375-1377 5

- 1852 Odd-even oscillations of SHG efficiencies in twin NLO chromophores. **1997**, 39, 481-487 6
- 1851 Chemical studies on the nonlinear optics of coordination compounds. **1997**, 106, 85-90 9
- 1850 Cadmium Glutamate Dihydrate. **1997**, 53, 1815-1816 6
- 1849 Dual Behaviour of Acetylacetonate Anions in the Hydrogen-Bonded Supramolecular Structure (Acetylacetonato-O,O')[trans-(1R,2R)-diaminocyclohexane-N,N']platinum(II) Acetylacetonate. **1997**, 53, 1816-1819 3
- 1848 A Re-investigation of the Crystal Structure of the Perovskite PbZrO₃ by X-ray and Neutron Diffraction. **1997**, 53, 135-142 96
- 1847 Pentacarbonyl(cyclobutenyliden)chrom-Komplexe: Synthese, Struktur und nichtlineare optische Eigenschaften. **1997**, 541, 321-332 26
- 1846 Organometallic complexes for non-linear optics XII syntheses and second-order susceptibilities of (neomenthyl)diphenylphosphine) gold π -arylacetylides: X-ray crystal structures of Au(C⁺CPh)(nmdpp) and Au((E)-4,4'-C⁺CC₆H₄CH=CHC₆H₄NO₂)(nmdpp). **1997**, 544, 189-196 28
- 1845 Effect of DC and AC Bias Fields on the Dielectric and Ferroelectric Properties of a KTN Ceramic. **1997**, 161, 557-564 27
- 1844 Self-assembly of an acentric co-crystal of a highly hyperpolarizable merocyanine dye with optimized alignment for nonlinear optics. **1997**, 9, 554-557 36
- 1843 Multiproperty molecular materials combining conductivity and second-order optical nonlinearities. **1997**, 9, 1105-1108 31
- 1842 Crystal Growth of a Promising Nonlinear Optical Material: 2-Amino-5-Nitropyridinium Chloride. **1997**, 129, 22-29 30
- 1841 High-pressure studies of second harmonic generation in organic materials. **1997**, 280, 375-380 14
- 1840 Crystal growth of hybrid nonlinear optical materials: 2-amino-5-nitropyridinium dihydrogenphosphate and dihydrogenarsenate. **1997**, 180, 229-237 26
- 1839 A novel optical charge-transfer complex between an organic substrate and a polyoxometalate, α -H₆P₂W₁₈O₆₂ · phen · 10H₂O. **1998**, 23, 125-128 10
- 1838 Highly polarizable chromophores for nonlinear optics: syntheses, structures and properties of donor-acceptor substituted thiophenes and oligothiophenes. **1998**, 54, 8469-8480 47
- 1837 Organic nonlinear optical crystals of benzoyl glycine. **1998**, 193, 674-678 43
- 1836 Structure-Property Relationships in Li_{1-x}HxIO₃Type Complex Crystals. **1998**, 135, 121-126 11
- 1835 Structure and nonlinear optical properties of phenylazo compounds. Structural characterization of 3-amino-3-morpholinyl-2-(o-nitrophenylazo)-propenonitrile and o-nitrophenylhydrazonomalononitrile. **1998**, 444, 135-146 7

1834	Push-pull azulene-based chromophores with nonlinear optical properties. 1998 , 39, 6853-6856	32
1833	Organic Materials for Non-Linear Optics: The 2D Approach. 1998 , 340, 99-111	47
1832	Thermal and crystallographic properties of a new NLO material, urea-(d) tartaric acid single crystal. 1998 , 33, 265-268	54
1831	Hydrothermal synthesis of nonlinear optical potassium niobate ceramic powder. 1998 , 34, 172-176	97
1830	Effect of High Pressure on the Second Harmonic Generation Efficiencies of Three Monoclinic Organic Compounds. 1998 , 102, 5963-5968	11
1829	Non Linear Optics in Zirconium Phosphate Layered Phases. 1998 , 311, 275-280	6
1828	Methodology for optical studies of nonlinear crystals: application to the isomorph family , , and. 1998 , 7, 239-256	32
1827	Crystal Engineering in $[(12C4)(2)Na][Cd(SCN)(3)]$: First Example of an Anionic Cadmium Thiocyanate Coordination Solid with a Sandwich $[(12C4)(2)Na](+)$ Cation as Spacer/Controller, Resulting in a Hexagonal Arrangement of Antiparallel Zigzag $[Cd(SCN)(3)(-)](infinity)$ Chains. 1998 , 37, 3490-3496	46
1826	Refractive Indices of the Optically Nonlinear Organic Crystal (S)-3-Methyl-5-nitro-N-(1-phenylethyl)-2-pyridinamine. 1998 , 102, 8520-8525	4
1825	Supramolecular Engineering of Chiral and Acentric 2D Networks. Synthesis, Structures, and Second-Order Nonlinear Optical Properties of Bis(nicotinato)zinc and Bis{3-[2-(4-pyridyl)ethenyl]benzoato}cadmium. 1998 , 120, 13272-13273	472
1824	Dual Influence of H-Bonding on the Solid-State Second- Harmonic Generation of a Chiral Quinonoid Compound. 1998 , 10, 2371-2377	34
1823	Synthesis, Crystal Structure, and Second-Order Nonlinear Optical Properties of a New Phase-Matchable Cyanine Dye. 1998 , 10, 1135-1140	9
1822	Novel electro-optic molecular cocrystals with ideal chromophoric orientation and large second-order optical nonlinearities. 1998 , 15, 426	40
1821	Lewis Acidic Borane Adducts of Pyridines and Stilbazoles for Nonlinear Optics. 1998 , 10, 1355-1365	122
1820	Organometallic Complexes in Nonlinear Optics I: Second-Order Nonlinearities. 1998 , 42, 291-362	357
1819	Nonlinearity Enhancement by Solid-State Proton Transfer: A New Strategy for the Design of Nonlinear Optical Materials. 1998 , 10, 847-854	93
1818	Composition Space of the $(CdO, 0.5Nb2O5)/(HF)x[Pyridine/H2O]$ System. Structure and Synthesis of $CdNb(py)4OF5$. 1998 , 37, 369-371	36
1817	Second-Order Nonlinear Performance of Poly(methyl methacrylate) Films with Dispersed Donor/Acceptor Organobimetallic Compounds. 1998 , 102, 10698-10706	13

1816	Syntheses, Crystal Structures, and NLO Properties of New Chiral Inorganic Chromophores for Second-Harmonic Generation. 1998 , 37, 2158-2165	45
1815	Incorporation of a Stilbazole Derivative in the Hydrogen-Bonded Chain of L-Tartrate: Toward a One-Step Optimization of Molecular and Bulk Second-Order Nonlinearities. 1998 , 10, 1109-1114	16
1814	Novel Organic SHG Materials. 1998 , 315, 135-140	59
1813	The crystal structure of new lead monoborate hydrate, $Pb_5B_3O_8(OH)_3 \cdot 3H_2O$. 1998 , 213, 240-245	15
1812	Electron paramagnetic resonance investigation of ions in single crystals. 1998 , 10, 3261-3268	8
1811	Octupolar versus dipolar crystalline structures for nonlinear optics: A dual crystal and propagative engineering approach. 1998 , 109, 658-669	66
1810	EPR and crystal-field analysis of Yb^{3+} ions in $Bi_4Ge_3O_{12}$ single crystals. 1998 , 58, 39-42	11
1809	Investigation of Transition Metal-Xanthate Complexes for Nonlinear Optical Applications. 1998 , 519, 395	15
1808	Intermolecular Hydrogen Bonds of 5-Benzylidene-2,4-thiazolidinedione Derivatives and Related Compounds in Crystalline State. 1998 , 71, 1713-1718	8
1807	Molecular and Crystal Structures of Novel Second-Order Nonlinear Optical Crystals: β -Dibenzylidenecycloalkanones. 1998 , 71, 2777-2786	27
1806	Studies on third-harmonic generation in chemically grown ZnS quantum dots. 1999 , 11, 1363-1368	9
1805	Second-harmonic spectroscopy of interband excitations at the interfaces of strained $Si(100)Bi_{0.85}Ge_{0.15}O_2$ heterostructures. 1999 , 59, 2915-2926	36
1804	A new nonlinear optical crystal $K_2Al_2B_2O_7$.	
1803	Synthesis and second-order nonlinearities of sulfonyl-substituted pyrrole imino dyes. 1999 , 40, 2157-2160	29
1802	The EPR technique as a tool for the understanding of laser systems.. 1999 , 13, 141-145	36
1801	$Ni(dmit)_2$ salts with chiral stilbazolium- and ferrocenyl-based chromophores as countercations. 1999 , 2, 329-340	
1800	Growth and characterisation of phosphate mixed ZTS single crystals. 1999 , 65, 153-158	56
1799	A tetrahedral coordination compound for second-order nonlinear optics: synthesis, crystal structure and SHG of $Zn(2-NH_2py)_2Cl_2$. 1999 , 18, 3461-3464	39

1798	Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics. 1999 , 245, 365-375	16
1797	Cadmium isopropylxanthate. 1999 , 55, 717-719	18
1796	N,N'-Diphenylguanidinium hydrogen (+)-L-tartrate monohydrate. 1999 , 55, 1287-1290	8
1795	Pentaamminenitrocobalt(III) hexafluorosilicate(IV) at 293 and 150K. 1999 , 55, 1205-1208	1
1794	Zinc mercury thiocyanate (ZMTC). 1999 , 55, 1203-1205	16
1793	Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds. 1999 , 245, 377-394	29
1792	Effect of hydrogen bonds on optical nonlinearities of inorganic crystals. 1999 , 301, 449-452	98
1791	Molecular and crystal engineering of a new class of inorganic cadmium-thiocyanate polymers with host-guest complexes as organic spacers, controllers, and templates. 1999 , 183, 157-195	263
1790	[Cd ₂ (4,4'-bipy)2(H ₂ O)3(SO ₄) ₂]·3H ₂ O: a novel three-dimensional coordination polymer with nonlinear optical properties. 1999 , 294, 95-98	48
1789	The applicability of second harmonic generation for in situ measurement of induction time of selected crystallization systems. 1999 , 203, 564-569	13
1788	Nonlinear optical activity of anhydrous and hydrated sodium p-nitrophenolate. 1999 , 205, 548-553	33
1787	Synthesis, structure and properties of a new nonlinear optical material: zinc cadmium tetrathiocyanate. 1999 , 34, 2003-2011	129
1786	In Search of Inorganic Nonlinear Optical Materials for Second Harmonic Generation. 1999 , 148, 75-80	40
1785	Crystal Growth, Structure, and Properties of New Nonlinear Optical Materials: K ₂ Ln(NO ₃) ₅ ·2H ₂ O (Ln=La, Ce, Pr, Nd, Sm). 1999 , 148, 302-307	19
1784	Chiral Stilbazolium Chromophores: An Approach toward Multiproperty Materials Combining Conductivity and Second-Order Optical Nonlinearities. 1999 , 11, 840-848	34
1783	Nonlinear optical properties of chiral thiolates. 1999 , 102, 1548-1549	9
1782	Design, Synthesis, and Crystal Structure of a cis-Configuration N(2)S(2)-Coordinated Palladium(II) Complex: Role of the Intra- and Intermolecular Aromatic-Ring Stacking Interaction. 1999 , 38, 1719-1724	69
1781	Synthesis, Crystal Structures, and Second-Order Nonlinear Optical Properties of New Chiral Ferrocenyl Materials. 1999 , 18, 21-29	93

1780	A Novel Octupolar Metal-Organic NLO Material Based on a Chiral 2D Coordination Network. 1999 , 121, 11249-11250	405
1779	Organometallic-Organic Hybrid Crystals from Ferrocenyl Dipyridine and Binaphthol: Different Crystal Structures and Nonlinear Optical Properties Depending upon the Reaction Medium and Optical Purity of Binaphthol. 1999 , 18, 5080-5085	25
1778	Hyper-Rayleigh scattering of azulenic donor-acceptor molecules at 1064 and 1907 nm. 1999 , 111, 4621-4628	40
1777	Quinolinium-Derived Acentric Crystals for Second-Order NLO Applications with Transparency in the Blue. 1999 , 103, 8702-8705	11
1776	Organic Materials for Second-Order Non-Linear Optics. 1999 , 32, 121-217	91
1775	SYNTHESIS, CRYSTAL STRUCTURE AND NONLINEAR OPTICAL PROPERTIES OF THIOSEMICARBAZONE ZINC COMPLEX. 1999 , 47, 433-439	8
1774	Optical Second Harmonic Generation in Achiral Bis(n-alkylamino)dicyanoquinodimethanes: Alkyl Chain Length as the Design Element. 1999 , 11, 466-472	32
1773	Effective nonlinear coefficients of organic powders measured by second-harmonic generation in total reflection: numerical and experimental analysis. 1999 , 16, 83	12
1772	Linear and second-order nonlinear optical characterizations of the solid solution 2-amino-5-nitropyridinium dihydrogenphosphate-arsenate 2A5NPDP _{1-x} As _x (OH) ₂ . 1999 , 16, 1385	3
1771	THERMAL AND OPTICAL PROPERTIES OF MOLECULAR SIEVE ALPO ₄₋₅ LOADED WITH NITROANILINE ISOMERS. 1999 , 9, 49-54	1
1770	Ceramics, Nonlinear Optical and Electrooptic Ceramics. 2000 ,	
1769	Nonlinear Optics. 2000 ,	
1768	. 2000 , 2000, 737-741	58
1767	A New Bismuth-Bismuth Oxychloride, BiSeO ₃ Cl: Crystal Structure and Dielectric and Nonlinear Optical Properties. 2000 , 149, 236-241	39
1766	Crystal Structure of Na ₂ M ₂ (BO ₃) ₂ O (M=Al, Ga); Comparison with Other Layered Oxyborates and SiP ₂ O ₇ . 2000 , 154, 344-349	19
1765	Thermally Robust Metal Coordination Polymers: The Cobalt, Nickel, and Zinc Pyrimidin-2-olate Derivatives. 2000 , 2000, 2507-2515	29
1764	Growth and characterization of a promising nonlinear optical organic crystal. 2000 , 210, 824-827	21
1763	Studies on organic indole-3-aldehyde single crystals. 2000 , 212, 227-232	89

- 1762 Second harmonic generation from the single crystals of N-substituted 4-cyanoanilines. **2000**, 87-89, 886-888 5
- 1761 Organometallic complexes for nonlinear optics. **2000**, 610, 71-79 33
- 1760 Quinolinium derived acentric single crystals. **2000**, 41, 5397-5402 12
- 1759 The crystal packing of a strongly dipolar piperazinedione. **2000**, 41, 9483-9487 7
- 1758 Study of linear and nonlinear optical properties of distorted TiD_6 perovskite structure in $BaxSr_{1-x}TiO_3$. **2000**, 61, 969-977 15
- 1757 The influence of crystal packing on second-order non-linear optical properties of new chiral ferrocenyl materials. **2000**, 3, 139-146 1
- 1756 Molecular cocrystals of 2-amino-5-chlorobenzooxazole. **2000**, 3, 71-79 12
- 1755 One-pot polymorphism of nonlinear optical materials. First example of organic polytypes. **2000**, 3, 263-288 25
- 1754 Organic inclusion complex strategy for designing nonlinear optical crystals for ultraviolet applications. **2000**, 40, 123-132 9
- 1753 Structure and properties of niobium-doped potassium titanyl phosphate crystals. **2000**, 45, 739-743 13
- 1752 Growth, structure, and properties of ferroelectric/ferroelastic/superionic $K_3Nb_3B_2O_{12}$ and $K_3Na_xNb_3B_2O_{12}$ crystals. **2000**, 45, 816-820 5
- 1751 Experimental determination of induction period and interfacial energies of pure and nitro doped 4-hydroxyacetophenone single crystals. **2000**, 64, 179-183 35
- 1750 Alternative synthetic approach to large molecule intercalation in V_2O_5 xerogels. **2000**, 35, 1907-1913
- 1749 CW blue-green light emission from GaN and SiC by sum-frequency generation and second harmonic generation. **2000**, 29, 1059-1062 4
- 1748 OH⁻ disorder in non-centrosymmetric $Zn_2(BO_3)(OH)_{0.75}F_{0.25}$: ab initio structure determination and NMR study; comparison with tridymite and fluoride borates. **2000**, 305, 49-57 12
- 1747 Enhanced second harmonic generation at surface in transparent nanocrystalline TeO_2 -based glass ceramics. **2000**, 77, 2118-2120 80
- 1746 6.2.2.1 Second-order effects. 23-25
- 1745 Modeling Polymorphism/Solvated Supramolecular Clusters Reveal the Solvent Selection of SHG Active and Inactive Dimorphs. **2000**, 104, 10191-10195 12

1744	In Situ Observation of a Phase Transition in a Thin Molecular Film by Optical Second Harmonic Generation. 2000 , 16, 2832-2838	7
1743	Tetra(4-methoxyphenyl)phosphonium Iodide: A Twinned Crystal Built Up with Three-Dimensional Octupolar Nonlinear Optical Chromophores. 2000 , 12, 1025-1033	34
1742	Influence of Alkyl Chain Length on the Crystal Structures and Optical SHG of N-n-Alkyl-2,4-dinitroanilines: Role of Dipolar and Dispersion Energies. 2000 , 12, 3362-3368	28
1741	Quadratic Hyperpolarizability Enhancement of para-Substituted Pyridines upon Coordination to Organometallic Moieties: The Ambivalent Donor or Acceptor Role of the Metal. 2000 , 19, 1775-1788	91
1740	The Nonlinear Optical Properties of the Crystal (S)-3-Methyl-5-nitro-N-(1-phenylethyl)-2-pyridinamine. 2000 , 104, 6710-6716	7
1739	Wide spectral range nonlinear optical crystals of one-dimensional coordination solids [Et ₄ N][Cd(SCN) ₃] and [Et ₄ N][Cd(SeCN) ₃] and the general design criteria for [R ₄ N][Cd(XCN) ₃] (Where R = Alkyl and X = S, Se, Te) as NLO crystals. 2000 , 39, 1868-73	54
1738	Second-Harmonic Generation in Ferroelectric Waveguides. 2000 , 437-526	1
1737	Second-Order Nonlinear Optical Organic Materials: Recent Developments. 2000 , 163-299	30
1736	Enhancement of the Erbium Concentration in RbTiOPO ₄ by Codoping with Niobium. 2000 , 12, 3171-3180	43
1735	Structure and NLO Properties of Layered Bimetallic Oxalato-Bridged Ferromagnetic Networks Containing Stilbazolium-Shaped Chromophores. 2000 , 122, 9444-9454	180
1734	Size Dependence of Second Harmonic Generation in CdSe Nanocrystal Quantum Dots. 2000 , 104, 1-5	129
1733	Synthesis and characterization of non-centrosymmetric TeSeO ₄ . 2001 , 40, 1172-5	53
1732	Synthesis and Characterization of Te ₂ SeO ₇ : A Powder Second-Harmonic-Generating Study of TeO ₂ , Te ₂ SeO ₇ , Te ₂ O ₅ , and TeSeO ₄ . 2001 , 13, 1910-1915	183
1731	Bi(2)TeO(5): synthesis, structure, and powder second harmonic generation properties. 2001 , 40, 1978-80	100
1730	Rational Design of Nonlinear Optical Materials Based on 2D Coordination Networks. 2001 , 13, 3009-3017	198
1729	Absence of Ligand-Mediated Symmetry Reduction in a Solid Solution: Cu(NC ₅ H ₅) ₄ [(NbOF ₅) _{1-x} (WO ₂ F ₄) _x] (0 ≤ x ≤ 1). 2001 , 1, 203-206	1
1728	A Photochromic Molecule-Based Magnet 2001 , 13, 159-162	146
1727	Organic Crystals for Nonlinear Optics. 2001 , 6526-6534	

- 1726 Molecular Complexation as a Design Tool in the Crystal Engineering of Noncentrosymmetric Structures. Ideal Orientation of Chromophores Linked by O-H...O and C-H...O Hydrogen Bonds for Nonlinear Optics. **2001**, 13, 1473-1479 68
- 1725 Hybrid Molecular-Based Magnets Containing Organic NLO Chromophores: A Search toward an Interplay between Magnetic and NLO Behavior. **2001**, 13, 441-449 86
- 1724 Thermal and dielectric studies on binary organic system: benzil...nitroaniline. **2001**, 48, 356-361 12
- 1723 O-H disorder in non-centrosymmetric Zn₂(BO₃)(OH)_{0.75}F_{0.25}: ab initio structure determination and NMR study; comparison with tridymite and fluoride borates. **2001**, 315, 287-295 5
- 1722 Growth and characterisation of RbTiOPO₄:Nb crystals as a host for rare earth ions. **2001**, 323-324, 231-235 17
- 1721 Dielectric, linear and non-linear optical properties of lithium borate-Bismuth tungstate glasses and glass-ceramics. **2001**, 279, 1-13 60
- 1720 Various lacunary polyoxometalates: cluster molecule crystals as new designable inorganic, nonlinear materials for the second harmonic generation. **2001**,
- 1719 Design and characterization of organic and organometallic molecules for second order nonlinear optics. **2001**, 127-191 38
- 1718 Nanocluster crystals of lacunary polyoxometalates as structure-design-flexible, inorganic nonlinear materials. **2001**, 79, 3564-3566 33
- 1717 Polar compounds constructed with the [Cr₂O₇]²⁻ anion. **2001**, 40, 2015-9 25
- 1716 Organic Nonlinear Optical Chromophores in an Inorganic Environment. Toward an Interplay between Magnetism, Conductivity, and Nonlinear Optics. **2001**, 13, 3495-3506 68
- 1715 Evidence for Second-Order Optical Nonlinearity in γ -Ray Induced Partially Cross-Linked Polyacrylonitrile. **2001**, 105, 5110-5113 26
- 1714 Intercalation of Nitroanilines into Kaolinite and Second Harmonic Generation. **2001**, 13, 3741-3746 74
- 1713 A New Lanthanum and Calcium Borate La₂CaB₁₀O₁₉. **2001**, 13, 753-755 115
- 1712 Synthesis, structure, thermal and non-linear optical properties of L-argininium hydrogen selenite. **2001**, 57, 828-32 8
- 1711 New chiral ferrocenyl-pyridinium salts for non-linear optics. **2001**, 637-639, 531-537 16
- 1710 Second harmonic generation of β -monocyclopentadienyl ruthenium p-benzonitrile derivatives by Kurtz powder technique. Crystal and molecular structure determinations of [Ru(β -C₅H₅)(+)-DIOP)(p-NCC₆H₄NO₂)]⁺[X], X=PF₆⁻ and [Ru(β -C₅H₅)(+)-DIOP)(NCCH₃)]⁺[PF₆]⁻. **2001**, 632, 133-144 26
- 1709 Structural distortion and disorder in pseudo-trigonal noncentrosymmetric K₄Ce(CO₃)₃O₂·2H₂O. **2001**, 62, 1507-1512 2

1708	Synthesis and characterization of Ba ₂ Be ₂ B ₂ O ₇ . 2001 , 4, 565-567	16
1707	The nonlinear optical properties of the XYB ₂ O ₆ family of compounds. 2001 , 16, 453-462	11
1706	Optically active poly(ester-amide)s: synthesis and characterization. 2001 , 50, 1318-1323	20
1705	SbSb _x M _{1-x} O ₄ (M=NbV or TaV): Solid Solution Behavior and Second-Harmonic Generating Properties. 2001 , 161, 57-62	42
1704	Second-Order Optical Nonlinearities in Coordination Chemistry: The Case of Bis(salicylaldiminato)metal Schiff Base Complexes. 2001 , 2001, 339-348	305
1703	Syntheses, Structures and Nonlinear Optical Properties of Ferrocenyl Complexes with Arylethenyl Substituents. 2001 , 2001, 2113-2122	40
1702	A Novel and Perfectly Aligned Crystal of a Ferrocenyl Chromophore Displaying High Quadratic Nonlinear Optical Bulk Efficiency. 2001 , 2001, 2221-2226	35
1701	Helical Superstructures of a C ₂ -Symmetric Molecule Exhibiting Strong Second Harmonic Generation in the Solid-State. 2001 , 113, 2517-2521	6
1700	Helical Superstructures of a C ₁ -Symmetric Molecule Exhibiting Strong Second Harmonic Generation in the Solid-State. 2001 , 40, 2451-2455	63
1699	Investigation of Bimetallic Thiocyanates belonging to ABTC Structure Type: ZnCd(SCN) ₄ and AHg(SCN) ₄ (A = Zn, Cd, Mn) as Nonlinear Optical Crystal Materials. 2001 , 36, 73-84	57
1698	Growth and characterization of non-linear optical l-histidine tetrafluoroborate (l-HFB) single crystals. 2001 , 224, 122-127	40
1697	Crystal growth and hydration effects in morpholinium 4-hydroxybenzoate (M4HB). 2001 , 225, 474-478	24
1696	Crystal growth and characterization of a novel organometallic nonlinear-optical crystal. 2001 , 224, 284-293	33
1695	Growth and characterisation of a new promising NLO mixed borate crystal. 2001 , 233, 208-210	2
1694	Crystal Engineering of Nonlinear Optical Materials Based on Interpenetrated Diamondoid Coordination Networks. 2001 , 13, 2705-2712	335
1693	Engineering crystal symmetry and polar order in molecular host frameworks. 2001 , 294, 1907-11	282
1692	Growth and properties of UV nonlinear optical crystal ZnCd(SCN) ₄ . 2001 , 36, 1287-1299	26
1691	Chimie douce synthesis of a new nonlinear optical material: Ba _{1.5} VOSi ₂ O ₇ . 2001 , 3, 113-119	7

- 1690 Re-crystallization of MNA under a strong dc electric field. **2001**, 3, 733-740 4
- 1689 Various lacunary polyoxometalates: cluster molecule crystals as new designable, inorganic, second-order nonlinear optical materials. 1
- 1688 Crystal Structure of a Chalcone Derivative. **2001**, 369, 145-152 1
- 1687 Nonlinear Optical Crystals Designed with 4-Nitrophenolate Chromophores: An Engineering Route using a Multidipolar Chromophore, 3-Hydroxy-2,4,6-Trinitrophenolate. **2001**, 356, 1-13 4
- 1686 Triboluminescence of 3,6-Dibromocarbazole. **2001**, 40, 1294-1296 18
- 1685 The phase transition in the energetic nitramine-octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine: Kinetics. **2002**, 117, 3789-3798 89
- 1684 Optical second order nonlinearity of transparent Ba₂TiGe₂O₈ crystallized glasses. **2002**, 81, 223-225 80
- 1683 Growth of KTiOPO₄ Films on KTi_{1-x}GexOPO₄ Substrates by Liquid-phase Epitaxy. **2002**, 17, 563-569 9
- 1682 New Semiorganic Material for Optical Second Harmonic Generation : Glycine Sodium Nitrate. **2002**, 31, 159-167
- 1681 Crystal Structure and Properties of a New Organic Nonlinear Optical Material. **2002**, 17, 1587-1591 18
- 1680 Modification of the nonlinear optical, dielectric, and structural properties of p-nitroaniline and 2-methyl-4-nitroaniline crystals through recrystallization under a strong dc electric field. **2002**,
- 1679 A Chiral Lead Borate Containing Infinite and Finite Chains Built up from BO₄ and BO₃ Units. **2002**, 14, 1314-1318 89
- 1678 Near-Field Imaging of Nonlinear Optical Mixing in Single Zinc Oxide Nanowires. **2002**, 2, 279-283 265
- 1677 X-ray Structures and Emissive and Second-Order Nonlinear Optical Properties of Two Inorganic/Organic Polymeric Adducts of CuI with 4-Acetylpyridine. The Role of Both Intrastrand Charge Transfers and Structural Motifs on the Nonlinear Optical Response of Cu(I) Polymeric Adducts with Pseudoaromatic π-Nitrogen Donor Ligands. **2002**, 14, 5116-5123 47
- 1676 New Selenites: Syntheses, Structures, and Characterization of Centrosymmetric Al₂(Se₂O₅)₃ and Ga₂(Se₂O₅)₃ and Non-centrosymmetric In₂(Se₂O₅)₃. **2002**, 14, 2360-2364 60
- 1675 Synthesis, Structure, and Characterization of a New Second-Harmonic-Generating Tellurite: Na₂TeW₂O₉. **2002**, 14, 3174-3180 203
- 1674 Further evidence for the tetraoxoiodate(V) anion, IO₄(3-): hydrothermal syntheses and structures of Ba[(MoO(2))(6)(IO(4))(2)O(4)] x H(2)O and Ba(3)[(MoO(2))(2)(IO(6))(2)] x 2H(2)O. **2002**, 41, 2697-703 41
- 1673 Structural modulation of molybdenyl iodate architectures by alkali metal cations in AMoO₃(IO₃) (A = K, Rb, Cs): a facile route to new polar materials with large SHG responses. **2002**, 124, 1951-7 280

1672	New One-Dimensional Vanadyl Iodates: Hydrothermal Preparation, Structures, and NLO Properties of $A[\text{VO}_2(\text{IO}_3)_2]$ ($A = \text{K}, \text{Rb}$) and $A[(\text{VO})_2(\text{IO}_3)_3\text{O}_2]$ ($A = \text{NH}_4, \text{Rb}, \text{Cs}$). 2002 , 14, 2741-2749	129
1671	Crystal engineering of NLO materials based on metal-organic coordination networks. 2002 , 35, 511-22	2335
1670	Synthesis, structures, and magnetic properties of a series of lanthanum(III) and gadolinium(III) complexes with chelating benzimidazole-substituted nitronyl nitroxide free radicals. Evidence for antiferromagnetic Gd(III)-radical interactions. 2002 , 41, 3375-84	83
1669	A new class of three dimensional D _{3h} trigonal cryptand derivatives for second-order nonlinear optics. 2002 , 12, 2237-2244	8
1668	Nonlinear optically active polymeric coordination networks based on metal m-pyridylphosphonates. 2002 , 41, 4978-80	92
1667	From linear inorganic chains to helices: chirality in the $M(\text{pyz})(\text{H}_2\text{O})_2\text{MoO}_2\text{F}_4$ ($M = \text{Zn}, \text{Cd}$) compounds. 2002 , 41, 4852-8	58
1666	Synthesis, crystal structures, and quadratic nonlinear optical properties in a series of push-pull boronate derivatives. 2002 , 12, 2898-2903	41
1665	Two chiral coordination polymers: preparation and X-ray structures of mono(4-sulfo-L-phenylalanine)(diaqua) zinc(II) and copper(II) complexes. 2002 , 41, 3323-6	46
1664	Structure determination of La_3CuGe_7 and $\text{La}_3\text{CuGeSe}_7$. 2002 , 335, L5-L9	34
1663	Structural studies of a cubic, high-temperature polymorph of Pb_2GeS_4 and the isostructural $\text{Pb}_2\text{Sn}_x\text{GeS}_{4-x}\text{Se}_x$ solid solution. 2002 , 335, 105-110	14
1662	Glycothermal preparation of potassium niobate ceramic particles under supercritical conditions. 2002 , 55, 121-125	33
1661	Microhardness and slip systems of solution grown MHB crystals. 2002 , 56, 578-586	15
1660	Novel nonlinear optical crystals of noncentrosymmetric structure based on hydrogen bonds interactions between organic and inorganic molecules. 2002 , 127, 99-104	70
1659	Hydrothermal syntheses, structures, and properties of the new uranyl selenites $\text{Ag}_2(\text{UO}_2)(\text{SeO}_3)_2$, $M[(\text{UO}_2)(\text{HSeO}_3)(\text{SeO}_3)]$ ($M = \text{K}, \text{Rb}, \text{Cs}, \text{Tl}$), and $\text{Pb}(\text{UO}_2)(\text{SeO}_3)_2$. 2002 , 41, 1177-83	63
1658	$\text{BaZr}(\text{BO}_3)_2$: a non-centrosymmetric dolomite-type superstructure. 2002 , 37, 2165-2178	17
1657	Crystal engineering strategy of thiocyanates for quadratic nonlinear optics. $\text{Hg}_3\text{CdCl}_2(\text{SCN})_6$ and $\text{Hg}_4\text{CdBr}_4(\text{SCN})_6$. 2002 , 4, 827-834	17
1656	$\text{Na}_3\text{La}_9\text{O}_3(\text{BO}_3)_8$, a new oxyborate in the ternary system $\text{Na}_2\text{O}?\text{La}_2\text{O}_3?\text{B}_2\text{O}_3$: preparation and crystal structure. 2002 , 4, 993-998	57
1655	Crystal Growth and Characterization of a New Organometallic Nonlinear-Optical Crystal Material: $\text{MnHg}(\text{SCN})_4(\text{C}_3\text{H}_8\text{O}_2)$. 2002 , 191, 106-116	18

1654	Quadratic Nonlinear Optical Properties of N-Aryl Stilbazolium Dyes. 2002 , 12, 110-116	197
1653	Tl _{1-x} NaxNb ₂ PO ₈ and Related Compounds, Isostructural with Ca _{0.5+x} Cs ₂ Nb ₆ P ₃ O ₂₄ . 2002 , 164, 272-279	2
1652	Ab Initio Structure Determination of a New Compound, SrGaBO ₄ , from Powder X-Ray Diffraction Data. 2002 , 165, 119-124	10
1651	Nonlinear optical properties of some derivatives of stilbene and vinyl cyanide. 2002 , 20, 295-299	26
1650	Temperature-dependent gyration tensor of LiIO ₃ single crystal using the high-accuracy universal polarimeter. 2002 , 35, 228-232	6
1649	Structural characterization and second-order nonlinear optical properties of zinc halide thiosemicarbazone complexes. 2002 , 21, 1217-1222	42
1648	Synthesis, properties and photochromism of novel charge transfer compounds with Keggin anions and protonated 2,2'-biquinoline. 2002 , 21, 2537-2545	55
1647	Second-harmonic response of a series of chiral polyesters: A joint experimental and theoretical study. 2002 , 40, 2868-2877	9
1646	Solvatochromism, hyperpolarizability, molecular and crystal structure of betaine dye 4-(2,4,6-triphenylpyridinium-1-yl)-phenolate. 2002 , 604, 9-18	16
1645	Chiral organometallic chromophores for nonlinear optics derived from [Fe ₂ (C ₅ H ₅) ₂ (CO) ₂ (CO)(C≡CH ₃)] ⁺ [BF ₄] ⁻ . 2002 , 655, 70-88	18
1644	Synthesis and crystal structure of new carbonate NaPb ₂ (CO ₃) ₂ (OH). 2002 , 47, 217-222	10
1643	Growth and characterisation of l-arginine diphosphate crystal. 2002 , 243, 356-360	41
1642	Synthesis and crystal growth of binary organic NLO material UNBA. 2002 , 235, 499-504	31
1641	New nonlinear optical material: glycine sodium nitrate. 2002 , 235, 511-516	104
1640	Growth and characterization of nonlinear optical material, LAHClBr new member of L-arginine halide family. 2002 , 235, 523-528	61
1639	Crystal growth and physical properties of Cs ₂ Nb ₄ O ₁₁ and Rb ₂ Nb ₄ O ₁₁ single crystals. 2002 , 237-239, 703-706	12
1638	Growth of nonlinear optical glycine crystals. 2002 , 236, 376-380	193
1637	Growth, characterization and nonlinear optical property of chalcone derivative. 2002 , 242, 209-214	131

1636	Effect of solvents on the growth morphology and physical characteristics of nonlinear optical glycine crystals. 2002 , 242, 245-252	110
1635	Optical properties of WO ₃ doped congruent LiNbO ₃ crystals. 2002 , 364, 323-327	
1634	Nonlinear Optical Properties of Ba ₃ R(BO ₃) ₃ (R = Y, Ho, Lu) Polar Crystals. 2002 , 38, 66-68	5
1633	Piezoelectric and Nonlinear Optical Properties of PbGe ₄ O ₉ Crystals. 2002 , 38, 168-171	3
1632	Crystal engineering strategy for quadratic nonlinear optics. Part II: Hg(IO ₃) ₂ . 2003 , 5, 359-365	28
1631	Crystal structure, vibrational spectra and nonlinear optical properties of new melaminium salt: 2,4,6-triamino-1,3,5-triazin-1,3-ium tartrate monohydrate. 2003 , 5, 509-518	58
1630	Crystal structure, vibrational spectra and nonlinear optical properties of tetrakis(2,4,6-triamino-1,3,5-triazin-1-ium) bis(selenate) trihydrate crystal. 2003 , 5, 643-652	64
1629	Growth and properties of UV nonlinear optical crystal ZnCd(SCN) ₄ . 2003 , 38, 1269-1280	14
1628	Time-resolved second harmonic generation near-field scanning optical microscopy. 2003 , 4, 1243-7	8
1627	Crystal Engineering with Structurally Flexible 1,1'-Substituted Ferrocenes for Nonlinear Optical Materials. 2003 , 2003, 2311-2317	25
1626	Quadratic Optical Nonlinearities of N-Methyl and N-Aryl Pyridinium Salts. 2003 , 13, 347-357	141
1625	Molecular co-crystals of 2,6-di- <i>t</i> -butyl-4-nitrophenol. 2003 , 6, 99-107	2
1624	Synthesis, crystal structure and second harmonic generation of (DMAPM ⁺)[Cd(DMAP)I ₃]. 2003 , 6, 1375-1377	3
1623	Syntheses, structures and second-order nonlinear optical properties of octupolar compounds: 2,4,6-tri-substituted <i>s</i> -triazine. 2003 , 377, 507-511	34
1622	Synthesis and characterization of a novel polyazomethine ether for NLO application. 2003 , 39, 1007-1011	42
1621	Growth and characterization of a new nonlinear optical L-histidine diphosphate single crystal. 2003 , 249, 553-556	26
1620	Growth and characterization of a new promising NLO L-histidine bromide crystal. 2003 , 249, 557-560	57
1619	Growth aspects of semi-organic nonlinear optical L-arginine tetrafluoroborate single crystals. 2003 , 250, 157-161	16

1618	Growth and characterization of a new nonlinear optical crystal—ammonium borodilactate. 2003 , 253, 424-428	28
1617	Crystal structure, vibrational spectra and nonlinear optical properties of the orthoarsenic acid-tris-(hydroxymethyl)-aminomethane crystal. 2003 , 661-662, 595-601	12
1616	Growth and optical characterization of organic nonlinear optical crystal: indole-3-aldehyde. 2003 , 64, 147-153	8
1615	YAG laser-induced BaB_2O_4 crystalline dot formation in $\text{Sm}_2\text{O}_3\text{BaO} \cdot \text{B}_2\text{O}_3$ glasses. 2003 , 64, 1179-1184	28
1614	Characterization of the new $\text{Bi}_{1-6.2}\text{Cu}_{1-6.2}\text{O}_8(\text{PO}_4)_5$ oxyphosphate; a disordered compound containing 2- and 3-O(Bi, Cu) $_4$ tetrahedral wide polycationic ribbons. 2003 , 172, 327-338	21
1613	Selective distribution of dopants among MO $_6$ octahedra in $\text{RbTi}_{0.927}\text{Nb}_{0.056}\text{Er}_{0.017}\text{OPO}_4$: a neutron diffraction study. 2003 , 171, 257-261	5
1612	Syntheses, structures, and second-harmonic generating properties in new quaternary tellurites: $\text{A}_2\text{TeW}_3\text{O}_{12}$ (A=K, Rb, or Cs). 2003 , 175, 3-12	109
1611	Alignment of acentric MoO_3F_3 anions in a polar material: $(\text{Ag}_3\text{MoO}_3\text{F}_3)(\text{Ag}_3\text{MoO}_4)\text{Cl}$. 2003 , 175, 27-33	325
1610	New alkali metal—molybdenum(VI)—bismuth(IV) oxides: syntheses, structures, and characterization of A_2SeMoO_6 (A=Na $^+$, K $^+$, or Rb $^+$). 2003 , 174, 441-449	62
1609	Comparative study of the singularity in the optical properties of congruent doped LiNbO_3 crystals. 2003 , 102-103, 248-252	7
1608	X-ray crystal structures, molecular mechanics and quantum chemical calculations, and calculations of the nonlinear optical polarizabilities in the series of monohalogen substituted derivatives of dicyanovinylbenzene. 2003 , 650, 1-20	9
1607	The use of (R)-(+)-1-methylbenzylamine and (S)-(-)-1-methylbenzylamine as chiral moieties to obtain monomers for second harmonic generation crystals. 2003 , 648, 115-124	2
1606	Crystal structure, vibrational spectra and nonlinear optical properties of L-histidinium-L-tartrate hemihydrate. 2003 , 656, 265-273	81
1605	Polarised infrared and Raman studies of $\text{K}_4\text{LiH}_3(\text{SO}_4)_4$ single crystal. 2003 , 33, 93-104	3
1604	Spectroscopic and optical studies on pure and doped single crystals of sulphate-mixed L-arginine phosphate monohydrate—a nonlinear optical crystal. 2003 , 59, 927-35	26
1603	Second-harmonic generation of a novel transparent material: N,N-diphenyl-8-[2-(4-pyridinyl)ethenyl]-dibenzofuran-2-ylamine. 2003 , 21, 71-74	
1602	Crystalline phases and second harmonic intensities in potassium niobium silicate crystallized glasses. 2003 , 22, 71-79	47
1601	Effect of pH on the growth and characterization of l-HFB single crystal. 2003 , 254, 461-468	24

1600	Growth and characterization of nonlinear optical crystal: L-histidinium bromide. 2003 , 255, 361-368	23
1599	Combining second-order Jahn-Teller distorted cations to create highly efficient SHG materials: synthesis, characterization, and NLO properties of BaTeM ₂ O ₉ (M = Mo ⁶⁺ or W ⁶⁺). 2003 , 125, 7764-5	398
1598	Electric field induced second harmonic generation: Second and third-order hyperpolarizabilities of 4-amino-4'-nitrodiphenyl sulfoxide. 2003 , 119, 484-487	12
1597	Growth and Structural Characterization of Rb ₂ Ti _{1.01} Er _{0.99} (PO ₄) ₃ . 2003 , 15, 204-211	18
1596	Charge Self-compensation in the Nonlinear Optical Crystals Rb _{0.855} Ti _{0.955} Nb _{0.045} OPO ₄ and RbTi _{0.927} Nb _{0.056} Er _{0.017} OPO ₄ . 2003 , 15, 2338-2345	33
1595	Hydrothermal preparation, structures, and NLO properties of the rare earth molybdenyl iodates, RE(MoO ₂)(IO ₃) ₄ (OH) [RE = Nd, Sm, Eu]. 2003 , 42, 457-62	103
1594	Second Harmonic Generation in para-Nitroaniline through Recrystallization in a Strong Continuous Electric Field. 2003 , 3, 445-447	1
1593	Vibrational Spectra and Second Harmonic Generation in Molecular Complexes of L-Lysine with L-Tartaric, d,l-Malic, Acetic, Arsenous, and Fumaric Acids. 2003 , 3, 587-592	47
1592	Ferroelectric Copper Quinine Complexes. 2003 , 15, 4166-4168	63
1591	The charge-transfer motif in crystal engineering. Self-assembly of acentric (diamondoid) networks from halide salts and carbon tetrabromide as electron-donor/acceptor synthons. 2003 , 125, 11597-606	94
1590	Crystallization Region, Crystal Growth, and Phase Transitions of KNd(PO ₃) ₄ . 2003 , 15, 5059-5064	60
1589	Nonlinear Optical Properties of Metal Complexes. 2003 , 621-687	35
1588	Formation mechanism of ferroelastic Ba ₂ TiGe ₂ O ₈ and second order optical non-linearity in transparent crystallized glasses. 2003 , 316, 320-330	45
1587	INFRARED SPECTRUM AND NONLINEAR OPTICAL PROPERTIES OF p-NITROANILINE-L-TARTARIC ACID (2:1) MOLECULAR COMPLEX. 2003 , 12, 113-121	20
1586	Growth, Structure, and Properties of Single Crystals of SrBPO ₅ . 2003 , 15, 2218-2221	143
1585	Spectroscopic properties of Er ³⁺ and Eu ³⁺ doped acentric LaBO ₃ and GdBO ₃ . <i>Journal of Applied Physics</i> , 2003 , 93, 8987-8994	2.5 56
1584	Quadratic nonlinear optical properties of novel pyridinium salts. 2003 ,	1
1583	Infrared and Raman Spectra of Bis(Melaminium) Sulfate Dihydrate. 2003 , 2003, 518-521	15

1582 New noncentrosymmetric sulfides promising for high optical nonlinearity.

1581 Synthesis, characterization and evaluation of nonlinear optical properties of chiral hydrobenzoin monomers. **2004**, 7, 435-444

2

1580 Percolation model for structural phase transitions in $\text{Li}_1-x\text{HxIO}_3$ mixed crystals. **2004**, 69,

1579 Large second-order optical nonlinearities of fresnoite-type crystals in transparent surface-crystallized glasses. *Journal of Applied Physics*, **2004**, 95, 3503-3508

2.5 117

1578 $\text{Au}_2(\text{SeO}_3)_2(\text{SeO}_4)$: synthesis and characterization of a new noncentrosymmetric selenite-selenate. **2004**, 43, 5860-4

37

1577 Phase diagram, optical, nonlinear optical, and physicochemical studies of the organic monotectic system: Pentachloropyridine-uccinonitrile. **2004**, 19, 1348-1355

22

1576 Hydrothermal Synthesis of the Deep-UV NLO Material $\text{Sr}_2\text{Be}_2\text{B}_2\text{O}_7$. **2004**, 848, 76

3

1575 New Second-Order Nonlinear Octupolar Materials. **2004**, 415, 179-195

11

1574 Random quasi-phase-matching in bulk polycrystalline isotropic nonlinear materials. **2004**, 432, 374-6

261

1573 Metal wires for terahertz wave guiding. **2004**, 432, 376-9

739

1572 Synthesis of Oriented $\text{Ba}_2\text{NaNb}_5\text{O}_{15}$ (BNN) Thin Films from an Alkoxy-derived Precursor. **2004**, 82, 2672-2676

5

1571 Ferroelectric phase transition in the whitlockite-type $\text{Ca}_9\text{Fe}(\text{PO}_4)_7$; crystal structure of the paraelectric phase at 923 K. **2004**, 6, 185-195

43

1570 Formation of nonlinear optical $\text{KSm}(\text{PO}_3)_4$ crystals in phosphate glasses by YAG laser irradiation. **2004**, 6, 1013-1018

25

1569 Crystal growth and characterization of 4-nitro-4'-methoxy benzylidene aniline (NMOBA). **2004**, 88, 90-96

24

1568 Donating Strength of Azulene in Various Azulen-1-yl-Substituted Cationic Dyes: Application in Nonlinear Optics. **2004**, 16, 3543-3551

75

1567 Second Harmonic Generation Measurements for Biomacromolecules: Celluloses. **2004**, 11, 385-387

9

1566 Diode array pumped, non-linear mirror Q-switched and mode-locked Nd : YVO₄ laser is a good tool for powder SHG measurement. **2004**, 63, 1003-1010

6

1565 Ultrasonic measurement of the elastic properties of benzoyl glycine single crystals. **2004**, 62, 87-94

5

1564	Growth and characterization of a new nonlinear optical semiorganic lithium parantrophenolate trihydrate (NO ₂ C ₆ H ₄ OLiBH ₂ O) single crystal. 2004 , 262, 531-535	31
1563	Spectral, thermal and SHG studies on phase matchable organic NLO material EDMP for blue-green laser generation. 2004 , 132, 123-127	19
1562	Very short O-H hydrogen bond in l-histidinium difluoride. 2004 , 125, 695-699	4
1561	Alkynyl compounds and nonlinear optics. 2004 , 689, 3968-3981	124
1560	Non-centrosymmetric Ba ₃ Ti ₃ O ₆ (BO ₃) ₂ . 2004 , 177, 159-164	15
1559	Monohydroxy-hydrazone-functionalized thermally crosslinked polymers for nonlinear optics. 2004 , 92, 770-781	2
1558	The lone-pair cation I(5+) in a hexagonal tungsten oxide-like framework: synthesis, structure, and second-harmonic generating properties of Cs ₂ I(4)O(11). 2004 , 43, 5489-91	152
1557	The Lone-Pair Cation I ⁵⁺ in a Hexagonal Tungsten Oxide-Like Framework: Synthesis, Structure, and Second-Harmonic Generating Properties of Cs ₂ I ₄ O ₁₁ . 2004 , 116, 5605-5607	30
1556	MOCVD of KNbO ₃ Ferroelectric Films and their Characterization. 2004 , 10, 318-324	18
1555	Unique crystallization and formation of nonlinear optical (Na,K)NbO ₃ phases in (Na,K)NbGeO ₅ glasses. 2004 , 25, 393-400	26
1554	Synthesis, crystal structure, and second-order nonlinear optical properties of [N,N'-bis(1H-pyrrol-2-ylmethylene)-1,2-benzenediaminato]nickel(II) Schiff base complexes. 2004 , 357, 1161-1167	27
1553	Syntheses, structures and properties of three cluster-based coordination polymers: influence of the metal ions on the ligand coordination mode and crystal chirality. 2004 , 357, 1389-1396	19
1552	Non-linear optically active zinc and cadmium p-pyridinecarboxylate coordination networks. 2004 , 357, 3999-4004	19
1551	Structure and SHG of the high pressure phase IV of HgBr ₂ . 2004 , 129, 359-363	10
1550	Nonlinear optical susceptibilities ($\chi^{(2)}$) of nitridosilicate powders. 2004 , 65, 1285-1290	19
1549	Organic-MPS ₃ nanocomposites with large second-order nonlinear optical response. 2004 , 110, 389-395	14
1548	Stable polymeric materials for nonlinear optics: a review based on azobenzene systems. 2004 , 29, 45-74	474
1547	A new nonlinear optical semi-organic material: cadmium thiourea acetate. 2004 , 262, 561-566	76

- 1546 The structural, thermal and optical characterizations of a new nonlinear optical material. **2004**, 263, 466-472 14
- 1545 Growth, structural, thermal and optical properties of organic NLO crystal: N-methylglutidone trihydrate. **2004**, 265, 284-289 7
- 1544 Single crystal growth and characterization of phase-matchable L-arginine maleate: a potential nonlinear optical material. **2004**, 269, 333-341 23
- 1543 Growth and characterization of Bisthiourea-zinc Acetate, a new nonlinear optical material. **2004**, 269, 565-569 59
- 1542 Structural and microhardness studies of a NLO material Bisthiourea cadmium chloride. **2004**, 269, 558-564 45
- 1541 Nucleation, growth and characterization of L-tartaric acid Bicotinamide NLO crystals. **2004**, 270, 475-480 33
- 1540 Growth and characterization of L-arginine fluoro phosphate B new additive for fluent growth microbes. **2004**, 271, 252-256 2
- 1539 Second-order optical nonlinearities of metastable BiBO₃ phases in crystallized glasses. **2004**, 27, 403-408 46
- 1538 A chiral mixed carboxylate, [Nd₄(H₂O)₂(OOC(CH₂)₃COO)₄(C₂O₄)₂], exhibiting NLO properties. **2004**, 177, 1444-1448 30
- 1537 Synthesis, structure and properties of CsHSi₃O₇, a layered silicate with a chiral structure. **2004**, 177, 2499-2505 10
- 1536 Synthesis, structure and second harmonic generation of novel inorganic B organic hybrid, (p-cyano-1-hydrogenpyridinium)₂CdI₄. **2004**, 7, 134-136 16
- 1535 Hydrothermal synthesis, crystal structures of two new transition metal coordination chain polymers with mixed ligands. **2004**, 7, 851-853 20
- 1534 1D chain structure, NLO and luminescence properties of. **2004**, 7, 1139-1141 64
- 1533 Shortest chemical bond length as a criterion for searching new noncentrosymmetric phosphate crystals. **2004**, 30, 2005-2009 17
- 1532 Second harmonic generation of p-nitroaniline incorporated on zeolites: relative efficiencies depending on zeolite structure and film orientation. **2004**, 395, 186-189 14
- 1531 Through space charge transfer and quadratic nonlinear optical (NLO) properties in alternated stacks of 2-amino-1,3-benzothiazole B thylcoumarin-3-carboxylate charge transfer complexes: from the molecular to the bulk NLO response. **2004**, 28, 542-547 15
- 1530 Crystal Structure, Second Harmonic Generation, and Vibrational Spectroscopy of K₂Mg₂(SCN)₆BH₂O B **2004**, 16, 4016-4021 4
- 1529 K₂[Ge(B₄O₉)]·2H₂O: a unique 3D alternating linkage mode of a B₄O₉ cluster and GeO₄ unit in borogermanate with two pairs of interweaving double helical channels. **2004**, 43, 6148-50 82

1528	Coordination Polymers of Cu(I) with a Chiral PushPull Ligand: Hierarchical Network Structures and Second Harmonic Generation. 2004 , 4, 1223-1227	39
1527	Measurement of the second-order nonlinear optical coefficient of polymers based on surface plasmon resonance. 2004 , 6, 1072-1075	3
1526	A novel TGS-like inorganic-organic hybrid and a preliminary investigation of its possible ferroelectric behavior. 2004 , 43, 3768-70	39
1525	Phenomenological modeling and design of new acentric crystals for optoelectronics. 2004 , 30, 411-418	45
1524	Synthesis, structures, and physical properties of copper(II)-gadolinium(III) complexes combining ferromagnetic coupling and quadratic nonlinear optical properties. 2004 , 43, 4743-50	93
1523	Syntheses, Structures, Second-Harmonic Generating, and Ferroelectric Properties of Tungsten Bronzes: $A_6M_2MBO_3O$ ($A = Sr^{2+}$, Ba^{2+} , or Pb^{2+} ; $M = Ti^{4+}$, Zr^{4+} , or Hf^{4+} ; $M' = Nb^{5+}$ or Ta^{5+}). 2004 , 16, 3616-3622	80
1522	Synthesis and Second-Order Nonlinearities of Chiral Prolinol-Substituted Chromophores. 2004 , 51, 487-492	1
1521	Photoprocesses in ClayOrganic Complexes. 2004 ,	2
1520	Formation of Langasite-Type Crystals in Corresponding Glasses and Their Second-Order Optical Nonlinearities. 2004 , 112, 61-64	8
1519	Noncentrosymmetric coordination networks based on nitrate and acetylenedicarboxylate anions. 2005 , 220, 250-258	11
1518	Temperature Dependence of Second-Harmonic Intensity and Raman Shift in Langasite-Type Phases. 2005 , 113, 692-695	2
1517	Formation and Nonlinear Optical Properties of a Novel Polymeric Cadmium(II) Complex Bridged by Sulfur Ions. 2005 , 34, 1186-1187	5
1516	Soft functional polynuclear coordination compounds containing pyrimidine bridges. 2005 , 178, 2436-2451	67
1515	l-lysine-l-tartaric acid: New molecular complex with nonlinear optical properties. Structure, vibrational spectra and phase transitions. 2005 , 178, 2880-2896	58
1514	Synthesis of Sm^{3+} -doped strontium barium niobate crystals in glass by samarium atom heat processing. 2005 , 178, 3507-3513	37
1513	X-ray diffraction, spectroscopic and thermal studies on a potential semiorganic NLO material: lithium bis-L-malato borate. 2005 , 61, 1777-82	21
1512	Synthesis and quadratic molecular hyperpolarizabilities of two new chiral boronates: Computational and experimental study. 2005 , 690, 3737-3745	12
1511	Chiral salts for nonlinear optics: Prospects and achievements. 2005 , 36, 933-938	3

1510	Homochiral helical wavelike (4,4) networks constructed by divalent metal ions and S-carboxymethyl-L-cysteine. 2005 , 740, 61-67	31
1509	A new polar supramolecular 3D framework [Zn(pyz)(H ₂ O) ₄]pht. 2005 , 750, 39-43	15
1508	Heterovalent cation-substituted Aurivillius phases, Bi ₂ SrNaNb ₂ TaO ₁₂ and Bi ₂ Sr ₂ Nb ₃ M _x O ₁₂ (M=Zr, Hf, Fe, Zn). 2005 , 121, 112-119	10
1507	Ethyl p-amino benzoate (EPAB): A novel organic non-linear optical material for optical devices. 2005 , 251, 172-178	18
1506	Synthesis, structure, and intense second harmonic generation of Bshaped s-triazine derivative. 2005 , 27, 1571-1575	18
1505	Optical, thermal and structural characterization of an NLO crystal, L-arginine perchlorate. 2005 , 274, 251-255	30
1504	Growth and characterization studies of organic NLO crystals of benzimidazole by melt technique. 2005 , 275, e1895-e1900	14
1503	Flux growth and characterization of a new oxyborate crystal Na ₃ La ₉ O ₃ (BO ₃) ₈ . 2005 , 275, e1997-e2001	39
1502	Preparation and characterization of BaB ₂ O ₄ nanoparticles via coprecipitation. 2005 , 276, 478-484	17
1501	Growth of nonlinear optical calcium pyroniobate crystal. 2005 , 275, 492-495	7
1500	Studies on the growth and characterization of a NLO active sodium substituted lithium p-nitrophenolate single crystal. 2005 , 279, 383-389	25
1499	Growth and characterization of a new nonlinear optical material: Potassium p-nitrophenolate dihydrate (NO ₂ C ₆ H ₄ OK·2H ₂ O) with new bonding properties. 2005 , 280, 448-454	28
1498	Hydrogen bonded nonlinear optical Lglycine: Crystal growth and characterization. 2005 , 280, 581-586	84
1497	Unidirectional seeded single crystal growth from solution of benzophenone. 2005 , 280, 467-473	148
1496	Optical frequency doubling in microtube Czochralski (CZ) grown benzophenone single crystals. 2005 , 281, 596-603	13
1495	Growth and characterization of new nonlinear optical L-threonium acetate single crystals. 2005 , 283, 193-197	34
1494	Semiorganic NLO material for short-wavelength generation 2-amino-5-nitropyridinium bromide. 2005 , 282, 72-78	26
1493	Synthesis, growth and characterization of a new nonlinear optical crystal sodium acid phthalate. 2005 , 282, 429-433	39

1492	Growth and characterization of single crystal of pentachloropyridine. 2005 , 285, 111-116	18
1491	Growth and characterization of nonlinear optical l-arginine dihydrate single crystals. 2005 , 285, 178-182	37
1490	Studies on acenaphthene (C ₁₂ H ₁₀) single crystals grown by vertical Bridgman technique. 2005 , 285, 649-660	15
1489	Synthesis, characterization and crystal structure of the bimetallic cyano-bridged [(η -C ₅ H ₅)(PPh ₃) ₂ Ru(η CN)Ru(PPh ₃) ₂ (η -C ₅ H ₅)] [PF ₆]. 2005 , 358, 2482-2488	18
1488	The chiral structure induced by lone-pair electrons: syntheses and characterization of two novel chiral rare-earth selenites containing homochiral helical chains. 2005 , 733, 69-75	8
1487	Microtube-Czochralski (μ -CZ) growth of bulk benzophenone single crystal for nonlinear optical applications. 2005 , 27, 1864-1868	9
1486	Surface crystallization and second-order optical non-linearity in Gd ₂ O ₃ Bi ₂ O ₃ B ₂ O ₃ glasses. 2005 , 6, 138-142	7
1485	Hydrothermal synthesis of KNbO ₃ powders in supercritical water and its nonlinear optical properties. 2005 , 35, 254-259	47
1484	Large second-order optical nonlinearities of s-triazine derivatives: View from micro molecules to macro crystals. 2005 , 48, 203	2
1483	Crystal and molecular structures of trans-2-(4?-dimethylaminobenzylideneacetyl)-5,5-dimethylcyclohexane-1,3-dione. 2005 , 50, 400-405	
1482	Crystalline Phases and YAG Laser-Induced Crystallization in Sm ₂ O ₃ Bi ₂ O ₃ B ₂ O ₃ Glasses. 2005 , 88, 989-992	23
1481	Structural, optical and dielectric studies on solution-grown semi-organic l-histidine tetrafluoroborate single crystal. 2005 , 90, 144-147	18
1480	Optical, mechanical and thermal studies of nonlinear optical crystal l-arginine acetate. 2005 , 91, 343-347	38
1479	The structural, microhardness and thermal properties of a semiorganic NLO crystal: Lithium paranitrophenolate trihydrate (NO ₂ C ₆ H ₄ OLiBH ₂ O). 2005 , 93, 187-193	13
1478	Transformation of DionJacobson phase to Aurivillius phase: synthesis of (PbBiO ₂)Mn ₂ O ₇ (M=La, Bi). 2005 , 40, 39-45	8
1477	Bi ₄ LnNb ₃ O ₁₅ (Ln = La, Pr, Nd) and Bi ₄ LaTa ₃ O ₁₅ : New intergrowth Aurivillius related phases. 2005 , 40, 920-927	2
1476	Nonlinear-optical susceptibility of hilgardite-like borates ;). 2005 , 7, 1194-1200	48
1475	Nonlinear Optical Activity and High Thermal Stability of a New 3DOpen-Framework with Interconnected 24-, 16-, and 8-Atom Channels: (NH ₄)Zn[O ₃ PCH(OH)CO ₂]. 2005 , 2005, 3211-3213	36

- 1474 Synthesis, Structure, and Spectral Properties of Bis(pyrrol-2-yl)pyridines. **2005**, 2005, 4338-4345 25
- 1473 Synthesis, growth and characterization of a new nonlinear optical crystal: l-arginine maleate dihydrate. **2005**, 40, 778-781 32
- 1472 Synthesis, structural and thermal studies of tetrathioureacopper(I) chloride crystals. **2005**, 40, 805-809 6
- 1471 Synthesis and Crystal Growth of Stilbazolium Derivatives for Second-Order Nonlinear Optics. **2005**, 15, 1072-1076 112
- 1470 Vibrational spectral studies of methyl 3-(4-methoxyphenyl)prop-2-enoate, a new organic non-linear optic crystal. **2005**, 36, 221-236 75
- 1469 Intramolecular charge delocalization and nonlinear optical properties of Methyl 3-(4-methoxyphenyl) prop-2-enoate from vibrational spectra. **2005**, 2, 343-350 26
- 1468 The first metal (Nd³⁺, Mn²⁺, and Pb²⁺) coordination compounds of 3,5-dinitrotyrosine and their nonlinear optical properties. **2005**, 11, 988-94 50
- 1467 Dielectric response of K(Ta,Nb)O₃ thin films. **2005**, 81, 289-293 3
- 1466 Two noncentrosymmetric complexes: [W(CO)₄(bipy)] and [W(CO)₄(phen)](bipy = 2,2'-bipyridine, phen = 1,10-phenanthroline) obtained through solvothermal synthesis and their optical properties. **2005**, 690, 286-290 21
- 1465 Synthesis and nonlinear optical properties of BaTi(BO₃)₂ and Ba₃Ti₃O₆(BO₃)₂ crystals in glasses with high TiO₂ contents. **2005**, 178, 2067-2076 17
- 1464 Synthesis and Structural Investigation of a Series of Noncentrosymmetric Cyclohexaphosphates: M(C₆H₅NH₃)₄P₆O₁₈·8H₂O (M: Cd, Cu, Co). **2005**, 16, 551-558 5
- 1463 Nonlinear Optical Properties of Arylpyrroles. **2005**, 402, 86-87
- 1462 Second harmonic generation in boracites. **2005**, 41, 393-396 5
- 1461 4,5-Bis(furoylsulfanyl)-1,3-dithiole-2-thione. **2005**, 61, m583-5 3
- 1460 Polymeric bis(N-methylformamide)tetrathiocyanatocadmium(II)mercury(II). **2005**, 61, m1147-m1149 4
- 1459 Cadmium mercury selenocyanate, CdHg(SeCN)₄. **2005**, 61, i111-i112 3
- 1458 Polymorphism of Anhydrous Cadmium Iodate Structure of [Cd(IO₃)₂]. **2005**, 631, 894-901 20
- 1457 Structure and nonlinear optical properties of the HMT/DA 1:1 adduct: Experimental and DFT approach. **2005**, 105, 446-452 2

1456	Chiral Vicinal Bis(amide) Molecules: Polar/Helical Assemblies in Crystals and Second Harmonic Generation. 2005 , 5, 1663-1666	25
1455	Growth and Structural Characterization of Rb ₃ Yb ₂ (PO ₄) ₃ : A New Material for Laser and Nonlinear Optical Applications. 2005 , 17, 6746-6754	30
1454	Studies on Nonlinear Optical Properties of Ferroelectric MgO-LiNbO ₃ Single Crystals. 2005 , 323, 165-169	5
1453	Gel-melting method for preparation of organically modified siloxane low-melting glasses. 2005 , 20, 1234-1241	48
1452	Growth and Thermal and Spectral Properties of a New Nonlinear Optical Crystal TmAl ₃ (BO ₃) ₄ . 2005 , 5, 949-952	9
1451	New infrared nonlinear optical crystal CsGeBr ₃ : synthesis, structure and powder second-harmonic generation properties. 2005 , 17, 7275-7286	47
1450	Strong enhancement of second-harmonic generation (SHG) response through multi-chiral centers and metal-coordination. 2005 , 1570-3	46
1449	Thin films of perfectly polar crystallites with uniaxial orientational ordering. 2005 , 15, 739	7
1448	First hyperpolarizability of some nonconjugated donor-acceptor 3D molecules: noncentrosymmetric crystal through conformational flexibility. 2005 , 15, 965-973	30
1447	Raman and X-ray scattering studies of high-pressure phases of urea. 2005 , 109, 8206-15	30
1446	New structural motifs, unusual quenching of the emission, and second harmonic generation of copper(I) iodide polymeric or oligomeric adducts with para-substituted pyridines or trans-stilbazoles. 2005 , 44, 4077-85	111
1445	Quest for Second-Harmonic-Generation-Active Coordination Polymers: Synthesis and Properties of Silver(I) Pyrimidinolates. 2005 , 17, 4815-4824	22
1444	Directed Synthesis of Noncentrosymmetric Molybdates. 2005 , 5, 1913-1917	81
1443	Synthesis of the Thioborate Crystal Zn _x Ba ₂ B ₂ S _{5+x} (x=0.2) for Second Order Nonlinear Optical Applications. 2005 , 17, 2046-2051	31
1442	Two Homochiral Copper(I) Complexes with Strong Luminescence Based on Chiral Phase Transfer Catalysts (PTCs) as Building Blocks. 2005 , 5, 1603-1608	9
1441	Crystal Growth, Structural Characterization, and Linear Thermal Evolution of KGd(PO ₃) ₄ . 2005 , 17, 822-828	45
1440	Hydrothermal synthesis and structural characterization of a novel NLO compound, La(MoO ₂)(OH)(IO ₃) ₄ . 2005 , 396, 255-259	38
1439	Semi-transparent barium borate surface crystallization for second harmonic generation. 2005 , 351, 1372-1376	6

1438	Designing effective nonlinear optical (NLO) materials with chiral substituents. 2005 , 155, 384-388	10
1437	Bismuth Borates: One-Dimensional Borate Chains and Nonlinear Optical Properties. 2005 , 17, 4174-4180	141
1436	Melilite-Type Borates Bi ₂ ZnB ₂ O ₇ and CaBiGaB ₂ O ₇ . 2005 , 17, 3130-3136	82
1435	New metal iodates: syntheses, structures, and characterizations of noncentrosymmetric La(IO ₃) ₃ and NaYI ₄ O ₁₂ and Centrosymmetric beta-Cs ₂ I ₄ O ₁₁ and Rb ₂ I ₆ O ₁₅ (OH) ₂ .H ₂ O. 2005 , 44, 9353-9	102
1434	Remote Functionalized Nonlinear Optical Chromophore: Optimal Assembly in Crystals for Second Harmonic Generation. 2005 , 5, 1831-1836	12
1433	Synthesis, crystal structures, and nonlinear optical (NLO) properties of new Schiff-base nickel(II) complexes. Toward a new type of molecular switch?. 2005 , 44, 1973-82	105
1432	A solvothermally in situ generated mixed-ligand approach for NLO-active metal-organic framework materials. 2005 , 44, 4148-50	164
1431	Electrochromic conjugated N-salicylidene-aniline (anil) functionalized pyrrole and 2,5-dithienylpyrrole-based polymers. 2005 , 29, 1128	39
1430	Design of an Efficient Solution Grown Semiorganic NLO Crystal for Short Wavelength Generation: 2-Amino-5-nitropyridinium Tetrafluoroborate. 2005 , 5, 1463-1468	40
1429	One-dimensional azido-bridged chiral metal complexes with ferromagnetic or antiferromagnetic interactions: syntheses, structures, and magnetic studies. 2005 , 44, 9039-45	79
1428	1D helix, 2D brick-wall and herringbone, and 3D interpenetration d10 metal-organic framework structures assembled from pyridine-2,6-dicarboxylic acid N-oxide. 2005 , 44, 7161-70	308
1427	A second-order nonlinear optical material prepared through in situ hydrothermal ligand synthesis. 2005 , 44, 3618-25	149
1426	The first ternary tin(II) nitride: NaSnN. 2005 , 4190-2	15
1425	Nonlinear Optical Crystal YxLayScz(BO ₃) ₄ (x+y+z= 4). 2005 , 17, 2687-2692	76
1424	Writing of nonlinear optical Sm ₂ (MoO ₄) ₃ crystal lines at the surface of glass by samarium atom heat processing. <i>Journal of Applied Physics</i> , 2005 , 97, 123516	2.5 48
1423	Homochiral crystallization of helical coordination chains bridged by achiral ligands: can it be controlled by the ligand structure?. 2005 , 424-6	117
1422	SHG Active Salts of 4-Nitrophenolate with H-Bonded Helical Formations: Structure-Directing Role of ortho-Aminopyridines. 2005 , 5, 721-725	50
1421	Polymorphism in 1-(4-Fluorophenyl)-3,6,6-trimethyl-2-phenyl-1,5,6,7-tetrahydro-4H-indol-4-one: A Subtle Interplay of Weak Intermolecular Interactions. 2005 , 5, 1035-1039	52

1420	A Novel Chiral Cd(II) Coordination Polymer Based on Achiral Unsymmetrical 3-Amino-1,2,4-triazole with an Unprecedented μ -Bridging Mode. 2006 , 6, 2136-2140	111
1419	Highly stable chiral cadmium 1,2,4-benzenetricarboxylate: synthesis, structure, and NLO and fluorescence properties. 2006 , 45, 2474-8	208
1418	Syntheses and Structures of Four d10 Metal-Organic Frameworks Assembled with Aromatic Polycarboxylate and bix [bix = 1,4-Bis(imidazol-1-ylmethyl)benzene]. 2006 , 6, 530-537	256
1417	Studies on the Growth and Characterization of l-Asparaginium Picrate (LASP) A Novel Nonlinear Optical Crystal. 2006 , 6, 1663-1670	106
1416	Directed synthesis of noncentrosymmetric molybdates using composition space analysis. 2006 , 45, 5529-37	68
1415	Crystal Structure and Optical Characterization of Pure and Nd-Substituted Type III KGd(PO ₃) ₄ . 2006 , 18, 221-228	56
1414	Synthesis, crystal structure, and nonlinear optical properties of Li ₆ CuB ₄ O ₁₀ : a congruently melting compound with isolated [CuB ₄ O ₁₀] ⁶⁻ units. 2006 , 128, 11631-4	211
1413	Growth, Thermal, Spectroscopic, and Optical Studies of l-Alaninium Maleate, a New Organic Nonlinear Optical Material. 2006 , 6, 137-140	99
1412	Chiral aggregation and spontaneous resolution of thiosemicarbazone metal complexes. 2006 , 2572-8	26
1411	Host-guest complexation of a fluorescent and electrochemical chemsensor for fluoride anion. 2006 , 1271-6	48
1410	Large Quadratic Nonlinear Optical Efficiencies in Pseudosymmetric Streptocyanine Dyes. 2006 , 18, 3674-3681	15
1409	Evidence of intermolecular π -stacking enhancement of second-harmonic generation in a family of single chain magnets. 2006 , 16, 2587-2592	71
1408	Structural polarity induced by cooperative hydrogen bonding and lone-pair alignment in the molecular uranyl iodate Na ₂ [UO ₂ (IO ₃) ₄ (H ₂ O)]. 2006 , 45, 8251-7	16
1407	Synthesis, growth of organic nonlinear optical crystal: Semicarbazone of 2-amino-5-chloro-benzophenone (S2A5CB) and its characterisation. 2006 , 290, 539-543	17
1406	Second harmonic generation confocal microscopy of collagen type I from rat tendon cryosections. 2006 , 91, 4665-77	126
1405	Crystal structure of M(IO ₃) ₂ metal iodates, twinned by pseudo-merohedry, with MII: MgII, MnII, CoII, NiII and ZnII. 2006 , 221,	41
1404	New layered uranium phosphate fluorides: syntheses, structures, characterizations, and ion-exchange properties of A(UO ₂)F(HPO ₄).xH ₂ O (A = Cs ⁺ , Rb ⁺ , K ⁺ ; x = 0-1). 2006 , 45, 10207-14	73
1403	Synthesis and crystal structure of a new stilbazolium salt with large second-order optical nonlinearity. 2006 , 16, 2839-2842	108

1402	Supersaturation and Polarization Dependence of Polymorph Control in the Nonphotochemical Laser-Induced Nucleation (NPLIN) of Aqueous Glycine Solutions. 2006 , 6, 684-689	106
1401	Second-Harmonic Generation within the P212121 Space Group, in a Series of Chiral (Salicylaldiminato)tin Schiff Base Complexes. 2006 , 18, 1174-1183	74
1400	Bulk characterization methods for non-centrosymmetric materials: second-harmonic generation, piezoelectricity, pyroelectricity, and ferroelectricity. 2006 , 35, 710-7	685
1399	Organic Nonlinear Optical Crystals Based on Configurationally Locked Polyene for Melt Growth. 2006 , 18, 4049-4054	94
1398	A polar luminescent Zn polymer containing an unusual noninterpenetrated utp net. 2006 , 45, 3161-3	121
1397	Influence of Isoelectric pH on the Growth Linear and Nonlinear Optical and Dielectric Properties of l-Threonine Single Crystals. 2006 , 6, 1308-1310	57
1396	Growth of New Nonlinear Optical Crystals of Hydrochlorides of l-Histidine from Solution. 2006 , 6, 1876-1880	24
1395	Na ₂ Te ₃ Mo ₃ O ₁₆ : A New Molybdenum Tellurite with Second-Harmonic Generating and Pyroelectric Properties. 2006 , 18, 2070-2074	200
1394	Tuning the structural and magnetic properties of thermally robust coordination polymers. 2006 , 45, 7612-20	31
1393	Second-Harmonic Generation by Ferroelectric Microparticles in Aerogels. 2006 , 18, 1534-1538	9
1392	Syntheses, structures, and magnetic properties of cyano-bridged heterobimetallic complexes based on [Fe(bpca)(CN) ₃]-. 2006 , 45, 582-90	50
1391	Rb ₆ (InCo) ₂ (Si ₉ O ₂₆): a mixed-metal silicate containing 20-membered-ring silicate single layers with a very low Si:O ratio. 2006 , 45, 2100-3	7
1390	NLO Activity in some non-conjugated 3D triazine derivatives: a non-centrosymmetric crystal through conformational flexibility. 2006 , 16, 496-504	23
1389	SHG active crystals of a remote functionalized achiral NLO-phore assembled through zinc(II) complexation. 2006 , 45, 9758-64	21
1388	Second Harmonic Generation from a Homologous Series of Molecular Crystals: Impact of Supramolecular Interactions. 2006 , 18, 2943-2949	22
1387	One dense and two open chiral metal-organic frameworks: crystal structures and physical properties. 2006 , 45, 2972-8	133
1386	Structure determination and relative properties of novel noncentrosymmetric borates MM' ₄ (BO ₃) ₃ (M = Na, M' = Ca and M = K, M' = Ca, Sr). 2006 , 45, 3042-7	70
1385	Phase transitions and second-harmonic generation in sodium monothiophosphate. 2006 , 45, 2779-81	18

1384	Different Molecular Frameworks of Zinc(II) and Cadmium(II) Coordination Polymers Constructed by Flexible Double Betaine Ligands. 2006 , 6, 444-450	72
1383	A Novel Acentric Three-Dimensional Network with Complicated Topology. 2006 , 6, 1261-1263	25
1382	Assemblies of a new flexible multicarboxylate ligand and d10 metal centers toward the construction of homochiral helical coordination polymers: structures, luminescence, and NLO-active properties. 2006 , 45, 174-80	309
1381	Role of Anions in Inducing Noncentrosymmetry in 4-Dimethylaminopyridinium Salts for Quadratic Nonlinear Optics. 2006 , 6, 1285-1290	16
1380	A Comparative Study on Solution- and Bridgman-Grown Single Crystals of Benzimidazole by High-Resolution X-ray Diffractometry, Fourier Transform Infrared, Microhardness, Laser Damage Threshold, and Second-Harmonic Generation Measurements. 2006 , 6, 1542-1546	135
1379	Systematic and design of noncentrosymmetric sulfides and selenides for nonlinear optics. 2006 , 37, 507-511	16
1378	Morphology and Polymorphism Control of Organic Polyene Crystals by Tailor-made Auxiliaries. 2006 , 6, 2327-2332	35
1377	Synthesis and characterisation of Fe(IO ₃) ₃ nanosized powder. 2006 , 416, 261-264	18
1376	Two crystals of doubly protonated melaminium salts: melaminium bis(trifluoroacetate) trihydrate and melaminium bis(trichloroacetate) dihydrate. 2006 , 62, o372-5	15
1375	Cobalt mercury tetraselenocyanate, CoHg(SeCN) ₄ . 2006 , 62, i47-i49	1
1374	Zinc cadmium selenocyanate. 2006 , 62, i88-i90	2
1373	2-[(E)-2-(3-Hydroxy-4-methoxyphenyl)ethenyl]-1-methylquinolinium 4-chlorobenzenesulfonate. 2006 , 62, o1802-o1804	9
1372	1,5-Bis(4-chlorophenyl)penta-1,4-dien-3-one. 2006 , 62, o1973-o1975	6
1371	2-(4-Hydroxystyryl)-1-methylpyridinium 4-bromobenzenesulfonate. 2006 , 62, o5494-o5496	13
1370	Enhancement of crystalline perfection by organic dopants in ZTS, ADP and KHP crystals as investigated by high-resolution XRD and SEM. 2006 , 39, 784-790	166
1369	Single-crystal growth of 4-hydroxy-3-methoxy benzaldehyde by the Bridgman technique and its characterization. 2006 , 203, 2488-2495	8
1368	Construction of two novel 2D layer Mo(W)/Cu/S polymers using bidentate thiolato ligands as linkers. 2006 , 9, 79-81	8
1367	A new screw shaped coordination compound for crystal engineering: Synthesis, crystal structure and nonlinear optical effect of o-chlorophenylthiourea zinc (II) diacetylacetonate. 2006 , 9, 986-988	5

1366	Coordination and organometallic compounds and inorganic-organic hybrid crystalline materials for second-order non-linear optics. 2006 , 250, 1210-1233	189
1365	Theoretical and experimental study of optical second harmonic generation in new chiral thiolates salts. 2006 , 330, 387-393	6
1364	Structural and electronic contributions to hyperpolarizability in methyl p-hydroxy benzoate. 2006 , 785, 43-53	351
1363	Synthesis, characterization and nonlinear optical properties in a series of new chiral organotin(IV) Schiff base complexes. 2006 , 691, 1722-1732	49
1362	Crystal growth, thermal and optical studies of nonlinear optical material: Glycine potassium sulphate. 2006 , 67, 1858-1861	27
1361	Studies on some ternary oxyborates of the $\text{Na}_2\text{O} \cdot \text{Me}_2\text{O} \cdot 3\text{B}_2\text{O}_3$ (Me=rare earth or aluminum) systems: Synthesis, structure and crystal growth. 2006 , 179, 2834-2849	15
1360	Synthesis of nanocrystals in $\text{KNb}(\text{Ge},\text{Si})\text{O}_5$ glasses and chemical etching of nanocrystallized glass fibers. 2006 , 179, 1821-1829	23
1359	Synthesis and crystal structure of a novel ternary oxoborate, PbBiBO_4 . 2006 , 179, 3191-3195	16
1358	Syntheses and crystal structures of two new hydrated borates, $\text{Zn}_8[(\text{BO}_3)_3\text{O}_2(\text{OH})_3]$ and $\text{Pb}[\text{B}_5\text{O}_8(\text{OH})] \cdot 1.5\text{H}_2\text{O}$. 2006 , 179, 3911-3918	33
1357	Electronic polarizability and crystallization of $\text{K}_2\text{O} \cdot \text{TiO}_2 \cdot \text{TeO}_2$ glasses with high TiO_2 contents. 2006 , 179, 3949-3957	22
1356	Phase matchable semiorganic NLO material for frequency doubling: L-Arginine tetrafluoroborate. 2006 , 63, 91-5	10
1355	Polarised Raman and infrared spectral analysis of L-alanine oxalate ($\text{C}_5\text{H}_9\text{NO}_6$)--a non-linear optical single crystal. 2006 , 64, 736-43	20
1354	Structural, spectral, linear and nonlinear optical properties of new nonlinear optical L-histidinium trichloroacetate crystals. 2006 , 65, 1021-4	6
1353	Growth, dielectric and photoconducting studies of tetrathiourea mercury(II) tetrathiocyanato zinc(II) NLO single crystals. 2006 , 286, 470-475	15
1352	Structural characteristics and second harmonic generation in l-threonine crystals. 2006 , 286, 451-456	34
1351	Crystal growth, thermal and optical studies on phase matchable new organic NLO material for blue-green laser generation. 2006 , 289, 217-223	22
1350	2,4,6-trinitrophenol (TNP): An organic material for nonlinear optical (NLO) applications. 2006 , 289, 639-646	54
1349	Synthesis, growth and characterization of nonlinear optical crystal: l-tyrosine hydrobromide. 2006 , 290, 498-503	37

1348	Growth of nonlinear optical crystal $Y_{0.57}La_{0.72}Sc_{2.71}(BO_3)_4$. 2006 , 292, 464-467	22
1347	Studies on new NLO crystals in CdO/nOB_2O_3 system. 2006 , 292, 458-463	9
1346	Growth and characterization of a new nonlinear optical crystal $Ca_5(BO_3)_3F$. 2006 , 292, 449-453	37
1345	Effect of organic dopants on ZTS single crystals. 2006 , 293, 376-381	66
1344	Nonlinear optical diglycine hydrochloride: Synthesis, crystal growth and structural characteristics. 2006 , 293, 86-92	20
1343	Studies on the growth and characterization of benzimidazole single crystals Vertical Bridgman technique. 2006 , 293, 318-323	13
1342	Growth and characterization of a novel NLO crystal l-histidine hydrofluoride dihydrate (LHHF). 2006 , 293, 409-414	56
1341	A phase-matchable nonlinear optical material N-(3-nitrophenyl)phthalimide: Synthesis, crystal growth and characterization. 2006 , 294, 318-322	21
1340	Crystal growth and characterization of new nonlinear optical chalcone derivative: 1-(4-Methoxyphenyl)-3-(3, 4-dimethoxyphenyl)-2-propen-1-one. 2006 , 295, 44-49	85
1339	Synthesis, crystal growth and studies on non-linear optical property of new chalcones. 2006 , 295, 54-59	120
1338	Synthesis, growth, and characterization of 4-OCH ₃ -4'-nitrochalcone single crystal: A potential NLO material. 2006 , 297, 111-116	72
1337	Crystal structure of single crystals of nonlinear optical l-histidinium trichloroacetate. 2006 , 825, 158-164	21
1336	Growth of urea doped benzophenone single crystal for nonlinear optical applications. 2006 , 28, 324-330	26
1335	Growth and characterization of amino acid (glycine and valine) substituted l-arginine diphosphate single crystals. 2006 , 29, 173-179	18
1334	Optical behaviour of VTE treated near stoichiometric $LiNbO_3$ crystals. 2006 , 137, 283-287	19
1333	Potassium bromo-borate $K_3[B_6O_{10}]Br$ new nonlinear optical material. 2006 , 51, 225-230	47
1332	A new nonlinear optical borate, $Na_{0.5}Pb_2[B_5O_9](OH)_{1.5} \cdot 0.5H_2O$, from the orthorhombic hilgardite family. 2006 , 51, 395-400	3
1331	Maltol tosylate and triflate possessing nonlinear optical properties. 2006 , 42, 1484-1485	1

1330	The role of phase-matching and nanocrystal-size effects in three-wave mixing and CARS processes in porous gallium phosphide. 2006 , 84, 303-308	10
1329	Crystallization of langasite-type phases in gallium germanate glasses and optical properties of crystallized glasses. 2006 , 28, 1129-1135	2
1328	Investigations on the local structures of Cr ³⁺ (3d ³) and Nd ³⁺ (4f ³) ions at the trigonal Bi ³⁺ sites in Bi ₄ Ge ₃ O ₁₂ . 2006 , 28, 1095-1100	13
1327	Extended networks, porous sheets, and chiral frameworks. Thorium materials containing mixed geometry anions: Structures and properties of Th(SeO ₃)(SeO ₄), Th(IO ₃) ₂ (SeO ₄)(H ₂ O) ₃ ·H ₂ O, and Th(CrO ₄)(IO ₃) ₂ . 2006 , 179, 1192-1201	37
1326	New potential materials for infrared nonlinear optics. Preparation, characterisation and optical transparency of monometallic and bimetallic iodates. 2006 , 8, 1466-1472	41
1325	Growth and characterization of pure, benzophenone and iodine doped benzoyl glycine single crystals. 2006 , 97, 501-505	24
1324	Conglomerate-to-true-racemate reversible solid-state transition in crystals of an organic disulfide-based iodoplumbate. 2006 , 45, 2100-3	90
1323	A new non-centrosymmetric modification of BiB(3)O(6). 2006 , 45, 8239-41	75
1322	Growth of benzophenone single crystals from solution: A novel approach with 100% solute - crystal conversion efficiency. 2006 , 41, 225-230	21
1321	Photoacoustic study of the thermal and optical properties of hippuric acid. 2006 , 41, 481-486	5
1320	Crystal growth, optical, mechanical and electrical properties of organic NLO material β -glycine. 2006 , 41, 671-677	75
1319	Influence of La ³⁺ ions on growth and NLO properties of KDP single crystals. 2006 , 41, 678-682	38
1318	Crystallization of benzimidazole by solution growth method and its characterization. 2006 , 41, 784-789	51
1317	Growth and characterization of semicarbazone of cyclohexanone. 2006 , 41, 807-811	4
1316	Crystallization and characterization of nonlinear optical l-histidinium dihydrogen orthophosphate orthophosphoric acid single crystal. 2006 , 41, 997-1001	5
1315	Growth and characterization of dichloro tetrakis thiourea nickel single crystals. 2006 , 41, 1082-1088	29
1314	Growth and characterization of glycine lithium sulphate single crystal. 2006 , 41, 1184-1188	41
1313	Growth and properties of an organometallic nonlinear optical crystal: bis(isothiocyanato)-bis(4-methylpyridine)zinc(II) (Zn(SCN) ₂ (C ₆ H ₇ N) ₂). 2006 , 41, 1226-1230	5

1312	Polar Cofacially Fixed Sandwich Complexes: Do They Demonstrate Second Harmonic Generation (SHG)? 2006 , 2006, 857-867	12
1311	Design, Crystal Growth, Characterization, and Second-Order Nonlinear Optical Properties of Two New Three-Dimensional Coordination Polymers Containing Selenocyanate Ligands. 2006 , 2006, 2900-2907	23
1310	A ZnII-Based Chiral Crystalline Nanotube. 2006 , 2006, 3532-3536	48
1309	NIR-FT Raman, FT-IR and surface-enhanced Raman scattering spectra of organic nonlinear optic material: p-hydroxy acetophenone. 2006 , 37, 508-519	90
1308	Vibrational spectral studies and the non-linear optical properties of a novel NLO material L-prolinium tartrate. 2006 , 37, 1427-1441	24
1307	Conglomerate-to-True-Racemate Reversible Solid-State Transition in Crystals of an Organic Disulfide-Based Iodoplumbate. 2006 , 118, 2154-2157	8
1306	Eine neue nicht-zentrosymmetrische Modifikation von BiB3O6. 2006 , 118, 8419-8421	21
1305	Supramolecular Ordered Organic Thin Films for Nonlinear Optical and Optoelectronic Applications. 2006 , 16, 180-188	30
1304	SPONSORS. 2006 , 339, xi-xi	
1303	Crystal structure and vibrational analyses of nonlinear optical L-histidinium trifluoroacetate single crystals. 2006 , 5, 191-202	1
1302	Nonlinear optical co-crystal of analogous polyene chromophores with tailored physical properties. 2006 , 3729-31	22
1301	Epitaxy, texturing, and second-harmonic generation in BiFeO3 thin films. 2006 , 73,	22
1300	GROWTH AND CHARACTERIZATION OF A NEW SEMI-ORGANIC NON-LINEAR OPTICAL CRYSTAL L-ARGININE HYDROCHLOROFLUORIDE MONOHYDRATE (LAHCIF). 2006 , 13, 803-808	5
1299	Infrared properties of CsGe(BrxCl1-x)3, nonlinear optical rhombohedral semiconductor. 2007 , 19, 476209	8
1298	Modified triphenylmethane dye for the efficient nonlinear generation of light in nanostructured materials. 2007 , 91, 081116	7
1297	Effect of Processing Parameters of KNbO3 Powder Prepared from Aqueous Solution of Layered Perovskite. 2007 , 356, 215-219	4
1296	Synthesis, Characterization and Crystal Structure of 2-[(E)-2-(4-Hydroxy-3-methoxyphenyl)ethenyl]-1-methylquinolinium 4-chlorobenzenesulfonate. 2007 , 23, X27-X28	3
1295	Crystal and Molecular Structures of 2-[(E)-2-(4-Hydroxy-3-methoxyphenyl)ethenyl]-1-methylquinolinium 4-methoxybenzenesulfonate. 2007 , 23, X81-X82	4

1294	Crystal structure and luminescence properties of a novel promising phosphor Ba ₃ ScB ₉ O ₁₈ . 2007 , 22, 328-333	11
1293	Laser-induced crystallization of RE ₂ (MoO ₄) ₃ ferroelectrics (RE: Sm, Gd, Dy) in glasses and their surface morphologies. 2007 , 353, 85-93	26
1292	LiMoO ₃ (IO ₃): A new molybdenyl iodate based on WO ₃ -type sheets with large SHG response. 2007 , 428, 54-58	61
1291	Molecular Engineering of Stilbazolium Derivatives for Second-Order Nonlinear Optics. 2007 , 19, 3512-3518	97
1290	Molecule-Based Ferroelectric Thin Films: Mononuclear Lanthanide Enantiomers Displaying Room-Temperature Ferroelectric and Dielectric Properties. 2007 , 119, 6944-6947	11
1289	Growth and Characterization of Disodium Hydrogen Orthophosphate (DSHP) Single Crystals. 2007 , 22, 379-383	10
1288	Critical role of water content in the formation and reactivity of uranium, neptunium, and plutonium iodates under hydrothermal conditions: implications for the oxidative dissolution of spent nuclear fuel. 2007 , 46, 3663-8	27
1287	Synthesis and Growth of Triaquaglycinesulfatozinc(II), [Zn(SO ₄)(C ₂ H ₅ NO ₂)(H ₂ O) ₃], a New Semiorganic Nonlinear Optical Crystal. 2007 , 7, 348-353	45
1286	Polyfunctional inorganic-organic hybrid materials: an unusual kind of NLO active layered mixed metal oxalates with tunable magnetic properties and very large second harmonic generation. 2007 , 129, 9410-20	92
1285	Effect of Sodium Fluoroborate (NaBF ₄) Doping on the NLO Properties of L-Histidine Single Crystals. 2007 , 7, 1695-1698	16
1284	Sequential Self-Organization of Silver(I) Layered Materials with Strong SHG by J Aggregation and Intercalation of Organic Nonlinear Optical Chromophores through Mechanochemical Synthesis. 2007 , 19, 3704-3711	53
1283	Type structure, which is composed of organic diammonium, triiodide and hexaiodobismuthate, varies according to different structures of incorporated cations. 2007 , 9, 298	39
1282	Pressure-Induced Crystallization and Characterization of the Tin Borate SnB ₄ O ₇ . 2007 , 19, 254-262	49
1281	New Organic Nonlinear Optical Verbenone-Based Triene Crystal for Terahertz Applications. 2007 , 7, 2517-2521	28
1280	Synthesis and characterization of bis(ferrocenylcarboxylato)telluranes. 2007 , 85, 534-539	6
1279	Metallacrown-based compartments: selective encapsulation of three isonicotinate anions in non-centrosymmetric solids. 2007 , 1148-50	58
1278	Low valent phosphorus in the molecular anions [P ₅ Se ₁₂] ⁵⁻ and beta-[P ₆ Se ₁₂] ⁴⁻ : phase change behavior and near infrared second harmonic generation. 2007 , 4998-5000	32
1277	Syntheses, structures, and optical properties of novel zinc(II) complexes with multicarboxylate and N-donor ligands. 2007 , 4302-11	184

1276	Ambient-Pressure Synthesis of SHG-Active Eu ₂ Ti ₂ O ₇ with a [110] Layered Perovskite Structure: Suppressing Pyrochlore Formation by Oxidation of Perovskite-Type EuTiO ₃ . 2007 , 19, 1883-1885	24
1275	Cation-anion interactions and polar structures in the solid state. 2007 , 129, 13963-9	158
1274	Thermal, Optical, and Electrical Properties of Gel Grown ZMTC. 2007 , 22, 351-356	4
1273	Synthesis and Structure of [C ₂ H ₁₀ N ₂][B ₅ O ₈ (OH)]: A Nonmetal Pentaborate with Nonlinear Optical Properties. 2007 , 7, 1246-1250	50
1272	Light propagation in optical crystal powders: effects of particle size and volume filling factor. 2007 , 19, 456213	7
1271	Na ₃ [Ti ₂ P ₂ O ₁₀ F]: A New Oxyfluorinated Titanium Phosphate with an Ionic Conductive Property. 2007 , 19, 942-947	19
1270	Helical polymer 1/infinity[P ₂ Se ₆ (2-)]: strong second harmonic generation response and phase-change properties of its K and Rb salts. 2007 , 129, 14996-5006	103
1269	Flexible Ligand, Structural, and Topological Diversity: Isomerism in Zn(NO ₃) ₂ Coordination Polymers. 2007 , 7, 1863-1867	88
1268	Yb:Ta:RbTiOPO ₄ , A New Strategy to Further Increase the Lanthanide Concentration in Crystals of the KTiOPO ₄ Family. 2007 , 19, 4069-4076	11
1267	Nonlinear Optical Properties of Ln ₂ Ti ₂ O ₇ (Ln = La, Pr, Nd) Oxides. 2007 ,	0
1266	Polyoxomolybdenum(V/VI)-sulfite compounds: synthesis, structural, and physical studies. 2007 , 46, 6002-10	23
1265	Bulk Growth and Characterization of Semi-Organic Nonlinear Optical Bis Thiourea Bismuth Chloride Single Crystals. 2007 , 7, 501-505	46
1264	Synthesis, Crystal Structure, and Second-Order Nonlinear Optical Properties of New Stilbazolium Salts. 2007 , 7, 83-86	40
1263	Construction of Metal-Organic Frameworks (M = Cd(II), Co(II), Zn(II), and Cu(II)) Based on Semirigid Oxadiazole Bridging Ligands by Solution and Hydrothermal Reactions. 2007 , 7, 1058-1068	52
1262	Organometallic Complexes for Optoelectronic Applications. 2007 , 101-194	43
1261	Polymorphism, crystal growth and characterization of an organic nonlinear optical material: DAPSH. 2007 , 9, 772	31
1260	Metal-Organic frameworks constructed from mixed-ligand 1,2,3,4-tetra-(4-pyridyl)-butane and benzene-polycarboxylate acids: syntheses, structures and physical properties. 2007 , 9, 915	149
1259	Highly Stable Diamondoid Network Coordination Polymer [Mn(NCP) ₂] _n with Notable NLO, Magnetic, and Luminescence Properties. 2007 , 7, 2262-2264	81

1258	High-Quality Organic Single Crystalline Thin Films for Nonlinear Optical Applications by Vapor Growth. 2007 , 7, 402-405	23
1257	Two New Noncentrosymmetric Polar Oxides: Synthesis, Characterization, Second-Harmonic Generating, and Pyroelectric Measurements on TlSeVO ₅ and TlTeVO ₅ . 2007 , 19, 4710-4715	97
1256	(NH ₄) ₂ Te ₂ WO ₈ : A New Polar Oxide with Second-Harmonic Generating, Ferroelectric, and Pyroelectric Properties. 2007 , 19, 5637-5641	76
1255	Structure and physical properties of the polar oxysulfide CaZnOS. 2007 , 46, 2571-4	91
1254	Structural variation from 1D to 3D: effects of ligands and solvents on the construction of lead(II)-organic coordination polymers. 2007 , 13, 3248-61	266
1253	Rational design of MOFs constructed from modified aromatic amino acids. 2007 , 13, 9399-405	46
1252	Cation-dependent nonlinear optical behavior in an octupolar 3D anionic metal-organic open framework. 2007 , 46, 6301-4	152
1251	Molecule-based ferroelectric thin films: mononuclear lanthanide enantiomers displaying room-temperature ferroelectric and dielectric properties. 2007 , 46, 6820-3	90
1250	Cation-Dependent Nonlinear Optical Behavior in an Octupolar 3D Anionic Metal-Organic Open Framework. 2007 , 119, 6417-6420	27
1249	New Organic Nonlinear Optical Polyene Crystals and Their Unusual Phase Transitions. 2007 , 17, 1750-1756	56
1248	Growth and characterization of L-histidine hydrochloride monohydrate single crystals. 2007 , 42, 59-64	44
1247	A novel metal-organic coordination complex crystal: tris allylthiourea zinc bromide (ATZB) as a nonlinear optical material. 2007 , 42, 65-68	9
1246	Synthesis, growth and characterization of single crystals of pure and thiourea doped L-glutamic acid hydrochloride. 2007 , 42, 78-83	16
1245	Growth and characterization of semi organic nonlinear optical LHPCL crystals. 2007 , 42, 180-185	15
1244	Photoacoustic studies on two new organic NLO materials: L-threonine and L-prolinium tartrate. 2007 , 42, 190-194	18
1243	Polymeric metal-organic octupolar NLO materials: lithium(I) and sodium(I) 3,5-dinitrobenzoates. 2007 , 42, 201-206	12
1242	Growth and characterization of nonlinear optical zinc hydrogen phosphate single crystal grown in silica gel. 2007 , 42, 344-348	29
1241	Growth and characterization of L-prolinium tartrate [A new organic NLO material. 2007 , 42, 471-476	83

1240	Growth and characterization of doped hippuric acid crystals for NLO devices. 2007 , 42, 607-612	14
1239	Growth and characterization of the nonlinear optical crystal: L-arginine trifluoroacetate. 2007 , 42, 812-816	24
1238	Investigations on nucleation, thermodynamical parameters and growth of Benzimidazole crystals from low temperature solution. 2007 , 42, 995-1001	2
1237	Synthesis, growth and characterization of L-histidinium acetate dihydrate single crystals. 2007 , 42, 895-898	1
1236	Investigations on the growth, optical behaviour and factor group of an NLO crystal: L-alanine alaninium nitrate. 2007 , 42, 1097-1103	42
1235	Potential 1,1'-binaphthyl NLO-phores with extended conjugation between positions 2 and 6, and 2' and 6'. 2007 , 48, 8869-8873	8
1234	Intrinsic hyperpolarizability of 3-dicyanomethylene-5,5-dimethyl-1-[2-(4-hydroxyphenyl)ethenyl]-cyclohexene nanocrystallites incorporated into the photopolymer matrices. 2007 , 443, 309-312	67
1233	Nonlinear polarimetry of molecular crystals down to the nanoscale. 2007 , 8, 165-179	36
1232	Synthesis, crystal structure and nonlinear optical property of cadmium(II) and copper(II) complexes with novel chiral ligand. 2007 , 10, 432-436	8
1231	L-Cystine hydrochloride: A novel semi-organic nonlinear optical material for optical devices. 2007 , 269, 230-234	63
1230	Growth and characterization of nonlinear optical crystal zinc tris (thiourea) sulphate in presence of L-arginine. 2007 , 30, 508-512	42
1229	One-dimensional azido-bridged chiral copper(II) coordination polymers: Syntheses, structures and magnetic studies. 2007 , 360, 2875-2880	10
1228	Structures and nonlinear optical properties of molecular crystals DMCC and DBCC. 2007 , 871, 1-5	2
1227	Nonlinear-optical bis(3-hydroxy-2-methyl-4H-pyran-4-onato) complexes of metals. 2007 , 17, 154-155	2
1226	Synthesis, crystal structures, and optical properties of a novel imidazole derivative and its Zn(II) complex. 2007 , 829, 202-207	14
1225	Metal-controlled assembly tuning the topology and dimensionality of coordination polymers of Ag(I), Cd(II) and Zn(II) with the flexible 2-(1H-imidazole-1-yl)acetic acid (Hima). 2007 , 831, 61-68	29
1224	Growth and characterization of a new organic NLO material: Glycine nitrate. 2007 , 278, 434-438	39
1223	Photoconductivity and dielectric studies on NLO active NPNa and NPLi single crystals. 2007 , 29, 827-832	46

- 1222 Growth and characterization of a new nonlinear optical l-histidine acetate single crystals. **2007**, 29, 1211-1216 52
- 1221 Crystal structure and phonon properties of noncentrosymmetric LiNaB₄O₇. **2007**, 180, 410-419 24
- 1220 Synthesis and crystal structure of a new cesium barium borate, CsBaB₃O₆. **2007**, 180, 2194-2201 20
- 1219 From discrete entity to three-dimensional architecture: Syntheses, crystal structures and optical properties of a series of transition metal complexes constructed from 4-carboxymethylbenzoic acid and 4,4'-bipyridine. **2007**, 26, 2829-2836 13
- 1218 Radius-dependent assembly of complexes with the rigid unsymmetric ligand 5-(2-pyridyl)-1,3,4-oxadiazole-2-thione: Syntheses, structures and luminescence properties. **2007**, 26, 4542-4550 32
- 1217 Synthesis, crystal structures and triboluminescence of a pair of Eu(III)-based enantiomers. **2007**, 26, 5257-5262 30
- 1216 Growth, optical, dielectric and ESR studies on tetrathiourea mercury(II) tetrathiocyanato manganate(II): An organometallic complex NLO crystal. **2007**, 68, 2370-2375 24
- 1215 VUV excitation properties of LnZr(BO₃)₂:Re (Ln=Ba, Sr; Re=Eu, Tb). **2007**, 122-123, 973-975 12
- 1214 Structural and thermal characterization of a semiorganic NLO material: L-alanine cadmium chloride. **2007**, 66, 637-42 59
- 1213 Semiorganic nonlinear optical material for frequency doubling: preparation and properties of sodium p-nitrophenolate dihydrate (SPNP). **2007**, 66, 318-22 7
- 1212 Growth and characterization of organic nonlinear optical crystal of 1-chloro-2,4-dinitrobenzene (CDNB). **2007**, 66, 707-11 15
- 1211 Spectral and optical studies of 2-amino-5-nitropyridinium dihydrogen phosphate: a semiorganic nonlinear optical material. **2007**, 67, 83-6 14
- 1210 Raman, IR and SERS spectra of methyl(2-methyl-4,6-dinitrophenylsulfanyl)ethanoate. **2007**, 67, 1313-20 60
- 1209 Electron paramagnetic resonance study on manganese doped tetrathiourea copper(I) chloride single crystal. **2007**, 67, 1150-2 3
- 1208 Effect of pH, thermal, electrical and thermomechanical properties of nonlinear optical L-threonine single crystals. **2007**, 68, 300-4 10
- 1207 Crystal growth and characterization of K[CS(NH₂)₂]₄Br--A semiorganic non-linear optical crystal. **2007**, 68, 443-53 8
- 1206 Structural, thermal and optical properties of a semiorganic nonlinear optical single crystal: glycine zinc sulphate. **2007**, 68, 360-3 41
- 1205 Crystal growth, thermal and optical studies on a semiorganic nonlinear optical material for blue-green laser generation. **2007**, 68, 1213-9 25

	Growth and properties of two new organic nonlinear optical crystals:	
1204	Hydroxyethylammonium-l-tartrate monohydrate and hydroxyethylammonium-d-tartrate monohydrate. 2007 , 299, 120-124	23
1203	Growth, morphological, mechanical and dielectric studies of semi organic NLO single crystal: l-argininium perchlorate. 2007 , 300, 403-408	27
1202	Growth and characterization of 2-amino-5-chlorobenzophenone (2A-5CB) single crystals. 2007 , 300, 409-414	22
1201	Second harmonic generation and crystal growth of new chalcone derivatives. 2007 , 303, 520-524	88
1200	Growth of a new nonlinear optical crystal YCa ₉ (VO ₄) ₇ . 2007 , 304, 233-235	30
1199	Growth and characterization of nonlinear optical active l-alanine formate crystal by modified SankaranarayananBamasamy (SR) method. 2007 , 304, 191-195	35
1198	Investigation on the physicochemical properties of nonlinear optical (NLO) single crystal: l-histidinium dinitrate. 2007 , 304, 184-190	26
1197	Growth and characterization of organometallic nonlinear optical TMTM single crystals. 2007 , 304, 435-440	12
1196	Growth and characterization of a new semiorganic non-linear optical thiosemicarbazide cadmium chloride monohydrate (Cd(NH ₂ NHCSNH ₂)Cl ₂ ·H ₂ O) single crystals. 2007 , 305, 156-161	46
1195	Synthesis, growth and characterization of second-order nonlinear optical crystal: 5-Br-2-thienyl-4'-methoxychalcone. 2007 , 305, 218-221	14
1194	Synthesis, crystal growth and characterization of glycine lithium sulphate. 2007 , 306, 361-365	31
1193	Growth and characterization of a novel nonlinear optical crystal zinc succinate, Zn(C ₄ H ₄ O ₄). 2007 , 308, 89-92	20
1192	Growth and characterization of nonlinear optical crystal Lu _{0.66} La _{0.95} Sc _{2.39} (BO ₃) ₄ . 2007 , 307, 405-409	26
1191	Growth and characterization of bis-glycine sodium nitrate (BGSN), a novel semi-organic nonlinear optical crystal. 2007 , 309, 30-36	23
1190	Growth and characterization of l-Tartaric acid, an NLO material. 2007 , 309, 48-52	68
1189	(2E)-1-(2,4-Dichlorophenyl)-3-[4-(methylsulfanyl)phenyl]prop-2-en-1-one. 2007 , 63, o30-o32	4
1188	Manganese mercury selenocyanate, MnHg(SeCN) ₄ . 2007 , 63, i45-i46	2
1187	2-[(E)-2-(3-Hydroxy-4-methoxyphenyl)ethenyl]-1-methylquinolinium 4-bromobenzenesulfonate. 2007 , 63, o2124-o2126	4

- 1186 2-[(E)-2-(3-Hydroxy-4-methoxyphenyl)ethenyl]-1-methylquinolinium iodide monohydrate. **2007**, 63, o2321-o2323
- 1185 L-Argininium(+) maleate dihydrate. **2007**, 63, o2805-o2807 7
- 1184 Crystal structure and vibrational analysis of novel nonlinear optical L-histidinium tetrafluoroborate (L-HFB) single crystals. **2007**, 244, 558-568 7
- 1183 N-(3,5-Di-tert-butylsalicylidene)-4-iodobenzene, a peculiar case of a nonlinear optical photoswitch. **2007**, 20, 992-997 5
- 1182 Growth and characterization of pure and doped bis(thiourea) cadmium acetate single crystals. **2007**, 103, 153-157 32
- 1181 New substitutions and novel derivatives of the Aurivillius phases, Bi₅TiNbWO₁₅ and Bi₄Ti₃O₁₂. **2007**, 42, 950-960 7
- 1180 Spectroscopic, thermal and mechanical behavior of allylthiourea cadmium chloride single crystals. **2007**, 42, 2040-2047 11
- 1179 The growth of L-Glutamic acid hydrochloride crystals by Sankaranarayanan Ramasamy (SR) method. **2007**, 61, 706-708 39
- 1178 Growth and characterization of a new non-linear optical L-histidinium dihydrogen phosphate single crystal. **2007**, 61, 3477-3479 6
- 1177 Growth and characterization of nonlinear optical diglycinehydrobromide single crystals. **2007**, 61, 3559-3562 16
- 1176 Crystallization and characterization of nonlinear optical material L-arginine formomaleate. **2007**, 61, 3826-3828 18
- 1175 Growth and characterization of cobalt thiourea sulfate, a new nonlinear optical material. **2007**, 61, 4173-4176 15
- 1174 Growth and characterization of a new semi-organic nonlinear optical sodium paranitrophenolate paranitrophenol dihydrate single crystal. **2007**, 61, 5053-5055 22
- 1173 The non-centrosymmetric borate chlorides Ba₂TB₄O₉Cl (T=Al, Ga). **2007**, 9, 344-350 15
- 1172 Nonlinear optical crystal BiAlGa₂(BO₃)₄. **2007**, 9, 713-717 16
- 1171 Structural conditionality for the quadratic nonlinear susceptibility of Sr^{1-x}Ba_xNb₂O₆ crystals. **2007**, 52, 1056-1060 2
- 1170 Synthesis and electrical properties of double borates Ba₃R(BO₃)₃, R = Ho, Yb, Sc. **2007**, 80, 492-494
- 1169 C₂-Symmetric Bis(amide) Molecules: Solid-State Assembly, Thermal Stability, and Second Harmonic Generation. **2007**, 473, 67-85 4

1168	Synthesis, Growth, and Characterization of L-Proline Cadmium Chloride Monohydrate (L-PCCM) Crystals: A New Nonlinear Optical Material. 2007 , 7, 183-186	77
1167	Growth and spectral properties of self-frequency doubling crystal, Nd:Ca _{9.03} Na _{1.08} La _{0.62} (VO ₄) ₇ . 2007 , 88, 449-455	14
1166	Thermal, FT-IR and SHG efficiency studies of L-arginine doped KDP crystals. 2007 , 30, 105-112	62
1165	Growth and characterization of pure and lithium doped strontium tartrate tetrahydrate crystals by solution-gel technique. 2007 , 30, 349-355	17
1164	Vibrational, calorimetric and nonlinear optical studies of melaminium-bis(trichloroacetate) monohydrate molecular crystal. 2007 , 29, 1058-1062	32
1163	Crystalline phase responsible for the permanent second-harmonic generation in chalcogenide glass-ceramics. 2007 , 30, 338-345	25
1162	Second harmonic generation of template synthesized PbTiO ₃ nanostructures. 2007 , 30, 132-134	1
1161	Studies on the growth, optical, thermal and dielectric aspects of a proton transfer complex \square Dimethyl amino pyridinium 4-nitrophenolate 4-nitrophenol (DMAPNP) crystals for non-linear optical applications. 2007 , 30, 553-564	57
1160	Synthesis, crystal structure and NLO property of a nonmetal pentaborate [C ₆ H ₁₃ N ₂][B ₅ O ₆ (OH) ₄]. 2008 , 181, 3243-3247	41
1159	Synthesis, crystal structure and vibrational spectroscopy of a nonlinear optical crystal: L-arginine maleate dihydrate. 2008 , 30, 1001-1006	44
1158	Effect of complexing agent (1,10-phenanthroline) on ADP and KDP crystals. 2008 , 94, 15-20	16
1157	Effect of chelating agent (1,10-phenanthroline) on potassium hydrogen phthalate crystals. 2008 , 94, 21-25	65
1156	The effect of Co ²⁺ -doping on tetra(thiourea)copper(i) chloride crystals. 2008 , 94, 53-57	5
1155	Structures and Non-linear Optical Properties of Multi-Sulfur π Conjugated Compounds 4,5-Vinylenedithio-1,3-dithiole-2-thione (C ₅ H ₂ S ₅) and 4,5-Vinylenedithio-1,3-dithiole-2-one (C ₅ H ₂ OS ₄). 2008 , 38, 65-69	3
1154	Preparation of Nonlinear Optical Aerogels and Xerogels in Parabolic Flights. 2008 , 20, 1-5	1
1153	Growth and study of mixed crystals of Ca-Cd iodate. 2008 , 31, 639-643	12
1152	Hydrogen-bonded sheets in 2-(2-aminophenyl)-1H-benzimidazol-3-ium dihydrogen phosphate. 2008 , 64, 0361-3	4
1151	Huge deuterated effect on permittivity in a metal-organic framework. 2008 , 14, 1164-8	41

1150	Explorations of new types of second-order nonlinear optical materials in Cd(Zn)-VV-TeIV-O Systems. 2008 , 14, 1972-81	97
1149	Synthesis, spectral, thermal and NLO properties of N,N -Dimethyl anilinium picrate. 2008 , 43, 173-178	19
1148	Synthesis, crystal growth, spectral, thermal and optical properties of acenaphthene picrate. 2008 , 43, 93-98	23
1147	Characterization of melt grown phthalic anhydride single crystal. 2008 , 43, 50-54	2
1146	Growth and characterization of a new semi organic NLO material: L-tyrosine hydrochloride. 2008 , 43, 561-564	65
1145	Optical and mechanical properties of a new second order nonlinear optical crystal urea l-threonine. 2008 , 43, 565-571	7
1144	Synthesis and characterization of a new nonlinear optical single crystal: L-Lysinium trifluoroacetate. 2008 , 43, 248-252	7
1143	Growth of tetrakis thiourea potassium iodide as new second order optical material. 2008 , 43, 423-427	6
1142	Growth, optical and thermal studies of nonlinear optical L-arginine perchlorate single crystals. 2008 , 43, 645-650	12
1141	Growth, structural, thermal and optical studies on L-glutamic acid hydrobromide [A new semiorganic NLO material. 2008 , 43, 713-719	26
1140	Growth, spectral and thermal properties of KAP single crystals in the presence of DL-Alanine and L-Methionine amino acid dopants. 2008 , 43, 733-739	28
1139	Growth and characterization of pure and lithium doped L-alanine single crystals for NLO devices. 2008 , 43, 745-750	26
1138	Synthesis, crystal growth and properties of the charge transfer complex adduct of 2-nitro aniline with picric acid [An organic non-linear optical material. 2008 , 43, 683-688	40
1137	Single crystal growth and properties of semiorganic nonlinear optical L-arginine hydrochloride monohydrate crystals. 2008 , 43, 851-856	33
1136	Growth and characterization of a new potential second harmonic generation material from the amino acid family: L-Valinium picrate. 2008 , 43, 869-873	15
1135	CuI/Br Oligomers and Polymers Involving Cu ^{II} (cystamine) Bonds. 2008 , 2008, 1654-1660	15
1134	Example of Disulfide Conformational Change in the Solid State: Preparation, Optical Properties, and X-ray Studies of a Cystamine-Based Iodoplombate Hybrid. 2008 , 2008, 3592-3596	21
1133	Chiral octupolar metal-organoboron NLO frameworks with (14,3) topology. 2008 , 47, 4538-41	140

1132	Soluble direct-band-gap semiconductors LiAsS ₂ and NaAsS ₂ : large electronic structure effects from weak As...S interactions and strong nonlinear optical response. 2008 , 47, 7828-32	153
1131	Organic Phenolic Configurationally Locked Polyene Single Crystals for Electro-optic and Terahertz Wave Applications. 2008 , 18, 3242-3250	114
1130	A Switchable NLO Organic-Inorganic Compound Based on Conformationally Chiral Disulfide Molecules and Bi(III)I ₅ Iodobismuthate Networks. 2008 , 20, 1013-1017	195
1129	Chiral Octupolar Metal-Organoboron NLO Frameworks with (14,3) Topology. 2008 , 120, 4614-4617	25
1128	Soluble Direct-Band-Gap Semiconductors LiAsS ₂ and NaAsS ₂ : Large Electronic Structure Effects from Weak As...S Interactions and Strong Nonlinear Optical Response. 2008 , 120, 7946-7950	32
1127	Growth and characterization of l-prolinium picrate single crystal: A promising NLO crystal. 2008 , 310, 116-123	78
1126	Growth and characterization of diaquatetrakis (thiocyanato) cobalt (II) mercury (II) N-methyl-2-pyrrolidone (CMTWMP) single crystals. 2008 , 310, 124-130	11
1125	The hydrothermal synthesis, growth, and optical properties of LiBO ₂ . 2008 , 310, 299-305	21
1124	Growth and characterization of an organometallic tri-allylthiourea complex nonlinear optical crystals. 2008 , 310, 2050-2057	21
1123	Hydrothermal crystal growth of ABe ₂ BO ₃ F ₂ (A=K, Rb, Cs, Tl) NLO crystals. 2008 , 310, 2033-2038	72
1122	Synthesis, crystal growth, structural, optical, thermal and mechanical properties of novel organic NLO material: Ammonium malate. 2008 , 310, 1228-1238	24
1121	Growth and properties of dichloro bis(triphenylphosphine oxide) zinc(II), a novel nonlinear optical crystal. 2008 , 310, 1202-1205	5
1120	Synthesis, crystal growth and characterization of a phase matchable nonlinear optical single crystal: p-chloro dibenzylideneacetone. 2008 , 310, 2543-2549	41
1119	Growth and structural characterization of RbTi _{1-x} GexOPO ₄ crystals. 2008 , 310, 2633-2639	3
1118	Influence of inorganic and organic additives on the crystal growth, properties and crystalline perfection of tris(thiourea)copper(I) chloride (TCC) crystals. 2008 , 310, 2575-2583	20
1117	Synthesis, growth, thermal, optical, dielectric and mechanical properties of semi-organic NLO crystal: Potassium hydrogen malate monohydrate. 2008 , 310, 2820-2826	17
1116	Growth and characterization of the nonlinear optical single crystal: l-lysine acetate. 2008 , 310, 2842-2847	28
1115	Characterization and properties of infrared NLO crystals: AGeX ₃ (A=Rb, Cs; X=Cl, Br). 2008 , 310, 3224-3229	14

1114	Growth and characterization of a new potential NLO material from the amino acid family: L-prolinium picrate. 2008 , 310, 3535-3539	46
1113	Investigation of crystal growth, structural, optical, dielectric, mechanical and thermal properties of a novel organic crystal: 4, 4'-dimethylbenzophenone. 2008 , 310, 3561-3567	12
1112	Growth and characterization of an efficient nonlinear optical DAD type chalcone single crystal. 2008 , 310, 4169-4176	46
1111	Second harmonic generation of a new nonlinear optical material L-valine hydrobromide. 2008 , 310, 4539-4543	33
1110	Synthesis, crystal growth and characterization of a new organic NLO material: Caffeinium picrate (CAFP)A charge transfer molecular complex salt. 2008 , 310, 5409-5415	31
1109	Growth, nonlinear frequency-doubling and spectral properties of Nd:Ca _{8.53} K _{1.09} La _{0.95} (VO ₄) ₇ crystal. 2008 , 310, 5423-5427	22
1108	Growth and studies of pure and potassium iodide-doped zinc tris-thiourea sulphate (ZTS) single crystals. 2008 , 311, 141-146	29
1107	Structure modulation of metal-organic frameworks via reaction pH: Self-assembly of a new carboxylate containing ligand N-(3-carboxyphenyl)iminodiacetic acid with cadmium(II) and cobalt(II) salts. 2008 , 27, 812-820	40
1106	Growth and characterization of two new NLO materials from the amino acid family: L-Histidine nitrate and L-Cysteine tartrate monohydrate. 2008 , 281, 457-462	60
1105	A new promising scintillator Ba ₃ InB ₉ O ₁₈ . 2008 , 181, 646-651	26
1104	Lead-Strontium borate halides with hilgardite-type structure and their SHG properties. 2008 , 181, 1891-1898	47
1103	Synthesis, crystal structure, and nonlinear optical properties of Bi ₂ Cu ₅ B ₄ O ₁₄ . 2008 , 181, 2087-2091	33
1102	Synthesis, physicochemical characterization and crystallographic twinning of Li ₂ ZnSn ₅ S ₄ . 2008 , 181, 3217-3222	72
1101	Synthesis, growth and characterization of a new nonlinear optical material: 4-phenylpyridinium hydrogen squarate (4PHS). 2008 , 69, 1146-9	25
1100	Growth, structural, optical and thermal properties of gamma-glycine crystal. 2008 , 69, 1114-8	50
1099	Theoretical investigation of the EPR parameters and local structure for trigonal Yb ³⁺ ion in Bi ₄ Ge ₃ O ₁₂ crystal. 2008 , 70, 7-10	5
1098	Crystal growth of phase matchable new organic nonlinear optical material for UV laser generation. 2008 , 69, 1271-6	10
1097	Synthesis, growth, structural, spectroscopic and optical studies of a new semiorganic nonlinear optical crystal: L-valine hydrochloride. 2008 , 69, 1283-6	37

1096	Investigations on the physicochemical properties of the nonlinear optical crystal for blue green laser generation. 2008 , 71, 119-24	2
1095	Probes on L-lysine monohydrochloride dihydrate: a semiorganic nonlinear optical crystal. 2008 , 71, 471-9	4
1094	Effect of doping an organic molecule ligand on TGS single crystals. 2008 , 71, 480-5	17
1093	A comparative study on the growth and characterization of nonlinear optical amino acid crystals: L-alanine (LA) and L-alanine alaninium nitrate (LAAN). 2008 , 71, 297-304	28
1092	Studies on crystal growth, vibrational and optical properties of organic nonlinear optical crystal: p-aminoazobenzene. 2008 , 71, 502-7	26
1091	Molecular structure, spectroscopic studies and first-order molecular hyperpolarizabilities of p-amino acetanilide. 2008 , 71, 355-67	37
1090	Growth, structural, optical, thermal and mechanical properties of ammonium pentaborate single crystal. 2008 , 71, 578-83	29
1089	Synthesis growth and characterization of L-Valinium Picrate a new nonlinear optical crystal. 2008 , 71, 288-91	24
1088	Growth and characterization of a new metal-organic nonlinear optical bis (thiourea) cadmium zinc chloride single crystals. 2008 , 71, 1-4	17
1087	The variability of hydrogen-bonded supramolecular assemblies in crystalline picrates prepared from ferrocenyl-substituted aminoalcohols. 2008 , 693, 1779-1786	6
1086	Bi ³⁺ luminescence in ABiO ₂ Cl (A=Sr, Ba) and BaBiO ₂ Br. 2008 , 128, 87-91	39
1085	Effects of Er ³⁺ and Yb ³⁺ doping on structural and non-linear optical properties of LiNaSO ₄ . 2008 , 128, 1025-1028	1
1084	Permanent second-harmonic generation in AgGaGeS ₄ bulk-crystallized chalcogenide glasses. 2008 , 460, 125-128	27
1083	Charge transfer interactions and nonlinear optical properties of pushpull chromophore benzaldehyde phenylhydrazone: A vibrational approach. 2008 , 460, 552-558	345
1082	The chiral Zn(II)Na(I) coordination polymer: Synthesis, crystal structure, thermal and optical properties. 2008 , 11, 749-753	12
1081	Two bimetallic tetranuclear three-blade propeller shaped complexes with helical water chains: Crystal structures, second-order nonlinear optical (NLO) properties and thermal decomposition mechanisms. 2008 , 11, 799-801	11
1080	Networking chiral coordination polymers through amide hydrogen bond interactions: Thermal stability and optical SHG investigations. 2008 , 11, 791-794	11
1079	Two 2D new helical coordination polymers induced by in situ hydrolysis generated 5-((pyridin-3-yl)methylcarbamoyl)pyridine-2-carboxylate. 2008 , 11, 1308-1311	7

- 1078 Studies on optical, mechanical and transport properties of NLO active l-alanine formate single crystal grown by modified Sankaranarayanan-Ramasamy (SR) method. **2008**, 281, 2285-2290 63
- 1077 Growth, optical and thermal characterization of bis(thiourea)zinc chloride single crystals. **2008**, 30, 1621-1624 20
- 1076 Study on mid-IR NLO crystals CsGe(BrxCl_{1-x})₃. **2008**, 31, 28-34 20
- 1075 SbF₃: A new second-order nonlinear optical material. **2008**, 31, 110-113 42
- 1074 Novel compounds of 4-amino-1,2,4-triazole with dicarboxylic acids [Crystal structures, vibrational spectra and non-linear optical properties. **2008**, 873, 46-60 74
- 1073 1D chain Cd(II) and Co(II) coordination polymers: Synthesis, crystal structures and luminescence properties. **2008**, 873, 73-78 6
- 1072 Band structure, optical properties and infrared spectrum of glycine-sodium nitrate crystal. **2008**, 875, 295-301 44
- 1071 Synthesis, spectroscopic, thermal and structural elucidation of 5-amino-2-methoxypyridine ester amide of squaric acid ethyl ester: A new material with an infinite pseudo-layered structure and manifested NLO application. **2008**, 875, 372-381 13
- 1070 Non-bonded interactions and its contribution to the NLO activity of Glycine Sodium Nitrate [A vibrational approach. **2008**, 877, 20-35 28
- 1069 Phase formation in the Ba_{3-x}Sr_xY(BO₃)₃ system (0 ≤ x ≤ 3). **2008**, 53, 499-502 10
- 1068 On the effect of structural and symmetrical features of potassium titanyl phosphate crystals with different contents of niobium, antimony, and zirconium on the second-harmonic intensity. **2008**, 53, 678-682 10
- 1067 X-ray photoelectron spectrometry and binding energies of Be 1s and O 1s core levels in clinobarylite, BaBe₂Si₂O₇, from Khibiny massif, Kola peninsula. **2008**, 59, 1329-1334 14
- 1066 Growth and characterization of an organometallic nonlinear optical material tri-allylthiourea cadmium chloride (ATCC). **2008**, 107, 23-27 9
- 1065 Structural, thermal, mechanical and optical properties of l-arginine diiodate crystal: A new nonlinear optical material. **2008**, 107, 51-56 13
- 1064 Growth and characterization of l-histidine nitrate single crystal, a promising semiorganic NLO material. **2008**, 108, 192-195 56
- 1063 Deuteration effects on structural, thermal, linear and nonlinear properties of l-threonine single crystals. **2008**, 108, 359-363 8
- 1062 Growth and characterization of tetra l-lysine alanine mono hydrochloride dihydrate (TLAMHCl), a new semiorganic nonlinear optical single crystal. **2008**, 109, 119-124 32
- 1061 Growth, thermal and mechanical properties of new nonlinear optical barium bis-paranitrophenolate paranitrophenol tetrahydrate single crystal. **2008**, 43, 431-436 5

1060	Crystal growth, thermal and optical studies of semiorganic nonlinear optical material: l-lysine hydrochloride dihydrate. 2008 , 43, 1829-1835	28
1059	Synthesis, growth, structural, optical, photoconductivity and dielectric studies on potassium p-nitrophenolate dihydrate: A new semiorganic nonlinear optical material. 2008 , 43, 3587-3595	13
1058	Growth and characterization of non-linear optical crystal Cd ₃ Zn ₃ B ₄ O ₁₂ . 2008 , 43, 3188-3194	4
1057	Studies on the growth aspects of semi-organic cadmium zinc thiourea acetate: A promising new NLO crystal. 2008 , 62, 7-10	8
1056	Growth, structural, optical, thermal and mechanical properties of glycine zinc chloride single crystal. 2008 , 62, 65-68	44
1055	Synthesis, growth, and characterization of nonlinear optical material l-arginine iodate crystal. 2008 , 62, 133-136	7
1054	Crystal growth of 2, 4, 5-Trimethoxy-4'-chlorochalcone and its characterization. 2008 , 62, 451-453	19
1053	Growth and characterization of nonlinear optical l-arginine maleate dihydrate single crystals. 2008 , 62, 755-758	21
1052	Growth and characterization of Lithium hydrogen oxalate monohydrate, a new semiorganic NLO material. 2008 , 62, 1136-1138	18
1051	Studies on the crystal growth and characterization of urea l-malic acid single crystals grown from different solvents. 2008 , 62, 1609-1612	11
1050	Growth and characterization of an organic nonlinear optical material: l-alanine alaninium nitrate. 2008 , 62, 2245-2248	45
1049	Growth by SR method and characterization of hippuric acid single crystals. 2008 , 62, 2480-2482	13
1048	Synthesis, growth and characterization analysis of nickel mercury thiocyanate crystal (NMTC). 2008 , 62, 2737-2739	7
1047	Growth and characterization of dl-Alanine A new NLO material from the amino acid family. 2008 , 62, 2633-2636	13
1046	Growth and characterization of l-asparagine thiourea monohydrate (LATM): A nonlinear optical single crystal. 2008 , 62, 4003-4005	8
1045	Investigation on growth and characterization of a new inorganic NLO material: Zinc sulphate (ZnSO ₄ :7H ₂ O) doped with Magnesium Sulphate (MgSO ₄ :7H ₂ O). 2008 , 62, 4386-4388	12
1044	Growth and characterization of pure and potassium chloride-doped Zinc Tris(Thiourea Sulphate (ZTS) single crystals. 2008 , 62, 4414-4416	20
1043	l-lysine monohydrochloride dihydrate as novel elasto- and electrooptical materials. 2008 , 62, 4597-4600	29

1042	Molecular Packing Variation of Crimped 2D Layers and 3D Uncommon 65.8 Topology: Effect of Ligand on the Construction of Metal-Quinoline-6-carboxylate Polymers. 2008 , 8, 2346-2351	40
1041	Studies on the Synthesis, Growth, Crystal Structure, and Nonlinear Optical Properties of a Novel Nonlinear Optical Crystal: l-Argininium-4-nitro Phenolate Monohydrate (LARP). 2008 , 8, 2329-2334	43
1040	Synthesis, Growth, and Characterization of Novel Nonlinear Optical Active Dichloridodiglycine Zinc Dihydrate Single Crystals. 2008 , 8, 1663-1667	21
1039	Organic crystals for second harmonic generation switching based on anil photochromes. 2008 , 34, 181-190	5
1038	Hydrothermal Synthesis and Crystal Structure of Polar and Nonpolar Compounds in Indium Iodate Family. 2008 , 8, 2453-2457	23
1037	Mercury Bromide (HgBr ₂): A promising nonlinear optical material in IR region with a high laser damage threshold. 2008 , 93, 091102	49
1036	Study of Nonlinear Optical and Structural Properties of Organometallic Complexes. 2008 , 485, 990-1001	9
1035	Ligand-to-metal ratio controlled assembly of nanoporous metal-organic frameworks. 2008 , 2659-61	49
1034	Synthesis, Growth, and Characterization of a New Semiorganic Nonlinear Optical Crystal: l-Alanine Sodium Nitrate (LASN). 2008 , 8, 1863-1869	50
1033	1/infinity [ZrPSe ₆ -]: a soluble photoluminescent inorganic polymer and strong second harmonic generation response of its alkali salts. 2008 , 130, 12270-2	77
1032	Growth and Studies of Pure and Lithium Bromide-Doped Zinc Tris-Thiourea Sulphate (ZTS) Single Crystals. 2008 , 23, 800-804	34
1031	Growth and Characterization of Novel Nonlinear Optical Potassium Boromalate Monohydrate (KBM) Single Crystal Grown by Modified Sankaranarayanan Ramasamy (SR) Method. 2008 , 8, 3956-3958	6
1030	An Interesting Correlation between Crystalline Perfection and Second Harmonic Generation Efficiency on KCl- and Oxalic Acid-Doped ADP Crystals. 2008 , 8, 446-451	167
1029	Characterization of New Infrared Nonlinear Optical Material with High Laser Damage Threshold, Li ₂ Ga ₂ GeS ₆ . 2008 , 20, 6048-6052	167
1028	Optical second-harmonic scattering from cylindrical particles. 2008 , 78,	54
1027	Constructing porous lanthanide coordination polymers of 4,4'-bipyridine- N , N '-dioxide templated by single- and double-Keggin anions. 2008 , 61, 3800-3814	10
1026	Controlled generation of acentric and homochiral coordination compounds from a versatile asymmetric ligand 4-(1H-1,2,4-triazol-3-yl)-4H-1,2,4-triazole. 2008 , 4159-61	16
1025	Fabrication and Electro-optic Properties of Ferroelectric Nanocrystal/Polymer Composite Films. 2008 , 112, 14202-14208	12

1024	A noncentrosymmetric 3D coordination polymer of metallocalix[4]arene. 2008 , 47, 11514-8	25
1023	A Highly Efficient Organic Nonlinear Optical Donor-Acceptor Single Crystal: L-Valinium Picrate. 2008 , 8, 2340-2345	55
1022	New optical supramolecular compound constructed from a polyoxometalate cluster and an organic substrate. 2008 , 47, 8086-90	56
1021	Synthesis and properties of novel second-order NLO chromophores containing pyrrole as an auxiliary electron donor. 2008 , 18, 1756	33
1020	Pyrrole-Based Hydrazone Organic Nonlinear Optical Crystals and Their Polymorphs. 2008 , 8, 4021-4025	39
1019	Structural, Optical, and Theoretical Studies of a Thermochromic Organic Crystal with Reversibly Variable Second Harmonic Generation. 2008 , 20, 4062-4068	44
1018	Silver(I) complexes with oxazoline-containing tripodal ligands: structure variation via counter anions and reaction conditions. 2008 , 204-13	55
1017	Synthesis, Characterization, and Crystal Growth of Cs ₂ Hg ₃ I ₈ : A New Second-Order Nonlinear Optical Material. 2008 , 8, 2946-2949	50
1016	Single-crystal-to-single-crystal transformation involving release of bridging water molecules and conversion of chain helicity in a chiral three-dimensional metal-organic framework. 2008 , 1551-3	100
1015	Polymorphism of lead(II) benzenethiolate: a noncentrosymmetric new allotropic form of Pb(SPh) ₂ . 2008 , 10, 968	5
1014	Crystal growth and structure of L-methionine L-methioninium hydrogen maleate-a new NLO material. 2008 , 9, 025012	18
1013	Practical aspects and implications of interfaces in glass-ceramics: a review. 2008 , 99, 120-129	8
1012	Carboxylic acid-dependent assembly of neodymium-organic frameworks with attractive topologies and second-order nonlinear optical and/or magnetic properties. 2008 , 10, 1674	28
1011	Prediction of nonlinear optical susceptibility of the crystal by chemical formula. 2008 ,	1
1010	Nonlinear optical and ferroelectric properties of a 3-D Cd(II) triazolate complex with a novel (6(3)) ₂ (6(10) x 8(5)) topology. 2008 , 2762-4	80
1009	Polar hexagonal tungsten bronze-type oxides: KNbW ₂ O ₉ , RbNbW ₂ O ₉ , and KTaW ₂ O ₉ . 2008 , 47, 8511-7	57
1008	Synthesis, Structure, and Characterization of the Hexagonal Provskite Ba ₅ In _{0.93} Mn ₄ O _{14.40} . 2008 , 20, 2110-2116	10
1007	Phosphorescent Acentric Cuprous Halide Coordination Polymers for Nonlinear Optical Materials. 2008 , 8, 2359-2363	12

- 1006 Characterization and properties of novel infrared nonlinear optical crystal CsGe(BrxCl_{1-x})₃. **2008**, 47, 2362-7 28
- 1005 Continuous Change of Second-order Nonlinear Optical Activity in a Cyano-bridged Coordination Polymer. **2008**, 112, 13095-13098 18
- 1004 Novel Inorganic/Organic Hybrid Frameworks of Manganese(II): Syntheses, Crystal Structures, and Physical Properties. **2008**, 8, 1924-1931 52
- 1003 Highly Nonlinear Optical Configurationally Locked Triene Crystals Based on 3,5-Dimethyl-2-cyclohexen-1-one. **2008**, 112, 7846-7852 51
- 1002 Self-Assembly of Discrete and Polymeric Metal-Organic Frameworks via a Semirigid Glycoluril-Based Molecular Clip. **2008**, 8, 1645-1653 15
- 1001 [Zn(H₂O)₄][Zn₂Sn₃Se₉(MeNH₂)]: a robust open framework chalcogenide with a large nonlinear optical response. **2008**, 972-4 48
- 1000 Three Interpenetrated Frameworks Assembly from a Long Multicarboxylate Ligand and Transition Metal. **2008**, 8, 665-670 58
- 999 A Variety of 1D to 3D Metal/Organic Coordination Architectures Assembled with 1,1'-(2,2'-Oxybis(ethane-2,1-diyl))bis(1H-imidazole). **2008**, 8, 1654-1662 81
- 998 Reflective-type configuration for monitoring the photobleaching procedure based on surface plasmon resonance. **2008**, 10, 095102 3
- 997 SECOND HARMONIC GENERATION IN Ξ-SHAPED ORGANIC MOLECULES. **2008**, 17, 329-338 1
- 996 Properties of a New Nonlinear Optical Crystal CdZn₂B₂O₆. **2008**, 25, 1301-1304 2
- 995 Redetermination of poly[μ-chlorido-hepta-chlorido-(β)-l-proline-(2)-l-proline-tetra-mercury(II)]. **2008**, 64, m1048-9 5
- 994 GROWTH AND CHARACTERIZATION OF GLYCINE HYDROBROMIDE SINGLE CRYSTAL FOR NONLINEAR OPTICAL APPLICATIONS. **2008**, 22, 2035-2042 13
- 993 Noncentrosymmetry in Mixed Metal Oxide-Fluorides: Can We Control It?. **2008**, 1148, 1
- 992 Luminescence Properties of LnZr(BO₃)₂:Re (Ln=Ba, Sr; Re=Eu, Ce,Tb). **2008**, 368-372, 369-371
- 991 GEOMETRY OPTIMIZATION AND SECOND HARMONIC GENERATION IN PARA-NITROANILINEDIMETHYL FORMAMIDE ADDUCT. **2008**, 17, 85-96 1
- 990 Ferrocene-Based Electro-Optical Materials. 319-392 8
- 989 Comprehensive study of crystallization and phase formation in (La,Gd)BGeO₅ glass. **2008**, 116, 1108-1114 3

988	l-Lysinium trifluoro-acetate. 2008 , 64, o393-4	2
987	Nonlinear optical device for middle infrared generation. 2008 ,	1
986	Multiphoton Processes and Nonlinear Harmonic Generations in Lanthanide Complexes. 161-184	
985	. 2008 ,	153
984	Growth and PhysioChemical Properties of Second-Order Nonlinear Optical L-Threonine Single Crystals. 2009 , 2009, 1-40	16
983	Second harmonic generation studies of semi-organic compounds. 2009 ,	
982	Syntheses and crystal structures of two supramolecular isomers of manganese(II) with 3,5-bis(isonicotinamido)benzoate. 2009 , 62, 2421-2428	7
981	SURFACE MORPHOLOGY, ETCHING AND MECHANICAL STRENGTH OF A SEMIORGANIC NONLINEAR OPTICAL CRYSTAL THIOUREA CADMIUM-ZINC SULPHATE (CZTS). 2009 , 16, 737-742	3
980	CRYSTAL GROWTH, THERMAL, OPTICAL, AND DIELECTRIC PROPERTIES OF L-LYSINE DOPED KDP CRYSTALS. 2009 , 23, 1589-1602	24
979	FIRST PRINCIPLE CALCULATION OF ELECTRONIC BAND STRUCTURE AND OPTICAL PROPERTIES OF KIO ₃ . 2009 , 23, 2405-2412	1
978	SYNTHESIS, GROWTH AND CHARACTERIZATION OF GLYCINE THIOUREA: A NOVEL NONLINEAR OPTICAL MATERIAL. 2009 , 23, 2923-2931	1
977	INVESTIGATION ON THE PHYSICOCHEMICAL PROPERTIES OF NONLINEAR OPTICAL SINGLE CRYSTAL: 2-NAPHTHALENOL. 2009 , 23, 1221-1227	2
976	STUDIES ON GROWTH AND CHARACTERIZATION OF BIS THIOUREA LEAD CHLORIDE: A NOVEL NONLINEAR OPTICAL CRYSTAL. 2009 , 18, 153-159	1
975	SYNTHESIS, GROWTH, STRUCTURAL, SPECTROSCOPIC, OPTICAL, THERMAL AND MECHANICAL STUDIES OF A SEMI-ORGANIC NONLINEAR OPTICAL CRYSTAL: L-GLUTAMIC ACID HYDROCHLORIDE. 2009 , 23, 861-869	4
974	Characterization of Nonlinear Optical Properties of Crystal RbGeCl ₃ ·x(H ₂ O) in Infrared Region. 2009 , 48, 082001	6
973	Syntheses, Crystal Structures and an Overview of Alkali Metal Maleates. 2009 , 64, 517-524	7
972	Synthesis, characterization and NLO properties of a new 3D coordination polymer assembled from p-aminobenzoic acid. 2009 , 11, 1040-1043	9
971	Supramolecular aggregation in new crystals with nonlinear optical properties: 2-aminophenol-HClO ₄ , 3-aminophenol-HClO ₄ and 4-aminophenol-HClO ₄ . 2009 , 11, 1576-1581	15

970	Crystal growth, characterization, structural characteristics and second harmonic generation in N-benzoyl glycine crystals. 2009 , 113, 91-95	13
969	Growth, optical, thermal and dielectric studies of an amino acid organic nonlinear optical material: L-Alanine. 2009 , 114, 490-494	80
968	Valence-electron structure and spontaneous polarization of KNbO ₃ in tetragonal ferroelectric phase. 2009 , 114, 728-731	3
967	Growth and characterization of nonlinear optical L-glycine single crystal from lithium acetate as solvent. 2009 , 115, 413-417	47
966	Synthesis and characterization of bis(thiourea)zinc chloride doped with L-arginine. 2009 , 117, 204-208	12
965	Growth and characterization of the nonlinear optical single crystal: L-Lysinium trifluoroacetate. 2009 , 44, 925-930	33
964	Growth and characterization of a new NLO material: L-Glutamic acid hydro bromide [L-GluHBr]. 2009 , 44, 1097-1101	10
963	Low temperature synthesis and characterization of SnTa ₂ O ₆ . 2009 , 44, 1022-1024	12
962	Crystal structure and Eu ³⁺ /Tb ³⁺ doped luminescent properties of a new borate Ba ₃ Bi ₉ O ₁₈ . 2009 , 44, 2211-2216	15
961	Growth and characterization of L-phenylalanine nitric acid, a new organic nonlinear optical material. 2009 , 63, 41-44	31
960	Growth and characterization of new semiorganic nonlinear optical single crystal L-Phenylalanine L-Phenylalaninium perchlorate (LPPAPC). 2009 , 63, 363-365	15
959	Growth of manganese doped cadmium mercury thiocyanate single crystals [Gel technique]. 2009 , 63, 1643-1646	5
958	Crystal growth and characterization of new nonlinear optical single crystals of L-alaninium fumarate. 2009 , 63, 2507-2509	23
957	Synthesis and optical properties of 2-(benzo[b]thiophene-3-yl)pyrroles and a new BODIPY fluorophore (BODIPY = 4,4-difluoro-4-bora-3a,4a-diaza-s-indacene). 2009 , 15, 5823-30	44
956	Growth and characterization of glycine doped bis thiourea cadmium chloride single crystal. 2009 , 44, 269-274	22
955	Growth and characterization of thiourea mixed cadmium lead chloride [A nonlinear optical crystal]. 2009 , 44, 421-424	6
954	Enhancement of stability of growth, structural and NLO properties of KDP crystals due to additive along with seed rotation. 2009 , 44, 54-60	12
953	Powder second harmonic generation measurement and thermal decomposition mechanisms of a new organometallic compound [(18C6)Li][Cd(SCN) ₃]. 2009 , 44, 985-988	3

952	Synthesis and Physical Properties of Two Chiral Terpyridyl Europium(III) Complexes with Distinct Crystal Polarity. 2009 , 2009, 4844-4849	38
951	Vibrational spectral studies on charge transfer and ionic hydrogen-bonding interactions of nonlinear optical material L-arginine nitrate hemihydrate. 2009 , 40, 18-30	16
950	First order molecular hyperpolarizabilities and intramolecular charge transfer from the vibrational spectra of NLO material: ethyl-3-(3, 4-dihydroxyphenyl)-2-propenoate. 2009 , 40, 1822-1830	14
949	Growth and characterization of pure and doped bis thiourea zinc acetate: Semiorganic nonlinear optical single crystals. 2009 , 9, 1054-1061	22
948	Synthesis and growth of sodium bitartrate monohydrate a new organometallic nonlinear optical single crystal. 2009 , 9, 1125-1128	7
947	Observation of steric hindrance effect controlling crystal packing structures and physical properties in three new isomeric nitronyl nitroxide radicals. 2009 , 930, 167-175	6
946	Synthesis, growth and structural perfection of nonlinear optical material of glycine hydrofluoride (GHF). 2009 , 44, 3457-3461	10
945	Effect of low and high concentrations of KCl dopant on ADP crystal properties. 2009 , 96, 77-80	21
944	Influence of organic solvent on trithiourea zinc(II) sulphate crystals. 2009 , 96, 125-129	24
943	Study of gel grown mixed crystals of Ba x Ca(1-x)(IO3)4. 2009 , 32, 187-192	4
942	Growth and characterization of pure and doped NLO L-arginine acetate single crystals. 2009 , 32, 431-435	23
941	Growth, microhardness, dielectric and photoconductivity characterization of a highly polarizable NLO material: Sodium p-nitrophenolate dihydrate (NO ₂ -C ₆ H ₄ -ONa.2H ₂ O). 2009 , 83, 1647-1657	7
940	Growth and characterization of L-Alanine-doped Zinc Thiourea Chloride single crystal (ZTC). 2009 , 95, 727-732	29
939	Structure and NLO property relationship in a novel chalcone co-crystal. 2009 , 94, 503-511	60
938	Second-harmonic generation from a single core/shell quantum dot. 2009 , 5, 2835-40	80
937	New vanadium(IV) and titanium(IV) oxyfluorotellurates(IV): V ₂ Te ₂ O ₇ F ₂ and TiTeO ₃ F ₂ . 2009 , 65, i1-6	15
936	Hydrogen-bonded network in the trichloroacetate salts of 2-amino-5-chloropyridinium and 2-methyl-5-nitroanilinium monohydrate. 2009 , 65, o339-41	3
935	Growth and characterization of pure and potassium iodide-doped zinc tris-thiourea sulphate (ZTS) single crystals. 2009 , 404, 289-294	16

934	Studies on the electrical, linear and nonlinear optical properties of Meta nitroaniline, an efficient NLO crystal. 2009 , 404, 1655-1660	24
933	Nucleation studies and characterization of potassium thiocyanate added KDP crystals grown by seed rotation technique. 2009 , 404, 2503-2508	21
932	Enhancement of saturation magnetization in epitaxial (111) BiFeO ₃ films by magnetic annealing. 2009 , 517, 2749-2752	14
931	Nucleation studies of ZTC doped with l-arginine in supersaturated aqueous solutions. 2009 , 404, 1813-1818	29
930	Thermal, mechanical, electrical, linear and nonlinear optical properties of a nonlinear optical l-ornithine monohydrochloride single crystal. 2009 , 404, 2336-2339	11
929	The influence of Mn-doping on the nonlinear optical properties and crystalline perfection of tris(thiourea)zinc(II) sulphate crystals: Concentration effects. 2009 , 311, 960-965	34
928	Synthesis, crystal growth, characterization and structure-NLO property relationship in 1,3-bis(4-methoxyphenyl)prop-2-en-1-one single crystal. 2009 , 311, 310-315	32
927	Crystal growth and characterization of monometallic NLO single crystals of Cd(IO ₃) ₂ . 2009 , 311, 337-341	17
926	Growth and characterization of dichlorobis l-proline Zn(II): A semiorganic nonlinear optical single crystal. 2009 , 311, 1161-1165	37
925	Studies on the growth and characterization of 2-aminopyridinium maleate-A novel nonlinear optical crystal. 2009 , 311, 1185-1189	29
924	Single crystal growth of 4-aminobenzophenone using nanoresolution translation by the Bridgman technique and its characterization. 2009 , 311, 1607-1611	9
923	Crystal growth and characterization of organic single crystal 1-(4-N, N-Dimethylaminopyridinium) acetic acid bromide monohydrate. 2009 , 311, 2484-2489	7
922	Growth of BPO ₄ single crystals from Li ₂ O-MoO ₃ flux. 2009 , 311, 2433-2436	7
921	Growth and characterization of nonlinear optical bimetallic thiocyanate complex of MCCTC crystal. 2009 , 311, 2454-2458	10
920	Growth and characterization of new semiorganic nonlinear optical zinc guanidinium sulfate single crystal. 2009 , 311, 2709-2713	45
919	Studies on the crystal growth, crystal structure, optical and thermal properties of an organic crystal: Benzophenone hydrazone. 2009 , 311, 3461-3465	19
918	Growth of dl-malic acid-doped ammonium dihydrogen phosphate crystal and its characterization. 2009 , 311, 3491-3497	63
917	Characterization of pure and urea-doped glycine single crystals grown by solution method. 2009 , 311, 3835-3840	37

916	Growth and characterization of organic nonlinear optical material: Benzilic acid. 2009 , 311, 3849-3854	15
915	Growth and characterization of glycine picrateRemarkable second-harmonic generation in centrosymmetric crystal. 2009 , 311, 3871-3875	79
914	Growth and characterization of a nonlinear optical crystal: l-histidine trifluoroacetate. 2009 , 311, 3904-3910	26
913	Synthesis, growth and characterization of semi-organic nonlinear optical bis thiourea antimony tri bromide (BTAB) single crystals. 2009 , 312, 114-119	25
912	Synthesis, growth, thermal, optical and mechanical properties of new organic NLO crystal: l-alanine dl-malic acid. 2009 , 312, 120-124	27
911	Synthesis and electrochemical studies of π -monocyclopentadienylruthenium(II) complexes with substituted thiophene nitrile ligands. Crystal structure of $[\text{Ru}(\pi\text{-C}_5\text{H}_5)(\text{dppe})(\text{NC}\{\text{SC}_4\text{H}_2\}_2\text{NO}_2)][\text{PF}_6]$. 2009 , 694, 2888-2897	8
910	Synthesis, crystal structures and properties of three new mixed-ligand d10 metal complexes constructed from pyridinecarboxylate and in situ generated amino-tetrazole ligand. 2009 , 182, 1899-1906	41
909	StrontiumDopper selenitechlorides: Synthesis and structural investigation. 2009 , 182, 2368-2373	13
908	Syntheses and characterization of two oxoborates, $(\text{Pb}_3\text{O})_2(\text{BO}_3)_2\text{MO}_4$ (M=Cr, Mo). 2009 , 182, 3091-3097	14
907	Crystal structure and electron density in the apatite-type ionic conductor $\text{La}_{9.71}(\text{Si}_{5.81}\text{Mg}_{0.18})\text{O}_{26.37}$. 2009 , 182, 2846-2851	28
906	Growth of ninhydrin single crystal and its characterization. 2009 , 71, 1667-72	25
905	Crystal growth, structural, optical, mechanical and thermal properties of a new nonlinear optical single crystal: L-Ornithine monohydrochloride. 2009 , 72, 269-73	17
904	Growth, structural, spectroscopic and optical studies of pure and amino acid (glycine) doped methyl-para-hydroxy benzoate single crystals. 2009 , 72, 687-90	4
903	Analysis of vibrational spectra of 1-chloro-2,4-dinitrobenzene based on density functional theory calculations. 2009 , 72, 738-42	33
902	Synthesis and characterization of a new metal-organic NLO material: dibromo bis(triphenylphosphine oxide) mercury(II). 2009 , 72, 816-8	8
901	Growth and spectroscopic characterization of a new organic nonlinear optical crystal: L-alaninium succinate. 2009 , 72, 753-6	35
900	Comparative study of pure and alkaline earth metallic doped cadmium mercury thiocyanate single crystals--gel technique. 2009 , 73, 127-32	1
899	Growth and characterization of a new nonlinear optical crystal: $[(18\text{C}_6)\text{Li}][\text{Cd}(\text{SCN})_3]$. 2009 , 74, 532-5	8

898	Crystal growth and comparative studies of XRD, spectral studies on new NLO crystals: L-Valine and L-valinium succinate. 2009 , 74, 825-8	26
897	Synthesis and characterization of a new organic nonlinear optical crystal: L-phenylalaninium maleate. 2009 , 74, 917-23	16
896	Synthesis, growth and characterization of bis (glycine) lithium molybdate--a semi-organic NLO material. 2009 , 74, 955-8	7
895	Effect of KCl addition on crystal growth and spectral properties of glycine single crystals. 2009 , 74, 1160-4	37
894	Multifunctional zinc(II) urocanate with rare fivefold interpenetrating diamondoid network. 2009 , 12, 89-91	17
893	Synthesis, characterization and luminescent property of a novel zinc(II) 1,2,3,4-tetra(4-pyridyl)thiophene metal-organic framework. 2009 , 12, 986-989	12
892	One new nonlinear optical and ferroelectric one-dimensional chain constructed by an unsymmetric bridging ligand. 2009 , 12, 1164-1167	19
891	Chirality- and threefold-symmetry-directed assembly of homochiral octupolar metal-organoboron frameworks. 2009 , 48, 10018-23	47
890	Nonlinear optical activity and spectroscopy of L-nitrohistidine monohydrate. 2009 , 44, 43-49	15
889	Preparation, spectrographic characterization, thermal, second and third order nonlinear optical properties of 4,5-bis(foroylsulfanyl)-1,3-dithiole-2-thione. 2009 , 19, 1858-1866	4
888	Structure and nonlinear optical properties of the family of lead and barium nonaborates with a zeolite-like framework. 2009 , 54, 814-821	13
887	Use of photophysically active units of ionic polypseudorotaxanes for analysis of the supramolecular structure of the polymer necklace. 2009 , 51, 620-625	1
886	Interrelation of the macrostructure and microstructure with the nonlinear optical properties of iodate and titanate crystals. 2009 , 51, 1548-1552	11
885	Spotting Conglomerates by Second Harmonic Generation. 2009 , 9, 2713-2718	57
884	Influence of deviatoric stress on the pressure-induced structural phase transition of ZnO studied by optical second harmonic generation measurements. 2009 , 95, 061907	31
883	Noncentrosymmetry in new templated gallium fluorophosphates. 2009 , 48, 11277-82	31
882	Frustration of magnetic and ferroelectric long-range order in Bi ₂ Mn _{4/3} Ni _{2/3} O ₆ . 2009 , 131, 14000-17	26
881	Semiorganic nonlinear optical material: preparation and properties of (NH ₄) ₂ Sr[(-)-C(4)H(2)O(6).B(OH)(2)].4H(2)O. 2009 , 48, 4806-10	40

880	(H ₂ NC ₄ H ₈ NCH ₂ CH ₂ NH ₂) ₂ Zn ₂ Sn ₂ Se ₇ : a hybrid ternary semiconductor stabilized by amine molecules acting simultaneously as ligands and counterions. 2009 , 1556-8	10
879	Synthesis, structure, and properties of the noncentrosymmetric hydrated borate Na ₂ B ₅ O ₈ (OH)·2H ₂ O. 2009 , 48, 7800-4	72
878	Coordination Polymers Assembled from 3,5-Pyrazoledicarboxylic Acid and Bis(triazolyl) Ligands: Chiral and Meso-Structures Induced by Ligand Flexibility and a Six-Connected Self-Catenated Network. 2009 , 9, 4487-4496	51
877	A Polar and Chiral Indium Telluride Featuring Supertetrahedral T ₂ Clusters and Nonlinear Optical Second Harmonic Generation. 2009 , 21, 12-14	96
876	A multifunctional 3D ferroelectric and NLO-active porous metal-organic framework. 2009 , 131, 6894-5	251
875	A Novel Nonlinear Optical Crystal Bi ₂ ZnOB ₂ O ₆ . 2009 , 9, 4091-4095	95
874	Building Units and Intergrowths: Toward the Design of an Extended Family of Acentric Bi-Based Materials with Second Harmonic Generacy. 2009 , 21, 4019-4029	16
873	New noncentrosymmetric material--[N(CH ₃) ₄]ZnCl ₃ : polar chains of aligned ZnCl ₄ tetrahedra. 2009 , 48, 8376-82	48
872	Growth, Morphology, Thermal, Spectral, Linear, and Nonlinear Optical Properties of l-Arginine Bis(trifluoroacetate) Crystal. 2009 , 9, 3251-3259	59
871	A new nonlinear optical crystal BixLayScz(BO ₃) ₄ (x + y + z = 4). 2009 , 481, 664-667	11
870	Strong second harmonic generation from the tantalum thioarsenates A ₃ Ta ₂ As ₅ S ₁₁ (A = K and Rb). 2009 , 131, 75-7	207
869	Complete spatial and temporal locking in phase-mismatched second-harmonic generation. 2009 , 17, 3141-7	26
868	New (3,4)-connected intrinsically chiral topology observed in a homochiral coordination polymer from achiral precursors. 2009 , 11, 1526	27
867	Synthesis, Crystal Growth, and Characterization of an Organic Nonlinear Optical Donor-Acceptor Single Crystal: 2-Amino-5-nitropyridinium-Toluenesulfonate. 2009 , 9, 3333-3337	32
866	Synthesis, Crystal Growth and Characterization of l-Proline Lithium Chloride Monohydrate: A New Semiorganic Nonlinear Optical Material. 2009 , 9, 1370-1374	39
865	Optical Nonlinearities and Molecular Conformations in Thiophene-Based Hydrazone Crystals. 2009 , 113, 15405-15411	16
864	Cocrystal Controlled Solid-State Synthesis of a Thermally Stable Nicotinate Analogue That Sustains an Isostructural Series of Porous Metal-Organic Materials. 2009 , 9, 5021-5023	22
863	Influence of phenolic hydroxyl groups on second-order optical nonlinearity at an example of 2,4- and 3,4-dihydroxyl hydrazone isomorphous crystals. 2009 , 130, 134708	28

862	Crystal engineering by eliminating weak hydrogen bonding sites in phenolic polyene nonlinear optical crystals. 2009 , 11, 1541	22
861	Second-harmonic generation and crystal structure of the diamond-like semiconductors Li(2)CdGeS(4) and Li(2)CdSnS(4). 2009 , 48, 7516-8	184
860	CRYSTAL GROWTH, THERMAL, OPTICAL AND MICROHARDNESS STUDIES OF TRIS (THIOUREA) MAGNESIUM SULPHATE: A SEMIORGANIC NLO MATERIAL. 2009 , 23, 3035-3043	11
859	A ferroelectric inorganic-organic hybrid based on NLO-phore stilbazolium. 2009 , 19, 2179	91
858	Alpha- to beta-(dmes)BiI(5) (dmes = dimethyl(2-ethylammonium)sulfonium dication): umbrella reversal of sulfonium in the solid state and short I...I interchain contacts--crystal structures, optical properties, and theoretical investigations of 1D iodobismuthates. 2009 , 48, 879-88	66
857	Metal-Organic Coordination Polymers Generated from Chiral Camphoric Acid and Flexible Ligands with Different Spacer Lengths: Syntheses, Structures, and Properties. 2009 , 9, 4872-4883	64
856	NaSb3F10: A new second-order nonlinear optical crystal to be used in the IR region with very high laser damage threshod. 2009 , 95, 261104	56
855	Second-order nonlinear optical properties of polyoxometalate salts of a chiral stilbazolium derivative. 2009 , 48, 6222-8	66
854	Alteration of molecular conformations, coordination modes, and architectures for a novel 3,8-diimidazol-1,10-phenanthroline compound in the construction of cadmium(II) and zinc(II) homochiral coordination polymers involving an auxiliary chiral camphorate ligand. 2009 , 48, 4295-305	72
853	Growth and Characterization of BaGa4S7: A New Crystal for Mid-IR Nonlinear Optics. 2009 , 9, 1186-1189	295
852	Noncentrosymmetric Polar Oxide Material, Pb3SeO5: Synthesis, Characterization, Electronic Structure Calculations, and Structure-Property Relationships. 2009 , 21, 5335-5342	124
851	Electronic band structure and linear optical properties of paraelectric KIO(3). 2009 , 21, 125503	1
850	Preparation, Characterization and Optical Property of Chitosan-Phenothiazine Derivative by Microwave Assisted Synthesis. 2009 , 46, 1095-1102	25
849	Growth, Structure, and Optical Properties of a Congruent Melting Oxyborate, Bi2ZnOB2O6. 2009 , 21, 2846-2850	100
848	Flexible polar nanowires of Cs5BiP4Se12 from weak interactions between coordination complexes: strong nonlinear optical second harmonic generation. 2009 , 131, 2647-56	88
847	Syntheses, crystal structures, and properties of five new transition metal molybdenum(VI) selenites and tellurites. 2009 , 48, 11809-20	41
846	Aluminoborates with open frameworks: syntheses, structures, and properties. 2009 , 48, 3650-9	127
845	Crystal Growth, Structure, and Properties of a Non-Centrosymmetric Fluoride Borate, Ba3Sr4(BO3)3F5. 2009 , 9, 3137-3141	32

844	A new layered aluminoborate $[Zn(dien)_2][\{Al(OH)\}_2\{B_5O_9F\}]$ templated by transition metal complexes. 2009 , 11, 2597	49
843	Spontaneous chiral resolution, nonlinear optical and luminescence of eight-coordinate lanthanide(III) complexes. 2009 , 10166-8	20
842	Homochiral zinc phosphonates with layered and open framework structures using polycarboxylate as second linkers. 2009 , 9837-42	31
841	Magnetization-induced second harmonic generation in a three-dimensional manganese octacyanonitrate-based pyroelectric ferrimagnet. 2009 , 11, 2051	34
840	Synthesis, structure and property of cobalt(II) complexes with 3,5-di(1H-imidazol-1-yl)benzoic acid. 2009 , 11, 873	53
839	Effect of alkaline earth and transition metals doping on the properties and crystalline perfection of potassium hydrogen phthalate (KHP) crystals. 2009 , 11, 1635	20
838	Metal-organic frameworks with six- and four-fold interpenetration and their photoluminescence and adsorption property. 2009 , 11, 2728	48
837	Explorations of new second-order NLO materials in the Ag(I)-Mo(VI)/W(VI)-Te(IV)-O systems. 2009 , 5747-54	48
836	New Polar Oxides: Synthesis, Characterization, Calculations, and Structure-Property Relationships in $RbSe_2V_3O_{12}$ and $TlSe_2V_3O_{12}$. 2009 , 21, 1654-1662	107
835	KMBP $2O_8$ (M = Sr, Ba): a new kind of noncentrosymmetry borophosphate with the three-dimensional diamond-like framework. 2009 , 48, 6623-9	84
834	Flux synthesis of salt-inclusion uranyl silicates: $[K_3Cs_4F][\{(UO_2)_3(Si_2O_7)_2\}]$ and $[NaRb_6F][\{(UO_2)_3(Si_2O_7)_2\}]$. 2009 , 48, 8357-61	37
833	Metal-Organic Coordination Polymers Containing Pyridine-2,3-dicarboxylic Acid N-Oxide (2,3-PDCO). 2009 , 9, 227-238	53
832	Alignment of lone pairs in a new polar material: synthesis, characterization, and functional properties of $Li_2Ti(IO_3)_6$. 2009 , 131, 2426-7	252
831	Polar or nonpolar? A ⁺ cation polarity control in $A_2Ti(IO_3)_6$ (A = Li, Na, K, Rb, Cs, Tl). 2009 , 131, 6865-73	231
830	$BaNbO(IO_3)_5$: a new polar material with a very large SHG response. 2009 , 131, 9486-7	264
829	Synthesis, Crystal Structure, and Photoluminescence of Coordination Polymers with Mixed Ligands and Diverse Topologies. 2009 , 9, 2801-2811	132
828	Glycine lithium nitrate crystals: growth and optical properties. 2009 , 164, 523-532	3
827	Nonlinear optics and surface relief gratings in alkynylruthenium complexes. 2009 , 11, 024005	67

826	Chalcogenide chemistry in ionic liquids: nonlinear optical wave-mixing properties of the double-cubane compound [Sb7S8Br2](AlCl4)3. 2009 , 131, 9896-7	221
825	Zinc potassium phosphate hexahydrate crystals for nonlinear optics. 2009 , 47, 30701	17
824	Synthesis, properties, and structure of potassium titanyl phosphate single crystals doped with hafnium. 2010 , 55, 404-411	6
823	New isoformula potassium borosilicates with different zeolite frameworks: Monoclinic centrosymmetric boroleucite K(BSi2)O6 and chiral KBSi2O6. 2010 , 55, 575-582	7
822	Experimental and Computational Investigation of the Polar Ferrimagnet VOSe2O5. 2010 , 22, 5074-5083	16
821	A series of new ternary and quaternary compounds in the Li(I)-Ga(III)-Te(IV)-O system. 2010 , 49, 11573-80	33
820	Soluble semiconductors AAsSe2 (A = Li, Na) with a direct-band-gap and strong second harmonic generation: a combined experimental and theoretical study. 2010 , 132, 3484-95	190
819	Two Thermostable Three-Dimensional Homochiral MetalOrganic Polymers with Quartz Topology. 2010 , 10, 1307-1311	77
818	Generation of coherent waves by frequency up-conversion and down-conversion of incoherent light. 2010 , 82,	15
817	Growth, thermal, optical and birefringence studies of semiorganic nonlinear optical thiosemicarbazide cadmium chloride monohydrate (TCCM) single crystals. 2010 , 121, 773-777	16
816	Growth and characterization of a new semiorganic nonlinear optical crystal-Bis (thiourea) lithium chloride. 2010 , 121, 1620-1624	13
815	Growth and characterization of 1H-Imidazolium Hydrogen l-tartrate single crystals. 2010 , 312, 542-547	14
814	Growth, characterization, non-linear optical properties and dislocation studies in new GCF crystals. 2010 , 312, 1150-1153	9
813	Synthesis, growth and electrical characterization of l-tartaric acidnicotinamide (LTN) single crystals. 2010 , 312, 1599-1604	15
812	Flux growth and morphology analysis of Na3VO2B6O11 crystals. 2010 , 312, 2263-2266	8
811	Synthesis, crystal structure, characterization and DFT studies of L-valine L-valinium hydrochloride. 2010 , 312, 1977-1982	30
810	Difficulties in the growth and characterization of non-linear optical materials: A case study of salts of amino acids. 2010 , 312, 2284-2290	105
809	Growth and characterization of organic molecular single crystal ethyl p-amino benzoate by selective self seeding from vertical Bridgman technique. 2010 , 312, 2423-2426	10

808	Synthesis, growth and characterization of an organometallic complex tri-allylthiourea cadmium bromide single crystals. 2010 , 10, 858-865	14
807	Crystal growth and characterization of an NLO organic crystal: N ⁺ -(Z)-(4-methylphenyl)methylidene]-4-nitrobenzohydrazide. 2010 , 10, 1236-1241	29
806	Studies on the structural, optical, dielectric and mechanical properties of non-linear optical manganese mercury Tetrathiocyanate glycol mono methyl ether (MMTG) single crystal. 2010 , 10, 1261-1266	19
805	Vibrational contributions to the second-order nonlinear optical properties of π -conjugated structure acetoacetanilide. 2010 , 369, 1-7	45
804	Synthesis, crystal structure, spectrum properties, and electronic structure of a novel non-centrosymmetric borate, BiCd ₃ (AlO) ₃ (BO ₃) ₄ . 2010 , 183, 2910-2916	19
803	Synthesis and structures of two novel non-centrosymmetric metal-organic polymers containing 2-(pyridin-4-yl)-1H-imidazole-4,5-dicarboxylic acid ligands. 2010 , 963, 16-21	43
802	Synthesis and structural characterization of Keggin polyoxometalate compounds with arginium(2+) cations. 2010 , 963, 267-273	13
801	First chiral fluorinated lead vanadate selenite Pb(VOF)(VO)(SeO) with five asymmetric motifs and large optical properties. 2021 , 50, 7238-7245	4
800	Facile syntheses of silver thioantimonates exhibiting second-harmonic generation responses and large birefringence. 2021 , 50, 3568-3576	6
799	Ferrocene-appended boronated ester: effect of cyanovinylene group on the nonlinear optical properties and colorimetric detection of fluoride ion. 2021 , 45, 12509-12518	4
798	K ₂ Pb(H ₂ C ₃ N ₃ O ₃) ₄ (H ₂ O) ₄ : a potential UV nonlinear optical material with large birefringence. 2021 , 8, 3547-3555	9
797	Na(IO)(SO): the first noncentrosymmetric alkaline-metal iodate-sulfate with isolated [IO] and [SO] units. 2021 , 57, 9598-9601	2
796	Amino acid-templated zinc phosphites: low-dimensional structures, fluorescence, and nonlinear optical properties. 2021 , 50, 5442-5445	1
795	A multiaxial electrical switching in a one-dimensional organic-organic (pyrrolidinium) ₂ Cd ₂ I ₆ ferroelectric and photoluminescent crystal. 2021 , 9, 7665-7676	2
794	Engineering entangled photon pairs with metal-organic frameworks. 2021 , 12, 3475-3482	2
793	Optical, electrical, HOMO-LUMO and first-order hyperpolarizability studies on 2-amino-5-bromopyridinium 4-hydroxybenzoate-an organic single crystal for opto-electronic applications. 2021 , 715, 69-80	1
792	Revisiting thiophosphate PbPS: a multifunctional material combining a nonlinear optical response and photocurrent response. 2021 , 23, 23696-23702	4
791	Exploring the influence of CdCl ₂ on the nonlinear properties of 4N,N-dimethylamino-4N-methyl- β -stilbazolium tosylate (DAST) crystal for optoelectronic applications. 1-13	3

790	Effect of malachite green dye doping in trithiourea zinc (II) sulphate single crystal as a potential nonlinear optical material. 2021 , 32, 2564-2578	2
789	Influence of L-Phenylalanine doping on potassium dihydrogen phosphate: crystal growth, structural, optical and mechanical traits. 2021 , 32, 5698-5712	0
788	Heterovalent cations substitution to design asymmetric chalcogenides with promising nonlinear optical performances. 2021 , 9, 8659-8665	7
787	Centrosymmetric RbSnF ₂ NO ₃ vs. noncentrosymmetric Rb ₂ SbF ₃ (NO ₃) ₂ .	8
786	Deep-ultraviolet transparent alkali metal rare earth metal sulfate NaY(SO ₄) ₂ ·H ₂ O as a nonlinear optical crystal: synthesis and characterization. 2021 , 23, 2945-2951	3
785	A ₃ Mn ₂ Sb ₃ S ₈ (A = K and Rb): a new type of multifunctional infrared nonlinear optical material based on unique three-dimensional open frameworks. 2021 , 8, 2835-2843	6
784	M(B(SeO))HO (M = Al, Ga): the first boroselenites with a unique sandwich like double-layer structure. 2021 , 50, 15057-15061	0
783	BaCa(BO)F: π -conjugation of BO in the planar pentagonal layer achieving large second harmonic generation of π -borate. 2021 , 12, 13897-13901	9
782	BaPbBO: structural transformation from a centrosymmetric to a noncentrosymmetric space group by introducing Pb into BaBO. 2021 , 50, 13031-13036	2
781	Ferroelectric state and polarization switching behaviour of ultrafine BaTiO ₃ nanoparticles with large-scale size uniformity. 2021 , 9, 5267-5276	0
780	Pb ₂ TiFO(SeO ₃) ₂ Br: a new polar compound with the strongest second harmonic generation in the selenite bromide family. 2021 , 9, 6491-6497	3
779	To improve the key properties of nonlinear optical crystals assembled with tetrahedral functional building units. 2021 , 12, 4014-4020	7
778	Growth of L-glycine single crystals using the tailored additive of potassium chloride and L-Proline and analyzing micro structural, optical, mechanical and electrical parameters. 2021 , 765, 138301	2
777	Growth, characterization and theoretical parameter study of benzimidazole L-tartrate single crystal: a nonlinear optical material. 2021 , 44, 1	
776	Halonitrides Zn ₂ NX (X=Cl,Br): Novel Mid-Infrared Nonlinear Optical Materials. 2021 , 33, 1462-1470	9
775	An Investigation on Thermophysical and Dielectric Properties of Ammonium Dihydrogen Phosphate Single Crystal for Opto-electronic Device Applications. 2021 , 42, 1	0
774	Light-Triggered, Non-Centrosymmetric Self-Assembly of Aqueous Arylazopyrazoles at the Air/Water Interface and Switching of Second-Harmonic Generation. 2021 , 133, 6403-6408	
773	[C(NH ₂) ₃] ₃ PO ₄ ·2H ₂ O: A new metal-free ultraviolet nonlinear optical phosphate with large birefringence and second-harmonic generation response. 2021 , 64, 2008-2016	5

772	Crystal growth, structural, nonlinear, optical and theoretical investigations of L-histidinium trichloroacetate single crystals. 2021 , 44, 1	1
771	A Polar Material with Facility of Crystal Growth and a Large Second-Harmonic Generation Response. 2021 , 21, 1734-1740	1
770	Noncentrosymmetric Tetrel Pnictides RuSi ₄ P ₄ and IrSi ₃ P ₃ : Nonlinear Optical Materials with Outstanding Laser Damage Threshold. 2021 , 31, 2010293	11
769	Synthesis, crystal growth, and physicochemical characterization of 4-aminopyridinium 4-nitrophenolate 4-nitrophenol (4AP4NP) single crystals for NLO applications. 2021 , 32, 6141-6157	2
768	A Series of Pentanary Salt-Inclusion Chalcogenoborates Containing a BQ (Q = S, Se) Cluster Exhibiting a Kleinman-Forbidden Frequency-Doubling Effect. 2021 , 60, 3375-3383	6
767	Integrity in linear and nonlinear optical properties of L-tyrosine doped bis thiourea cadmium acetate single crystal. 2021 , 573, 52-62	1
766	Sodium Site Exchange and Migration in a Polar Stuffed-Cristobalite Framework Structure. 2021 , 60, 4322-4331	0
765	Synthesis and crystal growth of 2, 3-dimethyl-N-[2-(hydroxy) benzylidene] aniline: An organic second-order non-linear optical crystal for non-linear optical (NLO) applications. 2021 , 113, 110864	4
764	Structural Modulation from CuPS to CuZnPS: Single-Site Aliovalent-Substitution-Driven Second-Harmonic-Generation Enhancement. 2021 , 60, 4357-4361	5
763	Discovery of NLO Semiorganic (CHON)(HPO): Dipole Moment Modulation and Superior Synergy in Solar-Blind UV Region. 2021 , 143, 3647-3654	26
762	Na MQ (M=Zn, Cd; Q=S, Se): Promising New Ternary Infrared Nonlinear Optical Materials. 2021 , 27, 6538-6544	3
761	AZn(PO ₃) ₃ (A = K, Rb): Deep-Ultraviolet Nonlinear Optical Phosphates Derived from Synergy of a Unique [ZnO ₆] Octahedron and a [PO ₃] Chain. 2021 , 21, 2445-2452	3
760	Two Lead Halides with Strong SHG Response Obtained by the Isovalent Substitutions of Alkali Metal Cation and Halogen Anion. 2021 , 60, 5290-5296	5
759	Synthesis, growth, optical studies and antimicrobial activity of a new semiorganic nonlinear optical crystal L-valine bariumchloride. 2021 ,	1
758	LaSiP ₃ and LaSi ₂ P ₆ : Two Excellent Rare-Earth Pnictides with Strong SHG Responses as Mid- and Far-Infrared Nonlinear Optical Crystals. 2021 , 9, 2002176	6
757	Crystalline Porous Materials for Nonlinear Optics. 2021 , 17, e2006416	16
756	Growth and SHG of a 3D coordination polymer based on metallacalix[4]arenes molecular building blocks. 2021 , 30, 2050012	
755	M(NH SO) (M=Sr, Ba): Two Deep-Ultraviolet Transparent Sulfamates Exhibiting Strong Second Harmonic Generation Responses and Moderate Birefringence. 2021 , 60, 7621-7625	16

754	Synthesis, crystal growth, characterization and DFT investigation of a nonlinear optically active cuminaldehyde derivative hydrazone. 2021 , 77, 249-259	2
753	EConjugated Trigonal Planar [C(NH)] Cationic Group: A Superior Functional Unit for Ultraviolet Nonlinear Optical Materials. 2021 , 6, 9263-9268	3
752	Titanium Iodates with a Second-Harmonic-Generation Response. 2021 , 60, 5821-5828	3
751	[Methylhydrazinium]2PbBr4, a Ferroelectric Hybrid OrganicInorganic Perovskite with Multiple Nonlinear Optical Outputs. 2021 , 33, 2331-2342	29
750	Growth and XRD, Elemental, Mechanical, Dielectric, Optical and Photoconductivity, and Surface Morphological Characterizations of 2-[4-(Trifluoromethyl) phenyl]-1H-benzimidazole (TFMPHB) Crystals for Electronic, Mechanical Applications. 2021 , 51, 339-350	5
749	Investigation of the second-order nonlinear optical property of Sr6Sb6S17. 2021 , 295, 121915	3
748	Introduction of Li into Ag-Based Noncentrosymmetric Sulfides for High-Performance Infrared Nonlinear Optical Materials. 2021 , 60, 5198-5205	8
747	Borosilicate Crystal LaBSiO5: A New Promising Ultraviolet Quasiphase Matching Material. 2021 , 9, 2100080	7
746	Influence of Thiourea Metal Complex on Potassium Dihydrogen Phosphate for Optoelectronic Applications. 2021 , 1124, 012004	
745	Structural, Magnetic, and Electrical Properties of Doubly Ordered Perovskites NaLnNiWO6 (Ln = La, Pr, Nd, Sm, Eu, Gd, and Tb). 2021 , 125, 6749-6757	3
744	M(NH2SO3)2 (M=Sr, Ba): Two Deep-Ultraviolet Transparent Sulfamates Exhibiting Strong Second Harmonic Generation Responses and Moderate Birefringence. 2021 , 133, 7699-7703	2
743	XRD, CHNSO, fluorescence, filter-influx, NLO, photoconductivity, hardness and helical spring-fabricated device stress analysis of 2'-chloro-4-methoxy-3-nitrobenzil (CMNB) crystal of different scalings for opto-electronic filter and band gap engineering utilities. 2021 , 32, 10049-10057	3
742	M3B6O10NO3 (M = K, Rb): Two New Alkali Metal Borate-Nitrates with Noncentrosymmetric Structures. 2021 , 2021, 1297-1304	5
741	Pressure Controls the Structure and Nonlinear Optical Properties of Piezochromic CdTeMoO6. 2021 , 33, 2929-2936	5
740	A Deep-UV Nonlinear Optical Borosulfate with Incommensurate Modulations. 2021 , 133, 11558-11564	5
739	Molecular Engineering toward an Enlarged Optical Band Gap in a Bismuth Sulfate via Homovalent Cation Substitution. 2021 , 60, 5851-5859	3
738	Cd(IO)(IO)F0.1CdO: A Nonlinear-Optical Crystal with the Introduction of Fluoride into Iodate Containing Both [IO] and [IO] Groups. 2021 , 60, 6040-6046	2
737	I3O0-Type 3D Framework of Cobalt Cinnamate and Its Efficient Electrocatalytic Activity toward the Oxygen Evolution Reaction. 2021 , 33, 2804-2813	4

736	Microhardness and SHG efficiency of pure and picric acid-added KDP crystals. 2021 , 44, 1	0
735	Micro-strain administered SHG intensity enhancement by heavy Ce doping in co-precipitated ZnO nanoparticles. 2021 , 266, 115041	9
734	Crystallographic investigation, Hirshfeld surface analysis, NLO characterization and experimental spectral (UV and NMR) studies with DFT probe on(R)-9-(2-hydroxy propyl)adenine. 2021 , 7, e06593	2
733	Organic Nanocrystal Fabrication Using the Process of Resonant Second-Harmonic Generation of Light. 2021 , 6, 10547-10556	0
732	A Deep-UV Nonlinear Optical Borosulfate with Incommensurate Modulations. 2021 , 60, 11457-11463	13
731	Enhancement of Second-Order Nonlinear Optical Properties of Centrosymmetric Ferrocenyl Borasiloxane by a Broken-Symmetry Approach. 2021 , 125, 8732-8740	6
730	Three-in-One Strategy Constructing a Series of Hybrid Tetrahedral Motif-Based Selenides with Balanced Second-Order Nonlinear Optical Performance. 2021 , 60, 6641-6648	5
729	Acentric Organic-Inorganic Hybrid Halide [N(CH)]HgBrI Featuring an Isolated [HgBrI] Tetrahedron and Second-Order Nonlinearity. 2021 , 60, 6829-6835	5
728	Steric Group Design for Enhancement of Optical Nonlinearity in Isoxazolone-Based Crystals and Terahertz-Wave Generation. 2021 , 21, 3153-3157	3
727	Growth and characterization of a chalcone derivative DMMC with strong SHG efficiency for NLO applications. 2021 , 231, 166410	0
726	Investigations on Crystalline Perfection, Raman Spectra and Optical Characteristics of Transition Metal (Ru) Co-Doped Mg:LiNbO Single Crystals. 2021 , 6, 10807-10815	3
725	A New Anhydrous Polar Rare-Earth Iodate Fluoride, Ce(IO ₃) ₂ F ₂ , Exhibiting a Large Second-Harmonic-Generation Effect and Improved Overall Performance. 2021 , 33, 2894-2900	7
724	Alloy Engineering of a Polar (Si,Ge)NO System for Controllable Second Harmonic Performance. 2021 , 60, 7381-7388	1
723	Two Chiral Metal Complex Templated Aluminoborates Constructed from Three Types of Oxoboron Clusters. 2021 , 60, 6576-6584	5
722	Quadruple Photoresponsive Functionality in a Crystalline Hybrid Material: Photochromism, Photomodulated Fluorescence, Magnetism and Nonlinear Optical Properties. 2021 , 27, 7842-7846	35
721	Struvite-type AMgPO ₄ ·6H ₂ O (A = NH, K): Two Natural Deep-Ultraviolet Transparent Nonlinear Optical Crystals. 2021 , 60, 8103-8110	2
720	Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. 2021 , 133, 14771-14777	4
719	Dielectric dispersion, relaxation processes and interaction investigation by time domain reflectometry, thermal analysis and spectral implications on aromatic amino acid in aqueous solution. 2021 , 329, 115470	1

- 718 Structural, thermal, dielectric, nonlinear optical properties and DFT investigations of a novel material 2-(6-chloropyridin-3-yl)-N'-(2,3-dihydro-1,4-benzodioxin-6-ylmethylidene)acetohydrazide for optoelectronic applications. **2021**, 32, 14677-14702 5
- 717 K5Mg2La3(BO3)6: An Efficient, Deep-Ultraviolet Nonlinear Optical Material. **2021**, 33, 4240-4246 7
- 716 Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. **2021**, 60, 14650-14656 30
- 715 Exploring linear-nonlinear optical, dielectric and microscopic traits of sulphamic acid crystal exploiting Zn²⁺ for photonic device applications. **2021**, 32, 16445-16455 3
- 714 Nonlinear Optical Properties of Emerging Nano- and Microcrystalline Materials. **2021**, 2100216 12
- 713 Nanoindentation and structural studies of MgO-doped congruent LiNbO3 single crystals. **2021**, 264, 124425 1
- 712 SrNbOF₄H₂O and SrNbOF₂H₂O: A Variant of Three-Dimensional Tungsten Bronze and a Polar Molecular Oxide Fluoride. **2021**, 60, 7914-7921 6
- 711 Enhanced linear and non-linear optical activity of lead onto l-threonine cadmium acetate crystal. **2021**, 32, 13261-13268 0
- 710 Crystal Growth, Optical, Thermal, Mechanical and Laser Damage Threshold Properties of Nonlinear Optical l-Methionine Inserted Potassium Pentaborate (LMKB5) Single Crystal for Optoelectronic Applications. **2021**, 50, 4388-4396 0
- 709 Coordination Properties of Hydroxyisophthalic Acids: Topological Correlations, Synthesis, Structural Analysis, and Properties of New Complexes. **2021**, 27, 9180-9192 8
- 708 CsZrF₄(IO₃): The First Polar Zirconium Iodate with cis-[ZrO₂F₆] Polyhedra Inducing Optimized Balance of Large Band Gap and Second Harmonic Generation. **2021**, 33, 5555-5562 7
- 707 Tuning the nonlinear optical properties by engineering donor-acceptor configurations in nitrochalone derivatives. **2021**, 115, 111024 3
- 706 ASb₅S₈ (A = K, Rb, and Cs): Thermal Switching of Infrared Nonlinear Optical Properties across the Crystal/Glass Transformation. **2021**, 33, 3729-3735 7
- 705 Tin Chloride Sulfates A_n(SO)₄Cl (A = K, Rb, Cs; n = 0, 1) as Multifunctional Optical Materials. **2021**, 60, 8322-8330 7
- 704 HCaCdP and HCaCdP: Two Polymorphic Phosphide-Based Infrared Nonlinear Crystals with Distorted NLO-Active Tetrahedral Motifs Realizing Large Second Harmonic Generation Effects and Suitable Band Gaps. **2021**, 60, 7553-7560 5
- 703 A₂MoO₂F₃(IO₂F₂) (A = Rb, Cs): Strong Nonlinear Optical Responses and Enlarged Band Gaps through Fluorine Incorporation. **2021**, 33, 5700-5708 7
- 702 Second-order nonlinear optical property of the ultraviolet transparent alkali metal-rare earth metal carbonate Na₃(CO₃)₃·3H₂O. **2021**, 298, 122095
- 701 SrPb(BeBO)(BO): An Excellent Ultraviolet Nonlinear-Optical Beryllium Borate by the Pb-Modified Construction of a Conjugated System and Lone-Pair Effect. **2021**, 60, 11214-11221 3

700	Chemical growth dynamics of 4-Methyl-4'-Hydroxy Benzylidene Aniline NLO single crystal structure and spectroscopic applications. 2021 , 1233, 130054	3
699	Organic THz Generators: A Design Strategy for Organic Crystals with Ultralarge Macroscopic Hyperpolarizability. 2021 , 9, 2100324	3
698	Crystal growth, structural, optical, thermal, dielectric, mechanical and NLO studies of L-tyrosine zinc carbonate single crystals. 2021 ,	2
697	Structural, mechanical, dielectric, thermal, and nonlinear optical properties of zinc-doped ninhydrin single crystals. 1	2
696	BaYOBO3: A deep-ultraviolet rare-earth oxy-borate with a large second harmonic generation response. 2021 , 64, 1184-1191	14
695	L-citrulline (LC) doped zinc tris-thiourea sulfate (ZTS) single crystals for photonic applications. 1	0
694	Synthesis and characterization of L-threonine ammonium bromide: grown on single crystal with experimental studies on NLO. 2021 , 44, 1	0
693	Growth, XRD, optical, thermal, mechanical, electrical and NLO studies on mixture of potassium hydrogen phthalate and L-tartaric acid crystal for NLO applications. 2021 , 127, 1	2
692	Investigation on the Effects of MnCl ₂ Doping on Structural and Optical Properties of DAST Single Crystals as Materials for Second Order Nonlinear Optics. 2021 , 56, 2100016	5
691	Modeling of Random Quasi-Phase-Matching in Birefringent Disordered Media. 2021 , 15,	1
690	Synthesis, Growth and Characterization of a Non-Linear Optical Crystal: Glycine Lead acetate (GLA). 2021 ,	
689	Synthesis, Structure, Characterization, and Calculation of a Noncentrosymmetric Fluorine-Containing Indium Iodate, Ba[InF ₃ (IO ₃) ₂]. 2021 , 21, 4005-4012	1
688	Organic piperazine p-nitrophenol (PPN) single crystal growth and characterization. 2021 ,	
687	Photoswitching Bulk Quadratic Nonlinear-Optical Properties with Record Contrast in a Photochromic Semiconductor. 2021 , 60, 9278-9281	4
686	Synthesis, growth and investigation of structural, optical, photoluminescence and thermal studies on the ZnSO ₄ -doped DAST crystal for NLO applications. 2021 , 32, 17936-17945	0
685	Second-order nonlinear optical and photoelectric properties of Zn ₄ B ₆ O ₁₂ S. 2021 , 867, 158879	3
684	Synthesis, crystal structure and Hirshfeld surface analysis of 1-(4-chlorophenyl)-3-pyrenyl-2-propene-1-one. 2021 , 33, 100725	1
683	The First Improper Ferroelectric of 2D Multilayered Hybrid Perovskite Enabling Strong Tunable Polarization-Directed Second Harmonic Generation Effect. 2021 , 31, 2103012	5

- 682 Centrosymmetric or Noncentrosymmetric? Transition Metals Talking in KTGeS ($T = \text{Co, Fe}$). **2021**, 60, 10603-10613
- 681 Exploring Deep-UV Nonlinear Optical Materials with Enhanced Second Harmonic Generation Response and Birefringence in Fluoroaluminoborate Crystals. **2021**, 13, 30853-30860 12
- 680 $\text{A}_2(\text{TeO})\text{P}_2\text{O}_7$ ($A = \text{K, Rb, Cs}$): Three new tellurite-pyrophosphates with large birefringence. **2021**, 865, 158785 3
- 679 AZnGaSe ($A = \text{K, Rb, or Cs}$): Infrared Nonlinear Optical Materials with Simultaneous Large Second Harmonic Generation Responses and High Laser-Induced Damage Thresholds. **2021**, 60, 10038-10046 8
- 678 Growth and characterization of L-tyrosine magnesium chloride single crystal: A promising NLO crystal. **2021**, 1 1
- 677 The influence of Mn (II) Doping on the non-linear optical properties and crystalline perfection of ADP crystals. **2021**, 49, 2569-2569
- 676 High-Density Organic Electro-Optic Crystals for Ultra-Broadband THz Spectroscopy. **2021**, 9, 2100618 5
- 675 Effect of rare earth rubidium chloride on the optical, mechanical and antifungal behaviours of L-lysine monohydrochloride crystal for photonics and medical application. **2021**, 33, 101443 1
- 674 Structural, optical, mechanical, electrical, and antimicrobial activities of L-Glutamine Barium Acetate (LGBA) single crystal for biological, optical and photonic applications. **2021**, 32, 21065-21082 1
- 673 MgInSiP : A Quaternary Diamond-like Phosphide Infrared Nonlinear Optical Material Derived from ZnGeP . **2021**, 143, 10309-10316 21
- 672 Two Tellurium(IV)-Based Sulfates Exhibiting Strong Second Harmonic Generation and Moderate Birefringence as Promising Ultraviolet Nonlinear Optical Materials. **2021**, 60, 11412-11418 3
- 671 Hierarchical molecular design of high-performance infrared nonlinear Ag_2HgI_4 material by defect engineering strategy. **2021**, 19, 100432 41
- 670 Stepwise Li Substitution Induced Structure Evolution and Improved Nonlinear Optical Performance for Diamond-like Sulfides. **2021**, 60, 12536-12544 4
- 669 Growth, Nonlinear Optical, Electrical, Mechanical and Dielectric Properties of Zinc Sulphate Doped L-Alanine Single Crystal for Optoelectronic Applications. **2021**, 1166, 012035
- 668 KCs $[\text{Pb Br}(\text{HCOO})]$: A Polar 3D Lead-Bromide Framework Exhibiting Strong Second-Harmonic Generation Response. **2021**, 27, 12976-12980 2
- 667 Synthesis, growth and characterization of benzylideneaniline compounds: N-(4-bromobenzylidene)-4-fluoroaniline and N-(4-bromobenzylidene)-4-methoxyaniline. **2021**, 117, 111081 0
- 666 Growth and characterization of copper zinc hydrogen phosphate single crystals and study of its thermal, optical, dielectric, and NLO properties. **2021**, 32, 21756-21769 1
- 665 Chirality-Dependent Second-Order Nonlinear Optical Effect in 1D Organic-Inorganic Hybrid Perovskite Bulk Single Crystal. **2021**, 60, 20021-20026 26

664	Studies on the growth and characterization of L-Arginine potassium iodide crystals by slow evaporation solution growth method. 2021 ,	
663	Polar polymorphism: $\text{Ca}_2[\text{B}_5\text{O}_8(\text{OH})_2[\text{B}(\text{OH})_3]\cdot\text{H}_2\text{O}]$ synthesis, structure and nonlinear optical property. 2021 , 299, 122193	6
662	Chirality-Dependent Second-Order Nonlinear Optical Effect in 1D Organic-Inorganic Hybrid Perovskite Bulk Single Crystal. 2021 , 133, 20174-20179	2
661	Ternary rare-earth sulfides RE_3GaS_6 (RE = Ho, Er): Crystal chemistry, second-order nonlinear optical properties and theoretical investigation. 2021 , 868, 159112	6
660	Structural, mechanical, thermal, electrical, second- and third-order nonlinear optical characteristics of MCBT NLO crystal for optoelectronics device and laser applications. 2021 , 44, 1	1
659	Growth, Structure, and Properties of a Multifunctional Crystal PrCaBO . 2021 , 60, 10895-10898	1
658	Organic Enantiomeric Ferroelectrics with High Piezoelectric Performance: Imidazolium l- and d-Camphorsulfonate. 2021 , 33, 5769-5779	7
657	Influence of potassium bromide on the growth of succinic acid crystals. 2021 ,	
656	$\text{A}_3\text{Te}(\text{Zn}_2\text{Ge})\text{Ge}_2\text{O}_{14}$ (A = Sr, Ba, and Pb): New Langasite Mid-infrared Nonlinear Optical Materials by Rational Chemical Substitution. 2021 , 33, 6012-6017	1
655	Third order measurements, thermal and mechanical stress tolerance studies of a nonlinear borate family hybrid crystal towards optoelectronic applications. 2021 ,	
654	Solvothermal Syntheses of Three-Dimensional Open-Framework Thioantimonates Displaying Nonlinear Optical Responses. 2021 , 21, 4757-4764	1
653	Structural Transformation and Second-Harmonic-Generation Activity in Rare-Earth and d Transition-Metal Oxysulfides RENbSO (RE = Ce, Sm, Gd, Dy). 2021 , 60, 10885-10889	7
652	Elucidation of the structure, spectroscopic techniques and quantum chemical investigations on nonlinear optical material 2-hydroxy-5-methylbenzaldehyde. 2021 , 1238, 130426	0
651	Synthesis, structural-spectral characterization and theoretical studies of Pyridinium-4-carbohydrazide (2R,3R)-2,3-dihydroxybutanedioate. 2021 , 1237, 130365	1
650	SnPQ (Q = S, Se, S/Se): A Series of Lone-Pair Cationic Chalcogenophosphates Exhibiting Balanced NLO Activity Originating from SnQ Units. 2021 , 60, 14390-14398	9
649	$\text{Hg}_3\text{P}_2\text{S}_8$: A New Promising Infrared Nonlinear Optical Material with a Large Second-Harmonic Generation and a High Laser-Induced Damage Threshold. 2021 , 33, 6514-6521	19
648	Bulk crystal growth, crystalline perfection and optical homogeneities of 2AP4N single crystals for second and third order frequency conversion and terahertz (THz) device applications. 2021 , 118, 111261	1
647	Inorganic Salts of -phenylbiguanidium(1+)-Novel Family with Promising Representatives for Nonlinear Optics. 2021 , 22,	

646	High-Temperature and Large-Polarization Ferroelectric with Second Harmonic Generation Response in a Novel Crown Ether Clathrate. 2021 , 27, 13575-13581	1
645	Growth, characterization and SHG studies of Cu (II) doped manganese sulfate monohydrate crystals. 2021 , 53, 1	
644	Ferroelectricity and Uniaxial Negative Thermal Expansion in a Purely Organic Multifunctional Material. 2021 , 3, 3633-3640	0
643	Li ₄ MgGe ₂ S ₇ : The First Alkali and Alkaline-Earth Diamond-Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap.	4
642	Non-Conjugated Deep-Ultraviolet Nonlinear Optical Crystal KZn(SO)(HSO)F. 2021 , 12, 8280-8284	4
641	Structural Origin of Very Large Second-Harmonic Generation of a Layered Perovskite, Na _{0.5} Bi _{2.5} Nb ₂ O ₉ . 2021 , 33, 6564-6571	3
640	Materials synthesis, crystal growth and third nonlinear optical properties of semiorganic crystal: 4-dimethylaminopyridine lithium nitrate (DMAPLN) crystal. 2021 , 32, 22187-22195	1
639	Structure-Properties Relations in Two Iodate Families Studied by Topology-Symmetry Analysis of OD Theory. 2021 , 13, 1477	0
638	Synthesis, crystal structure, linear and nonlinear optical properties of quaternary sulfides Ba ₆ (Cu ₂ X)Ge ₄ S ₁₆ (X=Mg, Mn, Cd). 2021 , 300, 122226	1
637	New benzothiazolium crystals with very large off-diagonal optical nonlinearity. 2021 , 192, 109433	0
636	Long-Term-Stable Strong Second Harmonic Generation in Flexible DAST/PVDF Composite Films Realized by the Interface Interactions. 2021 , 8, 2100485	3
635	Li MgGe S : The First Alkali and Alkaline-Earth Diamond-Like Infrared Nonlinear Optical Material with Exceptional Large Band Gap. 2021 , 60, 24131-24136	30
634	Synthesis, Crystal Structure, and Nonlinear Optical Property of an Anhydrous Sulfate KTb(SO). 2021 , 60, 15041-15047	3
633	An Effective Strategy for Designing Nonlinear Optical Crystals by Combining the Structure-Directing Property of Oxyfluorides with Chemical Substitution. 2021 , 60, 25302-25306	7
632	The Rise of Infrared Nonlinear Optical Pnictides: Advances and Outlooks. 2021 , 16, 3299-3310	6
631	Contemporary studies on growth and characterization of Magnesium doped Glycine A potential optoelectronic NLO material. 2021 , 1240, 130593	2
630	Growth, experimental and theoretical analysis of physical properties of an organic NLO 2Methylimidazole l-Tartrate (2MILT) crystal. 2021 , 156, 109908	0
629	SHG in a centrosymmetric crystal - can it be possible?. 2021 , 77, 586-590	0

628	Spectroscopic evaluation of Alanine Adipate nonlinear optical materials growth dynamics: Mechanical and thermal optimization. 2021 , 1240, 130577	2
627	Finding a Series of BaBOF3 Fluorooxoborate Polymorphs with Tunable Symmetries: A Simple but Flexible Case.	3
626	K Na [B O (OH)] ₂ B O (OH)] ? H O: A Layered Borate Built by Mixed Oxoboron Clusters with Nonlinear-Optical Property. 2021 , 16, 3244-3248	5
625	Growth dynamics and molecular structural analysis of Dimethylketo thiosemicarbazone single crystals for frequency conversion applications - Optical and thermal characterization. 2021 , 1239, 130463	1
624	A Piezoelectric Ionic Cocystal of Glycine and Sulfamic Acid. 2021 , 21, 5818-5827	3
623	An Effective Strategy for Designing Nonlinear Optical Crystals by Combining the Structure-directing Property of Oxyfluorides with the Chemical Substitution.	1
622	A Photochromic Zinc Niologen Framework with a High-Contrast Nonlinear Optical Switchable Behavior.	3
621	2D van der Waals Layered [C(NH)] ₂ SOS Exhibits Desirable UV Nonlinear-Optical Trade-Off. 2021 , 60, 14544-14549	
620	BaGeSbSe: An Infrared Nonlinear Optical Crystal with a V-Shaped Se Group Possessing a Large Contribution to the SHG Response. 2021 , 60, 15593-15598	1
619	An Investigation on Opto-thermo-mechanical Behaviour of a Borate Family NLO Crystal for Photonic Applications. 2021 , 51, 1625	
618	Growth and characterization of nonlinear optical crystal: Ammonium Iodate doped L-Alanine. 2021 , 96, 125810	
617	Comprehensive studies on amino acid based organometallic L-threoninum cobalt (II) sulfate (LTCS) single crystal and its antibacterial and antifungal properties. 2021 , 33, 101498	
616	Synthesis, spectral characterization and biological evaluations with DFT analysis on molecular geometry and NLO of 1,4,7,10-tetraazacyclotetradecane-11,14-dione. 2021 , 98, 100132	0
615	Two deep-ultraviolet nonlinear optical barium borates framework: Alkali metal enhances the second-harmonic generation response. 2021 , 301, 122303	3
614	Investigation on nucleation, growth and physical properties of low soluble 4-N, N-dimethylamino-4-N-methylstilbazolium 4-aminotoluene-3-sulfonate crystal A potential NLO material. 2021 , 1241, 130669	0
613	Spectral, NLO, thermal, hardness and SEM studies of phosphate doped bis-urea oxalic acid crystals for laser applications. 2021 , 73, 1-12	2
612	Exploration of structural, thermal and vibrational properties of new noncentrosymmetric double borate Rb ₃ Tm ₂ B ₃ O ₉ . 2021 , 120, 106719	0
611	BaCdGeSe ₄ : Synthesis, structure and nonlinear optical properties. 2021 , 302, 122352	1

610	Growth, structural, optical, DFT, thermal and dielectric studies of N-Benzyl-3-nitroaniline (B3NA): a promising nonlinear optical crystal. 2021 , 32, 26318	1
609	A 3D supramolecular framework assembled via $\pi\cdots\pi$ interactions and $\text{CH}\cdots\text{Cl}$ hydrogen-bonds with second-harmonic generation response. 2021 , 1244, 130958	
608	Ferrocene/non-ferrocene conjugated linear eight-membered borasiloxanes: Structural, theoretical, optical and non-linear optical studies. 2021 , 953, 122062	1
607	Synthesis, growth, structural, optical, thermal and NLO studies of new organic single crystal: 3-Hydroxy pyridinium 2-hydroxy benzoate. 2021 , 1244, 130850	1
606	$\text{Nd}_2\text{CaB}_{10}\text{O}_{19}$: A potential self-activated and self-frequency-doubling multifunctional crystal. 2021 , 304, 122558	1
605	Synthesis, structure, linear and nonlinear optical properties of noncentrosymmetric quaternary diamond-like semiconductors, $\text{Cu}_2\text{ZnGeSe}_4$ (CZGSe) and the novel $\text{Cu}_4\text{ZnGe}_2\text{Se}_7$. 2021 , 888, 161499	4
604	A non-centrosymmetric cocrystal assembled by $\text{OH}\cdots\text{N}$ and $\text{CH}\cdots\text{N}$ supramolecular synthons. 2021 , 1245, 131105	0
603	Third-order NLO studies of 2, 4-Bis (4-fluorophenyl)-2, 3-dihydro-1H-1, 5-benzodiazepine using Z-scan technique and DFT method. 2021 , 1246, 131169	0
602	Investigations on aqueous solution grown L-Arginine Phosphate monohydrate (LAP) single crystals for efficient THz generation. 2021 , 575, 126337	0
601	Transition-metal-based chalcogenides: A rich source of infrared nonlinear optical materials. 2021 , 448, 214154	27
600	Synthesis, spectroscopic analysis and DFT studies of N-(2-methyl-5-nitro-phenyl)benzamide organic single crystal. 2021 , 1246, 131172	0
599	Synthesis, structure, and nonlinear optical property of $\text{Bi}_{0.33}\text{Sb}_{0.67}\text{Si}$. 2021 , 304, 122505	1
598	Structural, optical and thermal studies of novel nonlinear optical materials L-Valine doped Guanidine carbonate single crystals. 2021 , 42, 1353-1355	0
597	Analysis, thermal and optical properties of piperdine derivative for NLO applications. 2021 ,	
596	Synthesis, Growth and Characterization of Nonlinear Optical Single Crystal of Serine Succinate. 2021 , 09, 75-89	0
595	Synthesis and Nonlinear Electro-Optical Properties of $\text{Zn}_4\text{B}_6\text{O}_{13}$. 2021 , 56, 25-29	1
594	Syntheses, structure and properties of a new series of organic-inorganic Hg-based halides: adjusting halogens resulted in huge performance mutations. 2021 , 50, 7563-7570	3
593	From $\text{Ce}(\text{IO}_3)_4$ to $\text{CeF}_2(\text{IO}_3)_2$: fluorinated homovalent substitution simultaneously enhances SHG response and bandgap for mid-infrared nonlinear optics.	3

- 592 Novel noncentrosymmetric polar coordination compounds derived from chiral histidine ligands. 3
- 591 Ultraviolet nonlinear optical crystals $A_3\text{SrBi}(\text{P}_2\text{O}_7)_2$ ($A = \text{K}, \text{Rb}$) with large second harmonic generation responses. **2021**, 8, 2061-2067 2
- 590 Enhancement of nonlinearity by a parasubstituted compounds - it's spectroscopic analysis. **2021**, 47, 1123-1127
- 589 Applying band gap engineering to tune the linear optical and nonlinear optical properties of noncentrosymmetric chalcogenides $\text{La}_4\text{Ge}_3\text{SexS}_{12-x}$ ($x = 0, 2, 4, 6, 8, 10$). 1
- 588 $\text{M}_2\text{As}_2\text{Q}_5$ ($M = \text{Ba}, \text{Pb}$; $Q = \text{S}, \text{Se}$): a source of infrared nonlinear optical materials with excellent overall performance activated by multiple discrete arsenate anions. **2021**, 9, 1156-1163 18
- 587 Nonlinear optical properties of diaromatic stilbene, butadiene and thiophene derivatives. **2021**, 45, 6640-6650 1
- 586 Potassium L-ascorbate monohydrate: a new metal-organic nonlinear optical crystal. **2021**, 127, 1 0
- 585 New Lead Silicates: Structures and Topology and Symmetry Analysis. **2021**, 66, 95-104
- 584 New nonlinear optical-active A_2AgGaS ($A = \text{K}, \text{Rb}, \text{Cs}$) featuring $\{[\text{AgGaS}]\}$ framework and high laser damage threshold. **2021**, 57, 5175-5178 8
- 583 $\text{La}_6\text{Cd}_{0.75}\text{Ga}_2\text{Q}_{11.5}\text{Cl}_{2.5}$ ($Q = \text{S}$ and Se): two new nonlinear optical chalcogenides with a large laser-induced damage threshold. **2021**, 23, 2133-2137 2
- 582 A melamine-based organic-organic hybrid material revealing excellent optical performance and moderate thermal stability. **2021**, 9, 7452-7457 5
- 581 Systematic centricity control using a chiral template: novel noncentrosymmetric polar niobium oxyfluorides and tantalum fluorides directed by chiral histidinium cations, $[(\text{L-hisH}_2)\text{NbOF}_5]$, $[(\text{D-hisH}_2)\text{NbOF}_5]$, $[(\text{L-hisH}_2)\text{TaF}_7]$, and $[(\text{D-hisH}_2)\text{TaF}_7]$. **2021**, 8, 3843-3850 0
- 580 Long-lived electrets and lack of ferroelectricity in methylammonium lead bromide $\text{CH}_3\text{NH}_3\text{PbBr}_3$ ferroelastic single crystals. **2021**, 23, 3233-3245 4
- 579 Nonlinear Optical Properties of Nanomaterials. **2021**, 83-109
- 578 $\text{Rb}_3\text{In}(\text{SO}_4)_3$: a defluorinated mixed main-group metal sulfate for ultraviolet transparent nonlinear optical materials with a large optical band gap. **2021**, 9, 5124-5131 5
- 577 Breaking through the "3.0 eV wall" of energy band gap in mid-infrared nonlinear optical rare earth chalcogenides by charge-transfer engineering. **2021**, 8, 2330-2334 30
- 576 $\text{A}_2\text{Sn}_5\text{S}_5$: A Structural Incommensurate Modulation Exhibiting Strong Second-Harmonic Generation and a High Laser-Induced Damage Threshold ($A = \text{Ba}, \text{Sr}$). **2020**, 132, 11959-11963 8
- 575 Li MnSnSe : A New Quaternary Diamond-Like Semiconductor with Nonlinear Optical Response and Antiferromagnetic Property. **2017**, 12, 3172-3177 11

574	Centrosymmetric Versus Noncentrosymmetric: Structural and Optical Studies on Inorganic-Organic Hybrid Compounds of Bismuth Thiourea Iodide Resulting from Acid Effect. 2017 , 2, 5882-5886	4
573	Syntheses and Properties of Some Bi-Containing Compounds with Noncentrosymmetric Structure. 2013 , 321-341	1
572	Organometallics for Nonlinear Optics. 1999 , 107-167	2
571	Potential Applications of Langmuir-Blodgett Films. 1990 , 317-411	13
570	Maker Fringe and Phase Matched SHG Studies of Crystalline Dicyano Substituted Benzene Compounds. 1989 , 214-217	3
569	Optical Second-Harmonic Generation from a Series of [Cyano(alkyloxycarbonyl)-methylene]-2-ylidene-1,3-dithioles and Their Methyl and Dimethyl Derivatives. 1989 , 232-235	1
568	Frontier Materials for Organic Nonlinear Optics. 1989 , 292-300	12
567	Nonlinear Optical Properties of Crystals. 1991 , 53-127	7
566	Cubic Susceptibility of Organic Molecules in Solution. 1989 , 225-245	3
565	Molecular crystals. 1993 , 143-188	1
564	Rigid-Rod Transition Metal Acetylide Complexes, Oligomers, and Polymers for Nonlinear Optics. 1992 , 331-344	16
563	Organic Materials for Second-Order Nonlinear Optics. 1999 , 261-278	4
562	Pressure Effects on Non-Linear Optical Phenomena. 1999 , 25-46	3
561	PHASE TRANSITIONS BETWEEN OPTICALLY DISTINGUISHABLE STATES AND SOME POTENTIAL APPLICATIONS. 1973 , 29-59	1
560	The Chemistry of Laser Crystals. 1971 , 2, 173-299	4
559	Optical, thermal and mechanical properties of a novel bio-organic chlorophyll-b of Ficus religiosa added nickel sulphate hexahydrate crystal for NLO applications. 2020 , 754, 137607	1
558	Investigation on the growth rate, crystalline perfection, refractive index, Z-scan and electrical characteristics of Z- cut imidazolium l-tartrate single crystal. 2020 , 108, 110380	3
557	ASbF(SO) (A = Rb, Cs): Two Novel Antimony Fluoride Sulfates with Unique Crown-like Clusters. 2020 , 59, 8345-8352	18

556	A promising nonlinear optical material in the Mid-IR region: new results on synthesis, crystal structure and properties of noncentrosymmetric HgBrCl . 2013 , 42, 9893-7	26
555	Syntheses and characterization of three new sulfides with large band gaps: acentric BaGaSnS , centric BaSnS and BaSnS . 2017 , 46, 14771-14778	12
554	Synthesis and characterization of a nanocluster-based silver(i) tert-butylethyne compound with a large second-harmonic generation response. 2020 , 12, 11847-11857	3
553	Potassium l-2-nitrimino-1,3-diazepane-4-carboxyl-ate monohydrate. 2008 , 64, m1369	1
552	Effect of 2,4-dinitrophenol dye doping on trithiourea zinc(II) sulfate single crystals: a potential nonlinear optical material. 2020 , 53, 972-981	5
551	A new $\text{TlFeHf}(\text{MoO})$ ternary molybdate: crystal structure and properties. 2020 , 76, 839-849	2
550	FT-IR, Thermal and NLO Studies on Amino Acid (L-Arginine and L-Alanine) Doped KDP Crystals. 2009 , 116, 1033-1038	38
549	Growth and Characterization of Non-Linear Optical Single Crystal: L-cysteine Hydrochloride Monohydrate. 2015 , 128, 423-431	14
548	Growth, Microhardness, Electrical and Dielectric studies on L-Alanine Hydrogen Chloride NLO Single Crystal. 2015 , 159-166	2
547	Crystallization, habit modification and control of nucleation of glycine polymorphs from aqueous solutions doped with magnesium sulfate impurity. 2018 , 36, 483-493	1
546	Study on some linear and nonlinear optical parameters of glycine hydrofluoride single crystals. 2018 , 36, 685-696	3
545	Selective crystallization of gamma glycine for NLO applications using magnesium sulfate (MgSO_4) as an additive. 2019 , 37, 265-279	4
544	Synthesis, growth and characterization of semiorganic nonlinear optical single crystal bis(thiourea) barium nitrate (BTBN) for frequency conversion. 2019 , 37, 381-388	1
543	Growth, characterization and optical properties of potassium iodide (KI) doped potassium hydrogen phthalate (KHP) single crystals for optoelectronic applications. 2019 , 37, 510-516	1
542	Femtosecond pulses in nanophotonics. 2004 , 174, 743	18
541	Crystal Growth of Novel Bimetallic Nickel, Magnesium (Ni^{3+} , Mg^{2+}) Potassium Di Hydrogen Phosphate by Solution Growth and their Characterizations. 2006 , 6, 635-638	7
540	Growth and Characterization of Novel (Ni^{3+} , Mg^{2+}) Bimetallic Crystals of Ammonium Di Hydrogen Phosphate. 2005 , 6, 85-89	7
539	Synthesis, Crystal Growth and Characterization of Organic NLO Material: M-Nitroacetanilide. 2011 , 01, 39-43	4

538	Effect of NaCl Doping on Growth, Characterization, Optical and Dielectric Properties of Potassium Hydrogen Phthalate (KHP) Crystals. 2015 , 05, 399-407	9
537	Pseudosymmetric Features and Nonlinear Optical Properties of Potassium Titanyl Phosphate Crystals. 2013 , 02, 106-119	5
536	Growth and Characterization of Bisthiourea Nickel Bromide New Semiorganic Nonlinear Optical Crystal. 2013 , 03, 56-59	2
535	Second Harmonic Generation in Some Donor-Acceptor Substituted Chalcone Derivatives. 2013 , 03, 108-117	16
534	Bulk Growth and Characterization of D-(R)-Alanine Single Crystals. 2013 , 03, 130-135	3
533	Effect of Substituent Position on the Properties of Chalcone Isomer Single Crystals. 2013 , 03, 148-155	6
532	Single Crystal Growth of Lanthanum(III) Molybdate(VI) (La ₄ Mo ₇ O ₂₇) Using H ₃ BO ₃ Flux. 2014 , 04, 39-45	1
531	Growth and Characterization of Alanine Oxalate A New Organic Single Crystal. 2012 , 11, 1069-1074	1
530	Comparative Spectroscopic Studies on Pure, 10 and 50 mol% Glycine Mixed L-Valinium Picrate Crystals. 2014 , 02, 8-14	0
529	Synthesis, Growth and Characterization of Organic Nonlinear Optical Single Crystals of 4-Bromo-4-Methyl Benzylidene Aniline. 2014 , 02, 308-318	7
528	Studies on the Growth and Characterization of L-Arginine Maleate Dihydrate Crystal Grown from Liquid Diffusion Technique. 2016 , 04, 143-153	2
527	Effect of Lithium Doping on the Properties L-Citrulline Oxalate Monohydrate Nonlinear Optical Crystals. 2012 , 02, 82-86	2
526	Growth and Characterization of Ethylene Diamine Tetra Acetate (EDTA) Doped Lithium Sulphate Monohydrate Crystals. 2012 , 02, 216-221	10
525	Solid State Synthesis, Characterization, and Nonlinear Optical Properties of a Monoclinic Tricalcium Silicate, Ca ₃ SiO ₅ . 2012 , 33, 2423-2426	4
524	Synthesis, Optical and Electrical Studies of Nonlinear Optical Crystal: L-Arginine Semi-oxalate. 2013 , 34, 128-132	14
523	Crystal Growth and Characterization of an Organic Nonlinear Optical Material: L-Histidinium Maleate (LHM). 2013 , 422-425	0
522	Balanced infrared nonlinear optical performance achieved by modulating the covalency and ionicity distributions in the electron localization function map. 2021 , 8, 3394-3398	4
521	Aggregation-induced emission (AIE)-active N-arylated ferrocenyl pyrazole chromophores: second-order nonlinear optical and turn on/off fluorescence for the detection of picric acid in mixed aqueous media. 2021 , 5, 8290-8307	3

520	Achieving Short-Wavelength Phase-Matching Second Harmonic Generation in Boron-Rich Borosulfate with Planar [BO ₃] Units. 2021 ,	5
519	Second harmonic generation, optical, thermal, piezoelectric and mechanical properties of adipic acid-doped ADP crystals.	0
518	A Brief Study on Optical and Mechanical Properties of an Organic Material: Urea Glutaric Acid (2/1) A Third Order Nonlinear Optical Single Crystal. 2021 , 11, 1239	1
517	A comparative molecular structure NLO activity study of ortho-bridged dibenzaldehydes: Synthesis, crystal structure, SHG, and DFT studies. 2021 , 1250, 131776	0
516	Strong SHG Responses in a Beryllium-Free Deep-UV-Transparent Hydroxyborate via Covalent Bond Modification. 2021 ,	8
515	An Exceptional Thermally Induced Four-State Nonlinear Optical Switch Arising from Stepwise Molecular Dynamic Changes in a New Hybrid Salt.	1
514	Hybrid Metal-Halide Infrared Nonlinear Optical Crystals of (TMEDA)MI ₅ (M = Sb, Bi) with High Stability. 2101333	4
513	Effect of Ar ⁺ ion implantation to enhance non-linear optical property on the l-proline-doped potassium hydrogen phthalate single crystals. 2021 , 32, 27777	
512	LiBO ₃ Hdap ₂ HO: A Cotemplated Acentric Layer-Pillared Borate Built by Mixed Oxoboron Clusters. 2021 , 60, 16085-16089	4
511	Thermal anomalies and phase transitions in Pb ₂ Sc ₂ Si ₂ O ₉ and Pb ₂ In ₂ Si ₂ O ₉ . 2021 ,	
510	Strong SHG Responses in a Beryllium-Free Deep-UV-Transparent Hydroxyborate via Covalent Bond Modification. 2021 , 133, 27357	1
509	Broad Photoluminescence and Second-Harmonic Generation in the Noncentrosymmetric Organic/Inorganic Hybrid Halide (C ₆ H ₅ (CH ₂) ₄ NH ₃) ₄ MX ₇ H ₂ O (M = Bi, In, X = Br or I). 2021 , 33, 8106-8111	3
508	1D Chiral Lead Halide Perovskites with Superior Second-Order Optical Nonlinearity. 2101545	10
507	Two SbX ₅ -based isostructural polar 1D hybrid antimony halides with tunable broadband emission, nonlinear optics, and semiconductor properties. 1	1
506	GaSeClO: A Molecular Compound with Very Strong SHG Effect. 2021 , 60, 15653-15658	3
505	Achieving Short-Wavelength Phase-Matching Second Harmonic Generation in Boron-Rich Borosulfate with Planar [BO ₃] Units. 2022 , 134, e202112844	
504	Tunable Linear and Nonlinear Optical Properties from Room Temperature Phosphorescent Cyclic Triimidazole-Pyrene Bio-Probe. 2021 , 27, 16690-16700	1
503	An Exceptional Thermally Induced Four-State Nonlinear Optical Switch Arising from Stepwise Molecular Dynamic Changes in a New Hybrid Salt. 2021 ,	6

- 502 A Lead Mixed Halide with Three Different Coordinated Anions and Strong Second-Harmonic Generation Response. **2021**, 3
- 501 A noncentrosymmetric compound $K7Li2Y2B15O30$ by introducing more alkali metals into $A7MRe2B15O30$ family. **2021**, 304, 122630 2
- 500 Optical Parametric Processes in Crystals. **2001**, 6464-6470
- 499 Nanocluster molecular crystals of lacunary polyoxometalates as structure-design-flexible, new inorganic nonlinear materials. **2002**,
- 498 Second Harmonic Generation by $BaTiO_3$ microparticles in porous materials. **2007**,
- 497 Synthesis, Characterization and Quantum Chemical Studies on a Novel Cobalt(II) 1,2,3,4-Tetra-(4-pyridyl)-thiophene Coordination Polymer. **2010**, 31, 242-245
- 496 Multiphoton Processes and Nonlinear Harmonic Generations in Lanthanide Complexes. 161-184
- 495 Studies on the Effect of Zinc Chloride Mixing on Bisthiourea Cadmium Chloride Crystals. **2013**, 01, 315-320
- 494 Nitridosilicates and Oxonitridosilicates: From Ceramic Materials to Structural and Functional Diversity. 373-413
- 493 Excitation of Gases Using Wavelength-Tunable Lasers. **1971**, 221-270 4
- 492 System NiobkaliumBauerstoff. **1972**, 133-185
- 491 System NioblithiumBauerstoff. **1972**, 1-88
- 490 Study on Phase-Matching Characteristics of Optical Second Harmonic Generation in Nonlinear Thin-Film Waveguides Using a Tunable Parametric Oscillator. **1976**, 353-360 1
- 489 Nonlinear Optical Properties and Fluorescence Quenching in NdGd-Borate Laser Crystals. **1981**, 339-342
- 488 Investigation of Generation of the Second Optical Harmonic in Molecular Crystals. **1982**, 77-139
- 487 Second Harmonic Generation in Inclusion Complexes. **1984**, 885-890
- 486 Optical Properties of Crystals. **1988**, 405-512 1
- 485 Electrooptical Effects, Crystals and Devices. **1988**, 113-192

- 484 Complex Hyperpolarizability and Solvatochromic Effects in Merocyanine Solutions. **1989**, 108-119 2
- 483 Nonlinear Optical Effects in Substituted Anilines. **1990**, 328-333
- 482 Nonlinear Optics in Solid Schiff Bases. **1990**, 451-456
- 481 New Molecular Design for Noncentrosymmetric Crystal Structures: Lambda Shape Molecules for Frequency Doubling. **1991**, 151-159 3
- 480 Polar and Non-Polar Organic Molecules, Crystals and Langmuir-Blodgett Films for Quadratic Nonlinear Optics. **1991**, 81-103
- 479 GROWTH AND CHARACTERISTICS OF HOMOGENEOUS KTN CRYSTALS. **1991**, 399-402
- 478 Preparation of Novel Nonlinear Organic Materials. **1992**, 249-254
- 477 Non-crystalline Condensation of Densely Dissolved Optically Nonlinear Organic Compound in Polymer Matrices. **1994**, 397-400
- 476 Electrooptics and Nonlinear Optics. **1994**, 87-126
- 475 Optical, Thermal and Nonlinear Properties of Tristhiourea Lanthanum Nitrate. **2015**, 03, 118-124
- 474 Fabrication and Research of a Novel NLO Material: Tristhiourea Lanthanum Bromide. **2015**, 07, 248-254
- 473 GROWTH AND CHARACTERIZATION OF A SEMIORGANIC NLO MATERIAL: L-HISTIDINE BARIUM CHLORIDE DIHYDRATE. **2016**, 2, 26-30
- 472 Investigation on Nucleation Kinetics, Growth and Nonlinear Optical Properties of L-Cystine Hydrochloride Crystal. **2018**, 133, 63-67
- 471 SHG in EGa_2S_3 powder. **2018**,
- 470 Growth and physicochemical characterization of calcium cadmium thiocyanate $\text{CaCd}(\text{SCN})_4$ single crystals. **2018**, 36, 704-710
- 469 MATERIAL SYNTHESIS, ENERGY DIAGRAM AND PHYSICOCHEMICAL PROPERTIES OF FREQUENCY DOUBLING 2 - AMINOPYRIDINE BARIUM CHLORIDE (2APBC) CRYSTAL. **2019**, 7, 1
- 468 Structural, optical, thermal, dielectric and mechanical studies of a new organic NLO material: L-isoleucinium p-toluenesulfonate monohydrate (LIPT). **2019**, 37, 196-205
- 467 Studies on the growth and characterization of L-cysteine hydrogen fluoride single crystal. **2019**, 37, 304-309

- 466 Growth, electrical, thermal, mechanical and etching studies on 4-chloroanilinium hydrogen (2R, 3R)-tartrate monohydrate-an organic NLO single crystal. **2019**, 37, 310-316 1
- 465 Syntheses, characterization and calculations of $\text{LimAnM}_6\text{O}_{15}$ (A=Rb, Cs; M=Si, Ge; m+n=6). **2020**, 63, 1769-1778 5
- 464 Two Zn-based MOFs constructed with biphenyl-2,2',5,5'-tetracarboxylic acid and flexible N-donor ligands: syntheses, structures and properties. **2020**, 76, 547-556
- 463 Experimental and computational studies on optical properties of a promising N-benzylideneaniline derivative for non-linear optical applications. **2020**, 75, 557-573 2
- 462 Semi-organic nonlinear optical material: (((4-sulfonatophenyl)ammonio)oxy)zirconium for dielectric and photonics applications. **2020**, 38, 434-442
- 461 $\text{AMoO}_3(\text{IO}_3)$ (A = Na and K): Two promising optical materials via properly assembling the Eshaped basic building units. **2021**, 894, 162547 2
- 460 Helical $\{[\text{HgS}]\}$ Chain-Induced Balanced Nonlinear-Optical Performance for Trigonal Mercury Sulfide. **2021**, 60, 16917-16921 2
- 459 A New Nonlinear Optical Material with N(CN) Anion. **2021**, 0
- 458 A Potassium Tungsten Oxyfluoride with Strong Second-Harmonic Generation Response Derived from Anion-Ordered Functional Motif. **2021**, 60, 17364-17370 5
- 457 Structure Tuning, Strong Second Harmonic Generation Response, and High Optical Stability of the Polar Semiconductors NaKAs. **2021**, 143, 18204-18215 3
- 456 Crystal violet doped triglycine acetate crystal: a potential material for optoelectronic applications. 1 0
- 455 A first-principle investigate about the different response of birefringence and SHG from AB_3O_6 (A= Bi, Sb) compounds. **2021**, 786, 139188
- 454 Structure and Composition in Relation to Properties. **1973**, 175-282
- 453 Structural Characterization of Solids. **1973**, 437-533
- 452 Synthesis, crystal growth, crystal structure, optical, thermal, biological and NLO studies of heterocyclic compound N-(1,3-benzothiazol-2-yl)-2-methoxybenzamide. **2020**, 2, 100083 1
- 451 Hydrogen-Bond-Assisted Alignment of $[\text{MCu}(\text{SeO})\text{Cl}(\text{HO})]$ (M = Fe, Ga) Anionic Layers to Form Two Polar Oxychlorides: $\text{PbMCu}(\text{SeO})\text{Cl}(\text{HO})$. **2021**, 60, 831-839 1
- 450 Linear-Nonlinear Optical and Quantum Chemical Studies on Quinolinium 4-Aminobenzoate: A Third Order Non-Linear Optical Material for Optoelectronic Applications. **2021**, 56, 2000076 1
- 449 Growth and study of 4-sulfobenzenaminium potassium dihydrogenphosphate for mechanical, dielectric and photonics applications. **2020**, 38, 619-628

- 448 Synthesis and Characterization of SEM, UV absorption coefficient and shock wave properties of Thiourea Sodium Sulphate crystal. **2020**, 17, 270-275
- 447 Electrical, Optical, Structural Properties with Some Physico-Mechanical of Pure and La³⁺ Doped L-Alanine Acetate Single Crystals. **2020**, 18, 894-899
- 446 Modal inspection technology based on transverse second harmonic generation in single nonlinear micro/nanowaveguide. **2020**,
- 445 Synthesis, crystal structures, and properties of new acentric glaserite-related compounds Rb₇Ag₅BSc₂+(XO₄)₉ (X = Mo, W). **2022**, 305, 122638 1
- 444 Chemical substitution oriented design of a new polar PbFIO₃ achieving a balance between large second-harmonic generation response and wide band gap. **2022**, 208, 114347 1
- 443 Crystal growth, spectroscopic and theoretical investigation of nonlinear optical 2-bromo-4-nitroaniline single crystals for NLO and optoelectronic applications. **2022**, 1250, 131725 1
- 442 Superalkali-based alkalides Li₃O@[12-crown-4]M (where M= Li, Na, and K) with remarkable static and dynamic NLO properties; A DFT study. **2022**, 138, 106254 6
- 441 Growth, structural and optical studies on amino-sulphate GKSF₂ crystal. **2020**,
- 440 Structural and optical studies of semi organic amino-nitrate (d-GPC)crystal for short wavelength generation. **2020**,
- 439 Synthesis, Characterization, Thermal, NLO and Quantum-Chemical Studies on N-Acetyl-2,6-bis(4-methoxyphenyl)-3-ethylpiperidin-4-one. **2020**, 32, 1996-2000
- 438 Growth and characterization of efficient second-order nonlinear optical material: N-(2-chlorophenyl)-(1-propanamide). **2020**, 29, 2050001 1
- 437 Zn(NH₃)CO₃: a three-in-one UV nonlinear optical crystal built by a polar molecule bonding strategy. 2
- 436 Synthesis, nucleation kinetics, spectral, structural, mechanical, and thermal studies of semi-organic barium-doped Glycine single crystal. **2021**, 32, 28494 1
- 435 Ca(TeO)(MO) (M = Mo, W): Mid-Infrared Nonlinear Optical Tellurates with Ultrawide Transparency Ranges and Superhigh Laser-Induced Damage Thresholds. **2021**, 60, 18512-18520 1
- 434 Superior Infrared Nonlinear Optical Performance Achieved by Synergetic Functional Motif and Vacancy Site Modulations. 7
- 433 6.5.1.1 Point group: (-4)3m. 38-39
- 432 6.5.5.1 Point group: mm2. 50-57
- 431 6.5.5.2 Point group: 222. 57-58

430 6.5.6.2 Point group: m. 61-62

429 6.5.7.1 Point group: 1. 62-62

428 A - D. 68-146

427 E - N. 147-220

426 P - Z. 221-323

425 6.8 References for 6. 324-346

424 8 Sr₂Nb₂O₇ family. 221-229

423 1966 - 1973. 637-650

422 La₂Ti₂O₇ [F], 8A-1. 1-11

421 Crystal growth, structural, optical and theoretical investigations of organic nonlinear optical crystal: 2-naphthalenol. **2020**, 712, 43-61 1

420 RbMoPO with large birefringence mainly induced by highly distorted [MoO] in uncommon [MoPO] layers. **2021**, 50, 17559-17565 1

419 Noncentrosymmetric chalcogenide K₂Ba₃Ge₃S₉Cl₂: A new nonlinear optical material with remarkable laser-induced damage threshold. **2022**, 895, 162602 3

418 Nonlinear optical properties of a new polar bismuth tellurium oxide fluoride, Bi₃F(TeO₃)(TeO₂F₂)₃. **2022**, 895, 162603 0

417 From CeF₂(SO₄)·H₂O to Ce(IO₃)₂(SO₄): Defluorinated Homovalent Substitution for Strong Second-Harmonic-Generation Effect and Sufficient Birefringence. 4

416 Dielectric properties and second harmonic generation of glycine doped bistiourea cobalt and nickel malonates as new semiorganic non-linear optical materials. **2021**,

415 Physicochemical properties and structural studies of a new hybrid compound potassium nitrate-ninhydrin: Promising material for nonlinear applications. **2021**, 135, 109091

414 AA'ZnTeO (A = Na, A' = Rare Earth) Garnets: A-Site Ordered Noncentrosymmetric Structure, Photoluminescence, and Na-Ion Conductivity. **2021**, 60, 18168-18177 1

413 Synergistic Effect of EConjugated [C(NH)] Cation and Sb(III) Lone Pair Stereoactivity on Structural Transformation and Second Harmonic Generation. **2021**, 60, 18483-18489 3

412	Dimensionality reduction made high-performance mid-infrared nonlinear halide crystal. 2021 , 21, 100569	8
411	Synthesis, growth, optical studies and antimicrobial activity of a new semiorganic nonlinear optical crystal L-valine cobalt sulphate. 2021 , 49, 2826-2826	
410	NH ₄ Sb ₂ (C ₂ O ₄)F ₅ : A novel UV nonlinear optical material synthesized in deep eutectic solvents. 2021 , 896, 162921	2
409	Investigation into Structural Variation from 3D to 1D and Strong Second Harmonic Generation of the AHgPS (A = Na, K, Rb, Cs) Family. 2021 , 60, 18370-18378	2
408	AA13P6O20 (A = Rb, Cs): Two deep-ultraviolet transparent nonlinear optical materials designed by aliovalent substitution. 2021 , 902, 162608	0
407	M4O(1O3)3(13O7F3)BF4 (M = Pb, Sr): Promising Nonlinear Optical Materials Featuring the Unprecedented Windmill-Shaped [13O7F3]2IPolyfluoroiodate Anion. 2021 , 21, 7098-7103	0
406	Preparation, structure analysis and performance characterization of a novel organic second-order nonlinear optical crystal DOBT. 2021 , 131973	0
405	Halogen-Ion-Induced Structural Phase Transition Giving a Polymorph of HgBr with Balanced Nonlinear Optical Properties. 2021 ,	0
404	Excellent quantum yield enhancement in luminescent metal-organic layer for sensitive detection of antibiotics in aqueous medium. 2021 , 198, 109961	1
403	CuMnGeS and CuMnGeS: two polar thiogermanates exhibiting second harmonic generation in the infrared and structures derived from hexagonal diamond. 2021 , 50, 17524-17537	2
402	The Balance of Deep-Ultraviolet Transparency and Large Second Harmonic Generation Response in a Silicate Crystal.	
401	Crystal engineering and physicochemical properties of l-cysteine cadmium chloride (LCC) for frequency-doubling and optical limiting applications. 2022 , 33, 1489	1
400	HgSO ₄ : An excellent mid-infrared sulfate nonlinear optical crystal with wide band gap and strong second harmonic generation response. 2022 , 902, 163727	1
399	Quaternary Noncentrosymmetric Rare-Earth Sulfides BaRECdS (RE = Sm, Gd, or Tb): A Joint Experimental and Theoretical Investigation.. 2022 , 61, 1797-1804	2
398	First-principles study of opto-electronic and thermoelectric properties of SrCdSnX ₄ (X=S, Se, Te) alkali metal chalcogenides. 2022 , 30, e00625	1
397	Partial congener substitution induced centrosymmetric to noncentrosymmetric structural transformation and nonlinear optical properties of PbSnSiS ₄ . 2022 , 899, 163366	0
396	Experimental and theoretical studies on new 2-amino-6-methylpyridinium 2,4-dihydroxybenzoate monohydrate organic single crystal for second order nonlinear optical applications. 2022 , 1254, 132330	1
395	Building-block approach to the discovery of Na ₈ Mn ₂ (Ge ₂ Se ₆) ₂ : A polar chalcogenide exhibiting promising harmonic generation signals with a high laser-induced damage threshold. 2022 , 900, 163392	0

- 394 Noncentrosymmetric (KBa_{0.5})In₂Se₄ and (K_{0.58}Ba_{0.71})(Ga_{0.89}In_{1.11})Se₄ derived from centrosymmetric BaIn₂Se₄ via partial cation substitution: structural chemistry and nonlinear optical activity. **2022**, 899, 163255 1
- 393 Theoretical and experimental study of new nonlinear optical material nicotinohydrazide. **2020**, 29, 2050007
- 392 Nucleation behaviour of racemic and enantiopure histidine. **2021**, 23, 8379-8385 0
- 391 Influence of Urea Doping on Spectral, Mechanical, Thermal, Nlo and Electrical Studies of Diammonium Hydrogen Phosphate Crystal.
- 390 Ba(CuZ)SnS (Z = Mg, Mn, Zn, Cd, In, Bi, Sn): High Chemical Flexibility Resulting in Good Nonlinear-Optical Properties.. **2022**, 1
- 389 SrZnSnSe₄: A quaternary selenide with large second harmonic generation and birefringence. **2022**, 904, 163944 4
- 388 Pb₄SeBr₆: A Congruently Melting Mid-Infrared Nonlinear Optical Material with Excellent Comprehensive Performance. 2102673 5
- 387 Synthesis, Structure Determination, and Characterizations of a Polar Salt-Inclusion Scandium Germanate, RbLiScGeOF.. **2022**, 0
- 386 Optimizing the Nonlinear Optical Performance of an A-N-M-Q (A: Alkali Metal; N: Metal; M: Main Group Metal; Q: Chalcogen) System.. **2022**, 1
- 385 From Cc to P63mc: Structural Variation in La₃S₂Cl₂[Sb₃S₃] and La₃O₃Cl₂[Sb₃S₃] Induced by the Isovalent Anion Substitution. **2022**, 22, 1437-1444 0
- 384 KVOF(IO): a high-performance SHG crystal containing both five and six-coordinated V cations.. **2022**, 13, 454-460 4
- 383 Hybrid organic-inorganic triguanidine arsenate dihydrate for ultraviolet nonlinear optical application.. **2021**, 0
- 382 AZn₂(BO₃)Si₂O₅ (A = Rb, Cs): first examples of KBe₂BO₃F₂ structure type in the borosilicate family exhibiting a deep-ultraviolet cutoff edge. **2022**, 10, 1727-1734 0
- 381 Comparative studies on formation and material characterization of L-histidine derivatives for nonlinear optical device applications. **2022**, 33, 2970 0
- 380 NaTiO(SeO)F: A Phase-Matchable Nonlinear-Optical Crystal with Enlarged Second-Harmonic-Generation Intensity and Band Gap.. **2022**, 1
- 379 Experimental Spectroscopic, Computational, Hirshfeld Surface, Molecular Docking Investigations on 1H-Indole-3-Carbaldehyde. 1-25 2
- 378 Synthesis, growth and characterization of L-Leucine Magnesium Nitrate Hexahydrate crystal.
- 377 Design, Synthesis, and Characterization of the Nonlinear Optical Material MnTeWxMo_{1-x}O₆. **2022**, 126, 815-822 1

- 376 Structural modification from centrosymmetric $\text{Rb}_4\text{Hg}_2\text{Ge}_2\text{S}_8$ to noncentrosymmetric $(\text{Na}_3\text{Rb})\text{Hg}_2\text{Ge}_2\text{S}_8$: mixed alkali metals strategy for infrared nonlinear optical material design. 2
- 375 $\text{Na}_4\text{B}_8\text{O}_9\text{F}_{10}$: A Deep-Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion. 0
- 374 $\text{Sn}_7\text{Br}_{10}\text{S}_2$: The First Ternary Halogen-Rich Chalcogenide Exhibiting a Chiral Structure and Pronounced Nonlinear Optical Properties. 0
- 373 Growth and physicochemical characterization studies on 4-chloro-2-nitroaniline nonlinear optical single crystals. **2022**, 33, 3034
- 372 $[\text{BaCl}]$ Cations Directed Perovskite-like Polar Metal Formate Frameworks $\{[\text{BaCl}][\text{M}(\text{HCO})]\}$ (M = Mn, Co, and Mg): Microwave-Assisted Synthesis, Structures, and Properties.. **2022**, 0
- 371 Growth and characterization of a semi-organic nonlinear optical single crystal: sarcosine barium chloride. **2022**, 33, 3501 1
- 370 Syntheses, structures and optical properties of two B_3O_7 cluster-based borates. **2022**, 24, 1203-1210 0
- 369 Two Nonlinear Optical Thiophosphates CuHgPS and AgHgPS Activated by Their Tetrahedra-Stacking Architecture.. **2022**, 1
- 368 Regulating Optical Activity and Anisotropic Second-Harmonic Generation in Zero-Dimensional Hybrid Copper Halides.. **2022**, 5
- 367 Three-Dimensional Methylhydrazinium Lead Halide Perovskites: Structural Changes and Effects on Dielectric, Linear, and Nonlinear Optical Properties Entailed by the Halide Tuning. **2022**, 126, 1600-1610 9
- 366 $\text{Na}_4\text{B}_8\text{O}_9\text{F}_{10}$: A Deep-Ultraviolet Transparent Nonlinear Optical Fluorooxoborate with Unexpected Short Phase-Matching Wavelength Induced by Optimized Chromatic Dispersion.. **2021**, 12
- 365 Highly polarized $[\text{GeOTe}_3]$ motif-driven structural order promotion and an enhanced second harmonic generation response in the new nonlinear optical oxytelluride $\text{Ba}_3\text{Ge}_2\text{O}_4\text{Te}_3$. **2021**, 10, 150-159 4
- 364 BaGa_4Se_7 : a promising IR nonlinear optical crystal designed by predictable structural rearrangement. **2021**, 10, 96-101 9
- 363 Unprecedented mid-infrared nonlinear optical materials achieved by crystal structure engineering, a case study of $(\text{KX})\text{PS}$ (X = Sb, Bi, Ba).. **2022**, 13, 2640-2648 9
- 362 $\text{HgTeOF}(\text{OH})$: A Nonlinear Optical Oxyfluoride Constructed of Active $[\text{TeOF}(\text{OH})]$ Pyramids and V-Shaped $[\text{HgO}]$ Groups.. **2022**, 1
- 361 A biological luminescent metal-organic framework with high fluorescence quantum yield for the selective detection of amino acids and monosaccharides.. **2022**, 0
- 360 $\text{Sn}_7\text{Br}_{10}\text{S}_2$: The First Ternary Halogen-Rich Chalcogenide Exhibiting A Chiral Structure and Pronounced Nonlinear Optical Properties.. **2021**, 7
- 359 New double nonlinear-optical borate $\text{Rb}_3\text{SmB}_6\text{O}_{12}$: synthesis, structure and spectroscopic properties. **2022**, 164022 0

- 358 Infrared Nonlinear Optical Performances of a New Sulfide PbGa_2S_4 . **2022**, 905, 164090 2
- 357 Polar lanthanide copper iodates $\text{LnCu}(\text{IO}_3)_5$ (Ln = La, Ce, Pr, and Nd): Synthesis, crystal structure and characterization. **2022**, 308, 122934
- 356 Two non-centrosymmetric scandium borate nonlinear optical crystals containing the B_5O_{10} anion group. **2022**, 902, 163832 2
- 355 A new salt-inclusion chalcogenide exhibiting distinctive $[\text{Cd}_{11}\text{In}_9\text{S}_{26}]_3$ host framework and decent nonlinear optical performances. **2022**, 902, 163656 1
- 354 APS (A = Ba and Pb): a good platform to study the polymorph effect and lone pair effect to form an acentric structure.. **2022**, 2
- 353 $\text{Cd}_4\text{REO}(\text{BO}_3)_3$ (RE = Sm, Eu, Tb): Three new cadmium-rare earth-oxyborates with both good NLO and luminescent properties.
- 352 Driving Nonlinear Optical Activity with Dipolar 2-Aminopyrimidinium Cations in $(\text{C}_4\text{H}_6\text{N}_3)^+(\text{H}_2\text{PO}_3)^-$ 6
- 351 Investigations on structural, optical, mechanical properties of pure and l-threonine (LT) doped l-tartaric acid/biotinamide (LTN) nonlinear optical single crystals. **2022**, 33, 6888
- 350 Influence of ^{60}Co gamma irradiation on the structural and optical properties of 2-aminopyridinium 4-nitrophenolate 4-nitrophenol crystals. **2022**, 37, 1-1 0
- 349 Study of $\text{RBO}_3\text{-ScBO}_3$ phase diagrams and $\text{RSc}_3(\text{BO}_3)_4$ orthoborates (R = La, Pr and Nd). **2022**, 164162
- 348 Phase Matchability Transformation in the Infrared Nonlinear Optical Materials with Diamond-Like Frameworks. **2022**, 10, 2102123 9
- 347 Guanidinium Fluorooxoborates as Efficient Metal-free Short-Wavelength Nonlinear Optical Crystals. **2022**, 34, 440-450 15
- 346 $\text{Na}_m(\text{C}_2\text{O}_4)(\text{HPO}_4)(\text{H}_2\text{O})_5$: An Ultraviolet Transparent Nonlinear Optical Oxalate-Phosphate with Large Birefringence.
- 345 Broad transparency and wide band gap achieved in a magnetic infrared nonlinear optical chalcogenide by suppressing d-d transitions.. **2022**, 4
- 344 Symmetry breaking of AMX-type perovskite derivatives induced by polar quaternary ammonium cations: achieving efficient nonlinear optical properties.. **2022**, 2
- 343 Two new rare-earth borates SrTbBO and BaEuBO ($\nu = 2/3$): syntheses, crystal structures, and luminescence properties.. **2022**, 0
- 342 (R)- and (S)- $[\text{C}_8\text{H}_{10}\text{NO}_3]_2[\text{NbOF}_5]$: Noncentrosymmetric niobium oxyfluorides with large optical anisotropy.
- 341 Centrosymmetric $\text{Rb}[\text{Te}_2\text{O}_4(\text{OH})_5]$ and noncentrosymmetric $\text{K}_2[\text{Te}_3\text{O}_8(\text{OH})_4]$: metal tellurates with corner and edge-sharing $(\text{Te}_4\text{O}_{18})^{12-}$ anion group. 1

340	Tellurate polymorphs with high-performance nonlinear optical switch property and wide mid-IR transparency.	0
339	KPb ₃ (o-C ₅ H ₄ NCOO) ₂ Cl ₅ : a brand-new stable lead chloride with good comprehensive nonlinear optical performance.	0
338	Unprecedented boat-shaped [MoO(IO)] polyanions induced a strong second harmonic generation response.. 2022 ,	4
337	Ba ₁₀ LuB ₁₈ O ₃₂ F ₁₃ : the first example of borate in the LuBDF system with the unprecedented FBB [B ₉ O ₂₂].	1
336	KAg ₃ Ga ₈ S ₁₄ : An Mid- and Far-infrared Nonlinear Optical Material Exhibiting High Laser-induced Damage Threshold?. 2022 , 80, 259	0
335	Synthesis, structural characterization and Hirshfeld surface analysis of NLO active 3-hydroxypyridinium 2,4-dinitrophenolate single crystals. 2022 , 33, 7750-7764	0
334	Phosphogermanate Crystal: A New Ultraviolet-Infrared Nonlinear Optical Crystal with Excellent Optical Performances.. 2022 ,	1
333	Cd ₄ InO(BO ₃) ₃ : A New Nonlinear Optical Crystal Exhibiting Strong Second Harmonic Generation Effect and Moderate Birefringence. 2022 , 12, 266	
332	Growth and characterizations of pure and Cu-doped imidazolium L-tartrate (IMLT) single crystals: optical and NLO properties. 2022 , 33, 7573-7586	0
331	Controllable Synthesis of Centrosymmetric/Noncentrosymmetric Phases for the Family of Halogen-Based Photonic Coordination Polymers to Enhance the Phase-Matching Second-Harmonic-Generation Response.. 2022 ,	2
330	Uncovering a Vital Band Gap Mechanism of Pnictides.. 2022 , e2105787	2
329	Sr ₃ [SnOSe ₃][CO ₃]: A Heteroanionic Nonlinear Optical Material Containing Planar π -conjugated [CO ₃] and Heteroleptic [SnOSe ₃] Anionic Groups.	
328	Investigation of physicochemical properties, photoluminescence, laser damage threshold, antimicrobial, NLO activity of L-proline manganese chloride monohydrate for optoelectronic applications. 2022 , 128, 1	
327	Effect of rare-earth doping on the structural and optical properties of the Ag ₃ AsS ₃ crystals. 2022 , 54,	0
326	Cs ₂ Bi ₂ OSi ₂ O ₇ : A Promising Bismuth Silicate Nonlinear Optical Crystal with Face-Sharing BiO ₅ Polyhedra Exhibiting Strengthened Second Harmonic Generation Response and Birefringence.	3
325	NaGaSe: An Infrared Nonlinear Optical Material with Balanced Performance Contributed by Complex {[GaSe]} Anionic Network.. 2022 ,	1
324	Proton-Rich POM-Type KMoO(HPO)(PO)Cl with Ion-Exchange Capabilities.. 2022 ,	0
323	Optical second harmonic generation studies of pure and glycine-doped bithiourea copper/cadmium adipates. 1	0

322	Sulfamide: A Promising Deep-Ultraviolet Nonlinear Optical Crystal Assembled from Polar Covalent [SO ₂ (NH ₂) ₂] Tetrahedra. 2022 , 134,	0
321	Sr ₃ [SnOSe ₃][CO ₃]: A Heteroanionic Nonlinear Optical Material Containing Planar π -conjugated [CO ₃] and Heteroleptic [SnOSe ₃] Anionic Groups.. 2022 ,	3
320	Efficient Piezoelectric Energy Harvesting from a Discrete Hybrid Bismuth Bromide Ferroelectric Templated by Phosphonium Cation.. 2022 ,	3
319	Engineering DAST Nanoscale-Thick Films for Giant and Isotropic Second Harmonic Generation: Implications for Bioimaging and Quantum Optics. 2022 , 5, 3480-3490	1
318	Sulfamide: a Promising Deep-ultraviolet Nonlinear Optical Crystal Assembled from Polar Covalent [SO ₂ (NH ₂) ₂] Tetrahedra.. 2022 ,	4
317	Analyzing L-valine effect on structural, mechanical, optical and electrical traits of bis-thiourea cadmium chloride (BTCC) crystal. 2022 , 33, 8218-8225	1
316	Design Strategy of Highly Efficient Nonlinear Optical Orange-Colored Crystals with Two Electron-Withdrawing Groups. 2100350	1
315	A ₂ BeS ₂ O ₈ (A = NH ₄ , K, Rb, Cs) Deep Ultraviolet Nonlinear Optical Crystals.	1
314	Sensibility to chemical preparation method and thermal study of lithium zinc iodate mixture and prediction of structure, linear optical properties of BiZn(IO ₃) ₃ polymorph from DFT. 2022 , 111084	
313	Growth, thermal and optical properties of r-2,c-6-bis(p-tolyl)-c-3,t-3-dimethylpiperidin-4-one π A new class of organic NLO material. 2022 ,	
312	Nonlinear Optical Benzoindolium-Based Single Crystals: H-Contacts Induced Noncentrosymmetric Alignment Approaching Efficient Terahertz-Wave Generation.	1
311	Second harmonic generation, photoluminescence and laser damage threshold of L-Broline strontium chloride monohydrate: a prospective NLO tunable band gap for optoelectronic applications. 1	0
310	Sol-gel synthesized barium doped TiO ₂ nanoparticles for solar photocatalytic application. 2022 , 139, 109340	3
309	Aggregation induced emission (AIE)-active ferrocene conjugated linear π -extended multi donor-acceptor (D-D'-EA) chromophores: Synthesis, structural, theoretical, linear and nonlinear optical studies. 2022 , 201, 110193	3
308	Advances in second-order nonlinear optical sulfates. 2022 , 459, 214443	1
307	Synthesis of a new compound in the SrO-TiO ₂ -B ₂ O ₃ system and its dielectric, ferroelectric, nonlinear optical and electrical properties. 2022 , 907, 164532	
306	Hydrothermal single crystal growth and structural investigation of the stuffed tridymite family as NLO materials. 2022 , 909, 164634	0
305	Nonlinear optical and detonation properties of semiorganic nitrate crystal C ₆ H ₁₄ N ₂ (NO ₃) ₃ H ₃ O. 2022 , 908, 164632	1

304	Impact of structure complexity on optoelectronic and non-linear optical properties in quaternary Ag(Pb)Ga(In)Bi(Ge)S(Se) systems. 2022 , 909, 164636	0
303	Growth, characterization and theoretical studies of cadmium (II) thiourea complexes: a comparative study. 1-12	1
302	LiNbTeO5: A High-Performance Multifunctional Crystal Material with a Very Large Second-Harmonic Generation Response and Piezoelectric Coefficient. 2022 , 34, 399-404	3
301	Pushing KTiOPO-like Nonlinear Optical Sulfates into the Deep-Ultraviolet Spectral Region. 2021 ,	0
300	Synthesis, Crystal Growth, Electronic Properties and Optical Properties of Y 6 IV 2.5 S 14 (IV=Si, Ge). 2022 , 648,	0
299	Growth Aspects and Optical, Mechanical and Electrical Property Investigation on L-Histidinium-4-Nitrophenolate 4-Nitrophenol (LHPNP) Single Crystal. 1-16	
298	Structural Chemistry and Excellent Nonlinear Optical Properties of a Series of Ternary Selenides GaInSe. 2021 ,	5
297	Anion-Tuned Synthesis of Ag Coordination Compounds: Approaches for Optimizing Second-Harmonic-Generation (SHG) Response. 2022 , 22, 803-812	
296	Investigations on the Synthesis, Crystal Structure, Linear- and Nonlinear-Optical Properties of the Zinc Germanate RbZnGeO.. 2021 ,	1
295	KCsPb(HCOO)Cl: A Lead Formate with Strong Second-Harmonic-Generation Response Obtained by an Anionic Substitution.. 2021 ,	1
294	Rational Design of a Promising Oxychalcogenide Infrared Nonlinear Optical Crystal.	6
293	Growth, linear and nonlinear optical property and dielectric studies of an efficient organic ionic single crystal: 2-amino-5-methyl-pyridinium trifluoroacetate for optoelectronic devices.	1
292	Prediction of Large Second Harmonic Generation in the Metal-Oxide/Organic Hybrid Compound CuMoO3(p2c). 2022 , 14, 824	
291	Noncentrosymmetric Rare-Earth Borate Fluoride LaBOF: A New Ultraviolet Nonlinear Optical Crystal with Enhanced Linear and Nonlinear Performance.. 2022 ,	6
290	The Combination of Structure Prediction and Experiment for the Exploration of Alkali-Earth Metal-Contained Chalcopyrite-Like IR Nonlinear Optical Material.. 2022 , e2106120	4
289	An organic hexamine p-nitrophenol crystal: Growth, optical, electrical, mechanical and density functional theoretical studies for nonlinear optical applications. 2022 , 127, 112280	0
288	Nb:Mntemoo6: Synthesis, Structure and Second-Order Nonlinear Optical Properties.	
287	Enhanced Interlayer Interaction and Second-Harmonic-Generation Response in a KBeBOF-Type Inorganic-Organic Hybrid Zinc Borate.. 2022 ,	2

286	Crystal Growth and Physical Properties of the Nonlinear Optical Crystal $\text{KLi}(\text{HC}_3\text{N}_3\text{O}_3)\cdot 2\text{H}_2\text{O}$. 2022 , 22, 3471-3478	0
285	Maximizing the linear and nonlinear optical responses of alkaline tricyanomelaminates. 2022 ,	2
284	Lone Pair-Driven Enhancement of Birefringence in Polar Alkali Metal Antimony Phosphates. 2022 , 34, 4224-4231	1
283	Investigation study of optical and dielectric parameters using absorption and diffuse reflectance spectroscopy method on $\text{La}_{0.57}\text{Nd}_{0.1}\text{Sr}_{0.13}\text{Ag}_{0.2}\text{MnO}_3$ perovskite for optoelectronic application. 2022 , 54,	0
282	Organic-Inorganic Hybrid Noncentrosymmetric (Morpholinium) CdCl Single Crystals: Synthesis, Nonlinear Optical Properties, and Stability.. 2022 ,	2
281	Heteroanionic Melilite Oxysulfide: A Promising Infrared Nonlinear Optical Candidate with a Strong Second-Harmonic Generation Response, Sufficient Birefringence, and Wide Bandgap.. 2022 ,	8
280	Superconducting microwave resonators with non-centrosymmetric nonlinearity. 2022 , 35, 065020	
279	Growth and characterization of nonlinear optical crystal glycine sodium nitrate and its biological activity.	1
278	An Optimized $\text{KBe}_2\text{BO}_3\text{F}_2$ -Like Structure: The Unity of Deep-Ultraviolet Transparency, Nonlinear Optical Property, and Ferroelectricity. 2200228	2
277	Negative Second Harmonic Response of Sn^{4+} in the Fresnoite Oxysulfide $\text{Ba}_2\text{SnSSi}_2\text{O}_7$.	3
276	Cooperative Enhancement of Second Harmonic Generation in an Organic-Inorganic Hybrid Antimony Halide.	3
275	The Kurtz-Perry powder technique revisited: A case study on the importance of reference quality and broadband nonlinear optical measurements using LiInSe_2 . 2022 , 165381	3
274	Enhancement of Birefringence in Borophosphate Pushing Phase-Matching into the Short-Wavelength Region.. 2022 ,	11
273	Second-Harmonic Generation-Positive NaGaSiS with a Broad Band Gap and a High Laser Damage Threshold.. 2022 ,	0
272	The persistence and crystallization behavior of atorvastatin calcium amorphous dispersions in polyvinylpyrrolidone. 2022 , 72, 103375	0
271	Alkali metal sulfate: A new non-conjugated deep-ultraviolet quasi-phase matching crystal. 2022 , 217, 114764	0
270	Ferrocene appended Y-shaped imidazole aldehyde chromophores: Synthesis, the effect of alkyl chain in the second order nonlinear optical properties and theoretical studies. 2022 , 1264, 133137	1
269	Ferrocene appended 1,8-naphthalimide chromophores: Synthesis, theoretical, the effect of phenyl substitution on aggregation-induced enhanced emission and second-order nonlinear optical studies.. 2022 , 277, 121282	0

268	Growth, spectral, NLO, hardness, Hirshfeld and antibacterial activity studies of melaminium cyanoacetate monohydrate crystals. 2022 , 1263, 133158	0
267	SnP2S6: A Promising Infrared Nonlinear Optical Crystal with Strong Nonresonant Second Harmonic Generation and Phase-Matchability.	0
266	CsAB8O12F2[Csl (A = K+, NH4+): Design of Two Fluorooxoborates with Benign Layered Structures via Salt-Inclusion Strategy.	4
265	Mid-Infrared Nonlinear Optical Halides with Diamond-like Structures: A Theoretical and Experimental Study.	0
264	Structural, magnetic and photoluminescent properties of new hybrid hypophosphites: discovery of the first noncentrosymmetric and two cobalt-based members.	0
263	FT-IR, FT-NMR and SHG studies on melaminiumacetate monohydrate - an organic crystalline salt. 2022 ,	
262	Flexible Functional Module Regulate Ultraviolet Optical Nonlinearity Achieving a Balance between Second-harmonic Generation Response and Birefringence.	0
261	Synthesis, crystal growth, crystal investigation, optical, thermal, DFT and NLO studies of 2-methylanilinium- 4-methylbenzenesulfonate organic single crystal: Experimental and computational approach. 2022 ,	0
260	Growth, Optical, Laser Damage Threshold, Dielectric, and Mechanical Studies of Uv-Nonlinear Optical Single-Crystal of [(Nh4(C12h24o6)).(Cd(Ncs)3)].	
259	A2Zn3P4S13 (A = Rb, Cs): First Infrared Nonlinear Optical Materials with Mixed Thiophosphate Functional Motifs PS4 and P2S6.	1
258	Alkali metal partial substitution induced improved second-harmonic generation and enhanced laser-induced damage threshold for Ag-based sulfides.	0
257	RbBiP2S6: A Promising IR Nonlinear Optical Material with a Giant Second-Harmonic Generation Response Designed by Aliovalent Substitution. 1264-1269	7
256	Investigation on the growth, structural, vibrational, SHG behaviour and DFT studies of imidazolium hydrogen succinate single crystal.	0
255	Li 2 Mg 2 Si 2 S 6 and Li 2 Mg 2 Ge 2 S 6 : Two nonlinear optical sulfides featuring a unique, polar trigonal structure incorporating ethane-like anions.	1
254	Dimethylaniline-Based Hybrid Compounds of Cadmium Diiodide: Synthesis, Crystal Structure, and Physical Properties.	
253	Optimizing first-, second- and third-order optical traits of zinc tris-thiourea sulphate (ZTS) crystal by l-tyrosine for photonic device applications.	0
252	Crystallization and Characterization of 2l-Histidinium[2]Maleate[3]H2O and l-Histidinium[3]Glutarate[1]H2O Organic Crystals for Frequency Conversion Applications.	
251	BaSi 7 P 10 and SrSi 7 P 10 : Two Infrared Nonlinear Optical Phosphides with T2 Supertetrahedra Exhibiting Strong Second-Harmonic Generation Effects. 2200045	0

- 250 Growth, spectral and quantum chemical investigation on hexamethylenetetramine 4-nitrophenol monohydrate single crystals for second harmonic generation and optical limiting applications. **2022**, 1265, 133406
- 249 A Sodium Tantalum Phosphate with a Noncentrosymmetric Structure: Na₅Ta₈P₅O₃₅.
- 248 AAg₃Ga₈Se₁₄ (A = Rb, Cs): Second-Harmonic Generation Responses Realized through the Parallel Arrangement of AgSe₄ and GaSe₄ Tetrahedrons. 0
- 247 (NH₄)₃B₁₁PO₁₉F₃: a deep-UV nonlinear optical crystal with unique [B₅PO₁₀F]₃ layers. 7
- 246 Two Mixed Alkali-Metal Borates Templated from Cations to Clusters. 1
- 245 Improved Polarization in the Sr₆Cd₂Sb₆O₇Se₁₀ Oxyselenide through Design of Lateral Sublattices for Efficient Photoelectric Conversion. 0
- 244 Two Metal Phosphate Nonlinear Optical Materials Simultaneously Exhibiting Ultraviolet Transparency and a Large Birefringence. 2
- 243 Materials today: Proceedings (3) measurement and second harmonic generation of organic/inorganic hybrid compounds headed for optoelectronic applications-L cysteine hydrogen orthoborate. **2022**,
- 242 Improved Polarization in the Sr₆Cd₂Sb₆O₇Se₁₀ Oxyselenide through Design of Lateral Sublattices for Efficient Photoelectric Conversion. 0
- 241 Noncentrosymmetric (C₃H₇N₆)₆(H₂PO₄)₄(HPO₄)₄H₂O and Centrosymmetric (C₃H₇N₆)₂SO₄·2H₂O: Exploration of Acentric Structure by Combining Planar and Tetrahedral Motifs via Hydrogen Bonds. 2
- 240 Growth and Characterization of Second and Third Order Acentric Studies of L-Phenylalanine L-Phenylalaninium Malonate Single Crystal. **2022**, 12, 869
- 239 From CsKTaF₇ to CsNaTaF₇, Alkali metal Cations Regulation to Generate SHG Activity. 1
- 238 An excellent lead oxyiodide with a strong second-harmonic generation response and a large birefringence induced by the oriented arrangement of highly distorted [PbO₄I₂] polyhedra.
- 237 Rb₂MGe₃S₈ (M=Zn, Cd): Non-Centrosymmetry Transformation Led by Structure Change of [MGe₃S₈]²⁻ Unit?. **2022**, 80, 633 0
- 236 New Alkaline-Earth Amidosulfates and their Unexpected Decomposition to S₄N₄. 0
- 235 Growth and characterization of barium bis para-nitrophenolate para-nitrophenol tetrahydrate single crystal for NLO applications. **2022**, 0
- 234 Effect of Charge Transfer and Non-Covalent Interactions of the Synthesized NLO Compound p-Nitrophenol Sodium-Bisulfate Using DFT Method. 1-19
- 233 Tailoring Hybrid Aluminoborate Frameworks by Incorporating Multicomponent Cadmium/Amine Complexes with Various Conformations. 1

232	Design of Infrared Nonlinear Optical Compounds with Diamond-like Structures and Balanced Optical Performance.	0
231	Synthesis, structural characterization, and Hirshfeld surface analysis of novel NLO active 1-methyl-1,3,5,7-tetraazaadamantan-1-ium 3-carboxy-5-nitrobenzoate hydrate. 2022 , 133740	0
230	Homochiral Chemistry Strategy To Trigger Dielectric Switching and Second-Harmonic Generation Response on Spirocyclic Derivatives. 2022 , 61, 10872-10879	
229	Zero-Dimensional Molecular Ferroelectrics with Significant Nonlinear Effect and Giant Entropy.	2
228	Directional Construction of New Nonlinear Optical Bifunctional Units through Molecular Engineering Design Inspired by the B3O7-Typed Configuration.	0
227	Homochiral Hybrid Organic-Inorganic Cadmium Chlorides Directed by Enantiopure Amino Acids.	1
226	Deep-ultraviolet nonlinear optical crystals: concept development and materials discovery. 2022 , 11,	10
225	Crystal growth and physico-chemical characterization of a semi-organic L-glutamic acid manganese chloride single crystal for nonlinear optical applications.	0
224	Shedding Light on the Structure and Characterization of K ₂ ZnGe ₂ O ₆ : A Phase-Matchable Nonlinear Optical Crystal.	1
223	Cation-anion synergetic interactions achieving tunable birefringence in quasi-one-dimensional antimony(III) fluoride oxalates.	1
222	First Investigation of Nonlinear Optical Oxychalcogenide with Three-Dimensional Anionic Framework and Special Windmill-Like Functional Motifs.	4
221	Phonon-Suppressing Intermolecular Adhesives: Catechol-Based Broadband Organic THz Generators. 2201391	3
220	Photoactive Anthracene-9,10-dicarboxylic Acid for Tuning of Photochromism in the Cd/Zn Coordination Polymers. 2022 , 61, 10792-10800	0
219	Effect of L-proline dopant on structural, optical, dielectric, and NLO properties of imidazolium L-tartrate (IMLT) single crystals.	
218	New N-pyrimidinyl stilbazolium crystals for second-order nonlinear optics. 2022 , 156, 108454	1
217	Physicochemical and DFT studies of organic NLO single crystal 4-methoxy-N-(2-methyl-5-nitrophenyl) benzamide. 1-25	
216	Impact of nickel doping on structural, optical, electrical, and third-order NLO behavior of piperazinium L-tartrate single crystals.	
215	Heteroanionic Control of Exemplary Second-Harmonic Generation and Phase Matchability in 1D LiAs ₂ S ₆ .	2

- 214 Diffractive, optical, electrical, NLO and surface studies of l-asparagine monohydrate lithium sulphate (LAMLS) single crystals. 0
- 213 Computational description of quantum chemical calculations and pharmacological studies of the synthesized chalcone derivative: A promising NLO material. **2022**, 100655
- 212 Photoluminescence, Impedance, Thermal Characteristics and Hirshfeld Surface Analysis of Potassium Bisulphate Single Crystals for Third Order NLO Applications. **2021**, 145-151 0
- 211 Synthesis, studies of 2-benzyl-amino-4-p-tolyl-6,7-di-hydro 5H-cyclo-penta[b]pyridine-3 carbo-nitrile (BAPTDHCPCN) crystals for optical, photonic and mechano-electronic uses. **2022**, 33, 19320-19330⁰
- 210 Organic Cation Modulation Triggered Second Harmonic Response in Manganese Halides with Bright Fluorescence. **2022**, 61, 11514-11518 4
- 209 Difluoro(oxalato)borates as Short-Wavelength Optical Crystals with Bifunctional [BF₂C₂O₄] Units. **2022**, 34, 7516-7525 4
- 208 Flexible Piezoelectric Nanogenerators Based on One-Dimensional Neutral Coordination Network Composites. **2022**, 10, 9911-9920 0
- 207 NH₄IO₂F₂ and (NH₄)₃(IO₂F₂)₃·H₂O: A Series of Ammonium-Containing Fluoroiodates with Wide Band Gaps. **2022**, 61, 11803-11810 0
- 206 [Ba₂F₂][Ge₂O₃S₂]: An Unprecedented Heteroanionic Infrared Nonlinear Optical Material Containing Three Typical Anions. 1593-1598 2
- 205 Laser damage threshold, antimicrobial efficacy and physicochemical properties of an organometallic L-proline lithium chloride monohydrate single crystal for NLO application and optoelectronic device fabrication.
- 204 Third order non-linear optical, diffractive, electrical, laser damage threshold, elemental and surface studies of l-methionine potassium hydrogen phthalate (LMKHP) single crystals. **2022**, 33, 19004-19018⁰
- 203 Synthesis and studies of the zinc acetate (ZA) crystal for dielectric, nano-photonics and electronic applications. **2022**, 33, 19514-19533 0
- 202 Pb₅(GeO₄)(Ge₂O₇) and Pb_{3.32}Ca_{1.68}(GeO₄)(Ge₂O₇): Two Nonlinear Optical Germanates Induced by Diverse PbO_x Polyhedra. 3
- 201 Synthesis, Crystal Structure, and Characterizations of Two Tantalum Phosphates A₃TaP₂O₉ (A=K, Na).
- 200 Crystal growth, structure, surface, optical, thermal, mechanical, magnetic, electrical investigations on cesium sulphate-doped 4-methoxyaniline: a single crystal for NLO and antimicrobial applications. **2022**, 33, 19420-19433
- 199 Deep Ultraviolet-Transparent Materials with Strong Second-Harmonic Response. 0
- 198 Designing a deep-UV nonlinear optical monofluorophosphate. 0
- 197 Two New Rb₃Sc(IO₃)₆ Polytypes in Proposed Nonlinear Optical Family A₃M(IO₃)₆ (A = K, Rb; M = Sc, In): Topology Symmetry Analysis, Order Disorder and Structure Properties Relation. **2022**, 14, 1699 0

196	Non-linear optical behaviour and antibacterial activity of semi-organic picolinic acid zinc sulphate single crystal. 2022,	0
195	Direct observation of geometric and sliding ferroelectricity in an amphidynamic crystal.	9
194	(Na _{0.74} Ag _{1.26})BaSnS ₄ : A New AgGaS ₂ -Type Nonlinear Optical Sulfide with a Wide Band Gap and High Laser Induced Damage Threshold.	0
193	Simultaneous Second Harmonic Generation and multiphoton excited photoluminescence in anatase TiO ₂ nano powders. 2022, 132, 112857	
192	Bulk growth and portrayal investigation of 2,4,6-trinitrophenol crystal for nonlinear optical, electro-optic appliances. 2022, 156, 108556	0
191	Crystal growth and physicochemical characterization of urea doped 4-methoxyaniline (U-4MOA) single crystals for NLO and antimicrobial applications. 2022, 1270, 133841	
190	Third-order nonlinear optical studies of Bis(4-methylbenzylammonium) tetrachloridocuprate metal-organic crystal with optical limiting behavior: Experimental and theoretical investigations. 2022, 1269, 133827	1
189	Flux crystal growth of rubidium ion silicates and germanates and their ion-exchange using alkali nitrate salts. 2022, 132, 106995	0
188	Homochiral coordination polymers of Zn(II) and Pb(II) with interesting three-dimensional helicates. 2022, 315, 123527	0
187	Design of a new ultraviolet nonlinear optical material KNO ₃ SO ₃ NH ₃ exhibiting an unexpected strong second harmonic generation response. 2022, 28, 100849	1
186	Growth, SHG, Z-scan, optical limiting and quantum chemical investigation of hexamethylenetetraminium hydrogen DL-malate An organic crystal for optoelectronic applications. 2022, 291, 126712	0
185	A sodium tantalum phosphate with a noncentrosymmetric structure: Na ₅ Ta ₈ P ₅ O ₃₅ . 2022, 315, 123544	0
184	Structural and optical properties of salicyl-N-methyl-4-stilbazolium tosylate: Thermal, DFT, MEP and Hirshfeld surface analysis. 2023, 1271, 134072	1
183	DFT studies of electronic and nonlinear optical properties of a novel class of excess electron compounds based on multi-alkali metal atoms-doped Janus face C ₁₃ H ₁₀ F ₁₂ . 2022, 46, 15334-15343	0
182	A ₂ Ag ₂ PS ₄ (A = K, Na/K): the first-type of noncentrosymmetric alkali metal Ag-based thiophosphates exhibiting excellent second-order nonlinear optical performances. 2022, 9, 4990-4998	0
181	Li-Free ternary sulphide Cs ₅ Ga ₉ S ₁₆ with excellent nonlinear optical performance similar to classic LiGaS ₂ . 2022, 9, 4624-4631	0
180	Analysis on computational and ocular criteria of (NH ₂ CH ₂ COOH) ₃ .H ₂ SO ₄ crystals. 2022,	0
179	Cs ₂ VOF ₄ (IO ₂ F ₂): Rationally designing a noncentrosymmetric early-transition-metal fluoroiodate. 2022, 10, 12197-12201	2

- 178 $\text{Li}_3[\text{Al}(\text{PO}_4)_2(\text{H}_2\text{O})_{1.5}]$ and $\text{Na}[\text{AlP}_2\text{O}_7]$: from 2D layered polar to 3D centrosymmetric framework structures. 0
- 177 $\text{Ba}_4\text{Ag}_5(\text{IO}_3)_6(\text{IO}_8)_3(\text{IO}_{11})_2$: a nonlinear optical crystal containing two types of polyiodate anions. 0
- 176 Halogen regulation triggers structural transformation from centrosymmetric to noncentrosymmetric switches in tin phosphate halides $\text{Sn}_2\text{PO}_4\text{X}$ (X = F, Cl). **2022**, 9, 4705-4713 2
- 175 Phase matching achieved by isomorphous substitution in IR nonlinear optical material $\text{Ba}_2\text{SnSSi}_2\text{O}_7$ with an undiscovered $[\text{SnO}_4\text{S}]$ functional motif. 4
- 174 $[\text{ASr}_4\text{Cl}][\text{Ge}_3\text{S}_{10}]$ (A = Na, K) and $[\text{KBa}_4\text{Cl}][\text{Ge}_3\text{S}_{10}]$: new salt-inclusion infrared nonlinear optical crystals with zero-dimensional $[\text{Ge}_3\text{S}_9]$ clusters. 4
- 173 The exploration of new infrared nonlinear optical crystals based on the polymorphism of BaGa_4S_7 . **2022**, 9, 4632-4641 3
- 172 A novel 2-(aminomethyl)pyridine H_2PO_4 crystal with second-order nonlinear optical performance. **2022**, 24, 6232-6238 0
- 171 $\text{BaSc}_2(\text{HPO}_3)_4(\text{H}_2\text{O})_2$: a new nonlinear optical phosphite exhibiting a 3D $\{[\text{Sc}_2(\text{HPO}_3)_4]_2\}$ anionic framework and phase-matchable SHG effect. 0
- 170 Recent Advances in Tellurite Molybdates/Tungstates Crystals. 0
- 169 $\text{Ba}_2[\text{WO}_3\text{F}(\text{IO}_3)][\text{WO}_3\text{F}_2]$: the first polar fluorinated tungsten iodate featuring a direct W-O-F bond. **2022**, 51, 14036-14040 0
- 168 Aligned chromophores in a host-guest MOF crystal for switchable polarized nonlinear optical response. 1
- 167 $\text{APb}_2(\text{C}_7\text{H}_3\text{NO}_4)_2$ (A = K, Rb, Cs): rare stable nonlinear optical crystals with second-harmonic generation response and highly distorted lead core coordination polyhedra. 0
- 166 Rational design via dual-site aliovalent substitution leads to an outstanding IR nonlinear optical material with well-balanced comprehensive properties. **2022**, 13, 10725-10733 7
- 165 Bridging oxygen atoms in trigonal prism units driven strong second-harmonic-generation efficiency in $\text{Sr}_3\text{Ge}_2\text{O}_4\text{Te}_3$. **2022**, 58, 11167-11170 0
- 164 Second Harmonic Generation Behavior of Two New d-Ribose/d-Fructose and Metal Halogenide-Based Coordination Compounds and Comparison to d-Fructose and d-Galactose Analogues: An Experimental and Theoretical Approach. **2022**, 22, 5923-5934 0
- 163 Resolving the Problems of the Past: Reinvestigation of the Structure of Acentric Deep UV $\text{BaB}_8\text{O}_{13}$ Borate. **2022**, 22, 6267-6274 0
- 162 New organic 4-(4-methoxystyryl)-1-methylpyridinium crystals for nonlinear optical applications. 0
- 161 $[\text{C}(\text{NH}_2)_3]_2\text{MoO}_2\text{F}_4 \cdot \text{H}_2\text{O}$: Unique Chinese-Knot Structure Revealing Superior Nonlinear-Optical Properties. **2022**, 61, 14523-14527 1

- 160 KC9H5O6(H2O): A Promising UV Nonlinear-Optical Material with Large Birefringence Based on a Conjugated (C9H5O6) Group. **2022**, 61, 14880-14886 0
- 159 Hybrid Germanium Bromide Perovskites with Tunable Second Harmonic Generation. 0
- 158 Synthesis, crystal growth and characterization of organic nonlinear optical materials methoxy-N,N-diphenylbenzamides. 0
- 157 Simple yet extraordinary: super-polyhedra-built 3D chalcogenide framework of Cs5Ga9S16 with excellent infrared nonlinear optical performance. **2022**, 107838 0
- 156 PbBi(SeO3)2F and Pb2Bi(SeO3)2Cl3: Coexistence of Three Kinds of Stereochemically Active Lone-Pair Cations Exhibiting Excellent Nonlinear Optical Properties. **2022**, 61, 15368-15376 3
- 155 Ag4SnGe2S7: A Noncentrosymmetric Chalcogenide in I4132717 System with Non-Diamond-Like Structure Featuring 1D [SnGe2S8]6 Infinite Chain. **2022**, 61, 15303-15309 0
- 154 Hybrid Germanium Bromide Perovskites with Tunable Second Harmonic Generation. 0
- 153 Ternary AGe5S8 (A = K, Rb, Cs): Promising infrared nonlinear optical materials rationally realized by one-for-multiple substitution strategy. 3
- 152 Growth and Characterization of a Nonlinear Optical Crystal Cd3Te2WO10 Decorated by WO4 Tetrahedra Showing a Large Band Gap. 0
- 151 Oxychalcogenides as Promising Ultraviolet Nonlinear Optical Candidates: Experimental and Theoretical Studies of AEGeOS2 (AE = Sr and Ba). **2022**, 61, 15711-15720 1
- 150 Sb5O7I: Exploration of Ternary Antimony-Based Oxyhalide as a Nonlinear-Optical Material. **2022**, 61, 14517-14522 2
- 149 BaSb(H2PO2)3Cl2: An Excellent UV Nonlinear Optical Hypophosphite Exhibiting Strong Second-Harmonic Generation Response. **2022**, 100876 0
- 148 Experimental and Theoretical Evaluation of Four NLO-Active Divalent Transition Metal Complexes Supported by an Enantiomerically Pure Tetradentate Schiff Base Ligand. 0
- 147 Ln2(SeO3)2(SO4)(H2O)2 (Ln = Sm, Dy, Yb): A Mixed-Ligand Pathway to New Lanthanide (III) Multifunctional Materials Featuring Nonlinear Optical and Magnetic Anisotropy Properties. 0
- 146 Ln2(SeO3)2(SO4)(H2O)2 (Ln = Sm, Dy, Yb): A Mixed-Ligand Pathway to New Lanthanide (III) Multifunctional Materials Featuring Nonlinear Optical and Magnetic Anisotropy Properties. 0
- 145 K2(BeS)O4F2: a novel fluorosulfate with unprecedented 1D [(BeO3F)(SO3F)] chains exhibiting large birefringence. 0
- 144 First Polar Quaternary Sulphide CsLiGa6S10 with Mixed Ordered Alkali Cations Displaying Excellent Infrared Nonlinear Optical Performance. 0
- 143 Theoretical insights into single-pole quadruple-throw (SP4T) inorganic nonlinear optics molecular switch of Na(HCN)3Na: from superalkali to superalkalides. 0

- 142 A New Class of Organic Crystals with Extremely Large Hyperpolarizability: Efficient THz Wave Generation with Wide Flat-Spectral-Band. 2209915 ○
- 141 Enhancements of Second Harmonic Generation and Birefringence in Traditional RbTiOPO₄-Type Crystals by Aliovalent Substitution of Ti Site. 2201643 ○
- 140 Li_xAg_{1-x}GaSe₂: Interplay Between Lithium and Silver in Mid-Infrared Nonlinear Optical Chalcogenides. 2201727 ○
- 139 Syntheses, structures, and optical properties of n = 3 layered DionJacobson perovskites, RbEu₂-BiTi₂NbO₁₀ (0 < x < 1). **2022**, 167602 ○
- 138 Investigation on Growth, Growth kinetics and Characterization of L-valine L-valinium perchlorate monohydrate single crystal. **2022**, 134408 ○
- 137 Ag[SC(NH₂)₂]₂F: A Laser Damage-Tolerant Infrared Nonlinear Optical Material. ○
- 136 Synthesis, Crystal and Electronic Structures, Nonlinear Optical Properties, and Magnetic Properties of Two Thiophosphates: KInP₂S₇ and KCrP₂S₇. **2022**, 12, 1505 ○
- 135 Growth, characterization and spectroscopy studies of Co(II)-doped TTNC crystals. **2022**, ○
- 134 Design, synthesis, structural characterization, non-linear optical and computational studies of some 3t-butyl-2r,6c-diarylpiperidin-4-on-1-ium picrates. **2022**, 134476 ○
- 133 RE(OH)₂NO₃ (RE = Tb, Dy, Ho, and Er): Synthesis and Nonlinear Optical Properties of Water-Resistant Lanthanide Hydroxide Nitrates. ○
- 132 Experimental and theoretical investigations of Ethyltriphenylphosphonium bromide dihydrate crystal for optical applications. **2022**, 9, 100313 ○
- 131 Growth, optical, mechanical, dielectric properties of UV-nonlinear optical single-crystal of [(NH₄)(Cd(NCS)₃)]₂[C₁₂H₂₄O₆]. **2022**, 286, 116053 ○
- 130 Nonlinear optical behaviour of bis (cytosinium) tartarate monohydrate single crystal. **2022**, 5, 100114 ○
- 129 Direction dependent crystalline perfection, Z-scan studies and fabrication of Type-I and Type-II SHG elements using imidazolium L-tartrate crystals for optical modulator applications. **2023**, 172, 111065 ○
- 128 Supramolecular architecture and SHG activity of organic crystals formed between the amidinothiourea and nicotinic acid. **2023**, 1273, 134385 2
- 127 A High-Performance Nonlinear Optical Crystal with a Building Block Containing Expanded π -Delocalization. ○
- 126 K₃C₆N₇O₃·2H₂O: A Multifunctional Nonlinear Optical Cyamelurate Crystal with Colossal π -Conjugated Orbitals. ○
- 125 Molecular structure and third-order non-linear optical properties of two novel tetralone-based chalcone derivatives: Promising materials for optical limiting applications. **2022**, 111091 ○

124	A High-Performance Nonlinear Optical Crystal with a Building Block Containing Expanded Delocalization.	1
123	LiAlSi ₂ : A promising infrared frequency-conversion material with ultrawide band gap and high laser-induced damage threshold.	0
122	Linear and nonlinear optical properties of trigonal borate crystals K ₇ MIn _{2-x} Ybx(B ₅ O ₁₀) ₃ (M = Ca, Sr, Ba; x=0-2) with isolated B ₅ O ₁₀ units. 2022 , 167912	0
121	Achieving Large Second Harmonic Generation Effects via Optimal Planar Alignment of Triangular Units. 2210718	3
120	Defect engineering of second-harmonic generation in nonlinear optical semiconductors. 2022 , 3, 101111	0
119	Exploring Short-Wavelength Phase-Matching Nonlinear Optical Crystals by Employing KBe ₂ BO ₃ F ₂ as the Template.	2
118	Growth, Structure, and Optical Properties of a Nonlinear Optical Niobium Borate Crystal CsNbOB ₂ O ₅ with Distorted NbO ₅ Square Pyramids.	0
117	New Lanthanum coordination complex with high second harmonic generation: Growth, Crystal Structure and physicochemical Characterization. 2022 , 122560	0
116	AIB ₃ IIC ₃ IIIQ ₈ VI: A New Family for the Design of Infrared Nonlinear Optical Materials by Coupling Octahedra and Tetrahedra Units.	3
115	Aln ₃ Si ₄ P ₉ (A = Ca, Sr): Quaternary Phosphides with Double-Helix Structures Exhibiting High Laser-Induced Damage Thresholds.	0
114	Rb ₂ CdSi ₄ S ₁₀ : novel [Si ₄ S ₁₀] T ₂ -supertetrahedra-contained infrared nonlinear optical material with large band gap.	0
113	New lead-iodide formates with a strong second-harmonic generation response and suitable birefringence obtained by the substitution strategy. 2022 , 14, 136-142	0
112	Na ₂ (C ₄ O ₄)(H ₃ BO ₃)(H ₂ O) ₄ ·H ₃ BO ₃ : the first borate-squarate with strong SHG response obtained by superior synergy. 2022 , 59, 219-222	2
111	Cd(NH ₂ SO ₃) ₂ ·xH ₂ O (x = 0, 2): new sulfamates with a unique coordination environment and reversible phase transitions.	0
110	LiRE(SO ₄) ₂ (RE = Y, Gd, Eu): noncentrosymmetric chiral rare-earth sulfates with very large band gaps. 2022 , 7, 65-71	0
109	Characteristics of structure, thermal stability and optical properties for a novel NLO crystal (C ₅ H ₁₂ NO)H ₂ PO ₄ . 2023 , 135, 113225	0
108	Sn(II)-Doped One-Dimensional Hybrid Metal Halide [C ₅ H ₁₄ NO]CdCl ₃ Single Crystals With Broadband Greenish-Yellow Light Emission.	1
107	EP ₄ S ₃ I ₂ : A New Metal-free Infrared Second-order Nonlinear Optical Crystal Designed by Polymorphism Strategy.	0

106	Crystal growth, Hirshfeld surface, quantum chemical calculations, optical, photoluminescence and thermal analyses of sodium D-isoascorbate monohydrate single crystal. 2023 , 1275, 134637	0
105	Studies on mechanical, dielectric and SHG efficiencies of undoped and Neodymium doped KDP crystals. 2022 ,	0
104	Isostructural Crystals of Bis(Guanidinium) Trioxofluoro-Phosphate/Phosphite in the Ratio 1/0, 0.716/0.284, 0.501/0.499, 0.268/0.732, 0/1 Crystal Structures, Vibrational Spectra and Second Harmonic Generation. 2022 , 12, 1694	1
103	Hydrogen-bonded structure and optical nonlinearities in the proton-transfer complex of 8-hydroxy-5-nitroquinoline with Toluenesulfonic acid.	0
102	Homochiral Metallohelicates Based on Zinc(II) and Cadmium(II) Clusters with Excellent Thermostability and Remarkable Second-Harmonic Generation. 2022 , 22, 7331-7338	0
101	AeMg ₆ Ga ₆ S ₁₆ (Ae = Ca, Sr, Ba): The First Double Alkaline-Earth Metal Chalcogenides with Excellent Performances. 2202147	1
100	From Ba ₃ Nb ₂ O ₂ F ₁₂ (H ₂ O) ₂ to Ba _{0.5} NbO ₂ F ₂ (H ₂ O): Achieving Balanced Nonlinear Optical Performance by O/F Ratio Regulation. 2022 , 61, 20709-20715	0
99	Enhanced Second-Harmonic-Generation Response in a KH ₂ PO ₄ -Type Calcium Nitrate Carboxylate with Unusual Three-Dimensional Inorganic and Organic Connections. 2022 , 61, 20243-20247	0
98	Rb ₃ B ₁₁ P ₂ O ₂₃ : Materials Design of a New Chemically Benign Deep-Ultraviolet Nonlinear Optical Material. 155-161	0
97	Dichlorinated Organic-Salt Terahertz Sources for THz Spectroscopy. 2202027	0
96	The Antiperovskite-Type Oxychalcogenides Ae ₃ Q[GeOQ ₃] (Ae = Ba, Sr; Q = S, Se) with Large Second Harmonic Generation Responses and Wide Band Gaps. 2204755	0
95	Na ₂ Ba[Na ₂ Sn ₂ S ₇]: Structural Tolerance Factor-guided NLO Performance Improvement.	0
94	KRE ₂ Se ₆ (RE = Sm, Gd, Tb): The First Rare-Earth Selenophosphates with Remarkable Nonlinear Optical Activities Realized by Synergistic Effect of RE- and P-Based Motifs. 2206910	0
93	Multifunctional Cu ₂ TSi ₄ (T = Mn and Fe): Polar Semiconducting Antiferromagnets with Nonlinear Optical Properties.	1
92	Ba ₅ Ga ₂ Si ₄ O ₄ S ₆ : a Phase-Matching Nonlinear Optical Oxychalcogenide Design via Structural Regulation Originated from Heteroanion Introduction.	2
91	Organometallic l-alanine cadmium iodide crystals for optical device fabrication. 2022 , 20, 100178	0
90	Pr ₃ Mo ₄ B ₆ O ₂₄ (OH) ₃ : High-Pressure/High-Temperature Synthesis of an Acentric Rare Earth Molybdenum Borate.	0
89	Trade-Off for Better Balanced Nonlinear Optical Performance with Disordered Si in ZnGeP ₂ . 2022 , 34, 11007-11013	0

- 88 LiNaB₆O₉F₂: A Promising UV NLO Crystal Having Fluorine-Directed Optimal Performances and Double Interpenetrating 3 [B₆O₉F₂] Networks. 2202195 1
- 87 Na₂Ba[Na₂Sn₂S₇]: Structural Tolerance Factor-guided NLO Performance Improvement. 0
- 86 Enrich the blue luminescent property of 2,3,5,6 tetramethyl pyrazine with 5-chloro salicylic acid CO-crystal. 1-17 0
- 85 K₂CdGe₃S₈: A New Infrared Nonlinear Optical Sulfide. **2023**, 15, 236 0
- 84 Hydrogen-bonded structure and optical nonlinearities in the proton-transfer complex of 8-hydroxy-5-nitroquinoline with Toluenesulfonic acid. 0
- 83 A cation-driven approach toward deep-ultraviolet nonlinear optical materials. 0
- 82 KNO₃·3H₂SeO₃ and NaHSeO₃·3H₂SeO₃: Two non-centrosymmetric co-crystals. **2023**, 107116 0
- 81 Intense d-p Hybridization in Nb₃O₁₅ Tripolymer Induced the Largest Second Harmonic Generation Response and Birefringence in Germanates. 0
- 80 Deep Eutectic Solvents Synthesis of A₂Sb(C₂O₄)Cl₃ (A = NH₄, K, Rb) with Superior Optical Performance. 2202874 0
- 79 Nonlinear Optical Glass-Ceramic From a New Polar Phase-Transition Organic-Inorganic Hybrid Crystal. 0
- 78 Optical and terahertz characterisation of efficient NLO single crystal: (E)-2-(4-(dimethyl amine) styryl)-1,1,3-trimethyl-1H-benzo[e]indol-3-ium iodide (P-BI). **2023**, 97, 0
- 77 Intense d-p Hybridization in Nb₃O₁₅ Tripolymer Induced the Largest Second Harmonic Generation Response and Birefringence in Germanates. 0
- 76 Expanding gaufreyite family to Sr₂MBi(REEO)₃(BO₃)₄ (M = Ca, Sr, Ba; REE = Y, Eu) borates with large second harmonic generation responses. **2023**, 0
- 75 Polar Phosphorus Chalcogenide Cage Molecules: Enhancement of Nonlinear Optical Properties in Adducts. 0
- 74 Oxalic acid incorporated acetamide single crystal growth dynamics, characterization, NLO and antimicrobial activities via shock wave treatment. **2023**, 5, 100790 0
- 73 From AgTeO₂F, Ag₂(TeO₂F₂) to Ag₃F₃(TeF₆)(TeO₂)₁₂: First Silver Tellurite Oxyfluorides with Linear and Nonlinear Optical Property. 0
- 72 K₅Eu(MoO₄)₄ red phosphor for solid state lighting applications, prepared by different techniques. 0
- 71 Revisiting two thiophosphate compounds constituting d⁰ transition metal: HfP₂S₆ and d¹⁰ transition metal: Ag₄P₂S₆ as multifunctional materials for combining second harmonic. 0

- 70 Polar Phosphorus Chalcogenide Cage Molecules: Enhancement of Nonlinear Optical Properties in Adducts. ○
- 69 Toward Large Second-Harmonic Generation and Deep-UV Transparency in Strongly Electropositive Transition Metal Sulfates. ○
- 68 Synthesis and characterization of NLO polymers: An overview. **2023**, ○
- 67 New Modification of Polar Nonlinear Optical Iodate Fluoride $\text{PbF}(\text{IO}_3)$, the Family $\text{MX}(\text{IO}_3)$, $\text{M} = \text{Bi}, \text{Ba}, \text{Pb}$, $\text{X} = \text{O}, \text{F}, (\text{OH})$ Related to Aurivillius Phases and Similar Iodates. **2023**, 15, 100 ○
- 66 d_6 versus d_{10} , Which Is Better for Second Harmonic Generation Susceptibility? A Case Study of $\text{K}_2\text{TGe}_3\text{Ch}_8$ ($\text{T} = \text{Fe}, \text{Cd}$; $\text{Ch} = \text{S}, \text{Se}$). **2023**, 62, 574-582 ○
- 65 $\text{Ba}_3.5\text{Cu}_7.55\text{In}_{1.15}\text{Se}_9$: A Wide-Bandgap Copper Indium Selenide Reveals Strong Luminescence and Third-Harmonic Generation. **2023**, 62, 1570-1579 ○
- 64 $\text{C}(\text{NH}_2)_3(\text{IO}_8)(\text{HIO}_8)(\text{H}_2\text{IO}_6)(\text{HIO}_3)_4 \cdot 2\text{H}_2\text{O}$: An Unprecedented Asymmetric Guanidinium Polyiodate with a Strong Second-Harmonic-Generation Response and a Wide Band Gap. **2023**, 62, 1323-1327 ○
- 63 Phase Competition and Strong SHG Responses of the $\text{Li}_2\text{MIMIVSe}_4$ Family: Atom Response Theory Predictions versus Experimental Results. ○
- 62 Resolving old problems with layered polytungstates related to hexagonal tungsten bronze: phase formation, structures, crystal chemistry and some properties. ○
- 61 Investigations on the synthesis and growth and structural, spectral, optical, mechanical and thermal properties of non-linear optical single crystals of Bis-L-Seriniumoxalate Dihydrate (BLSOD). **2023**, 19, 43-52 ○
- 60 The Kurtz-Berry Powder Technique Revisited: A Study of the Effect of Reference Selection on Powder Second-Harmonic Generation Response. **2023**, 28, 1116 ○
- 59 Two Acentric Aluminoborates Incorporated d_{10} Cations: Syntheses, Structures, and Nonlinear Optical Properties. **2023**, 62, 1264-1271 ○
- 58 Protonation of Imino Moiety in Aminoguanidine by Heterolytic O-H Bond Cleavage on Phthalic Acid: Theoretical, Experimental and DNA Binding Studies. **2023**, 35, 406-416 ○
- 57 Crystal growth and properties of pure L-alanine and boric acid doped L-alanine nonlinear optical single crystals for frequency conversion. **2023**, 34, ○
- 56 Evaluating refractive index and birefringence of nonlinear optical crystals: classical methods and new developments. **2023**, 100017 ○
- 55 Second Harmonic Generation in the Polar $\text{A}^+\text{SmNb}_2\text{O}_7$ ($\text{A}^+ = \text{Rb}, \text{Cs}$) Dion-Jacobson Layered Perovskites. ○
- 54 Polar Bismuth Selenite Iodate Oxide BiSeIO_6 with Three Types of Lone Pair Cations in One Structure. ○
- 53 Crystal growth, optoelectronic and biological properties of acetamidinium compounds: experimental and computational approaches. **2023**, 34, ○

- 52 Synthesis and characterization of a new isoxazolone-based nonlinear optical crystal: MPMOI. ○
- 51 Structure and Characterization of $K_2Na_3B_2P_3O_{13}$, a New Nonlinear Optical Borophosphate with One-Dimensional Chain Structure and Short Ultraviolet Cutoff Edge. **2023**, 62, 2480-2488 ○
- 50 Low temperature molten salt synthesis of noncentrosymmetric $(NH_4)_3SbF_3(NO_3)_3$ and centrosymmetric $(NH_4)_3SbF_4(NO_3)_2$. **2023**, 10, 2107-2114 ○
- 49 Constructing ultraviolet nonlinear optical crystals with large second harmonic generation and short absorption edges by using polar tetrahedral S_2O_3 groups. ○
- 48 Tuning the 1D-2D dimensionality upon ligand exchange in silver thiolate coordination polymers with photoemission switch. ○
- 47 $AIO_3 \cdot H_6TeO_6$ (A = NH_4^+ , Rb^+): Two telluric acid and iodate Co-crystalline compounds with second harmonic generation response. **2023**, 42, 100025 ○
- 46 $Li_3B_8O_{13}X$ (X = Cl and Br): Two New Noncentrosymmetric Crystals with Large Birefringence Induced by BO_3 Units. **2023**, 62, 3609-3615 ○
- 45 Elucidating the structure-nonlinear optical property relationship of $Te_2O_4(OH)_2$. **2023**, 34, 101075 ○
- 44 $K_2(H_2O)WO_3F_2$: A new nonlinear optical material with remarkable second-harmonic generation response and enhanced laser damage threshold. **2023**, 945, 169288 ○
- 43 Investigation on the growth, characterization and computational analysis of 2-Amino-2-thiazoline single crystals. **2023**, 6, 100187 ○
- 42 Design, synthesis and characterization of organic second-order nonlinear optical crystal materials DOBS. **2023**, 1282, 135237 ○
- 41 Nonlinear optical crystals $KPb_3(3-C_5H_4NCOO)_2Br_5$ and $KPb_3(3-C_5H_4NCOO)_2Cl_3Br_2$ with new Pb-centered nitrogen-halide polyhedrons obtained by the halide anionic substitution. **2023**, 951, 169945 ○
- 40 Synthesis, physico-chemical characterization and quantum chemical studies of 2, 3-dimethyl quinoxalinium-5-sulphosalicylate crystal. **2023**, 1285, 135425 ○
- 39 The induced polarization enhanced birefringence in ALPS4 family: A first-principles investigation. **2023**, 822, 140496 ○
- 38 Dual fluorescence and RTP features of carbazole-cyclic triimidazole derivatives: The fluorophores connectivity does matter. **2023**, 215, 111274 ○
- 37 $LnLiSi_4$ (Ln = La and Ce): Promising infrared nonlinear optical materials designed by aliovalent substitution from $SrCdSi_4$. **2023**, 31, 100987 ○
- 36 Deep-ultraviolet nonlinear-optical crystal $BaN_2[PO_3(OH)]_2$ with large birefringence and strong second-harmonic-generation response. **2023**, 42, 100015 ○
- 35 Influence of succinic acid species on structural, spectroscopic, optical, Z-scan, frequency doubling, photoconductivity and antibacterial properties of glycine single crystals. **2023**, 18, 55-68 ○

- 34 Covalent Organic Frameworks as Emerging Nonlinear Optical Materials. **2023**, 135, ○
- 33 Covalent Organic Frameworks as Emerging Nonlinear Optical Materials. **2023**, 62, ○
- 32 Synthesis and optical characterizations of l-phenylalanine lithium sulphate (LPLS) semi-organic single crystal. **2023**, 34, ○
- 31 A Rare-Earth Selenite with Unexpectedly Well-Balanced Ultraviolet Nonlinear Optical Functionality, Sc(HSeO₃)₃. 2207709 ○
- 30 Controlling the Nonlinear Optical Behavior and Structural Transformation with A-Site Cation in A^+ZnPO_4 (A⁺=Li, K). 2206991 ○
- 29 Rational Design of a Rare-Earth Oxychalcogenide Nd₃[Ga₃O₃S₃][Ge₂O₇] with Superior Infrared Nonlinear Optical Performance. 2300248 1
- 28 Second harmonic in reflection in material science of ferroelectrics. **1994**, ○
- 27 The Linear and Nonlinear Optical Properties of the Organic Material (+)-2-(β -methylbenzylamino)-5-nitropyridine (MBA-NP). **1992**, ○
- 26 Melilite oxychalcogenide Sr₂FeGe₂O₅S₆: a phase-matching IR nonlinear optical material realized by isomorphous substitution. **2023**, 10, 2030-2038 ○
- 25 A non-centrosymmetric chalcogenide synthesized through the combination of chemical tailoring with aliovalent substitution. **2023**, 59, 3309-3312 ○
- 24 A new polar alkaline earth rare earth iodate: Ba₂Ce(IO₃)₈(H₂O). **2023**, 52, 4423-4428 ○
- 23 Alignment of β -shaped Basic Building Units to Construct One New KMoO₃(IO₃) Polar Polymorph. **2023**, 62, 3896-3903 ○
- 22 [K₂PbX][Ga₇S₁₂] (X=Cl, Br, I): The First Lead-Containing Cationic Moieties with Ultrahigh Second-Harmonic Generation and Band Gaps Exceeding the Criterion of 2.33 eV. 2207630 ○
- 21 Structure and optical property evolution in PbM(PO₄)X (M = Zn, Sn; X = halogen): SHG effect and birefringence. **2023**, 10, 2268-2275 ○
- 20 Microporous framework polar silicate-germanates with a wide isomorphous substitution: (K_{2.9}Cs_{0.1})(Sc_{0.7}In_{0.3})[(Si_{2.95}Ge_{0.05})O₉] \cdot nH₂O and (K_{2.16}Cs_{0.84})Bi[(Si_{1.5}Ge_{1.5})O₉] \cdot nH₂O. **2023**, ○
- 19 [C(NH₂)₂NHNO₂][C(NH₂)₃](NO₃)₂: A Mixed Organic Cationic Hybrid Nitrate with an Unprecedented Nonlinear-Optical-Active Unit. **2023**, 62, 4757-4761 ○
- 18 Open honeycomb frameworks of sulphides AHg₄Ga₅S₁₂ (A = Rb, Cs) exhibiting infrared nonlinear optical properties. **2023**, 52, 4873-4879 ○
- 17 Tetrahedron-based deep-ultraviolet nonlinear optical crystal with optimized KBe₂BO₃F₂-like structure and disordered cations. ○

