A Physical and Chemical Study of Sea Nettle Nematocys Division of Dermatology and Department of Medicine, I Medicine, Baltimore, Maryland, The Natural Resources Maryland, Solomons, Maryland, and the Department of University School of Medicine, Baltimore, Maryland.

Journal of Investigative Dermatology 51, 330-336

DOI: 10.1038/jid.1968.137

Citation Report

#	Article	IF	CITATIONS
1	The fine structural organization of the sea nettle fishing tentacle. The Journal of Experimental Zoology, 1969, 172, 335-348.	1.4	15
2	A light and electron microscopic study of nernatocytes of Chrysaora quinquecirrha. Journal of Ultrastructure Research, 1969, 28, 214-234.	1.1	21
3	OBSERVATIONS ON THREE SPECIES OF JELLYFISHES FROM CHESAPEAKE BAY WITH SPECIAL REFERENCE TO THEIR TOXINS. I. CHRYSAORA (DACTYLOMETRA) QUINQUECIRRHA. Biological Bulletin, 1970, 139, 180-187.	1.8	18
4	The amino acid content of sea nettle (Chrysaora quinquecirrha) nematocysts. Comparative Biochemistry and Physiology, 1970, 33, 707-710.	1.1	9
5	Effect of Chrysaora quinquecirrha (sea nettle) toxin on rat nerve and muscle. Toxicon, 1970, 8, 179-180.	1.6	24
6	Some immunological aspects of sea nettle toxins. Toxicon, 1971, 9, 271-277.	1.6	25
7	OBSERVATIONS ON THREE SPECIES OF JELLYFISHES FROM CHESAPEAKE BAY WITH SPECIAL REFERENCE TO THEIR TOXINS. II. CYANEA CAPILLATA. Biological Bulletin, 1972, 143, 617-622.	1.8	19
8	Preliminary studies of nematocysts from the jellyfish Stomolophus meleagris. Toxicon, 1972, 10, 605-610.	1.6	29
9	A toxic protein from the nematocysts of the scyphozoan medusa, Chrysaora quinquecirrha. Toxicon, 1972, 10, 103-109.	1.6	23
10	Purification of sea nettle nematocyst toxins by gel diffusion. Toxicon, 1973, 11, 243-247.	1.6	32
11	Partial purification of a toxin from tentacles of the sea anemone Anemonia sulcata. Toxicon, 1973, 11, 411-417.	1.6	9
12	Isolation and Partial Purification of Hemolytic Toxin from Sea Anemone, Stoichactis Helianthus. Journal of Pharmaceutical Sciences, 1974, 63, 1478-1480.	3.3	45
13	Nematocysts. , 1974, , 129-178.		224
14	The chemistry and toxicology of some venomous pelagic coelenterates. Toxicon, 1977, 15, 177-196.	1.6	125
15	Cytotoxicity and dermonecrosis of sea nettle (Chrysaora quinquecirrha) venom. Toxicon, 1980, 18, 55-63.	1.6	18
16	The utilization of the bradykinin radioimmunoassay for the study of a kinin-like factor in jellyfish toxin. Comparative Biochemistry and Physiology Part C: Comparative Pharmacology, 1980, 66, 163-168.	0.2	O
17	Sea nettle (Chrysaora quinquecirrha) toxin on electrogenic and chemosensitive properties of nerve and muscle. Toxicon, 1981, 19, 361-371.	1.6	16
18	A comparison of the kinin-like factor in the sea nettle fishing and mesenteric tentacles. Comparative Biochemistry and Physiology Part C: Comparative Pharmacology, 1981, 68, 235-238.	0.2	3

#	Article	IF	Citations
19	Enzyme-linked immunosorbent assay to detect anti-sea nettle venom antibodies. Experientia, 1981, 37, 1005-1007.	1.2	25
20	and Physiology Part C: Comparative Pharmacology, 1983, 74, 225-228.	0.2	2
21	Marine Toxins and Venomous and Poisonous Marine Plants and Animals (Invertebrates). Advances in Marine Biology, 1984, 21, 59-217.	1.4	25
22	The effect of verapamil on the cardiotoxic activity of Portuguese man-o'war (Physalia physalis) and sea nettle (Chrysaora quinquecirrha) venoms. Toxicon, 1985, 23, 681-689.	1.6	33
23	Effect of sea nettle (Chrysaora quinquecirrha) venom on isolated rat aorta. Toxicon, 1988, 26, 1209-1212.	1.6	14
24	Forecasting the Abundance of the Sea Nettle, Chrysaora quinquecirrha, in the Chesapeake Bay. Estuaries and Coasts, 1990, 13, 486.	1.7	63
25	Characteristics of hyaluronidase and hemolytic activity in fishing tentacle nematocyst venom of Chrysaora quinquecirrha. Toxicon, 1994, 32, 165-174.	1.6	27
26	Sea nettle (Chrysaora quinquecirrha) lethal factor: Purification by recycling on m-aminophenyl boronic acid acrylic beads. Toxicon, 1994, 32, 467-478.	1.6	10
27	Chrysaora achlyos, a Remarkable New Species of Scyphozoan from the Eastern Pacific. Biological Bulletin, 1997, 193, 8-13.	1.8	12
28	Autonomic neurotoxicity of jellyfish and marine animal venoms. Clinical Autonomic Research, 1998, 8, 125-130.	2.5	49
29	Two new actions of sea nettle (Chrysaora quinquecirrha) nematocyst venom: studies on the mechanism of actions on complement activation and on the central nervous system. Toxicon, 2004, 44, 895-899.	1.6	18
30	Lack of Efficacy of a Combination Sunblock and "Jellyfish Sting Inhibitor―Topical Preparation against Physalia Sting. Dermatitis, 2005, 16, 151.	1.6	6
31	Evaluation of the effects of various chemicals on discharge of and pain caused by jellyfish nematocysts. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2010, 151, 426-430.	2.6	63
32	Evidence-Based Treatment of Jellyfish Stings in North America and Hawaii. Annals of Emergency Medicine, 2012, 60, 399-414.	0.6	48
33	Nematocyst discharge in Pelagia noctiluca (Cnidaria, Scyphozoa) oral arms can be affected by lidocaine, ethanol, ammonia and acetic acid. Toxicon, 2014, 83, 52-58.	1.6	36
34	Envenomation by Cnidarians and Renal Injuries. , 2016, , 623-635.		3
35	ON THE PREPARATION AND PROPERTIES OF ISOLATED CNIDOCYTES AND CNIDAE1., 1988, , 273-293.		6
36	Some Chemical and Pharmacological Studies on Two Venomous Jellyfish. , 1976, , 337-350.		3