CITATION REPORT List of articles citing



DOI: 10.1016/s0022-5223(19)42744-x Journal of Thoracic and Cardiovascular Surgery, 1969, 57, 225-229.

Source: https://exaly.com/paper-pdf/9720743/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|------|---|-----|-----------|
| 1150 | References / Subject Index. 1990 , 156-188 | | |
| 1149 | Reversal of acute clinical and experimental organ rejection using large doses of intravenous prednisolone. 1971 , 1, 876-80 | | 90 |
| 1148 | Immunological and histological studies of ectopic heart transplants in the rat. 1971 , 105, 49-56 | | 7 |
| 1147 | Size changes of auxiliary adult heart grafts in rats. 1973 , 58, 355-63 | | 6 |
| 1146 | What abrogates heart transplant rejection in immunological enhancement?. 1974 , 247, 294-6 | | 66 |
| 1145 | Heterotopic heart transplant in the cat. An experimental model for the study of the development of sympathetic denervation and of allograft rejection. 1974 , 283, 389-407 | | 5 |
| 1144 | Hyperacute rejection of guinea-pig to rat cardiac xenografts. I. Morphology. 1975 , 115, 183-9 | | 20 |
| 1143 | Accumulation of 131I hippurate in rat heart allografts during rejection. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1975 , 69, 402-406 | 1.5 | 2 |
| 1142 | Active enhancement of heart transplants in the inbred rat with donor strain blood. 1975 , 7, 242-8 | | |
| 1141 | Hamster-to-rat cardiac xenografts. A useful model for transplantation studies. 1975 , 19, 99-106 | | 17 |
| 1140 | Host response to cardiac allografts in rats. Effect of thymectomy, irradiation, T cell depletion, or AgB compatibility. 1976 , 21, 255-63 | | 2 |
| 1139 | The accumulation of gallium-67-labeled leukocytes in rat cardiac allografts. 1976 , 21, 333-4 | | 1 |
| 1138 | Morphological changes in indefinitely surviving enhanced ectopic rat cardiac allografts. 1976 , 119, 29-3 | 4 | 2 |
| 1137 | Myocardial lipid metabolism in cardiac hyper- and hypo-function. Studies on triiodothyronine-treated and transplanted rat hearts. 1977 , 55, 1311-9 | | 11 |
| 1136 | Magnitude of memory to the major histocompatibility complex. 1977 , 268, 532-4 | | 11 |
| 1135 | Strong and weak immune responses across the same major histocompatibility barrier in rats. 1978 , 7, 63-71 | | |
| 1134 | [Xenogenic transplantation of aortic segments. Korrelated serological and histological investigations of the rejection mechanism]. 1978 , 172, 45-61 | | |

| 1133 | Prolongation of Heterotopic Rat Heart Allograft Survival by ‘Methotrexate-Folinic Acid Rescue. 1979 , 11, 331-336 | 3 |
|--------------------------------------|---|-------------|
| 1132 | Immunosuppression for organ grafting observations on cyclosporin A. 1979 , 46, 113-24 | 74 |
| 1131 | Sensitivity of rat heart endothelial and myocardial cells to alloimmune lymphocytes and to alloantibody-dependent cellular cytotoxicity. 1979 , 48, 375-82 | 18 |
| 1130 | In situ effector mechanisms in rat kidney allograft rejection. I. Characterization of the host cellular infiltrate in rejecting allograft parenchyma. 1979 , 46, 309-26 | 46 |
| 1129 | Reductive Effect of Phenobarbital on Graft Survival in Prednisolone-Treated Rats. 1979 , 11, 317-324 | 6 |
| 1128 | Effect of Selective Lymphoid Ablation on Rat Cardiac Allograft Survival. 1979 , 11, 325-330 | 1 |
| 1127 | Prolongation of rat cardiac allograft survival by donor pretreatment. Impact of dose and timing of drug administration. 1979 , 13, 83-6 | 2 |
| 1126 | A technical modification of heart-lung transplantation in rats. 1980 , 1, 377-80 | 16 |
| 1125 | Heart and spleen twin grafts in rats. 1980 , 1, 381-6 | 7 |
| | | |
| 1124 | Suppression of rejection of organ allografts by alloantibody. 1980 , 49, 93-125 | 40 |
| 1124 | Suppression of rejection of organ allografts by alloantibody. 1980 , 49, 93-125 Endpoint detection of heterotopic grafted rat hearts using an implanted transmitter. 1981 , 31, 82-6 | 40 1 |
| 1123 | | |
| 1123 | Endpoint detection of heterotopic grafted rat hearts using an implanted transmitter. 1981 , 31, 82-6 | 1 |
| 1123 | Endpoint detection of heterotopic grafted rat hearts using an implanted transmitter. 1981 , 31, 82-6 Immunogenicity of allograft components. I. Assay for immunogenicity. 1981 , 57, 85-91 Immunogenicity of allograft components. II. Relative immunogenicity of rat kidney parenchymal | 1 5 |
| 1123 | Endpoint detection of heterotopic grafted rat hearts using an implanted transmitter. 1981 , 31, 82-6 Immunogenicity of allograft components. I. Assay for immunogenicity. 1981 , 57, 85-91 Immunogenicity of allograft components. II. Relative immunogenicity of rat kidney parenchymal versus "passenger" cells. 1981 , 57, 92-8 | 1 5 |
| 1123 1122 1121 1120 | Endpoint detection of heterotopic grafted rat hearts using an implanted transmitter. 1981 , 31, 82-6 Immunogenicity of allograft components. I. Assay for immunogenicity. 1981 , 57, 85-91 Immunogenicity of allograft components. II. Relative immunogenicity of rat kidney parenchymal versus "passenger" cells. 1981 , 57, 92-8 Some contributions of microsurgery to clinical and experimental transplantation. 1981 , 2, 206-13 | 1 5 9 |
| 1123 1122 1121 1120 1119 | Endpoint detection of heterotopic grafted rat hearts using an implanted transmitter. 1981, 31, 82-6 Immunogenicity of allograft components. I. Assay for immunogenicity. 1981, 57, 85-91 Immunogenicity of allograft components. II. Relative immunogenicity of rat kidney parenchymal versus "passenger" cells. 1981, 57, 92-8 Some contributions of microsurgery to clinical and experimental transplantation. 1981, 2, 206-13 Heart and spleen twin grafts in rats. II. Delayed host splenectomy. 1981, 2, 261-8 | 1 5 9 |

| 1115 | Treatment of rat heart allograft recipients with postoperative total lymphoid irradiation (TLI). 1982 , 32, 360-3 | | 4 |
|------|--|-----|----|
| 1114 | Ultrastructural and functional studies on prolonged myocardial preservation in an experimental heart transplant model. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1982 , 84, 122-129 | 1.5 | 22 |
| 1113 | The role of mononuclear phagocytes in cardiac allograft rejection in the rat. I. Ultrastructural and cytochemical features. 1982 , 69, 248-70 | | 20 |
| 1112 | The role of mononuclear phagocytes in cardiac allograft rejection in the rat. II. Characterization of mononuclear phagocytes extracted from rat cardiac allografts. 1982 , 69, 271-80 | | 22 |
| 1111 | The role of mononuclear phagocytes in cardiac allograft rejection in the rat. III. The effect of cells extracted from rat cardiac allografts upon beating heart cell cultures. 1982 , 69, 281-90 | | 18 |
| 1110 | Modified technique of heterotopic heart allotransplantation in the rat. 1982 , 2, 217-222 | | |
| 1109 | Cyclomunine: a potent inhibitor of rat and canine lymphocytes. 1982 , 4, 567-70 | | |
| 1108 | Prolonged survival of experimental heart transplantation induced by theophylline. 1983 , 6, 247-50 | | 6 |
| 1107 | A study of cold cardioplegic myocardial protection in rats: an experimental model using the uptake of technetium 99m pyrophosphate and enzyme activity as parameters of injury. 1983 , 17, 70-4 | | 4 |
| 1106 | Increased Endrenergic receptor density in an experimental model of cardiac transplantation. Journal of Thoracic and Cardiovascular Surgery, 1983, 86, 195-201 | 1.5 | 68 |
| 1105 | Long-term effects of cold cardioplegic myocardial protection in the rat. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1984 , 87, 913-919 | 1.5 | 7 |
| 1104 | Reimplantation response in isografted rat lungs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1984 , 87, 702-711 | 1.5 | 85 |
| 1103 | The immunosuppressive effect of experimentally induced uremia. 1984 , 38, 183-7 | | 5 |
| 1102 | Restoration of allograft responsiveness in B rats. IV. The divergent migratory behavior of lymphocyte populations mediating cardiac allograft rejection. 1984 , 85, 459-76 | | 5 |
| 1101 | The role of the macrophage in cardiac allograft rejection in the rat. 1984 , 77, 143-66 | | 31 |
| 1100 | Radionuclide assessment of myocardial injury in a heterotopic rat heart transplant model. 1984 , 11, 189- | 94 | 3 |
| 1099 | Selective lymphoid irradiation and cyclosporin A in rat heart allografts. 1984 , 36, 428-32 | | 2 |
| 1098 | Donor-specific blood transfusions with stored and fresh blood in a rat heart allograft model. 1984 , 36, 532-4 | | 3 |

| 1097 Progression and resolution of myocardial reflow injury. 1984 , 37, 94-9 | 6 |
|---|-----------------|
| 1096 Role of 201Tl in the management of cardiac transplantation. 1985 , 10, 203-7 | 11 |
| Behavior of helper T lymphocytes in cyclosporine-mediated long-term graft acceptance in the rat. 1095 1985 , 93, 168-77 | 7 |
| 1094 Techniques for perfusion and storage of heterotopic heart transplants in mice. 1985 , 6, 169-74 | 14 |
| T suppressor lymphocytes reverse ongoing acute allograft rejection. 1985 , 14, 270-8 | 3 |
| Quantification of lymphocyte activation by measurement of DNA polymerase alpha activity. 1985 , 84, 165-75 | 2 |
| Specific immunosuppressive therapy by monoclonal anti-IL 2 receptor antibody and its synergistic action with cyclosporin. 1986 , 172, 391-9 | 19 |
| Therapy with monoclonal antibody to interleukin 2 receptor spares suppressor T cells and prevents or reverses acute allograft rejection in rats. 1986 , 83, 2624-7 | 105 |
| 1089 Interactions between liver allografts and lymphocytotoxic alloantibodies in inbred rats. 1986 , 6, 994- | ·8 24 |
| $_{f 1088}$ The technique of heterotopic heart-lung transplantation in the rat. 1986 , 6, 67-70 | 1 |
| 1087 The immunosuppressive effect of streptozotocin-induced diabetes in rats. 1986 , 186, 455-62 | 2 |
| 1086 Myosin content and myosin isoenzyme distribution in the heterotopic rat heart allograft. 1987 , 19, 9 | 17-21 10 |
| 1085 The protective effect of hepatic dysfunction on vascularized allograft survival. 1987 , 42, 447-53 | 4 |
| Pretransplant cytotoxic conditioning produces effects consistent with clonal deletion mechanisms. 1084 1987 , 42, 498-502 | 2 |
| The effect of donor specific transfusions and dietary fatty acids on rat cardiac allograft survival. 1987 , 42, 335-40 | 13 |
| The effects of immunosuppression and anticoagulation on fibrin deposition and swelling in rat cardiac allografts. 1987 , 42, 18-26 | 1 |
| The influence of dose and dose rate of total lymphoid irradiation in the rat cardiac allograft model. 1987 , 9, 311-8 | 13 |
| 1080 Protein synthesis in heterotopically transplanted rat hearts. 1987 , 55, 46-56 | |

| 1079 Experime | ental estimation of chronic microsphere loss from the rat myocardium. 1987, 103, 7-9 | | 2 |
|---|--|------|----|
| 1078 New met | thod for cardiac transplantation. 1987 , 8, 122-4 | | |
| | e immunosuppression with anti-interleukin 2 receptor-targeted therapy: helper and sor cell activity in rat recipients of cardiac allografts. 1987 , 17, 313-9 | | 27 |
| Mobile b 1076 1987 , 25 | lood-derived components in rat renal allograft contain significant immunogenic potential. , 121-5 | | 3 |
| | on OX39, a murine anti-rat interleukin 2 receptor antibody A report on receptor binding cts on allograft survival. <i>Transplant International</i> , 1988 , 1, 58-63 | 3 | 1 |
| | on OX39, a murine anti-rat interleukin 2 receptor antibody. A report on receptor binding cts on allograft survival. <i>Transplant International</i> , 1988 , 1, 58-63 | 3 | 2 |
| | rations in use of microspheres for myocardial blood-flow measurements in long-term ents on rats. 1988 , 20, 143-9 | | 1 |
| 1072 Rifampic | in quinone is an immunosuppressant, but not rifampicin itself. 1988 , 46, 162-6 | | 8 |
| 1071 Hemoglo | obin Solutions in Experimental Cardioplegia. 1989 , 12, 668-672 | | O |
| | immunity in allograft rejection: role of lymphocyte subpopulations and T-cell subsets in rat llograft rejection. 1989 , 124, 28-37 | | 3 |
| 1060 | bution of anti-interleukin 2 receptor monoclonal antibodies correlates with their utic efficacy following transplantation. 1989 , 123, 148-57 | | 10 |
| | control of rat heart allograft rejection: effect of different MHC and non-MHC tibilities. 1989 , 30, 81-8 | | 20 |
| 1067 Effect of 1989 , 30 | prolonged monoclonal antibody administration on cardiac allograft survival in the rat., 333-8 | | 8 |
| | donor specific transfusion (DST) is restricted to the rat combination used and closely with alloantibody in heart transplantation. 1989 , 67 (Pt 5), 297-302 | | 13 |
| 1065 Sulfinpyr | razone prolongs survival and decreases platelet uptake of heart allografts. 1989 , 46, 549-52 | | 1 |
| | ct of anti-interleukin 2 monoclonal antibody treatment on the survival of rat cardiac :. 1989 , 46, 262-6 | | 7 |
| 1063 Uptake o | of perfusion imaging agents by transplanted hearts: an experimental study in rats. 1989 , 46, 18 | 34-6 | 1 |
| Effect of 1 062 1989 , 97 | intravenous administration of corticosteroids on dentin formation in the adult rat molar. , 301-6 | | 2 |

(1991-1990)

| 1061 | Electrophysiological and anatomical findings in heart transplantation: experimental study. 1990 , 13, 845-51 | | 1 |
|------|---|---|----|
| 1060 | The influence of dose interval on the immunosuppressive potency of methylprednisolone: an experimental organ transplant study in isogenous rats. <i>Transplant International</i> , 1990 , 3, 23-25 | 3 | 2 |
| 1059 | Treatment with total lymphoid irradiation, cyclosporin A and a monoclonal anti-T-cell antibody in a hamster-to-rat heart transplantation model: Graft survival and morphological analysis. <i>Transplant International</i> , 1990 , 3, 36-40 | 3 | 26 |
| 1058 | Cordyceps Sinensis-I as an immunosuppressant in heterotopic heart allograft model in rats. 1990 , 10, 100-3 | | 18 |
| 1057 | Heart transplantation model as an immunological monitor. 1990 , 11, 122-6 | | 2 |
| 1056 | Comparative study of mouse heart and heart-lung transplantations. 1990 , 11, 127-32 | | 2 |
| 1055 | IMMUNOSUPPRESSIVE EFFECT OF MISOPROSTOL: A NEW SYNTHETIC PROSTAGLANDIN E1 ANALOGUE. 1990 , 60, 121-124 | | 17 |
| 1054 | Beneficial effect of thalidomide and ciclosporin combination in heterotopic cardiac transplantation in rats. 1990 , 22, 336-9 | | 9 |
| 1053 | Use of a Heterotopic Cardiac Isotransplant for Pharmacological and Toxicological Studies*. 1990 , 18, 541-546 | | 4 |
| 1052 | The consequences of asanguineous versus sanguineous reperfusion after long-term preservation of the heart. 1990 , 4, 273-7 | | 2 |
| 1051 | Dipyridamole and NifedipineâBtudies on Their Protective Effects for Heart Graft Arterial Stenosis. 1990 , 24, 326-334 | | |
| 1050 | Swimming causes myosin adaptations in the rat cardiac isograft. 1990 , 67, 780-3 | | 17 |
| 1049 | Prostaglandin E2 inhibits in vitro and in vivo lymphocyte responses in allogeneic transplantation. 1990 , 49, 927-30; discussion 931 | | 5 |
| 1048 | Kupffer cell blockade prevents induction of portal venous tolerance in rat cardiac allograft transplantation. 1990 , 48, 393-6 | | 67 |
| 1047 | RO 23-6457 prolongs survival of vascularized allografts in rodents and primates. 1990 , 48, 304-7 | | 3 |
| 1046 | Anti-tumor necrosis factor antibody enhances allograft survival in rats. 1990 , 48, 345-8 | | 24 |
| 1045 | Behavioral conditioning prolongs heart allograft survival in rats. 1991 , 5, 349-56 | | 41 |
| 1044 | Monoclonal anti-tumor necrosis factor-alpha antibody treatment of rat cardiac allografts: synergism with low-dose cyclosporine and immunohistological studies. 1991 , 50, 520-8 | | 14 |

| 1043 | Sensitized B lymphocytes contribute to acute allograft rejection. 1991 , 51, 204-9 | 2 |
|------|--|----|
| 1042 | The effect of soluble complement receptor type 1 on hyperacute allograft rejection. 1991 , 50, 350-5 | 61 |
| 1041 | The mechanism of heart failure caused by cardiac allograft rejection. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1991 , 101, 446-449 | 16 |
| 1040 | Direct effect of increased hemodynamic load on cardiac mass. 1991 , 68, 1174-8 | 25 |
| 1039 | The immunosuppressive effect of hepatocytes in ratsassessment by heart allograft survival and delayed-type-hypersensitivity reactions. 1991 , 21, 63-8 | |
| 1038 | The effect of intrathymic injection of donor blood on the graft versus host reaction and cardiac allograft survival in the rat. 1991 , 69 (Pt 3), 185-9 | 1 |
| 1037 | Cell-mediated cytotoxicity in acute rat cardiac allograft rejection: an immunological and ultrastructural study. 1991 , 418, 41-50 | 4 |
| 1036 | Indium-111 myosin-specific antibodies and technetium-99m pyrophosphate in the detection of acute cardiac rejection of transplanted hearts: studies in a heterotopic rat heart model. 1991 , 18, 461-6 | 3 |
| 1035 | Early detection of rejection and assessment of cyclosporine therapy by 111In antimyosin imaging in mouse heart allografts. 1991 , 84, 1246-55 | 28 |
| 1034 | Improved xenograft survival with continuous infusion deoxyspergualin and RATG. 1991 , 4, 59-67 | 6 |
| 1033 | Heterotopic cardiac transplantation decreases the capacity for rat myocardial protein synthesis. 1991 , 68, 1100-7 | 36 |
| 1032 | Prolonged simple cryothermic immersion storage of rat heart isografts: a preliminary study. 1991 , 4, 171-4 | |
| 1031 | Increased heart rate prevents the isomyosin shift after cardiac transplantation in the rat. 1992 , 70, 554-8 | 12 |
| 1030 | Noninvasive detection of heart transplant rejection with positron emission scintigraphy. 1992 , 53, 572-7 | 15 |
| 1029 | The rabbit: An underestimated model for the study of chronic allograft rejection. 1992 , 6, 231-241 | 2 |
| 1028 | PUVA augments cyclosporine A-mediated rat cardiac allograft survival. 1992 , 52, 565-70 | 1 |
| 1027 | Effects of pre- and postengraftment donor-specific transfusions and cyclosporine on the enhancement of experimental allograft survival. 1992 , 52, 663-7 | 3 |
| 1026 | Molecular mechanism of contractile dysfunction in cardiac allograft rejection. 1992 , 52, 472-5 | 3 |

| 1025 | Cellular mechanisms: Induction of heart allograft survival in rats by 15-deoxyspergualin. <i>Transplant International</i> , 1992 , 5, S497-S500 | 3 | |
|------|---|-----|----|
| 1024 | New immunosuppression with monoclonal antibody to intracellular adhesion molecule 1 (ICAM-1) in rat organ transplantation. <i>Transplant International</i> , 1992 , 5, S521-S523 | 3 | 1 |
| 1023 | Prolongation of heart allograft survival in rats by interferon-specific antibodies and low dose cyclosporin A. <i>Transplant International</i> , 1992 , 5, S460-S461 | 3 | 6 |
| 1022 | Low-dose combination therapy of DUP-785 and RS-61443 prolongs cardiac allograft survival in rats. <i>Transplant International</i> , 1992 , 5, S482-S483 | 3 | O |
| 1021 | Control of humoral and cellular immunity-mediated accelerated heart allograft rejection in sensitized rats by low dose FK 506 and splenectomy. <i>Transplant International</i> , 1992 , 5, S501-S503 | 3 | |
| 1020 | Prevention of cardiac allograft rejection by FK506 and rapamycin: assessment by histology and nuclear magnetic resonance. <i>Transplant International</i> , 1992 , 5, S561-S563 | 3 | 2 |
| 1019 | Improved recovery of heart transplants by combined use of oxygen-derived free radical scavengers and energy enhancement. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1992 , 104, 830-837 | 1.5 | 15 |
| 1018 | Changes in myocardial Endrenergic receptors during acute rejection of heterotopically transplanted rat hearts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1992 , 104, 1567-1571 | 1.5 | 5 |
| 1017 | Exogenous adenosine accelerates recovery of cardiac function and improves coronary flow after long-term hypothermic storage and transplantation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1992 , 104, 151-158 | 1.5 | 19 |
| 1016 | Effect of sodium aspartate on the recovery of the rat heart from long-term hypothermic storage. Journal of Thoracic and Cardiovascular Surgery, 1992 , 103, 521-531 | 1.5 | 12 |
| 1015 | In vivo and in vitro mechanisms of cardiac allograft acceptance in the rat after short treatment with 15-deoxyspergualin. <i>Transplant International</i> , 1992 , 5, 139-44 | 3 | 4 |
| 1014 | Immunologically induced coronary artery stenosis in allografts after heart and heart-lung transplantation in rats. 1992 , 22, 191-5 | | 3 |
| 1013 | The histology at various stages of acute rejection in concordant xenogeneic heart transplantation. A sequential study in rodents. 1992 , 100, 249-55 | | 6 |
| 1012 | In vivo and in vitro mechanisms of cardiac allograft acceptance in the rat after short treatment with 15-deoxyspergualin. <i>Transplant International</i> , 1992 , 5, 139-144 | 3 | 4 |
| 1011 | Preformed lymphocytotoxic antibodies: the effects of class, titer and specificity on liver vs. heart allografts. 1992 , 16, 1415-22 | | 28 |
| 1010 | CD4+ T cell-mediated rejection of major histocompatibility complex class I-disparate grafts: a role for alloantibody. 1993 , 23, 2078-84 | | 56 |
| 1009 | A novel immunosuppressant, IR-1116, which has a different biological mechanism from that of cyclosporine A. 1993 , 23, 2121-8 | | 5 |
| 1008 | New immunosuppressants: testing and development in animal models and the clinic: with special reference to DSG. 1993 , 136, 99-109 | | 13 |

| 1007 | Evidence for a primarily humoral rejection mechanism in concordant xenogeneic heart transplantation. A sequential immunohistological study in a hamster-to-rat model. 1993 , 101, 587-94 | | 13 |
|------|---|-----|----|
| 1006 | Longer transplanted heart allograft survival in rats without immunosuppressants after intrathymic myocardial cell inoculation in the neonatal period. 1993 , 8, 67-70 | | 1 |
| 1005 | Reversal of cardiac allograft rejection without immunotherapy: an animal model. 1993, 56, 1335-8 | | 4 |
| 1004 | Noninvasive detection of acute rejection in a new experimental model of heart transplantation. 1993 , 56, 1074-7 | | 13 |
| 1003 | Immunogenicity of rat hepatocytes in vivo: effect of cholestasis-induced changes in major histocompatibility complex expression. 1993 , 18, 335-41 | | 7 |
| 1002 | The effect of interferon-gamma on rejection and neutrophil function following transplantation. 1993 , 13, 359-62 | | 4 |
| 1001 | Long-term in vivo effects of rapamycin on humoral and cellular immune responses in the rat. 1993 , 188, 303-15 | | 25 |
| 1000 | Chronic transplant rejection: Magnitude of the problem and pathogenetic mechanisms. 1993 , 7, 96-113 | 3 | 39 |
| 999 | Induction of donor-specific transplantation tolerance to skin and cardiac allografts using mixed chimerism in (A + B>A) in rats. 1993 , 2, 345-53 | | 16 |
| 998 | Experiments in cardiac xenotransplantation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1993 , 106, 632-635 | 1.5 | 9 |
| 997 | Cardioplegic effect of University of Wisconsin solution on hypothermic ischemia of rat myocardium assessed by mitochondrial oxidative phosphorylation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1993 , 106, 502-510 | 1.5 | 11 |
| 996 | Histocompatibility differences and cardiac transplant tolerance produced by intrathymic pretreatment. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 107, 1472-1475 | 1.5 | 6 |
| 995 | A symptomatic thymic cyst in the middle mediastinum. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 107, 1169-1171 | 1.5 | 8 |
| 994 | Diastolic function in the heterotopic rat heart transplant model. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 108, 928-937 | 1.5 | 17 |
| 993 | Modification of HeronIs technique for heterotopic cardiac transplantation in rats. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 107, 1168-1169 | 1.5 | 2 |
| 992 | Working heart model of heterotopic heart-lung transplantation in rats. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 107, 210-215 | 1.5 | 15 |
| 991 | Combination of cyclosporine and splene-ctomy suppresses interleukin-6 production and major histocompatibility complex class II expression and prolongs cardiac xenograft survival. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 107, 1001-1005 | 1.5 | 4 |
| 990 | Effect of 15-deoxyspergualin on accelerated rejection in rat heart transplantation. 1994 , 26, 380-7 | | |

| 989 | Xenotransplantation rejection is antibody-mediated in both sensitized and nonsensitized recipients. 1994 , 7, 111-22 | | 3 |
|-----|--|---|-----|
| 988 | Significant prolongation of guinea pig heart contraction transplanted in rat after removal of anti-xeno-antibodies by whole body rinse-out (WBRO) with hemoglobin solution. 1994 , 22, 789-94 | | 2 |
| 987 | Successful heterotopic heart transplantation in rat. 1994 , 15, 279-81 | | 19 |
| 986 | Murine liver allograft transplantation: tolerance and donor cell chimerism. 1994 , 19, 916-24 | | 393 |
| 985 | Decreased anti-donor major histocompatibility complex class I and increased class II alloantibody response in allograft tolerance in adult rats. 1994 , 24, 1627-31 | | 39 |
| 984 | Prevention of cardiac reperfusion injury following global ischemia by a monoclonal antibody, R2-1A6. 1994 , 27, 181-90 | | 2 |
| 983 | Cardiac allografts in rat recipients with simultaneous use of anti-ICAM-1 and anti-LFA-1 monoclonal antibodies leads to accelerated graft loss. 1994 , 28, 171-82 | | 14 |
| 982 | Limited effectiveness of FK506 administration for ongoing rejection in heterotopic rat heart transplantation. 1994 , 24, 254-7 | | 1 |
| 981 | The superior effect of the combination of FK 506 and deoxyspergualin on rat cardiac allograft survival. <i>Transplant International</i> , 1994 , 7, 315-318 | 3 | 1 |
| 980 | The immunomodulatory effects of a novel agent, leflunomide, in rat cardiac allotransplantation. <i>Transplant International</i> , 1994 , 7 Suppl 1, S378-80 | 3 | 1 |
| 979 | An ultrastructural analysis of concordant and discordant cardiac xenografts in unmodified recipients. 1994 , 102, 197-207 | | 6 |
| 978 | Immunosuppressive effect of total body irradiation and cyclosporine A on graft survival and the lymphatic system in a cardiac hamster-to-rat transplantation model. 1994 , 2, 52-5 | | 1 |
| 977 | Development of tolerance to experimental cardiac allografts in utero. 1994 , 57, 72-4; discussion 75 | | 11 |
| 976 | Tolerance to experimental cardiac allografts produced by neonatal intrathymic injection of donor cells. 1994 , 58, 1316-8; discussion 1318-9 | | 3 |
| 975 | Invited commentary. 1994 , 58, 1318-1319 | | |
| 974 | Short-term T cell receptor directed immunotherapy induces organ specific peripheral tolerance in a strongly incompatible rat model. 1994 , 2, 278-84 | | 4 |
| 973 | Cellular rejection in discordant xenografts when hyperacute rejection is prevented: analysis using adoptive and passive transfer. 1994 , 2, 87-93 | | 37 |
| 972 | Role of mechanical stimulation in the establishment and maintenance of muscle cell differentiation. 1994 , 150, 69-94 | | 31 |

| 971 | Modulation of alloreactivity in transplant recipients by phenotypic manipulation of donor endothelium. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1995 , 109, 905-9 | 1.5 | 3 |
|-----|---|-----|----|
| 970 | The role of experimental aluminum intoxication in allogeneic immunoresponse. <i>Transplant International</i> , 1995 , 8, 396-398 | 3 | 2 |
| 969 | Pretransplant intrathymic inoculation of donor antigen combined with FK506 treatment: prolongation of survival of cardiac, but not renal, allografts in rats. 1995 , 19, 299-302 | | 1 |
| 968 | Changes of coronary artery morphology and distribution of smooth muscle cells during progression of coronary atherosclerosis after heart transplantation. 1995 , 4, 69-73 | | 4 |
| 967 | Hypoxia and modification of the endothelium: implications for regulation of vascular homeostatic properties. 1995 , 6, 283-94 | | 61 |
| 966 | Changes in the mononuclear cell subpopulations of rat cardiac transplant recipients administered FK506 for the treatment of ongoing rejection. 1995 , 25, 145-50 | | 1 |
| 965 | Effect of nonworking heterotopic transplantation on rat heart glycogen metabolism. 1995 , 268, E48-54 | | 6 |
| 964 | Heart Hypertrophy and Failure. Developments in Cardiovascular Medicine, 1995, | | |
| 963 | Synergistic interaction of 3 M KCl-extracted donor antigens (e-HAg) with cyclosporine or cyclosporine/sirolimus for prolongation of rat heart allograft survival. 1995 , 3, 335-41 | | 4 |
| 962 | Expression of stress proteins and lymphocyte reactivity in heterotopic cardiac allografts undergoing cellular rejection. 1995 , 3, 114-23 | | 21 |
| 961 | The effect of total blood exchange with PHP solution on cardiac xenotransplantation. 1995 , 19, 324-7 | | 4 |
| 960 | Ventricular myocytes isolated from rejecting cardiac allografts exhibit a reduced beta-adrenergic contractile response. 1995 , 27, 773-6 | | 18 |
| 959 | Effects of immunosuppressive therapy on expression of inducible nitric oxide synthase (iNOS) during cardiac allograft rejection. 1995 , 50, 243-51 | | 24 |
| 958 | Intercellular adhesion molecule-1 induction: a sensitive and quantitative marker for cardiac allograft rejection. 1995 , 26, 793-9 | | 15 |
| 957 | Alterations of the interleukin-4 pathway in production of tolerance by mixed hematopoietic chimerism. 1995 , 118, 212-9 | | 7 |
| 956 | Administration of anti-CD4 monoclonal antibody with intrathymic injection of alloantigen results in rat cardiac allograft tolerance. 1995 , 118, 265-72; discussion 272-3 | | 6 |
| 955 | Prolongation of cardiac allograft survival by intraportal injection of donor antigensdifferential mechanisms according to the timing of injection. 1996 , 5, S79-80 | | 0 |
| 954 | Experimental models of accelerated atherosclerosis syndromes. 1996 , 56, 235-57 | | 13 |

| 953 | Inhibition of inducible nitric oxide synthase attenuates established acute cardiac allograft rejection. 1996 , 62, 378-385 | | 32 | |
|-----|--|-----|----|--|
| 952 | Fetal inoculation with donor cells in cardiac xenotransplantation. 1996 , 62, 1360-3 | | 8 | |
| 951 | Strain-dependent differences in prolongation of rat cardiac allograft survival after intrathymic injection of donor bone marrow and ALS treatment. 1996 , 4, 177-9 | | 1 | |
| 950 | An examination of tissue chimerism in the ACI to Lewis rat cardiac transplant model. 1996 , 4, 227-31 | | 4 | |
| 949 | Castanospermine, an oligosaccharide processing inhibitor, reduces membrane expression of adhesion molecules and prolongs heart allograft survival in rats. 1996 , 4, 275-85 | | 31 | |
| 948 | Experimental graft coronary disease in rat heterotopic heart transplantation. 1996 , 5, 87-92 | | | |
| 947 | Adenovirus-mediated gene transfer using ex vivo perfusion of the heart graft. 1996 , 26, 624-8 | | 15 | |
| 946 | Allograft survival following immunization with membrane-bound or soluble peptide MHC class I donor antigens: factors relevant for the induction of rejection by indirect recognition. <i>Transplant International</i> , 1996 , 9, 2-8 | 3 | 9 | |
| 945 | Prolongation of lung xenograft survival in rats with a short course of deoxyspergualin and cyclosporin A. <i>Transplant International</i> , 1996 , 9, 184-193 | 3 | 8 | |
| 944 | Comparison of University of Wisconsin and University of Pittsburgh solutions for heart transplantation. <i>Transplant International</i> , 1996 , 9, 380-385 | 3 | 2 | |
| 943 | Allograft tolerance by intrathymic donor splenocyte transfer: an age-dependent, species-specific phenomenon?. <i>Transplant International</i> , 1996 , 9, S368-S371 | 3 | 3 | |
| 942 | Total lymphoid irradiation, without intrathymic injection of donor cells, induces indefinite acceptance of heart but not islet or skin allografts in rats. <i>Transplant International</i> , 1996 , 9, S372-S378 | 3 | 5 | |
| 941 | Improved experimental cardiac xenograft survival with cyclophosphamide and intrathymic donor cells. 1996 , 3, 260-263 | | 1 | |
| 940 | Protective genes expressed in endothelial cells of second hamster heart transplants to rats carrying an accommodated first graft. 1996 , 3, 279-286 | | 15 | |
| 939 | Induction of tolerance to an experimental cardiac allograft through intrathymic inoculation of class II major histocompatibility complex disparate antigens. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1996 , 112, 1315-8 | 1.5 | 1 | |
| 938 | Durability of donor-specific and organ-specific heart transplant tolerance induced by intrathymic pretreatment with allogeneic spleen cells. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1996 , 111, 429-31 | 1.5 | 1 | |
| 937 | Pathogenesis and mechanisms of graft rejection in concordant xenotransplantation with special reference to hamster-to-rat cardiac transplantation. 1996 , 58, 5-45 | | 7 | |
| 936 | End-to-side anastomosis in heterotopic rat organ transplantation. 1996 , 17, 21-4 | | 2 | |

| 935 | Immunosuppressive effects of endotoxins and bile acids in vivo in the rat. 1996 , 26, 45-8 | 6 |
|-----|--|----|
| 934 | Synthetic peptides derived from human MHC class I sequences delay allograft rejection in rodents and inhibit cell-mediated cytotoxicity in vivo and in vitro. 1996 , 154, 5-20 | 3 |
| 933 | Growth potential of aortic autografts and allografts: effects of cryopreservation and immunosuppression in an experimental model. 1997 , 11, 943-52 | 10 |
| 932 | A rat model for the evaluation of small-caliber vascular grafts. 1997 , 10, 115-8 | 1 |
| 931 | Preoperative depletion of C3 improves the survival of guinea pig-to-rat cardiac xenograft recipients. 1997 , 10, 37-40 | 5 |
| 930 | Heat shock protein 70 expression in native and heterotopically transplanted rat hearts. 1997 , 70, 151-5 | 15 |
| 929 | Essential initial immunostimulation in graft coronary arteriosclerosis induction detected by retransplantation technique in rats: the participation of T cell subsets. 1997 , 5, 11-5 | 7 |
| 928 | The effect of MX-1 on survival of discordant cardiac xenografts from guinea pig to rat. 1997 , 5, 70-2 | 3 |
| 927 | Cytokine mRNA expression in tolerant heart allografts after immunosuppression with cyclosporine, sirolimus or brequinar. 1997 , 5, 189-98 | 21 |
| 926 | A strategy for generating consistent long-term donor-specific tolerance to solid organ allografts. 1997 , 5, 83-8 | 7 |
| 925 | Monoclonal antibody to the HLA class I alpha 3 domain inhibits T cell activation and prolongs cardiac allograft survival in HLA-transgenic mice. 1997 , 5, 112-21 | 2 |
| 924 | Donor pretreatment with leflunomide has an adverse effect on rat cardiac allograft survival. 1997 , 5, 136-41 | 2 |
| 923 | Tolerance to heart and kidney grafts induced by nondepleting anti-CD4 monoclonal antibody (RIB 5/2) versus depleting anti-CD4 monoclonal antibody (OX-38) with donor antigen administration. 1997, 122, 213-9; discussion 219-20 | 11 |
| 922 | Pig-to-primate cardiac xenotransplantation and cyclophosphamide therapy. 1997 , 29, 899-900 | 51 |
| 921 | Soluble complement receptor type 1 and antithrombin-III combination therapy prolongs xenograft survival: the role of thrombin and prostacyclin in hyperacute rejection. 1997 , 29, 935-7 | 5 |
| 920 | Normal human polyclonal immunoglobulins for intravenous use contain anti-idiotypes against natural xenophile antibodies and prolong discordant xenograft survival. 1997 , 29, 959-60 | 3 |
| 919 | Effect of portal vein injection of allo-MHC-transfected hepatocytes on immunity prior to organ transplantation. 1997 , 29, 1017-9 | 10 |
| 918 | Role of cell surface molecules in tolerance induction after intrathymic injection of donor splenocytes. 1997 , 29, 1072 | |

| 917 | High-dose cellular IL-10 exacerbates rejection and reverses effects of cyclosporine and tacrolimus in Mouse cardiac transplantation. 1997 , 29, 1081-2 | 26 |
|-----|---|----|
| 916 | Induction of long-term small bowel graft survival by low-dose immunosuppression in tolerized recipient rats. 1997 , 29, 697-8 | 3 |
| 915 | Castanospermine, an oligosaccharide-processing inhibitor, reduces membrane expression of adhesion molecules and prolongs heart allograft survival in rats. 1997 , 29, 1257-8 | 7 |
| 914 | Quantity of donor tissue and rat allograft survival. 1997 , 29, 1143-4 | 9 |
| 913 | The relationship of blood transfusion and immunosuppression to the Th1/Th2 paradigm. 1997 , 29, 1153-4 | 5 |
| 912 | Both CD45RC+ and negative CD4+ suppressor cells are present in the rat cardiac allograft LF 08-0299-induced tolerance model. 1997 , 29, 1282-4 | 4 |
| 911 | High interleukin-12 p40 mRNA expression in tolerant heart allografts in recipient rats treated by donor-specific transfusion. 1997 , 29, 1170 | 2 |
| 910 | Costimulatory molecule-deficient dendritic cell progenitors induce T cell hyporesponsiveness in vitro and prolong the survival of vascularized cardiac allografts. 1997 , 29, 1310 | 18 |
| 909 | Induction of accommodation prevents hyperacute rejection. 1997 , 29, 597-8 | 4 |
| 908 | Antisense ICAM-1 oligonucleotides block allograft rejection in rats. 1997 , 29, 1285 | 14 |
| 907 | A unique mechanism of tolerance by perioperative intrathymic injection of bone marrow cells with a short course of ALS and FK506 in the rat cardiac allograft model. 1997 , 29, 1137-8 | |
| 906 | Combination treatment effectively intercepts advanced acute cardiac rejection. 1997 , 29, 2888-91 | 2 |
| 905 | The effect of MX-1 and FOY on survival of discordant cardiac xenograft. 1997 , 29, 3024-6 | 1 |
| 904 | Thrombin Inhibition in discordant xenograft rejection. 1997 , 4, 140-146 | 8 |
| 903 | Immunosuppression prolongs adenoviral mediated transgene expression in cardiac allograft transplantation. 1997 , 35, 529-35 | 24 |
| 902 | The role of monocytes and macrophages in delayed xenograft rejection. 1997 , 4, 40-48 | 17 |
| 901 | Xenograft accommodation is accompanied by intragraft Th2 cytokines and vascular expression of protective genes. 1997 , 4, 154-160 | 5 |
| 900 | Treatment with monoclonal antibodies to ICAM-1 and LFA-1 in rat heart allograft rejection. Transplant International, 1997, 10, 141-144 | 14 |

| 899 | Accommodation of vascularized xenografts: expression of "protective genes" by donor endothelial cells in a host Th2 cytokine environment. 1997 , 3, 196-204 | | 393 |
|-----|---|-----|-----|
| 898 | Hypoxia-induced modulation of endothelial cell properties: regulation of barrier function and expression of interleukin-6. 1997 , 51, 419-25 | | 48 |
| 897 | Perinatal induction of immunotolerance to cardiac and pulmonary allografts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 114, 64-75 | 1.5 | 3 |
| 896 | Efficient gene transfer method into the whole heart through the coronary artery with hemagglutinating virus of Japan liposome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 113, 512-8; discussion 518-9 | 1.5 | 15 |
| 895 | Expression of cell division cycle 2 kinase transcription in chronically rejected cardiac allografts of nonhuman primates. 1997 , 12, 275-9 | | 3 |
| 894 | Nitecapone is of benefit to functional performance in experimental heart transplantation. 1997 , 197, 137-46 | | 6 |
| 893 | Differential effect of donor-specific blood transfusions after kidney, heart, pancreas, and skin transplantation in major histocompatibility complex-incompatible rats. 1997 , 37, 226-30 | | 9 |
| 892 | Intravenous immunoglobulins for therapeutic use contain anti-idiotypes against xenophile antibodies and prolong discordant graft survival. 1998 , 86, 183-91 | | 12 |
| 891 | Unloaded heart in vivo replicates fetal gene expression of cardiac hypertrophy. 1998 , 4, 1269-75 | | 358 |
| 890 | Systematic evaluation of distribution of transgene expression after adenovirus-mediated gene transfer to the transplanted heart. <i>Transplant International</i> , 1998 , 11, 373-377 | 3 | 6 |
| 889 | Effect of peritransplant FTY720 alone or in combination with post-transplant tacrolimus in a rat model of cardiac allotransplantation. <i>Transplant International</i> , 1998 , 11, 288-294 | 3 | 22 |
| 888 | Synergism of the malononitrilamides 279 and 715 with cyclosporine A in the induction of long-term cardiac allograft survival. <i>Transplant International</i> , 1998 , 11, S303-S309 | 3 | 7 |
| 887 | Transplantation tolerance by a combined therapy with sulfatide, anti-LFA-1/ICAM-1 monoclonal antibodies and FK506 in rat cardiac transplantation. <i>Transplant International</i> , 1998 , 11, S310-S312 | 3 | 3 |
| 886 | Factors relevant for the induction of rejection by indirect recognition in a rat heart allograft model: effect of CTLA4lg treatment on indirect alloactivation induced by immunization with donor MHC I peptides. <i>Transplant International</i> , 1998 , 11, S361-S363 | 3 | |
| 885 | Efficient transfer of oligonucleotides and plasmid DNA into the whole heart through the coronary artery. 1998 , 5, 1472-80 | | 17 |
| 884 | Computer-assisted rational design of immunosuppressive compounds. 1998 , 16, 748-52 | | 86 |
| 883 | Severe and early alteration of action potential during acute cardiac rejection in rats. 1998 , 9, 1085-93 | | 4 |
| 882 | The use of technetium Tc 99m annexin V for in vivo imaging of apoptosis during cardiac allograft rejection. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998 , 116, 844-53 | 1.5 | 81 |

| 881 | Ex vivo gene therapy prevents chronic graft vascular disease in cardiac allografts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998 , 116, 386-96 | 1.5 | 31 |
|-----|--|-----|-----|
| 880 | Ex vivo adenovirus-mediated gene transfer to the adult rat heart. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998 , 115, 623-30 | 1.5 | 47 |
| 879 | Improved methods for transplanting split-heart neonatal cardiac grafts into the ear pinna of mice and rats. 1998 , 39, 9-17 | | 17 |
| 878 | Electron spin resonance analysis of heme-nitrosyl and reduced iron-sulfur centered complexes in allogeneic, heterotopic cardiac transplants: effects of treatment with pyrrolidine dithiocarbamate. 1998 , 25, 201-7 | | 17 |
| 877 | A new rat model to study the correlation of cardiac and skeletal muscle allograft rejection. 1998 , 18, 406-9 | | |
| 876 | Nitecapone inhibits myeloperoxidase in vitro and enhances functional performance after 8 h of ischemia in experimental heart transplantation. 1999 , 198, 299-306 | | 1 |
| 875 | Association between the degree of platelet-derived growth factor-A chain mRNA expression and coronary arteriosclerosis in the transplanted heart. 1998 , 13, 24-9 | | 9 |
| 874 | Factors relevant for the induction of rejection by indirect recognition in a rat heart allograft model: effect of CTLA4Ig treatment on indirect alloactivation induced by immunization with donor MHC I peptides. <i>Transplant International</i> , 1998 , 11 Suppl 1, S361-3 | 3 | |
| 873 | Behaviorally conditioned immunosuppression using cyclosporine A: central nervous system reduces IL-2 production via splenic innervation. 1998 , 88, 182-91 | | 76 |
| 872 | Immunologic suppression mediated by genetically modified hepatocytes expressing secreted allo-MHC class I molecules. 1998 , 59, 415-25 | | 20 |
| 871 | WOFIE augments the immunosuppressive potency of FK-506. Window of opportunity for immunological engagement. 1998 , 6, 243-9 | | 10 |
| 870 | Stress protein-induced immunosuppression: inhibition of cellular immune effector functions following overexpression of haem oxygenase (HSP 32). 1998 , 6, 84-93 | | 105 |
| 869 | Effect of leflunomide and cyclosporine on graft survival and changes in lymphocyte phenotypes in a rat heart allotransplantation model. 1998 , 6, 48-52 | | 4 |
| 868 | Modulation of alloimmunity to major histocompatibility complex class I by cotransfer of cytokine genes in vivo. 1998 , 6, 169-75 | | 6 |
| 867 | Changes in the morphology and components of the coronary arteries during the progression of coronary arteriosclerosis following cardiac transplantation in rats. 1998 , 6, 296-301 | | 4 |
| 866 | The potential of anticomplement synthetic sulfonic polymers for xenotransplantation. 1998 , 30, 67-70 | | 5 |
| 865 | A simple technical modification for abdominal cardiac transplantation in rats. 1998, 30, 807-8 | | 4 |
| 864 | Effects of various routes of donor-specific antigen administration on graft survival in a model of discordant heart xenotransplantation. 1998 , 30, 809-11 | | |

| 863 | Correlation between graft mass and graft survival time in a discordant cardiac xenotransplantation model: a preliminary report. 1998 , 30, 812-3 | |
|-----|---|----|
| 862 | Immunosuppressive effects of ursodeoxycholic acid in heart-allografted rats. 1998 , 30, 864-5 | |
| 861 | Comparison of the effect of FK 506 and alpha/beta-T-cell antibody R73 on transplant vascular sclerosis after heterotopic rat heart transplantation. 1998 , 30, 987-8 | |
| 860 | Effect of hemodynamics on graft rejection in the heterotopic heart transplantation model. 1998 , 30, 1014-6 | |
| 859 | Mycophenolate mofetills effect on accelerated heart allograft rejection and rejection markers in the rat. 1998 , 30, 1049-50 | 1 |
| 858 | Behavioral conditioning prolongs heart allograft survival in rats. 1998 , 30, 2033 | 20 |
| 857 | Rejection pattern of cardiac and skeletal muscle allografts: implications for surveillance of cardiac rejection. 1998 , 30, 1929 | |
| 856 | Synergistic interaction of FTY720 with cyclosporine or sirolimus to prolong heart allograft survival. 1998 , 30, 2214-6 | 32 |
| 855 | FTY720 compares with FK 506 as rescue therapy in rat heterotopic cardiac transplantation. 1998 , 30, 2221-2 | 19 |
| 854 | Brequinar sodium and liver hemoperfusion in xenotransplantation. 1998 , 30, 2244-5 | 1 |
| 853 | Prolongation of graft survival in the concordant hamster-to-rat cardiac model. 1998 , 30, 2486-7 | 1 |
| 852 | Tissue-specific immune response: the role of innate immunity in small bowel and heart transplantation. 1998 , 30, 2566-7 | 1 |
| 851 | Adenovirus-mediated gene transfer of CTLA4IG gene results in prolonged survival of heart allograft. 1998 , 30, 2923-4 | 2 |
| 850 | Cylexin: a P-selectin inhibitor prolongs heart allograft survival in hypersensitized rat recipients. 1998 , 30, 2927-8 | 8 |
| 849 | Comparison of the immunosuppressive and toxic effects of TII and azathioprine. 1998, 30, 3517-8 | 1 |
| 848 | A trial to obtain donor-specific immunotolerance using a vascularized thymus allograft. 1998 , 30, 3850-1 | 1 |
| 847 | Differences in cellular mechanisms between heart and skin graft rejection by in vitro and in vivo analyses. 1998 , 30, 3854 | О |
| 846 | Role of microchimerism on long-term graft survival after donor-specific transfusion in a rat heart transplantation model. 1998 , 30, 3862-4 | 5 |
| | | |

Coronary arteriosclerosis did not occur in the transplanted hearts of tolerance-induced rats: analysis from platelet-derived growth factor expression. **1998**, 30, 3871-2

| 844 | Impact of 70% partial hepatectomy on administration of donor leukocytes in cardiac transplantation in rats. 1998 , 30, 3873-5 | 4 |
|-----|---|----|
| 843 | Effect of low-molecular-weight heparin on development of cardiac allograft vascular disease following heart transplantation in rats. 1998 , 30, 4337-9 | 1 |
| 842 | Induction of tolerance in rodent cardiac allotransplantation using an MHC class I-derived peptide and cyclosporin A. 1998 , 65, 144-8 | 7 |
| 841 | Beneficial impact of FK 409 as donor pretreatment on warm or cold ischemically injured hearts in the rat. 1998 , 30, 91-3 | 4 |
| 840 | Cellular surface molecular and cytokine gene expression in rat heart allografts under optimal doses of cyclosporine and FK 506. 1998 , 30, 1023-6 | 10 |
| 839 | Leukocyte Integrins in the Immune System and Malignant Disease. 1998, | |
| 838 | Organtransplantation in Rats and Mice. 1998 , | 2 |
| 837 | Diabetes and dyslipidemia. A new model for transplant coronary artery disease. 1998 , 97, 2160-8 | 32 |
| 836 | Role of endogenous endothelin in the development of graft arteriosclerosis in rat cardiac allografts: antiproliferative effects of bosentan, a nonselective endothelin receptor antagonist. 1998 , 97, 2346-51 | 52 |
| 835 | Arginine, fish oil, and donor-specific transfusions independently improve cardiac allograft survival in rats given subtherapeutic doses of cyclosporin. 1998 , 22, 152-5 | 16 |
| 834 | Hypoxia-mediated modulation of vascular functionimplications for organ preservation and thrombogenesis: Roger S. Mitchell lecture. 1998 , 114, 46S-50S | 3 |
| 833 | Cardiac graft intercellular adhesion molecule-1 (ICAM-1) and interleukin-1 expression mediate primary isograft failure and induction of ICAM-1 in organs remote from the site of transplantation. 1998, 82, 762-72 | 51 |
| 832 | New approaches to the management of acute and chronic cardiac allograft rejection. 1998 , 62, 315-27 | 14 |
| 831 | 2-Chlorodeoxyadenosine (cladribine) in combination with low-dose cyclosporin prevents rejection after allogeneic heart and liver transplantation in the rat. 1998 , 30, 61-8 | 8 |
| 830 | Critical Requirement for Graft Passenger Leukocytes in Allograft Tolerance Induced by Donor Blood Transfusion. 1998 , 92, 4539-4544 | 67 |
| 829 | Intrasplenic Liver Parenchymal Cells in Conjunction with Low-Dose Rapamycin and Cyclosporine Induce a Unique and Specific Prolongation of Rat Cardiac and Small Bowel Allograft Survival. 1998 , 7, 247-256 | 3 |
| 828 | Correlations among expression of intercellular adhesion molecule 1, cellular infiltration, and coronary arteriosclerosis during chronic rejection using the rat heart transplantation model. 1998 , 30, 235-42 | 6 |

| 827 | Immunomodulating effects of second-generation calcium channel blockers on experimental heart transplantation. 1999 , 31, 259-66 | 5 |
|-----|---|-----|
| 826 | Conditioned immunosuppression makes subtherapeutic cyclosporin effective via splenic innervation. 1999 , 276, R1710-7 | 13 |
| 825 | RDP1258, a New Rationally Designed Immunosuppressive Peptide, Prolongs Allograft Survival in Rats: Analysis of Its Mechanism of Action. 1999 , 5, 820-832 | 36 |
| 824 | New method for detection of heart allograft rejection: validation of sensitivity and reliability in a rat heterotopic allograft model. 1999 , 100, 1236-41 | 16 |
| 823 | Rapamycin reverses chronic graft vascular disease in a novel cardiac allograft model. 1999 , 100, 67-74 | 137 |
| 822 | IgG, but not IgM, mediates hyperacute rejection in hepatic xenografting. 1999 , 6, 110-6 | 12 |
| 821 | Heterotopic cardiac xenotransplantation: fish-to-rat. 1999 , 6, 213-9 | 8 |
| 820 | Deoxyspergualin delays xenograft rejection in the guinea pig-to-C6-deficient rat heart transplantation model. <i>Transplant International</i> , 1999 , 12, 415-422 | 9 |
| 819 | The functional relevance of passenger leukocytes and microchimerism for heart allograft acceptance in the rat. 1999 , 5, 1292-7 | 114 |
| 818 | Adenovirus-mediated gene transfer of the beta2-adrenergic receptor to donor hearts enhances cardiac function. 1999 , 6, 1298-304 | 49 |
| 817 | Influence of 15-deoxyspergualin on activated lymphocytes: Comparison of heart and renal rat transplantation models. 1999 , 3, 29-33 | |
| 816 | Gene transfection of beta 2-adrenergic receptor into the normal rat heart enhances cardiac response to beta-adrenergic agonist. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 118, 446-51 | 9 |
| 815 | Transcriptional adaptation of the heart to mechanical unloading. 1999 , 83, 58H-63H | 75 |
| 814 | Dietary amino acids as new and novel agents to enhance allograft survival. 1999 , 15, 130-134 | 13 |
| 813 | Review of significant microvascular surgical breakthroughs involving the heart and lungs in rats. 1999 , 19, 71-7 | 5 |
| 812 | Immunosuppressive effect of combination schedules of brequinar with leflunomide or tacrolimus on rat cardiac allotransplantation. 1999 , 19, 98-102 | 2 |
| 811 | Prolongation of rat heart allograft survival with K(+)ATP-dependent channel modulators. 1999 , 19, 314-7 | 1 |
| 810 | Outcome of different models of multiorgan transplantation in rats. 1999 , 19, 318-23 | 6 |

| 809 | transfusion by restoring alloantibody production. 1999 , 29, 317-26 | 20 |
|-----|---|----|
| 808 | Reassessment of the role of CD8+ T cells in the induction of allograft tolerance by donor-specific blood transfusion. 1999 , 29, 1919-24 | 24 |
| 807 | Persisting alloantigen prevents primed CD45RC- CD4 T cells from inducing allograft rejection: implications for immunological memory. 1999 , 29, 2177-86 | 9 |
| 806 | Structure-immunosuppressive activity relationships of new analogues of 15-deoxyspergualin. 1. Structural modifications of the hydroxyglycine moiety. 1999 , 42, 277-90 | 39 |
| 805 | Stable prodrugs of n-butyric acid: suppression of T cell alloresponses in vitro and prolongation of heart allograft survival in a fully allogeneic rat strain combination. 1999 , 7, 221-7 | 18 |
| 804 | Multiglycosidorum tripterygii, a new immunosuppressant, supresses coronary arteriosclerosis after heart transplantation. 1999 , 18, 248-54 | 4 |
| 803 | A new rejection criteria in the heterotopically placed rat heart by non-invasive measurement of Dp/Dtmax. 1999 , 18, 524-31 | 4 |
| 802 | The effect of nutritional immunomodulation on cardiac allograft survival in rats receiving mycophenolate mofetil, cyclosporine A, and donor-specific transfusion. 1999 , 18, 185-9 | 6 |
| 801 | Anti-LFA-1 alpha reduces the dose of cyclosporin A needed to produce immunosuppression in heterotopic cardiac transplanted rats. 1999 , 18, 279-84 | 16 |
| 800 | Captopril and platelet-activating factor (PAF) antagonist prevent cardiac allograft vasculopathy in rats: role of endogenous PAF and PAF-like compounds. 1999 , 18, 470-7 | 10 |
| 799 | Detection of acute cardiac rejection by analysis of heart rate variability in heterotopically transplanted rats. 1999 , 18, 499-509 | 11 |
| 798 | Attenuation of reperfusion injury with probucol in the heterotopic rat cardiac isograft. 1999 , 18, 775-80 | 7 |
| 797 | A simple new model of physiologically working heterotopic rat heart transplantation provides hemodynamic performance equivalent to that of an orthotopic heart. 1999 , 18, 927-36 | 27 |
| 796 | Cardiac function of transplanted rat hearts using a working heart model assessed by magnetic resonance imaging. 1999 , 18, 1054-64 | 16 |
| 795 | Sulfasalazine inhibits reperfusion injury and prolongs allograft survival in rat cardiac transplants. 1999 , 18, 1088-95 | 22 |
| 794 | Selection of phage-displayed anti-guinea pig C5 or C5a antibodies and their application in xenotransplantation. 1999 , 36, 1235-47 | 17 |
| 793 | The effect of macrophage depletion on delayed xenograft rejection: studies in the guinea pig-to-C6-deficient rat heart transplantation model. 1999 , 6, 262-70 | 22 |
| 792 | Inhibitory effect of 15-deoxyspergualin on coronary arteriosclerosis in the transplanted heart. 1999 , 31, 143-6 | |

Induction of tolerance to an "untolerizable" strain by double-strain intrathymic inoculation in 791 experimental rat cardiac transplantation. 1999, 31, 838-9 Analysis of T cell repertoire in a concordant hamster-to-rat cardiac xenograft model during accommodation and rejection process. 1999, 31, 918-9 Nitric oxide donor induces upregulation of stress proteins in cold ischemic rat hearts. 1999, 31, 1022-3 6 789 Effect of a novel immunosuppressant, FTY720, on heart and liver transplantations in rats. 1999, 31, 1178-9 788 14

| 700 | | *4 |
|------------------|---|----|
| 787 | Inhibition of IL-10 by FK 506 may be responsible for overcoming ongoing allograft rejection in the rat. 1999 , 31, 1203-5 | 11 |
| 786 | Effect of a new immunosuppressive agent, KF20444, in rat cardiac transplantation. 1999 , 31, 1206-7 | 3 |
| 785 | Localization of immunogenic and tolerogenic epitopes in the RT1.A1 alloantigen. 1999, 31, 1517-8 | 2 |
| 7 ⁸ 4 | Induction of tolerance by oral administration of a tolerogenic allochimeric donor/recipient class I MHC protein. 1999 , 31, 1557 | 4 |
| 783 | Allopeptide-mediated expression of endothelial Fas-ligand (CD95L) in long-term tolerized heterotopic rat heart grafts. 1999 , 31, 1558-9 | |
| 782 | Immunization with Escherichia coli-produced soluble MHC class I proteins induces accelerated rejection or prolonged survival of rat cardiac allografts. 1999 , 31, 1560 | 1 |
| 781 | Synergistic impact of "WOFIE" on the immunosuppressive potency of FK 506 in a heterotopic heart transplantation model in the rat. 1999 , 31, 1561-2 | 1 |
| 780 | Effect of 15-deoxyspergualine on coronary arteriosclerosis and platelet-derived growth factor-A mRNA expression in the transplanted heart. 1999 , 31, 1706-9 | |
| 779 | Late multiglycosidorum tripterygium treatment ameliorates established graft coronary arteriosclerosis after heart transplantation in the rat. 1999 , 31, 2020-4 | 2 |
| 778 | Inhibitory effect of triptolide on platelet derived growth factor-A and coronary arteriosclerosis after heart transplantation. 1999 , 31, 2719-23 | 10 |
| 777 | Reduced expression of NF-AT and NF-kappa B transcription factors in tolerant recipients treated with tolerogenic allochimeric donor/recipient class I MHC protein. 1999 , 31, 2745-6 | 1 |
| 776 | A successful induction of tolerance by perioperative intrathymic injection in rat "high-responder" heart transplantation. 1999 , 31, 2747-8 | 1 |
| 775 | Potent immunosuppressive effects by a newly synthesized compound KF20444. 1999 , 31, 2792-3 | 3 |
| 774 | Extracorporeal circulation with an anticomplement synthetic polymer prolongs guinea pig-to-rat cardiac xenograft survival. 1999 , 31, 2818-22 | 9 |
| | | |

| 773 | Prolongation of concordant xenograft survival by a newly developed drug, FTY720. 1999 , 31, 2831-3 | 8 |
|-----|---|----|
| 772 | Modified technique of delivering solutions to rat coronary arteries in the transplant setting. 1999 , 31, 3255-6 | 1 |
| 771 | Gene transfection of hepatocyte growth factor attenuates reperfusion injury in the heart. 1999 , 67, 1726-31 | 81 |
| 770 | Technique for heterotopic pig heart xenotransplantation in primates. 1999 , 68, 265-8 | 38 |
| 769 | Pressure delivery of AS-ICAM-1 ODN with LFA-1 mAb reduces reperfusion injury in cardiac allografts. 1999 , 68, 119-24 | 8 |
| 768 | Intrathymic immunomodulation and the "infectious" tolerance pathway in allograft recipients. 1999 , 84, 1-7 | 5 |
| 767 | Prolongation of rat skin and cardiac allograft survival by low molecular weight heparin. 1999 , 85, 83-7 | 10 |
| 766 | Pressure volume curves in arrested heterotopic rat heart isografts: role of improved myocardial protection. 1999 , 86, 123-9 | 8 |
| 765 | ICAM-1 affects reperfusion injury and graft function after cardiac transplantation. 1999, 87, 25-31 | 14 |
| 764 | Effects of immunosuppressants on platelet-derived growth factor-A chain mRNA expression and coronary arteriosclerosis in rat cardiac allografts. 1999 , 63, 303-8 | 3 |
| 763 | 15AU81, a prostacyclin analog, enhances donor-specific hepatocytes to prolong the survival of rat heart but not small bowel allografts. 1999 , 8, 543-8 | |
| 762 | Regulatory T cells maintain peripheral tolerance to islet allografts induced by intrathymic injection of MHC class I allopeptides. 1999 , 8, 375-81 | 15 |
| 761 | Heat shock treatment enhances graft cell survival in skeletal myoblast transplantation to the heart. 2000 , 102, III216-21 | 88 |
| 760 | Zinc-mediated reduction of apoptosis in cardiac allografts. 2000 , 102, III228-32 | 29 |
| 759 | Ex vivo antisense oligonucleotides to proliferating cell nuclear antigen and Cdc2 kinase inhibit graft coronary artery disease. 2000 , 102, III237-42 | 14 |
| 758 | Oral feeding of an immunodominant MHC donor-derived synthetic class I peptide prolongs graft survival of heterotopic cardiac allografts in a high-responder rat strain combination. 2000 , 67, 793-800 | 26 |
| 757 | Gene therapy for myocardial protection: transfection of donor hearts with heat shock protein 70 gene protects cardiac function against ischemia-reperfusion injury. 2000 , 102, III302-6 | 37 |
| 756 | Synthetic peptides which inhibit the interaction between C1q and immunoglobulin and prolong xenograft survival. <i>Transplantation</i> , 2000 , 70, 828-36 | 18 |

| 755 | Nuclear factor-kappaB transcription factor decoy treatment inhibits graft coronary artery disease after cardiac transplantation in rodents. <i>Transplantation</i> , 2000 , 70, 1560-8 | 1.8 | 20 |
|------------------------|--|---------------------------------|----|
| 754 | Initial T-cell activation required for transplant vasculopathy in retransplanted rat cardiac allografts. <i>Transplantation</i> , 2000 , 70, 737-46 | 1.8 | 20 |
| 753 | Recombinant adenoviral mediated CD39 gene transfer prolongs cardiac xenograft survival. <i>Transplantation</i> , 2000 , 70, 864-70 | 1.8 | 52 |
| 752 | Heterogeneity of T cell clones specific for a single indirect alloantigenic epitope (I-Ab/H-2Kd54-68) that mediate transplant rejection. <i>Transplantation</i> , 2000 , 70, 1516-24 | 1.8 | 31 |
| 751 | Pharmacodynamics of mycophenolic acid in heart allograft recipients: correlation of lymphocyte proliferation and activation with pharmacokinetics and graft histology. <i>Transplantation</i> , 2000 , 70, 1038 | 3-4 ¹ 9 ⁸ | 38 |
| 750 | Inhibition of C-raf expression by antisense oligonucleotides extends heart allograft survival in rats. <i>Transplantation</i> , 2000 , 70, 656-61 | 1.8 | 11 |
| 749 | Contribution of proliferating leukocytes to phenotypic change in smooth muscle cells during the development of coronary arteriosclerosis in transplanted hearts. 2000 , 32, 30-8 | | 3 |
| 748 | Contrasting effects of myeloid dendritic cells transduced with an adenoviral vector encoding interleukin-10 on organ allograft and tumour rejection. 2000 , 101, 233-41 | | 27 |
| 747 | In vivo functional and MRS metabolic evaluation of the heart graft; application to improvements of cardiac preservation. 2000 , 11, 20-22 | | |
| 746 | Tolerance of T-independent xeno-antibody responses in the hamster-to-rat xenotransplantation model is species-restricted but not tissue-specific. 2000 , 7, 48-57 | | 9 |
| 745 | Altered expression of matrix metalloproteinases and tissue inhibitors of metalloproteinases in acutely rejected myocardium and coronary arteriosclerosis in cardiac allografts of nonhuman primates. <i>Transplant International</i> , 2000 , 13, 106-113 | 3 | 20 |
| 744 | Adenovirus-mediated gene transfer of CTLA4lg gene results in prolonged survival of heart allograft. <i>Transplant International</i> , 2000 , 13, S329-S332 | 3 | 2 |
| 743 | Soluble donor MHC class I gene transfer to thymus promotes allograft survival in a high-responder heart transplant model. <i>Transplant International</i> , 2000 , 13, S452-S455 | 3 | 5 |
| 742 | Negligible role for NK cells and macrophages in delayed xenograft rejection. <i>Transplant International</i> , 2000 , 13, S504-S507 | 3 | 4 |
| 741 | Long-term small bowel allograft function induced by short-term FK 506 application is associated with split tolerance. <i>Transplant International</i> , 2000 , 13, S532-S536 | 3 | 8 |
| | With spile esterance. Transpiane meerinational, 2000, 15, 5552 5550 | | |
| 740 | Improvement of rejection-induced diastolic abnormalities in rat cardiac allografts with inducible nitric oxide synthase inhibition. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000 , 120, 39-46 | 1.5 | 9 |
| 74 ⁰ 739 | Improvement of rejection-induced diastolic abnormalities in rat cardiac allografts with inducible | | 9 |

(2000-2000)

| 737 | Highly efficient ex vivo gene transfer to the transplanted heart by means of hypothermic perfusion with a low dose of adenoviral vector. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000 , 119, 493-500 ^{1.5} | 16 |
|-----|--|----|
| 736 | Regulatory role of Th-2 cytokines, IL-10 and IL-4, in cardiac allograft rejection. 2000 , 69, 1-9 | 23 |
| 735 | Role of RANTES in experimental cardiac allograft rejection. 2000 , 69, 167-74 | 30 |
| 734 | Immunologic considerations for therapeutic strategies utilizing allogeneic hepatocytes: hepatocyte-expressed membrane-bound major histocompatibility complex class I antigen sensitizes while soluble antigen suppresses the immune response in rats. 2000 , 32, 999-1007 | 17 |
| 733 | Soluble donor MHC class I gene transfer to thymus promotes allograft survival in a high-responder heart transplant model. <i>Transplant International</i> , 2000 , 13 Suppl 1, S452-5 | 5 |
| 732 | Long-term small bowel allograft function induced by short-term FK 506 application is associated with split tolerance. <i>Transplant International</i> , 2000 , 13 Suppl 1, S532-6 | 3 |
| 731 | In vivo functional and MRS metabolic evaluation of the heart graft; application to improvements of cardiac preservation. 2000 , 11, 20-2 | |
| 730 | New Insight into Mechanisms of Allograft Transplantation in the Rat by Differential Display: Macrophage Scavenger Receptor-A Brings to Light. 2000 , 6, 1054-1061 | 2 |
| 729 | Specific B cell tolerance is induced by cyclosporin A plus donor-specific blood transfusion pretreatment: prolonged survival of MHC class I disparate cardiac allografts. 2000 , 164, 2427-32 | 9 |
| 728 | Analysis of the distribution of histologic myocardial lesions during acute cardiac rejection. Experimental study in rodents. 2000 , 17, 592-6 | 3 |
| 727 | Heterotopic heart transplantation: experimental development and clinical experience. 2000, 17, 474-81 | 34 |
| 726 | Anti-TCR-specific DNA vaccination demonstrates a role for a CD8+ T cell clone in the induction of allograft tolerance by donor-specific blood transfusion. 2000 , 165, 96-101 | 34 |
| 725 | Pavlovian conditioning of immune function: animal investigation and the challenge of human application. 2000 , 110, 129-41 | 26 |
| 724 | Anti-CD4 induced rat heart tolerance: no presence of primed T cells and regulatory mechanisms for cytotoxic T cells. 2000 , 8, 101-7 | 3 |
| 723 | The peripheral lymphocyte count predicts graft survival in DA to Lewis heterotopic heart transplantation treated with FTY720 and SDZ RAD. 2000 , 8, 115-24 | 28 |
| 722 | Active cell migration in retransplanted rat cardiac allografts during the course of chronic rejection. 2000 , 19, 584-90 | 18 |
| 721 | Expression of membrane-type 1 matrix metalloproteinase in coronary vessels of allotransplanted primate hearts. 2000 , 19, 1193-8 | 12 |
| 720 | Use of an alloreactive lymphocyte vaccine to prolong rat cardiac allograft survival. 2000 , 32, 657-9 | |

| 719 | Prolonged survival of guinea-pig-to-rat heart xenografts following complement depletion and B-cell-directed immunosuppression by malononitrilamide. 2000 , 32, 864-5 | 3 |
|-------------------|---|---------------------|
| 718 | T cell repertoire alterations in allograft and xenograft rejection processes. 2000 , 32, 924-5 | 1 |
| 717 | Induction of tissue factor mRNA in acute vascular rejection: localization by in situ reverse transcriptase polymerase chain reaction. 2000 , 32, 970 | 1 |
| 716 | Expression of monocyte chemoattractant protein 1 in pig-to-primate cardiac xenografts. 2000 , 32, 984-6 | 4 |
| 715 | Altered expression of matrix metalloproteinases in pig-to-primate xenotransplanted hearts. 2000 , 32, 996-8 | |
| 714 | Multilineage bone marrow chimerism produces cellular and humoral tolerance in a mouse-to-rat cardiac xenograft. 2000 , 32, 1029-30 | 2 |
| 713 | Expression of the transcriptional factor egr-1/BTEB2 in cardiac xenograft vascular remodeling. 2000 , 32, 1089-91 | 2 |
| 712 | Nonmuscle myosin heavy chain and nuclear factor-kappa B expression in pig-to-primate xenotransplanted hearts. 2000 , 32, 1092-4 | |
| 711 | Tolerance induction with FTY720 and donor-specific blood transfusion: discrepancy between heart transplantation and intestinal transplantation. 2000 , 32, 1255-7 | 5 |
| 710 | Rescuing acute rejection of rat cardiac allografts with FTY720. 2000 , 32, 1629-30 | 10 |
| 709 | | |
| | Role of natural killer cells in allograft rejection. 2000 , 32, 2089-90 | 1 |
| 708 | Effective use of donor MHC class I gene therapy in organ transplantation: prevention of antibody-mediated hyperacute heart allograft rejection in highly sensitized rat recipients. 2000 , 11, 459-69 | 18 |
| 708 707 | Effective use of donor MHC class I gene therapy in organ transplantation: prevention of | |
| | Effective use of donor MHC class I gene therapy in organ transplantation: prevention of antibody-mediated hyperacute heart allograft rejection in highly sensitized rat recipients. 2000 , 11, 459-69 Myocytes isolated from rejecting transplanted rat hearts exhibit a nitric oxide-mediated reduction | 18 |
| 707 | Effective use of donor MHC class I gene therapy in organ transplantation: prevention of antibody-mediated hyperacute heart allograft rejection in highly sensitized rat recipients. 2000 , 11, 459-69 Myocytes isolated from rejecting transplanted rat hearts exhibit a nitric oxide-mediated reduction in the calcium current. 2001 , 33, 1691-9 Organ transplant specificity of tolerance to skin grafts with heart or kidney grafts plus nondepleting anti-CD4 monoclonal antibody (RIB 5/2) and intravenous donor alloantigen | 18 |
| 7 ⁰ 7 | Effective use of donor MHC class I gene therapy in organ transplantation: prevention of antibody-mediated hyperacute heart allograft rejection in highly sensitized rat recipients. 2000, 11, 459-69 Myocytes isolated from rejecting transplanted rat hearts exhibit a nitric oxide-mediated reduction in the calcium current. 2001, 33, 1691-9 Organ transplant specificity of tolerance to skin grafts with heart or kidney grafts plus nondepleting anti-CD4 monoclonal antibody (RIB 5/2) and intravenous donor alloantigen administration. 2001, 98, 59-65 Load-induced changes in vivo alter substrate fluxes and insulin responsiveness of rat heart in vitro. | 18 25 3 |
| 7°7 7°6 7°5 | Effective use of donor MHC class I gene therapy in organ transplantation: prevention of antibody-mediated hyperacute heart allograft rejection in highly sensitized rat recipients. 2000, 11, 459-69 Myocytes isolated from rejecting transplanted rat hearts exhibit a nitric oxide-mediated reduction in the calcium current. 2001, 33, 1691-9 Organ transplant specificity of tolerance to skin grafts with heart or kidney grafts plus nondepleting anti-CD4 monoclonal antibody (RIB 5/2) and intravenous donor alloantigen administration. 2001, 98, 59-65 Load-induced changes in vivo alter substrate fluxes and insulin responsiveness of rat heart in vitro. 2001, 50, 1083-90 | 18 25 3 71 |

(2001-2001)

| 701 | Prolonged survival of rat cardiac allograft with proinflammatory cytokine inhibitor. 2001, 20, 583-9 | 12 |
|-----|--|----|
| 700 | Experimental heterotopic heart transplantation without cardiopulmonary bypass: auxiliary support for the recipient heart. 2001 , 20, 364-71 | 3 |
| 699 | Simultaneous study of metabolism and function following cardioplegic arrest: a novel method of evaluation of the transplanted heart in the rat. 2001 , 20, 575-82 | 6 |
| 698 | Do vascular compartments differ in the development of chronic rejection? AT(1) blocker candesartan versus Ace blocker enalapril in an experimental heart transplant model. 2001 , 20, 1092-8 | 9 |
| 697 | Expression of estrogen receptor sub-types alpha and beta in acute and chronic cardiac allograft vasculopathy. 2001 , 20, 1252-64 | 18 |
| 696 | A novel strategy of decoy transfection against nuclear factor-kappaB in myocardial preservation. 2001 , 71, 624-9; discussion 629-30 | 28 |
| 695 | Long-term survival of cardiac xenografts in fully xenogeneic (mouse> rat) bone marrow chimeras. 2001 , 72, 740-5; discussion 745-6 | 6 |
| 694 | Invited commentary. 2001 , 72, 745-746 | 1 |
| 693 | Putative regulatory function of alloreactive Th2 cells in tolerant recipients after small bowel transplantation. 2001 , 33, 161-2 | |
| 692 | Altered expression of Bcl-x and Bax in cardiac allograft arteries of primates. 2001 , 33, 252-3 | 1 |
| 691 | IL-10: a tacrolimus-specific cytotoxic mediator in ongoing allograft rejection. 2001 , 33, 510-3 | 6 |
| 690 | The technical aspects of combined intestinal and heart transplantation in rate 2001, 22, 522, 4 | / |
| | The technical aspects of combined intestinal and heart transplantation in rats. 2001 , 33, 532-4 | 7 |
| 689 | Soluble donor MHC class I gene therapy prevents accelerated heart allograft rejection in actively sensitized rat recipients. 2001 , 33, 579-80 | 7 |
| 689 | Soluble donor MHC class I gene therapy prevents accelerated heart allograft rejection in actively | 7 |
| | Soluble donor MHC class I gene therapy prevents accelerated heart allograft rejection in actively sensitized rat recipients. 2001 , 33, 579-80 | |
| 688 | Soluble donor MHC class I gene therapy prevents accelerated heart allograft rejection in actively sensitized rat recipients. 2001 , 33, 579-80 Nuclear factor kappa B expression in primate cardiac allograft arteries. 2001 , 33, 606 Effects of gene transfection of human BCL-2 on graft coronary arteriosclerosis in hamster-to-rat | |
| 688 | Soluble donor MHC class I gene therapy prevents accelerated heart allograft rejection in actively sensitized rat recipients. 2001, 33, 579-80 Nuclear factor kappa B expression in primate cardiac allograft arteries. 2001, 33, 606 Effects of gene transfection of human BCL-2 on graft coronary arteriosclerosis in hamster-to-rat cardiac xenografts. 2001, 33, 751-2 Intestinal allografts delay rejection and prolong survival of combined donor-specific and third party | 1 |

| 683 | The role of signals 1, 2, and 3 in induction of transplantation tolerance. 2001 , 33, 3831-2 | | 3 |
|-----|---|-----|-----|
| 682 | The role of Stat5 in the induction of regulatory T cells in transplantation tolerance. 2001 , 33, 3835-6 | | 5 |
| 681 | Heat shock protein 70 gene transfection protects mitochondrial and ventricular function against ischemia-reperfusion injury. 2001 , 104, I303-7 | | 113 |
| 680 | Heart transplantation changes the expression of distinct gene families. 2001 , 7, 115-26 | | 7 |
| 679 | Heat Shock Protein 70 Gene Transfection Protects Mitochondrial and Ventricular Function Against Ischemia-Reperfusion Injury. 2001 , 104, | | 2 |
| 678 | Protection From Reperfusion Injury After Cardiac Transplantation by Inhibition of Adenosine Metabolism and Nucleotide Precursor Supply. 2001 , 104, | | |
| 677 | Efficiency, efficacy, and adverse effects of adenovirus vs. liposome-mediated gene therapy in cardiac allografts. 2001 , 281, H1433-41 | | 30 |
| 676 | Effects of enalapril and L-158809 on myocardial beta-adrenergic receptor density in transplanted rat hearts. 2001 , 33, 297-302 | | 1 |
| 675 | Mechanisms of acquired thymic tolerance: induction of transplant tolerance by adoptive transfer of in vivo allomhc peptide activated syngeneic T cells. <i>Transplantation</i> , 2001 , 71, 1442-8 | 1.8 | 19 |
| 674 | The role of alphabeta- and gammadelta-T cells in allogenic donor marrow on engraftment, chimerism, and graft-versus-host disease. <i>Transplantation</i> , 2001 , 72, 1907-14 | 1.8 | 23 |
| 673 | Heart and liver xenotransplantation under low-dose tacrolimus: graft survival after withdrawal of immunosuppression. <i>Transplantation</i> , 2001 , 71, 217-23 | 1.8 | 7 |
| 672 | Mechanisms involved in antithymocyte globulin immunosuppressive activity in a nonhuman primate model. <i>Transplantation</i> , 2001 , 71, 460-8 | 1.8 | 236 |
| 671 | Persistence of stable intragraft cell chimerism in rat liver allografts after drug-induced tolerance. <i>Transplantation</i> , 2001 , 71, 1848-52 | 1.8 | 5 |
| 670 | Donor-derived soluble MHC antigens plus low-dose cyclosporine induce transplantation unresponsiveness independent of the thymus by down-regulating T cell-mediated alloresponses in a rat transplantation model. <i>Transplantation</i> , 2001 , 72, 1974-82 | 1.8 | 19 |
| 669 | Viral serine proteinase inhibitor (SERP-1) effectively decreases the incidence of graft vasculopathy in heterotopic heart allografts. <i>Transplantation</i> , 2001 , 72, 364-8 | 1.8 | 14 |
| 668 | Accelerated graft arteriosclerosis in cardiac transplants: complement activation promotes progression of lesions from medium to large arteries. <i>Transplantation</i> , 2001 , 72, 900-6 | 1.8 | 34 |
| 667 | Long-term allograft acceptance induced by single dose anti-leukocyte common antigen (RT7) antibody in the rat. <i>Transplantation</i> , 2001 , 71, 1124-31 | 1.8 | 10 |
| 666 | Effects of gene transfection of human bcl-2 on concordant cardiac xenografts in hamster to rat model. 2001 , 49, 570-5 | | 1 |

(2001-2001)

| 665 | Pre-transplant blood transfusion induces tolerance to hamster cardiac xenografts in athymic nude rats. 2001 , 8, 247-57 | 6 |
|-----|--|-----|
| 664 | Hamster cardiac xenografts are protected against antibody mediated damage, early after transplantation to Lewis rats. 2001 , 8, 239-46 | 4 |
| 663 | Photodynamic therapy using motexafin lutetium in allograft coronary artery disease. 2001 , 05, 130-133 | 1 |
| 662 | Simplified method of heterotopic rat heart transplantation using the cuff technique: application to sublethal dose protocol of methotrexate on allograft survival. 2001 , 21, 16-21 | 23 |
| 661 | TGF-beta1 and donor dendritic cells are common key components in donor-specific blood transfusion and anti-class II heart graft enhancement, whereas tolerance induction also required inflammatory cytokines down-regulation. 2001 , 31, 3111-20 | 24 |
| 660 | [A new model of isolated perfused heart. Study of hypodermin A in hyperacute xenograft rejection]. 2001 , 126, 1007-15 | 2 |
| 659 | Long-term survival of rat cardiac allografts by intrathymic plus portal venous injections of donor bone marrow cells and short-term tacrolimus immunosuppression. <i>Transplant International</i> , 2001 , 14, 311-319 | 3 |
| 658 | Bone marrow aplasia induced by passenger leukocytes from heart allografts. 2001 , 29, 339-44 | 9 |
| 657 | T-cell-mediated rejection of vascularized xenografts in the absence of induced anti-donor antibody response. 2001 , 1, 21-8 | 28 |
| 656 | Induction of Transplant Tolerance with Immunodominant Allopeptide-pulsed Host Lymphoid and Myeloid Dendritic Cells. 2001 , 1, 129-137 | 55 |
| 655 | A non-peptide functional antagonist of the CCR1 chemokine receptor is effective in rat heart transplant rejection. 2001 , 276, 4199-204 | 104 |
| 654 | Remodeling of the major pig xenoantigen by N-acetylglucosaminyltransferase III in transgenic pig. 2001 , 276, 39310-9 | 90 |
| 653 | Epitope mapping of the indirect T cell response to allogeneic class I MHC: sequences shared by donor and recipient MHC may prime T cells that provide help for alloantibody production. 2001 , 167, 4338-44 | 19 |
| 652 | Liver-derived DEC205+B220+CD19- dendritic cells regulate T cell responses. 2001 , 166, 7042-52 | 84 |
| 651 | Upregulation of Bcl-2 through caspase-3 inhibition ameliorates ischemia/reperfusion injury in rat cardiac allografts. 2001 , 104, I202-6 | 52 |
| 650 | Concomitant inhibition of Janus kinase 3 and calcineurin-dependent signaling pathways synergistically prolongs the survival of rat heart allografts. 2001 , 166, 3724-32 | 62 |
| 649 | Protection from reperfusion injury after cardiac transplantation by inhibition of adenosine metabolism and nucleotide precursor supply. 2001 , 104, I246-52 | 25 |
| 648 | Transplant coronary artery disease: a novel model independent of cellular alloimmune response. 2001 , 104, 2615-9 | 16 |

| 647 | Uncoupling protein 3 transcription is regulated by peroxisome proliferator-activated receptor (alpha) in the adult rodent heart. 2001 , 15, 833-45 | | 205 |
|-----|--|----------------|-----|
| 646 | Overexpression of interleukin-1 receptor antagonist provides cardioprotection against ischemia-reperfusion injury associated with reduction in apoptosis. 2001 , 104, I308-I3 | | 137 |
| 645 | Conditions of vector delivery improve efficiency of adenoviral-mediated gene transfer to the transplanted heart. 2001 , 19, 702-7 | | 7 |
| 644 | Comparison of myocardial oxygen consumption using 11C acetate positron emission tomography scanning in a working and non-working heart transplant model. 2001 , 19, 74-81 | | 4 |
| 643 | Different qualitative and quantitative regulation of V beta TCR transcripts during early acute allograft rejection and tolerance induction. 2002 , 168, 5088-95 | | 35 |
| 642 | Role for thymic and splenic regulatory CD4+ T cells induced by donor dendritic cells in allograft tolerance by LF15-0195 treatment. 2002 , 168, 5058-69 | | 90 |
| 641 | Immature and mature CD8alpha+ dendritic cells prolong the survival of vascularized heart allografts. 2002 , 168, 143-54 | | 104 |
| 640 | Cardiac Cell and Gene Transfer. 2002 , | | |
| 639 | The antineoplastic drug Paclitaxel has immunosuppressive properties that can effectively promote allograft survival in a rat heart transplant model. <i>Transplantation</i> , 2002 , 73, 216-23 | 1.8 | 15 |
| 638 | Uniform long-term gene expression using adeno-associated virus (AAV) by ex vivo recirculation in rat-cardiac isografts. 2002 , 50, 347-50 | | 15 |
| 637 | Antisense oligonucleotides: design, construction, and applications to cardiac allograft transfer. 2003 , 219, 129-33 | | |
| 636 | Inhibition of chronic vascular rejection by donor-specific blood transfusion is associated with a reduction in transforming growth factor-beta1 expression. <i>Transplantation</i> , 2002 , 73, 1573-81 | 1.8 | 7 |
| 635 | Development of an in vivo ischemia-reperfusion model in heterotopically transplanted rat hearts. Transplantation, 2002 , 73, 1398-402 | 1.8 | 10 |
| 634 | Tacrolimus and cyclosporine differ in their capacity to overcome ongoing allograft rejection as a result of their differential abilities to inhibit interleukin-10 production. <i>Transplantation</i> , 2002 , 73, 1808-1 | 1 8 | 43 |
| 633 | Heterotopic abdominal heart transplantation: a pilot study. 2002 , 17, 145-51 | | О |
| 632 | Depletion of recipient CD4+ but not CD8+ T lymphocytes prevents the development of cardiac allograft vasculopathy. <i>Transplantation</i> , 2002 , 73, 1116-22 | 1.8 | 26 |
| 631 | The effect of selective inhibition of cyclooxygenase (COX)-2 on acute cardiac allograft rejection. <i>Transplantation</i> , 2002 , 74, 1528-34 | 1.8 | 25 |
| 630 | Changes in intragraft gene expression secondary to ischemia reperfusion after cardiac transplantation. <i>Transplantation</i> , 2002 , 74, 924-30 | 1.8 | 26 |

| 629 | T-cell depletion and graft survival induced by anti-human CD3 immunotoxins in human CD3epsilon transgenic mice. <i>Transplantation</i> , 2002 , 73, 1658-66 | 1.8 | 13 |
|-----|---|--------------|----|
| 628 | A novel technique for en bloc, vascularized, composite thymic, and cardiac co-transplantation1. <i>Transplantation</i> , 2002 , 74, 403-5 | 1.8 | 5 |
| 627 | Amelioration of myocardial global ischemia/reperfusion injury with volume-regulatory chloride channel inhibitors in vivo. <i>Transplantation</i> , 2002 , 73, 1185-93 | 1.8 | 17 |
| 626 | Allochimeric class I MHC protein-induced tolerance by partial TCR engagement requires activation of both CTL4- and common gamma-chain-dependent cytokine signals. <i>Transplantation</i> , 2002 , 73, 1227-3 | 5 1.8 | 9 |
| 625 | The role of passenger leukocyte genotype in rejection and acceptance of rat liver allografts. <i>Transplantation</i> , 2002 , 73, 1501-7 | 1.8 | 24 |
| 624 | Mast cells in ongoing acute rejection: increase in number and expression of a different phenotype in rat heart transplants. <i>Transplantation</i> , 2002 , 73, 1707-16 | 1.8 | 28 |
| 623 | Efficacy of mycophenolate sodium as monotherapy and in combination with FTY720 in a DA-to-Lewis-rat heart-transplantation model. <i>Transplantation</i> , 2002 , 74, 1372-6 | 1.8 | 6 |
| 622 | Selective inhibitor of Janus tyrosine kinase 3, PNU156804, prolongs allograft survival and acts synergistically with cyclosporine but additively with rapamycin. 2002 , 99, 680-9 | | 89 |
| 621 | Peritransplant streptavidin recipient treatment prolongs rat cardiac allograft survival. <i>Transplantation</i> , 2002 , 73, 1954-6 | 1.8 | 2 |
| 620 | Hyperhomocyst(e)inemia induces accelerated transplant vascular sclerosis in syngeneic and allogeneic rat cardiac transplants. 2002 , 2, 244-51 | | 1 |
| 619 | Combined use of FTY720 and cyclosporine A prevents chronic allograft vasculopathy. 2002 , 34, 748-9 | | 3 |
| 618 | Tacrolimus treats ongoing allograft rejection by inhibiting interleukin-10 mediated functional cytotoxic cell infiltration. 2002 , 34, 1378-81 | | 5 |
| 617 | Gene expression profiling of acute rejection and mixed lymphocyte reaction with tacrolimus immunosuppression. 2002 , 34, 1385-6 | | 3 |
| 616 | High level of TGF-beta in organ transplantation might be due to rejection rather than calcineurin inhibitor medication. 2002 , 34, 1387-9 | | 4 |
| 615 | Expression of high levels of soluble allogeneic major histocompatability complex class I antigen by adenoviral gene transfer strongly inhibits allospecific cytotoxic T lymphocytes in vivo. 2002 , 34, 1398-9 | | 3 |
| 614 | Cyclosporin A does not enhance the development of transplant vasculopathy: experimental study in a rat cardiac transplant model. 2002 , 34, 1479-80 | | 3 |
| 613 | Angiotensin II type 1 receptor blockade after cardiac transplantation reduced the incidence and severity of transplant vasculopathy in an animal-based study. 2002 , 34, 1484-5 | | 2 |
| 612 | The effect of donor age in graft coronary atherosclerosis after cardiac transplantation. 2002 , 34, 2587-8 | | 2 |

| 611 | A novel small animal model of left ventricular tissue engineering. 2002, 21, 233-43 | 65 |
|-----|---|----|
| 610 | Cyclosporine does not enhance the development of accelerated coronary artery disease: experimental study in a rat cardiac transplant model. 2002 , 21, 425-34 | 5 |
| 609 | Up-regulation of Bcl-2 through hyperbaric pressure transfection of TGF-beta1 ameliorates ischemia-reperfusion injury in rat cardiac allografts. 2002 , 21, 244-50 | 17 |
| 608 | Zinc chloride-mediated reduction of apoptosis as an adjunct immunosuppressive modality in cardiac transplantation. 2002 , 21, 360-5 | 21 |
| 607 | Ex vivo blockade of endothelin-1 inhibits graft coronary artery disease in a rodent cardiac allograft model. 2002 , 21, 417-24 | 15 |
| 606 | Preferential involvement of larger vessels in a rat model of diabetes-induced graft vasculopathy. 2002 , 21, 1040-3 | 2 |
| 605 | HMG-CoA reductase inhibitor cerivastatin prolonged rat cardiac allograft survival by blocking intercellular signals. 2002 , 21, 440-5 | 9 |
| 604 | Reversal of diabetes-induced rat graft transplant coronary artery disease by metformin. 2002 , 21, 637-43 | 6 |
| 603 | The use of (99m)technetium-labeled MCP-1 to assess graft coronary artery disease in rat cardiac allografts. 2002 , 21, 1009-15 | 5 |
| 602 | Hierarchical immunogenicity of donor MHC class I peptides in allotransplantation. 2002, 63, 871-9 | 10 |
| 601 | Hepatocyte expression of soluble donor MHC class I antigen via gene transfer inhibits multiple aspects of the antidonor immune response in fully sensitized rat transplant recipients. 2002 , 63, 948-54 | 6 |
| 600 | Use of an adenoviral vector to express soluble donor-major histocompatibility complex molecules capable of suppressing the immune response in rat transplant recipients. 2002 , 63, 844-52 | 16 |
| 599 | Transfer of "infectious" cardiac allograft tolerance induced by donor-specific transfusion. 2002 , 132, 167-72 | 9 |
| 598 | A high isoflavone soy protein diet and intravenous genistein delay rejection of rat cardiac allografts. 2002 , 132, 2283-7 | 20 |
| 597 | Effects of selective inhibitors of nitric oxide synthase-2 dimerization on acute cardiac allograft rejection. 2002 , 106, 2392-6 | 35 |
| 596 | Pharmacodynamics of mycophenolate mofetil after heart transplantation: new mechanisms of action and correlations with histologic severity of graft rejection. 2002 , 2, 719-32 | 52 |
| 595 | Induction of donor-specific allograft tolerance by short-term treatment with LF15-0195 after transplantation. Evidence for a direct effect on T-cell differentiation. 2002 , 2, 745-57 | 36 |
| 594 | Gene expression during acute allograft rejection: novel statistical analysis of microarray data. 2002 , 2, 913-25 | 40 |

| 593 | Dolichol levels in younger and older rat hearts heterotopically transplanted in younger recipients. 2002 , 37, 913-6 | | 5 |
|-----|--|-----|-----|
| 592 | Lentiviral vectors for delivery of genes into neonatal and adult ventricular cardiac myocytes in vitro and in vivo. 2002 , 97, 348-58 | | 75 |
| 591 | Acute xenograft rejection, late xenograft rejection and long term survival xenografts in the hamster-to-rat heart transplantation model: histological characterisation under low-dose of FK506. 2002 , 110, 737-45 | | 5 |
| 590 | Donor-specific blood transfusion prolongs cardiac allograft survival in rats by low nitric oxide production and elevated serum levels of prostaglandin E(2). 2002 , 83, 119-24 | | 4 |
| 589 | Preimplantation-stage stem cells induce long-term allogeneic graft acceptance without supplementary host conditioning. 2002 , 8, 171-8 | | 261 |
| 588 | Mechanisms of tolerance induction after rat liver transplantation: intrahepatic CD4(+) T cells produce different cytokines during rejection and tolerance in response to stimulation. 2002 , 6, 455-63 | | 14 |
| 587 | The fate of dolichol in rat cells and tissues. 2003 , 4, 347-51 | | 1 |
| 586 | Cardiac allograft acceptance after localized bone marrow transplantation by isolated limb perfusion in nonmyeloablated recipients. 2003 , 21, 200-7 | | 8 |
| 585 | The effect of FTY 720 on engraftment in a model of spontaneous allograft acceptance. <i>Transplant International</i> , 2003 , 16, 383-90 | 3 | 1 |
| 584 | Tumor necrosis factor receptor -1 and -2 double deficiency reduces graft arterial disease in murine cardiac allografts. 2003 , 3, 968-76 | | 35 |
| 583 | Multigene adenoviral therapy for the attenuation of ischemia-reperfusion injury after preservation for cardiac transplantation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003 , 125, 998-1006 | 1.5 | 18 |
| 582 | L-Arginine polymers enhance coronary flow and reduce oxidative stress following cardiac transplantation in rats. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003 , 126, 1065-70 | 1.5 | 7 |
| 581 | Synergistic effect of vincristine with tacrolimus or sirolimus in prevention of acute heart allograft rejection in the rat. 2003 , 23, 117-22 | | 1 |
| 580 | Hypodermin A, a new inhibitor of human complement for the prevention of xenogeneic hyperacute rejection. 2003 , 10, 267-77 | | 16 |
| 579 | Simultaneous administration of a low-dose mixture of donor bone marrow cells and splenocytes plus adenovirus containing the CTLA4Ig gene result in stable mixed chimerism and long-term survival of cardiac allograft in rats. 2003 , 110, 275-86 | | 16 |
| 578 | Dendritic cells genetically engineered to express IL-4 exhibit enhanced IL-12p70 production in response to CD40 ligation and accelerate organ allograft rejection. 2003 , 10, 143-52 | | 23 |
| 577 | Efficient and long-term intracardiac gene transfer in delta-sarcoglycan-deficiency hamster by adeno-associated virus-2 vectors. 2003 , 10, 1807-13 | | 52 |
| 576 | Two good reasons for an angiotensin-II type 1 receptor blockade with losartan after cadiac transplantation: reduction of incidence and severity of transplant vasculopathy. <i>Transplant International</i> , 2003 , 16, 26-32 | 3 | 14 |

| 575 | Busulfan depletes neutrophils and delays accelerated acute rejection of discordant xenografts in the guinea pig-to-rat model. <i>Transplant International</i> , 2003 , 16, 37-44 | 3 | 3 |
|-----|---|---|----|
| 574 | Donor-specific renal, but not cardiac, allograft tolerance promotes engraftment of the normally rejected rat skin graft. <i>Transplant International</i> , 2003 , 16, 713-720 | 3 | 1 |
| 573 | Paradoxical early upregulation of intragraft Th1 cytokines is associated with graft acceptance following donor-specific blood transfusion. <i>Transplant International</i> , 2003 , 16, 179-185 | 3 | 13 |
| 572 | The effect of FTY 720 on engraftment in a model of spontaneous allograft acceptance. <i>Transplant International</i> , 2003 , 16, 383-390 | 3 | |
| 571 | Paclitaxel saves rat heart allografts from rejection by inhibition of the primed anti-donor humoral and cellular immune response: implications for transplant patients with cancer. <i>Transplant International</i> , 2003 , 16, 471-475 | 3 | 4 |
| 57° | Induction of left ventricular remodeling and dysfunction in the recipient heart after donor heart myocardial infarction: new insights into the pathologic role of tumor necrosis factor-alpha from a novel heterotopic transplant-coronary ligation rat model. 2003 , 42, 173-81 | | 19 |
| 569 | Contractile reserve and calcium regulation are depressed in myocytes from chronically unloaded hearts. 2003 , 107, 1176-82 | | 41 |
| 568 | Break of tolerance via donor-specific blood transfusion by high doses of steroids: a differential effect after intestinal transplantation and heart transplantation. 2003 , 35, 3153-5 | | 9 |
| 567 | Overexpression of calpastatin by gene transfer prevents troponin I degradation and ameliorates contractile dysfunction in rat hearts subjected to ischemia/reperfusion. 2003 , 35, 1277-84 | | 55 |
| 566 | Prolonged cardiac xenograft survival in guinea pig-to-rat model by a highly active cobra venom factor. 2003 , 42, 257-62 | | 10 |
| 565 | Elevated cyclic adenosine monophosphate ameliorates ischemia-reperfusion injury in rat cardiac allografts. 2003 , 22, 802-9 | | 6 |
| 564 | Aortic regurgitation in the heterotopic rat heart transplant: effect on ventricular remodeling and diastolic function. 2003 , 22, 937-45 | | 9 |
| 563 | Optimizing probucol administration to preserve left ventricular compliance after reperfusion injury in the heterotopic rat heart isograft. 2003 , 22, 959-66 | | 5 |
| 562 | Ultrastructural evidence of early endothelial damage in coronary arteries of rat cardiac allografts. 2003 , 22, 993-1004 | | 26 |
| 561 | Bcl-2-mediated inhibition of apoptosis in rat cardiac allografts worsens development of graft coronary artery disease. 2003 , 22, 986-92 | | 4 |
| 560 | Mycophenolate mofetil significantly reduces leukocyte graft infiltration after heterotopic cardiac transplantation in a rat model: comparative study with cyclosporine and FK 506. 2003 , 22, 1107-16 | | 14 |
| 559 | Ex vivo and systemic transfer of adenovirus-mediated CTLA4Ig gene combined with a short course of FK506 therapy prolongs islet graft survival. 2003 , 11, 91-100 | | 9 |
| 558 | Simultaneous blockade of co-stimulatory signals, CD28 and ICOS, induced a stable tolerance in rat heart transplantation. 2003 , 12, 41-8 | | 32 |

| 557 | CTLA4-Ig abrogates the anti-globulin response and prolongs cardiac allograft survival after anti-CD2 treatment. 2003 , 12, 1-7 | | 7 |
|-----|--|-----|-----|
| 556 | Preservation of myocyte structure and mitochondrial integrity in subzero cryopreservation of mammalian hearts for transplantation using antifreeze proteinsan electron microscopy study. 2003 , 24, 292-6; discussion 296-7 | | 47 |
| 555 | Development of infectious tolerance after donor-specific transfusion and rat heart transplantation. 2003 , 171, 204-11 | | 27 |
| 554 | Prevention of chronic deterioration of heart allograft by recombinant adeno-associated virus-mediated heme oxygenase-1 gene transfer. 2003 , 107, 2623-9 | | 58 |
| 553 | Ultrasound imaging of acute cardiac transplant rejection with microbubbles targeted to intercellular adhesion molecule-1. 2003 , 108, 218-24 | | 217 |
| 552 | Tolerance induction in rats, using a combination of anti-CD154 and donor splenocytes, given once on the day of transplantation. <i>Transplantation</i> , 2003 , 75, 169-72 | 1.8 | 13 |
| 551 | Long-term liver allograft survival induced by combined treatment with rAAV-hCTLA4Ig gene transfer and low-dose FK506. <i>Transplantation</i> , 2003 , 75, 303-8 | 1.8 | 13 |
| 550 | Immunosuppression with FK778 and mycophenolate mofetil in a rat cardiac transplantation model. <i>Transplantation</i> , 2003 , 76, 1627-9 | 1.8 | 17 |
| 549 | Immature rat myeloid dendritic cells generated in low-dose granulocyte macrophage-colony stimulating factor prolong donor-specific rat cardiac allograft survival. <i>Transplantation</i> , 2003 , 75, 521-8 | 1.8 | 59 |
| 548 | Effects of adenoviral up-regulation of bcl-2 on oxidative stress and graft coronary artery disease in rat heart transplants. <i>Transplantation</i> , 2003 , 76, 382-6 | 1.8 | 12 |
| 547 | FTY720, an immunosuppressant that alters lymphocyte trafficking, abrogates chronic rejection in combination with cyclosporine A. <i>Transplantation</i> , 2003 , 75, 945-52 | 1.8 | 16 |
| 546 | Role of CD41CD251 regulatory T cells from naive host thymus in the induction of acquired transplant tolerance by immunization with allo-major histocompatibility complex peptide. <i>Transplantation</i> , 2003 , 75, 1136-42 | 1.8 | 22 |
| 545 | Synergistic effects of malononitrilamides (FK778, FK779) with tacrolimus (FK506) in prevention of acute heart and kidney allograft rejection and reversal of ongoing heart allograft rejection in the rat. <i>Transplantation</i> , 2003 , 75, 1881-7 | 1.8 | 37 |
| 544 | Presentation of donor major histocompatibility complex antigens by bone marrow dendritic cell-derived exosomes modulates allograft rejection. <i>Transplantation</i> , 2003 , 76, 1503-10 | 1.8 | 147 |
| 543 | Sinomenine blocks tissue remodeling in a rat model of chronic cardiac allograft rejection. <i>Transplantation</i> , 2003 , 75, 940-5 | 1.8 | 44 |
| 542 | Regulatory cell-mediated tolerance does not protect against chronic rejection. <i>Transplantation</i> , 2003 , 76, 588-96 | 1.8 | 35 |
| 541 | Long-term acceptance of rat cardiac allografts on the basis of adenovirus mediated CD40Ig plus CTLA4Ig gene therapies. <i>Transplantation</i> , 2003 , 76, 1089-96 | 1.8 | 31 |
| 540 | Left ventricular mechanical unloading restores Beta-2-adrenergic receptor mRNA expression and decreases susceptibility to ischemia and reperfusion in the failing heart. 2003 , 35, 108-14 | | 5 |

Correlation between mononuclear infiltration and changes in VASP phosphorylation patterns after heterotopic cardiac transplantation in the rat. **2003**, 35, 6-13

| 538 | A New Experimental Model of Heterotopic Intrathoracic Heart Transplantation without Cardiopulmonary Bypass. 2004 , 34, 593 | |
|-----|---|-----|
| 537 | Viral interleukin-10-engineered autologous hematopoietic stem cell therapy: a novel gene therapy approach to prevent graft rejection. 2004 , 15, 131-44 | 21 |
| 536 | Leukocyte-targeted myocardial contrast echocardiography can assess the degree of acute allograft rejection in a rat cardiac transplantation model. 2004 , 109, 1056-61 | 45 |
| 535 | Heart, but not skin, allografts from donors lacking Flt3 ligand exhibit markedly prolonged survival time. 2004 , 172, 5924-30 | 17 |
| 534 | MHC class II isotype- and allele-specific attenuation of experimental autoimmune encephalomyelitis. 2004 , 173, 2792-802 | 8 |
| 533 | The role of TNF-related activation-induced cytokine-receptor activating NF-kappa B interaction in acute allograft rejection and CD40L-independent chronic allograft rejection. 2004 , 172, 1619-29 | 29 |
| 532 | Inhibition of inducible nitric oxide synthase and superoxide production reduces matrix metalloproteinase-9 activity and restores coronary vasomotor function in rat cardiac allografts. 2004 , 26, 262-9 | 22 |
| 531 | Mitochondrial defects and heterogeneous cytochrome c release after cardiac cold ischemia and reperfusion. 2004 , 286, H1633-41 | 130 |
| 530 | Heme oxygenase-1-derived carbon monoxide protects hearts from transplant associated ischemia reperfusion injury. 2004 , 18, 771-2 | 171 |
| 529 | Different patterns of TCR beta chain regulation following allo- and xeno-transplantation. 2004, 11, 315-22 | 7 |
| 528 | AdCTLA-4lg combined with donor splenocytes, bone marrow cells and anti-ICOS antibody treatment induce tolerance in a rat heart transplantation model. <i>Transplant International</i> , 2004 , 17, 15-2 ³ | 1 |
| 527 | Resistance to anti-CD45RB-induced tolerance in NOD mice: mechanisms involved. <i>Transplant International</i> , 2004 , 17, 261-269 | 19 |
| 526 | Allograft tolerance induced by donor apoptotic lymphocytes requires phagocytosis in the recipient. 2004 , 11, 1258-64 | 55 |
| 525 | Induction of long-term cardiac allograft survival by heme oxygenase-1 gene transfer. 2004 , 11, 701-10 | 76 |
| 524 | Endothelial cell protection by dextran sulfate: a novel strategy to prevent acute vascular rejection in xenotransplantation. 2004 , 4, 181-7 | 28 |
| 523 | Evidence for cooperativity in the rejection of cardiac grafts mediated by CD4 TCR Tg T cells specific for a defined allopeptide. 2004 , 4, 1762-8 | 23 |
| 522 | Activation and migration of allo-peptide specific TCR transgenic T cells in cardiac allograft rejection. 2004 , 230, 44-55 | 11 |

| 521 | Inhibition of acute rejection after skin or cardiac transplantation by administration of donor antigens in the rat. 2004 , 34, 341-8 | 1 |
|-----|---|----|
| 520 | Changes in dolichol and pentosidine levels in the age-mismatched heterotopically transplanted rat heart. 2004 , 5, 383-8 | |
| 519 | Differences in lymphocyte gene expression between tolerant and syngeneic liver grafted rats. 2004 , 10, 379-91 | 27 |
| 518 | Mechanical unloading improves intracellular Ca2+ regulation in rats with doxorubicin-induced cardiomyopathy. 2004 , 44, 2239-46 | 28 |
| 517 | Captopril suppresses post-transplantation angiogenic activity in rat allograft coronary vessels. 2004 , 23, 666-73 | 8 |
| 516 | Heterotopic rat heart transplantation: severe loss of glutathione in 8-hour ischemic hearts. 2004 , 23, 1093-102 | 10 |
| 515 | 3-Deazaadenosine prevents leukocyte invasion by suppression of adhesion molecule expression during acute cardiac allograft rejection: involvement of apoptotic cell death. 2004 , 23, 970-8 | 9 |
| 514 | ONO-4817, a novel matrix metalloproteinase inhibitor, attenuates allograft vasculopathy in a rat cardiac transplant. 2004 , 23, 1163-9 | 17 |
| 513 | Reduction of ICAM-1 and LFA-1-positive leukocytes in the perivascular space of arteries under mycophenolate mofetil therapy reduces rat heart transplant vasculopathy. 2004 , 23, 1405-13 | 13 |
| 512 | alpha4beta1-integrin blockade and cyclosporine decreases the prevalence and severity of transplant vasculopathy in a rat transplant model. 2004 , 23, 1266-76 | 2 |
| 511 | Systemic radioimmunotherapy using a monoclonal antibody, anti-Tac directed toward the alpha subunit of the IL-2 receptor armed with the alpha-emitting radionuclides (212)Bi or (211)At. 2004 , 31, 357-64 | 16 |
| 510 | Early experience with cyclosporine: a historic perspective. 2004 , 36, 22S-24S | 3 |
| 509 | Auxiliary liver-heart transplantation in the rat: a new microsurgical model inducing tolerance. 2004 , 36, 1607-9 | 4 |
| 508 | Expression of lectin-like oxidized low-density lipoprotein receptor-1 in allografted hearts. 2004 , 36, 2440-2 | 2 |
| 507 | Adenovirus-mediated CTLA4 immunoglobulin G gene therapy in cardiac xenotransplantation. 2004 , 36, 2478-9 | 6 |
| 506 | Unique gene expression profiles of heart allograft rejection in the interferon regulatory factor-1-deficient mouse. 2004 , 13, 169-75 | 9 |
| 505 | Rat CD8+ FOXP3+ T suppressor cells mediate tolerance to allogeneic heart transplants, inducing PIR-B in APC and rendering the graft invulnerable to rejection. 2004 , 13, 239-47 | 94 |
| 504 | Pathways to acute humoral rejection. 2004 , 164, 1073-80 | 39 |

| 503 | Allogeneic core amino acids of an immunodominant allopeptide are important for MHC binding and TCR recognition. 2004 , 65, 817-25 | | 5 | |
|-----|--|-----|----|--|
| 502 | Effects of ventricular unloading on apoptosis and atrophy of cardiac myocytes. 2004 , 120, 119-26 | | 20 | |
| 501 | Bone marrow chimerism and tolerance induced by single-dose cyclophosphamide. 2004 , 120, 102-10 | | 13 | |
| 500 | Prolonged 24-hour subzero preservation of heterotopically transplanted rat hearts using antifreeze proteins derived from arctic fish. 2004 , 77, 1648-55 | | 32 | |
| 499 | Cyclosporine treatment preserves coronary resistance artery function in rat cardiac allografts. 2004 , 23, 193-203 | | 8 | |
| 498 | Sustained suppression of peripheral blood immune functions by treatment with mycophenolate mofetil correlates with reduced severity of cardiac allograft rejection. 2004 , 23, 334-51 | | 14 | |
| 497 | Induction of Fractalkine and CX3CR1 mediated by host CD8+ T cells in allograft tolerance induced by donor specific blood transfusion. <i>Transplantation</i> , 2004 , 78, 1259-66 | 1.8 | 19 | |
| 496 | Functional heterogeneity of mitochondria after cardiac cold ischemia and reperfusion revealed by confocal imaging. <i>Transplantation</i> , 2004 , 77, 754-6 | 1.8 | 17 | |
| 495 | FK778 attenuates lymphocyte-endothelium interaction after cardiac transplantation: in vivo and in vitro studies. <i>Transplantation</i> , 2004 , 78, 71-7 | 1.8 | 12 | |
| 494 | Effects of inhibition of poly(adenosine diphosphate-ribose) synthase on acute cardiac allograft rejection. <i>Transplantation</i> , 2004 , 78, 668-74 | 1.8 | 10 | |
| 493 | Early accumulation of interferon-gamma in grafts tolerized by donor-specific blood transfusion: friend or enemy?. <i>Transplantation</i> , 2004 , 78, 1747-55 | 1.8 | 9 | |
| 492 | Superoxide dismutase mimetic m40401 reduces ischemia-reperfusion injury and graft coronary artery disease in rodent cardiac allografts. <i>Transplantation</i> , 2004 , 78, 1166-71 | 1.8 | 23 | |
| 491 | CD4+ T-cell receptor transgenic T cells alone can reject vascularized heart transplants through the indirect pathway of alloantigen recognition. <i>Transplantation</i> , 2004 , 77, 452-5 | 1.8 | 41 | |
| 490 | Presentation of donor major histocompatibility complex class II antigens by dna vaccination prolongs heart allograft survival. <i>Transplantation</i> , 2004 , 77, 733-40 | 1.8 | 11 | |
| 489 | The interaction between FK778 and tacrolimus in the prevention of rat cardiac allograft rejection is dose dependent. <i>Transplantation</i> , 2004 , 77, 509-13 | 1.8 | 16 | |
| 488 | Gene therapy-mediated CD40L and CD28 co-stimulatory signaling blockade plus transient anti-xenograft antibody suppression induces long-term acceptance of cardiac xenografts. <i>Transplantation</i> , 2004 , 78, 1463-70 | 1.8 | 8 | |
| 487 | Donor-specific allograft tolerance by administration of recipient-derived immature dendritic cells and suboptimal immunosuppression. <i>Transplantation</i> , 2005 , 79, 969-72 | 1.8 | 72 | |
| 486 | Effect of adenovirus-mediated transfer of the CTLA4IG gene in hamster-to-rat xenotransplantation. <i>Transplantation</i> , 2005 , 80, 494-9 | 1.8 | 5 | |

(2005-2005)

| 485 | Inhibition of chronic rejection by antibody induced vascular accommodation in fully allogeneic heart allografts. <i>Transplantation</i> , 2005 , 80, 1535-40 | 1.8 | 11 |
|-----|--|-----|-----|
| 484 | Exhaustive depletion of graft resident dendritic cells: marginally delayed rejection but strong alteration of graft infiltration. <i>Transplantation</i> , 2005 , 80, 506-13 | 1.8 | 5 |
| 483 | Heterotopic transplantation of the failing rat heart as a model of left ventricular mechanical unloading toward recovery. 2005 , 51, 116-20 | | 28 |
| 482 | Mechanistic study of malononitrileamide FK778 in cardiac transplantation and CMV infection in rats. <i>Transplantation</i> , 2005 , 79, 17-22 | 1.8 | 28 |
| 481 | Dimeric but not monomeric soluble CD40 prolongs allograft survival and generates regulatory T cells that inhibit CTL function. <i>Transplantation</i> , 2005 , 80, 1614-22 | 1.8 | 10 |
| 480 | Accumulation of T cells with potent regulatory properties and restricted Vbeta7-TCR rearrangements in tolerated allografts. <i>Transplantation</i> , 2005 , 80, 1476-84 | 1.8 | 21 |
| 479 | Nitric oxide formation in acutely rejecting cardiac allografts correlates with GTP cyclohydrolase I activity. 2005 , 391, 541-7 | | 8 |
| 478 | The effect of a first kidney transplant on a subsequent transplant outcome: an experimental and clinical study. 2005 , 67, 2368-75 | | 38 |
| 477 | Pre-transplant blood transfusion and cyclosporin A induce long-term hamster cardiac xenograft survival in immunocompetent rats. 2005 , 12, 63-71 | | 4 |
| 476 | FK778, a novel immunosuppressive agent, reduces early adhesion molecule up-regulation and prolongs cardiac allograft survival. <i>Transplant International</i> , 2005 , 18, 215-20 | 3 | 13 |
| 475 | Prolongation of heart allograft survival by immature dendritic cells generated from recipient type bone marrow progenitors. 2005 , 5, 255-67 | | 109 |
| 474 | Protection against ischemia/reperfusion injury in cardiac and renal transplantation with carbon monoxide, biliverdin and both. 2005 , 5, 282-91 | | 206 |
| 473 | Allo-specific T-cells encoding for viral IL-10 exert strong immunomodulatory effects in vitro but fail to prevent graft rejection. 2005 , 5, 268-81 | | 7 |
| 472 | Activation of pro-inflammatory and anti-inflammatory cytokines in host organs during chronic allograft rejection: role of endothelin receptor signaling. 2005 , 5, 1042-9 | | 40 |
| 471 | CXCL9 antagonism further extends prolonged cardiac allograft survival in CCL19/CCL21-deficient mice. 2005 , 5, 2104-13 | | 17 |
| 470 | Identification of a new member of the CD20/FcepsilonRIbeta family overexpressed in tolerated allografts. 2005 , 5, 2143-53 | | 33 |
| 469 | Infectious tolerance develops after intrathymic alloantigen-induced acceptance of rat heart allografts can be adoptively transferred. 2005 , 138, 254-60 | | 5 |
| 468 | Inhibition of heart transplant injury and graft coronary artery disease after prolonged organ ischemia by selective protein kinase C regulators. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 129, 1160-7 | 1.5 | 14 |

| 467 | Reloading the heart: a new animal model of left ventricular assist device removal. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 99-106 | 1.5 | 13 |
|-----|---|-----|-----|
| 466 | The role of CC and CXC chemokines in cardiac allograft rejection in rats. 2005 , 78, 171-6 | | 7 |
| 465 | Experimental organ preservation. 1972 , 59, 758-64 | | 6 |
| 464 | Perfusion in the experimental preservation of the rat heart. 1976 , 63, 508-11 | | 2 |
| 463 | Blood transfusion and renal transplantation. 1979 , 66, 678-82 | | 23 |
| 462 | Heterotopic cardiac xenotransplantation in rodents: report of a refined technique in a hamster-to-rat model. 2005 , 25, 227-34 | | 12 |
| 461 | Transplante experimental cardãco heterotpico e cutñeo em camundongos. 2005 , 20, 174-181 | | |
| 460 | Host-derived circulating cells do not significantly contribute to cardiac regeneration in heterotopic rat heart transplants. 2005 , 68, 394-404 | | 16 |
| 459 | Protective mechanisms of a metalloporphyrinic peroxynitrite decomposition catalyst, WW85, in rat cardiac transplants. 2005 , 314, 53-60 | | 33 |
| 458 | Recombinant dimeric MHC antigens protect cardiac allografts from rejection and visualize alloreactive T cells. 2005 , 78, 595-604 | | 6 |
| 457 | KRP-203, a novel synthetic immunosuppressant, prolongs graft survival and attenuates chronic rejection in rat skin and heart allografts. 2005 , 111, 222-9 | | 103 |
| 456 | Bcl-xL gene transfer inhibits Bax translocation and prolongs cardiac cold preservation time in rats. 2005 , 112, 76-83 | | 49 |
| 455 | Deletion of DOCK2, a regulator of the actin cytoskeleton in lymphocytes, suppresses cardiac allograft rejection. 2005 , 202, 1121-30 | | 33 |
| 454 | Lentivirus-mediated gene transfer of viral interleukin-10 delays but does not prevent cardiac allograft rejection. 2005 , 12, 1509-16 | | 22 |
| 453 | CD4 T cell-dependent conditioning of dendritic cells to produce IL-12 results in CD8-mediated graft rejection and avoidance of tolerance. 2005 , 174, 6909-17 | | 66 |
| 452 | Gene expression profiling reveals multiple protective influences of the peptide alpha-melanocyte-stimulating hormone in experimental heart transplantation. 2005 , 175, 3391-401 | | 22 |
| 451 | Early presence of regulatory cells in transplanted rats rendered tolerant by donor-specific blood transfusion. 2005 , 175, 4963-70 | | 30 |
| 450 | Omega-3 fatty acids in health and disease: part 2health effects of omega-3 fatty acids in autoimmune diseases, mental health, and gene expression. 2005 , 8, 133-48 | | 59 |

| 449 | Handbook of Cardiac Anatomy, Physiology, and Devices. 2005 , | 15 |
|-----|--|----|
| 448 | Blood transfers infectious immunologic tolerance in MHC-incompatible heart transplantation in rats. 2005 , 24, 614-7 | 5 |
| 447 | Cyclosporine treatment of high dose and long duration reduces the severity of graft coronary artery disease in rodent cardiac allografts. 2005 , 24, 439-45 | 6 |
| 446 | Na+/H+ exchange inhibition and antioxidants lack additive protective effects after reperfusion injury in the working heterotopic rat heart isograft. 2005 , 24, 386-91 | 1 |
| 445 | Formation of 4-hydroxy-2-nonenal protein adducts in the ischemic rat heart after transplantation. 2005 , 24, 730-6 | 21 |
| 444 | Early inhibition of caspase-3 activity lessens the development of graft coronary artery disease. 2005 , 24, 827-32 | 13 |
| 443 | Potent farnesyltransferase inhibitor ABT-100 abrogates acute allograft rejection. 2005 , 24, 1403-9 | 6 |
| 442 | Prolonged cold ischemia in rat cardiac allografts promotes ischemia-reperfusion injury and the development of graft coronary artery disease in a linear fashion. 2005 , 24, 1906-14 | 57 |
| 441 | Improved viability and reduced apoptosis in sub-zero 21-hour preservation of transplanted rat hearts using anti-freeze proteins. 2005 , 24, 1915-29 | 46 |
| 440 | Effect of streptavidin on cardiac allograft prolongation is due to host T-Cell suppression. 2005 , 37, 116-8 | 1 |
| 439 | Infectious tolerance mediated by CD8+ T-suppresor cells after UV-B-irradiated donor-specific transfusion and rat heart transplantation. 2005 , 37, 43-5 | 3 |
| 438 | Combination of hDAF-transgenic pig hearts and immunoadsorption in heterotopic xenotransplantation of immunosuppressed baboons. 2005 , 37, 483-6 | 3 |
| 437 | CTLA4-Fas ligand gene transfer mediated by adenovirus induce long-time survival of murine cardiac allografts. 2005 , 37, 2379-81 | 16 |
| 436 | The phytoestrogen biochaninA weakens acute cardiac allograft rejection without affecting the reproductive system. 2005 , 15, 45-53 | 1 |
| 435 | Poly (ADP) ribose polymerase inhibition improves rat cardiac allograft survival. 2005, 80, 950-6 | 18 |
| 434 | Cytidine potentiates the inhibitory effect of brequinar sodium on xeno-MLR, antibody production, and concordant hamster to rat cardiac xenograft survival. 1993 , 696, 227-34 | 2 |
| 433 | Interaction of diltiazem and rapamycin on survival of rat cardiac allografts. 1993 , 696, 392-5 | |
| 432 | Differential changes in respiratory capacity and ischemia tolerance of isolated mitochondria from atrophied and hypertrophied hearts. 2006 , 55, 1097-106 | 14 |

| 431 | Immunology. 2006 , 847-864 | | 2 |
|-----|---|---|-----|
| 430 | Beneficial effect of alpha-tocopheryl succinate in rat cardiac transplants. 2006 , 25, 707-15 | | 13 |
| 429 | Microvascular thrombosis and cardiac allograft vasculopathy in rat heart transplantation. 2006, 25, 1213-2 | 2 | 9 |
| 428 | Efficacy of transient treatment with FK506 in the early phase on cyclophosphamide-induced bone marrow chimerism and transplant tolerance across MHC barriers. 2006 , 133, 61-8 | | 3 |
| 427 | Enhancement of NKT cells and increase in regulatory T cells results in improved allograft survival. 2006 , 134, 10-21 | | 6 |
| 426 | CTLA4-Ig-based conditioning regimen to induce tolerance to cardiac allografts. 2006 , 136, 238-46 | | 7 |
| 425 | Long-term survival of cardiac allografts induced by cyclophosphamide combined with CTLA4Ig-gene transfer mediated by adenoviral vector. 2006 , 38, 3043-5 | | 2 |
| 424 | Low molecular weight fucan prevents transplant coronaropathy in rat cardiac allograft model. 2006 , 16, 14-9 | | 26 |
| 423 | Ex vivo perfusion with mitomycin C containing solution prolongs heart graft survival in rats. Transplantation, 2006 , 82, 1537-40 | 3 | 16 |
| 422 | Immunomodulatory effects of mesenchymal stem cells in a rat organ transplant model. Transplantation, 2006 , 81, 1589-95 | 3 | 222 |
| 421 | Macroencapsulation protects against sensitization after allogeneic islet transplantation in rats. Transplantation, 2006 , 82, 393-7 | 3 | 12 |
| 420 | New evidence for a role of allograft accommodation in long-term tolerance. <i>Transplantation</i> , 2006 , 82, 1185-93 | 3 | 30 |
| 419 | Heart allograft protection with low-dose carbon monoxide inhalation: effects on inflammatory mediators and alloreactive T-cell responses. <i>Transplantation</i> , 2006 , 81, 220-30 | 3 | 62 |
| 418 | Cardiac allograft vasculopathy after cardiac transplantation and hormone therapy: positive effects?. <i>Transplantation</i> , 2006 , 82, 234-40 | 3 | 8 |
| 417 | A monoselective sphingosine-1-phosphate receptor-1 agonist prevents allograft rejection in a stringent rat heart transplantation model. 2006 , 13, 1227-34 | | 110 |
| 416 | Concurrent antiviral and immunosuppressive activities of leflunomide in vivo. 2006 , 6, 69-75 | | 79 |
| 415 | C4d deposition and clearance in cardiac transplants correlates with alloantibody levels and rejection in rats. 2006 , 6, 923-32 | | 50 |
| 414 | Induction of tolerance by exosomes and short-term immunosuppression in a fully MHC-mismatched rat cardiac allograft model. 2006 , 6, 1541-50 | | 105 |

(2007-2006)

| 413 | A simplified technique for heart transplantation in rats: abdominal vessel branch-sparing and modified venotomy. 2006 , 26, 470-2 | | 12 | |
|-----|--|-----|----|--|
| 412 | Heterotopic cardiac xenotransplantation in rodents: report of a refined technique in a hamster-to-rat model. 2006 , 26, 484-5 | | 3 | |
| 411 | Electroporation-mediated interleukin-10 overexpression in skeletal muscle reduces acute rejection in rat cardiac allografts. 2006 , 8, 242-8 | | 16 | |
| 410 | Differential gene expression in response to ventricular unloading in rat and human myocardium. 2006 , 54, 381-7 | | 8 | |
| 409 | Comparison of two gene transfer models for the attenuation of myocardial ischemia-reperfusion injury following preservation for cardiac transplantation. 2006 , 29, 772-8 | | 5 | |
| 408 | STAT-1 and AP-1 decoy oligonucleotide therapy delays acute rejection and prolongs cardiac allograft survival. 2006 , 71, 527-36 | | 33 | |
| 407 | Subtractive hybridization for differential gene expression in mechanically unloaded rat heart. 2006 , 291, H2714-22 | | 4 | |
| 406 | Hybrid cardiomyocytes derived by cell fusion in heterotopic cardiac xenografts. 2006 , 20, 2534-6 | | 14 | |
| 405 | Antibody-induced transplantation tolerance that is dependent on thymus-derived regulatory T cells. 2006 , 176, 2799-807 | | 30 | |
| 404 | Anti-CD28 antibodies modify regulatory mechanisms and reinforce tolerance in CD40Ig-treated heart allograft recipients. 2007 , 179, 8164-71 | | 30 | |
| 403 | Abrogation of antibody-mediated allograft rejection by regulatory CD4 T cells with indirect allospecificity. 2007 , 178, 2221-8 | | 38 | |
| 402 | Cutting edge: transplant tolerance induced by anti-CD45RB requires B lymphocytes. 2007 , 178, 6028-3 | 2 | 79 | |
| 401 | Suppression of alloreactivity and allograft rejection by SP600125, a small molecule inhibitor of c-Jun N-terminal kinase. <i>Transplantation</i> , 2007 , 83, 1358-64 | 1.8 | 7 | |
| 400 | Depletion of LAG-3 positive cells in cardiac allograft reveals their role in rejection and tolerance. <i>Transplantation</i> , 2007 , 84, 1500-6 | 1.8 | 19 | |
| 399 | Sodium iodide symporter (hNIS) permits molecular imaging of gene transduction in cardiac transplantation. <i>Transplantation</i> , 2007 , 84, 1662-6 | 1.8 | 11 | |
| 398 | Riboflavin-mediated reduction of oxidant injury, rejection, and vasculopathy after cardiac allotransplantation. <i>Transplantation</i> , 2007 , 83, 747-53 | 1.8 | 48 | |
| 397 | Pathways of helper CD4 T cell allorecognition in generating alloantibody and CD8 T cell alloimmunity. <i>Transplantation</i> , 2007 , 83, 931-7 | 1.8 | 42 | |
| 396 | Toll-like receptor 4 mediates the early inflammatory response after cold ischemia/reperfusion. <i>Transplantation</i> , 2007 , 84, 1279-87 | 1.8 | 64 | |

| 395 | Inhibition of heart allograft rejection with mitomycin C-treated donor dendritic cells. <i>Transplantation</i> , 2007 , 83, 347-50 | 1.8 | 19 |
|-----|---|-----|----|
| 394 | Is the malononitrilamide FK778 better for the prevention of acute or chronic rejection?. 2007 , 39, 569- | 72 | 2 |
| 393 | Sensitization to enhanced green fluorescence protein minor histocompatibility antigen by gene transduction into dendritic cells and peritoneal exudate macrophages. 2007 , 18, 73-84 | | О |
| 392 | Ischemically damaged heart after preservation by the cavitary two-layer method as a possible donor in rat heart transplantation. 2007 , 26, 1320-5 | | 4 |
| 391 | Recombinant adenoviral gene transfer does not affect cardiac allograft vasculopathy. 2007 , 26, 1281-5 | | 2 |
| 390 | Inhibition of chemokine receptor CCR2 and CCR5 expression contributes to simvastatin-induced attenuation of cardiac allograft vasculopathy. 2007 , 26, 485-93 | | 20 |
| 389 | Rosiglitazone suppresses cyclosporin-induced chronic transplant dysfunction and prolongs survival of rat cardiac allografts. <i>Transplantation</i> , 2007 , 83, 1602-10 | 1.8 | 7 |
| 388 | Development of CD25- regulatory T cells following heart transplantation: evidence for transfer of long-term survival. 2007 , 37, 147-56 | | 16 |
| 387 | Dendritic cells internalise and re-present conformationally intact soluble MHC class I alloantigen for generation of alloantibody. 2007 , 37, 696-705 | | 15 |
| 386 | Effect of Baohuoside-1 aglycone and tacrolimus monotherapy and combination therapy on prevention of acute heart allograft rejection in the rat. 2007 , 27, 268-70 | | 3 |
| 385 | Pancreas transplantation using type I and type II spontaneously diabetic ratsour experimental experience. 2007 , 27, 305-11 | | 1 |
| 384 | Heterotopic vascularized murine cardiac transplantation to study graft arteriopathy. 2007 , 2, 471-80 | | 50 |
| 383 | Recombinant adeno-associated virus vector for gene transfer to the transplanted rat heart. <i>Transplant International</i> , 2007 , 20, 550-7 | 3 | 15 |
| 382 | Induction of regulatory cells and control of cellular but not vascular rejection by costimulation blockade in hamster-to-rat heart xenotransplantation. 2007 , 14, 25-33 | | 13 |
| 381 | Inhibition of the membrane attack complex of complement for induction of accommodation in the hamster-to-rat heart transplant model. 2007 , 14, 572-9 | | 19 |
| 380 | Depressed contractile reserve and impaired calcium handling of cardiac myocytes from chronically unloaded hearts are ameliorated with the administration of physiological treatment dose of T3 in rats. 2007 , 189, 221-31 | | 21 |
| 379 | Class I MHC allochimeric presentation of composite immunogenic and self epitopes induces tolerance to genetically diverse rat strains. 2007 , 248, 48-58 | | 3 |
| 378 | Functional compartmentalization following induction of long-term graft survival with pregraft donor-specific transfusion. 2007 , 7, 538-49 | | 16 |

(2008-2007)

| 377 | Sanglifehrin a blocks key dendritic cell functions in vivo and promotes long-term allograft survival together with low-dose CsA. 2007 , 7, 789-98 | 23 |
|-----|--|------|
| 376 | Role of IFNgamma in allograft tolerance mediated by CD4+CD25+ regulatory T cells by induction of IDO in endothelial cells. 2007 , 7, 2472-82 | 57 |
| 375 | Simvastatin attenuates cardiac isograft ischemia-reperfusion injury by down-regulating CC chemokine receptor-2 expression. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 134, 780-8 | 8 |
| 374 | Induction of peripheral tolerance by local delivery of dendritic cell progenitors to cardiac allografts in a murine heterotopic heart transplantation model. 2007 , 55, 307-14 | 4 |
| 373 | Assessment of graft function in rodent models of heart transplantation. 2008, 28, 565-70 | 18 |
| 372 | Hydrodynamics-based delivery of plasmid DNA encoding CTLA4-Ig prolonged cardiac allograft survival in rats. 2008 , 10, 290-7 | 8 |
| 371 | Further study of anti-ICOS immunotherapy for rat cardiac allograft rejection. 2008, 38, 815-25 | 12 |
| 370 | Perfusion-decellularized matrix: using naturels platform to engineer a bioartificial heart. 2008, 14, 213-21 | 2047 |
| 369 | Dietary n-3 fatty acids attenuate cardiac allograft vasculopathy via activating peroxisome proliferator-activated receptor-gamma. 2008 , 12, 550-6 | 10 |
| 368 | The role of angiogenic and wound repair factors during CMV-accelerated transplant vascular sclerosis in rat cardiac transplants. 2008 , 8, 277-87 | 37 |
| 367 | Dextran sulfate facilitates anti-CD4 mAb-induced long-term rat cardiac allograft survival after prolonged cold ischemia. 2008 , 8, 1151-62 | 13 |
| 366 | The chemokine receptor Cxcr3 is not essential for acute cardiac allograft rejection in mice and rats. 2008 , 8, 1604-13 | 32 |
| 365 | An immunomodulatory role for follistatin-like 1 in heart allograft transplantation. 2008, 8, 2297-306 | 42 |
| 364 | Efficient and durable gene transfer to transplanted heart using adeno-associated virus 9 vector. 2008 , 27, 554-60 | 21 |
| 363 | Prolonged mechanical unloading reduces myofilament sensitivity to calcium and sarcoplasmic reticulum calcium uptake leading to contractile dysfunction. 2008 , 27, 882-9 | 30 |
| 362 | Heterotopic rat heart transplantation (Lewis to F344): early ICAM-1 expression after 8 hours of cold ischemia. 2008 , 27, 1031-5 | 8 |
| 361 | Mixed chimerism achieved by a nonlethal conditioning regimen induces donor-specific tolerance to lung allografts. 2008 , 146, 289-97 | 4 |
| 360 | Improvement of heart allograft acceptability associated with recruitment of CD4+CD25+ T cells in peripheral blood by recipient treatment with granulocyte colony-stimulating factor. 2008 , 40, 1604-11 | 9 |

| 359 | Preconditioning with ozone abrogates acute rejection and prolongs cardiac allograft survival in rats. 2008 , 40, 974-7 | | 12 |
|-----|---|---|-----|
| 358 | Protosappanin a, an immunosuppressive constituent from a Chinese herb, prolongs graft survival and attenuates acute rejection in rat heart allografts. 2008 , 40, 3719-22 | | 20 |
| 357 | Heart allograft acceptance induced by anti-CD3 antibody in high-responder rats: effect on foxp3 and cytokine expression and graft infiltration. 2008 , 19, 20-4 | | 5 |
| 356 | The immune effect of intrathymic inoculation and whole body irradiation on production of xenoantibody in a pig-to-monkey heart transplantation model. 2008 , 20, 73-7 | | 2 |
| 355 | Mesenchymal stem cells can induce long-term acceptance of solid organ allografts in synergy with low-dose mycophenolate. 2008 , 20, 55-60 | | 166 |
| 354 | Unloaded rat hearts in vivo express a hypertrophic phenotype of cardiac repolarization. 2008, 45, 633-41 | | 10 |
| 353 | Treatment with alpha-melanocyte stimulating hormone preserves calcium regulatory proteins in rat heart allografts. 2008 , 22, 817-23 | | 11 |
| 352 | Effect of ecdysterone on heteroptopic heart transplantation in rats. 2008 , 22, 299-303 | | 1 |
| 351 | Implication of matrix metalloproteinase 7 and the noncanonical wingless-type signaling pathway in a model of kidney allograft tolerance induced by the administration of anti-donor class II antibodies. 2008 , 180, 1317-25 | | 13 |
| 350 | AP-1 and STAT-1 decoy oligodeoxynucleotides attenuate transplant vasculopathy in rat cardiac allografts. 2008 , 79, 698-705 | | 24 |
| 349 | A comparison of the effects of fish oil and flaxseed oil on cardiac allograft chronic rejection in rats. 2008 , 294, H1452-8 | | 7 |
| 348 | Role and possible mechanisms of clenbuterol in enhancing reverse remodelling during mechanical unloading in murine heart failure. 2008 , 77, 695-706 | | 55 |
| 347 | Hyperacute rejection by anti-Gal IgG1, IgG2a, and IgG2b is dependent on complement and Fc-gamma receptors. 2008 , 180, 261-8 | | 19 |
| 346 | Partial left ventricular unloading reverses contractile dysfunction and helps recover gene expressions in failing rat hearts. 2008 , 7, 27-31 | | 11 |
| 345 | Inhibition of ICAM-1/LFA-1 interactions prevents B-cell-dependent anti-CD45RB-induced transplantation tolerance. <i>Transplantation</i> , 2008 , 85, 675-80 | 3 | 24 |
| 344 | A blocking anti-CD28-specific antibody induces long-term heart allograft survival by suppression of the PKC theta-JNK signal pathway. <i>Transplantation</i> , 2008 , 85, 1051-5 | 8 | 17 |
| 343 | Novel immunosuppression: R348, a JAK3- and Syk-inhibitor attenuates acute cardiac allograft rejection. <i>Transplantation</i> , 2008 , 85, 885-92 | 3 | 28 |
| 342 | Posttransplant ischemia-reperfusion injury in transplanted heart is prevented by a minibody to the fifth component of complement. <i>Transplantation</i> , 2008 , 86, 1445-51 | 8 | 22 |

| 341 | Left ventricular assist device-induced molecular changes in the failing myocardium. 2008 , 23, 206-18 | | 34 |
|---------------------------------|---|-----|----------------|
| 340 | Mitochondrial ischemia-reperfusion injury of the transplanted rat heart: improved protection by preservation versus cardioplegic solutions. 2008 , 30, 365-71 | | 14 |
| 339 | Trasplante heterotpico de corazo en ratas. Desarrollo de un modelo de microcirugo. 2008, 60, | | |
| 338 | Celecoxib plays a multiple role to peripheral blood lymphocytes and allografts in acute rejection in rats after cardiac transplantation. 2009 , 122, 188-192 | | 49 |
| 337 | Erythropoietin protects from reperfusion-induced myocardial injury by enhancing coronary endothelial nitric oxide production. 2009 , 35, 839-46; discussion 846 | | 24 |
| 336 | MicroRNA: novel regulators involved in the remodeling and reverse remodeling of the heart. 2009 , 113, 81-8 | | 36 |
| 335 | Stem cell homing and angiomyogenesis in transplanted hearts are enhanced by combined intramyocardial SDF-1alpha delivery and endogenous cytokine signaling. 2009 , 296, H976-86 | | 59 |
| 334 | A novel indole-3-propanamide exerts its immunosuppressive activity by inhibiting JAK3 in T cells. 2009 , 331, 710-6 | | 6 |
| 333 | Orally administered nitrite attenuates cardiac allograft rejection in rats. 2009, 146, 155-65 | | 14 |
| | | | |
| 332 | Renoprotective immunosuppression by pioglitazone with low-dose cyclosporine in rat heart transplantation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 138, 744-51 | 1.5 | 8 |
| 332 | | 1.5 | 20 |
| | Indirect CD4+ TH1 response, antidonor antibodies and diffuse C4d graft deposits in long-term | 1.5 | |
| 331 | Indirect CD4+ TH1 response, antidonor antibodies and diffuse C4d graft deposits in long-term recipients conditioned by donor antigens priming. 2009 , 9, 697-708 Suppression of T-cell response and prolongation of allograft survival in a rat model by tryptophan | 1.5 | 20 |
| 331 | Indirect CD4+ TH1 response, antidonor antibodies and diffuse C4d graft deposits in long-term recipients conditioned by donor antigens priming. 2009, 9, 697-708 Suppression of T-cell response and prolongation of allograft survival in a rat model by tryptophan catabolites. 2009, 606, 225-32 Enhancement of T-cell-mediated anti-tumour immunity via the ectopically expressed glucocorticoid-induced tumour necrosis factor receptor-related receptor ligand (GITRL) on | 1.5 | 20 |
| 331 330 329 | Indirect CD4+ TH1 response, antidonor antibodies and diffuse C4d graft deposits in long-term recipients conditioned by donor antigens priming. 2009, 9, 697-708 Suppression of T-cell response and prolongation of allograft survival in a rat model by tryptophan catabolites. 2009, 606, 225-32 Enhancement of T-cell-mediated anti-tumour immunity via the ectopically expressed glucocorticoid-induced tumour necrosis factor receptor-related receptor ligand (GITRL) on tumours. 2009, 127, 489-99 The role of Tissue Doppler imaging in the noninvasive detection of chronic rejection after | 1.5 | 20 16 34 |
| 331 330 329 328 | Indirect CD4+ TH1 response, antidonor antibodies and diffuse C4d graft deposits in long-term recipients conditioned by donor antigens priming. 2009, 9, 697-708 Suppression of T-cell response and prolongation of allograft survival in a rat model by tryptophan catabolites. 2009, 606, 225-32 Enhancement of T-cell-mediated anti-tumour immunity via the ectopically expressed glucocorticoid-induced tumour necrosis factor receptor-related receptor ligand (GITRL) on tumours. 2009, 127, 489-99 The role of Tissue Doppler imaging in the noninvasive detection of chronic rejection after heterotopic cardiac transplantation in rats. 2009, 26, 37-43 Activation of complement in the discordant heart xenotransplantation of pig-to-monkey model and the impact of intrathymic inoculation of xenogeneic antigen combined with whole-body | 1.5 | 20 16 34 |
| 331 330 329 328 327 | Indirect CD4+ TH1 response, antidonor antibodies and diffuse C4d graft deposits in long-term recipients conditioned by donor antigens priming. 2009, 9, 697-708 Suppression of T-cell response and prolongation of allograft survival in a rat model by tryptophan catabolites. 2009, 606, 225-32 Enhancement of T-cell-mediated anti-tumour immunity via the ectopically expressed glucocorticoid-induced tumour necrosis factor receptor-related receptor ligand (GITRL) on tumours. 2009, 127, 489-99 The role of Tissue Doppler imaging in the noninvasive detection of chronic rejection after heterotopic cardiac transplantation in rats. 2009, 26, 37-43 Activation of complement in the discordant heart xenotransplantation of pig-to-monkey model and the impact of intrathymic inoculation of xenogeneic antigen combined with whole-body gamma-radiation. 2009, 41, 3905-8 N-acetylcysteine improves early cardiac isograft function in a rat heterotopic transplantation | | 20 16 34 |

| 323 | Increased connective tissue growth factor expression in a rat model of chronic heart allograft rejection. 2009 , 108, 240-6 | | 9 |
|-----|---|-----|----|
| 322 | Evaluation of a peritoneal-generated cardiac patch in a rat model of heterotopic heart transplantation. 2009 , 18, 275-82 | | 30 |
| 321 | Mechanisms of Toll-like receptor 4 (TLR4)-mediated inflammation after cold ischemia/reperfusion in the heart. <i>Transplantation</i> , 2009 , 87, 1455-63 | 1.8 | 84 |
| 320 | Sildenafil citrate augments myocardial protection in heart transplantation. <i>Transplantation</i> , 2010 , 89, 169-77 | 1.8 | 16 |
| 319 | Lymphatic injury and regeneration in cardiac allografts. <i>Transplantation</i> , 2010 , 89, 500-8 | 1.8 | 19 |
| 318 | The indirect alloimmune response causes microvascular endothelial dysfunction-a possible role for alloantibody. <i>Transplantation</i> , 2010 , 90, 1157-64 | 1.8 | 4 |
| 317 | Mechanism analysis of long-term graft survival by monocarboxylate transporter-1 inhibition. <i>Transplantation</i> , 2010 , 90, 1299-306 | 1.8 | 2 |
| 316 | Protosappanin A induces immunosuppression of rats heart transplantation targeting T cells in grafts via NF-kappaB pathway. 2010 , 381, 83-92 | | 19 |
| 315 | Extra cellular matrix remodelling after heterotopic rat heart transplantation: gene expression profiling and involvement of ED-A+ fibronectin, alpha-smooth muscle actin and B+ tenascin-C in chronic cardiac allograft rejection. 2010 , 134, 503-17 | | 22 |
| 314 | Thyroid hormone and chronically unloaded hearts. 2010 , 52, 138-41 | | 10 |
| 313 | An unexpected counter-regulatory role of IL-10 in B-lymphocyte-mediated transplantation tolerance. 2010 , 10, 796-801 | | 37 |
| 312 | Characterization of immunoglobulin heavy chain knockout rats. 2010 , 40, 2932-41 | | 47 |
| 311 | AAV plasmid DNA simplifies liver-directed in vivo gene therapy: comparison of expression levels after plasmid DNA-, adeno-associated virus- and adenovirus-mediated liver transfection. 2010 , 12, 810-7 | , | 4 |
| 310 | Induced tolerance to rat liver allografts involves the apoptosis of intragraft T cells and the generation of CD4(+)CD25(+)FoxP3(+) T regulatory cells. 2010 , 16, 147-54 | | 26 |
| 309 | Peripheral blood T regulatory cell counts may not predict transplant rejection. 2010 , 11, 40 | | 11 |
| 308 | Effects of the novel protein kinase C inhibitor AEB071 (Sotrastaurin) on rat cardiac allograft survival using single agent treatment or combination therapy with cyclosporine, everolimus or FTY720. <i>Transplant International</i> , 2010 , 23, 543-52 | 3 | 27 |
| 307 | Cold ischemia contributes to the development of chronic rejection and mitochondrial injury after cardiac transplantation. <i>Transplant International</i> , 2010 , 23, 1282-92 | 3 | 15 |
| 306 | Prolonged mechanical unloading affects cardiomyocyte excitation-contraction coupling, transverse-tubule structure, and the cell surface. 2010 , 24, 3321-9 | | 63 |

| 305 | Postconditioning and remote postconditioning of ischemic rat cardiac grafts. 2010 , 45, 1-8 | 5 |
|-----|---|----|
| 304 | Cyclic AMP prolongs graft survival by suppressing apoptosis and inflammatory gene expression in acute cardiac allograft rejection. 2010 , 42, 69-79 | 12 |
| 303 | Imaging of acute heart-transplant rejection using 99m-Technetium labelled oligonucleotides against interleukin-2 mRNA in rats. 2010 , 37, 1111-6 | 7 |
| 302 | Immunoproteasome beta subunit 10 is increased in chronic antibody-mediated rejection. 2010 , 77, 880-90 | 21 |
| 301 | Cardiomyocyte-targeted HIF-1alpha gene therapy inhibits cardiomyocyte apoptosis and cardiac allograft vasculopathy in the rat. 2010 , 29, 1058-66 | 11 |
| 300 | Signal pathways involved in reverse remodeling of the hypertrophic rat heart after pressure unloading. 2010 , 143, 414-23 | 21 |
| 299 | Effect of the inosine 5L-monophosphate dehydrogenase inhibitor BMS-566419 on rat cardiac allograft rejection. 2010 , 10, 91-7 | 12 |
| 298 | A modified technique for heterotopic heart transplantation in rats. 2010 , 164, 155-61 | 14 |
| 297 | Uptake of donor lymphocytes treated with 8-methoxypsoralen and ultraviolet A light by recipient dendritic cells induces CD4+CD25+Foxp3+ regulatory T cells and down-regulates cardiac allograft rejection. 2010 , 395, 540-6 | 12 |
| 296 | AEB-071 versus tacrolimus monotherapy to prevent acute cardiac allograft rejection in the rat: a preliminary report. 2010 , 42, 976-9 | 18 |
| 295 | All-trans retinoic acid attenuates cardiac allograft vasculopathy in rats. 2010, 42, 1895-8 | 2 |
| 294 | Astilbin suppresses acute heart allograft rejection by inhibiting maturation and function of dendritic cells in mice. 2010 , 42, 3798-802 | 17 |
| 293 | Immune suppression produced by intrathymic inoculation with xenogeneic antigen and whole-body Erradiation in a pig-to-monkey heart transplantation model. 2010 , 42, 3759-62 | 1 |
| 292 | Heterotopic heart transplantation in rats: improved anesthetic and surgical technique. 2010 , 42, 3828-32 | 15 |
| 291 | Non-volume-loaded heart provides a more relevant heterotopic transplantation model. 2010 , 23, 65-70 | 6 |
| 290 | In vitro and in vivo immunomodulatory effects of cobalt protoporphyrin administered in combination with immunosuppressive drugs. 2010 , 24, 1-8 | 3 |
| 289 | Myocardial infarction induces early increased remote ADAM8 expression of rat hearts after cardiac arrest. 2011 , 71, 553-62 | 14 |
| 288 | Expression of extra domain A containing fibronectin in chronic cardiac allograft rejection. 2011 , 30, 86-94 | 16 |

| 287 | The effects of AEB071 (sotrastaurin) with tacrolimus on rat heterotopic cardiac allograft rejection and survival. 2011 , 171, e133-7 | | 8 |
|-----|--|-----|-----|
| 286 | Mesenchymal stem cells together with mycophenolate mofetil inhibit antigen presenting cell and T cell infiltration into allogeneic heart grafts. 2011 , 24, 157-63 | | 55 |
| 285 | Spontaneous acceptance of mouse kidney allografts is associated with increased Foxp3 expression and differences in the B and T cell compartments. 2011 , 24, 149-56 | | 27 |
| 284 | Soluble donor-like MHC class I proteins induce CD4(+)CD25(+)CD8(-)FoxP3(+) cells with potential to ameliorate graft chronic injury. 2011 , 24, 203-9 | | |
| 283 | Features of synergism between mesenchymal stem cells and immunosuppressive drugs in a murine heart transplantation model. 2011 , 25, 141-7 | | 77 |
| 282 | The role of speckle tracking imaging in the noninvasive detection of acute rejection after heterotopic cardiac transplantation in rats. 2011 , 66, 779-85 | | 11 |
| 281 | Inhibition of nuclear translocation of calcineurin suppresses T-cell activation and prevents acute rejection of donor hearts. <i>Transplantation</i> , 2011 , 91, 597-604 | 1.8 | 6 |
| 280 | Long-term allograft tolerance is characterized by the accumulation of B cells exhibiting an inhibited profile. 2011 , 11, 429-38 | | 106 |
| 279 | Cell therapy with autologous tolerogenic dendritic cells induces allograft tolerance through interferon-gamma and epstein-barr virus-induced gene 3. 2011 , 11, 2036-45 | | 45 |
| 278 | Prolonged cold ischemic times and less donor-recipient histocompatibility accelerate graft vascular disease. 2011 , 43, 3863-8 | | 2 |
| 277 | Taking pressure off the heart: the ins and outs of atrophic remodelling. 2011 , 90, 243-50 | | 40 |
| 276 | Establishment of a chronic rejection model for orthotopic liver transplantation in the rat. 2011 , 46, 94-1 | 01 | 3 |
| 275 | Inhibition of transplantation tolerance by immune senescence is reversed by endocrine modulation. 2011 , 3, 87ra52 | | 11 |
| 274 | Postinfarction healing dynamics in the mechanically unloaded rat left ventricle. 2011, 300, H1863-74 | | 20 |
| 273 | Mechanical unloading reverses transverse tubule remodelling and normalizes local Ca(2+)-induced Ca(2+)release in a rodent model of heart failure. 2012 , 14, 571-80 | | 62 |
| 272 | Control of transplant tolerance and intragraft regulatory T cell localization by myeloid-derived suppressor cells and CCL5. 2012 , 188, 4209-16 | | 59 |
| 271 | Significant reduction of acute cardiac allograft rejection by selective janus kinase-1/3 inhibition using R507 and R545. <i>Transplantation</i> , 2012 , 94, 695-702 | 1.8 | 12 |
| 270 | Immunoregulatory function of IL-27 and TGF-II in cardiac allograft transplantation. <i>Transplantation</i> , 2012 , 94, 226-33 | 1.8 | 12 |

| 269 | Transplant tolerance is associated with reduced expression of cystathionine-flyase that controls IL-12 production by dendritic cells and TH-1 immune responses. 2012 , 119, 2633-43 | 18 |
|-------------|---|----|
| 268 | Hydrogen-supplemented drinking water protects cardiac allografts from inflammation-associated deterioration. <i>Transplant International</i> , 2012 , 25, 1213-22 | 33 |
| 267 | An oral sphingosine 1-phosphate receptor 1 (S1P(1)) antagonist prodrug with efficacy in vivo: discovery, synthesis, and evaluation. 2012 , 55, 9722-34 | 23 |
| 266 | NK026680 inhibits T-cell function in an IL-2-dependent manner and prolongs cardiac allograft survival in rats. 2012 , 26, 42-9 | 3 |
| 265 | Prevention of intimal hyperplasia employing the cavitary two-layer method in allogeneic rat heart transplantation. 2012 , 176, 275-80 | |
| 264 | Cardiomyocyte Ca2+ handling and structure is regulated by degree and duration of mechanical load variation. 2012 , 16, 2910-8 | 28 |
| 263 | Potential of Heterotopic Cardiac Transplantation in Mice as a Model for Elucidating Mechanisms of Graft Rejection. 2012 , | 1 |
| 262 | Mammalian DNA is an endogenous danger signal that stimulates local synthesis and release of complement factor B. 2012 , 18, 851-60 | 23 |
| 261 | Role of Matricellular Proteins in Cardiac Allograft Fibrosis. 2012, | |
| 2 60 | In vitro and in vivo characterization of AS2643361, a novel and highly potent inosine 5Emonophosphate dehydrogenase inhibitor. 2012 , 674, 58-63 | 5 |
| 259 | High definition optical system for microsurgical heterotopic heart transplantation in rats. 2012 , 44, 1404-6 | 2 |
| 258 | Successful transplantation of rat hearts subjected to extended cold preservation with a novel preservation solution. <i>Transplant International</i> , 2012 , 25, 696-706 | 13 |
| | | |
| 257 | Splenectomy increases the survival time of heart allograft via developing immune tolerance. 2013 , 8, 129 | 3 |
| 257 256 | Splenectomy increases the survival time of heart allograft via developing immune tolerance. 2013 , | 3 |
| | Splenectomy increases the survival time of heart allograft via developing immune tolerance. 2013 , 8, 129 | |
| 256 | Splenectomy increases the survival time of heart allograft via developing immune tolerance. 2013 , 8, 129 Metabonomic analysis of rats with acute heart rejection. 2013 , 45, 618-24 | 4 |
| 256 255 | Splenectomy increases the survival time of heart allograft via developing immune tolerance. 2013 , 8, 129 Metabonomic analysis of rats with acute heart rejection. 2013 , 45, 618-24 Four decades of vascularized heterotopic cardiac transplantation in the mouse. 2013 , 26, 223-8 Heterotopic abdominal heart transplantation in rats for functional studies of ventricular unloading. | 11 |

| 251 | A simple technique for a new working heterotopic heart transplantation model in rats. 2013, 45, 2522-6 | 4 |
|-----|---|-----|
| 250 | Combined intrathymic and intravenous injection of mesenchymal stem cells can prolong the survival of rat cardiac allograft associated with decrease in miR-155 expression. 2013 , 185, 896-903 | 15 |
| 249 | Selective imaging of chronic cardiac rejection using a human antibody specific to the alternatively spliced EDA domain of fibronectin. 2013 , 32, 641-50 | 12 |
| 248 | Establishment of a novel volume-loaded heterotopic heart transplantation model in rats. 2013 , 183, 435-41 | 3 |
| 247 | Preservation of left ventricular function and morphology in volume-loaded versus volume-unloaded heterotopic heart transplants. 2013 , 305, H533-41 | 12 |
| 246 | Proteomic profiling of heterotopic heart-transplanted rats using surface-enhanced laser desorption/ionization time-of-flight mass spectrometry: potential biomarkers and drug targets. 2013 , 41, 628-35 | 1 |
| 245 | Heterotopic heart transplantation: where do we stand?. 2013 , 44, 201-6 | 13 |
| 244 | Copresentation of intact and processed MHC alloantigen by recipient dendritic cells enables delivery of linked help to alloreactive CD8 T cells by indirect-pathway CD4 T cells. 2013 , 190, 5829-38 | 41 |
| 243 | Heart grafts tolerized through third-party multipotent adult progenitor cells can be retransplanted to secondary hosts with no immunosuppression. 2013 , 2, 595-606 | 41 |
| 242 | Gene therapy for tolerance: high-level expression of donor major histocompatibility complex in the liver overcomes naive and memory alloresponses to skin grafts. <i>Transplantation</i> , 2013 , 95, 70-7 | 15 |
| 241 | Heart allograft tolerance induced and maintained by vascularized hind-limb transplant in rats. 2013 , 2013, 483856 | 0 |
| 240 | Role of Experimental Research as a Hepatobiliary Surgeon. 2013 , 33, 150 | 1 |
| 239 | Optimizing recellularization of whole decellularized heart extracellular matrix. 2014, 9, e90406 | 105 |
| 238 | LIMLE, a new molecule over-expressed following activation, is involved in the stimulatory properties of dendritic cells. 2014 , 9, e93894 | O |
| 237 | The immunosuppressant Protosappanin A diminished recipient T cell migration into allograft via inhibition of IP-10 in rat heart transplant. 2014 , 9, e96138 | 6 |
| 236 | Recipient hyperbilirubinaemia protects cardiac graft in rat heterotopic heart transplantation. 2014 , 45, 481-8 | 6 |
| 235 | A historical review of classic articles in surgery field. 2014 , 208, 841-849 | 42 |
| 234 | Updating ECP action mechanisms. 2014 , 50, 330-9 | 22 |

| 233 | A modified method for heterotopic mouse heart transplantion. 2014 , e51423 | | 2 |
|-----|---|-----|----|
| 232 | IL-15 is decreased upon CsA and FK506 treatment of acute rejection following heart transplantation in mice. 2015 , 11, 37-42 | | 6 |
| 231 | N-Octanoyl Dopamine for Donor Treatment in a Brain-death Model of Kidney and Heart Transplantation. <i>Transplantation</i> , 2015 , 99, 935-41 | 1.8 | 18 |
| 230 | Distention of the Immature Left Ventricle Triggers Development of Endocardial Fibroelastosis: An Animal Model of Endocardial Fibroelastosis Introducing Morphopathological Features of Evolving Fetal Hypoplastic Left Heart Syndrome. 2015 , 2015, 462469 | | 7 |
| 229 | Synthesis and evaluation of novel 1H-pyrrolo[2,3-b]pyridine-5-carboxamide derivatives as potent and orally efficacious immunomodulators targeting JAK3. 2015 , 23, 4871-4883 | | 15 |
| 228 | The effect of Asarinin on Toll-like pathway in rats after cardiac allograft implantation. 2015 , 47, 545-8 | | 9 |
| 227 | Targeted delivery of interleukin-10 to chronic cardiac allograft rejection using a human antibody specific to the extra domain A of fibronectin. 2015 , 195, 311-22 | | 13 |
| 226 | Heterotopic Abdominal Heart Transplantation in Rats. 2015 , 85-110 | | |
| 225 | Simvastatin combined with aspirin increases the survival time of heart allograft by activating CD4(+)CD25(+) Treg cells and enhancing vascular endothelial cell protection. 2015 , 24, 173-8 | | 14 |
| 224 | Generation of suppressive blood cells for control of allograft rejection. 2015 , 128, 593-607 | | 13 |
| 223 | Release mechanisms of tacrolimus-loaded PLGA and PLA microspheres and immunosuppressive effects of the microspheres in a rat heart transplantation model. 2015 , 492, 20-7 | | 21 |
| 222 | Injection of cardiac stem cells prolongs the survival of cardiac allograft rats. 2015 , 349, 67-71 | | 1 |
| 221 | Regulatory B Cells with a Partial Defect in CD40 Signaling and Overexpressing Granzyme B Transfer Allograft Tolerance in Rodents. 2015 , 195, 5035-44 | | 23 |
| 220 | Effect of novel PKCBelective inhibitor AS2521780 on acute rejection in rat and non-human primate models of transplantation. 2015 , 27, 232-7 | | 7 |
| 219 | Animal Models for Cardiac Research. 2015 , 469-491 | | 3 |
| 218 | Rat Experimental Transplantation Surgery. 2015, | | 3 |
| 217 | Ribonuclease (RNase) Prolongs Survival of Grafts in Experimental Heart Transplantation. 2016 , 5, | | 11 |
| 216 | Rat Heterotopic Heart Transplantation Model to Investigate Unloading-Induced Myocardial Remodeling. 2016 , 3, 34 | | 6 |

| 215 | A New Animal Model for Investigation of Mechanical Unloading in Hypertrophic and Failing Hearts: Combination of Transverse Aortic Constriction and Heterotopic Heart Transplantation. 2016 , 11, e0148259 | 9 |
|-----|--|----|
| 214 | Development of a Vascularized Heterotopic Neonatal Rat Heart Transplantation Model. 2016 , 57, 240-251 | 1 |
| 213 | Memory-updating abrogates extinction of learned immunosuppression. 2016 , 52, 40-48 | 22 |
| 212 | Suppression of Delayed Xenograft Rejection by Resveratrol in a Hamster-to-Rat Cardiac Transplantation Model. 2017 , 49, 1483-1491 | 1 |
| 211 | Metabolomics identifies metabolite biomarkers associated with acute rejection after heart transplantation in rats. 2017 , 7, 15422 | 4 |
| 210 | Heterotopic Abdominal Rat Heart Transplantation as a Model to Investigate Volume Dependency of Myocardial Remodeling. <i>Transplantation</i> , 2017 , 101, 498-505 | 9 |
| 209 | Cell-surface C-type lectin-like receptor CLEC-1 dampens dendritic cell activation and downstream Th17 responses. 2017 , 1, 557-568 | 15 |
| 208 | Changes in the action potential and transient outward potassium current in cardiomyocytes during acute cardiac rejection in rats. 2017 , 9, 129-137 | 2 |
| 207 | Ultrasound molecular imaging of acute cardiac transplantation rejection using nanobubbles targeted to T lymphocytes. 2018 , 162, 200-207 | 30 |
| 206 | Inhibitory effect of wild-type P53 gene transfer on graft coronary artery disease. 2018 , 48, 1-9 | 2 |
| 205 | Effects of AS2541019, a novel selective PI3Klinhibitor, on antibody production and hamster to rat xenotransplantation. 2018 , 826, 179-186 | 4 |
| 204 | Eugenol protects the transplanted heart against ischemia/reperfusion injury in rats by inhibiting the inflammatory response and apoptosis. 2018 , 16, 3464-3470 | 4 |
| 203 | Graft vasculopathy in a Wistar rat model of heterotopic heart transplantation depending on gender matching between donors and recipients. 2018 , 15, 157-161 | |
| 202 | Exosomes Derived from IDO1-Overexpressing Rat Bone Marrow Mesenchymal Stem Cells Promote Immunotolerance of Cardiac Allografts. 2018 , 27, 1657-1683 | 30 |
| 201 | Isovolumic loading of the failing heart by intraventricular placement of a spring expander attenuates cardiac atrophy after heterotopic heart transplantation. 2018 , 38, | 1 |
| 200 | Building a Total Bioartificial Heart: Harnessing Nature to Overcome the Current Hurdles. 2018 , 42, 970-982 | 23 |
| 199 | ASP1126, a Novel Sphingosine-1-Phosphate-Selective Agonist With a Favorable Safety Profile, Prolongs Allograft Survival in Rats and Nonhuman Primates in Combination With Tacrolimus With a Broad Safety Margin for Bradycardia. 2019 , 51, 2081-2098 | |
| 198 | The PI3KIselective inhibitor AS2541019 suppresses donor-specific antibody production in rat cardiac and non-human primate renal allotransplant models. 2019 , 75, 105756 | 3 |

Recipient natural killer cells alter the course of rejection of allogeneic heart grafts in rats. 2019, 14, e0220546 3197 Inhibition of cardiac allograft rejection in mice using interleukin-35-modified mesenchymal stem 196 6 cells. 2019, 89, e12750 Experimental models for ischemiaaEeperfusion injury. 2019, 87-100 195 Analysis of fibrosis in control or pressure overloaded rat hearts after mechanical unloading by 194 heterotopic heart transplantation. **2019**, 9, 5710 The heterotopic heart transplantation in mice as a small animal model to study mechanical unloading - Establishment of the procedure, perioperative management and postoperative scoring. 193 4 2019, 14, e0214513 Ultrasound Molecular Imaging of Lymphocyte-endothelium Adhesion Cascade in Acute Cellular 1.8 192 4 Rejection of Cardiac Allografts. Transplantation, 2019, 103, 1603-1611 Bibliometric Analysis of the Top 100 Most Cited Articles in the First 50 Years of Heart 191 13 Transplantation. 2019, 123, 175-186 A modified heterotopic heart transplantation in the rat - as an important model in experimental 190 regeneration and replacement of the failing organ. 2020, 17, 149-154 Heart Transplantation From Brain Dead Donors: A Systematic Review of Animal Models. 189 1.8 4 Transplantation, **2020**, 104, 2272-2289 An Immunological Model for Heterotopic Heart and Cardiac Muscle Cell Transplantation in Rats. 188 2020. Stimulation of soluble guanylate cyclase improves donor organ function in rat heart 187 3 transplantation. 2020, 10, 5358 Computational models of cardiac hypertrophy. 2021, 159, 75-85 186 6 Ultrasound Imaging of Treatment-Needed Cardiac Rejection with CD4-Targeted Nanobubbles. 2021 185 2 , 38, 2100091 Refining murine heterotopic heart transplantation: A model to study ischemia and reperfusion 184 injury in donation after circulatory death hearts. 2021, 4, 283-296 Immutol regulates CD4Tregs, CD8Tregs and pDCs via IDO signaling pathway to induce immune 183 \circ tolerance in rat heart allograft transplant. 2021, 68, 101393 Immunosuppressive effect of PLGA-FK506-NPs in treatment of acute cardiac rejection via topical 182 subcutaneous injection. 2021, 28, 1759-1768 Myocardial tissue engineering and regeneration as a therapeutic alternative to transplantation. 181 9 2004, 280, 139-64 Effect of Transgenic Expression of Human DecayâAccelerating Factor on the Inhibition of 180 40 Hyperacute Rejection of Pig Organs. 1997, 665-682

| 179 | Immunosuppression by blocking alpha 4-integrins/VCAM-1 adhesion. 1998 , 231, 85-98 | | 3 |
|-----|--|-----|-----|
| 178 | Heart Transplantation. 1998 , 69-72 | | 1 |
| 177 | Experimental Xenotransplantation in Rodents âll: Skin Versus Heart Grafts. 1991 , 323-329 | | 1 |
| 176 | New Possibilities for Organ Allografting in the Mouse. 1973 , 279-295 | | 7 |
| 175 | Experimental Surgery. 2000 , 523-568 | | 5 |
| 174 | EPR detection of heme and nonheme iron-containing protein nitrosylation by nitric oxide during rejection of rat heart allograft 1992 , 267, 10994-10998 | | 153 |
| 173 | Effects of nitric oxide synthesis on reperfusion injury and catecholamine responsiveness in a heterotopic rat heart-transplantation model. 1998 , 31, 221-30 | | 12 |
| 172 | CNI-1493 prolongs survival and reduces myocyte loss, apoptosis, and inflammation during rat cardiac allograft rejection. 1998 , 32, 146-55 | | 10 |
| 171 | Induction of heat shock protein in cardiac allograft rejectiona cyclosporine-suppressible response. <i>Transplantation</i> , 1996 , 61, 279-84 | 1.8 | 20 |
| 170 | Corticosteroids inhibit expression of inducible nitric oxide synthase during acute cardiac allograft rejection. <i>Transplantation</i> , 1996 , 61, 324-8 | 1.8 | 33 |
| 169 | Induction of specific allograft immunity by soluble class I MHC heavy chain protein produced in a baculovirus expression system. <i>Transplantation</i> , 1996 , 61, 448-57 | 1.8 | 25 |
| 168 | Beneficial effect of graft perfusion with anti-T cell receptor monoclonal antibodies on survival of small bowel allografts in rat recipients treated with brequinar alone or in combination with cyclosporine and sirolimus. <i>Transplantation</i> , 1996 , 61, 458-64 | 1.8 | 16 |
| 167 | Functional activity of anti-C6 antibodies elicited in C6-deficient rats reconstituted by liver allografts. Ability to inhibit hyperacute rejection of discordant cardiac xenografts. <i>Transplantation</i> , 1996 , 61, 588-94 | 1.8 | 10 |
| 166 | Cardioprotective effects of the lazaroid U74389G following cold preservation and transplantation of rat hearts. <i>Transplantation</i> , 1996 , 61, 1023-8 | 1.8 | 13 |
| 165 | Granulocyte colony-stimulating factor immunomodulation in the rat cardiac transplantation model. <i>Transplantation</i> , 1996 , 61, 1122-5 | 1.8 | 15 |
| 164 | Immunosuppressive effects of an HLA class I-derived peptide in a rat cardiac allograft model. <i>Transplantation</i> , 1996 , 61, 1222-8 | 1.8 | 25 |
| 163 | New synthetic sulfated oligosaccharides prolong survival of cardiac xenografts by inhibiting release of heparan sulfate from endothelial cells. <i>Transplantation</i> , 1996 , 61, 1300-5 | 1.8 | 10 |
| 162 | Prevention of chronic rejection by donor-specific blood transfusion in a new model of chronic cardiac allograft rejection. <i>Transplantation</i> , 1996 , 61, 1440-3 | 1.8 | 13 |

| 161 | Adenovirus-mediated gene transfer into rat cardiac allografts. Comparison of direct injection and perfusion. <i>Transplantation</i> , 1996 , 61, 1726-9 | 1.8 | 33 |
|-----|--|-----|-----|
| 160 | Inhibition of platelet integrin GPIIbIIIa prolongs survival of discordant cardiac xenografts. <i>Transplantation</i> , 1996 , 62, 1-5 | 1.8 | 56 |
| 159 | Delayed xenograft rejection in the concordant hamster heart into Lewis rat model. <i>Transplantation</i> , 1996 , 62, 90-6 | 1.8 | 44 |
| 158 | The significance of timing of additional short-term immunosuppression in the donor-specific transfusion/cyclosporine-treated rat. <i>Transplantation</i> , 1996 , 62, 262-6 | 1.8 | 10 |
| 157 | Effect of repetitive high-dose treatment with soluble complement receptor type 1 and cobra venom factor on discordant xenograft survival. <i>Transplantation</i> , 1996 , 62, 336-42 | 1.8 | 46 |
| 156 | Mechanisms of tolerance to rat heart allografts using posttransplant TLI. Changes in cytokine expression. <i>Transplantation</i> , 1996 , 62, 510-7 | 1.8 | 22 |
| 155 | Role of Fc fragments in inhibition of xenogenic hyperacute rejection by intravenous immunoglobulin. <i>Transplantation</i> , 1996 , 62, 559-62 | 1.8 | 8 |
| 154 | Effect of anticomplement agent K76 COOH on hamster-to-rat and guinea pig-to-rat heart xenotransplantation. <i>Transplantation</i> , 1996 , 62, 681-8 | 1.8 | 16 |
| 153 | The immune response following small bowel transplantation: I. An unusual pattern of cytokine expression. <i>Transplantation</i> , 1996 , 62, 851-5 | 1.8 | 23 |
| 152 | Effects of the pharmacokinetic interaction between orally administered sirolimus and cyclosporine on the synergistic prolongation of heart allograft survival in rats. <i>Transplantation</i> , 1996 , 62, 986-94 | 1.8 | 74 |
| 151 | Induction of transplantation tolerance by chimeric donor/recipient class I RT1.Aa molecules. <i>Transplantation</i> , 1996 , 62, 1002-10 | 1.8 | 44 |
| 150 | Coexistence of Th1- and Th2-type cytokine profiles in anti-CD2 monoclonal antibody-induced tolerance. <i>Transplantation</i> , 1996 , 62, 1285-92 | 1.8 | 22 |
| 149 | Early histopathology of small intestinal discordant xenografts. <i>Transplantation</i> , 1996 , 62, 1385-91 | 1.8 | 8 |
| 148 | Effects of vesnarinone, a novel orally active inotropic agent with an immunosuppressive action, on experimental cardiac transplantation in rats. <i>Transplantation</i> , 1996 , 62, 1540-3 | 1.8 | 2 |
| 147 | Tolerance in a rat cardiac allograft model after short-term treatment with LF 08-0299. Absence of clonal deletion and evidence of CD4+ suppressor cells. <i>Transplantation</i> , 1996 , 62, 1543-9 | 1.8 | 16 |
| 146 | Targeting of antihapten antibodies to activated T cells via an IL-2-hapten conjugate prolongs cardiac graft survival. <i>Transplantation</i> , 1996 , 62, 1703-8 | 1.8 | 2 |
| 145 | Systemic administration of cellular interleukin-10 can exacerbate cardiac allograft rejection in mice. <i>Transplantation</i> , 1996 , 62, 1709-14 | 1.8 | 89 |
| 144 | Tolerance to rat liver allografts: IV. Acceptance depends on the quantity of donor tissue and on donor leukocytes. <i>Transplantation</i> , 1996 , 62, 1725-30 | 1.8 | 112 |

| 143 | Apyrase administration prolongs discordant xenograft survival. <i>Transplantation</i> , 1996 , 62, 1739-43 | 1.8 | 65 |
|-----|--|-----|-----|
| 142 | Immunomodulatory effects of the alkaloid sinomenine in the high responder ACI-to-Lewis cardiac allograft model. <i>Transplantation</i> , 1996 , 62, 1855-60 | 1.8 | 33 |
| 141 | Acquired systemic tolerance to rat cardiac allografts induced by intrathymic inoculation of synthetic polymorphic MHC class I allopeptides. <i>Transplantation</i> , 1996 , 62, 1878-82 | 1.8 | 40 |
| 140 | T cell independence of macrophage and natural killer cell infiltration, cytokine production, and endothelial activation during delayed xenograft rejection. <i>Transplantation</i> , 1996 , 62, 1920-7 | 1.8 | 110 |
| 139 | Induction of donor specific transplantation tolerance to cardiac allografts following treatment with nondepleting (RIB 5/2) or depleting (OX-38) anti-CD4 mAb plus intrathymic or intravenous donor alloantigen. <i>Transplantation</i> , 1997 , 63, 284-92 | 1.8 | 34 |
| 138 | Irreversible chronic vascular rejection occurs only after development of advanced allograft vasculopathy: a comparative study of a rat cardiac allograft model using a retransplantation protocol. <i>Transplantation</i> , 1997 , 63, 743-9 | 1.8 | 13 |
| 137 | Immunosuppression by inhibition of cellular adhesion mediated by leukocyte function-associated antigen-1/intercellular adhesion molecule-1 in murine cardiac transplantation. <i>Transplantation</i> , 1997 , 63, 876-85 | 1.8 | 14 |
| 136 | Reduction of alloantibody response to class I major histocompatibility complex by targeting synthetic allopeptides for presentation by B cells. <i>Transplantation</i> , 1997 , 63, 926-32 | 1.8 | 13 |
| 135 | Localization of cryptic tolerogenic epitopes in the alpha1-helical region of the RT1.Au alloantigen. <i>Transplantation</i> , 1997 , 63, 1373-9 | 1.8 | 31 |
| 134 | A new, biventricular working heterotopic heart transplant model: anatomic and physiologic considerations. <i>Transplantation</i> , 1997 , 64, 215-22 | 1.8 | 7 |
| 133 | Quantitation of the changes in splenic architecture during the rejection of cardiac allografts or xenografts. <i>Transplantation</i> , 1997 , 64, 448-53 | 1.8 | 11 |
| 132 | Effects of leflunomide and deoxyspergualin in the guinea pig>rat cardiac model of delayed xenograft rejection: suppression of B cell and C-C chemokine responses but not induction of macrophage lectin. <i>Transplantation</i> , 1997 , 64, 696-704 | 1.8 | 29 |
| 131 | Donor-specific tolerance by perioperative intrathymic injection of bone marrow cells in the rat cardiac allograft model: use of FK506 can shorten the necessary duration of pretransplant intrathymic conditioning. <i>Transplantation</i> , 1997 , 64, 752-7 | 1.8 | 7 |
| 130 | Cold ischemic injury accelerates the progression to chronic rejection in a rat cardiac allograft model. <i>Transplantation</i> , 1997 , 64, 1102-7 | 1.8 | 66 |
| 129 | Induction of tolerance toward rat cardiac allografts by treatment with allochimeric class I MHC antigen and FTY720. <i>Transplantation</i> , 1997 , 64, 1407-14 | 1.8 | 26 |
| 128 | Immunosuppression by D-isomers of HLA class I heavy chain (amino acid 75 to 84)-derived peptides is independent of binding to HSC70. <i>Transplantation</i> , 1997 , 64, 1460-7 | 1.8 | 19 |
| 127 | Induction of tolerance with nondepleting anti-CD4 monoclonal antibodies is associated with down-regulation of TH2 cytokines. <i>Transplantation</i> , 1997 , 64, 1559-67 | 1.8 | 50 |
| 126 | Modification of humoral responses by the combination of leflunomide and cyclosporine in Lewis rats transplanted with hamster hearts. <i>Transplantation</i> , 1997 , 64, 1650-7 | 1.8 | 24 |

| 125 | Induction of allograft nonresponsiveness after intrathymic inoculation with donor class I allopeptides. II. Evidence for persistent chronic rejection despite high levels of donor microchimerism. <i>Transplantation</i> , 1997 , 64, 1671-6 | 1.8 | 34 |
|-----|--|----------|----|
| 124 | Immunosuppressive effects of FTY720 alone or in combination with cyclosporine and/or sirolimus. <i>Transplantation</i> , 1998 , 65, 899-905 | 1.8 | 90 |
| 123 | The cellular basis of cardiac allograft rejection: VIII. Mechanisms underlying delayed allograft rejection in PVG C6-deficient rats. <i>Transplantation</i> , 1998 , 65, 1152-8 | 1.8 | 15 |
| 122 | Transient complement inhibition plus T-cell immunosuppression induces long-term survival of mouse-to-rat cardiac xenografts. <i>Transplantation</i> , 1998 , 65, 1210-5 | 1.8 | 34 |
| 121 | Dietary omega-3 and omega-9 fatty acids uniquely enhance allograft survival in cyclosporine-treated and donor-specific transfusion-treated rats. <i>Transplantation</i> , 1998 , 65, 1304-9 | 1.8 | 20 |
| 120 | Inhibitory effect of Multiglycosidorum tripterygii on coronary arteriosclerosis after heart transplantation. <i>Transplantation</i> , 1998 , 65, 1446-50 | 1.8 | 7 |
| 119 | Long-term survival of hamster-to-rat cardiac xenografts in the absence of a Th2 shift. <i>Transplantation</i> , 1998 , 65, 1555-63 | 1.8 | 30 |
| 118 | Anti-CD4 therapy in combined heart-kidney, heart-liver, and heart-small bowel allotransplants in high-responder rats. <i>Transplantation</i> , 1998 , 66, 1-5 | 1.8 | 10 |
| 117 | Predominant role of the Fab fragment in delaying hyperacute rejection in guinea pig-to-rat xenotransplantation. <i>Transplantation</i> , 1998 , 66, 395-7 | 1.8 | 7 |
| 116 | Donor blood monocytes but not T or B cells facilitate long-term allograft survival after total lymphoid irradiation. <i>Transplantation</i> , 1998 , 66, 585-93 | 1.8 | 23 |
| 115 | Contrasting outcomes of donor-specific blood transfusion: effectiveness against cell-mediated but not antibody-mediated rejection. <i>Transplantation</i> , 1998 , 66, 639-45 | 1.8 | 8 |
| 114 | Histological characterization and pharmacological control of chronic rejection in xenogeneic and allogeneic heart transplantation. <i>Transplantation</i> , 1998 , 66, 692-8 | 1.8 | 21 |
| 113 | Protection against allograft rejection with intercellular adhesion molecule-1 antisense oligodeoxynucleotides. <i>Transplantation</i> , 1998 , 66, 699-707 | 1.8 | 52 |
| 112 | Fas ligand, tumor necrosis factor-alpha expression, and apoptosis during allograft rejection and tolerance. <i>Transplantation</i> , 1998 , 66, 887-93 | 1.8 | 42 |
| 111 | Comparative studies of specific acquired systemic tolerance induced by intrathymic inoculation of a single synthetic Wistar-Furth (RT1U) allo-MHC class I (RT1.AU) peptide or WAG (RT1U)-derived class I peptide. <i>Transplantation</i> , 1998 , 66, 1059-66 | 1.8 | 33 |
| 110 | Monocyte-derived dendritic cell precursors facilitate tolerance to heart allografts after total lymphoid irradiation. <i>Transplantation</i> , 1998 , 66, 1285-91 | 1.8 | 58 |
| 109 | Thymus-dependent, anti-CD4-induced tolerance to rat cardiac allografts. <i>Transplantation</i> , 1998 , 66, 1291 | 1198 | 14 |
| 108 | Synergistic effects of mycophenolate mofetil and sirolimus in prevention of acute heart, pancreas, and kidney allograft rejection and in reversal of ongoing heart allograft rejection in the rat. Transplantation 1998, 66, 1575-80 | 1.8 | 51 |

| 107 | Systemic administration of anti-interleukin-10 antibody prolongs organ allograft survival in normal and presensitized recipients. <i>Transplantation</i> , 1998 , 66, 1587-96 | 1.8 | 32 |
|-----|---|-------------------------------|----|
| 106 | Microchimerism in thymus is associated with up-regulated T helper type 1 cytokine transcription during cardiac allograft rejection in rats. <i>Transplantation</i> , 1999 , 67, 165-73 | 1.8 | 8 |
| 105 | Injection of mitomycin-C-treated spleen cells induces donor-specific unresponsiveness to cardiac allografts in rats. <i>Transplantation</i> , 1999 , 67, 653-8 | 1.8 | 17 |
| 104 | Anti-major histocompatibility complex class II treatment prevents graft rejection in the hamster-to-rat cardiac xenograft. <i>Transplantation</i> , 1999 , 67, 1599-606 | 1.8 | 5 |
| 103 | Prolongation of heart xenograft survival in a hamster-to-rat model after therapy with a rationally designed immunosuppressive peptide. <i>Transplantation</i> , 1999 , 67, 1614-8 | 1.8 | 15 |
| 102 | In vivo activity of leflunomide: pharmacokinetic analyses and mechanism of immunosuppression. <i>Transplantation</i> , 1999 , 68, 100-9 | 1.8 | 82 |
| 101 | A partial conditioning approach to achieve mixed chimerism in the rat: depletion of host natural killer cells significantly reduces the amount of total body irradiation required for engraftment. <i>Transplantation</i> , 1999 , 68, 369-78 | 1.8 | 21 |
| 100 | Mechanism of acquired thymic tolerance induced by a single major histocompatibility complex class I peptide with the dominant epitope: differential analysis of regulatory cytokines in the lymphoid and intragraft compartments. <i>Transplantation</i> , 1999 , 68, 418-29 | 1.8 | 21 |
| 99 | Antisense oligodeoxynucleotides prevent acute cardiac allograft rejection via a novel, nontoxic, highly efficient transfection method. <i>Transplantation</i> , 1999 , 68, 825-32 | 1.8 | 26 |
| 98 | Comparison of chimeric acid and non-chimeric tolerance using posttransplant total lymphoid irradiation: cytokine expression and chronic rejection. <i>Transplantation</i> , 1999 , 68, 1036-44 | 1.8 | 33 |
| 97 | Maintenance and reversibility of natural killer cell- and T cell-independent B lymphocyte xenotolerance in athymic nude rats. <i>Transplantation</i> , 1999 , 68, 1181-8 | 1.8 | 10 |
| 96 | Induction of donor-specific hyporesponsiveness and prolongation of cardiac allograft survival by jejunal administration of donor splenocytes. <i>Transplantation</i> , 1999 , 68, 1377-82 | 1.8 | 23 |
| 95 | Differential effects of exogenous interleukin-10 on cardiac allograft survival: inhibition of rejection by recipient pretreatment reflects impaired host accessory cell function. <i>Transplantation</i> , 1999 , 68, 140 | 2 ¹ 9 ⁸ | 25 |
| 94 | Indirect allorecognition in acquired thymic tolerance: induction of donor-specific tolerance to rat cardiac allografts by allopeptide-pulsed host dendritic cells. <i>Transplantation</i> , 1999 , 68, 1827-34 | 1.8 | 71 |
| 93 | Specific immunosuppression by postoperative infusion of allogeneic spleen cells: requirement of donor major histocompatibility complex expression and graft-versus-host reactivity. Transplantation, 2000 , 69, 25-30 | 1.8 | 23 |
| 92 | The kinetics of tolerance induction by nondepleting anti-CD4 monoclonal antibody (RIB 5/2) plus intravenous donor alloantigen administration. <i>Transplantation</i> , 2000 , 69, 285-93 | 1.8 | 14 |
| 91 | Brief cyclosporine treatment prevents intrathymic (IT) tolerance induction and precipitates acute rejection in an IT rat cardiac allograft model. <i>Transplantation</i> , 2000 , 69, 294-9 | 1.8 | 13 |
| 90 | Expression of tissue factor mRNA in cardiac xenografts: clues to the pathogenesis of acute vascular rejection. <i>Transplantation</i> , 2000 , 69, 475-82 | 1.8 | 42 |

(1995-2000)

| 89 | Cyclosporine facilitates chimeric and inhibits nonchimeric tolerance after posttransplant total lymphoid irradiation. <i>Transplantation</i> , 2000 , 69, 649-55 | 1.8 | 34 | |
|----|---|-----|----|--|
| 88 | Blocking of CD44-hyaluronic acid interaction prolongs rat allograft survival. <i>Transplantation</i> , 2000 , 69, 665-7 | 1.8 | 15 | |
| 87 | Tolerance of rat liver allografts induced by short-term selective immunosuppression combining monoclonal antibodies directed against CD25 and CD54 with subtherapeutic cyclosporine. <i>Transplantation</i> , 2000 , 69, 1058-67 | 1.8 | 15 | |
| 86 | Optimization of ex vivo pressure mediated delivery of antisense oligodeoxynucleotides to ICAM-1 reduces reperfusion injury in rat cardiac allografts. <i>Transplantation</i> , 2000 , 69, 1067-74 | 1.8 | 15 | |
| 85 | Induction of anti-Forssman antibodies in the hamster-to-rat xenotransplantation model. <i>Transplantation</i> , 2000 , 69, 1193-201 | 1.8 | 11 | |
| 84 | Altered distribution and density of myocardial beta-adrenoceptors during acute rejection in rats. <i>Transplantation</i> , 2000 , 69, 1572-7 | 1.8 | 2 | |
| 83 | Immunomodulatory effects of pretransplant donor blood transfusion on T-cell-independent xenoreactive immunity. <i>Transplantation</i> , 2000 , 69, 1695-704 | 1.8 | 4 | |
| 82 | Prior induction of heat shock proteins by a nitric oxide donor attenuates cardiac ischemia/reperfusion injury in the rat. <i>Transplantation</i> , 2000 , 69, 2530-7 | 1.8 | 28 | |
| 81 | Co-transplantation of donor-derived hepatocytes induces long-term tolerance to cardiac allografts in a rat model. <i>Transplantation</i> , 2000 , 69, 2538-46 | 1.8 | 11 | |
| 80 | Anti-Gal antibodies in humans and 1, 3alpha-galactosyltransferase knock-out mice. <i>Transplantation</i> , 2000 , 69, 2593-600 | 1.8 | 19 | |
| 79 | Immunosuppressive activity of the Chinese medicinal plant Tripterygium wilfordii. I. Prolongation of rat cardiac and renal allograft survival by the PG27 extract and immunosuppressive synergy in combination therapy with cyclosporine. <i>Transplantation</i> , 2000 , 70, 447-55 | 1.8 | 40 | |
| 78 | Replacement of graft-resident donor-type antigen presenting cells alters the tempo and pathogenesis of murine cardiac allograft rejection. <i>Transplantation</i> , 2000 , 70, 514-21 | 1.8 | 39 | |
| 77 | Photodynamic therapy with motexafin lutetium (Lu-Tex) reduces experimental graft coronary artery disease. <i>Transplantation</i> , 2001 , 71, 1526-32 | 1.8 | 15 | |
| 76 | L-arginine polymer mediated inhibition of graft coronary artery disease after cardiac transplantation. <i>Transplantation</i> , 2001 , 71, 1542-8 | 1.8 | 5 | |
| 75 | Allochimeric class I MHC molecules prevent chronic rejection and attenuate alloantibody responses. <i>Transplantation</i> , 2001 , 72, 1408-16 | 1.8 | 17 | |
| 74 | Elimination of donor-specific alloreactivity prevents cytomegalovirus-accelerated chronic rejection in rat small bowel and heart transplants. <i>Transplantation</i> , 2002 , 73, 679-88 | 1.8 | 38 | |
| 73 | Cytomegalovirus antigen expression, endothelial cell proliferation, and intimal thickening in rat cardiac allografts after cytomegalovirus infection. 1995 , 92, 2594-604 | | 68 | |
| 72 | Efficiency of in vivo gene transfection into transplanted rat heart by coronary infusion of HVJ liposome. 1995 , 92, II479-82 | | 47 | |

| 71 | Adhesion molecule P-selectin and vascular cell adhesion molecule-1 in enhanced heart allograft arteriosclerosis in the rat. 1997 , 95, 191-6 | 48 |
|----|--|----|
| 70 | Expression and localization of platelet-derived growth factor ligand and receptor protein during acute and chronic rejection of rat cardiac allografts. 1997 , 96, 1240-9 | 61 |
| 69 | Inhibition of inducible nitric oxide synthase prevents myocardial and systemic vascular barrier dysfunction during early cardiac allograft rejection. 1996 , 78, 769-79 | 47 |
| 68 | Heat Shock Treatment Enhances Graft Cell Survival in Skeletal Myoblast Transplantation to the Heart. 2000 , 102, | 8 |
| 67 | Gene Therapy for Myocardial Protection. 2000 , 102, | 5 |
| 66 | Development of a Novel Method for Cell Transplantation Through the Coronary Artery. 2000 , 102, | 34 |
| 65 | Overexpression of Interleukin-1 Receptor Antagonist Provides Cardioprotection Against Ischemia-Reperfusion Injury Associated With Reduction in Apoptosis. 2001 , 104, | 5 |
| 64 | Critical Requirement for Graft Passenger Leukocytes in Allograft Tolerance Induced by Donor Blood Transfusion. 1998 , 92, 4539-4544 | 17 |
| 63 | Common microRNA signatures in cardiac hypertrophic and atrophic remodeling induced by changes in hemodynamic load. 2010 , 5, e14263 | 23 |
| 62 | The Immunosuppressant Protosappanin A Promotes Dendritic Cell-Mediated Expansion of Alloantigen-Specific Tregs and Prolongs Allograft Survival in Rats. 2013 , 8, e66336 | 6 |
| 61 | Effects of increased myocardial tissue concentration of myristic, palmitic and palmitoleic acids on the course of cardiac atrophy of the failing heart unloaded by heterotopic transplantation. 2018 , 67, 13-30 | 2 |
| 60 | Intraventricular placement of a spring expander does not attenuate cardiac atrophy of the healthy heart induced by unloading via heterotopic heart transplantation. 2019 , 68, 567-580 | 1 |
| 59 | Immunfunktionelle Charakterisierung der adaptiven und non-adaptiven Immunantwort nach Anwendung des WOFIE-Konzeptes am Beispiel der vollallogenen Herztransplantation in der Ratte. Langenbecks Archiv Fur Chirurgie Supplement, 2000 , 193-197 | |
| 58 | Chronische Abstoßng im Herztransplantationsmodell der Ratte: Effekt von syngener Retransplantation und immunosuppressiver Therapie mit Cyclosporin A und Sinomenin. <i>Langenbecks Archiv Fu r Chirurgie Supplement</i> , 2000 , 183-188 | |
| 57 | Zinc-Mediated Reduction of Apoptosis in Cardiac Allografts. 2000 , 102, | 1 |
| 56 | Ex Vivo Antisense Oligonucleotides to Proliferating Cell Nuclear Antigen and Cdc2 Kinase Inhibit Graft Coronary Artery Disease. 2000 , 102, | |
| 55 | Detection of Cardiac Allograft Rejection by Targeting Expression of Accessory Molecules on Cardiac Myocytes. 2001 , 367-380 | |
| 54 | Upregulation of Bcl-2 Through Caspase-3 Inhibition Ameliorates Ischemia/Reperfusion Injury in Rat Cardiac Allografts. 2001 , 104, | 1 |

(1992-2002)

AB do soro de cabra anti-soro de coelho imunizado ou nB com clulas linfldes do doador sobre o alotransplante cardãco em ratos: immunosupression of goat antiserum against rabbit serum 53 immunized or not with donor lymphoid cells. 2002, 17, 69-73 Eine kontinuierliche Expression l\(\bar{S}\) licher MHC-Spenderantigene mittels adenoviralem Vektor induziert eine Verlägerung der Berlebenszeit von Herztransplantaten im 52 âHighâERespondermodell ACI zu Lewis. Langenbecks Archiv Fur Chirurgie Supplement, 2002, 263-266 Microsurgical Procedures in Experimental Research. 2010, 597-611 51 Einffirung in die Mikrochirurgie. 2014, 15-41 50 Liver Transplantation and Cyclosporin A Therapy: Induction of Tolerance in a Strong Rejection 49 Combination. 1985, 255-257 Accelerated But Not Hyperacute Rejection of Liver Allografts in Hypersensitized Rats. 1985, 227-231 48 Accessory Heart Transplantation in the Neck: A Simple Model in the Rat Using the Cuff Technique 47 for Vascular Anastomoses. **1985**, 31-35 46 Immunogenetic Basis of Heart Transplantation. 1985, 121-126 Do Transplants with Venous Drainage into the Portal System Undergo Delayed Rejection?. 1985, 273-274 45 Experimental Transplantation. 1987, 111-123 44 Role of Thyroid Hormone in the Regulation of Cardiac Hypertrophy. Developments in Cardiovascular 43 Medicine, 1987, 73-81 Frfizeitige szintigraphische Erfassung der Abstoling transplantierter Herzen mittels 42 111-Indium-markierter Thrombocyten. 1988, 247-252 Experimental cardiac transplantation. 1990, 1-13 41 Tolerance to Cardiac Grafts Following Intra-Graft Infusion of 16,16 Dimethyl PGE2. 1991, 439-448 40 Cellular mechanisms: induction of heart allograft survival in rats by 15-deoxyspergualin. Transplant 39 3 International, **1992**, 5 Suppl 1, S497-500 Prevention of cardiac allograft rejection by FK506 and rapamycin: assessment by histology and 38 nuclear magnetic resonance. Transplant International, 1992, 5 Suppl 1, S561-3 Control of humoral and cellular immunity-mediated accelerated heart allograft rejection in 37 3 sensitized rats by low dose FK 506 and splenectomy. Transplant International, 1992, 5 Suppl 1, S501-3 Low-dose combination therapy of DUP-785 and RS-61443 prolongs cardiac allograft survival in rats. 36 Transplant International, 1992, 5 Suppl 1, S482-3

| 35 | Prolongation of heart allograft survival in rats by interferon-specific antibodies and low dose cyclosporin A. <i>Transplant International</i> , 1992 , 5 Suppl 1, S460-1 | 3 | 3 |
|----|---|-------|---|
| 34 | New immunosuppression with monoclonal antibody to intracellular adhesion molecule 1 (ICAM-1) in rat organ transplantation. <i>Transplant International</i> , 1992 , 5 Suppl 1, S521-3 | 3 | 1 |
| 33 | Signifikante Verlfigerung des Transplantatßerlebens in einem stark inkompatiblen Rattensystem durch selektive Ausschaltung der 知てR+ T-Lymphozyten. <i>Langenbecks Archiv Fu r Chirurgie Supplement</i> , 1993 , 265-270 | | |
| 32 | Wechselwirkungen zwischen Transplantatabstoüngsreaktion und Tumorwachstum: Eine tierexperimentelle Untersuchung. 1994 , 103-107 | | 1 |
| 31 | Rat Heterotopic Cardiac Isograft Model: What Atrophy Teaches Us about Hypertrophy. Developments in Cardiovascular Medicine, 1995 , 197-204 | | |
| 30 | Zur Wertigkeit klassischer und nicht-klassischer Haupthisto-kompatibilit £ santigene (MHCs) und ihrer Bedeutung f£ die non-adaptive Immunantwort nach Herz-Transplantation im Rattenmodell. 1996 , 123-128 | | |
| 29 | Allograft tolerance by intrathymic donor splenocyte transfer: an age-dependent, species-specific phenomenon?. <i>Transplant International</i> , 1996 , 9 Suppl 1, S368-71 | 3 | |
| 28 | Heterogenous distribution of chimerism produced by rat organ and bone marrow allotransplantation. <i>Transplantation</i> , 1996 , 61, 1126-7 | 1.8 | 5 |
| 27 | Spenderspezifische Toleranzinduktion durch Allopeptidimmunisierung: Eine tierexperimentelle Studie am Beispiel der allogenen Herztransplantation im Rattenmodell. 1997 , 719-724 | | |
| 26 | Mechanismen der Akkommodation in Herz-Xenotransplantaten vom Hamster auf die Ratte. 1997 , 18 | 7-190 | |
| 25 | CD28/B7 âŒin elementares, costimulatorisches Signal der T-Zell-Aktivierung nach orthotoper | | _ |
| | Lebertransplantation. 1997 , 299-302 | | |
| 24 | Stellenwert des âsmmunsuppressiven Fenstersâszur Induktion von Langzeitorganakzeptanz am Beispiel der heterotopen allogenen Herztransplantation im Rattenmodell. 1997 , 181-185 | | |
| 24 | Stellenwert des âlmmunsuppressiven Fenstersâlzur Induktion von Langzeitorganakzeptanz am | | |
| | Stellenwert des âlmmunsuppressiven Fenstersâlzur Induktion von Langzeitorganakzeptanz am Beispiel der heterotopen allogenen Herztransplantation im Rattenmodell. 1997 , 181-185 Die Wirkung einer adjuvanten Zytostase nach Organtransplantation: eine experimentelle | 1.8 | 2 |
| 23 | Stellenwert des âssimmunsuppressiven Fenstersäßur Induktion von Langzeitorganakzeptanz am Beispiel der heterotopen allogenen Herztransplantation im Rattenmodell. 1997, 181-185 Die Wirkung einer adjuvanten Zytostase nach Organtransplantation: eine experimentelle Untersuchung mit einem kombinierten Transplantations-Tumormodell. 1997, 551-554 Use of the methylxanthine derivative A802715 in transplantation immunology: II. In vivo | 1.8 | 2 |
| 23 | Stellenwert des âssimmunsuppressiven Fenstersäßzur Induktion von Langzeitorganakzeptanz am Beispiel der heterotopen allogenen Herztransplantation im Rattenmodell. 1997, 181-185 Die Wirkung einer adjuvanten Zytostase nach Organtransplantation: eine experimentelle Untersuchung mit einem kombinierten Transplantations-Tumormodell. 1997, 551-554 Use of the methylxanthine derivative A802715 in transplantation immunology: II. In vivo experiments. <i>Transplantation</i> , 1997, 63, 1734-8 Selective Immunosuppression After Orthotopic Rat Liver Transplantation with Monoclonal | 1.8 | 2 |
| 23 | Stellenwert des âlmmunsuppressiven Fenstersâlzur Induktion von Langzeitorganakzeptanz am Beispiel der heterotopen allogenen Herztransplantation im Rattenmodell. 1997, 181-185 Die Wirkung einer adjuvanten Zytostase nach Organtransplantation: eine experimentelle Untersuchung mit einem kombinierten Transplantations-Tumormodell. 1997, 551-554 Use of the methylxanthine derivative A802715 in transplantation immunology: II. In vivo experiments. <i>Transplantation</i> , 1997, 63, 1734-8 Selective Immunosuppression After Orthotopic Rat Liver Transplantation with Monoclonal Antibodies Directed Against Adhesion Molecules and Activation Antigens. 1998, 535-543 Die Bedeutung der Allopeptid-induzierten Expression von Fas-Ligand (FasL) im Parenchym | 1.8 | 2 |

CITATION REPORT

| 17 | The Use of Rat Heterotopic Heart Transplantation Models to Characterize the Immunosuppressive Activities of Leflunomide. 1998 , 385-397 | | |
|----|--|-----|----|
| 16 | Prompt Graft Cooling Enhances Cardioprotection during Heart Transplantation Procedures through the Regulation of Mitophagy. <i>Cells</i> , 2021 , 10, | 7.9 | 1 |
| 15 | Prevention of Transplantation-Associated Arteriosclerosis by Antiadhesion Therapy. 1998 , 551-562 | | |
| 14 | Animal Models for Cardiac Research. 2005 , 287-301 | | |
| 13 | Coronary Artery Trauma Following Syngeneic Heterotopic Heart Transplantation: A Model For Atherogenesis in the Rat. <i>Proceedings Annual Meeting Electron Microscopy Society of America</i> , 1985 , 43, 572-573 | | |
| 12 | Evolution of Heart Transplantation Surgical Techniques. | | |
| 11 | Gene Therapy for Cardiac Transplantation. | | 1 |
| 10 | Prolongation of Rat Cardiac Allograft Survival by a Monoclonal Antibody: Anti-Rat Intercellular Adhesion Molecule-1. 1993 , 1, 577-582 | | 4 |
| 9 | Stand der Technik und Durchbruch bei der kardialen Xenotransplantation. 2022, 36, 334-354 | | О |
| 8 | Assessing the Impact of Publications: A Bibliometric Analysis of the Top-Cited Articles from The Journal of Thoracic and Cardiovascular Surgery. 2022 , | | Ο |
| 7 | Antagonist of sphingosine 1-phosphate receptor 3 reduces cold injury of rat donor hearts for transplantation. 2022 , | | 0 |
| 6 | Inhibition of Graft Coronary Arteriosclerosis after Heart Transplantation. 2004 , 70, 833-840 | | 2 |
| 5 | Evidence for a Role of IL-17 in Organ Allograft Rejection: IL-17 Promotes the Functional Differentiation of Dendritic Cell Progenitors. 1999 , 162, 577-584 | | 50 |
| 4 | Induction of Species-Specific Host Accommodation in the Hamster-to-Rat Xenotransplantation Model. 1998 , 161, 2044-2051 | | 9 |
| 3 | Indirect T Cell Allorecognition and Alloantibody-Mediated Rejection of MHC Class I-Disparate Heart Grafts. 1998 , 161, 1292-1298 | | 13 |
| 2 | T Cell Repertoire Alterations of Vascularized Xenografts. 1999 , 162, 3367-3377 | | 8 |
| 1 | Amplification of Plasma MicroRNAs for Non-invasive Early Detection of Acute Rejection after Heart Transplantation With Ultrasound-Targeted Microbubble Destruction. 2023 , 49, 1647-1657 | | O |