

CITATION REPORT

List of articles citing

Average Grain Size in Polycrystalline Ceramics

DOI: 10.1111/j.1151-2916.1969.tb11975.x

Journal of the American Ceramic Society, 1969, 52, 443-446.

Source: <https://exaly.com/paper-pdf/9805841/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1501	Deformation of UO ₂ at High Temperatures. <i>Journal of the American Ceramic Society</i> , 1971 , 54, 105-112	3.8	97
1500	Independent Grain Behavior of Parametrically Excited μ Magnons in Polycrystalline YIG. 1971 , 19, 156-158		11
1499	Compressive creep of mixed-oxide fuel pellets. 1972 , 44, 247-259		30
1498	Lineal Intercept Technique for Measuring Grain Size in Two-Phase Polycrystalline Ceramics. <i>Journal of the American Ceramic Society</i> , 1972 , 55, 109-109	3.8	618
1497	Kinetics of Recrystallization and Grain Growth in Cu ₂ O. <i>Journal of the American Ceramic Society</i> , 1972 , 55, 134-136	3.8	9
1496	Grain Size Distributions and Grain Growth in MgO and MgO-Fe ₂ O ₃ Solid Solutions. <i>Journal of the American Ceramic Society</i> , 1972 , 55, 19-24	3.8	14
1495	Influence of Impurity Particles on the Fracture of UO ₂ . <i>Journal of the American Ceramic Society</i> , 1972 , 55, 622-627	3.8	14
1494	Crack Healing in UO ₂ . <i>Journal of the American Ceramic Society</i> , 1973 , 56, 297-299	3.8	47
1493	Nonstoichiometry and Doping in the Sintering of Oxides. 1974 , 365-378		1
1492	Phase relations and dielectric behaviour of (Pb, La)Zr _{0.55} Ti _{0.45} O ₃ ceramics with a diffuse phase transition region. 1974 , 24, 341-350		21
1491	Grain size effects on the ferroelectric-paraelectric transition, the dielectric constant, and the lattice parameters in lanthana-substituted lead titanate. 1974 , 26, 561-569		33
1490	Sintering of CoO: II, Intermediate Stage*. <i>Journal of the American Ceramic Society</i> , 1974 , 57, 65-68	3.8	5
1489	Enhancement of Fracture Properties of Wustite by Precipitation. <i>Journal of the American Ceramic Society</i> , 1974 , 57, 154-159	3.8	24
1488	Structural ceramics. 1976 , 21, 171-285		103
1487	Reply by. <i>Journal of the American Ceramic Society</i> , 1976 , 59, 179-182	3.8	5
1486	Grain-size effects on microwave ferrite magnetic properties. 1977 , 13, 1729-1744		29
1485	Anomalous dielectric behaviour of La(III) substituted lead titanate ceramics. 1978 , 39, 59-63		34

1484	The relationship between intercept length and grain diameter in sintered uranium dioxide pellets. 1978 , 11, 23-32		1
1483	Grain-size effects on microwave ferrite magnetic properties. 1978 , 49, 2019-2024		13
1482	Wall susceptibility of magnetic materials having spherical grains with statistical distribution of diameters. 1978 , 14, 536-538		3
1481	Conductivity and creep in acceptor-dominated polycrystalline Al ₂ O ₃ . 1979 , 14, 1877-1889		36
1480	Preparation and properties of new oxygen ion conductors for use at low temperatures. 1979 , 5, 143-147		24
1479	Transparent hot-pressed alumina. 1979 , 5, 70-75		10
1478	Theory of inclusion controlled grain growth. 1980 , 15, 2816-2822		20
1477	Pore formation during oxidative annealing of Al ₂ O ₃ - Fe and slowing of grain growth by precipitates and pores. 1980 , 15, 1978-1986		19
1476	Order-disorder reactions in the ferroelectric perovskites Pb(Sc _{1/2} Nb _{1/2})O ₃ and Pb(Sc _{1/2} Ta _{1/2})O ₃ . I. Kinetics of the ordering process. 1980 , 61, 275-285		222
1475	Microstructure and normal grain growth in metals and ceramics. Part I. Theory. 1980 , 51, 5725-5744		234
1474	Grain size statistics. 1981 , 16, 2257-2262		7
1473	Alumina structure with improved fracture properties. 1981 , 63, 183-192		11
1472	Grain-Size Determinations. <i>Journal of the American Ceramic Society</i> , 1981 , 64, C-24-C-25	3.8	17
1471	Isostatic Hot-Pressing of UO ₂ . <i>Journal of the American Ceramic Society</i> , 1981 , 64, 472-479	3.8	6
1470	Microcracking in Large-grain Al ₂ O ₃ . 1981 , 51, 175-179		43
1469	Pyroelectric ceramics in the lead zirconate-lead titanate-lead iron niobate system. 1981 , 35, 155-160		57
1468	Numerical Estimation of the Dependence of Dielectric Constant of BaTiO ₃ Thick Films on Grain-Size Distribution. 1981 , 20, 1833-1840		6
1467	Effect of impurities on sintering and conductivity of yttria-stabilized zirconia. 1982 , 17, 3113-3122		183

1466	The effect of Bi ₂ O ₃ on the electrical and mechanical properties of ZrO ₂ -Y ₂ O ₃ ceramics. 1982 , 17, 1095-1102		39
1465	Grain-Boundary Resistivity of Stabilized Zirconia Films. <i>Journal of the American Ceramic Society</i> , 1983 , 66, c164-c166	3.8	8
1464	Growth and interconnection of pressurized pores in nickel and relation to stress rupture models. 1983 , 31, 453-464		10
1463	Mechanical properties and fracture behaviour of ZrO ₂ -Y ₂ O ₃ ceramics. 1983 , 18, 1958-1966		45
1462	High-temperature fracture of hot-pressed AlN ceramics. 1983 , 18, 503-507		23
1461	Piezoelectric properties of modified PZT ceramics. 1983 , 16, 2813-2821		26
1460	Response of polycrystalline Al ₂ O ₃ to diamond grinding. 1984 , 97, 203-207		3
1459	Preparation and electrical properties of a monophasic ZrO ₂ ?Y ₂ O ₃ ?Bi ₂ O ₃ solid electrolyte. 1984 , 19, 613-619		16
1458	High temperature fracture of boron carbide: experiments and simple theoretical models. 1984 , 19, 457-466		77
1457	Creep in polycrystalline Al ₂ O ₃ :Si. 1984 , 3, 993-996		1
1456	On the determination of grain-size distributions from intercept distributions. 1985 , 20, 2997-3002		4
1455	Low-Activation-Energy Conduction in Polycrystalline Al ₂ O ₃ Doped with Si and Na. <i>Journal of the American Ceramic Society</i> , 1985 , 68, 71-73	3.8	2
1454	Electrical Conductivity of Polycrystalline Al ₂ O ₃ Doped with Silicon. <i>Journal of the American Ceramic Society</i> , 1985 , 68, 92-99	3.8	29
1453	Three-Dimensional Coordination Number from Two-Dimensional Measurements: A New Method. 1986 , 32, 391-396		18
1452	Effect of dopants on the microstructure and lattice parameters of lead zirconate-titanate ceramics. 1987 , 22, 2209-2215		32
1451	The average grain size of calcia-stabilized zirconia doped with copper and iron. 1987 , 22, K159-K162		1
1450	Low-Temperature Aging of t-ZrO ₂ Polycrystals with 3 mol% Y ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 1987 , 70, 537-541	3.8	56
1449	Sintering of 3 mol % Y ₂ O ₃ -TZP and its fracture after ageing treatment. 1988 , 23, 1195-1200		23

1448	Calcium Segregation to Grain Boundaries in Alumina. <i>Journal of the American Ceramic Society</i> , 1988 , 71, 50-58	3.8	68
1447	Grain Growth of the Lime and Periclase Phases in a Synthetic Doloma. <i>Journal of the American Ceramic Society</i> , 1988 , 71, 720-725	3.8	25
1446	Low-Temperature Sintering of Aluminum Oxide. <i>Journal of the American Ceramic Society</i> , 1988 , 71, 841-844	3.8	107
1445	Fabrication and electrical behavior of liquid phase sintered zirconia. 1988 , 14, 7-16		3
1444	Synthesis and sintering behavior of Mgo-doped yttria-stabilized tetragonal zirconia polycrystal (Y-TZP). 1988 , 20, 409-430		5
1443	Preparation of fine-grained Ni-Zn ferrites. 1989 , 8, 261-262		11
1442	Fabrication and sinterability in Y2O3-CeO2-ZrO2. 1989 , 24, 4467-4474		35
1441	Microstructure and Fracture Toughness of Yttria-Daped Tetragonal Zirconia Polycrystal/Mullite Composites Prepared by an in Situ Method. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 2369-2372	3.8	27
1440	Preparation of Gadolinium Gallium Garnet [Gd3Ga5O12] by Solid-State Reaction of the Oxides. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 1376-1381	3.8	27
1439	Microstructures of olivine and stresses in the upper mantle beneath Eastern China. 1989 , 169, 23-50		27
1438	Grain growth kinetics in olivine aggregates. 1989 , 168, 255-273		228
1437	In-Pile and Out-of-Pile Grain Growth Behavior of Sintered UO2 and (U, Gd)O2 Pellets. 1989 , 26, 744-751		6
1436	Grain Growth in Sintered ZnO and ZnO-Bi2O3 Ceramics. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 106-114	3.8	227
1435	Effect of Ta2O5, Nb2O5, and HfO2 Alloying on the Transformability of Y2O3-Stabilized Tetragonal ZrO2. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 115-120	3.8	140
1434	Study of Fracture Behavior of Very Fine-Grained Silicon Carbide Ceramics. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 3081-3086	3.8	40
1433	Sintering and microstructural studies in the system ZrO2-TiO2-CeO2. 1990 , 25, 2233-2244		25
1432	Preparation and characterization of zinc-barium oxide composite. 1990 , 9, 613-615		3
1431	Coexistence of normal and diffuse ferroelectric-paraelectric phase transitions in (Pb,La)TiO3 ceramics. 1990 , 42, 10012-10015		60

1430	Indentation fracture of lead magnesium niobate-based multilayer composite structures. 1990 , 5, 515-523		5
1429	Pore-grain boundary interactions during sintering of pure nickel under variable pressure. 1990 , 24, 45-50		
1428	La-Stabilized zirconia: Synthesis and characterization. 1990 , 9, 65-70		9
1427	An in situ X ray diffraction study of the kinetics of the Ni ₂ SiO ₄ olivine-spinel transformation. 1990 , 95, 15829		70
1426	Grain size measurements using the point-sampled intercept technique. 1991 , 25, 931-934		5
1425	Characterization of ZrO ₂ -Al ₂ O ₃ composites sintered in a 2.45 GHz electromagnetic field. 1991 , 26, 6309-6313	16	
1424	Residual stress effects and t- α transformation in ion-implanted yttria-stabilized zirconia. 1991 , 26, 6522-6526		
1423	Grain growth in porous olivine aggregates. 1991 , 18, 269		33
1422	Excess Thermodynamic Properties of Nanophase Titanium Dioxide Prepared by Chemical and Physical Methods. 1992 , 286, 15		3
1421	Relationships between dopants, microstructure and the microwave dielectric properties of ZrO ₂ -TiO ₂ -SnO ₂ ceramics. 1992 , 27, 6303-6310		204
1420	Influence of chemical composition on sintering of bismuth-titanium-doped zinc oxide. 1992 , 27, 2397-2405		25
1419	Microwave Thermal Etching of Stabilized Zirconia. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 3462-3464	3.8	2
1418	Fabrication of Transparent Lead Lanthanum Zirconate Titanate Ceramics from Fine Powders by Two-Stage Sintering. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 2520-2528	3.8	60
1417	Grain Growth of ZnO during Bi ₂ O ₃ Liquid-Phase Sintering. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 2529-2534	3.8	90
1416	Preparation and Ferroelectric Properties of SBN:50 Ceramics. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 2581-2585	3.8	45
1415	The effect of grain boundaries on the electrical properties of zinc oxide-based varistor. 1992 , 21, 1073-1079		14
1414	Growth kinetics of sintered NiO/ZrO ₂ (5 mol.% Y ₂ O ₃) composites. 1992 , 158, 251-258		22
1413	The electrical characterization of grain boundaries in ultra-fine grained Y-TZP. 1993 , 168, 231-234		14

1412	Fabrication of engineering ceramics by injection moulding a suspension with optimum powder properties. 1993 , 28, 4167-4174		7
1411	Grain Size-Microcracking Relation for NaZr ₂ (PO ₄) ₃ Family Ceramics. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 487-491	3.8	36
1410	Properties of Zirconia-Ceria-Hafnia Alloys. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 1531-1536	3.8	1
1409	Effect of compaction pressure on the sinterability of submicron powders of tetragonal zirconium dioxide. 1993 , 34, 70-81		5
1408	Formation and growth of intragranular fission gas bubbles in UO ₂ fuels with burnup of 68 GWd/t. 1993 , 206, 22-34		113
1407	Influence of sintering profile on the resistivity of low-Curie-point PTCR ceramics. 1993 , 17, 141-145		
1406	Phase transition and piezoelectric properties of (Pb, La) (Zr, Ti)O ₃ ceramics prepared from spray-dried powders. 1993 , 141, 165-175		2
1405	Influence of sintering temperature on electrical properties of ZnO varistors. 1993 , 74, 695-703		68
1404	Inhomogeneous distribution of Cr impurities in Al ₂ O ₃ during refractory aging. 1993 , 8, 1153-1157		3
1403	Estimation of fracture resistance of Al ₂ O ₃ polycrystals from single-crystal values. 1994 , 176, 371-378		11
1402	On the effect of local variations in density in monolithic ceramic bodies. 1994 , 20, 1-8		
1401	Mechanical properties of ZrO ₂ + 12%CeO ₂ ceramics with additives of CaO, Y ₂ O ₃ , and Nb ₂ O ₅ . 1994 , 35, 46-50		2
1400	Investigation on crystalline phases and mechanical properties of TZP ceramics prepared from sol-gel powders. 1994 , 29, 5709-5714		6
1399	Evolution of the microstructure of undoped and Nb-doped SrTiO ₃ . 1994 , 29, 4866-4874		33
1398	The effect of Bi ₂ O ₃ on the microstructure and electrical conductivity of ZrO ₂ -Y ₂ O ₃ ceramics. 1994 , 5, 260-266		7
1397	Structural and mechanical properties of TiB ₂ and TiC prepared by self-propagating high-temperature synthesis/dynamic compaction. 1994 , 29, 534-543		31
1396	Stability of cubic ZrO ₂ (10 mol.% Y ₂ O ₃) when alloyed with NiO, Al ₂ O ₃ or TiO ₂ : implications to solid electrolytes and cermets. 1994 , 22, 247-255		25
1395	Yttria-ceria stabilized tetragonal zirconia polycrystals: Sintering, grain growth and grain boundary segregation. 1994 , 13, 89-102		60

1394	Effects of La ₂ O ₃ /ZnO Additives on Microstructure And Microwave Dielectric Properties of Zr _{0.8} Sn _{0.2} TiO ₄ Ceramics. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 3215-3220	3.8	46
1393	Effect of Soaking Time on the Temperature Coefficient of Resistivity of Semiconducting Barium Titanate PTCR Ceramics. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 2461-2464	3.8	4
1392	Fabrication and Microstructure of Al ₂ O ₃ -Bi ₂ Ca ₂ AG Hybrid Composites Prepared by Particulate Dispersion. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1375-1376	3.8	3
1391	Simulation of material microstructure using a 3D voronoi tessellation: Calculation of effective thermal expansion coefficient of polycrystalline materials. 1994 , 42, 3917-3927		49
1390	Non-ohmic characteristics of ZnO-V ₂ O ₅ ceramics. 1994 , 76, 4817-4822		121
1389	The effect of calcium segregation on grain growth in nanocrystalline TiO ₂ . 1994 , 4, 651-661		22
1388	Heat treatment of ultrafine SiC powders to reduce oxidation sensitivity and grain growth. 1994 , 4, 795-802		11
1387	Correlation of Densification Kinetics of Polycrystalline Ceramics with Colloid/Interface Variables. 1994 , 102, 633-641		1
1386	Grain Size Dependence of Thermal Shock Resistance in KZr ₂ (PO ₄) ₃ Ceramic. 1994 , 102, 718-721		2
1385	Li-Zn ferrites with nonmagnetic additives. 1995 , 30, 33-41		5
1384	Relation between monte carlo simulations of grain growth and real structures. 1995 , 30, K9-K12		3
1383	Improvement of fracture toughness in hot isostatically pressed mixtures of ultrafine and coarse-grained SiC ceramics. 1995 , 14, 214-216		7
1382	Preparation and properties evaluation of zirconia-based/Al ₂ O ₃ composites as electrolytes for solid oxide fuel cell systems. 1995 , 30, 1949-1960		31
1381	The Influence of Additives on the Material Parameters of Li-Zn Ferrites. 1995 , 147, 553-562		19
1380	Thermal Conductivity of Polycrystalline Materials. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 728-736	3.8	26
1379	Grain Growth of ZnO in ZnO-Bi ₂ O ₃ Ceramics with TiO ₂ Additions. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 1354-1360	3.8	46
1378	Measurements of Excess Enthalpy in Ultrafine-Grained Titanium Dioxide. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 2045-2055	3.8	47
1377	Microstructural Evolution during Pressureless Sintering of Lead Lanthanum Zirconate Titanate Ceramics with Excess Lead(II) Oxide. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 2417-2424	3.8	19

1376	Strength of Tape Cast and Laminated Ceramics. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 1580-1584	16
1375	Synthesis and sintering of PLZT powder made by freeze/alcohol drying or gelation of citrate solutions. 1995 , 15, 57-63	17
1374	Friction and wear behaviour of ceramic-hardened steel couples under reciprocating sliding motion. 1995 , 184, 33-43	27
1373	Influence of yttria content on the preparation of nanocrystalline yttria-doped zirconia. 1995 , 10, 762-773	27
1372	Nonlinear currents in Voronoi networks. 1995 , 51, 10825-10832	75
1371	Averaging Effect on Current-Voltage Characteristics of ZnO Varistors. 1995 , 34, 2352-2358	15
1370	Intergrain and Intragrain Critical Current Densities of Ag-Doped $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ Superconductors. 1995 , 34, 4760-4764	3
1369	Preparation of nanocrystalline yttria-stabilized zirconia. 1995 , 10, 756-761	29
1368	Analysis of the proportionality constant correlating the mean intercept length to the average grain size. 1995 , 43, 3185-3188	72
1367	Size-dependent solute segregation and total solubility in ultrafine polycrystals: Ca in TiO_2 . 1995 , 43, 319-328	81
1366	Toughening of sic ceramics by a bimodal grain size distribution produced by hiding ultrafine and coarse grained SiC powders. 1995 , 6, 889-892	8
1365	Microstructure and Nonohmic Properties of $\text{ZnO-V}_2\text{O}_5$ Ceramics. 1995 , 34, 6452-6457	28
1364	Two different micromodels of zinc oxide varistors. 1995 , 77, 5982-5986	4
1363	Microstructure and nonohmic properties of binary ZnO-V ₂ O ₅ ceramics sintered at 900 °C. 1996 , 26, 199-203	94
1362	High-temperature creep in fine-grained polycrystalline CaTiO_3 , an analogue material of (Mg, Fe)SiO ₃ perovskite. 1996 , 95, 19-36	63
1361	Densification by nonmagnetic additives of high frequency lithium-zinc and nickel-zinc ferrites. 1996 , 157-158, 487-488	11
1360	Micro-stress distribution within polycrystalline aggregate. 1996 , 114, 203-216	35
1359	Superplasticity of ceramic materials. Effect of initial porosity and doping on the superplastic behaviour of alumina. 1996 , 44, 4301-4309	17

1358	Wet erosive wear behaviour of fine-grain zircon ceramic. 1996 , 16, 483-491		2
1357	Hot pressing of Cr ₂ O ₃ powder with thin hexagonal plate particles. 1996 , 31, 965-971		2
1356	Relationship between cyclic loading and degradation of piezoelectric properties in Pb(Zr,Ti)O ₃ ceramics. 1996 , 38, 182-185		22
1355	Enhanced mechanical properties by grain boundary strengthening in ultra-fine-grained TZP ceramics. 1996 , 16, 601-612		23
1354	Effects of silicon carbide nano-phase on the wet erosive wear of polycrystalline alumina. 1996 , 16, 799-802		82
1353	The influence of crystallization and washing medium on the characteristics of nanocrystalline Y-TZP. 1996 , 16, 759-766		27
1352	Improvement of thermal stability and fracture toughness of Ti-TZP ceramics by small ceria additions. 1996 , 15, 1651-1653		
1351	The relationship between the microstructure and microwave dielectric properties of zirconium titanate ceramics. 1996 , 31, 2539-2549		38
1350	Sintering, microstructure and mechanical properties of commercial Y-TZPs. 1996 , 31, 6055-6062		58
1349	Microstructural development of ZnO varistor during reactive liquid phase sintering. 1996 , 31, 5391-5398		46
1348	Hot-isostatic pressing of U-10Zr by a coupled grain boundary diffusion and creep cavitation mechanism. 1996 , 228, 184-200		11
1347	Densification of ultrafine SiC powders. 1996 , 31, 3623-3637		48
1346	Simultaneous Synthesis and Densification of MoSi ₂ by Field-Activated Combustion. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1875-1880	3.8	79
1345	Particle-Inhibited Grain Growth in Al ₂ O ₃ -SiC: II, Equilibrium and Kinetic Analyses. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3020-3028	3.8	27
1344	Grain-Size Dependence of Sliding Wear in Tetragonal Zirconia Polycrystals. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3090-3096	3.8	75
1343	Sintering of Alumina in Microwave-Induced Oxygen Plasma. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3199-3210	3.8	58
1342	Effects of Microstructure and Composition on the Curie Temperature of Lead Barium Niobate Solid Solutions. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3235-3242	3.8	63
1341	Solute Segregation and Grain-Boundary Impedance in High-Purity Stabilized Zirconia. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1169-1180	3.8	328

1340	Pressure Consolidation of Fiber-Reinforced Oxide Matrix Composites: Experiments and Simulations. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1265-1272	3.8	5
1339	Effect of Grain Size on Diffusion-Induced Grain-Boundary Migration in Ba(Zn _{1/3} Nb _{2/3})O ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1405-1408	3.8	11
1338	Microstructure and Crystal Phases of Praseodymium Oxides in Zinc Oxide Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 2379-2384	3.8	107
1337	Growth of Boric Acid Crystallites on the Surface of Boron-Doped Silicon Carbide Samples. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 1699-1702	3.8	2
1336	Effects of Addition of Na ₂ O, Sb ₂ O ₃ , CaO, and ZrO ₂ on the Properties of Lithium Zinc Ferrite. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 2105-2108	3.8	18
1335	Rare earth-doped polycrystalline zinc oxide electroluminescent ceramics. 1996 , 57, 1869-1879		61
1334	Synthesis of yttria-stabilized zirconia nanoparticles by decomposition of metal nitrates coated on carbon powder. 1996 , 11, 2318-2324		14
1333	Indentation-induced crack interaction in alumina ceramics. 1996 , 74, 1245-1252		11
1332	Sintering of (Pb,La)(Zr,Ti)O ₃ in Ozone Atmosphere and Its Ferroelectric Properties. 1996 , 35, 5117-5121		
1331	Electrical Properties of ZnO Varistors Prepared by Microwave Sintering Process. 1996 , 35, 4696-4703		14
1330	Microstructures and Electrical Properties of V ₂ O ₅ -based Multicomponent ZnO Varistors Prepared by Microwave Sintering Process. 1997 , 36, 1169-1175		56
1329	Effect of ZnO Additive on Microstructure and Microwave Dielectric Properties of CaTi _{1-x} (Fe _{0.5} Nb _{0.5}) _x O ₃ Ceramics. 1997 , 36, 198-202		21
1328	Giant Magnetoresistance in Granular Perovskite La _{0.8} Sr _{0.2} MnO ₃ . 1997 , 14, 229-232		2
1327	A structure-dependent change of magnetism in the magnetic oxide. 1997 , 9, 4281-4288		12
1326	Topological disorder in cellular microstructures. 1997 , 75, 669-679		
1325	Tunnel-type giant magnetoresistance in the granular perovskite La _{0.85} Sr _{0.15} MnO ₃ . 1997 , 56, 8138-8142		306
1324	Initial Coarsening and Microstructural Evolution of Fast-Fired and MgO-Doped Al ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 1997 , 80, 2891-2896	3.8	42
1323	Microwave Characteristics of (Pb,Ca)(Fe,Nb,Sn)O ₃ Dielectric Materials. <i>Journal of the American Ceramic Society</i> , 1997 , 80, 2937-2940	3.8	34

1322	Photoluminescence of polycrystalline zinc oxide co-activated with trivalent rare earth ions and lithium. Insertion of rare-earth ions into zinc oxide. 1997 , 75, 35-49	121
1321	Effect of external restraint on bubble swelling in UO ₂ fuels. 1997 , 247, 138-146	14
1320	Low-temperature phase stability and mechanical properties of Y ₂ O ₃ -and Nb ₂ O ₅ -co-doped tetragonal zirconia polycrystal ceramics. 1997 , 17, 185-187	23
1319	Ceramic tensile strength-grain size relations: grain sizes, slopes, and branch intersections. 1997 , 32, 1673-1692	64
1318	The microstructure and microwave dielectric properties of zirconium titanate ceramics in the solid solution system ZrTiO ₄ -r5Ti7O ₂₄ . 1997 , 32, 1693-1701	48
1317	Effects of spinel phase formation in the calcination process on the characteristics of ZnO-glass varistors. 1997 , 8, 115-123	5
1316	Properties of a representative polycrystalline ferrite used in magnetic transducer heads. 1997 , 59, 292-294	1
1315	Production of defect-poor nanostructured ceramics of Yttria-Zirconia. 1997 , 17, 831-841	23
1314	Fabrication, characterisation and formation mechanism of Pb _{1.83} Mg _{0.29} Nb _{1.71} O _{6.39} pyrochlore. 1997 , 17, 1033-1047	42
1313	Grain growth in ultrafine-grained Y-TZP ceramics. 1997 , 17, 1133-1141	22
1312	Microstructural relations in BZS pyrochlore-ZnO mixtures. 1997 , 17, 1049-1060	18
1311	The intercept method. Determination of spatial grain size. 1997 , 45, 595-600	53
1310	EFFECT OF SOLID SOLUTION ADDITIVES ON THE DENSIFICATION AND CREEP OF GRANULAR CERAMICS. 1997 , 45, 3017-3028	5
1309	Theoretically dense and nanostructured ceramics by pressureless sintering of nanosized Y-TZP powders. 1997 , 232, 168-176	23
1308	Effects of a second phase on the tribological properties of Al ₂ O ₃ and ZrO ₂ ceramics. 1997 , 210, 178-187	42
1307	Superplastic deep drawing of tetragonal zirconia ceramics at 1160°C. 1998 , 18, 2101-2106	5
1306	Vickers hardness study of zirconia partially stabilized with lanthanide group oxides. 1998 , 53, 48-54	19
1305	Effect of doped bioactive glass on structure and properties of sintered hydroxyapatite. 1998 , 53, 138-149	46

1304	The effect of alumina addition on the conductivity, microstructure and mechanical strength of zirconia γ -yttria electrolytes. 1998 , 4, 25-32	11
1303	Simultaneous observation of tunnel-type GMR and intrinsic CMR in nanometer perovskite. 1998 , 41, 967-973	3
1302	Low volatile fission-product release and fuel volatilization during severe reactor accident conditions. 1998 , 252, 235-256	35
1301	Effects of grain size and ceria addition on ageing behaviour and tribological properties of Y-TZP ceramics. 1998 , 18, 557-563	17
1300	Grain boundary mobility of BaTiO ₃ doped with aliovalent cations. 1998 , 18, 1063-1071	70
1299	Effect of Nb ₂ O ₅ and Y ₂ O ₃ alloying on the mechanical properties of TZP ceramics. 1998 , 24, 461-465	8
1298	Effects of rare-earth oxides on physical properties of Li α -Zn ferrite. 1998 , 275-277, 657-659	81
1297	Densification and Swelling in UO ₂ Pellets under Hydrostatic Pressure Condition. 1998 , 35, 796-800	3
1296	Preparation of fine-grained monoclinic zirconia ceramics by colloidal processing. 1998 , 13, 840-843	15
1295	Grain size dependent magnetism in granular manganese perovskite La _{0.82} Sr _{0.18} MnO ₃ . 1998 , 7, 757-763	
1294	Improvement on the degradation of microwave sintered ZnO varistors by postannealing. 1998 , 13, 1560-1567	8
1293	Fabrication and Microstructure of Al ₂ O ₃ Matrix Composites by In-situ Reaction in the Al ₂ O ₃ -La ₂ O ₃ System. 1998 , 106, 739-743	12
1292	Mechanical Properties of Hot-Pressed TZP Ceramics Doped with Y ₂ O ₃ and Nb ₂ O ₅ . 1998 , 39, 262-267	1
1291	Fabrication of Nanostructured Monoclinic Zirconia Ceramics by Colloidal Processing. 1998 , 520, 103	1
1290	Electrical Properties of Microwave-Sintered ZnO Varistors. 1999 , 38, 5500-5504	14
1289	Two kinds of roles of MgO in the densification and grain growth of alumina under various atmospheres: Sensitive and insensitive roles to the experimental procedures. 1999 , 14, 509-517	12
1288	MORE EVIDENCES FOR DOUBLE EXCHANGE-RELATED INTERFACIAL TUNNELING IN NANOSTRUCTURED PEROVSKITE La _{0.82} Sr _{0.18} MnO ₃ . 1999 , 13, 399-409	1
1287	Grain size-dependent magnetism in fine particle perovskite, La _{1-x} Sr _x MnO ₃ . 1999 , 109, 537-542	47

1286	Discussion again of the interfacial tunneling in granular perovskite $\text{La}_{0.82}\text{Sr}_{0.18}\text{MnO}_3$. 1999 , 253, 113-118	4
1285	Electro- and photoluminescence of the Tm^{3+} ion in Tm^{3+} - and Li^{+} -doped ZnO ceramics. Influence of the sintering temperature. 1999 , 241, 339-349	31
1284	Microstructure and electric properties of a SnO_2 based varistor. 1999 , 25, 1-6	91
1283	Crystallisation and sintering behaviour of nanocrystalline Y-TZP powders obtained by seeding-assisted chemical coprecipitation. 1999 , 25, 125-135	24
1282	Sintering temperature-dependent magnetism and structure in granular perovskites $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$. 1999 , 313, 69-75	7
1281	Microstructural and electrical characteristics of SiO_2 doped ZnO- Bi_2O_3 varistors. 1999 , 22, 49-57	6
1280	Special features of sintering of aerosol powders. 1999 , 40, 30-34	1
1279	Microstructure and phase transformation behavior of doped nanostructured titania. 1999 , 34, 1275-1290	92
1278	Influence of grain size on magnetoresistance properties of bulk $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$. 1999 , 192, 263-270	34
1277	Influence of oxygen vacancies on magnetoresistance properties of bulk $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$. 1999 , 195, 31-36	50
1276	Colossal Magnetoresistance in Fine Particle of Layered-Perovskite $\text{La}_{2-x}\text{Ca}_{1+2x}\text{Mn}_2\text{O}_7$ ($x = 0.3$) Synthesized at Low Temperatures. 1999 , 171, 577-582	12
1275	Phase stability of (Y,NB)-TZP/ Al_2O_3 composites under low temperature hydrothermal conditions. 1999 , 39, 221-226	15
1274	Spin-dependent interfacial tunnelling and tunnel-type GMR in granular perovskite family. 1999 , 11, 2625-2636	25
1273	Flow behavior of fine-grained synthetic dunite in the presence of 0.5 wt% H_2O . 1999 , 104, 17823-17845	21
1272	A stochastic model of grain size distribution during dynamic recrystallization. 1999 , 79, 1217-1231	21
1271	Effects of material properties and testing parameters on wear properties of fine-grain zirconia (TZP). 2000 , 242, 97-104	34
1270	Modelling of inoculation of metallic melts: application to grain refinement of aluminium by Al_3Ti . 2000 , 48, 2823-2835	745
1269	The microstructures, magnetic properties and impedance analysis of Mn_2Zn ferrites doped with B_2O_3 . 2000 , 20, 2743-2751	27

1268	The rate-determining mechanism in the sintering of undoped nonstoichiometric barium titanate. 2000 , 20, 517-526		38
1267	High aspect ratio Bi ₃ N ₄ grain growth. 2000 , 20, 789-794		24
1266	The effects of sintering temperature on the properties of hydroxyapatite. 2000 , 26, 221-230		278
1265	Effect of oxygen on sintering plasmachemical powders of nonoxide high-melting compounds. 2000 , 26, 303-313		4
1264	Carbon nanotube-metal oxide nanocomposites: microstructure, electrical conductivity and mechanical properties. 2000 , 48, 3803-3812		394
1263	Al ₂ O ₃ /TiC Based Metal Cutting Tools by Microwave Sintering Followed by Hot Isostatic Pressing. <i>Journal of the American Ceramic Society</i> , 2000 , 83, 1530-1532	3.8	19
1262	Densification Behaviors of Fine-Alumina and Coarse-Alumina Compacts during Liquid-Phase Sintering with the Addition of Talc. <i>Journal of the American Ceramic Society</i> , 2000 , 83, 3128-3134	3.8	14
1261	Influence of additives on the properties of a Ni-Zn ferrite with low Curie point. 2000 , 215-216, 194-196		36
1260	Consolidation of advanced WC-Co powders. 2000 , 18, 23-31		28
1259	Comparison of dc and microwave resistivity in polycrystalline La _{0.7} Y _x Ca _{0.3} MnO ₃ samples: Influence of Y at grain boundaries. 2000 , 88, 4703		19
1258	Influence of simultaneous addition of MnO ₂ and CoO on properties of SnO ₂ -based ceramics. 2000 , 46, 39-43		12
1257	Influence of chromium oxide additive on electrical characteristics of ZnO varistor.		1
1256	Synthesis and Sintering of Zirconia Nano-Powder by Non-Isothermal Decomposition from Hydroxide.. 2001 , 109, 500-505		16
1255	Fabrication of Al ₂ O ₃ /ZrO ₂ Micro/Nano-Composite Prepared by High Energy Ball Milling. 2001 , 42, 1119-1123		5
1254	Sintering and Ionic Conductivity of CuO-Doped Tetragonal ZrO ₂ Prepared by Novel Colloidal Processing.. 2001 , 109, 1004-1009		6
1253	The influence of alumina addition and its distribution upon grain-boundary conduction in 15 mol.% calcia-stabilized zirconia. 2001 , 27, 269-276		14
1252	Raman spectral characterization of existing phases in the ZrO ₂ -Zr ₂ O ₃ -Nb ₂ O ₅ system. 2001 , 27, 291-298		10
1251	Environmental degradation of CuO-doped Y-TZP ceramics. 2001 , 27, 705-711		17

1250	Electroluminescence of the Er ³⁺ ion and electric conduction in polycrystalline ZnO:Mn,Bi,Er sintered pellets. 2001 , 62, 565-578		17
1249	Processing and properties of nanophase non-oxide ceramics. 2001 , 301, 59-68		49
1248	Sintering and densification behavior of Mn-doped CeO ₂ . 2001 , 83, 235-241		40
1247	Densification, microstructure and grain growth in the CeO ₂ -Fe ₂ O ₃ system (0?Fe/Ce?20%). 2001 , 21, 2221-2228		46
1246	Powder process influence on the characteristics of Mn,W,Sb,Ni-doped PZT. 2001 , 21, 1499-1502		19
1245	Electrical properties of dense Me-doped bismuth vanadate (Me=Cu, Co) pO ₂ -dependent conductivity determined by impedance spectroscopy. 2001 , 21, 2331-2344		52
1244	Preparation, microstructure and microwave dielectric properties of Zr _x Ti _{1-x} O ₄ (x=0.40-0.60) ceramics. 2001 , 21, 2931-2936		20
1243	Boron Carbide-Zirconium Boride In Situ Composites by the Reactive Pressureless Sintering of Boron Carbide-Zirconia Mixtures. <i>Journal of the American Ceramic Society</i> , 2001 , 84, 642-644	3.8	85
1242	The influence of washing and calcination condition on urea-derived ceria-yttria-doped tetragonal zirconia powders. 2001 , 68, 42-55		9
1241	Influence of ligand groups in Ti precursors on phase transformation and microstructural evolution of TiO ₂ thin films prepared by the wet chemical process. 2001 , 16, 1712-1719		12
1240	Precursor scavenging of the resistive grain-boundary phase in 8 mol% yttria-stabilized zirconia: Effect of trace concentrations of SiO ₂ . 2001 , 16, 2377-2383		8
1239	Influence of CaO-Bi ₂ O ₃ ratio on the chemistry of intergranular films in liquid-phase sintered alumina and implications for rate of erosive wear. 2001 , 16, 652-665		19
1238	Microwave sintering of ZnO at ultra high heating rates. 2001 , 16, 2850-2858		51
1237	Creep of Lanthanum Gallate. 2002 , 17, 532-541		5
1236	Microwave sintering of high-density, high thermal conductivity AlN. 2002 , 17, 2837-2845		20
1235	Donor and acceptor doping of zinc oxide varistors. 2002 , 14, 945-954		9
1234	Thermal shock behaviour of alumina ceramics by ball-on-3-ball test. 2002 , 56, 1022-1029		6
1233	Effect of alumina addition on the electrical and mechanical properties of Ce _{0.8} Gd _{0.2} O _{2-δ} ceramics. 2002 , 57, 124-129		67

1232	Sintering study on commercial CeO ₂ powder with small amount of MnO ₂ doping. 2002 , 57, 507-512	38
1231	Synthesis of nanocrystalline forsterite fiber via a chemical route. 2002 , 37, 2213-2226	25
1230	Effects of MnO ₂ doping in V ₂ O ₅ -doped ZnO varistor system. 2002 , 75, 61-66	63
1229	Sintering Behaviour and Properties of LiZn Ferrite Doped with PbO. 2002 , 191, 560-570	4
1228	Colloidal Processing of Glassy-Phase-Free Mullite from Heterocoagulated Boehmite/Silica Nano-composite Sol Particles. 2002 , 4, 21-28	2
1227	Synthesis and thermal expansion hysteresis of Ca _{1-x} Sr _x Zr ₄ P ₆ O ₂₄ . 2002 , 25, 191-196	26
1226	Optimised NASICON ceramics for Na ⁺ sensing. 2002 , 8, 383-390	14
1225	Fabrication of dense forsterite–statite polycrystals for experimental studies. 2002 , 29, 19-31	26
1224	Site-occupancy of yttrium as a dopant in BaO-excess BaTiO ₃ . 2002 , 335, 101-108	29
1223	Sintering and grain growth of CoO-doped CeO ₂ ceramics. 2002 , 22, 27-34	96
1222	Quantitative characterization of various tetragonal zirconia polycrystals (TZPs). 2002 , 22, 199-207	9
1221	Mechanical properties of magnesia-spinel composites. 2002 , 22, 745-754	81
1220	Effects of hydrolysis processing on the character of forsterite gel fibers. Part II: crystallites and microstructural evolutions. 2002 , 22, 1085-1094	12
1219	Plastic forming and microstructural development of alumina ceramics from highly compacted green bodies using extrusion. 2002 , 22, 1917-1926	16
1218	Nano-scale Cu ₆ Sn ₅ anodes. 2002 , 109, 230-233	112
1217	Spark Plasma Sintering of Alumina. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 1921-1927	3.8 642
1216	Evolution of the Grain Size Distribution during the Sintering of Alumina at 1350°C. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 1954-1960	3.8 19
1215	TiMoCN based cermets. 2003 , 21, 37-46	73

1214	Electric and luminescent properties of ZnO-based ceramics containing small amounts of Er and Mn oxide. 2003 , 104, 1-12		13
1213	Electrical and luminescent properties of ZnO:Bi,Er ceramics sintered at different temperatures. 2003 , 104, 103-114		17
1212	Effect of cation distribution on the properties of $Mn_{0.2}Zn_xNi_{0.8-x}Fe_2O_4$. 2003 , 125, 121-125		20
1211	Work of fracture and fracture surface energy of magnesia-spinel composites. 2003 , 63, 1433-1440		27
1210	Final-stage sintering behavior of Fe-doped CeO ₂ . 2003 , 103, 177-183		40
1209	Subcritical crack growth in Al ₂ O ₃ with submicron grain size. 2003 , 23, 81-89		28
1208	Co-extrusion of Al ₂ O ₃ /ZrO ₂ bi-phase high temperature ceramics with fine scale aligned microstructures. 2003 , 23, 935-942		19
1207	TiN/Al ₂ O ₃ composites and graded laminates thereof consolidated by spark plasma sintering. 2003 , 23, 1061-1068		25
1206	Densification of zirconia-hematite nanopowders. 2003 , 23, 1053-1060		16
1205	Preparation and crystallization of forsterite fibrous gels. 2003 , 23, 1283-1291		27
1204	Al ₂ O ₃ -TZP/Al ₂ O ₃ functionally graded composites of tubular shape from nano-sols using double-step electrophoretic deposition. 2003 , 23, 1655-1660		31
1203	Effect of the particle size distribution of spinel on the mechanical properties and thermal shock performance of MgO-spinel composites. 2003 , 23, 3079-3087		27
1202	Transparent Sintered Corundum with High Hardness and Strength. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 12-18	3.8	245
1201	Influence of Excess PbO Additions on {111} Single-Crystal Growth of Pb(Mg _{1/3} Nb _{2/3})O ₃ ±5 mol% PbTiO ₃ by Seeded Polycrystal Conversion. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 2176-2181	3.8	16
1200	Kinetics of {001} Pb(Mg _{1/3} Nb _{2/3})O ₃ ±5 mol% PbTiO ₃ Single Crystals Grown by Seeded Polycrystal Conversion. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 2182-2187	3.8	33
1199	Creep of polycrystalline anorthite and diopside. 2003 , 108,		37
1198	Grain growth in sintered ZnO±mol% V ₂ O ₅ ceramics. 2003 , 57, 1411-1416		49
1197	Evaluation of the threshold stress for creep deformation in a 3 mol% Y ₂ O ₃ -stabilized tetragonal ZrO ₂ polycrystal. 2003 , 83, 97-106		9

1196	Grain-growth kinetics in a nanocrystalline 2 yttria-stabilized tetragonal zirconia polycrystals ceramic with a silica-based glassy phase. 2003 , 18, 950-955		3
1195	Grain growth of zircon pigment in tile glaze. 2003 , 102, 57-60		3
1194	Sintering Effects on the Mechanical and Chemical Properties of Commercially Available Hydroxyapatite. 2003 , 254-256, 91-94		
1193	Dopant Effects on Sintering and Microstructure Development in Zinc Oxide-Based Electroceramics. 2004 , 264-268, 1269-1272		
1192	Effect of Grain Size on the Sliding Wear and Friction of Alumina at Elevated Temperatures. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 1505-1511	3.8	39
1191	Processing and Properties of Nanograin Silicon Carbide. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 2585-2593	3.8	58
1190	Microstructure and Current-Voltage Characteristics of Multicomponent Vanadium-Doped Zinc Oxide Varistors. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2455-2462	3.8	64
1189	Influence of Stress and Chemical Homogeneity on Dielectric Properties of BaTi _{0.9} Zr _{0.1} O ₃ . <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2610-2612	3.8	0
1188	Colloidal Processing and Ionic Conductivity of Fine-Grained Cupric-Oxide-Doped Tetragonal Zirconia. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 2129-2131	3.8	5
1187	Effect of Silicon Substitution on the Sintering and Microstructure of Hydroxyapatite. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 2771-2777	3.8	113
1186	Chemical Heterogeneity in PMN-BPT Ceramics and Effects on Dielectric and Piezoelectric Properties. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 3018-3024	3.8	50
1185	Influence of Microstructure on the Electrical Properties of Iron-Substituted Calcium Titanate Ceramics. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 2252-2261	3.8	26
1184	Study of NiZn Ferrite Complex Permeability - Effect of Relative Density and Microstructure. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1314-1318	3.8	15
1183	Spark-Plasma-Sintering Consolidation of SiC-Whisker-Reinforced Mullite Composites. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 42-46	3.8	10
1182	Sintering of (Cu _{0.25} Ni _{0.25} Zn _{0.50})Fe ₂ O ₄ Ferrite. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 571-577		35
1181	Effect of Yttria and Yttrium-Aluminum Garnet on Densification and Grain Growth of Alumina At 1200-1300°C. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 692-695	3.8	23
1180	Effects of Silver on Barium Titanate as a Function of Stoichiometry. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 875-880	3.8	9
1179	Strain Softening and Hardening during Superplastic-Like Flow in a Fine-Grained MgAl ₂ O ₄ Spinel Polycrystal. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1102-1109	3.8	14

1178	Effect of Amount of Boron Doping on Compression Deformation of Fine-Grained Silicon Carbide at Elevated Temperature. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 1525-1529	3.8	14
1177	Growth of Pb(Mg _{1/3} Nb _{2/3})O ₃ -35 mol% PbTiO ₃ Single Crystals from (111) Substrates by Seeded Polycrystal Conversion. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 2958-2962	3.8	51
1176	Influence of Grain Size on the Indentation-Fatigue Behavior of Alumina. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 967-970	3.8	10
1175	Achieving tensile superplasticity in 8 mol% Y ₂ O ₃ cubic stabilized ZrO ₂ through the addition of intergranular silica. 2004 , 50, 1441-1444		16
1174	Net shape formation of sub-micron alumina with reduced flaws by high-speed centrifugal compaction process. 2004 , 10, 185-191		7
1173	The effect of grain size on electrical transport and magnetic properties of La _{0.9} Te _{0.1} MnO ₃ . 2004 , 132, 83-87		38
1172	Effects of vanadium and manganese concentrations on the composition, structure and electrical properties of ZnO-rich MnO ₂ ·2.5H ₂ O varistors. 2004 , 24, 1199-1203		24
1171	Reaction mechanisms and kinetics of the synthesis and decomposition of lithium metazirconate through solid-state reaction. 2004 , 24, 2433-2443		37
1170	Microstructure and humidity sensitive properties of MgFe ₂ O ₄ ferrite with Ni and Mn substitutions. 2004 , 1, 3636-3639		3
1169	A threshold stress for the superplastic deformation in Y ₂ O ₃ -stabilized tetragonal ZrO ₂ . 2004 , 387-389, 655-658		10
1168	Sintering behavior and mechanical properties of injection-molded zirconia powder. 2004 , 30, 579-584		25
1167	High performance Ni-substituted Mn _n ferrites processed by soft chemical technique. 2004 , 281, 276-280		35
1166	Fracture behaviour of magnesia and magnesia-spinel composites before and after thermal shock. 2004 , 24, 2407-2416		30
1165	Effect of oxide dopants on densification, microstructure and mechanical properties of alumina-silicon carbide nanocomposite ceramics prepared by pressureless sintering. 2004 , 24, 3317-3326		47
1164	Magnesia-spinel microcomposites. 2004 , 24, 3119-3128		25
1163	ZnO thin films produced by filtered cathodic vacuum arc technique. 2004 , 30, 1669-1674		18
1162	Microstructure and current-voltage characteristics of ZnO·2.5MnO ₂ varistor system. 2004 , 30, 1647-1653		43
1161	Effect of minor SiO ₂ addition on the creep behavior of superplastic tetragonal ZrO ₂ . 2004 , 52, 3355-3364		34

1160	The influence of CeO ₂ on the microstructure and electrical behaviour of ZnO-Bi ₂ O ₃ based varistors. 2004 , 37, 804-812	20
1159	Effects of Grain Size and Doping on Photovoltaic Current in (Pb _{1-x} La _x)TiO ₃ Ferroelectric Ceramics. 2004 , 31, 63-72	2
1158	Fracture Toughness of Yttria-Stabilized Cubic Zirconia (8Y-CSZ) Doped with Pure Silica. 2004 , 45, 3324-3329	6
1157	Microstructural evaluation of rare-earth-zinc oxide-based varistor ceramics. 2005 , 8, 425-429	6
1156	Fracture Toughness of Yttria-Stabilized Cubic Zirconia (8Y-CSZ) Doped with Pure Silica. 2005 , 69, 928-932	
1155	Fine-grained MgCu ferrite with ionic substitutions used as humidity sensor. 2005 , 290-291, 1001-1004	25
1154	Preparation and characterization of silica-silver core-shell structural submicrometer spheres. 2005 , 66, 748-752	30
1153	Analysis of secondary phases segregated and precipitated in SnO ₂ -based varistors. 2005 , 25, 401-406	23
1152	Conductivity of La _{0.95} Sr _{0.05} Ga _{0.90} Mg _{0.10} O ₃ obtained by mechanical activation. 2005 , 25, 2599-2602	9
1151	Simultaneous synthesis and consolidation of chromium carbides (Cr ₃ C ₂ , Cr ₇ C ₃ and Cr ₂₃ C ₆) by pulsed electric-current pressure sintering. 2005 , 399, 154-160	112
1150	Investigation of parameters affecting grain growth of sintered magnesite refractories. 2005 , 31, 121-127	14
1149	Relationship between wear rate, surface pullout and microstructure during abrasive wear of alumina and alumina/SiC nanocomposites. 2005 , 53, 3345-3357	94
1148	Electrical and microstructural properties of (Zn, Nb, Fe)-doped SnO ₂ varistor systems. 2005 , 31, 737-742	30
1147	Electrical, thermal and catalytic properties of CeO ₂ -Sm _{0.5} Ti _{0.5} O _{1.75} ceramics. 2005 , 31, 965-971	1
1146	Charge compensation mechanism in yttria-doped barium titanate. 2005 , 31, 989-997	13
1145	Mechanical properties of SiC fabricated by spark plasma sintering. 2005 , 14, 460-466	37
1144	Influence of Porosity on Friction and Wear of Tetragonal Zirconia Polycrystal. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 377-380	3.8 46
1143	Microwave Dielectrics in the (La _{1/2} Na _{1/2})TiO ₃ -Ca(Fe _{1/2} Nb _{1/2})O ₃ System. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 1316-1318	3.8 30

1142	Sintering Behavior of Cadmium-Doped Pb(Ni _{1/3} Nb _{2/3})O ₃ ·PbZrO ₃ ·PbTiO ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 1523-1534	3.8	25
1141	Microstructure Refinement of Sintered Alumina by a Two-Step Sintering Technique. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 2269-2277	3.8	89
1140	Piezoresistivity in PTCR Barium Titanate Ceramics: I, Experimental Findings. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 337-346	3.8	9
1139	Low-Temperature Sintering of Mullite/Yttria-Doped Zirconia Composites in the Mullite-Rich Region. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 1050-1052	3.8	10
1138	Fracture Toughness, Ionic Conductivity, and Low-Temperature Phase Stability of Tetragonal Zirconia Codoped with Yttria and Niobium Oxide. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2309-2314	3.8	50
1137	Toughness-Curve Behavior of an Alumina-Mullite Composite. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2613-2623	3.8	15
1136	Phase Transformation in Y ₂ O ₃ -Partially-Stabilized ZrO ₂ Polycrystals of Various Grain Sizes during Low-Temperature Aging in Water. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2687-2691	3.8	50
1135	Kinetics of Thin-Film Reactions of Nickel Oxide with Alumina: I, (0001) and {1120} Reaction Couples. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2869-2876	3.8	17
1134	Microstructure and Nonlinear Properties of Microwave-Sintered ZnO-V ₂ O ₅ Varistors: I, Effect of V ₂ O ₅ Doping. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2942-2948	3.8	62
1133	Microstructure and Nonlinear Properties of Microwave-Sintered ZnO-V ₂ O ₅ Varistors: II, Effect of Mn ₃ O ₄ Doping. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2949-2956	3.8	33
1132	Compression Deformation Mechanism of Silicon Carbide: I, Fine-Grained Boron- and Carbon-Doped Silicon Carbide Fabricated by Hot Isostatic Pressing. <i>Journal of the American Ceramic Society</i> , 2005 , 87, 1919-1926	3.8	12
1131	Simultaneous Synthesis and Sintering of Ti _{1-x} Al _x (N) (0 ≤ x ≤ 0.08) by a Self-Propagating High-Temperature Combustion Method. <i>Journal of the American Ceramic Society</i> , 2005 , 87, 2042-2046	3.8	1
1130	Microstructure and Chemistry of Intergranular Glassy Films in Liquid-Phase-Sintered Alumina. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 369-379	3.8	85
1129	Lead Zirconate Titanate Prepared from Different Zirconium and Titanium Precursors by Sol-Gel. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2640-2644	3.8	22
1128	Synthesis and Characterization of Nano-Hetero-Structured Dy Doped CeO ₂ Solid Electrolytes Using a Combination of Spark Plasma Sintering and Conventional Sintering. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 1981-1984	3.8	57
1127	Effect of Oxygen Segregation at Grain Boundaries on Deformation of B, C-Doped Silicon Carbides at Elevated Temperatures. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 1558-1563	3.8	7
1126	Chord length distribution of Voronoi diagram in Laguerre geometry with lognormal-like volume distribution. 2005 , 55, 332-339		3
1125	Domain switching of barium titanate ceramics induced by surface grinding. 2005 , 91, 67-72		13

1124	The influence of yttrium on a typical SnO ₂ varistor system: Microstructural and electrical features. 2005 , 94, 347-352	13
1123	Composition design and mechanical properties of mixed (Ce,Y)-TZP ceramics obtained from coated starting powders. 2005 , 25, 3109-3115	29
1122	Microstructure and refining performance of an Al-5Ti-0.25C refiner before and after equal-channel angular pressing. 2005 , 36, 837-844	11
1121	Microstructure and refining performance of an Al-5Ti-0.25C refiner before and after equal-channel angular pressing. 2005 , 36, 837-844	11
1120	The Role of Oxygen Vacancies on the Microstructure Development and on the Electrical Properties of SnO ₂ -Based Varistors. 2005 , 14, 149-156	13
1119	Sintering Behavior of Cobalt Oxide Doped Ceria Powders of Different Particle Sizes. 2005 , 14, 247-253	33
1118	The Effect of Cobalt Oxide Addition on the Conductivity of Ce _{0.9} Gd _{0.1} O _{1.95} . 2005 , 15, 159-166	51
1117	Electrical Properties of Nb-Doped PZT 65/35 Ceramics: Influence of Nb and Excess PbO. 2005 , 15, 167-176	18
1116	Use of Impedance Spectroscopy in the Study of the Effect of Cr Concentration on the Electrical Properties of SnO ₂ -Based Ceramics. 2005 , 498-499, 337-341	3
1115	Effect of Temperature and Time on the Sintering, Phase Stability, Microstructure and Microhardness of Commercially Available Hydroxyapatite. 2005 , 284-286, 345-348	
1114	Synthesis and Characterization of Lead-Free Solders with Sn-3.5Ag-xCu (x=0.2, 0.5, 1.0) Alloy Nanoparticles by the Chemical Reduction Method. 2005 , 152, J105	51
1113	Spin-Polarized Tunnelling Magnetoresistance Effects in La _{0.833} K _{0.167} MnO ₃ /SrTiO ₃ Polycrystalline Perovskite Manganites. 2005 , 22, 1507-1510	
1112	Characterization and Techniques. 2005 , 275-327	1
1111	Grain-Size Dependence of Electrolytic Properties in 25 at.% Yttrium Doped Ceria Solid Electrolytes.	
1110	Thermoelectric properties of fine-grained Bi ₂ Te ₃ alloys. 2005 , 399, 14-19	80
1109	Grain growth kinetics of ringwoodite and its implication for rheology of the subducting slab. 2005 , 236, 871-881	39
1108	Microstructure evolution of aqueous fluid-bearing wehrlites: Implications for the fluid distribution in polymineralic rocks. 2006 , 111,	6
1107	Caracterizaçã e perspectivas de uso de concentrados de ãidos de terras-raras para fabricaçã de cerâmicas varistoras ^ base de ãido de zinco. 2006 , 11, 223-231	

1106	A influência do tipo de ãion sobre a sinterabilidade e as características elétricas de cerâmicas varistoras obtidas a partir de soluções coloidais. 2006 , 11, 243-251		
1105	Fabrication and Evaluation of High Performance 12Ce-ZrO ₂ /3Y-ZrO ₂ Composites for an Implant. 2006 , 114, 1076-1080	3	
1104	Grain Growth of Micron-Sized Grains in Undoped and Cobalt Oxide Doped Ceria Solid Solutions. 2006 , 114, 963-969	15	
1103	Sintering Behavior of 0.8 mol%-CuO-Doped 3Y-TZP Ceramics. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 151-155	3.8	34
1102	The Influence of ZnNb ₂ O ₆ on the Microwave Dielectric Properties of ZrTi ₂ O ₆ Ceramics. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 216-223	3.8	43
1101	Effects of the Homogeneity of Particle Coordination on Solid-State Sintering of Transparent Alumina. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 1985-1992	3.8	129
1100	Preparation and Properties of Porous γ -Al ₂ O ₃ Membrane Supports. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 1790-1794	3.8	58
1099	Microstructural Morphology and Electrical Properties of Copper- and Niobium-Doped Tin Dioxide Polycrystalline Varistors. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 2502-2508	3.8	12
1098	Microstructures and electrolytic properties of yttrium-doped ceria electrolytes: Dopant concentration and grain size dependences. 2006 , 54, 3737-3746		106
1097	Improvement in the nonlinear electrical characteristics of SnO ₂ ceramic varistors with Dy ₂ O ₃ additive. 2006 , 127, 112-116		10
1096	Influence of microstructure on the complex permeability of spinel type Ni _{0.5} Zn ferrite. 2006 , 305, 269-274		56
1095	Effect of solute dispersion on microstructure and electrical conductivity of Ce _{0.85} Y _{0.13} Pr _{0.02} O _{2-δ} solid electrolyte. 2006 , 154, 1-7		8
1094	The influence of hafnia and impurities (CaO/SiO ₂) on the microstructure and magnetic properties of Mn _{0.5} Zn ferrites. 2006 , 286, 365-370		34
1093	Percolative mechanism of sliding wear in alumina/zirconia composites. 2006 , 26, 2619-2625		26
1092	Synthesis, sintering and microstructure of 3Y-TZP/CuO nano-powder composites. 2006 , 26, 391-396		19
1091	Electrically conductive ZrO ₂ -TiN composites. 2006 , 26, 3173-3179		50
1090	Influence of microstructure on oxide ionic conductivity in doped CeO ₂ electrolytes. 2006 , 17, 749-757		40
1089	Phase formation, sintering behavior and microwave dielectric properties of bismuth and manganese co-doped [(Pb, Ca) La](Fe, Nb)O ₃ + δ solid solution. 2006 , 41, 6260-6265		6

1088	Effect of the volume ratio of zirconia and alumina on the mechanical properties of fibrous zirconia/alumina bi-phase composites prepared by co-extrusion. 2006 , 26, 3539-3546	10
1087	Revealing the nucleation and growth mechanism of a novel solder developed from Sn-3.5Ag-0.5Cu nanoparticles by a chemical reduction method. 2006 , 35, 1755-1760	19
1086	Influence of synthesis routes on the performance from weakly agglomerated yttria-stabilized zirconia nanomaterials. 2006 , 41, 1319-1329	23
1085	The role of TiO ₂ powder on the SrTiO ₃ -based synthesized varistor materials. 2006 , 60, 720-724	12
1084	The sintering time influence on the electrical and microstructural characteristics of SnO ₂ varistor. 2006 , 60, 1554-1557	20
1083	Low-field magnetoresistance in La _{0.8} Sr _{0.2} MnO ₃ /ZrO ₂ composite system. 2006 , 60, 3207-3211	31
1082	Nonlinear Electrical Characteristics of Antimony and Copper Doped Tin Oxide Based Varistor Ceramics. 2006 , 23, 728-731	1
1081	Effects of copper oxide on the microstructural morphology and electrical properties of tin oxide-based varistor ceramics. 2006 , 39, 1684-1689	7
1080	Development of High-Speed Centrifugal Compaction Process of Alumina. 2006 , 45, 421-426	0
1079	Research on Sintering Dynamics and Microwave Dielectric Properties of Bi and Mn Doped Lead-Based Ceramics. 2007 , 336-338, 316-319	1
1078	Grain Growth Behavior of Al ₂ O ₃ -ZrO ₂ with a Small Amount of Zirconia. 2007 , 561-565, 535-538	3
1077	ZrO ₂ -TiN Composites. 2007 , 554, 135-140	2
1076	Grain Growth Kinetics of Cobalt-Doped SnO ₂ by Varying Nb ₂ O ₅ Content. 2007 , 534-536, 529-532	4
1075	Grain Growth Rate in SnO ₂ Ceramics Doped with Varying Ratios of Nb ₂ O ₅ /CoO. 2007 , 534-536, 533-536	2
1074	Microstructural Inhomogeneity in Holmium-Doped Ceria and Its Influence on the Ionic Conduction. 2007 , 154, B616	18
1073	Liquid-Phase Sintering. 2007 , 193-246	
1072	Interdiffusion of solid iron and nickel at high pressure. 2007 , 254, 203-213	28
1071	Grain growth kinetics of CaIrO ₃ perovskite and post-perovskite, with implications for rheology of D? layer. 2007 , 255, 485-493	26

1070	Grain boundary partitioning of Ar and He. 2007 , 71, 434-451	20
1069	Dielectric, Ferroelectric and Piezoelectric Studies of PMN Modified PLZT Ceramics. 2007 , 34, 95-107	1
1068	Ba Modified (Pb, Sr)(Zr, Ti, Nb)O ₃ Ceramic System for Dielectric and Ferroelectric Studies. 2007 , 361, 105-112	0
1067	Simultaneous Synthesis and Consolidation of W-added ZrB ₂ by Spark Plasma Sintering (SPS) and their Mechanical Properties. 2007 , 54, 601-605	
1066	Microestrutura e condutividade elétrica em Ce _{0,85} Y _{0,15-x} RxO ₂ -delta (R=Pr, Tb). 2007 , 53, 89-98	3
1065	Sliding wear behavior of submicron-grained alumina in biological environment. 2007 , 83, 257-62	8
1064	Consolidation of nanocrystalline hydroxyapatite powder. 2007 , 8, 124-130	76
1063	High-strain-rate superplasticity in oxide ceramics. 2007 , 8, 578-587	34
1062	Influence of sintering on microstructure and electrical properties of ZnO-based multilayer varistor (MLV). 2007 , 33, 1001-1005	17
1061	Densification and properties of zirconia prepared by three different sintering techniques. 2007 , 33, 1603-1610	101
1060	Electrical and magnetic properties of magnesium ferrite ceramics doped with Bi ₂ O ₃ . 2007 , 55, 6561-6572	64
1059	Effect of strontium doping on dielectric, ferroelectric and piezoelectric properties of PLZTN ceramics. 2007 , 145, 41-47	10
1058	High oxygen permeability in fluorite-type Ce _{0.8} Pr _{0.2} O _{2-δ} via the use of sintering aids. 2007 , 299, 1-7	47
1057	Equivalent twinning criteria for FCC alloys under uniaxial tension at high temperatures. 2007 , 457, 373-379	22
1056	Mechanical properties of simultaneously synthesized and consolidated carbon nanofiber (CNF)-dispersed SiC composites by pulsed electric-current pressure sintering. 2007 , 458, 216-225	30
1055	Barium modified lead lanthanum strontium zirconium niobium titanate for dielectric and piezoelectric properties. 2007 , 27, 3141-3147	18
1054	Improved sliding wear-resistance of alumina with sub-micron grain size: A comparison with coarser grained material. 2007 , 27, 4737-4743	44
1053	Soft core behavior in ZnO-Bi ₂ O ₃ -based varistors containing oxides of Ce and Gd. 2007 , 204, 887-899	13

1052	Investigation of zinc-modified lead barium strontium zirconium niobium titanate solid solutions for tailored dielectric and ferroelectric properties. 2007 , 204, 2470-2478		
1051	Two-Stage Sintering of Alumina with Submicrometer Grain Size. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 330-332	3.8	124
1050	Distinct Wear Characteristics of Submicrometer-Grained Alumina in Air and Distilled Water: A Brief Analysis on Experimental Observation. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 2987-2991	3.8	13
1049	Magneto-Dielectric Properties of Mg ²⁺ /Co Ferrite Ceramics: I. Densification Behavior and Microstructure Development. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3106-3112	3.8	19
1048	Optically Transparent Polycrystalline Al ₂ O ₃ Produced by Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2007 , 91, 151-154	3.8	120
1047	Spark Plasma Sintering of Magnesia-Doped Alumina with High Hardness and Fracture Toughness. <i>Journal of the American Ceramic Society</i> , 2007 , 91, 203-208	3.8	66
1046	Fabrication of Al-Added TiN Materials by the Combination of Double Self-Propagating High-Temperature Synthesis and Pulsed Electric-Current Pressure Sintering. 2007 , 4, 175-183		1
1045	Structural, electrical transport, and magnetic properties of Ni _{1-x} Zn _x Fe ₂ O ₄ . 2007 , 312, 210-219		150
1044	The influence of aluminium on the overall properties of SnO ₂ -based varistors. 2007 , 42, 4832-4837		1
1043	Fabrication of carbon nanofiber(CNF)-dispersed Al ₂ O ₃ composites by pulsed electric-current pressure sintering and their mechanical and electrical properties. 2007 , 42, 4792-4800		33
1042	Grain boundary conductivity of high purity neodymium-doped ceria nanosystem with and without the doping of molybdenum oxide. 2007 , 174, 114-123		59
1041	Processing of nanocrystalline 8mol% yttria-stabilized zirconia by conventional, microwave-assisted and two-step sintering. 2008 , 492, 261-267		65
1040	Enhancement of high-temperature deformation in fine-grained silicon carbide with Al doping. 2008 , 148, 261-264		9
1039	Lithium ferrite for gas sensing applications. 2008 , 133, 420-425		63
1038	Effect of additive SrWO ₄ on microwave dielectric properties of SrTiO ₃ δSr(Mg _{1/3} Nb _{2/3})O ₃ ceramics. 2008 , 21, 431-434		1
1037	Influence of Mn on dielectric and piezoelectric properties of A-site and B-site modified PLZT nano-ceramics for sensor and actuator applications. 2008 , 19, 669-675		14
1036	Design of nanostructured ceria-based solid electrolytes for development of IT-SOFC. 2008 , 12, 841-849		60
1035	Biaxial flexure strength and low temperature degradation of Ce-TZP/Al ₂ O ₃ nanocomposite and Y-TZP as dental restoratives. 2008 , 87, 492-8		122

1034	Effect of composition on initial permeability of Ni _{1-x} Zn _x Fe ₂ O ₄ prepared by flash combustion technique. 2008 , 476, 234-239	18
1033	Electrical properties of Mg-doped Gd _{0.1} Ce _{0.9} O _{1.95} under different sintering conditions. 2008 , 183, 498-505	28
1032	Compositional dependence of electrical conductivity of Ce _{1-x} Tb _x O ₂ (0x1). 2008 , 33, 331-335	8
1031	Densification behaviour of nanocrystalline hydroxyapatite bioceramics. 2008 , 206, 221-230	86
1030	The transport and magnetic properties of La _{1-x} Pb _x Mg _{1-x} Mn _x O manganites at low temperatures. 2008 , 320, 796-802	13
1029	Electrical barriers formation at the grain boundaries of Co-doped SnO ₂ varistor ceramics. 2008 , 28, 829-835	38
1028	Mechanical properties of hot-pressed ZrB ₂ /MoSi ₂ /SiC composites. 2008 , 28, 1891-1898	72
1027	Densification and grain growth of nanocrystalline 3Y-TZP during two-step sintering. 2008 , 28, 2933-2939	131
1026	Microstructural study of vapour grown carbon nanofibre/copper composites. 2008 , 68, 1384-1391	23
1025	Effect of thermal exposure on strength of ZrB ₂ -based composites with nano-sized SiC particles. 2008 , 68, 3033-3040	116
1024	Microstructure and electrical conductivity of nanocrystalline nickel- and nickel oxide/gadolinia-doped ceria thin films. 2008 , 56, 677-687	62
1023	The influence of the synthesis route on the final properties of SnO ₂ -based varistors. 2008 , 34, 563-571	17
1022	Effects of MgO doping in ZnO/0.5mol% V ₂ O ₅ varistors. 2008 , 34, 1153-1157	21
1021	Two-step method fabricating high nonlinearity ZnVSb based varistors. 2008 , 34, 1425-1429	12
1020	Effect of manganese oxide on the sintered properties and low temperature degradation of Y-TZP ceramics. 2008 , 34, 1603-1608	37
1019	Solar sintering of alumina ceramics: Microstructural development. 2008 , 82, 893-902	37
1018	Electrical transport properties of sintered granular manganite/insulator systems. 2008 , 145, 66-71	9
1017	Influence of polyparaphenylene on the magnetotransport of manganite/polymer composites. 2008 , 403, 1813-1818	7

1016	Characteristics of hydrothermal stability and machinability of t-ZrO ₂ /Al ₂ O ₃ composites as a femoral head for total hip replacements. 2008 , 483-484, 297-301		9
1015	Activation energy and grain growth in nanocrystalline Y-TZP ceramics. 2008 , 486, 439-446		44
1014	High-Temperature Proton-Conducting Lanthanum Ortho-Niobate-Based Materials. Part II: Sintering Properties and Solubility of Alkaline Earth Oxides. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 879-886	3.8	61
1013	Codoping of zirconia with yttria and scandia. 2008 , 58, 215-218		13
1012	From tin oxalate to (Fe, Co, Nb)-doped SnO ₂ : Sintering behavior, microstructural and electrical features. 2008 , 43, 3202-3211		25
1011	LEAD BARIUM POTASSIUM SODIUM NIOBATE CERAMICS FOR PIEZOELECTRIC APPLICATIONS. 2008 , 22, 1961-1976		3
1010	Magnetocaloric effect and Griffiths-like phase in La _{0.67} Sr _{0.33} MnO ₃ nanoparticles. 2008 , 104, 113908		95
1009	The dependence of the synthesis condition on the dielectric behaviors of the 0.75Pb(Fe ₂ /3W ₁ /3)O ₃ ·0.25PbTiO ₃ based ceramics. 2008 , 459, 328-332		7
1008	Investigation of the dielectric properties of MnO-additive Pb(Fe ₂ /3W ₁ /3)·PbTiO ₃ relaxors prepared by two different methods. 2008 , 460, 658-667		8
1007	Structural, microstructural and magnetic investigations in high-energy ball milled BiFeO ₃ and Bi _{0.95} Eu _{0.05} FeO ₃ powders. 2008 , 461, 48-52		59
1006	Oxygen-vacancy ordering in lanthanide-doped ceria: Dopant-type dependence and structure model. 2008 , 77,		115
1005	Investigation of diamond deposition uniformity and quality for freestanding film and substrate applications. 2008 , 17, 300-305		46
1004	Production of high conductivity composite zirconia solid oxide electrolytes with good mechanical strength through net-shape. 2008 , 18, 5237		8
1003	Characterization of PLZT ceramics modified by isovalent (Ba, Sr), donor (Nb) and acceptor (Zn) dopants for piezoelectric applications. 2008 , 88, 429-441		1
1002	A study on the relationship between material and electrical properties of ZnO-based varistors. 2008 , 31, 343-347		3
1001	PLZT-modified relaxor piezoelectric ceramic system for medical diagnostic applications. 2008 , 5, 25-31		1
1000	Low-field magnetoresistance in nanostructured Sr ₂ FeMoO ₆ ·TeO ₂ composites. 2008 , 103, 083711		12
999	Fabrication and optical characterization of high-density Al ₂ O ₃ doped with slight MnO dopant. 2008 , 116, 645-648		9

998	Development of lanthanum chromites-based materials for solid oxide fuel cell interconnects. 2008 , 13, 147-153		13
997	Simultaneously Synthesis and Sintering of Carbon Nanofiber Dispersed B4C Nanocomposites by Pulsed Electric-current Pressure Sintering and their Mechanical Properties. 2008 , 55, 582-587		
996	Separation of piezoelectric grain resonance and domain wall dispersion in Pb(Zr,Ti)O ₃ ceramics. 2009 , 94, 212906		46
995	Influence of Nanocrystalline Grains on Electronic Conduction in Sol-Gel Derived Al-Doped ZnO Films. 2009 , 12, J1		4
994	Magnetodielectric Ni ferrite ceramics with Bi ₂ O ₃ additive for potential antenna miniaturizations. 2009 , 24, 324-332		9
993	Transparent MgAl ₂ O ₄ ceramic produced by spark plasma sintering. 2009 , 61, 193-196		116
992	Influence of Mg and Cr substitution on structural and magnetic properties of polycrystalline Ni _{0.50} Zn _{0.50} âMg _x CryFe ₂ O ₄ . 2009 , 113, 172-178		6
991	Influence of thermal treatment conditions on two-dimensional crystal growth of nanocrystal corundum abrasives. 2009 , 44, 762-767		2
990	On the wide range of mechanical properties of ZTA and ATZ based dental ceramic composites by varying the Al ₂ O ₃ and ZrO ₂ content. 2009 , 27, 962-970		82
989	NickelâZirconia Anode Degradation and Triple Phase Boundary Quantification from Microstructural Analysis. 2009 , 9, 841-851		162
988	Microstructure and electrical properties of aluminium-substituted La(Sr)Ga(Mg)O ₃ âbased solid electrolytes. 2009 , 140, 1041-1052		7
987	Processing of Bi _{1.5} ZnNb _{1.5} O ₇ ceramics for LTCC applications: Comparison of synthesis and sintering methods. 2009 , 35, 2755-2759		5
986	Possible proton conduction in Ce _{0.9} Gd _{0.1} O ₂ ânanoceramics. 2009 , 39, 523-528		44
985	Electronic transport properties of La _{2/3} Ca _{1/3} Mn _{0.98} Cu _{0.02} O ₃ sintered at different temperature. 2009 , 24, 300-303		
984	Dielectric investigations in Sr _{0.75} Ba _{0.25} Nb ₂ O ₆ relaxor ferroelectric thin films. 2009 , 95, 757-760		
983	High Q Microwave Dielectric Ceramics in (Ni _{1-â} Zn _x)Nb ₂ O ₆ System. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1047-1053	3.8	22
982	The Effect of Conformation Method and Sintering Technique on the Densification and Grain Growth of Nanocrystalline 8 mol% Ytria-Stabilized Zirconia. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 990-995	3.8	24
981	Hot Isostatic Pressing of Transparent Nd:YAG Ceramics. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1456-1463	3.8	131

980	Negative Temperature Coefficient Material with Low Thermal Constant and High Resistivity for Low-Temperature Thermistor Applications. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 2682-2686 ^{3.8}	44
979	The Study on Carbon Nanofiber (CNF)-Dispersed B4C Composites. 2009 , 6, 607-616	25
978	A Screening Design Approach for the Understanding of Spark Plasma Sintering Parameters: A Case of Translucent Polycrystalline Undoped Alumina. 2009 , 7, 574-586	14
977	Master sintering curves of a nanoscale 3Y-TZP powder compacts. 2009 , 35, 547-554	77
976	Synergetic effect of NiO and SiO ₂ on the sintering and properties of 8mol% yttria-stabilized zirconia electrolytes. 2009 , 54, 927-934	12
975	Microstructural, structural and electrical properties of La ³⁺ -modified Bi ₄ Ti ₃ O ₁₂ ferroelectric ceramics. 2009 , 29, 751-756	24
974	Mechanical behavior of two-step hot-pressed ZrB ₂ -based composites with ZrSi ₂ . 2009 , 29, 787-794	70
973	Synthesis and two-step sintering behavior of sol-gel derived nanocrystalline corundum abrasives. 2009 , 29, 1337-1345	21
972	Effects of Y ₂ O ₃ additives and powder purity on the densification and grain boundary composition of Al ₂ O ₃ /SiC nanocomposites. 2009 , 29, 1613-1624	22
971	Analysis of reactions during sintering of CuO-doped 3Y-TZP nano-powder composites. 2009 , 29, 2549-2557	18
970	Sintering of 4YSZ (ZrO ₂ + 4mol% Y ₂ O ₃) nanoceramics for solid oxide fuel cells (SOFCs), their structure and ionic conductivity. 2009 , 29, 2537-2547	34
969	Influence of green state processes on the sintering behaviour and the subsequent optical properties of spark plasma sintered alumina. 2009 , 29, 3363-3370	41
968	The influence of micropore size on the mechanical properties of bulk hydroxyapatite and hydroxyapatite scaffolds. 2009 , 2, 560-70	107
967	Enhancement of initial permeability due to Mn substitution in polycrystalline Ni _{0.50} Mn _x Zn _{0.50} Fe ₂ O ₄ . 2009 , 321, 81-87	17
966	Synthesis of magnetoresistive La _{0.7} Sr _{0.3} MnO ₃ nanoparticles by an improved chemical coprecipitation method. 2009 , 321, 2378-2381	39
965	Low-temperature sintering behaviors of nanosized Ce _{0.8} Gd _{0.2} O _{1.9} powder synthesized by co-precipitation combined with supercritical drying. 2009 , 194, 640-645	16
964	Two-step sintering of nanocrystalline 8Y ₂ O ₃ stabilized ZrO ₂ synthesized by glycine nitrate process. 2009 , 35, 13-20	82
963	Cr ₂ O ₃ doping in ZnO-0.5 mol% V ₂ O ₅ varistor ceramics. 2009 , 35, 409-413	40

962	Fabrication of submicron alumina ceramics by pulse electric current sintering using M ₂ ⁺ (M=Mg, Ca, Ni)-doped alumina nanopowders. 2009 , 35, 1845-1850	2
961	Electrophoretic shaping of sub-micron alumina in ethanol. 2009 , 35, 1855-1861	16
960	Effect of sintering temperature on microstructure, electric and optical properties of Ce _{0.8} Gd _{0.2} O ₂ + 2 mol % TiO ₂ . 2009 , 45, 548-553	2
959	Si and O diffusion in (Mg,Fe) ₂ SiO ₄ wadsleyite and ringwoodite and its implications for the rheology of the mantle transition zone. 2009 , 284, 103-112	48
958	Grain-growth kinetics of ferropericlase at high-pressure. 2009 , 174, 145-152	6
957	Texture of (Mg,Fe)SiO ₃ perovskite and ferro-periclase aggregate: Implications for rheology of the lower mantle. 2009 , 174, 138-144	33
956	Effect of a novel sintering process on mechanical properties of hydroxyapatite ceramics. 2009 , 471, 180-184	88
955	Synergistic effect of Al ₂ O ₃ and (NH ₄) ₃ AlF ₆ co-doped seed on phase transformation, microstructure, and mechanical properties of nanocrystalline alumina abrasive. 2009 , 476, 276-281	14
954	Nanograined highly transparent yttria ceramics. 2009 , 34, 1033-5	28
953	Synthesis and magnetic properties of CoFe ₂ O ₄ ferrite nanoparticles. 2009 , 321, 1251-1255	239
952	SnO ₂ -based varistors capable of withstanding surge current. 2009 , 117, 851-855	20
951	Production and characterisation of strontium and magnesium doped lanthanum-gallium oxide (LSGM) ceramics. 2009 , 4, 301	
950	Effects of insoluble particles on grain growth in polycrystalline ice: Implications for rheology of ice shells of icy satellites. 2009 , 104, 301-306	7
949	Effects of Pulsed Current Waveforms on Sample Temperature and Sintering Behavior in PECS of Alumina. 2009 , 56, 780-787	9
948	Time-resolved two-dimensional X-ray diffraction measurements of kinetic properties in polycrystalline high-pressure ices. 2010 , 215, 012022	2
947	Dielectric breakdown and thermal conductivity of textured alumina from platelets. 2010 , 118, 1032-1037	9
946	Radio-opacity of core materials for all-ceramic restorations. 2010 , 29, 35-40	22
945	Synthesis of Al ₂ O ₃ /Mo ₂ N Composite Materials Using Capsule-free Nitrogen HIPing and their Evaluation. 2010 , 57, 112-117	1

944	Special features of structural transformations in sintering a nanodispersed monophasic powder of titanium nitride produced by plasmachemical synthesis. 2010 , 32, 236-249	2
943	Electrical properties of samaria-doped ceria electrolytes from highly active powders. 2010 , 55, 4529-4535	37
942	Electrical properties of ceria Co-doped with Sm ³⁺ and Nd ³⁺ . 2010 , 195, 969-976	50
941	R.F. and microwave dielectric properties of (Zn _{0.95} M _{0.05}) ₂ TiO ₄ (M=Mn ²⁺ , Co ²⁺ , Ni ²⁺ or Cu ²⁺) ceramics. 2010 , 168, 151-155	6
940	Influence of rare-earth ions on structural and magnetic properties of CdFe ₂ O ₄ ferrites. 2010 , 29, 168-173	29
939	Sintering Behavior of Nanocrystalline Silicon Carbide Using a Plasma Pressure Compaction System: Master Sintering Curve Analysis. 2010 , 41, 3252-3261	15
938	Investigation of structural and magnetic properties of polycrystalline Ni _{0.50} Zn _{0.50} Mg _x Fe ₂ O ₄ spinel ferrites. 2010 , 120, 461-467	37
937	Transparent polycrystalline ruby ceramic by spark plasma sintering. 2010 , 45, 1127-1131	25
936	Manipulating microstructure and mechanical properties of CuO doped 3Y-TZP nano-ceramics using spark-plasma sintering. 2010 , 30, 899-904	21
935	Transparent polycrystalline alumina using spark plasma sintering: Effect of Mg, Y and La doping. 2010 , 30, 1335-1343	88
934	Synthesis and electrical properties of apatite-type La ₁₀ Si ₆ O ₂₇ . 2010 , 195, 2196-2201	47
933	Improvement of mechanical properties and biocompatibility of forsterite bioceramic addressed to bone tissue engineering materials. 2010 , 3, 530-7	90
932	Preparation and characterization of Ce _{0.8} M _{0.2} O ₂ (M = Y, Gd, Sm, Nd, La) solid electrolyte materials for solid oxide fuel cells. 2010 , 35, 745-752	83
931	Investigation of electrical and mechanical properties of tetragonal/cubic zirconia composite electrolytes prepared through stabilizer coating method. 2010 , 35, 9427-9433	14
930	The influence of Zr/Ti content on the morphotropic phase boundary in the PZT-BZN system. 2010 , 167, 171-176	20
929	Microwave-assisted sintering of ZnO varistors: Local microstructure and functional property variations. 2010 , 170, 15-21	17
928	Multiscale osteointegration as a new paradigm for the design of calcium phosphate scaffolds for bone regeneration. 2010 , 31, 3552-63	159
927	The effect of BMP-2 on micro- and macroscale osteointegration of biphasic calcium phosphate scaffolds with multiscale porosity. 2010 , 6, 3283-91	96

926	Preparation and characterization of neodymium-doped ceria electrolyte materials for solid oxide fuel cells. 2010 , 36, 483-490		32
925	Effect of Bi ₂ O ₃ additives on sintering and microwave dielectric behavior of La(Mg _{0.5} Ti _{0.5})O ₃ ceramics. 2010 , 36, 1239-1244		11
924	Kinetic field approach to study liquid phase sintering of ZnO based ceramics. 2010 , 36, 1429-1437		4
923	Spark Plasma Sintering of an Infrared-Transparent Y ₂ O ₃ â€”MgO Nanocomposite. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 769-773	3.8	63
922	A Viable Route for Dense TiO ₂ with a Low Microwave Dielectric Loss. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 969-972	3.8	6
921	Synthesis, Processing, and Properties of Submicrometer-Grained Highly Transparent Yttria Ceramics. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1320	3.8	60
920	Fine-Grained Transparent Spinel Windows by the Processing of Different Nanopowders. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2656-2666	3.8	110
919	Submicrometer Grain-Sized Transparent Erbium-Doped Scandia Ceramics. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3657-3662	3.8	45
918	Development of Translucent Oxyapatite Ceramics by Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3060-3063	3.8	5
917	Analysis of damaged region of carbon implanted alumina. 2010 , 237, 359-63		2
916	Comparative evaluation of spark plasma (SPS), microwave (MWS),two stage sintering (TSS) and conventional sintering (CRH) on the densification and micro structural evolution of fully stabilized zirconia ceramics. 2010 , 42, 259-267		35
915	Two-Step Sintering of Samaria-Doped Ceria. 2010 , 660-661, 807-812		1
914	Simple Synthesis and Characterization of Cobalt Ferrite Nanoparticles by a Thermal Treatment Method. 2010 , 2010, 1-8		96
913	EFFECT OF COPPER OXIDE ON THE GRAIN GROWTH AND INITIAL PERMEABILITY OF Mgâ€”Cuâ€”Zn FERRITES. 2010 , 24, 169-182		1
912	Simultaneous Synthesis and Sintering of Al ₂ O ₃ /Mo ₂ N Composites Using Capsule-Free Nitrogen Hot Isostatic Pressing and their Characterization. 2010 , 62, 197-202		
911	Preparation and Grain Growth of Pb(Zr _{0.95} Ti _{0.05})O ₃ Porous Ceramics Prepared by One-Step Pyrolysis Process Using Non-Aqueous Pechini Method. 2010 , 434-435, 678-681		
910	Effect of pressure on grain-growth kinetics of ferropericlase to lower mantle conditions. 2010 , 37, n/a-n/a		2
909	Microwave sintering of high-permeability MgCuZn ferrite at low sintering temperatures suitable for microinductor applications. 2010 , 81, 055801		6

908	Enhanced electrical conductivity of ultrafine-grained 8Y2O3 stabilized ZrO2 produced by two-step sintering technique. 2010 , 494, 362-365	29
907	Effect of synthesis method on the long-range order of the space charge type in 0.75PFWâ0.25PT ceramics. 2010 , 497, 436-441	3
906	Effects of hydrogen and iron on the silicon diffusivity of wadsleyite. 2010 , 183, 175-182	12
905	Grain growth kinetics of majorite and stishovite in MORB. 2010 , 183, 183-189	2
904	Vickers and Knoop Micro-hardness Behavior of Coarse-and Ultrafine-grained Titanium. 2010 , 26, 904-907	19
903	Synthesis of novel core-shell nanocomposites for fabricating high breakdown voltage ZnO varistors. 2011 , 21, 11418	20
902	Catalytic properties of cobalt and nickel ferrites dispersed in mesoporous silicon oxide for ethylbenzene dehydrogenation with CO2. 2011 , 1, 1383	31
901	High-K (Ba0.8Bi0.2)(Zn0.1Ti0.9)O3 ceramics for high-temperature capacitor applications. 2011 , 58, 1954-8	27
900	Fabrication of Transparent La2Zr2O7 by Reactive Spark Plasma Sintering. 2011 , 484, 135-138	14
899	Glancing angle deposited ITO films for efficiency enhancement of a-Si:H/â-Si:H tandem thin film solar cells. 2011 , 19 Suppl 3, A258-68	61
898	Broadband wide-angle antireflection enhancement in AZO/Si shell/core subwavelength grating structures with hydrophobic surface for Si-based solar cells. 2011 , 19 Suppl 5, A1155-64	37
897	Single step synthesis of GdAlO3 powder. 2011 , 509, 4774-4780	8
896	A-site-disorder-dependent magnetocaloric properties in the mono-valent-metal doped La0.7Ca0.3MnO3 manganites. 2011 , 509, 5877-5881	21
895	Peculiar effects of microwave sintering on ZnO based varistors properties. 2011 , 509, 6163-6169	36
894	Relationships between Zr substitution for Ti and microwave dielectric properties in Mg(ZrxTi1-â)O3 ceramics. 2011 , 509, 9447-9450	21
893	Exsolution kinetics of majoritic garnet from clinopyroxene in subducting oceanic crust. 2011 , 189, 47-55	11
892	Effects of pressure and temperature on sintering of Cr-doped Al2O3by pulsed electric current sintering process. 2011 , 20, 012004	1
891	Simultaneous Synthesis and Sintering of Al2O3/TiN Composites using Capsule-free N2-HIPing from Al2O3 and Fine Ti mixed Powder Compacts. 2011 , 58, 214-219	

890	Fabrication of ZrO ₂ Solid Solution Ceramics Containing Al ₂ O ₃ Having High Bending Strength (8.5 GPa) and High Fracture Toughness (K _{IC} 20 MPa ^{1/2}) Simultaneously by Pulsed Electric-current Pressure Sintering (PECPS). 2011 , 58, 727-732		
889	Grain Size-Dependent Hardness of Transparent Magnesium Aluminate Spinel. 2011 , 8, 1108-1114		84
888	Low-Temperature Hot Pressing of ZrB ₂ -Based Ceramics with ZrSi ₂ Additives. 2011 , 8, 1425-1435		19
887	Fabrication of Transparent Lutetium Oxide by Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 695-698	3.8	52
886	Cosintering of a Bimodal Pore Distribution Layered Structure: Constitutive Models and Experiments. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 1528-1535	3.8	7
885	Transparent Tetragonal Yttria-Stabilized Zirconia Ceramics: Influence of Scattering Caused by Birefringence. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 1850-1858	3.8	117
884	Hydrothermal Aging Behavior of Nanocrystalline Y-TZP Ceramics. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2146-2152	3.8	36
883	Spark Plasma Sintering Kinetics of Pure α -Alumina. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2825-2833	3.8	48
882	Enhancement of the Electrical Stability of ZnO Varistors by a Novel Immersion Process. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2939-2945	3.8	6
881	(Co, Nb, Sm)-Doped Tin Dioxide Varistor Ceramics Sintered Using Nanopowders Prepared by Coprecipitation Method. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3249-3255	3.8	11
880	Effects of Sintering and Annealing Temperature on Fabrication of Transparent Lu ₂ Ti ₂ O ₇ by Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3851-3855	3.8	20
879	Comparative Study of Microstructure and Electrical Properties of Varistors Prepared from Plasma Vapor-Phase Reaction Process and French Process ZnO Powders. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3871-3876	3.8	6
878	The Effect of Bi ₂ O ₃ /SiO ₂ Molar Ratio and Annealing on the dc Degradation of ZnO Varistors. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2300-2303	3.8	4
877	Fabrication of Highly Transmitting LaGdHf ₂ O ₇ Ceramics. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 4120-4122	3.8	13
876	Physical properties of electrically conductive Sb-doped SnO ₂ transparent electrodes by thermal annealing dependent structural changes for photovoltaic applications. 2011 , 176, 1207-1212		26
875	Sintering behavior and mechanisms of NiO-doped 8mol% yttria stabilized zirconia. 2011 , 31, 2621-2627		21
874	Grain growth of ZnO α -SnO ₂ based varistor ceramics with different antimony dopants. 2011 , 31, 2331-2337		21
873	Preparation of Ni-doped ZnO ceramics for thermoelectric applications. 2011 , 31, 2957-2963		91

- 872 Thermal insulation of muscovite/glass ceramic foam for solid oxide fuel cell. **2011**, 196, 8012-8018 5
- 871 Enhanced sinterability of BaZr_{0.1}Ce_{0.7}Y_{0.1}Yb_{0.1}O₃ by addition of nickel oxide. **2011**, 196, 9980-9984 48
- 870 Preparation of zirconium diboride ceramics by reactive spark plasma sintering of zirconium hydride-Boron powders. **2011**, 65, 1018-1021 34
- 869 Fabrication of transparent Lu₃NbO₇ by spark plasma sintering. **2011**, 65, 3167-3169 21
- 868 Effects of CaF₂ addition on sintering behavior and microwave dielectric properties of ZnTa₂O₆ ceramics. **2011**, 65, 3317-3319 23
- 867 Electrical conduction behaviors and mechanical properties of Cu doping on B-site of (La_{0.8}Ca_{0.2})(Cr_{0.9}Co_{0.1})O₃ interconnect materials for SOFCs. **2011**, 36, 13073-13082 8
- 866 Effects of the nature of the doping salt and of the thermal pre-treatment and sintering temperature on Spark Plasma Sintering of transparent alumina. **2011**, 37, 3565-3573 33
- 865 Densification behaviour and properties of manganese oxide doped Y-TZP ceramics. **2011**, 37, 3583-3590 23
- 864 A novel low temperature synthesis technique of sol-gel derived nanocrystalline alumina abrasive. **2011**, 57, 24-30 6
- 863 Random-packing model for solid oxide fuel cell electrodes with particle size distributions. **2011**, 196, 1983-1991 25
- 862 Biomimetic parabola-shaped AZO subwavelength grating structures for efficient antireflection of Si-based solar cells. **2011**, 95, 2221-2227 51
- 861 Effect of surface roughness on grain growth and sintering of alumina. **2011**, 34, 799-804 8
- 860 Influence of oblique-angle sputtered transparent conducting oxides on performance of Si-based thin film solar cells. **2011**, 208, 2220-2225 10
- 859 Pulsed electric current sintering of transparent Cr-doped Al₂O₃. **2011**, 37, 957-963 12
- 858 Direct observation of domain switching and crack nucleation in a piezoelectric material. **2011**, 37, 2185-2191 7
- 857 Effects of ball milling and post-annealing on the transparency of spark plasma sintered Lu₂O₃. **2011**, 37, 2263-2267 22
- 856 Preparation and characterization of ceramic interconnect La_{0.8}Ca_{0.2}Cr_{0.9}M_{0.1}O₃ (M = Al, Co, Cu, Fe) for IT-SOFCs. **2011**, 36, 747-754 11
- 855 Significant enhancement in quality factor of Zn₂TiO₄ with Cu-substitution. **2011**, 176, 567-572 27

854	Enhancement of microstructure and initial permeability due to Cu substitution in Ni _{0.50} –Cu _x Zn _{0.50} Fe ₂ O ₄ ferrites. 2011 , 323, 1954-1962	50
853	Mechanical properties of low temperature synthesized dense and fine-grained Cr ₂ AlC ceramics. 2011 , 31, 217-224	63
852	Microstructure homogeneity control in spark plasma sintering of Al ₂ O ₃ ceramics. 2011 , 31, 231-235	20
851	Highly transparent lutetium titanium oxide produced by spark plasma sintering. 2011 , 31, 237-240	33
850	Two-step pressure sintering of transparent lutetium oxide by spark plasma sintering. 2011 , 31, 1597-1602	43
849	Sintering of Alumina for highly transparent ceramic applications. 2011 , 31, 1957-1963	32
848	Positron annihilation study of defect distribution in 8YSZ nanostructure. 2011 , 190, 67-74	2
847	Microstructure, optical, and scintillation characteristics of Pr ³⁺ doped Lu ₃ Al ₅ O ₁₂ optical ceramics. 2011 , 109, 013522	34
846	Electrical Conduction and Microstructure of Cobalt and Manganese Co-Doped (La _{0.8} Ca _{0.2})CrO ₃ Interconnect Materials. 2011 , 158, B1150	2
845	Fabrication and Magnetic Properties of Fe ₃ O ₄ Nanobranches via a Simple Solvothermal Method. 2011 , 335-336, 934-939	
844	Micro-Raman spectroscopy of indentation induced phase transformation in nanozirconia ceramics. 2011 , 110, 114-119	9
843	Alternating-current induced thermal fatigue of gold interconnects with nanometer-scale thickness and width. 2011 , 82, 103903	6
842	Investigation of the Improvements on Mechanical Properties and Thermal Performance of MgO-MgAl ₂ O ₄ Composite Refractories by Additions of ZnO-Al ₂ O ₃ to MgO. 2012 , 445, 530-535	2
841	Synthesis and Characterization of Gadolinia-Doped Ceria with Manganese Addition. 2012 , 727-728, 1296-1301	
840	Yield stress modelling of doped alumina suspensions for applications in freeze granulation: towards dry pressed transparent ceramics. 2012 , 111, 254-261	8
839	Semiconducting spinel ferrite powders prepared by self-combustion method for catalyst applications. 2012 ,	0
838	High-strength zirconium diboride-based ceramic composites consolidated by low-temperature hot pressing. 2012 , 13, 045007	16
837	High frequency initial permeability of nanocrystalline NiMnCu ferrites. 2012 ,	

836	Two-Step Sintering of Pristine and Aluminum-Doped Zinc Oxide Ceramics. 2012 , 9, 960-967		11
835	Ytterbia (25 mol.-%) stabilised zirconia (Yb-TZP) manufactured from coated nanopowder. 2012 , 111, 275-279		8
834	Porous antimony-doped tin oxide cathodes formed by supercritical CO ₂ treatment at low temperature for silver electro-deposition. 2012 , 30, 020603		
833	Microwave dielectric properties of a new ceramic system NdNbO ₄ with CaF ₂ addition. 2012 , 535, 1-4		36
832	Crossover of the magnetocaloric effect and its importance on the determination of the critical behaviour in the La _{0.67} Ba _{0.33} Mn _{0.9} Cr _{0.1} O ₃ perovskite manganite. 2012 , 539, 116-123		39
831	Alumina toughened zirconia from yttria coated powders. 2012 , 32, 3911-3918		27
830	Preparation and performance of intermediate-temperature fuel cells based on Gd-doped ceria electrolytes with different compositions. 2012 , 177, 1538-1541		3
829	Influence of Lanthanum on the Microstructural and Dielectric Properties of Polycrystalline Ba(Ti _{0.5} Fe _{0.5})O ₃ . 2012 , 29, 047803		3
828	Two-step sintering of aluminum-doped zinc oxide sputtering target by using a submicrometer zinc oxide powder. 2012 , 38, 6229-6234		18
827	Fabrication of High-Strength & -Fracture Toughness ZrO ₂ /25mol%Al ₂ O ₃ Composite Ceramics Using High-Pressure (1GPa) Sintering. 2012 , 61, 419-425		1
826	The comparative influences of structural ordering, grain size, Li-content, and bulk density on the Li ⁺ -conductivity of Li _{0.29} La _{0.57} TiO ₃ . 2012 , 47, 6992-7002		15
825	Production and characterization of micro- and nano-features in biomedical alumina and zirconia ceramics using a tape casting route. 2012 , 23, 1637-44		12
824	Influence of Dopants on Electrical Properties of ZnO-V ₂ O ₅ Varistors Deduced from AC Impedance and Variable-Temperature Dielectric Spectroscopy. 2012 , 41, 1970-1977		13
823	Transparent Solid Solution Magnesium Aluminate Spinel Polycrystalline Ceramic with the Alumina-Rich Composition MgO _{1.2} Al ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2012 , 95, 636-643	3.8	42
822	Dielectric Relaxation in BaTiO ₃ Bi(Zn _{1/2} Ti _{1/2})O ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 1604-1612	3.8	72
821	Microwave sintering and grain growth behavior of nano-grained BaTiO ₃ materials. 2012 , 38, S117-S120		12
820	Effect of Sm ₂ O ₃ on the microstructure and electrical properties of SnO ₂ -based varistors. 2012 , 38, 265-270		13
819	Study of strontium ferrites substituted by lanthanum on the structural and magnetic properties. 2012 , 38, S415-S419		49

818	Microstructural and electrical characterization of bulk YBa ₂ Cu ₃ O _{7-δ} ceramics. 2012 , 38, 29-38	13
817	Water-based tape-casting of SOFC composite 3YSZ/8YSZ electrolytes and ionic conductivity of their pellets. 2012 , 38, 357-365	15
816	Improvements on the mechanical properties and thermal shock behaviours of MgO-spinel composite refractories by ZrO ₂ incorporation. 2012 , 38, 995-1002	23
815	The comparison of mechanical behavior of MgO-MgAl ₂ O ₄ with MgO-ZrO ₂ and MgO-MgAl ₂ O ₄ -SiO ₂ composite refractories. 2012 , 38, 1409-1416	4
814	Electrical properties of (La _{0.9} Ca _{0.1})(Co _{1-x} Ni _x)O _{3-δ} cathode materials for SOFCs. 2012 , 38, 1785-1791	5
813	Correlation between crystal grain sizes of transparent ceramics and scintillation light yields. 2012 , 38, 2119-2123	12
812	Improvements on the thermal shock behaviour of MgO-spinel composite refractories by incorporation of zirconia mol% Y ₂ O ₃ . 2012 , 38, 3673-3681	13
811	Low loss alumina dielectrics by aqueous tape casting: The influence of composition on the loss tangent. 2012 , 38, 3747-3755	9
810	The indirect synthesized method induced relaxor state to ferroelectric characteristics for Pb _{0.95} La _{0.05} (Fe _{2/3} W _{1/3}) _{0.65} Ti _{0.35} O ₃ ceramics. 2012 , 38, 4123-4130	2
809	Effect of calcination temperature on the fabrication of transparent lutetium titanate by spark plasma sintering. 2012 , 38, 4973-4977	6
808	The effect of SnO ₂ on the improvement of mechanical properties of MgO-MgAl ₂ O ₄ composites. 2012 , 43, 2217-2221	9
807	Edge-on-impact response of a coarse-grained magnesium aluminate spinel rod. 2012 , 40-41, 26-34	13
806	The Effect of Varied Amounts of LiF Sintering Aid on the Transparency of Alumina Rich Spinel Ceramic with the Composition MgO 1.5 Al ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2012 , 95, 1807-1810	3.8 28
805	Microstructure and Electrical Properties in Low- Sb ₂ O ₃ -Doped Pr ₆ O ₁₁ Ceramics. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 2914-2918	3.8 3
804	Influence of Magnetic Field Annealing on Magnetic Behaviors of La _{0.6} Sr _{0.4} MnO ₃ Particles. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 3235-3238	3.8
803	La _{0.6} Sr _{0.4} MnO ₃ particles synthesized under an external magnetic field. 2012 , 71, 41-43	3
802	Grain boundary relaxation and grain growth in 18-carat yellow gold alloy. 2012 , 66, 374-377	10
801	Synthesis of nanocrystalline La _{1-x} Pb _x FeO ₃ perovskite and methanol-sensing characteristics. 2012 , 161, 977-981	54

800	Spark plasma sintering of fine Mg ₂ Si particles. 2012 , 228, 295-300	27
799	Developments on the mechanical properties of MgO-MgAl ₂ O ₄ composite refractories by ZrSiO ₄ mol% Y ₂ O ₃ addition. 2012 , 32, 49-57	14
798	Improvements on corrosion behaviours of MgO-spinel composite refractories by addition of ZrSiO ₄ . 2012 , 32, 727-736	19
797	Transparent yttria produced by spark plasma sintering at moderate temperature and pressure profiles. 2012 , 32, 1035-1040	62
796	Preparation and properties of B ₆ O/TiB ₂ -composites. 2012 , 32, 1821-1835	13
795	Nanosecond reversible solid state switches capable of handling MJ of energy. 2012 , 32, 2443-2450	13
794	Effect of temperature on friction and wear behaviour of CuO-zirconia composites. 2012 , 32, 2235-2242	13
793	Ceria doped alumina by Spark Plasma Sintering for optical applications. 2012 , 32, 2917-2924	13
792	Freeze granulation: Powder processing for transparent alumina applications. 2012 , 32, 2899-2908	37
791	Transparent alumina by vacuum sintering. 2012 , 32, 2925-2933	39
790	Transparent polycrystalline alumina obtained by SPS: Green bodies processing effect. 2012 , 32, 2909-2915	41
789	Effect of sintering temperature on the transparency and mechanical properties of lutetium aluminum garnet fabricated by spark plasma sintering. 2012 , 32, 3097-3102	19
788	The densification, microstructure, and electrical properties of aluminum-doped zinc oxide sputtering target for transparent conductive oxide film. 2012 , 32, 3265-3275	39
787	Effects of Solute and Second-Phase Particles on the Texture of Nd-Containing Mg Alloys. 2012 , 43, 1363-1375	82
786	Microwave Sintering of Zirconia Materials: Mechanical and Microstructural Properties. 2013 , 10, 313-320	40
785	Structural and dielectric properties of La substituted polycrystalline Ca(Ti _{0.5} Fe _{0.5})O ₃ . 2013 , 31, 80-87	
784	Nanocrystalline forsterite for biomedical applications: synthesis, microstructure and mechanical properties. 2013 , 25, 63-9	45
783	Fabrication, Microstructure, and Luminescent Properties of Ce ³⁺ -Doped Lu ₃ Al ₅ O ₁₂ (Ce:LuAG) Transparent Ceramics by Low-Temperature Vacuum Sintering. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 1930-1936	3.8 35

782	Correlation between electrical properties and crystalline phases for ZnO-Bi ₂ O ₃ based varistor ceramics with rare earth additives. 2013 , 31, 138-142	6
781	Effect of CuO addition on the microstructure and electrical properties of SnO ₂ -based varistor. 2013 , 24, 2944-2949	12
780	Effect of Cr ₂ O ₃ addition on the microstructure and electrical properties of SnO ₂ -based varistor. 2013 , 24, 1735-1740	7
779	Characterization of lead zirconate titanate (53/47) films fabricated by a simplified sol-gel acetic-acid route. 2013 , 24, 1981-1988	4
778	Influence of Nb ₂ O ₅ on the varistor behavior of TiO ₂ -Cr ₂ O ₃ system. 2013 , 24, 938-944	9
777	Production, characterisation, and cytocompatibility of porous titanium-based particulate scaffolds. 2013 , 24, 2337-58	20
776	Damage Mechanisms Perspective on Superior Ballistic Performance of Spinel over Sapphire. 2013 , 53, 31-46	26
775	Texture Weakening Effects in Ce-Containing Mg Alloys. 2013 , 44, 1566-1576	48
774	Injection molding of ceramic cutting tools for wood-based materials. 2013 , 33, 3115-3122	9
773	Broadband dielectric characterization of TiO ₂ ceramics sintered through microwave and conventional processes. 2013 , 39, 299-306	58
772	Effect of La doping on microwave dielectric properties of translucent polycrystalline alumina ceramic. 2013 , 39, 4907-4911	13
771	Study of cation distribution for Cu ²⁺ nanoferrites synthesized by the sol-gel method. 2013 , 39, 6735-6741	32
770	Microstructure, ferroelectric and piezoelectric properties of Bi _{0.5} K _{0.5} TiO ₃ -modified BiFeO ₃ -BaTiO ₃ lead-free ceramics with high Curie temperature. 2013 , 33, 3023-3036	84
769	Mechanical and physical behaviors of short pitch-based carbon fiber-reinforced HfB ₂ -SiC matrix composites. 2013 , 39, 1567-1574	47
768	Ionic conductivity and phase stability of spark plasma sintered scandia and ceria-stabilized zirconia. 2013 , 230, 48-51	9
767	Alumina/MWCNTs composites by aqueous slip casting and pressureless sintering. 2013 , 39, 6543-6550	18
766	Visible Light Transparency for Polycrystalline Ceramics of MgO _{1-x} Al ₂ O ₃ and MgO _{1-x} Al ₂ O ₃ Spinel Solid Solutions. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3704-3707	3.8 19
765	High permittivity and low dielectric loss analysis of lead free Sr _{1-x} La _x (Ti _{0.5} Fe _{0.5})O ₃ . 2013 , 20, 3363-3371	1

764	Selectivity between methanol and ethanol gas of La _{0.7} Pb _{0.3} FeO ₃ perovskite synthesized by novel method. 2013 , 190, 176-180		22
763	Effect of Phase Structure on Sintering Behavior of Zirconia Nanopowders. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3720-3727	3.8	13
762	An experimental study of grain growth in mixed oxide samples with various microstructures and plutonium concentrations. 2013 , 434, 287-290		9
761	Effects of Magnetic-Field Annealing on the Morphology and Magnetic Properties of La _{0.7} Sr _{0.3} MnO ₃ Film. 2013 , 170, 302-306		
760	Induced electromagnetic pressure during microwave sintering of ZnO in magnetic field. 2013 , 33, 1185-1194		16
759	Thermal and electrical properties of hot-pressed short pitch-based carbon fiber-reinforced ZrB ₂ -SiC matrix composites. 2013 , 39, 5733-5740		20
758	Structural, Dielectric and Complex Impedance Spectroscopy Studies of Lead Free Ca _{0.5+x} Nd _{0.5-x} (Ti _{0.5} Fe _{0.5})O ₃ . 2013 , 29, 323-329		14
757	Non-thermal effect on densification kinetics during microwave sintering of Alumina. 2013 , 69, 331-333		23
756	Transparent Lu ₃ NbO ₇ bodies prepared by reactive spark plasma sintering and their optical and mechanical properties. 2013 , 39, 383-387		16
755	Increase in initial permeability due to substitution of high spin cations in nanocrystalline Ni-Mg ferrites. 2013 , 334, 124-129		17
754	Fabrication of transparent Lu ₂ Hf ₂ O ₇ by reactive spark plasma sintering. 2013 , 35, 817-819		20
753	Preparation of sol-gel derived microcrystalline corundum abrasives with hexagonal platelets. 2013 , 20, 71-75		2
752	The reciprocating wear behaviour of Ti-304L stainless steel composites prepared by melt infiltration. 2013 , 303, 321-333		33
751	B ₆ O materials with Al ₂ O ₃ /Y ₂ O ₃ additives densified by FAST/SPS and HIP. 2013 , 33, 2375-2390		11
750	Temperature dependent structural and dielectric investigations of PbZr _{0.5} Ti _{0.5} O ₃ solid solution at the morphotropic phase boundary. 2013 , 39, 1977-1983		9
749	Comparison of the Microwave and Conventional Sintering of Alumina: Effect of MgO Doping and Particle Size. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 1732-1737	3.8	29
748	Preparation and characterization of spinel-type MeFe ₂ O ₄ (Me = Cu, Cd, Ni and Zn) for catalyst applications. 2013 , 137, 922-927		50
747	Highly creep-resistant alumina-SiC nanocomposites processed by spark plasma sintering. 2013 , 68, 134-137		7

746	Microstructure characteristic and grain refining performance of Al ₃ Ti ₃ B master alloy improved by copper mould die casting. 2013 , 29, 93-99		2
745	Rheological and sintering behaviors of nanostructured molybdenum powder. 2013 , 41, 442-448		10
744	The Structure-Property-Processing Relationship for Sintered Yttria-Stabilized Zirconia (YSZ)/Alumina Bioceramics. 2013 , 25, 1350005		1
743	Direct electrical contact of slanted ITO film on axial p-n junction silicon nanowire solar cells. 2013 , 21 Suppl 1, A7-14		15
742	Synthesis of Cerium-Doped Gd ₃ (Al,Ga) ₅ O ₁₂ Powder for Ceramic Scintillators with Ultrasonic-Assisted Chemical Coprecipitation Method. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3038-3041	3.8	10
741	Effects of the Susceptor Dielectric Properties on the Microwave Sintering of Alumina. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3728-3736	3.8	41
740	Optimized Shaping Process for Transparent Spinel Ceramic. 2013 , 49-56		4
739	Effect of processing variables on production of powder metallurgical titanium. 2013 , 52, 39-50		1
738	Reciprocating wear response of Ti(C,N)-Ni ₃ Al cermets. 2013 , 52, 69-80		8
737	Mechanical properties of microwave sintered 8 mol% yttria stabilized zirconia. 2013 , 8, 817-824		1
736	Frittage micro-ondes en cavité monomode de biocéramiques. 2013 , 7, 04017		2
735	Fabrication of High Strength and Toughness Ceramics Using Pulsed Electric-Current Pressure Sintering of ZrO ₂ (Y ₂ O ₃)-Al ₂ O ₃ Solid Solution Powders Prepared by the Neutralization Co-precipitation Method. 2013 , 60, 428-435		5
734	Effects of the sintering conditions of dental zirconia ceramics on the grain size and translucency. 2013 , 5, 161-6		115
733	Synthesis and Characterization of Lithium-Substituted Cu-Mn Ferrite Nanoparticles. 2013 , 2013, 1-7		1
732	High-Temperature Deformation Mechanism of Y-TZP-Al ₂ O ₃ Composites. 2013 , 62, 367-372		
731	Effect of sintering holding time on low-temperature degradation of yttria stabilised zirconia ceramics. 2014 , 18, S6-408-S6-411		2
730	Relationship between electromechanical properties and phase diagram in the Ba(Zr _{0.2} Ti _{0.8})O _{3-x} (Ba _{0.7} Ca _{0.3})TiO ₃ lead-free piezoceramic. 2014 , 80, 48-55		149
729	Enhanced ferroelectricity, piezoelectricity, and ferromagnetism in Nd-modified BiFeO ₃ -BaTiO ₃ lead-free ceramics. 2014 , 116, 184101		59

728	Improving the Microstructure and Electrical Properties of Aluminum Induced Polysilicon Thin Films Using Silicon Nitride Capping Layer. 2014 , 2014, 1-9		5
727	Fabrication of novel ZrO ₂ (Y ₂ O ₃)-Al ₂ O ₃ ceramics having high strength and toughness utilising pulsed electric current pressure sintering (PECPS). 2014 , 113, 73-79		4
726	Two-step pulsed electric current sintering of transparent Al ₂ O ₃ ceramics. 2014 , 113, 80-84		22
725	Highly transparent Nd ³⁺ :Lu ₂ O ₃ produced by spark plasma sintering and its laser oscillation. 2014 , 4, 1420		30
724	Effect of Copper Oxide and Manganese Oxide on Properties and Low Temperature Degradation of Sintered Y-TZP Ceramic. 2014 , 23, 4328-4335		5
723	Microstructure, electrical properties, and electric field-induced phase transitions in NaNbO ₃ -TaO ₃ lead-free ceramics. 2014 , 211, 869-876		8
722	Microstructure, Ferroelectric, Piezoelectric, and Ferromagnetic Properties of Sc-Modified BiFeO ₃ -BaTiO ₃ Multiferroic Ceramics with MnO ₂ Addition. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 1809-1818	3.8	53
721	Transparent Tetragonal Zirconia Ceramics by Colloidal Processing of Nanoparticle Suspension. 2014 , 87, 85-90		
720	Transparent Hydroxyapatite Obtained through Spark Plasma Sintering: Optical and Mechanical Properties. 2014 , 631, 51-56		7
719	Densification and resistance to hydration and slag attack of ilmenite-doped MgO-dolomite refractories in relation to their thermal equilibrium and microfabric. 2014 , 34, 2023-2033		8
718	Plastic anisotropy and slip systems in ringwoodite deformed to high shear strain in the Rotational Drickamer Apparatus. 2014 , 228, 244-253		21
717	Effect of sintering temperature and P ₂ O ₅ concentration on the grain shape and grain growth behavior in the ZnO-B ₂ O ₅ system. 2014 , 40, 10143-10147		1
716	Effects of Ce ³⁺ doping concentrations on microstructure and luminescent properties of Ce ³⁺ :Lu ₃ Al ₅ O ₁₂ (Ce:LuAG) transparent ceramics. 2014 , 36, 1954-1958		15
715	Microwave versus conventional sintering: Estimate of the apparent activation energy for densification of alumina and zinc oxide. 2014 , 34, 3103-3110		55
714	The influence of the agglomeration state of nanometric MgAl ₂ O ₄ powders on their consolidation and sintering. 2014 , 40, 9783-9790		4
713	Nanocrystalline Barium Strontium Titanate Ceramics Synthesized via the "Organosol" Route and Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 2139-2146	3.8	17
712	Field assisted sintering of ceramic constituted by alumina and yttria stabilized zirconia. 2014 , 34, 2435-2442		75
711	Phase transition, ferroelectric and piezoelectric properties of Bi(Mg _{0.5} Zr _{0.5})O ₃ -modified BiFeO ₃ -BaTiO ₃ lead-free ceramics. 2014 , 25, 1736-1744		15

710	Microstructure and electrical properties of MgO-doped SnO ₂ varistor ceramics. 2014 , 25, 997-1002		1
709	Effect of rare-earth ions doped in BaCeO ₃ on chemical stability, mechanical properties, and conductivity properties. 2014 , 40, 10793-10802		20
708	Direct Characterizing of Densification Mechanisms during Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 765-771	3.8	29
707	Quasi-ideal Nonlinear Electrical Behavior of Polycrystalline SnO ₂ Ceramic Varistors Doped with SiO ₂ . 2014 , 43, 1411-1418		3
706	The effects of metal binder content and carbide grain size on the aqueous corrosion behaviour of TiCâB16L stainless steel cermets. 2014 , 44, 129-141		19
705	Effect of MgO/La ₂ O ₃ co-doping on the microstructure, transmittance and microwave dielectric properties of translucent polycrystalline alumina. 2014 , 40, 2109-2113		8
704	Effect of ball-milling granulation with PVB adhesive on the sinterability of co-precipitated Yb:YAG nanopowders. 2014 , 589, 448-454		25
703	Optimized Shaping Process for Transparent Spinel Ceramic. 2014 , 1-11		
702	Anisotropic Grain Boundary Mobility in Undoped and Doped Alumina. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 1610-1618	3.8	19
701	Mechanical properties and electrical conductivity of alumina/MWCNT and alumina/zirconia/MWCNT composites. 2014 , 40, 1289-1295		66
700	The influence of Zn ²⁺ ions on the microstructure, electrical and gas sensing properties of La _{0.8} Pb _{0.2} FeO ₃ perovskite. 2014 , 191, 239-245		25
699	3D modelling of ceramic composites and simulation of their electrical, thermal and elastic properties. 2014 , 81, 205-211		14
698	Defect strategies for an improved optical quality of transparent ceramics. 2014 , 38, 61-74		40
697	Highly Transparent Mg _{0.27} Al _{2.58} O _{3.73} N _{0.27} Ceramic Prepared by Pressureless Sintering. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 63-66	3.8	26
696	Effect of solid particle impact on light transmission of transparent ceramics: Role of the microstructure. 2014 , 37, 352-357		7
695	Influence of doping concentration on microstructure evolution and sintering kinetics of Er:YAG transparent ceramics. 2014 , 37, 706-713		20
694	Study of Sm _{0.2} Ce _{0.8} O _{1.9} (SDC) electrolyte prepared by a simple modified solid-state method. 2014 , 32, 767-771		14
693	Effect of long-period stacking ordered phase on thermal stability of refined grains in Mg-RE-based alloys. 2014 , 94, 1311-1326		9

692	Laser sintering and radioluminescence emission of pure and doped Y ₂ O ₃ ceramics. 2014 , 40, 16209-16212	21
691	Structure, Ferroelectric, Piezoelectric, and Ferromagnetic Properties of BiFeO ₃ -BaTiO ₃ -Bi _{0.5} Na _{0.5} TiO ₃ Lead-Free Multiferroic Ceramics. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 3602-3608	3.8 23
690	Small-scale mechanical behavior of zirconia. 2014 , 80, 239-249	25
689	Structural, magnetic and magnetocaloric properties of La _{0.67} Ba _{0.22} Sr _{0.11} Mn _{1-x} FexO ₃ nanopowders. 2014 , 37, 121-130	25
688	From nanometric zirconia powder to transparent polycrystal. 2014 , 34, 4321-4326	5
687	The effect of deformation history on the evolution of olivine CPO. 2014 , 406, 213-222	42
686	The sliding wear of TiC and Ti(C,N) cermets prepared with a stoichiometric Ni ₃ Al binder. 2014 , 318, 153-167	41
685	Crystallography of Interfaces and Grain Size Distributions in Sr-Doped LaMnO ₃ . <i>Journal of the American Ceramic Society</i> , 2014 , 97, 2623-2630	3.8 6
684	Flash sintering as a nucleation phenomenon and a model thereof. 2014 , 34, 4063-4067	120
683	Fabrication and phase transition of La _{2-x} LuxZr ₂ O ₇ transparent ceramics. 2014 , 34, 3951-3958	26
682	Microstructure, ferroelectric, piezoelectric and ferromagnetic properties of BiFeO ₃ -BaTiO ₃ -Bi(Zn _{0.5} Ti _{0.5})O ₃ lead-free multiferroic ceramics. 2014 , 25, 2638-2648	27
681	Tunable antireflection from conformal Al-doped ZnO films on nanofaceted Si templates. 2014 , 9, 192	15
680	Synthesis and characterization of nano-crystalline Zn-substituted Mg _{1-x} Ni _x Fe ₂ Cr ferrites via surfactant-assisted route. 2014 , 1056-1057, 285-291	23
679	Consolidation of nanoparticle suspensions by centrifugation in non-porous moulds. 2014 , 40, 7775-7782	4
678	Effect of LiF addition on spark plasma sintering of transparent Nd-doped Lu ₂ O ₃ bodiesPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society.View all notes. 2014 , 2, 154-157	11
677	Densification and microstructural development during sintering of powder injection molded Fe microanopowder. 2014 , 253, 596-601	38
676	Effect of synthesis conditions on the structural characteristics and luminescence properties of Y _{0.9} Eu _{0.1} V _{1-x} CrxO ₄ (0 ≤ x ≤ 0.5) nanopowders. 2014 , 145, 18-26	11
675	Effects of microwave sintering on intrinsic defects concentrations in ZnO-based varistors. 2014 , 40, 13697-13701	81

674	Effect of residual compressive surface stress on severe wear of alumina-silicon carbide two-layered composites. 2014 , 74, 87-92	19
673	Transparent La _{2-x} GdxZr ₂ O ₇ ceramics obtained by combustion method and vacuum sintering. 2014 , 34, 497-502	29
672	Field-assisted sintering of undoped BaTiO ₃ : Microstructure evolution and dielectric permittivity. 2014 , 34, 3655-3660	94
671	Influence of the wurtzitic boron nitride initial structural state on the formation of the granular structure of the wBN-Based materials. II. Structural transformations in the microstructure formation of the samples of materials based on various types of wBN. 2014 , 36, 1-8	3
670	Two step sintering of a novel calcium magnesium silicate bioceramic: Sintering parameters and mechanical characterization. 2014 , 34, 4001-4009	12
669	Structure, ferroelectric and piezoelectric properties of Bi _{0.5} (Na _{0.8} K _{0.2}) _{0.5} TiO ₃ modified BiFeO ₃ -BaTiO ₃ lead-free piezoelectric ceramics. 2014 , 25, 3753-3761	10
668	Structural, magnetic and magnetocaloric properties of La _{0.7} Sr _{0.3} MnO ₃ manganite oxide prepared by the ball milling method. 2014 , 129, 1	59
667	The sintering behavior, microstructure, and electrical properties of gallium-doped zinc oxide ceramic targets. 2014 , 34, 3715-3722	18
666	Grain growth kinetics of barium titanate synthesized using conventional solid state reaction route. 2014 , 40, 667-673	26
665	Improvement of Powder Properties and Chemical Homogeneity of Partially Alloyed Iron Powder by a Nanopowder Process. 2014 , 55, 1356-1362	2
664	Synthesis and Characterization of Nano-Hetero-Structured Dy Doped CeO ₂ Solid Electrolytes Using a Combination of Spark Plasma Sintering and Conventional Sintering. 2014 , 253-256	
663	Fabrication of Novel ZrO ₂ (Y ₂ O ₃)-Al ₂ O ₃ Ceramics Having High Strength and Toughness by Pulsed Electric-Current Pressure Sintering (PECPS) of Sol-Gel Derived Solid Solution Powders. 2014 , 1-13	
662	Optimization of the Spark Plasma Sintering Condition for Transparent Polycrystalline Magnesium Aluminate Spinel. 2015 , 137-144	
661	Enhanced multiferroic property in Co ₂ O ₃ -added BiFeO ₃ -BaTiO ₃ ceramics. 2015 , 123, 972-977	5
660	Pure and La ³⁺ /Nd ³⁺ Doped SrTiO ₃ Powders Obtained by Solid State Reaction and Microwave Assisted Hydrothermal Synthesis. 2015 , 820, 167-171	1
659	Al ₂ O ₃ -Compositional Dependence of Mechanical Properties of ZrO ₂ Based Ceramics Fabricated from ZrO ₂ (Y ₂ O ₃)-Al ₂ O ₃ Solid Solution Powders. 2015 , 62, 134-143	1
658	Observation and Control of Pore Formation in SPS-Synthesized Alumina. 2015 , 62, 228-233	1
657	Core-Shell Lead-Free Piezoelectric Ceramics: Current Status and Advanced Characterization of the Bi _{1/2} Na _{1/2} TiO ₃ -SrTiO ₃ System. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3405-3422	3.8 97

656	Phase transition, piezoelectric, and multiferroic properties of La(Co _{0.5} Mn _{0.5})O ₃ -modified BiFeO ₃ âBaTiO ₃ lead-free ceramics. 2015 , 212, 2012-2022		12
655	Structural and Thermo-Mechanical Properties of Nd: Y ₂ O ₃ Transparent Ceramics. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3326-3331	3.8	34
654	(Ba,Ca)(Zr,Ti)O ₃ lead-free piezoelectric ceramicsâThe critical role of processing on properties. 2015 , 35, 3445-3456		70
653	Er:YAG polycrystalline ceramics: The effects of the particle size distribution on the structural and optical properties. 2015 , 41, 11786-11792		7
652	Enhanced multiferroic properties in (1â)BiFeO ₃ âNi _{0.50} Cu _{0.05} Zn _{0.45} Fe ₂ O ₄ composites. 2015 , 390, 61-69		30
651	Co-precipitation synthesis and vacuum sintering of Nd:YAG powders for transparent ceramics. 2015 , 70, 365-372		28
650	NiâCu interdiffusion and its implication for ageing in Ni-coated Cu conductors. 2015 , 198, 86-94		19
649	Low firing temperature zinc molybdate ceramics for dielectric and insulation applications. 2015 , 35, 3033-3042	13	
648	Fabrication and photoluminescence properties of Cr:YAG and Yb,Cr:YAG transparent ceramic. 2015 , 49, 330-336		15
647	The effects of Mo ₂ C additions on the microstructure and sliding wear of TiC _{0.3} N _{0.7} âNi ₃ Al cermets. 2015 , 50, 227-239		23
646	Structure, ferroelectric, ferromagnetic, and piezoelectric properties of Al-modified BiFeO ₃ âBaTiO ₃ multiferroic ceramics. 2015 , 212, 632-639		18
645	Phase transition, dielectric, ferroelectric and ferromagnetic properties of La-doped BiFeO ₃ âBaTiO ₃ multiferroic ceramics. 2015 , 26, 978-984		27
644	The Sintering Trajectory and Electrical Properties of Niobium-Doped Titania Sputtering Targets. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 163-170	3.8	5
643	High Transparency Nd: Y ₂ O ₃ Ceramics Prepared with La ₂ O ₃ and ZrO ₂ Additives. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 824-828	3.8	42
642	Influence of Complexion Transitions on Microstructure Evolution in Specialty Aluminas. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1347-1355	3.8	9
641	Fabrication of Ce ³⁺ âCr ³⁺ co-doped yttrium aluminium gallium garnet transparent ceramic phosphors with super long persistent luminescence. 2015 , 102, 47-50		75
640	Fabrication, structure, and magnetic properties of electrospun carbon/cobalt ferrite (C/CoFe ₂ O ₄) composite nanofibers. 2015 , 119, 141-154		22
639	High-Temperature Thermoelectric Properties of (1 -x) SrTiO ₃ -x La _{1/3} NbO ₃ Ceramic Solid Solution. 2015 , 44, 1803-1808		12

638	On the Effect of Birefringence on Light Transmission in Polycrystalline Magnesium Fluoride. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 829-837	3.8	16
637	High performance varistors prepared from doped ZnO nanopowders made by pilot-scale flame spray pyrolyzer: Sintering, microstructure and properties. 2015 , 35, 3535-3544		13
636	Effects of processing conditions on microstructure, electrical conductivity and mechanical properties of MWCNT/alumina composites prepared by flocculation. 2015 , 35, 3903-3908		15
635	Heat treatment of ZnO nanoparticles: new methods to achieve high-purity nanoparticles for high-voltage applications. 2015 , 3, 17190-17200		71
634	Low temperature fabrication of dense gadolinia-doped ceria electrolyte with enhanced electrical conductivity. 2015 , 178, 321-328		8
633	Creep of mullite zirconia composites. 2015 , 35, 3607-3611		2
632	Improving the electrical properties of niobium-doped titania sputtering targets by sintering in oxygen-deficient atmospheres. 2015 , 41, 8856-8860		3
631	Highly transparent ZrO ₂ -doped (Ce,Gd) ₃ Al ₃ Ga ₂ O ₁₂ ceramics prepared via oxygen sintering. 2015 , 35, 3879-3883		20
630	ZnO varistor ceramics prepared by the reduction-oxidation method. 2015 , 35, 3025-3031		7
629	Improved compaction of ZnO nano-powder triggered by the presence of acetate and its effect on sintering. 2015 , 16, 025008		13
628	Temperature-dependent R-curve behavior of the lead-free ferroelectric 0.615Ba(Zr _{0.2} Ti _{0.8})O ₃ ·0.385(Ba _{0.7} Ca _{0.3})TiO ₃ ceramic. 2015 , 144, 68-77		18
627	Structure, piezoelectric and multiferroic properties of Bi(Ni _{0.5} Mn _{0.5})O ₃ -modified BiFeO ₃ ·BaTiO ₃ ceramics. 2015 , 26, 9451-9462		6
626	Critical behavior and change in universality of La _{0.67} Ba _{0.22} Sr _{0.11} Mn _{1-x} Co _x O ₃ manganites. 2015 , 26, 5381-5392		3
625	Sintering behavior of 316L stainless steel micro-nanopowder compact fabricated by powder injection molding. 2015 , 279, 196-202		41
624	Effect of titania on the microstructure evolution of sintered magnesite in correlation with its properties. 2015 , 41, 9003-9008		9
623	The influence of MgO, Y ₂ O ₃ and ZrO ₂ additions on densification and grain growth of submicrometre alumina sintered by SPS and HIP. 2015 , 41, 9692-9700		16
622	Tailoring ergodicity through selective A-site doping in the Bi _{1/2} Na _{1/2} TiO ₃ ·Bi _{1/2} K _{1/2} TiO ₃ system. 2015 , 117, 134106		17
621	Vacuum sintering of transparent Cr:Y ₂ O ₃ ceramics. 2015 , 41, 8755-8760		15

620	Correlation of grain size, phase transition and piezoelectric properties in Ba _{0.85} Ca _{0.15} Ti _{0.90} Zr _{0.10} O ₃ ceramics. 2015 , 26, 5270-5278		17
619	Preparation and Optical Properties of Transparent (Ce,Gd) ₃ Al ₃ Ga ₂ O ₁₂ Ceramics. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2352-2356	3.8	25
618	Influence of yttria and zirconia additions on spark plasma sintering of alumina composites. 2015 , 30, 1148-1156		1
617	Critical roles of Mn-ions in enhancing the insulation, piezoelectricity and multiferroicity of BiFeO ₃ -based lead-free high temperature ceramics. 2015 , 3, 5811-5824		105
616	Alumina/YAG 20vol% composites prepared by the dawsonite thermal decomposition. 2015 , 41, 10488-10493		3
615	Nanopowders Y _{1-y} NdyV _{1-x} Cr _x O ₄ with y=0 and 1; x=0, 0.1, 0.2 and 0.5 synthesized by a sol-gel process. Relationship between morphological characteristics and optical properties. 2015 , 161, 110-116		10
614	Enhanced piezoelectricity and photoluminescence in Dy-modified 0.94(Bi _{1-x} Dy _x) _{0.5} Na _{0.5} TiO ₃ -0.06BaTiO ₃ lead-free multifunctional ceramics. 2015 , 26, 4981-4987		1
613	Dependence of spectroscopic and thermal properties on concentration and temperature for Yb:Y ₂ O ₃ transparent ceramics. 2015 , 35, 2547-2554		31
612	Enhancement in multiferroic and piezoelectric properties of BiFeO ₃ -BaTiO ₃ -Bi _{0.5} Na _{0.5} TiO ₃ lead-free ceramics with MnO ₂ addition by optimizing sintering temperature and dwell time. 2015 , 68, 92-99		16
611	Enhancement of the densification and mechanical properties of aluminum-doped zinc oxide ceramics by hot isostatic pressing. 2015 , 650, 514-519		6
610	Preparation and sintering of indium-gallium-zinc oxide ceramics with different zinc oxide contents. 2015 , 35, 3893-3902		15
609	Phase composition, densification and electrical conductivity of La _{0.9} Sr _{0.1} Ga _{0.8} Mg _{0.2} O ₃ consolidated by the two-stage sintering method. 2015 , 41, 14299-14305		2
608	Microcantilever investigation of fracture toughness and subcritical crack growth on the scale of the microstructure in Al ₂ O ₃ . 2015 , 35, 4521-4533		49
607	Improved ferroelectricity and ferromagnetism of Eu-modified BiFeO ₃ -BaTiO ₃ lead-free multiferroic ceramics. 2015 , 26, 8840-8847		17
606	Translucent Cerium Fluoride Ceramics Fabricated by Hot-Pressing for Scintillation Application. 2015 , 12, 638-642		2
605	Double-walled carbon nanotube/zirconia composites: Preparation by spark plasma sintering, electrical conductivity and mechanical properties. 2015 , 41, 13731-13738		25
604	Effect of grain growth on electrical properties of silicon carbide ceramics sintered with gadolinia and yttria. 2015 , 35, 4137-4142		40
603	Grain-growth effect on dielectric nonlinearity of BaTiO ₃ -based multi-layer ceramic capacitors. 2015 , 107, 072906		14

602	Systematic optimization of ball milling for highly transparent Yb:YAG ceramic using co-precipitated raw powders. 2015 , 653, 552-560		25
601	Síntesis, caracterización estructural y morfológica de nanoflóridos $\text{Ca}_{0,45}\text{Eu}_{0,05}\text{Zr}_2(\text{PO}_4)_3$. 2015 , 54, 236-240		2
600	Uncertainty and sensitivity analysis of fission gas behavior in engineering-scale fuel modeling. 2015 , 456, 398-408		64
599	Processing of zirconia nanoceramics from a coarse powder. 2015 , 35, 1285-1295		13
598	Investigation of the mechanism(s) controlling microwave sintering of Alumina: Influence of the powder parameters on the grain growth, thermodynamics and densification kinetics. 2015 , 35, 959-970		41
597	Polycrystalline alumina ceramics doped with nanoparticles for increased transparency. 2015 , 35, 1001-1009		27
596	Optical and Microwave Dielectric Properties of Zn-Doped MgAl_2O_4 Transparent Ceramics Fabricated by Spark Plasma Sintering. 2015 , 12, 116-123		13
595	Effect of potassium substituted for A-site of $\text{SrCe}_{0.95}\text{Y}_{0.05}\text{O}_3$ on microstructure, conductivity and chemical stability. 2015 , 41, 2948-2954		12
594	Fabrication of Li_4SiO_4 pebbles by wet method with modified powders synthesized via sol-gel process. 2015 , 456, 455-460		19
593	Densification and microstructural evolution of yttria transparent ceramics: The effect of ball milling conditions. 2015 , 35, 1011-1019		19
592	Effects of Li source on microstructure and ionic conductivity of Al-contained $\text{Li}_{6.75}\text{La}_3\text{Zr}_{1.75}\text{Ta}_{0.25}\text{O}_{12}$ ceramics. 2015 , 35, 561-572		87
591	Improving microstructure and ductility in the Mg-Zn alloy system by combinational Ce-La microalloying. 2015 , 620, 76-84		41
590	Reactive and non-reactive preparation of B_6O materials by FAST/SPS. 2015 , 35, 47-60		6
589	Effect of electronic contribution on temperature-dependent thermal transport of antimony telluride thin film. 2015 , 620, 120-124		13
588	Microstructure and Electrical Properties of AZO/Graphene Nanosheets Fabricated by Spark Plasma Sintering. 2016 , 9,		7
587	Influence of B-Site Disorder on the Properties of Unpoled $\text{Bi}_{1/2}\text{Na}_{1/2}\text{TiO}_3\text{-}0.06\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ Piezoceramics. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 2801-2808	3.8	10
586	Grain growth behavior of Li_4SiO_4 pebbles fabricated by agar method for tritium breeder. 2016 , 112, 513-519		6
585	Electrode Effects on Microstructure Formation During FLASH Sintering of Yttrium-Stabilized Zirconia. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 2253-2259	3.8	77

584	Tough to brittle transition with increasing grain size in 3Yb-TZP ceramics manufactured from stabilizer coated nanopowder. 2016 , 124, 1083-1089	6
583	Rapid Densification of Forsterite Ceramic via Microwave Sintering. 2016 , 866, 181-185	
582	Sintering of Oxide Ceramics under Rapid Microwave Heating. 2016 , 233-242	1
581	Fabrication and properties of transparent Tb:YAG fluorescent ceramics with different doping concentrations. 2016 , 42, 13812-13818	14
580	Enhancing the sinterability and fracture toughness of Al ₂ O ₃ -TiN _{0.3} composites. 2016 , 42, 3965-3971	8
579	A predictive model to reflect the final stage of spark plasma sintering of submicronic Alumina. 2016 , 42, 9274-9277	12
578	The effects of TiC grain size and steel binder content on the reciprocating wear behaviour of TiC-316L stainless steel cermets. 2016 , 350-351, 116-129	33
577	Colloidal processing of low-concentrated zirconia nanosuspension using osmotic consolidation. 2016 , 42, 11838-11843	5
576	Thermal, electrical, and mechanical properties of pressureless sintered silicon carbide ceramics with yttria-scandia-aluminum nitride. 2016 , 36, 2659-2665	41
575	Evolution of anisotropy in hierarchical porous ceramics during sinter-forging. 2016 , 36, 2937-2945	9
574	Experimental investigation of the kinetics of the spinel-to-garnet transformation in peridotite: A preliminary study. 2016 , 101, 2020-2028	0
573	Self-diffusion of polycrystalline ice I _h under confining pressure: Hydrogen isotope analysis using 2-D Raman imaging. 2016 , 257, 40-47	5
572	Effects of grain size and porosity on strength of Li ₂ TiO ₃ tritium breeding pebbles and its grain growth behavior. 2016 , 482, 163-169	12
571	Fabrication, microstructure and magneto-optical properties of Tb ₃ Al ₅ O ₁₂ transparent ceramics. 2016 , 62, 205-210	23
570	Mechanical and optical properties of spark plasma sintered transparent Y ₂ O ₃ ceramics. 2016 , 42, 17081-17088	28
569	Optical and biological properties of transparent nanocrystalline hydroxyapatite obtained through spark plasma sintering. 2016 , 69, 956-66	13
568	Dilatometric Analysis and Microstructural Investigation of the Sintering Mechanisms of Blended Elemental Ti-6Al-4V Powders. 2016 , 47, 4616-4624	7
567	Investigation and identification of fracture types of structural materials by means of acoustic emission analysis. 2016 , 164, 24-34	26

566	Optical properties of zirconia doped with yttria and some rare earth oxides. 2016 , 60, 132-136	2
565	Structural ordering and dielectric properties of Ba ₃ CaNb ₂ O ₉ -based microwave ceramics. 2016 , 42, 18087-18098	3
564	Sintering behaviour and properties of graphene oxide-doped Y-TZP ceramics. 2016 , 42, 17620-17625	22
563	Microwave sintering of pure and TiO ₂ doped MgAl ₂ O ₄ ceramic using calibrated, contactless in-situ dilatometry. 2016 , 42, 16997-17003	13
562	Low-pressure fabrication of IR-transparent Y ₂ O ₃ via spark plasma sintering. 2016 , 11, 688-691	4
561	Cold Sintering Process of Composites: Bridging the Processing Temperature Gap of Ceramic and Polymer Materials. 2016 , 26, 7115-7121	143
560	Laser oscillation and luminescence of Nd ³⁺ - and Eu ³⁺ -doped Lu ₂ O ₃ transparent ceramics fabricated by spark plasma sintering. 2016 , 124, 313-320	6
559	Influence of CeO ₂ -Doping on the Electrical Properties of ZnO-Bi ₂ O ₃ -Based Varistor Ceramics. 2016 , 697, 262-266	1
558	Tuning the thermoelectric properties of A-site deficient SrTiO ceramics by vacancies and carrier concentration. 2016 , 18, 26475-26486	47
557	Densification of zirconia doped yttria transparent ceramics using co-precipitated powders. 2016 , 42, 10770-10778	12
556	Densification of Yttria Transparent Ceramics: The Utilization of Activated Sintering. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 1671-1675	3.8 16
555	Influence of Sm ₂ O ₃ on electrical performance of (Nb, Si)-doped TiO ₂ -based varistor. 2016 , 27, 3355-3360	7
554	Direct microwave sintering of pure alumina in a single mode cavity: Grain size and phase transformation effects. 2016 , 116, 53-62	36
553	Transparent alumina ceramics densified by a combinational approach of spark plasma sintering and hot isostatic pressing. 2016 , 36, 4333-4337	31
552	Microstructure and mechanical properties of hot-pressed ZrC/TiC composites. 2016 , 107, 520-528	19
551	Microstructure instability in TiC-316L stainless steel cermets. 2016 , 58, 74-83	31
550	FAST/SPS sintering of nanocrystalline zinc oxide—Part II: Abnormal grain growth, texture and grain anisotropy. 2016 , 36, 1221-1232	40
549	Effects of LiF addition on microstructure and dielectric properties of CaCu ₃ Ti ₄ O ₁₂ ceramics. 2016 , 42, 12005-12009	9

548	The Change of X-ray Diffraction Peak Width During in situ Conventional Sintering of Nanoscale Powders. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 765-768	3.8	10
547	Comparative study of $Y_{0.9}Er_{0.1}V_{1-x}P_xO_4$ nanophosphors with $x=0, 0.1, 0.5, 0.9$ and 1 prepared by sol-gel and hydrothermal processes. 2016 , 687, 754-764		4
546	Low-temperature fabrication of $Al_2O_3-ZrO_2 (Y_2O_3)$ nanocomposites through hot pressing of amorphous powders. 2016 , 42, 15065-15071		12
545	Fabrication and Sintering Behavior of Zinc-Doped Biphasic Calcium Phosphate Bioceramics. 2016 , 31, 713-718		9
544	Phase Structure, Piezoelectric and Multiferroic Properties of $SmCoO_3$ -Modified $BiFeO_3-BaTiO_3$ Lead-Free Ceramics. 2016 , 45, 291-300		19
543	New approach to low thermal conductivity of thermal barrier protection with improved mechanical integrity. 2016 , 42, 6817-6824		1
542	Formation of the core-shell microstructure in lead-free $Bi_{1/2}Na_{1/2}TiO_3-SrTiO_3$ piezoceramics and its influence on the electromechanical properties. 2016 , 36, 1009-1016		60
541	Microstructure and electrical property of aluminum doped zinc oxide ceramics by isolating current under spark plasma sintering. 2016 , 36, 1953-1959		19
540	Preparation of $Ca_{0.5}Zr_2(PO_4)_3$ and $Ca_{0.45}Eu_{0.05}Zr_2(PO_4)_3$ nanopowders: structural characterization and luminescence emission study. 2016 , 49, 115501		6
539	Effect of sintering temperature on microstructural and optical properties of transparent yttria ceramics fabricated by spark plasma sintering. 2016 , 42, 7819-7823		32
538	Characterisation of microstructure and hardness of perovskite-structured $Ba_{0.5}Sr_{0.5}Co_{0.8}Fe_{0.2}O_3$ under different sintering conditions. 2016 , 36, 1659-1667		11
537	Microstructure and optical properties of transparent Nd:GAGG ceramics prepared via solid-state reactive sintering. 2016 , 6, 610		1
536	The effects of Ni ₃ Al binder content on the electrochemical response of melt-infiltration processed $TiC-Ni_3Al$ cermets. 2016 , 55, 138-146		1
535	Fine grained $Al_2O_3-ZrO_2 (Y_2O_3)$ ceramics by controlled crystallization of amorphous phase. 2016 , 36, 1791-1796		17
534	Preparation and structural study of $Mg_{1-x}Zn_xTiO_3$ ceramics and their dielectric properties from 1 Hz to 7.7 GHz. 2016 , 27, 6637-6645		12
533	Modified magnetic properties of $La_{0.7}Sr_{0.3}MnO_3$ film by magnetic-field annealing. 2016 , 169, 200-202		3
532	Improvement of microstructure, initial permeability, magnetization and dielectric properties of nanocrystalline $Li_xCu_{0.1}Co_{0.1}Zn_{0.8-x}Fe_{2+x}O_4$. 2016 , 401, 760-769		19
531	Tuning of magnetoelectric coupling in $(1-y)Bi_{0.8}Dy_{0.2}FeO_3-yNi_{0.5}Zn_{0.5}Fe_2O_4$ multiferroic composites. 2016 , 401, 443-454		43

530	Effects of BN on phase compositions and electrical properties of ZnO-Bi ₂ O ₃ varistors prepared by the reduction-oxidation method. 2016 , 36, 609-614	9
529	Yb:Y ₂ O ₃ transparent ceramics processed with hot isostatic pressing. 2017 , 71, 117-120	22
528	Preparation of yttria nanopowders for use in transparent ceramics by dry ball-milling technique. 2017 , 37, 2169-2177	21
527	Sintering, microstructure and electricity properties of ITO targets with Bi ₂ O ₃ -Nb ₂ O ₅ addition. 2017 , 43, 5856-5861	12
526	Translucent zirconia in the ceramic scenario for monolithic restorations: A flexural strength and translucency comparison test. 2017 , 60, 70-76	57
525	Optical, mechanical and fractographic response of transparent alumina ceramics on erbium doping. 2017 , 37, 4265-4270	12
524	A semi-empirical model for the formation and depletion of the high burnup structure in UO ₂ . 2017 , 487, 23-29	12
523	The influence of Ni ₃ Al binder content on the aqueous corrosion response of TiC and Ti(C,N) cermets. 2017 , 64, 113-121	12
522	Fabrication of Ce:(Gd ₂ Y)(Ga ₃ Al ₂)O ₁₂ scintillator ceramic by oxygen-atmosphere sintering and hot isostatic pressing. 2017 , 37, 3411-3415	8
521	Aqueous corrosion behaviour of TiC-304L stainless steel cermets in a 3.5 wt% NaCl solution. 2017 , 66, 234-243	4
520	Influence of Mo addition on the microstructure and mechanical properties of TiC-NiTi cermets. 2017 , 712, 579-587	16
519	Refractive index of infrared-transparent polycrystalline alumina. 2017 ,	
518	The study on nanogranular system manganites La _{0.5} Pb _{0.5} Ca _{0.5} Mn _{0.5} O ₃ which exhibits a large magnetoresistance near room temperature. 2017 , 28, 12891-12899	6
517	Microstructure degradation of Ni/CGO anodes for solid oxide fuel cells after long operation time using 3D reconstructions by FIB tomography. 2017 , 19, 13767-13777	18
516	Effects of microstructure evolution on transport properties of thermoelectric nickel-doped zinc oxide. 2017 , 37, 3541-3550	21
515	Fabrication and spectroscopic properties of Yb/Er:YAG and Yb, Er:YAG transparent ceramics by co-precipitation synthesis route. 2017 , 188, 533-540	21
514	Fabrication and spectral properties of hot-pressed Co:MgAl ₂ O ₄ transparent ceramics for saturable absorber. 2017 , 724, 45-50	10
513	Pressureless liquid-phase sintered TiC _x -NiTi/Ni cermets. 2017 , 43, 9512-9521	7

512	Effect of grain growth on the thermal conductivity of liquid-phase sintered silicon carbide ceramics. 2017 , 37, 3475-3481		45
511	Generation of 3D polycrystalline microstructures with a conditioned Laguerre-Voronoi tessellation technique. 2017 , 136, 20-28		31
510	Luminescent Eu 3+ -doped transparent alumina ceramics with high hardness. 2017 , 37, 4271-4277		13
509	Improved ionic conductivity of zirconia-scandia with niobia addition. 2017 , 43, 10934-10938		3
508	Effects of Ga substitution for Al on the fabrication and optical properties of transparent Ce:GAGG-based ceramics. 2017 , 37, 4109-4114		11
507	The role of air annealing on the optical and scintillation properties of Mg co-doped Pr:LuAG transparent ceramics. 2017 , 72, 201-207		9
506	Performance of lightweight coated oxide ceramic composites for industrial high speed wood cutting tools: A step closer to market. 2017 , 43, 8735-8742		9
505	Bottom-up vs reactive sintering of Al ₂ O ₃ -AlN-SZ composites via one or three-phase nanoparticles (NPs). Bottom-up processing wins this time. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 2429-2438	3.8	4
504	Sintering and annealing effects on undoped yttria transparent ceramics. 2017 , 194, 302-307		4
503	Effect of grain size on the electrical failure of copper contacts in fretting motion. 2017 , 111, 39-45		20
502	Effect of two-step sintering on the hydrothermal ageing resistance of tetragonal zirconia polycrystals. 2017 , 43, 7594-7599		14
501	Fabrication, microstructure and luminescence properties of Cr ³⁺ doped Lu ₃ Al ₅ O ₁₂ red scintillator ceramics. 2017 , 66, 487-493		5
500	In situ study on microwave sintering of ZTA ceramic: Effect of ZrO ₂ content on densification, hardness, and toughness. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 929-936	3.8	29
499	Strong piezoelectricity and multiferroicity in BiFeO ₃ -BaTiO ₃ -NdCoO ₃ lead-free piezoelectric ceramics with high Curie temperature for current sensing application. 2017 , 28, 5531-5547		11
498	Analysis of transient fission gas behaviour in oxide fuel using BISON and TRANSURANUS. 2017 , 486, 96-110		23
497	Investigations of BaFe _{0.5} Nb _{0.5} O ₃ nano powders prepared by a low temperature aqueous synthesis and resulting ceramics. 2017 , 37, 1509-1516		11
496	Sintering behavior and microstructural evolution of the monodispersed Gallium oxide micro-particles with different morphology and size. 2017 , 43, 16843-16850		5
495	Synthesis of Tb ₄ O ₇ nanopowders by the carbonate-precipitation method for Tb ₃ Al ₅ O ₁₂ magneto-optical ceramics. 2017 , 73, 706-711		10

494	Influence of annealing on phase transformation and specific capacitance enhancement in Bi ₂ O ₃ . 2017 , 805, 146-158		17
493	Influence of tetragonality (<i>c/a</i>) on dielectric nonlinearity and direct current (dc) bias characteristics of (1-x)BaTiO ₃ -xBi _{0.5} Na _{0.5} TiO ₃ ceramics. 2017 , 122, 154103		12
492	Composition dependence of the adjustable microstructure and mechanical properties of ytterbia-ceria-costabilised TZP. 2017 , 727, 627-632		2
491	Nanograined Al ₂ O ₃ -ZrO ₂ (Y ₂ O ₃) ceramics through pressureless sintering of powders with different degrees of crystallinity. 2017 , 43, 16872-16879		11
490	Densification of 8 mol% yttria-stabilized zirconia at low temperature by flash sintering technique for solid oxide fuel cells. 2017 , 43, 14037-14043		13
489	High-performance and low-voltage SnO ₂ -based varistors. 2017 , 43, 13759-13764		11
488	Densification and microstructure of spark plasma sintered 7YSZ and Al ₂ O ₃ ceramic nano-composites. 2017 , 5, 266-275		10
487	Fabrication of Tb ₃ Al ₅ O ₁₂ transparent ceramics using co-precipitated nanopowders: The influence of ammonium hydrogen carbonate to metal ions molar ratio. 2017 , 43, 14457-14463		24
486	Fabrication of Tb ₃ Al ₅ O ₁₂ transparent ceramics using co-precipitated nanopowders. 2017 , 73, 38-44		16
485	Measurement of Ionic Conductivity and Electrode Polarization at Low Temperatures on 8YSZ by a DC Technique. 2017 , 164, F1543-F1550		3
484	A Feasibility Study Regarding the Potential Use of Silica-Doped Calcium Sulfate Anhydrite as a Bone Void Filler. 2017 , 37, 879-886		9
483	Demonstration of the cold sintering process study for the densification and grain growth of ZnO ceramics. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 546-553	3.8	120
482	Reciprocating wear behaviour of TiC-stainless steel cermets. 2017 , 105, 250-263		35
481	Towards long lasting zirconia-based composites for dental implants: Transformation induced plasticity and its consequence on ceramic reliability. 2017 , 48, 423-432		60
480	Filled oxygen-deficient strontium barium niobates. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 774-782	3.8	6
479	Room temperature ferromagnetism and photoluminescence of multifunctional Fe doped BaZrO ₃ nanoceramics. 2017 , 691, 287-298		19
478	Improved transparency and hardness in alumina ceramics fabricated by high-pressure SPS of nanopowders. 2017 , 43, 275-281		34
477	CAD-assisted modeling of high dielectric contrast composite materials. 2017 , 37, 1487-1494		3

476	Structural, morphological and magnetic properties variation of nickel-manganese ferrites with lithium substitution. 2017 , 423, 124-132		14
475	Preparation and Optical Properties of Infrared Transparent 3Y-TZP Ceramics. 2017 , 10,		7
474	Effect of Addition of Magnesia and Zirconium Oxide on High Temperature Deformation of Fine-grained Alumina Polycrystals. 2017 , 66, 403-407		
473	Phase Structure Transformations and Electrical Properties of (Na _{0.52} K _{0.4425})(Nb _{0.8925} Sb _{0.07})O ₃ •0.0375LiTaO ₃ Ceramics According to Sintering Temperature. 2018 , 7, N29-N35		2
472	Pressureless sintering and fabrication of highly transparent MgAlON ceramic from the carbothermal powder. 2018 , 745, 617-623		9
471	Effect of Y ³⁺ ion doping on the microstructure, transmittance and thermal properties of CaF ₂ transparent ceramics. 2018 , 747, 359-365		14
470	The Depolarization Performances of the Polarized Light in Different Scattering Media Systems. 2018 , 10, 1-12		18
469	Below the Hall-Petch Limit in Nanocrystalline Ceramics. 2018 , 12, 3083-3094		60
468	Electrical and Mechanical Properties of Zirconia Based Cubic/Tetragonal Composite Electrolytes Prepared by Solution Coating Method. 2018 , 18, 13-17		
467	Growth of diopside crystals in CMAS glass-ceramics using Cr ₂ O ₃ as a nucleating agent. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 3968-3978	3.8	28
466	Preparation of 3Y-TZP Nanoceramics by a Modified Two-Step Sintering with Ultrahigh Heating and Cooling Rates. 2018 , 651-659		
465	Characterization of zirconia specimens fabricated by ceramic on-demand extrusion. 2018 , 44, 12245-12252		32
464	Effect of ZnAl ₂ O ₄ content on the microstructure and electrical properties of ZnO-based compound conductive ceramics. 2018 , 750, 213-219		6
463	Comparison between microwave and conventional sintering on the properties and microstructural evolution of tetragonal zirconia. 2018 , 44, 8922-8927		31
462	Dielectric behaviors of Ba(Mg _{1/3} Nb _{2/3})O ₃ modified (Na _{0.5} K _{0.5})NbO ₃ ceramics. 2018 , 44, 7955-7962		1
461	Microstructures and electrical properties of V ₂ O ₅ and carbon-nanofiber composites fabricated by cold sintering process. 2018 , 57, 025702		13
460	A comparative study of spark plasma sintered TiC _x -Ni ₃ Ti/Ni cermets. 2018 , 72, 110-116		3
459	Al-doped ZnO varistors prepared by a two-step doping process. 2018 , 117, 237-242		3

458	Structural, thermal, and transport properties of LaSrMnO nanoparticles synthesized the sol-gel auto-combustion technique.. 2018 , 8, 1600-1609	26
457	A simplified approach to predict performance degradation of a solid oxide fuel cell anode. 2018 , 391, 94-105	31
456	Spark plasma sintering and hot pressing of ZTA-NbC materials –A comparison of mechanical and electrical properties. 2018 , 38, 4003-4013	14
455	Low-temperature densification, microstructures and mechanical properties of ZrB ₂ -BiC composites with Cr ₃ C ₂ additives. 2018 , 126, 156-162	1
454	Effect of ammonium carbonate to metal ions molar ratio on synthesis and sintering of Nd:YAG nanopowders. 2018 , 80, 127-137	5
453	Fabrication and properties of Eu:Lu ₂ O ₃ transparent ceramics for X-ray radiation detectors. 2018 , 80, 22-29	12
452	Fabrication, microstructure and spectroscopic properties of Yb:Lu ₂ O ₃ transparent ceramics from co-precipitated nanopowders. 2018 , 44, 11635-11643	16
451	Effects of Bi ₂ O ₃ -Nb ₂ O ₅ additives on microstructure and magnetic properties of low-temperature-fired NiCuZn ferrite ceramics. 2018 , 44, 10545-10550	32
450	Electrical and mechanical properties of pressureless sintered SiC-Ti ₂ CN composites. 2018 , 38, 3064-3072	15
449	The effect of Gd ³⁺ ions on fabrication and luminescence properties of Nd ³⁺ -doped (Ca _{1-x} Gd _x)F _{2+x} transparent ceramics. 2018 , 102, 304-310	10
448	Manufacturing of electrical discharge machinable ZTA-TiC - hot pressing vs. spark plasma sintering. 2018 , 38, 3585-3594	8
447	Pressure-less rapid rate sintering of pre-sintered alumina and zirconia ceramics. 2018 , 44, 10840-10846	12
446	1532 nm sensitized luminescence and up-conversion in Yb,Er:YAG transparent ceramics. 2018 , 77, 221-225	4
445	Electrophoretic deposition of plasma activated sub-micron alumina powder. 2018 , 44, 9787-9793	7
444	Effect of annealing process on IR transmission and mechanical properties of spark plasma sintered Yttria. 2018 , 44, 1668-1674	3
443	Influence of small amounts of gallium oxide addition on ionic conductivity of La _{0.9} Sr _{0.1} Ga _{0.8} Mg _{0.2} O _{3-δ} solid electrolyte. 2018 , 44, 115-119	1
442	Coexistence of three ferroelectric phases and enhanced piezoelectric properties in BaTiO ₃ -CaHfO ₃ lead-free ceramics. 2018 , 38, 557-566	26
441	Magnetic, optical, dielectric, and sintering properties of nano-crystalline BaFe _{0.5} Nb _{0.5} O ₃ synthesized by a polymerization method. 2018 , 53, 1024-1034	2

440	Long term stability of electrocaloric response in barium zirconate titanate. 2018 , 38, 551-556		34
439	Relaxation and saturation of electrostriction in 10 mol% Gd-doped ceria ceramics. 2018 , 144, 411-418		34
438	Fabrication of infrared-transparent 3Y-TZP ceramics with small grain size by pre-sintering in an oxygen atmosphere and hot isostatic pressing. 2018 , 44, 2093-2097		10
437	Strength of pure alumina ceramics above 1 GPa. 2018 , 44, 3255-3260		9
436	Sintering behavior of samarium doped ceria under DC electrical field. 2018 , 44, 2470-2477		20
435	Influence of whisker-aspect-ratio on densification, microstructure and mechanical properties of Al ₂ O ₃ whiskers-reinforced CeO ₂ -stabilized ZrO ₂ composites. 2018 , 38, 1796-1801		16
434	The roles of cation additives on the color center and optical properties of Yb:YAG transparent ceramic. 2018 , 38, 1957-1965		20
433	Stress-induced microcrack density evolution in Eucryptite ceramics: Experimental observations and possible route to strain hardening. 2018 , 144, 627-641		23
432	Chemical heterogeneity and approaches to its control in BiFeO ₃ âBaTiO ₃ lead-free ferroelectrics. 2018 , 6, 134-146		51
431	Fatigue Measurement of Pipeline Steels for the Application of Transporting Gaseous Hydrogen1. 2018 , 140,		9
430	Effects of VC additives on densification and elastic and mechanical properties of hot-pressed ZrB ₂ âBiC composites. 2018 , 53, 4010-4021		11
429	Synthesis of highly sinterable Yb: SrF ₂ nanopowders for transparent ceramics. 2018 , 75, 7-12		13
428	Dielectric nonlinear behavior of (Ba _{0.95} Ca _{0.05})(Ti _{0.83} Zr _{0.17})O ₃ -based multi-layer ceramic capacitor. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 1544-1553	3.8	4
427	Towards the prediction of hydrothermal ageing of 3Y-TZP bioceramics from processing parameters. 2018 , 144, 245-256		26
426	Effect of carbon contamination on the sintering of alumina ceramics. 2018 , 38, 193-199		15
425	Enhancing the thermoelectric power factor of Sr _{0.9} Nd _{0.1} TiO ₃ through control of the nanostructure and microstructure. 2018 , 6, 24928-24939		23
424	Structural and permeability characterization of Zn-Li ferrites. 2018 , 42,		
423	Study of the Structural and Magnetic Properties of Li Substituted Cu-Mn Mixed Ferrites. 2018 , 438, 012013		

422	ZnO-based single crystal-polycrystal structures for piezotronic applications. <i>Journal of the American Ceramic Society</i> , 2018 , 102, 2640	3.8	5
421	The Sliding Wear Response of High-Performance Cermets. 2018 , 1-42		1
420	The Aqueous Electrochemical Response of TiCâStainless Steel Cermets. 2018 , 8, 398		3
419	Enhanced grain-boundary diffusion on power loss of low-temperature-fired NiCuZn ferrites for high-frequency power supplies. 2018 , 124, 1		4
418	Microstructural evolution and mechanical properties of (Mg,Co,Ni,Cu,Zn)O high-entropy ceramics. <i>Journal of the American Ceramic Society</i> , 2018 , 102, 2228	3.8	23
417	Fabrication of highly-doped Nd ³⁺ :YAG transparent ceramics by reactive SPS. 2018 , 44, 23145-23149		20
416	Synthesis and study of (Ca/Ba) _{0.45} Eu _{0.05} Zr ₂ (PO ₄) ₃ nanophosphors and (Ca/Ba) _{0.45} Eu _{0.05} Zr ₂ (PO ₄) ₃ @SiO ₂ nanostructures with blue-green emission. 2018 , 204, 633-641		4
415	Fabrication and luminescence properties of U:YAG transparent ceramic. 2018 , 82, 56-59		7
414	Assessment of conversion efficiency of Cr ⁴⁺ ions by aliovalent cation additives in Cr:YAG ceramic for edge cladding. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 5098-5109	3.8	10
413	Preparation of dense La _{0.9} Sr _{0.1} Ga _{0.8} Mg _{0.2} O _{3-δ} with high ionic conductivity by solid-state synthesis. 2018 , 24, 1693-1700		3
412	Structural, Electrical and Magnetic Properties of Ba _{1-x} Al _x Ti _{0.5} Mn _{0.5} O ₃ (x = 0.0-0.3) Perovskites. 2018 , 28, 2447-2454		7
411	Pressureless reaction sintering and hot isostatic pressing of transparent MgAlON ceramic with high strength. 2018 , 44, 17383-17390		10
410	Effect of microwave sintering on the properties of copper oxide doped Y-TZP ceramics. 2018 , 44, 19639-196456		
409	A novel economical grain boundary engineered ultra-high performance ZnO varistor with lesser dopants. 2018 , 38, 5021-5029		19
408	The influence of spinel and magnesia powder bed on mechanical properties of alumina sintered under air and nitrogen atmosphere. 2018 , 117, 485-492		1
407	Electrical Behavior and Microstructural Features of Electric Field-Assisted and Conventionally Sintered 3 mol% Ytria-Stabilized Zirconia. 2018 , 1, 3-12		14
406	Microstructural developments and electrical properties of novel coarse-grained SnO ₂ varistors obtained by CuO addition for low-voltage applications. 2018 , 44, 18478-18483		4
405	Remarkably improved electrical conductivity of ZnO ceramics by cold sintering and post-heat-treatment. 2018 , 44, 20570-20574		17

404	Rapid sintering protocol produces dense ceria-based ceramics. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 4968-4975	3.8	9
403	Fabrication, photoluminescence and terahertz absorption properties of Yb:YAG transparent ceramics with various Yb dopant concentrations. 2018 , 85, 106-112		8
402	A Transfer Function for Relating Mean 2D Cross-Section Measurements to Mean 3D Particle Sizes. 2018 , 49, 4424-4428		9
401	Sintering paths and mechanisms of pure MgAl ₂ O ₄ conventionally and microwave sintered. 2018 , 44, 21107-21113		8
400	Structural, morphological, and magnetic properties of Zn _x Co _{1-x} Fe ₂ O ₄ (0 ≤ x ≤ 1) prepared using a chemical co-precipitation method. 2018 , 44, 20782-20789		16
399	Restraining of calcium contamination in near-net shape alumina ceramics during slip casting. 2018 , 15, 1559-1566		3
398	Effect of Air and Argon Sintering Atmospheres on Properties and Hydrothermal Aging Resistance of Y-TZP Ceramics. 2018 , 27, 3574-3580		5
397	Enhancing sinterability and electrochemical properties of Ba(Zr _{0.1} Ce _{0.7} Y _{0.2})O ₃ - δ proton conducting electrolyte for solid oxide fuel cells by addition of NiO. 2018 , 43, 13501-13511		27
396	On the grain size proportionality constants calculated in M.I. Mendelson's "Average Grain Size in Polycrystalline Ceramics" <i>Journal of the American Ceramic Society</i> , 2019 , 102, 37-41	3.8	13
395	Fabrication and properties of transparent Nd-doped BaF ₂ ceramics. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 178-184	3.8	13
394	Cycling- and heating-induced evolution of piezoelectric and ferroelectric properties of CuO-doped K _{0.5} Na _{0.5} NbO ₃ ceramic. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 351-361	3.8	21
393	Fracture strength of hot-pressed silicon carbide at the microscale. 2019 , 765, 138297		3
392	Characterization and Antibacterial Activity Study of Hydrothermally Synthesized h-MoO ₃ Nanorods and β -MoO ₃ Nanoplates. 2019 , 9, 873-882		20
391	Rapid pressure-less sintering of fine grained zirconia ceramics: Explanation and elimination of a core-shell structure. 2019 , 39, 5309-5319		5
390	Characterisation of damage mechanisms in oxide ceramics indented at dynamic and quasi-static strain rates. 2019 , 39, 4936-4945		8
389	Transparent alumina ceramics: Effect of standard and plasma generated stabilizing approaches in colloidal processing. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 7137-7144	3.8	7
388	Enhancing the thermoelectric properties of SrPr ₂ TiO through control of crystal structure and microstructure. 2019 , 377, 20190037		2
387	Electrical properties of gadolinia doped ceria electrolytes fabricated by infiltration aided sintering. 2019 , 340, 115020		6

- 386 Three-dimensional virtual microstructure generation of porous polycrystalline ceramics. **2019**, 45, 21647-21656
- 385 Sintering and Electricity Properties of ITO Targets with Bi₂O₃-ZnO Addition. **2019**, 58, 64-72
- 384 Order-disorder transition and electrical performance of (Nd_{1-x})₂Zr₂O₇ solid solutions. **2019**, 811, 151974 5
- 383 Effects of CeO₂ Addition on Slip - Cast Ytria Tetragonal Zirconia Polycrystals Toughened Alumina (ZTA). **2019**, 814, 340-346 10
- 382 Oxygen vacancy ordering and viscoelastic mechanical properties of doped ceria ceramics. **2019**, 163, 19-23 12
- 381 Fabrication and properties of Co:MgAl₂O₄ transparent ceramics for a saturable absorber from coprecipitated nanopowder. *Journal of the American Ceramic Society*, **2019**, 102, 3097-3102 3.8 6
- 380 3D localization of spinel (MgAl₂O₄) and sodium contamination in alumina by TOF-SIMS. **2019**, 148, 252-258 1
- 379 Morphology and luminescence of MgAl₂O₄ ceramics obtained via spark plasma sintering. **2019**, 45, 8305-8312 7
- 378 Sintering mechanism and grain growth in CaCu₃Ti₄O₁₂ ceramics. **2019**, 45, 9185-9191 18
- 377 The Effect of Water on Fe-Mg Interdiffusion Rates in Ringwoodite and Implications for the Electrical Conductivity in the Mantle Transition Zone. **2019**, 124, 2510-2524 6
- 376 Fabrication and microstructure development of Yb:YAG transparent ceramics from co-precipitated powders without additives. *Journal of the American Ceramic Society*, **2019**, 102, 7154-7167 3.8 10
- 375 How to overcome the main challenges of SPS technology: Reproducibility, multi-samples and elaboration of complex shapes. **2019**, 77-108 2
- 374 Electric-field-induced composite color centers formation and Yb ions valence state change in spark plasma sintered Yb:YAG transparent ceramics. **2019**, 95, 109192 2
- 373 Highly transparent Mg_{0.27}Al_{2.58}O_{3.73}N_{0.27} ceramic fabricated by aqueous gelcasting, pressureless sintering, and post-HIP. *Journal of the American Ceramic Society*, **2019**, 102, 6507-6516 3.8 7
- 372 Enhance magnetoelectric coupling in xLi_{0.1}Ni_{0.2}Mn_{0.6}Fe_{2.1}O₄(1-x)BiFeO₃ multiferroic composites. **2019**, 30, 13033-13046 11
- 371 Evidence of Phase Transitions and Their Role in the Transient Behavior of Mechanical Properties and Low Temperature Degradation of 3Y-TZP Made from Stabilizer-Coated Powder. **2019**, 2, 271-285 9
- 370 New photocatalytic materials obtained from the recycling of alkaline and Zn/C spent batteries. **2019**, 8, 2809-2818 11
- 369 A simple way to prepare Co:MgAl₂O₄ transparent ceramics for saturable absorber. **2019**, 797, 1288-1294 10

368	Effect of oxygen defects blocking barriers on gadolinium doped ceria (GDC) electro-chemo-mechanical properties. 2019 , 174, 53-60		26
367	Microstructure evolution during reactive sintering of Y3Al5O12:Nd3+ transparent ceramics: Influence of green body annealing. 2019 , 39, 3867-3875		2
366	TiO2 tailored low loss NiCuZn ferrite ceramics having equivalent permeability and permittivity for miniaturized antenna. 2019 , 487, 165318		10
365	Effect of the Immobilization Strategy on the Efficiency and Recyclability of the Versatile Lipase from. 2019 , 24,		6
364	In situ synthesis, physical and mechanical properties of ZrB2âZrCâWB composites. 2019 , 39, 3283-3291		5
363	Sintering behavior of bimodal iron nanopowder agglomerates. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 3791-3801	3.8	8
362	Preparation of luminescent Eu-doped yttria-silicate coupons by spark plasma sintering: Reduction from Eu3+ to Eu2+. 2019 , 212, 106-115		2
361	Toward nanograined gadolinia doped ceria via two-step sintering at ultralow temperature and its electrical conductivity. 2019 , 45, 14153-14159		3
360	Synthesis of highly sinterable AlN nanopowders through sol-gel route by reduction-nitridation in ammonia. 2019 , 45, 14568-14575		10
359	Room temperature R-curve and stable crack growth behaviour of ZrB2âSiC ceramic composites. 2019 , 118, 169-182		4
358	An investigation of 60Co gamma radiation-induced effects on the properties of nanostructured ÒMoO3 for the application in optoelectronic and photonic devices. 2019 , 51, 1		24
357	Insights into intragranular precipitation and strengthening effect in Al2O3/SmAlO3 ceramic with eutectic composition. 2019 , 754, 382-389		3
356	Effect of grain boundary energy anisotropy in 2D and 3D grain growth process. 2019 , 12, 1262-1268		6
355	Low-temperature sintering of (1âx)Pb(Zr0.53Ti0.47)O3âBiYO3 ceramics with nano-powder for piezo-speaker. 2019 , 58, 051008		1
354	Impact of sintering temperature on permeation and long-term development of support structure and stability for asymmetric oxygen transporting BSCF membranes. 2019 , 581, 270-282		9
353	Growth of vanadium dioxide thin films on hexagonal boron nitride flakes as transferrable substrates. 2019 , 9, 2857		10
352	Role of sintering temperature on microstructure and nonlinear electrical properties of 0.1 mol.% Nb2O5 added ZnOâV2O5 varistor ceramics. 2019 , 30, 5640-5651		7
351	Improvement in the Magnetic Hysteresis Properties of Nanocrystalline Lithium Ferrites with Addition of Yttrium Manganite. 2019 , 203, 133-141		1

350	Particle atomic layer deposition of alumina for sintering yttria-stabilized cubic zirconia. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 2283-2293	3.8	7
349	The effect of SPS parameters on the production of yttria transparent ceramic. 2019 , 16, 1441-1449		1
348	Comparative studies on the impact of synthesis methods on structural, optical, magnetic and catalytic properties of CuFe ₂ O ₄ . 2019 , 45, 6535-6540		22
347	Sintering behavior and properties of lithium stabilized sodium β -alumina ceramics with YSZ addition. 2019 , 45, 6744-6752		12
346	Preparation and microwave dielectric properties of new low-loss NiZrTa ₂ O ₈ ceramics. 2019 , 778, 576-578		12
345	Structural, microstructural, electromagnetic and magnetoelectric properties of (1 - α) [Ba _{0.85} Ca _{0.15} Zr _{0.1} Ti _{0.9} O ₃] + (γ) [Ni _{0.92} Co _{0.03} Mn _{0.05} Cu _{0.05} Fe _{1.95} Al _x O ₄] composites. 2019 , 30, 1609-1625		5
344	Investigations of nano-crystalline Sr _{0.5} Ba _{0.5} Nb ₂ O ₆ and bulk ceramics synthesized by a polymerization method using PEG400. 2019 , 39, 1156-1163		5
343	Effect of Doped Sb ₂ O ₃ on the Electrical Properties of TiO ₂ -Based Ceramics with the Dual Function of a Varistor&Capacitor. 2019 , 48, 898-903		3
342	Impact of silicate substrate and cosintering on cathode performance in an inert substrate-supported solid oxide fuel cell. 2019 , 413, 334-343		9
341	In-operando observation of microstructural evolution in a solid oxide cell electrolyte operating at high polarization. 2019 , 413, 351-359		8
340	Sintering behaviour and properties of manganese-doped alumina. 2019 , 45, 7049-7054		17
339	Effect of pretreated microstructure on subsequent sintering performance of MgAl ₂ O ₄ ceramics. 2019 , 45, 7544-7551		5
338	Preparation, crystallization kinetics and microwave dielectric properties of CaO-ZnO-B ₂ O ₃ -P ₂ O ₅ -TiO ₂ glass-ceramics. 2019 , 45, 8233-8237		20
337	Effects of sintering temperature on the microstructure and luminescence of LuAG:Pr ceramics. 2019 , 122, 34-39		4
336	Microstructure and optical properties of alumina sintered from various phases. 2019 , 45, 9625-9630		4
335	Defect-induced transformation between hardening and softening behaviors in CuF ₂ -doped K _{0.5} Na _{0.5} NbO ₃ piezoceramics. 2019 , 45, 2644-2652		20
334	Large effect of water on Fe&Mg interdiffusion in garnet. 2019 , 505, 20-29		8
333	Effect of multi-ions doping on the properties of carbonated hydroxyapatite bioceramic. 2019 , 45, 3473-3477		34

332	The influence of CaO on alumina grain boundary mobility. 2019 , 39, 1324-1328		7
331	Mechanical behaviour of extremely tough TZP bioceramics. 2019 , 90, 395-403		9
330	Impact of extrusion parameters on the mechanical performance of tubular BSCF-supports for asymmetric oxygen transporting membranes. 2019 , 570-571, 61-68		4
329	Sintering and oxidation behavior of HfB ₂ -SiC composites from 0 to 30 vol% SiC between 1450 and 1800 K. 2019 , 45, 1846-1856		13
328	Strength limits in mesoscaled 3Y-TZP ceramics for micro-surgical instruments. 2019 , 91, 99-108		0
327	Grain growth of titania to submillimeter sizes using water vapor-assisted sintering. 2019 , 34, 474-480		1
326	Mechanical and thermal properties of silicon carbide ceramics with yttria-candia-magnesia. 2019 , 39, 144-149		20
325	Iron oxide colouring of highly-translucent 3Y-TZP ceramics for dental restorations. 2019 , 39, 499-507		7
324	Investigation of electrical inhomogeneity in ZnO varistor ceramics based on electronic relaxations. 2019 , 45, 1110-1114		18
323	Enhancement of Néel temperature and electrical resistivity of Mn ²⁺ /Zn ferrites by Gd ³⁺ substitution. 2019 , 8, 208-216		9
322	Predicting the size scaling in strength of nanolayered materials by a discrete slip crystal plasticity model. 2020 , 124, 247-260		21
321	Sintering behaviour of carbonated hydroxyapatite prepared at different carbonate and phosphate ratios. 2020 , 59, 73-80		12
320	Does the bond strength of highly translucent zirconia show a different dependence on the airborne-particle abrasion parameters in comparison to conventional zirconia?. 2020 , 64, 60-70		14
319	Processing and properties of luminescent Cr ³⁺ doped transparent alumina ceramics. 2020 , 40, 2573-2580		13
318	Coupling additive manufacturing and microwave sintering: A fast processing route of alumina ceramics. 2020 , 40, 2548-2554		18
317	Size-induced grain boundary energy increase may cause softening of nanocrystalline yttria-stabilized zirconia. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 2001-2011	3.8	2
316	A novel alternating current-assisted sintering method for rapid densification of Al ₂ O ₃ ceramics with ultrahigh flexural strength. 2020 , 46, 5484-5488		10
315	Systematic investigation about the influence of two-step sintering on microstructure properties of ZTA ceramics. 2020 , 119, 37-40		0

314	Grain growth kinetics and magnetic properties of a V-doped ZnO dilute magnetic oxide. 2020 , 46, 2116-2121	2
313	Influence of total absorbed dose of Co-60 γ -radiation on the properties of h-MoO ₃ thin films. 2020 , 693, 137700	9
312	Influence of processing variables on scratch and shrinkage behaviors and translucency of dental zirconia. 2020 , 17, 354-364	
311	High-entropy transparent fluoride laser ceramics. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 750-756	3.8 36
310	Thermally-induced phase transformations in KNNS-BNKZ lead-free piezoceramics. 2020 , 40, 672-681	2
309	Influence of CaO doping on phase, microstructure, electrical and dielectric properties of ZnO varistors. 2020 , 817, 152700	14
308	Gel-tape casting as a novel method for the production of flexible fine-grained alumina sheets. 2020 , 40, 2542-2547	6
307	The effect of the cobalt ferrites nanoparticles (CoFe ₂ O ₄) on the porous silicon deposited by spin coating. 2020 , 59, 1093-1098	3
306	Structural, magnetic and electrical properties of K _{0.5} Na _{0.5} NbO ₃ doped NiZnCo ferrite for high frequency device. 2020 , 40, 1301-1306	5
305	Interplay between the ferrimagnetic and ferroelectric phases on the large magnetoelectric coupling of xLi _{0.1} Ni _{0.2} Mn _{0.6} Fe _{2.1} O ₄ (1-x)Bi _{0.8} Dy _{0.2} FeO ₃ composites. 2020 , 31, 511-525	12
304	Enhancing the Thermoelectric Performance of Calcium Cobaltite Ceramics by Tuning Composition and Processing. 2020 , 12, 47634-47646	5
303	Sintering of a UO ₂ -PuO ₂ freeze-granulated powder under reducing conditions. 2020 , 40, 5900-5908	3
302	Effect of zinc substitution on magnesium ferrite nanoparticles: Structural, electrical, magnetic, and gas-sensing properties. 2020 , 262, 114776	10
301	Microstructure evolution in two-step-sintering process toward transparent Ce:(Y,Gd) ₃ (Ga,Al) ₅ O ₁₂ scintillation ceramics. 2020 , 846, 156377	3
300	Crystallization, microstructure and energy storage behavior of borate glass-ceramics. 2020 , 31, 12074-12082	6
299	Bi ³⁺ doping-adjusted microstructure, magnetic, and dielectric properties of nickel zinc ferrite ceramics for high frequency LTCC antennas. 2020 , 46, 25697-25704	11
298	Mechanical Properties of 2Y-TZP Fabricated from Detonation Synthesized Powder. 2020 , 3, 440-452	4
297	Reliability of an injection-moulded two-piece zirconia implant with PEKK abutment after long-term thermo-mechanical loading. 2020 , 110, 103967	2

296	Predicting final stage sintering grain growth affected by porosity. 2020 , 20, 100759	1
295	YAGG:Ce Phosphor-in-YAG Ceramic: An Efficient Green Color Converter Suitable for High-Power Blue Laser Lighting. 2020 , 2, 2644-2650	12
294	Effects of sintering additives on the densification and properties of alumina-toughened zirconia ceramic composites. 2020 , 46, 27539-27549	8
293	Dopant Concentration Controls Quasi-Static Electrostrictive Strain Response of Ceria Ceramics. 2020 , 12, 39381-39387	8
292	Influence of SnO ₂ concentration on electrical response of Fe ₂ O ₃ sintered with different thermal history conditions. 2020 , 46, 27877-27883	1
291	Effect of crystalline phase assemblage on reliability of 3Y-TZP. 2021 , 126, 238-247	1
290	An experimental and theoretical insights into the dielectric properties of (Li, Nd) co-doped ZnO ceramics. 2020 , 31, 20113-20128	1
289	Specific absorption in Y ₃ Al ₅ O ₁₂ :Eu ceramics and the role of stable Eu ²⁺ in energy transfer processes. 2020 , 8, 8823-8839	10
288	Effect of NaF doping on the transparency, microstructure and spectral properties of Yb ³⁺ : CaF ₂ transparent ceramics. 2020 , 40, 4572-4577	2
287	Sintering investigations of a UO ₂ -PuO ₂ powder synthesized using the freeze-granulation route. 2020 , 186, 190-195	2
286	Fabrication of Lu ₂ Ti ₂ O ₇ -Lu ₃ NbO ₇ solid solution transparent ceramics by spark plasma sintering and their electrical conductivities. 2020 , 40, 4589-4594	4
285	Effect of annealing temperature on the structural, dielectric and electric properties of (hbox {Ni}_{0.7} hbox {Cd}_{0.3} hbox {Fe}_2 hbox {O}_4) ferrites. 2020 , 43, 1	2
284	Correlation between tetragonality (c/a) and direct current (dc) bias characteristics of BaTiO ₃ -based multi-layer ceramic capacitors (MLCC). 2020 , 8, 9373-9381	4
283	Fabrication of dense ZrB ₂ /B ₄ C composites using pulsed electric current pressure sintering and evaluation of their high-temperature bending strength. 2020 , 46, 18478-18486	6
282	Dense and homogeneous MOX fuel pellets manufactured using the freeze granulation route. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 3020-3029	3.8 5
281	Direct extrusion of thin Mg wires for biomedical applications. 2020 , 30, 373-381	6
280	Structural, magnetic, magnetocaloric and critical exponents of oxide manganite La _{0.7} Sr _{0.3} Mn _{0.95} Fe _{0.05} O ₃ . 2020 , 31, 12493-12501	2
279	Quantitative Relationships Between Pore Tortuosity, Pore Topology, and Solid Particle Morphology Using a Novel Discrete Particle Size Algorithm. 2020 , 167, 100513	16

278	Solid-state sintering of core-shell ceramic powders fabricated by particle atomic layer deposition. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 4101-4109	3.8	1
277	Fabrication of Nd:YAG transparent ceramics from co-precipitated powders by vacuum pre-sintering and HIP post-treatment. 2020 , 101, 109728		6
276	Influence of Lanthanum Concentration on Microstructure of (Ho _{1-x} La _x) ₂ O ₃ Magneto-Optical Ceramics. 2020 , 257, 1900500		5
275	Optical and mechanical properties of mn-doped transparent alumina and their comparison with selected rare earth and transient metal doped aluminas. 2020 , 40, 4894-4900		7
274	An experimental insight of the multiferroic properties of magnetoelectrically coupled xLNCZFO+(1-x)BSTDO composites. 2020 , 502, 166449		10
273	Strain-Driven In-plane Ordering in Vertically Aligned ZnO-Au Nanocomposites with Highly Correlated Metamaterial Properties. 2020 , 5, 2234-2241		23
272	Grain growth and tunable ferromagnetic resonance linewidth of low-temperature sintering NiCuZn gyromagnetic ferrites. 2020 , 31, 2845-2853		2
271	Modeling zirconia sintering trajectory for obtaining translucent submicronic ceramics for dental implant applications. 2020 , 188, 101-107		9
270	Phase mixture modeling of the grain size dependence of Young's modulus and thermal conductivity of alumina and zirconia ceramics. 2020 , 40, 3181-3190		11
269	Effect of agglomeration state of starting powder on fabrication of Tm,Ho co-doped LuAG transparent ceramics. 2020 , 103, 109883		2
268	Additive manufacturing of zirconia parts with organic sacrificial supports. 2020 , 17, 1544-1553		4
267	The effect of Gd ³⁺ doping on luminescence properties of (Gd, Ce): SrF ₂ nanopowders and transparent ceramics. 2020 , 224, 117243		3
266	Thermoanalytical, optical, and magnetic investigations on nanocrystalline Li _{0.5} Fe _{2.5} O ₄ and resulting ceramics prepared by a starch-based soft-chemistry synthesis. 2020 , 287, 121380		2
265	Influence of Zn-substitution on structural, morphological, electrical, and gas sensing properties of Zn Al ₂ O ₄ (x = 0.1 to 0.5) synthesized by a sol-gel auto-combustion method. 2021 , 47, 6779-6789		1
264	Plastic deformation-induced improved mechanical and thermal properties in hot-forged SiC-TiC composite. 2021 , 41, 213-224		3
263	Achieving high energy-storage properties in Bi _{0.5} Na _{0.5} TiO ₃ -based lead-free ceramics under low electric fields. 2021 , 47, 1344-1352		12
262	A comparative study of direct and indirect evaluation of piezoelectric properties of electrophoretically deposited (Ba, Ca) (Zr, Ti)O ₃ lead-free piezoceramics. 2021 , 47, 2034-2042		2
261	All-Solid-State Electro-Chemo-Mechanical Actuator Operating at Room Temperature. 2021 , 31, 2006712		4

260	Reducing anisotropic effects on oxygen separation performance of K ₂ NiF ₄ -type membranes by adjusting grain size. 2021 , 618, 118628		7
259	Viscous flow spark plasma sintering of glass microspheres with YAG composition and high tendency to crystallization. 2021 , 41, 1537-1542		4
258	Non-linear Transfer Functions for Accurately Estimating 3D Particle Size, Distribution, and Expected Error from 2D Cross Sections of a Lognormal Distribution of Spherical Particles. 2021 , 52, 228-241		0
257	A thermal perspective of flash sintering: The effect of AC current ramp rate on microstructure evolution. 2021 , 41, 2807-2817		12
256	Fe-Mg interdiffusion in wadsleyite and implications for water content of the transition zone. 2021 , 554, 116672		3
255	CaO doped ZnO-Bi ₂ O ₃ varistors: Grain growth mechanism, structure and electrical properties. 2021 , 47, 1229-1237		4
254	In vivo aging of zirconia dental ceramics - Part I: Biomedical grade 3Y-TZP. 2021 , 37, 443-453		7
253	Thermal conductivity of spark plasma sintered SiC ceramics with Alumina and Ytria. 2021 , 41, 3264-3273		4
252	Polarity-induced grain growth of gadolinium-doped ceria under field-assisted sintering technology/spark plasma sintering (FAST/SPS) conditions. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 1978-1996	3.8	2
251	Structure and Properties of Nonstoichiometric Y _{1-x} Nb _x O _{1.5+x} for Thermal Barrier Coatings. 2021 , 41, 526-534		4
250	Processing of large and complex-shaped fine-grained alumina bodies with high transparency. 2021 , 41, 2016-2022		2
249	Crystalline phase evolution and thermal behavior of zirconia-lanthanum aluminate ceramics produced by surface modification. 2021 , 109, 328-337		1
248	Influence of sintering conditions on translucency, biaxial flexural strength, microstructure, and low-temperature degradation of highly translucent dental zirconia. 2021 , 40, 1320-1328		4
247	Synthesis of transparent polycrystalline jadeite under high pressure and temperature. 2021 , 116,		1
246	Rhombohedral distortion-driven ferroelectric order and exchange bias effect in geometrically frustrated ZnFe ₂ O ₄ . 2021 , 5,		0
245	Effect of sintering temperature on the structural, morphological, electrical, and magnetic properties of Ni _{1-x} Cu _x Zn and Ni _{1-x} Cu _x Zn _{1-y} Sc _y ferrites. 2021 , 32, 2505-2523		5
244	Synthesis and characterization of PZT 52/48 ceramics without additives through nanometric powder. 2021 , 26,		
243	Study the impact of sintering temperature on electromagnetic properties of (1 - y) [Ba _{0.9} Ca _{0.1} Zr _{0.1} Ti _{0.9} O ₃] + (y) [Ni _{0.25} Cu _{0.13} Zn _{0.62} Fe ₂ O ₄] composites. 2021 , 127, 1		3

242	Fabrication of bismuth silicate Bi ₂ SiO ₅ ceramics as a potential high-temperature dielectric material. 2021 , 56, 8415-8426		2
241	Influence of sintering parameters on transparency of reactive SPSed Nd ³⁺ :YAG ceramics. 2021 , 112, 110760		2
240	Physical and mechanical behaviours of hot-pressed TaCâHfC ceramics with La ₂ O ₃ additive. 2021 , 120, 117-126		2
239	Flash sintering of yttria-stabilized zirconia powders coated with nanoscale films of alumina by atomic layer deposition. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 2472-2482	3.8	0
238	A novel approach toward microstructure evaluation of sintered ceramic materials through image processing techniques. 2021 , 18, 773-780		1
237	Al ₂ O ₃ âCe:YAG and Al ₂ O ₃ âCe:(Y,Gd)AG composite ceramics for high brightness lighting: Effect of microstructure. 2021 , 172, 110883		8
236	High strength alumina tapes prepared by gel-tape casting method. 2021 , 47, 6988-6995		2
235	Modulation of Charge Transport at Grain Boundaries in SrTiO: Toward a High Thermoelectric Power Factor at Room Temperature. 2021 , 13, 11879-11890		12
234	Spark plasma sintering of dense alumina ceramics from industrial waste scraps. 2021 , 5, 100076		0
233	Improving grain size analysis using computer vision techniques and implications for grain growth kinetics. 2021 ,		1
232	Preliminary Investigation of Preparing High Burn-Up Structure in Nuclear Fuel by Flash Sintering Using CeO ₂ as a Surrogate. 1		
231	Flash sintering of additively manufactured 3YSZ gears. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 3828-3832	3.8	3
230	Trivalent Dopant Size Influences Electrostrictive Strain in Ceria Solid Solutions. 2021 , 13, 20269-20276		3
229	Enhanced mechanical and thermal properties of AlN ceramics via a chemical precipitation process. 2021 , 18, 1255-1268		2
228	A Novel Zirconia-Based Composite Presents an Aging Resistant Material for Narrow-Diameter Ceramic Implants. 2021 , 14,		2
227	The influence of carbon on the microstructure and wear resistance of alumina. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 4214-4225	3.8	2
226	On the multiplying factor for the estimation of the average grain size in thin films. 2021 , 196, 113748		1
225	Structural, dielectric and magnetic properties of xNi _{0.50} Zn _{0.40} Mn _{0.10} Fe ₂ O ₄ + (1-x)Bi _{0.90} La _{0.10} Fe _{0.93} Eu _{0.07} O ₃ multiferroic composites. 2021 , 8, 046103		1

224	Structural, magnetic and electrical properties of multiferroic $x\text{Li}_0.1\text{Ni}_0.2\text{Mn}_0.6\text{Fe}_{2.1}\text{O}_4 \cdot \frac{1}{2}(1-x)\text{Bi}_0.8\text{Y}_0.2\text{FeO}_3$ composites. 2021 , 526, 167708		2
223	A perspective on single-crystal layered oxide cathodes for lithium-ion batteries. 2021 , 37, 143-160		52
222	Optimization of magnesia sintering parameters fabricated by spark plasma sintering method for infrared transparency.		
221	Influence of the sintering method on densification, microstructure and electrical conductivity of 12Ce-TZP . 2021 , 120, 202-208		1
220	Structural Evolution of High-Performance Mn-Alloyed Thermoelectric Materials: A Case Study of SnTe . 2021 , 17, e2100525		11
219	Improving Thermodynamic Stability of nano- LiMn_2O_4 for Li-Ion Battery Cathode. 2021 , 33, 3915-3925		8
218	Fabrication and electrical conductivity of $\text{Lu}_2(\text{Ti}_{1-x}\text{Hf}_x)_2\text{O}_7$ transparent ceramics prepared by spark plasma sintering. 1-9		1
217	Optimized Zirconia 3D Printing Using Digital Light Processing with Continuous Film Supply and Recyclable Slurry System. 2021 , 14,		1
216	Fabrication of $\text{Y}_2\text{Ti}_2\text{O}_7$ Transparent Ceramic by Spark Plasma Sintering. 1035, 663-667		
215	Y_3NbO_7 transparent ceramic series for high refractive index optical lenses. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 5776-5783	3.8	2
214	Thin high-strength zirconia tapes with extreme flexibility. 1-11		0
213	The influence of ZrO_2 doping on microstructure and electrical properties of ZnO-based conductive ceramics. 2021 ,		0
212	Mechanical properties and electrical discharge machinability of SPS sintered Y-TZP- and YGd-TZP-titanium nitride composites. 2021 , 6, 100093		1
211	Study of the densification and grain growth mechanisms occurring during spark plasma sintering of different submicronic yttria-stabilized zirconia powders. 2021 , 41, 3581-3594		4
210	Influence of Mg substitution on structural, magnetic and electrical properties of Zn-Cu ferrites. 1		0
209	Strength Analysis and Stress-Strain Deformation Behavior of 3 mol% Y-TZP and 21 wt.% Al_2O_3 -3 mol% Y-TZP. 2021 , 14,		0
208	Electrical Discharge Machinable Ytterbia Samaria Co-Stabilized Zirconia Tungsten Carbide Composites. 2021 , 4, 408-420		1
207	Pressure-assisted flash sintering of ZnO ceramics. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 6131	3.8	2

206	Mechanically isotropic alumina prepared by spark plasma sintering: The role of pyrolytic carbon and multilayer graphene. 2021 , 41, 4242-4251		0
205	Sintering and densification mechanisms of tantalum carbide ceramics. 2021 ,		1
204	DC electric field-assisted hot pressing of zirconia: Methodology, phenomenology, and sintering mechanism. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 5571-5583	3.8	2
203	Additive manufacturing of zirconia ceramics by material jetting. 2021 , 41, 5292-5306		5
202	Reaction sintering of dense gadolinium-iron garnet (GdIG) material. 2021 , 41, 5264-5268		1
201	Tunability of ϵ in garnet-structured Y ₃ Ga ₅ O ₁₂ microwave dielectric ceramics. 2021 ,		4
200	SEraMic: A semi-automatic method for the segmentation of grain boundaries. 2021 , 41, 5349-5358		2
199	Flash Spark Plasma Sintering of 3YSZ: Modified sintering pathway and impact on grain boundary formation. 2021 , 41, 7762-7762		1
198	Relationship between Rattling Mg ²⁺ ions and anomalous microwave dielectric behavior in Ca _{3-x} Mg _{1+x} LiV ₃ O ₁₂ ceramics with garnet structure. 2021 , 41, 7697-7697		3
197	Modulation of electrical transport in calcium cobaltite ceramics and thick films through microstructure control and doping. 2021 , 41, 4859-4869		2
196	Influence of starting powder choice on structure property relations in gadolinia stabilized zirconia 3Gd-TZP manufactured from co-milled starting powders. 2021 , 41, 7783-7783		0
195	A low- β and high-Q microwave dielectric ceramic Li ₂ SrSiO ₄ with abnormally low sintering temperature. 2021 , 41, 7678-7678		1
194	Phase Formation, Microstructure and Permeability of Fe-Deficient Ni-Cu-Zn Ferrites, (I): Effect of Sintering Temperature. 2021 , 7, 118		0
193	Cation distribution and bond energy of intermediate spinel Mg(Zn _{0.5} Ti _{0.5}) ₂ Ga(2 Δ)O ₄ microwave dielectric ceramics. 2021 , 47, 33731-33731		0
192	Dynamic electric, modulus and impedance study of Ni _{0.5} Cu _{0.2} Cd _{0.3} Fe _{2-z} Al _z O ₄ nanoparticles with magnetization and Rietveld analysis. 2021 , 32, 24524-24539		
191	A Facile Synthesis of Bi ₂ O ₃ /CoFe ₂ O ₄ Nanocomposite with Improved Synergistic Photocatalytic Potential for Dye Degradation. 2021 , 11, 1180		3
190	Facile synthesis of Cu _{1-x} Co _x Fe ₂ O ₄ (0 \leq x \leq 0.5) nanoparticles with enhanced magnetic and photocatalytic performances for organic dye degradation. 2021 ,		2
189	The effects of mixing multi-component HLW glasses on spinel crystal size. 2021 , 558, 153318		0

188	Flash spark plasma sintering of zirconia nanoparticles: Electro-thermal-mechanical-microstructural simulation and scalability solutions. 2021 , 42, 216-216	1
187	Impact of precursor preparation on density of gadolinium iron garnets synthesized via reactive sintering. 2021 , 47, 24313-24319	0
186	Improving the microwave dielectric properties of Ga ₂ [LiGa ₃]O ₈ inverse spinel by enhancing B-site ordering degree. 2021 ,	
185	A general mechanism of grain growth -I. Theory. 2021 , 7, 1007-1013	5
184	Microstructural evolution and grain-growth kinetics of Al _{0.2} CoCrFeNi high-entropy alloy. 1-11	0
183	Influence of the PuO ₂ content on the sintering behaviour of UO ₂ -PuO ₂ freeze-granulated powders under reducing conditions. 2021 , 41, 6778-6783	0
182	Crystallization behavior, ultrahigh power density and high actual discharge energy density of lead-free borate glass-ceramics containing TiO ₂ . 2021 , 47, 27142-27150	6
181	Mechanical modelling of microwave sintering and experimental validation on an alumina powder. 2021 , 41, 6617-6625	4
180	Modelling the relationship between deformed microstructures and static recrystallization textures: Application to ferritic stainless steels. 2021 , 219, 117226	1
179	Determination of the bulk fraction of spherical non-uniformities in high-density materials. 2021 , 47, 28932-28941	1
178	Solid-state single-crystal growth of YAG and Nd: YAG by spark plasma sintering. 2021 , 106, 118-118	1
177	Densification of UO ₂ pellets by microwave sintering using an instrumented multimode cavity. 2021 , 47, 30610-30615	3
176	Study of densification mechanisms during Spark Plasma Sintering of co-precipitated Ho:Lu ₂ O ₃ nanopowders: Application to transparent ceramics for lasers. 2021 , 41, 7199-7207	3
175	A novel durable spinel-type ZnGa ₂ O ₄ transparent ceramic with wide transmission range. 2021 , 205, 114186	0
174	Al ₂ O ₃ :Ce:YAG composite ceramics for high brightness lighting: Cerium doping effect. 2021 , 887, 161486	0
173	Effect of Er ion substitution on the micro-structural and electrical properties using a polymeric precursor method in PZT52/48 ceramics. 2022 , 160, 110375	
172	Synthesis and properties of lead-free BNT-BT-xCZ ceramics as high-temperature dielectrics. 2022 , 145, 111560	3
171	Effects of sintering temperature on microstructure, initial permeability and electric behaviour of Ni-Mn-Zn ferrites. 2022 , 275, 125250	1

170	Opaque Gd ₂ Zr ₂ O ₇ /GdMnO ₃ thermal barrier materials for thermal radiation shielding: The effect of polaron excitation. 2022 , 100, 67-74	3
169	Ultrashort pulsed laser ablation of zirconia-alumina composites for implant applications. 2022 , 299, 117335	6
168	Study of structural, dielectric, and impedance properties of lead-free Zr and Y Co-doped BaTiO ₃ . 2022 , 275, 125241	1
167	The Influence of Minor Additives on Densification and Microstructure of Submicrometer Alumina Ceramics Prepared by SPS and HIP. 193-204	2
166	Nano-Processing for Larger Fine-Grained Windows of Transparent Spinel. 167-182	6
165	Discrimination of Basic Influences on the Ballistic Strength of Opaque and Transparent Ceramics. 161-176	9
164	Microstructures and Fracture Behaviors at High Temperatures for Al ₂ O ₃ -SiC Nanocomposites. 1992 , 165-178	13
163	Fracture of W ₂ C and W ₂ C-Fe ₃ O ₄ -5v/o Fe Versus Grain Size. 1974 , 527-539	2
162	Influence of MgO on the Evolution of the Microstructure of Alumina. 1975 , 443-453	7
161	Superplastic Deformation of Zirconia/Alumina Composites Produced by Reaction Bonding. 1995 , 333-341	1
160	Microstructure Development During Sintering of Ultra Fine Grained Y-TZP. 1989 , 325-335	2
159	Tetragonal zirconia stabilization in the system ZrO ₂ -TiO ₂ -CeO ₂ . 1989 , 134-140	1
158	THE REDUCTION OF EROSION WEAR RATES OF ADVANCED TECHNICAL CERAMICS. 1994 , 239-252	1
157	HIPing of conventional Si ₃ N ₄ and ultrafine SiC powder mixtures. 1994 , 363-371	1
156	The Influence of Traces of Sb and Zr on Creep and Creep Fracture of Ni-20% Cr. 1982 , 649-654	1
155	Fabrication design for a high-quality laser diode-based ceramic converter for a laser headlamp application. 2018 , 44, 1182-1186	25
154	Fabrication, microstructure and laser performance of Yb ³⁺ doped CaF ₂ -YF ₃ transparent ceramics. 2020 , 46, 19530-19536	12
153	In vitro cyclic fatigue and hydrothermal aging lifetime assessment of yttria-stabilized zirconia dental ceramics. 2020 , 40, 4647-4654	3

152	Orienting anisometric pores in ferroelectrics: Piezoelectric property engineering through local electric field distributions. 2019 , 3,		5
151	Effect of Grain-Size Distribution on the Barrier Voltage of ZnO Varistors. 1987 , 2, 841-847		22
150	Properties of MgO transparent ceramics prepared at low temperature using high sintering activity MgO powders. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 5382-5391	3.8	4
149	Study of Structural and Electric Properties of the PZT 52/48 Doped With Er ³⁺ . 2019 , 22,		6
148	Sintering of tin oxide and its applications in electronics and processing of high purity optical glasses. 2001 , 47, 117-123		7
147	Mecanoscintese do composto BiFeO ₃ . 2008 , 54, 338-344		2
146	The effect of Cr concentration and preparation method on the microstructure and electrical characterization of SnO ₂ -based ceramics. 2003 , 6, 457-461		4
145	Design of experiment approach for sintering study of nanocrystalline SiC fabricated using plasma pressure compaction. 2009 , 41, 125-133		7
144	Fabrication of Meta-Stable Monoclinic Zirconia Ceramics with a High Density Using a Piston-Cylinder Type High-Pressure Apparatus. 2006 , 55, 258-263		6
143	Three-Dimensional Coordination Number from Two-Dimensional Measurements: A New Method. 1986 , 32, 391-396		2
142	The Role of CeO ₂ in the High Electric Field ZnO Varistors. 2006 , 6, 1671-1678		5
141	Superplastic deformation in carbonate apatite ceramics under constant compressive loading for near-net-shape production of bioresorbable bone substitutes. 2008 , 27, 93-8		2
140	Solid-state sintering mechanism of blended elemental Ti-6Al-4V powders. 2018 , 25, 109-119		2
139	Effects of High Energy Ball Milling on the Piezoelectric Properties of Lead-free (K _{0.44} Na _{0.52})(Nb _{0.86} Ta _{0.10})-0.04LiSbO ₃ Ceramics. 2008 , 45, 363-367		9
138	Structural and Magnetic Properties of Cr-Zn Nanoferrites Synthesized by Chemical Co-Precipitation Method. 2019 , 56, 474-482		6
137	Structural and Magnetic Properties of Mn _{1-x} Zn _{0.50} Cu _x Fe ₂ O ₄ . 2013 , 04, 831-838		
136	The Influence of Alumina Distributions upon Scavenging Highly Resistive Grain-boundary Phase of 8 mol % Yttria-stabilized Zirconia. 2000 , 68, 427-432		6
135	Influence of Zn ²⁺ doping on the morphotropic phase boundary in lead-free piezoelectric (1-x)Na _{1/2} Bi _{1/2} TiO ₃ -xBaTiO ₃ . <i>Journal of the American Ceramic Society</i> ,	3.8	0

- 134 Robocasting of dense zirconia parts using commercial yttria-stabilized zirconia granules and ultrafine particles. Paste preparation, printing, mechanical properties. **2021**, 48, 1936-1936 4
- 133 Properties of alumina 10 vol% zirconia composites—the role of zirconia starting powders. **2021**, 426, 127783 0
- 132 A comprehensive study on the mechanical properties of Yb₂SiO₅ as a potential environmental barrier coating. **2021**, 426, 127783 1
- 131 Introduction to Grain and Particle Effects on Ceramic and Ceramic Composite Properties. **2000**, 1-42 0
- 130 Hydrothermal Stability of Zirconia Ceramics. **2002**, 39, 190-193
- 129 Influence of nano-structural feature of M_{0.25}Ce_{0.75}O_{1.875} (M=Gd, Yb, Y) solid electrolytes on their electronic properties. **2007**, 32, 943-946 1
- 128 Sintering behavior of M_{0.25}Ce_{0.75}O_{1.875} (M=Dy, Gd) ceramics fabricated using pulsed electric current sintering method. **2007**, 32, 947-950
- 127 Investigation of the effect of microstructure on the conductivity of Sm₂O₃ and Y₂O₃-doped BaCeO₃ in various atmospheres. **2007**, 32, 959-962
- 126 Low Temperature Sintering and Microwave Dielectric Properties of 0.85CaWO₄-0.15LnNbO₄ (Ln = La, Sm) Ceramics. **2007**, 17, 442-446 1
- 125 Sintering and Electrical Properties of Mn-doped ZnO-TeO₂ Ceramics. **2009**, 22, 22-28
- 124 Preparation of Low-Loss Titanium Dioxide for Microwave Frequency Applications. 59-65
- 123 High Temperature Mechanical Loss of Nanostructured Yttria Stabilized Zirconia (3Y-TZP) Reinforced with Carbon Nanotubes. 79-85
- 122 Sintering and Electrical Properties of Cr₂O₃-doped ZnO. **2010**, 23, 875-879
- 121 Simultaneous Grain Growth of CaO and MgO Phases during Sintering of Two Phase Mixtures. **1988**, 85-90
- 120 Nd-Ce-TZP Powders and Ceramics: Hydrothermal Preparation of High Quality Powders from Sulphate Precursors. **1992**, 229-236
- 119 Effect of HIP on slip-cast superplastic ceramics. **1994**, 435-442
- 118 Absence of Microwave Effect in Ceramics: Precise Temperature, Thermal Gradient, and Densification Determination in A Proportional-Power Microwave Furnace. **1998**, 471-486
- 117 Glass phase expelling during liquid phase sintering of YSZ. **1998**, 1, 53-58 1

116	The Role of Liquid Phase on Microstructure Development and Mechanical Properties in Ceramic Tiles for Interior Wall Facing. 393-401	
115	Experimental Procedure. 2016 , 65-75	
114	Sintering and the Optical Properties of Mn ₃ O ₄ -added Al ₂ O ₃ . 2016 , 29, 539-545	1
113	Introduction to Metallographic Technique. 2018 , 25-37	
112	Solid-state sintering mechanism of blended elemental Ti-6Al-4V powders. 2018 , 25, 109-119	
111	Influence of Yttria-Stabilized Zirconia on Microstructure and Electrical Properties of Doped Lanthanum Gallate. 2019 , 22,	0
110	The Sliding Wear Response of High-Performance Cermets. 2019 , 2249-2290	
109	BaTiO ₃ -Based Thermistor Hollow Fibers Prepared using a Phase Inversion Spinning Process for Energy Efficient Gas Sorption. 2021 , 42, 981-981	0
108	Relationship between the structure and microwave dielectric properties of garnet ceramics Ca ₃ B ₂ GeV ₂ O ₁₂ (B = Mg, Mn). 2021 ,	0
107	Fabrication and optical characterizations of PrF ₃ -doped SrF ₂ transparent ceramics. 2021 , 122, 111710	1
106	Influence of processing parameters on the ferroelectric-relaxor crossover in BNT-based piezoelectric ceramics. 2021 , 130, 184102	
105	Novel transparent ZnO:Al ₂ O ₃ ceramics prepared by reactive hot isostatic pressing. 2021 ,	1
104	Fabrication of Dense ZrO ₂ -Al ₂ O ₃ Ceramics by Pressure-less Sintering Using Neutralization Co-Precipitated Powders with Cellulose Nano-Fiber. 2020 , 67, 381-390	
103	Electrical and Ferroelectric Properties of Undoped and Er-Doped PZT _{52/48} Electroceramics Synthesized by a Polymeric Precursor Method. 25,	
102	(Ce, Gd):YAG-Al ₂ O ₃ composite ceramics for high-brightness yellow light-emitting diode applications. 2022 , 42, 1121-1131	0
101	Comparison of Precursor Preparation Routes on Final Density of YFeO Garnets Prepared via Reactive Sintering. 2021 , 14,	1
100	Mechanical properties and yield strength modeling of a medium entropy alloy containing L12 precipitates. 2021 , 898, 162923	0
99	Grain-size-insensitive dielectric properties of Sr _{0.6} Ba _{0.4} Nb ₂ O ₆ relaxor ferroelectric ceramics with tetragonal tungsten bronze structure. 2021 , 48, 6819-6819	0

- 98 Densification of copper oxide doped alumina toughened zirconia by conventional sintering. **2021**, 0
- 97 Residual stress and domain switching in freeze cast porous barium titanate. **2021**, 1
- 96 Unveiling the strengthening effect of LPSO phase in a Mg-Y-Zn alloy. **2022**, 311, 131524 0
- 95 Investigation of the mechanical properties of MnSi via EBSD-nanoindentation coupling and ab-initio calculation. **2022**, 900, 163458 0
- 94 The Influence of Er³⁺ Addition on the Microstructure and Electrical Performance of ZnO-Bi₂O₃ Based Varistors. 0
- 93 Spark Plasma Sintering of WC-Based 10wt%Co Hard Alloy: A Study of Sintering Kinetics and Solid-Phase Processes.. **2022**, 15, 1
- 92 Oxidation extent of the upper mantle by subducted slab and possible oxygen budget in deep Earth inferred from redox kinetics of olivine. 0
- 91 The effects of dual-doping and fabrication route on the thermoelectric response of calcium cobaltite ceramics. **2022**, 902, 163819 1
- 90 Sintering and microstructure evolution of Er_{1.5}Y_{1.5-x}Sc_x+yAl_{5-y}O₁₂ garnet ceramics with scandium in dodecahedral and octahedral sites. **2022**, 42, 2464-2477 0
- 89 Few-layered-graphene/zirconia composites: Single-step powder synthesis, spark plasma sintering, microstructure and properties. **2022**, 42, 2349-2361 0
- 88 Estimate microstructure development from sintering shrinkage: a kinetic field approach. **2022**, 103269 0
- 87 Doping of alumina ceramics by manganese - thermodynamical and experimental approach. **2022**, 16, 13-21 0
- 86 Effect of Total Pressure Difference on Counter Transport of Gases with Different Molecular Weights Through Solid Oxide Fuel Cell Anode. 0
- 85 Gelcast zirconia ceramics for dental applications combining high strength and high translucency. *Journal of the American Ceramic Society*, **2022**, 105, 3909-3924 3.8 1
- 84 Effect of carbonate content on the in vitro bioactivity of carbonated hydroxyapatite. **2022**, 0
- 83 Luminescent Dy³⁺ and Dy³⁺/Cr³⁺ doped transparent Al₂O₃ ceramics: Microstructure and optical properties. **2022**, 0
- 82 Optimization of Alumina Ceramics Corrosion Resistance in Nitric Acid.. **2022**, 15, 0
- 81 Ultra-fast high-temperature sintering of strontium titanate. **2022**, 231, 117918 2

80	Multiscale modeling of ferroelectrics with stochastic grain size distribution. 1045389X2110643	0
79	Transmittance predictions for transparent alumina ceramics based on the complete grain size distribution or a single mean grain size replacing the whole distribution. 2022,	1
78	Impedance spectroscopy and conduction mechanism of xNi.50Zn.40Mn.10Fe2O4.(1-x)Bi0.9La0.1Fe0.93Eu0.07O3 composites. 2022, 114784	
77	Highly transparent MgAl0.5Ga1.5O4 ceramic for overcoming the trade-off between infrared transmittance and mechanical properties. 2022, 216, 114756	0
76	Reactive Sintering of Dysprosium-Iron Garnet via a Perovskite-Hematite Solid State Reaction and Physical Properties of the Material.. 2022, 15,	
75	Characterization of structure and chemical bond in high-Q microwave dielectric ceramics LiM2GaTi2O8 (M' = Mg, Zn). 2022,	0
74	Microstructure-property relationships in composites of 8YSZ ceramics and in situ graphitized nanocellulose. 2022,	
73	1Yb-2Sm-TZP, a new co-stabilized zirconia material with high toughness and low temperature degradation resistance. 2022,	0
72	Tuning of high-temperature dielectric properties in the system (Bi0.5Na0.5)TiO3âBaTiO3âCaZrO3. 2022,	
71	Influence of yttrium oxide addition on the characteristics of SnO2 based ceramics. 2022, 414010	
70	Modification of barium titanate sintering via rare earth oxides addition: Dilatometric and microstructural study. 2022,	2
69	Abnormal grain growth in DC flash sintered 3 mol% yttria-stabilized zirconia ceramics. <i>Journal of the American Ceramic Society,</i>	3.8 0
68	Grain growth during capsule-free hot isostatic pressing. 2022,	
67	Characterization of crystal structure, electrical and electromechanical properties of Mg-doped 0.94Na1/2Bi1/2TiO3-0.06BaTiO3. 2022,	0
66	Influence of calcium doping concentration on the performance of Ce,Ca:LuAG scintillation ceramics. 2022,	0
65	The effect of microstructure on the initial permeability of Ni-Zn ferrite. 2022, 560, 169581	
64	Effects of Dispersant on Electrical Properties of Zinc-Oxide Varistors and Methods to Improve Protection Performance.	
63	Ce3+ doped Lu3Al5O12 ceramics prepared by spark plasma sintering technology using micrometre powders: microstructure, luminescence, and scintillation properties. 2022,	1

- 62 Noteworthy Differences Between Vertical and Horizontal Sintering of Ceramic Samples. **2022**, 166309 ○
- 61 Ti doping and low-temperature sintering of BiFeO₃ nanoparticles synthesized by the solvothermal method. **2022**, ○
- 60 Low-temperature degradation behaviour of microwave sintered CuO-doped Y-TZP ceramics. **2022**, ○
- 59 Investigation into the high permittivity [(K_{0.5}Bi_{0.5})_{1-x}Bi_x] (0 ≤ x ≤ 0.1) ceramic sintered at low temperature. **2022**, 130, 493-497 ○
- 58 Effect of total pressure difference on counter transport of gases with different molecular weights through solid oxide fuel cell anode. **2022**, 542, 231811 1
- 57 3D printed zirconia dental implants with integrated directional surface pores combine mechanical strength with favorable osteoblast response. **2022**, 1
- 56 Grain Growth and Microstructure of Silver Film Doped Finite Glass on Ferrite Substrates at High Annealing Temperature. **2022**, 96, 1519-1524 ○
- 55 Self-assembly of graphene reinforced ZrO₂ composites with deformation-sensing performance. **2022**, ○
- 54 One-step synthesis and densification uniform BaZr_{0.1}Ce_{0.7}Y_{0.1}Yb_{0.1}O_{3-δ} by step-wise current reactive flash sintering. **2022**, ○
- 53 Effects of Ba²⁺ doping on microstructure and properties of PLMNT electro-optic ceramics fabricated by hot-pressed sintering process. **2022**, ○
- 52 The apparent difference in microwave dielectric properties of Ca₃MZnGe₃O₁₂ (M = Zr, Sn) garnets originating from compression and rattling effects. ○
- 51 In-situ synthesis of gadolinium niobate quasi-binary composites with balanced mechanical and thermal properties for thermal barrier coatings. 1
- 50 Effects of doping Al-metal powder on thermal, mechanical and dielectric properties of AlN ceramics. **2022**, ○
- 49 Microstructure, luminescence and thermoluminescence of laser-sintered polycrystalline ceramic YAG:Ce scintillators. **2022**, 251, 119206 ○
- 48 Electric field-assisted in situ fabrication of carbon/zirconia nanocomposites with tunable conductivity for electromagnetic interference shielding applications. **2022**, 246, 110254 ○
- 47 Tuning the order-disorder of Zn₂Li Ga₄O₈ spinel towards high-performance microwave dielectric ceramic. **2022**, 927, 167026 ○
- 46 Effect of sintering additives on the densification and dielectric properties of Sr_{0.5}Ba_{0.5}Nb₂O₆ ceramics synthesized by a soft-chemistry method. **2022**, 316, 123564 ○
- 45 Characterization by electron probe microanalysis, Raman spectroscopy and transmission electron microscopy of a MOX fuel sintered from a freeze-granulated powder. **2022**, 42, 7237-7246 ○

- 44 Novel fabrication of honeycomb-like magnetocaloric regenerators via a self-organization process. **2023**, 223, 115067
- 43 Pressureless sintering of yttria-gadolinia co-stabilized zirconia. **2022**,
- 42 Estimating the Lognormal Size Distribution of Spheres by Plane Sampling. **2022**, 53, 3507-3511
- 41 Correlation with the Microstructure and Synergistic Physiochemical Etching Resistance of Nanocomposites under Fluorine-Containing Plasma Conditions. **2022**, 14, 43771-43782
- 40 Tuning of microwave dielectric properties of garnets $\text{Ca}_3\text{Mg}_2\text{CV}_2\text{O}_{12}$ (C = Si, Ti) through compression and expansion effects. **2022**,
- 39 Effect of Microstructure on Photo-Induced Current Characteristics of Eu^{2+} -Doped SrAl_2O_4 . **2022**, 15, 6254
- 38 A comprehensive study on the processing of Co:ZnO nanostructured ceramics: Defect chemistry engineering and grain growth kinetics. **2022**,
- 37 Temperature Dependency of Piezoelectric Properties in $0.99\text{Pb}(\text{Zr}_{0.53}\text{Ti}_{0.47})\text{O}_3\text{-}0.01\text{Bi}(\text{Y}_{1-x}\text{Fex})\text{O}_3$ Ceramics for Application of Energy-Harvesting Devices.
- 36 Grain size analysis and characterization by Raman spectroscopy of a homogeneous sintered MOX fuel. **2022**, 42, 7553-7560
- 35 Contrasting microwave dielectric properties of zircon-structured AEuV_2O_8 (A = Bi, La) ceramics. **2022**, 42, 7461-7467
- 34 Study of sintering mechanisms of Ca-doped yttrium aluminum garnet ceramics: From nanostructure to macroscopic behaviour. **2022**,
- 33 The wear resistance of Ni alumina and NiAl_2O_4 alumina nanocomposites. **2022**,
- 32 Fabrication of highly transparent thulium-doped Al_2O_3 nanocrystalline ceramics with broadband emission at 1.8 μm . **2022**, 133, 113082
- 31 Effects of Processing Strategies and La+Sm Co-Doping on the Thermoelectric Performance of A-Site-Deficient SrTiO_3 -Ceramics. **2022**, 12, 1622
- 30 Effects of YH_2 addition on pressureless sintered AlN ceramics. **2022**,
- 29 Temperature effect on elastic and fracture behaviour of lead-free piezoceramic BaTiO_3 . **2022**,
- 28 Properties of Na-beta-alumina solid electrolyte with sodium bromide as the additive. **2022**,
- 27 Microchemical homogeneity and quenching-induced property enhancement in $\text{BiFeO}_3\text{-BaTiO}_3$ ceramics. **2023**, 13, 100322

- 26 Statistical Optimisation of Chemical Stability of Hybrid Microwave-Sintered Alumina Ceramics in Nitric Acid. **2022**, 15, 8823 ○
- 25 Rapidly fabricating Y₂O₃ transparent ceramics at low temperature by SPS with mesoporous powder. ○
- 24 Grain growth modeling for gas pressure sintering of silicon nitride based ceramics. **2022**, 105189 ○
- 23 Properties of sintered zinc hydroxyapatite bioceramic prepared using waste chicken eggshells as calcium precursor. **2022**, ○
- 22 Low temperature degradation of Yb₂SiO₅ in high humidity environment. **2022**, ○
- 21 Nanocrystalline Mn-doped Ni₂Fe ferrites with a high cut-off frequency and initial permeability: Suitable for advanced electronic devices and biomedical applications. **2023**, 297, 127322 ○
- 20 Effect of excess Na₂O on the sintering behavior and properties of sodium beta-alumina solid electrolyte. **2023**, 34, 105203 ○
- 19 Novel ultra-low loss and low-fired Li₈Mg₃Ti₃O₉+F₂ microwave dielectric ceramics for resonator antenna applications. **2023**, ○
- 18 Mechanical behaviour of Y-TZP consolidated at various temperatures. **2023**, ○
- 17 Optical and photoluminescence studies of CoFe₂O₄ nanoparticles deposited on different substrates. **2023**, 55, ○
- 16 Electric Current-Assisted Sintering of 8YSZ: A Comparative Study of Ultrafast High-Temperature Sintering and Flash Sintering. 2300145 ○
- 15 Low-yttria doped zirconia: Bridging the gap between strong and tough ceramics. **2023**, ○
- 14 Fabrication and properties of highly transparent Er₂O₃ ceramics with ZrO₂ additive by vacuum sintering. **2023**, 49, 16494-16498 ○
- 13 Modeling of SrTiO₃ polycrystalline substrate grain growth for tuning thin film functional properties. **2023**, 32, 101818 ○
- 12 Preparation and optical properties of highly transparent MgAl_{1.9}Ga_{0.1}O₄ ceramics via aqueous gel-casting method. **2023**, 43, 4506-4516 ○
- 11 A novel low-temperature sintering microwave dielectric ceramic Li₄SrCaSi₂O₈ with low- ϵ'' and low loss. **2023**, ○
- 10 Microwave sintering of CuO-doped Y-TZP ceramics. **2023**, ○
- 9 Texture, elastic anisotropy and thermal stability of commercially pure titanium prepared by room temperature ECAP. **2023**, 226, 111678 ○

- 8 Experimental and Numerical Studies of Densification and Grain Growth of 8YSZ during Flash Sintering. 2201744 ○
- 7 Control of the nanostructure of MgO–ZrO₂ composite ceramics using two-step sintering for high temperature mid infrared window applications. **2023**, 49, 18187-18194 ○
- 6 The effect of the amount and size of alumina sintering aid particles on some mechanical properties and microstructure of silicon carbide bulky pieces via spark plasma sintering. **2023**, ○
- 5 Microwave-assisted debinding of Al₂O₃ parts printed by stereolithography. **2023**, 49, 18343-18352 ○
- 4 Effect of grain size on amorphization mechanism and kinetics of bridgmanite in shocked meteorites. ○
- 3 Highly transparent polycrystalline Gd₂O₃ ceramic attained via ZrO₂ stabilization effect. **2023**, ○
- 2 Computer modeling of Young's modulus and thermal conductivity changes during sintering without shrinkage. **2023**, ○
- 1 Analysis of uniaxial viscosity and activation energy of deformation for 3Y-TZP by bending creep test. **2023**, ○