

Farideh Sadeghian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1040215/publications.pdf>

Version: 2024-02-01

30
papers

652
citations

759233

12
h-index

580821

25
g-index

31
all docs

31
docs citations

31
times ranked

1013
citing authors

#	ARTICLE	IF	CITATIONS
1	SARS-CoV2 among Health Sector Workers and Related Factors in a Referral Hospital in Northeast of Iran: A Retrospective Analysis. <i>Hospital Topics</i> , 2022, 100, 35-43.	0.5	1
2	Injury burden in individuals aged 50 years or older in the Eastern Mediterranean region, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>The Lancet Healthy Longevity</i> , 2022, 3, e253-e262.e4.	4.6	6
3	COVID-19 epidemic effects on sleep quality among health sector workers: A follow up study. <i>Chronobiology International</i> , 2022, 39, 1015-1026.	2.0	6
4	Mortality and Years of Life Lost due to Burn Injury Among Older Iranian People; a Cross-Sectional study.. <i>Archives of Academic Emergency Medicine</i> , 2022, 10, e31.	0.4	1
5	Patterns of change of multisite pain over 1-year of follow-up and related risk factors. <i>European Journal of Pain</i> , 2022, 26, 1499-1509.	2.8	5
6	The Trend of Interpersonal Violence Mortality at National and Provincial Levels in Iran From 1990 to 2015. <i>Journal of Interpersonal Violence</i> , 2021, 36, 10239-10266.	2.0	6
7	The impact of data quality assurance and control solutions on the completeness, accuracy, and consistency of data in a national spinal cord injury registry of Iran (NSCIR-IR). <i>Spinal Cord Series and Cases</i> , 2021, 7, 51.	0.6	1
8	Trends in the drowning mortality rate in Iran. <i>Injury Prevention</i> , 2020, 26, 351-359.	2.4	4
9	The trend of fall-related mortality at national and provincial levels in Iran from 1990 to 2015. <i>International Journal of Injury Control and Safety Promotion</i> , 2020, 27, 403-411.	2.0	2
10	Associations of sickness absence for pain in the low back, neck and shoulders with wider propensity to pain. <i>Occupational and Environmental Medicine</i> , 2020, 77, 301-308.	2.8	6
11	Association of Social Determinants of Health and Road Traffic Deaths: A Systematic Review. <i>Bulletin of Emergency and Trauma</i> , 2020, 8, 211-217.	0.0	0
12	National Spinal Cord Injury Registry of Iran (NSCIR-IR) – a critical appraisal of its strengths and weaknesses. <i>Chinese Journal of Traumatology - English Edition</i> , 2019, 22, 300-303.	1.4	8
13	Determinants of international variation in the prevalence of disabling wrist and hand pain. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 436.	1.9	9
14	The trend of burn mortality in Iran – A study of fire, heat and hot substance-related fatal injuries from 1990 to 2015. <i>Burns</i> , 2019, 45, 228-240.	1.9	13
15	A prospective study of psychomotor performance of driving among two kinds of shift work in Iran. <i>Electronic Physician</i> , 2018, 10, 6417-6425.	0.2	3
16	Do Hands-Free Cell Phone Conversation While Driving Increase the Risk of Cognitive Distraction Among Drivers? A Cross-Over Quasi-Experimental Study. <i>Iranian Red Crescent Medical Journal</i> , 2018, 20, .	0.5	2
17	Epidemiological Differences Between Localized and Nonlocalized Low Back Pain. <i>Spine</i> , 2017, 42, 740-747.	2.0	18
18	Classification of neck/shoulder pain in epidemiological research. <i>Pain</i> , 2016, 157, 1028-1036.	4.2	44

#	ARTICLE	IF	CITATIONS
19	Descriptive Epidemiology of Somatising Tendency: Findings from the CUPID Study. PLoS ONE, 2016, 11, e0153748.	2.5	12
20	Predictors of low back pain in a longitudinal study of Iranian nurses and office workers. Work, 2015, 51, 239-244.	1.1	12
21	Psychosocial Factors and Musculoskeletal Pain Among Rural Hand-woven Carpet Weavers in Iran. Safety and Health at Work, 2015, 6, 120-127.	0.6	28
22	Psychosocial and Individual Characteristics and Musculoskeletal Complaints Among Clinical Laboratory Workers. International Journal of Occupational Safety and Ergonomics, 2014, 20, 355-361.	1.9	16
23	Do Psychological Factors Increase the Risk for Low Back Pain Among Nurses? A Comparing According to Cross-sectional and Prospective Analysis. Safety and Health at Work, 2014, 5, 13-16.	0.6	27
24	Persistent of Neck/Shoulder Pain among Computer Office Workers with Specific Attention to Pain Expectation, Somatization Tendency, and Beliefs. International Journal of Preventive Medicine, 2014, 5, 1169-77.	0.4	8
25	Patterns of multisite pain and associations with risk factors. Pain, 2013, 154, 1769-1777.	4.2	133
26	Disabling musculoskeletal pain in working populations: Is it the job, the person, or the culture?. Pain, 2013, 154, 856-863.	4.2	139
27	International variation in absence from work attributed to musculoskeletal illness: findings from the CUPID study. Occupational and Environmental Medicine, 2013, 70, 575-584.	2.8	54
28	Predictors of Incident and Persistent Neck/Shoulder Pain in Iranian Workers: A Cohort Study. PLoS ONE, 2013, 8, e57544.	2.5	22
29	The CUPID (Cultural and Psychosocial Influences on Disability) Study: Methods of Data Collection and Characteristics of Study Sample. PLoS ONE, 2012, 7, e39820.	2.5	58
30	Musculoskeletal Disorders among Oil Field Workers: Influences of Health Beliefs, Mental Health and Somatisation Tendency. Journal of Medical Sciences (Faisalabad, Pakistan), 2012, 12, 114-120.	0.0	2