

Kianoush Sheykholeslami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10546063/publications.pdf>

Version: 2024-02-01

18
papers

643
citations

687363

13
h-index

839539

18
g-index

18
all docs

18
docs citations

18
times ranked

594
citing authors

#	ARTICLE	IF	CITATIONS
1	Sound Sensitivity of the Sacculae for Low Frequencies in Healthy Adults. <i>ISRN Otolaryngology</i> , 2013, 2013, 1-6.	0.9	11
2	A New Mutation of the Atoh1 Gene in Mice with Normal Life Span Allows Analysis of Inner Ear and Cerebellar Phenotype in Aging. <i>PLoS ONE</i> , 2013, 8, e79791.	2.5	9
3	Vestibular Hearing and Speech Processing. <i>ISRN Otolaryngology</i> , 2012, 2012, 1-7.	0.9	11
4	Metastasis of untreated head and neck cancer to percutaneous gastrostomy tube exit sites. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2012, 33, 774-778.	1.3	20
5	Vestibular Evoked Myogenic Potentials in Normal Mice and Phex Mice With Spontaneous Endolymphatic Hydrops. <i>Otology and Neurotology</i> , 2009, 30, 535-544.	1.3	21
6	Protection Against Aminoglycoside-induced Ototoxicity by Regulated AAV Vector-mediated GDNF Gene Transfer Into the Cochlea. <i>Molecular Therapy</i> , 2008, 16, 474-480.	8.2	39
7	Vestibular Evoked Myogenic Potentials in Infancy and Early Childhood. <i>Laryngoscope</i> , 2005, 115, 1440-1444.	2.0	79
8	Sacculo-collic pathway dysfunction accompanying auditory neuropathy. <i>Acta Oto-Laryngologica</i> , 2005, 125, 786-791.	0.9	20
9	Specific and efficient transduction of cochlear inner hair cells with recombinant adeno-associated virus type 3 vector. <i>Molecular Therapy</i> , 2005, 12, 725-733.	8.2	105
10	Vestibular-evoked myogenic potentials in three patients with large vestibular aqueduct. <i>Hearing Research</i> , 2004, 190, 161-168.	2.0	82
11	Binaural interaction of bone-conducted auditory brainstem responses in children with congenital atresia of the external auditory canal. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2003, 67, 1083-1090.	1.0	8
12	The otolithic organ as a receptor of vestibular hearing revealed by vestibular-evoked myogenic potentials in patients with inner ear anomalies. <i>Hearing Research</i> , 2002, 165, 62-67.	2.0	44
13	Electrophysiological measures of auditory function in the neurofilament-deficient mutant quail (Quv). <i>Hearing Research</i> , 2001, 153, 115-122.	2.0	6
14	Auditory nerve fiber differences in the normal and neurofilament deficient Japanese quail. <i>Hearing Research</i> , 2001, 159, 117-124.	2.0	16
15	Frequency sensitivity range of the sacculae to bone-conducted stimuli measured by vestibular evoked myogenic potentials. <i>Hearing Research</i> , 2001, 160, 58-62.	2.0	67
16	The effect of sternocleidomastoid electrode location on vestibular evoked myogenic potential. <i>Auris Nasus Larynx</i> , 2001, 28, 41-43.	1.2	66
17	Bone-conducted vestibular evoked myogenic potentials in patients with congenital atresia of the external auditory canal. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2001, 57, 25-29.	1.0	16
18	An isolated and sporadic auditory neuropathy (auditory nerve disease): report of five patients. <i>Journal of Laryngology and Otology</i> , 2001, 115, 530-4.	0.8	23