Su-Kil Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1073288/publications.pdf

Version: 2024-02-01

567281 713466 66 634 15 21 citations h-index g-index papers 1109 69 69 69 all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	Hepatocellular carcinoma and cancer-related mortality after kidney transplantation with rituximab treatment. Annals of Surgical Treatment and Research, 2022, 102, 55.	1.0	2
2	Parathyroidectomy versus cinacalcet in the treatment of tertiary hyperparathyroidism after kidney transplantation: a retrospective study. Kidney Research and Clinical Practice, 2022, 41, 473-481.	2.2	4
3	Increasing prescription of renin–angiotensin–aldosterone system blockers associated with improved kidney prognosis in Korean IgA nephropathy patients. CKJ: Clinical Kidney Journal, 2021, 14, 1673-1680.	2.9	O
4	Disparity in Accessibility to and Prognosis of Kidney Transplantation According to Economic Inequality in South Korea: A Widening Gap After Expansion of Insurance Coverage. Transplantation, 2021, 105, 404-412.	1.0	7
5	Incident Parkinson's disease in kidney transplantation recipients: a nationwide population-based cohort study in Korea. Scientific Reports, 2021, 11, 10541.	3.3	1
6	Pure T-cell mediated rejection following kidney transplant according to response to treatment. PLoS ONE, 2021, 16, e0256898.	2.5	4
7	Development of hypertension after live kidney donation. Korean Journal of Transplantation, 2021, 35, S65-S65.	0.1	0
8	Economic change and graft outcome in kidney transplant recipients: a nationwide study of Korea. Korean Journal of Transplantation, 2021, 35, S2-S2.	0.1	0
9	Impact of kidney donation on changing in physical, emotional, and socioeconomic status. Korean Journal of Transplantation, 2021, 35, S91-S91.	0.1	O
10	Clinical characteristics of antibody-mediated rejections with C1q-binding and without C1-binding donor-specific antibodies. Korean Journal of Transplantation, 2021, 35, S72-S72.	0.1	0
11	Hyperacute rejection in ABO-incompatible kidney transplantation: Significance of isoagglutinin subclass. Transplant Immunology, 2021, 69, 101484.	1.2	0
12	Red blood cell distribution width as a predictor of mortality among patients regularly visiting the nephrology outpatient clinic. Scientific Reports, 2021, 11, 24310.	3.3	4
13	Efficacy and Safety of CKD-11101 (Proposed Biosimilar of Darbepoetin-Alfa) Compared with Darbepoetin-Alfa in Patients on Hemodialysis: A Randomized, Double-Blinded, Parallel-Group Phase III Study. BioDrugs, 2020, 34, 99-110.	4.6	2
14	Pneumocystis pneumonia occurrence and prophylaxis duration in kidney transplant recipients according to perioperative treatment with rituximab. BMC Nephrology, 2020, 21, 93.	1.8	13
15	The usefulness of quantitative interferon-gamma releasing assay response for predicting active tuberculosis in kidney transplant recipients: A quasi-experimental study. Journal of Infection, 2020, 81, 403-410.	3.3	8
16	Glomerular hyperfiltration is associated with dementia: A nationwide population-based study. PLoS ONE, 2020, 15, e0228361.	2.5	11
17	Long-Term Outcome of Live Kidney Donation in South Korea. Annals of Transplantation, 2020, 25, e923065.	0.9	4
18	Acute Rejection and Infectious Complications in ABO- and HLA-Incompatible Kidney Transplantations. Annals of Transplantation, 2020, 25, e927420.	0.9	7

#	Article	IF	CITATIONS
19	1106. The incidence and risk factors associated with varicella zoster virus infection in kidney transplant recipients after 1-month acyclovir prophylaxis in a CMV preemptive therapy era. Open Forum Infectious Diseases, 2020, 7, S583-S584.	0.9	0
20	Clinical significance of isoagglutinin titre with the current desensitization protocol in ABOâ€incompatible kidney transplantation. Nephrology, 2019, 24, 654-660.	1.6	7
21	Usefulness of mid-week hemoglobin measurement for anemia management in patients undergoing hemodialysis: a retrospective cohort study. BMC Nephrology, 2019, 20, 295.	1.8	1
22	SP214Postoperative acute kidney injury and intraoperative mean arterial pressure variability $\hat{a} \in \hat{a}$ multi-cohort observational study. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
23	SP259POST-DISCHARGE LONG-TERM OUTCOMES OF THE DIALYSIS-REQUIRING ACUTE KIDNEY INJURY DURING THE PERIOPERATIVE PERIOD OF LIVER TRANSPLANTATION. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
24	FP388RISK OF TUBERCULOSIS IN PRE-DIALYSIS CHRONIC KIDNEY DISEASE AND ITS' ASSOCIATION WITH ESTIMATED GLOMERULAR FILTRATION RATE: A NATIONWIDE COHORT STUDY. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
25	FP367Significant urinary metabolites in the progression of chronic kidney disease. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
26	Possible beneficial association between renin-angiotensin-aldosterone-system blockade usage and graft prognosis in allograft IgA nephropathy: a retrospective cohort study. BMC Nephrology, 2019, 20, 354.	1.8	2
27	Epigallocatechin-3-gallate downregulates lipopolysaccharide signaling in human aortic endothelial cells by inducing ectodomain shedding of TLR4. European Journal of Pharmacology, 2019, 863, 172692.	3.5	8
28	Longâ€term impact of dialysisâ€requiring AKI during the perioperative period of liver transplantation on postdischarge outcomes. Clinical Transplantation, 2019, 33, e13649.	1.6	3
29	Clinical importance of the updated Oxford classification in allograft IgA nephropathy. American Journal of Transplantation, 2019, 19, 2855-2864.	4.7	17
30	Arginine vasopressin attenuates the effects of TNF- \hat{l}_{\pm} in aortic endothelial cells by inducing ectodomain shedding of TNF receptor 1. Biochemical and Biophysical Research Communications, 2019, 511, 780-786.	2.1	2
31	The results of HLAâ€incompatible kidney transplantation according to preâ€transplant crossmatch tests: Donorâ€specific antibody as a prominent predictor of acute rejection. Clinical Transplantation, 2019, 33, e13533.	1.6	14
32	Efficacy and safety of CKD-11101 (darbepoetin-alfa proposed biosimilar) compared with NESP in anaemic chronic kidney disease patients not on dialysis. Current Medical Research and Opinion, 2019, 35, 1111-1118.	1.9	3
33	Postdischarge long-term cardiovascular outcomes of intensive care unit survivors who developed dialysis-requiring acute kidney injury after cardiac surgery. Journal of Critical Care, 2019, 50, 92-98.	2.2	7
34	Glomerular crescents are associated with worse graft outcome in allograft IgA nephropathy. American Journal of Transplantation, 2019, 19, 145-155.	4.7	14
35	Comparison of Clinical Outcomes Between Preemptive Transplant and Transplant After a Short Period of Dialysis in Living-Donor Kidney Transplantation: A Propensity-Score-Based Analysis. Annals of Transplantation, 2019, 24, 75-83.	0.9	11
36	Clinical features and outcomes in kidney transplant recipients with renal cell carcinoma: a single-center study. Kidney Research and Clinical Practice, 2019, 38, 517-524.	2.2	2

#	Article	IF	CITATIONS
37	ADAM17-Mediated Ectodomain Shedding of Toll-Like Receptor 4 as a Negative Feedback Regulation in Lipopolysaccharide-Activated Aortic Endothelial Cells. Cellular Physiology and Biochemistry, 2018, 45, 1851-1862.	1.6	23
38	Impact of pretransplant donorâ€specific antibodies on kidney allograft recipients with negative flow cytometry crossâ€matches. Clinical Transplantation, 2018, 32, e13266.	1.6	17
39	Preoperative dipstick albuminuria and other urine abnormalities predict acute kidney injury and patient outcomes. Surgery, 2018, 163, 1178-1185.	1.9	11
40	Pregnancy in women with immunoglobulin A nephropathy: are obstetrical complications associated with renal prognosis?. Nephrology Dialysis Transplantation, 2018, 33, 459-465.	0.7	17
41	Postdischarge Major Adverse Cardiovascular Events of ICU Survivors Who Received Acute Renal Replacement Therapy. Critical Care Medicine, 2018, 46, e1047-e1054.	0.9	4
42	Risk Factors of Acute Rejection in Patients with BK Nephropathy After Reduction of Immunosuppression. Annals of Transplantation, 2018, 23, 704-712.	0.9	19
43	Ectodomain Shedding of RAGE and TLR4 as a Negative Feedback Regulation in High-Mobility Group Box 1-Activated Aortic Endothelial Cells. Cellular Physiology and Biochemistry, 2018, 51, 1632-1644.	1.6	19
44	Reduced Tacrolimus Trough Level Is Reflected by Estimated Glomerular Filtration Rate (eGFR) Changes in Stable Renal Transplantation Recipients: Results of the OPTIMUM Phase 3 Randomized Controlled Study. Annals of Transplantation, 2018, 23, 401-411.	0.9	4
45	Epidemiology of continuous renal replacement therapy in Korea: Results from the National Health Insurance Service claims database from 2005 to 2016. Kidney Research and Clinical Practice, 2018, 37, 119-129.	2.2	31
46	Outcomes of living donor kidney transplantation in diabetic patients: age and sex matched comparison with non-diabetic patients. Korean Journal of Internal Medicine, 2018, 33, 356-366.	1.7	12
47	Differential Characteristics of Kidney Transplant Recipients According to 1-Year Chronic Kidney Disease Stage 3a and Stage 3b Graft Function. Artificial Organs, 2017, 41, 381-391.	1.9	1
48	1,25-Dihydroxyvitamin D3 Attenuates the Effects of Lipopolysaccharide by Causing ADAM10-Dependent Ectodomain Shedding of Toll-Like Receptor 4. Cellular Physiology and Biochemistry, 2017, 41, 2104-2116.	1.6	14
49	Association between post-transplant red cell distribution width and prognosis of kidney transplant recipients. Scientific Reports, 2017, 7, 13755.	3.3	6
50	Risk factors and longâ€ŧerm outcomes of parvovirus B19 infection in kidney transplant patients. Transplant Infectious Disease, 2017, 19, e12754.	1.7	20
51	Diosgenin, an Activator of 1,25D3-MARRS Receptor/ERp57, Attenuates the Effects of TNF-α by Causing ADAM10-Dependent Ectodomain Shedding of TNF Receptor 1. Cellular Physiology and Biochemistry, 2017, 43, 2434-2445.	1.6	18
52	Incidence, characteristics, and treatment outcomes of mycobacterial diseases in transplant recipients. Transplant International, 2016, 29, 549-558.	1.6	34
53	Risk factors for new-onset diabetes mellitus after living donor kidney transplantation in Korea - a retrospective single center study. BMC Nephrology, 2016, 17, 106.	1.8	24
54	Highâ€dose steroid therapy in <scp>BK</scp> viremia adversely affected the longâ€term graft function after kidney transplantation. Transplant Infectious Disease, 2016, 18, 844-849.	1.7	5

#	Article	IF	CITATIONS
55	Analysis of 4000 kidney transplantations in a single center. Medicine (United States), 2016, 95, e4249.	1.0	34
56	Vitamin D-induced ectodomain shedding of TNF receptor 1 as a nongenomic action: D3 vs D2 derivatives. Journal of Steroid Biochemistry and Molecular Biology, 2016, 155, 18-25.	2.5	24
57	A postoperative 1-Year eGFR of More Than 45 ml/min May be the Cutoff Level for a Favorable Long-Term Prognosis in Renal Transplant Patients. Annals of Transplantation, 2016, 21, 439-447.	0.9	9
58	Risk Factors for Graft Failure and Death following Geriatric Renal Transplantation. PLoS ONE, 2016, 11, e0153410.	2.5	15
59	Differences of cytomegalovirus diseases between kidney and hematopoietic stem cell transplant recipients during preemptive therapy. Korean Journal of Internal Medicine, 2016, 31, 961-970.	1.7	19
60	Low dose of mycophenolate mofetil is enough in desensitized kidney transplantation using rituximab. BMC Nephrology, 2015, 16, 201.	1.8	7
61	Isoniazid treatment to prevent TB in kidney and pancreas transplant recipients based on an interferon-Î ³ -releasing assay: an exploratory randomized controlled trial. Journal of Antimicrobial Chemotherapy, 2015, 70, 1567-1572.	3.0	34
62	1,25-Dihydroxyvitamin D ₃ Causes ADAM10-Dependent Ectodomain Shedding of Tumor Necrosis Factor Receptor 1 in Vascular Smooth Muscle Cells. Molecular Pharmacology, 2015, 87, 533-542.	2.3	18
63	Secondary amyloidosis complication of Crohn disease treated with infliximab. Yeungnam University Journal of Medicine, 2015, 32, 102.	1.4	0
64	Ipsilateral leg swelling after renal transplantation as an alarming sign of Iliac vein stenosis. Kidney Research and Clinical Practice, 2014, 33, 217-221.	2.2	5
65	Dexamethasone regulates AP-1 to repress TNF-Â induced MCP-1 production in human glomerular endothelial cells. Nephrology Dialysis Transplantation, 2004, 19, 312-319.	0.7	32
66	Creatinine Clearance Is More Important Prognostic Factor Than ß2 Microglobulin in Multiple Myeloma Blood, 2004, 104, 4864-4864.	1.4	0