

Peter Godsk JÃrgensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10848079/publications.pdf>

Version: 2024-02-01

28
papers

994
citations

687363

13
h-index

552781

26
g-index

28
all docs

28
docs citations

28
times ranked

1624
citing authors

#	ARTICLE	IF	CITATIONS
1	Global Longitudinal Strain Is a Superior Predictor of All-Cause Mortality in Heart Failure With Reduced Ejection Fraction. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 1351-1359.	5.3	288
2	Global Longitudinal Strain by Echocardiography Predicts Long-Term Risk of Cardiovascular Morbidity and Mortality in a Low-Risk General Population. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	270
3	Global Longitudinal Strain Is Not Impaired in Type 1 Diabetes Patients Without Albuminuria. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 400-410.	5.3	86
4	Association between layer-specific global longitudinal strain and adverse outcomes following acute coronary syndrome. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1334-1342.	1.2	43
5	Abnormal echocardiography in patients with type 2 diabetes and relation to symptoms and clinical characteristics. <i>Diabetes and Vascular Disease Research</i> , 2016, 13, 321-330.	2.0	42
6	Prognostic Value of Cardiac Time Intervals by Tissue Doppler Imaging M-Mode in Patients With Acute ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 457-465.	2.6	39
7	Cholesterol remnants and triglycerides are associated with decreased myocardial function in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 137.	6.8	25
8	Presence of micro- and macroalbuminuria and the association with cardiac mechanics in patients with type 2 diabetes. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1034-1041.	1.2	23
9	Echocardiographic Predictors of Mortality in Women With Heart Failure With Reduced Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , 2018, 11, e008031.	2.6	20
10	The impact of cardiovascular risk factors on global longitudinal strain over a decade in the general population: the copenhagen city heart study. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1907-1916.	1.5	19
11	Global longitudinal strain corrected by RR interval is a superior predictor of all-cause mortality in patients with systolic heart failure and atrial fibrillation. <i>ESC Heart Failure</i> , 2018, 5, 311-318.	3.1	18
12	Prognostic Value of Left Atrial Functional Measures in Heart Failure With Reduced Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2019, 25, 87-96.	1.7	18
13	Burden of Uncontrolled Metabolic Risk Factors and Left Ventricular Structure and Function in Patients With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2018, 7, e008856.	3.7	16
14	Prognostic value of ratio of transmitral early filling velocity to early diastolic strain rate in patients with Type 2 diabetes. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 1171-1178.	1.2	15
15	Prognostic utility of diastolic dysfunction and speckle tracking echocardiography in heart failure with reduced ejection fraction. <i>ESC Heart Failure</i> , 2020, 7, 148-158.	3.1	11
16	Echocardiographic predictors of cardiovascular morbidity and mortality in women from the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 1026-1034.	1.2	10
17	Cardiac adaptation in hibernating, free-ranging Scandinavian Brown Bears (<i>Ursus arctos</i>). <i>Scientific Reports</i> , 2020, 10, 247.	3.3	10
18	Prognostic Value of Early Systolic Lengthening by Strain Imaging in Type 2 Diabetes. <i>Journal of the American Society of Echocardiography</i> , 2021, 34, 127-135.	2.8	10

#	ARTICLE	IF	CITATIONS
19	Prognostic value of right ventricular echocardiographic measures in patients with heart failure with reduced ejection fraction. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 903-913.	0.8	7
20	Layer-specific global longitudinal strain obtained by speckle tracking echocardiography for predicting heart failure and cardiovascular death following STEMI treated with primary PCI. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2207-2215.	1.5	5
21	Sex differences in the association between myocardial function and prognosis in type 1 diabetes without known heart disease: the Thousand & 1 Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 1017-1025.	1.2	4
22	Relationship between peripheral neuropathy, diastolic function and adverse cardiovascular outcome in individuals with type 1 diabetes mellitus without known cardiovascular disease: Results from the Thousand & 1 Study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 158-165.	4.4	4
23	Echocardiographic predictors of long-term adverse cardiovascular outcomes in participants with and without diabetes mellitus: A follow-up analysis of the Copenhagen City Heart Study. <i>Diabetic Medicine</i> , 2021, 38, e14627.	2.3	4
24	The prognostic value of myocardial deformational patterns on all-cause mortality is modified by ischemic cardiomyopathy in patients with heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 3137-3144.	1.5	3
25	Protective potential of high-intensity interval training on cardiac structure and function after COVID-19: protocol and statistical analysis plan for an investigator-blinded randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e048281.	1.9	2
26	Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. <i>PLoS ONE</i> , 2022, 17, e0269475.	2.5	2
27	The Authors Reply:. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 901-902.	5.3	0
28	Prognostic value of left ventricular mitral annular longitudinal displacement obtained by tissue Doppler imaging in patients with heart failure with reduced ejection fraction. <i>Open Heart</i> , 2021, 8, e001494.	2.3	0